



NASA SP-7037 (53)

SPECIAL NOTICE INSIDE

A CUMULATIVE INDEX
TO THE 1974 ISSUES OF
**AERONAUTICAL
ENGINEERING**

A SPECIAL BIBLIOGRAPHY

JANUARY 1975

**CASE FILE
COPY**

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

SUPPLEMENTS COVERED IN THIS INDEX

<i>Document</i>	<i>Page Range</i>	<i>Date</i>	<i>Coverage</i>
NASA SP-7037 (41)	1-68	February 1974	January 1974
NASA SP-7037 (42)	69-113	March 1974	February 1974
NASA SP-7037 (43)	115-167	April 1974	March 1974
NASA SP-7037 (44)	169-201	May 1974	April 1974
NASA SP-7037 (45)	203-257	June 1974	May 1974
NASA SP-7037 (46)	259-306	July 1974	June 1974
NASA SP-7037 (47)	307-333	August 1974	July 1974
NASA SP-7037 (48)	335-371	September 1974	August 1974
NASA SP-7037 (49)	373-419	October 1974	September 1974
NASA SP-7037 (50)	421-445	November 1974	October 1974
NASA SP-7037 (51)	447-475	December 1974	November 1974
NASA SP-7037 (52)	477-501	January 1975	December 1974

This bibliography was prepared by the NASA Scientific and Technical Information Facility, operated for the National Aeronautics and Space Administration by Informatics Information Systems Company.

The Administrator of the National Aeronautics and Space Administration has determined that the publication of this periodical is necessary in the transaction of the public business required by law of this Agency. Use of funds for printing this periodical has been approved by the Director of the Office of Management and Budget through July 1, 1974.

SPECIAL NOTICE

The abstract sections of the monthly supplements of *Aeronautical Engineering* can be bound separately. Individual abstracts can be located readily by means of the page numbers given at each entry, e.g., p0409 N74-27642. To assist the user in binding Supplements SP-7037 (41) through SP-7037 (52), a title page is included in the back of this Cumulative Index.

NASA SP-7037 (53)

**A CUMULATIVE INDEX
TO
AERONAUTICAL ENGINEERING
A Special Bibliography**

**This Cumulative Index supersedes the indexes
contained in supplements SP-7037 (41) through
SP-7037 (52).**



Scientific and Technical Information Office

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

JANUARY 1975

Washington, D.C.

This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161 for \$10.00

For copies mailed to addresses outside the United States, add \$2.50 per copy for handling and postage.

INTRODUCTION

WHAT THIS CUMULATIVE INDEX IS

This publication is a cumulative index to the abstracts contained in NASA SP-7037 (41) through NASA SP-7037 (52) of *Aeronautical Engineering: A Special Bibliography*. NASA SP-7037 and its supplements have been compiled through the cooperative efforts of the American Institute of Aeronautics and Astronautics (AIAA) and the National Aeronautics and Space Administration (NASA).

Entries prepared by the two contributing organizations are identified as follows:

1. NASA entries by their *STAR* accession numbers (N74-10000 series).
2. AIAA entries by their *IAA* accession numbers (A74-10000 series).

HOW THIS CUMULATIVE INDEX IS ORGANIZED

This Cumulative Index includes a subject index, a personal author index, a corporate source index, a contract number index, and a report accession number index.

HOW TO USE THE SUBJECT INDEX

Two types of cross-references appear in the subject index:

1. Use (U) references indicate that the subject term is not "postable," i.e., not a valid term, and the following term or terms are used instead. For example:

AIRCRAFT PROTUBERANCES
U PROTUBERANCES
FLIGHT PERFORMANCE
U FLIGHT CHARACTERISTICS

2. Narrower Term (NT) references refer the user to more specific headings in the same subject area, under which additional material on the subject may be found.

For example:

FLOW RESISTANCE
NT AERODYNAMIC DRAG
NT FRICTION DRAG
NT SUPERSONIC DRAG

In addition, a searcher may use the title or title and title extension in the index to narrow further his quest for particular items. This is because subject terms can readily include more than one class of document. For example:

AIRLINE OPERATIONS
All-weather operations, including
pilot role, instrument landing
systems and guidance aids.
Airport congestion as constraint on
air travel, considering runway
capacity and adjusted demand.

illustrates a case where two references on different topics are listed under the same subject term.

HOW TO USE THE PERSONAL AUTHOR INDEX

All personal authors used in the abstract-section citations in the individual Supplements appear in the index. Differences in transliteration schemes may require multiple searching of the index for variants of an author's name. For example:

EMELIANOV, M.D.
and
YEMELYANOV, M.D.

HOW TO USE THE CORPORATE SOURCE INDEX

The corporate source index entries are abridged versions of the corporate sources used in the abstract-section citations in the individual Supplements. The corporate source supplementary (organizational component) does not appear in the index. For example:

BOEING CO., SEATTLE, WASH. MILITARY AIRCRAFT SYSTEMS DIV.	(Corporate source at citation)
BOEING CO., SEATTLE, WASH.	(Corporate source index entry)

HOW TO USE THE CONTRACT NUMBER INDEX

All contract numbers that are identified in the abstract-section citations in the individual Supplements appear in this index. Changes by agencies in the style in which contract numbers are presented may require multiple searching for variants. For example:

AF 33(615)-71-C-1758
F33615-71-C-1758

HOW TO USE THE REPORT/ACCESSION NUMBER INDEX

All report numbers that have been assigned by the corporate source, monitoring agency or cataloging activity appear in this index. Variations in initial cataloging may result in different report number series. For example:

TP-924
ONERA-TP-924

IDENTIFICATION OF DESIRED SUPPLEMENT

The abstract and descriptive cataloging for any accession number selected from the indexes may be found in the appropriate Supplement. The page-number range of each Supplement appears on the inside front cover of this index. Once the range of page numbers containing the selected accession number is located in the second column, the desired Supplement number will be found in the first column. For example:

Page 405 will be found in Supplement 49.

AVAILABILITY OF DOCUMENTS

Information concerning the availability of documents announced in the *Aeronautical Engineering* supplements is found in the Introduction to the most currently issued monthly supplement.

TABLE OF CONTENTS

SUBJECT INDEX	A-1
PERSONAL AUTHOR INDEX	B-1
CORPORATE SOURCE INDEX	C-1
CONTRACT NUMBER INDEX	D-1
REPORT/ACCESSION NUMBER INDEX	E-1


SUBJECT INDEX

AERONAUTICAL ENGINEERING / A Special Bibliography

JANUARY 1975

1974 Cumulative Index

Typical Subject Index Listing



The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, a title extension is added, separated from the title by three hyphens. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of an individual issue of *Aeronautical Engineering*. If applicable, a report number is also included as an aid in identifying the document. The page and accession numbers are located beneath and to the right of the title. Under any one subject heading the accession numbers are arranged in sequence with the IAA accession numbers appearing first.

A

A-4 AIRCRAFT

Fabrication of advanced fibrous composite structures [SME PAPER EM73-716] p0075 A74-13953
Development of a graphite horizontal stabilizer --- flight control surface for A-4 aircraft [AD-782646] p0491 N74-33473

A-6 AIRCRAFT

F-14, A-6 assembly woes seen easing p0348 A74-34929

A-7 AIRCRAFT

Afterbody drag flight test of the A-7E airplane [AIAA PAPER 73-1306] p0032 A74-12948
Inflight thrust and base pressure survey on the A-7 airplane p0345 A74-34840
The effect of non-symmetric flight on aircraft high angle of attack handling qualities and departure characteristics [AIAA PAPER 74-792] p0400 A74-37812
A digital multimode flight control system for tactical fighters p0423 A74-38551
Low cost, fiber glass reinforced plastic fuel tank, volume 1 --- for A-7 aircraft application [AD-766361] p0057 N74-10929
Low cost, fiber glass reinforced plastic fuel tank, volume 2 --- development and evaluation for application to A-7 aircraft p0057 N74-10931
A modified design concept, utilizing deck motion prediction, for the A-7E automatic carrier landing system [AD-767691] p0144 N74-13739
Comparison of the flying qualities of the A-7D aircraft with the requirements of MIL-P-8785B ASG [AD-768390] p0161 N74-14768
Application of the aerospace multiprocessor to the A-7D flight control system --- development of digital fly-by-wire system [AD-768382] p0162 N74-14769
Cockpit switching study: Test and validation of a design procedure for multifunction switching controls [AD-783956] p0499 N74-34554
A-10 AIRCRAFT
The influence of design to cost and prototyping on the A-10 aircraft [SAE PAPER 730890] p0019 A74-11598
The Fairchild Industries A-10 - Designed for close air support p0184 A74-21726

Design-to-cost for the A-10 close air support aircraft [AIAA PAPER 74-963] p0427 A74-38728

A-37 AIRCRAFT

Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft [AD-769041] p0163 N74-14779

A-300 AIRCRAFT

A 300 B static and fatigue tests p0117 A74-16755
New orientations in the study of transport aircraft safety p0208 A74-22633
Airbus A-300 B --- design and cost effectiveness p0438 A74-40329
Determination of ice shapes and their effect on the aerodynamic characteristics for the unprotected tail of the A 300 [ICAS PAPER 74-42] p0450 A74-41343
Optimization and design of the rear fuselage of the A 300 B aircraft structure p0166 N74-15614

ABLATION

Ablation --- heat and mass transfer in hypersonic flight p0119 A74-17103
The ablation performance of foams in a low heat flux --- plasma arc tests on polyurethane-based foams p0045 N74-10263

ABORT APPARATUS

The new Douglas 'Minipac' ejection seat p0321 A74-31795

ABSORBENTS

Aviation fuel spill containment using absorbent materials [AD-776762] p0361 N74-26242

ABSORBERS (MATERIALS)

The design of sound absorptive materials to meet special requirements p0315 A74-30091
Finite-amplitude waves in cylindrical lined ducts [AIAA PAPER 74-553] p0339 A74-33145

ABSORPTION SPECTROSCOPY

Dosage of minority stratospheric constituents, of the order of 1 ppb, by absorption spectrometry p0340 A74-33313

AC GENERATORS

Gas-lubricated foil bearings for high speed turboalternator - Construction and performance [ASME PAPER 73-LUB-5] p0027 A74-12332
VFW 614 electrical system p0375 A74-35363
Investigation of rotor dynamic and high speed bearing technology for a 3 KW turbo-alternator [AD-765501] p0047 N74-10486
Test characteristics of a welded rotor in a 36,000-rpm Lundell alternator [NASA-TN-X-2944] p0064 N74-11304
Major Item Special Study (MISS), CH-47A alternating generator --- product quality control and cost savings [AD-773720] p0286 N74-19712
Comparison of electrical generating systems based on IDG and VSCF techniques in two types of aircraft p0473 N74-32482
Aircraft auxiliary power systems study. A main generation channel for a V/STOL strike aircraft p0474 N74-32483
VSCF generators --- variable speed constant frequency generators, design, construction and performance p0474 N74-32485
Control aspects of aircraft type cycloconvertors p0474 N74-32486

ACCELERATION (PHYSICS)

SUBJECT INDEX

ACCELERATION (PHYSICS)

Computation of aerodynamic loads on helicopter rotorblades in forward flight, using the method of the acceleration potential
[ICAS PAPER 74-54] p0451 A74-41353
Gust loads on Comet aircraft --- noting gust frequencies and cloud collision radar effect
[ARC-CP-1247] p0250 A74-18689
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] p0409 A74-27872

ACCELERATION PROTECTION

Anticipatory anti-blackout system --- oxygen operated anti-G valves for aircrew protection
p0212 A74-23551

ACCELERATION STRESSES (PHYSIOLOGY)

Definition of study objectives for integrated crew module development
[AD-769065] p0162 A74-14773

ACCELEROMETERS

Aircraft on-board equipment for dynamic measurements with piezoelectric sensors
p0270 A74-27293
Statistical review of counting accelerometer data for Navy and Marine fleet aircraft from 1 January 1962 to July 1973
[AD-767648] p0106 A74-12736
Statistical review of counting accelerometer data for Navy and Marine fleet aircraft
[AD-778645] p0416 A74-28531

ACCESS TIME

The remote airport - A study of access feasibility
p0216 A74-23353

ACCIDENT INVESTIGATION

NT AIRCRAFT ACCIDENT INVESTIGATION

ACCIDENT PREVENTION

Application of military human factors techniques to general aviation accident prevention
p0004 A74-10880
Bird control at the airport
p0080 A74-14523
Accident prevention by incident analysis
p0208 A74-22634
Violations of system safety principles in the cockpit
p0208 A74-22635
Use of ARTS-III in aircraft accident investigation --- Automated Radar Terminal System
p0208 A74-22637
Nonflammable fibrous materials for aeronautical systems
p0379 A74-35807
Protection of civil aviation aircraft against fire
p0421 A74-38149
Problems of aircraft takeoff from precipitation-covered runways
p0484 A74-46689
Some user benefits achievable from an advanced air traffic management system
[R-1320-DOT] p0065 A74-11435
Air traffic control/collision avoidance system interface simulation, phase 2 --- based on high density terminal area with simultaneous approaches to parallel runways
[FAA-WA-73-40] p0100 A74-12361
Windshield bird strike structure design criteria
[AD-779729] p0442 A74-29393

ACCIDENTS

NT AIRCRAFT ACCIDENTS

ACCELERATION

U DEPOSITION

ACOUSTIC ATTENUATION

NT SHOCK WAVE ATTENUATION

Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data
[AIAA PAPER 73-1001] p0006 A74-11050
The acoustics of aircraft engine-duct systems
[AIAA PAPER 73-1153] p0025 A74-12215
Transmission of sound through a two-dimensional shielding jet
[AIAA PAPER 73-1002] p0026 A74-12221
Experimental study of the internal noise in injector driven wind tunnels
[ONERA, TP NO. 1315] p0128 A74-18288
Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source
[AIAA PAPER 74-91] p0133 A74-18768

Noise suppressing devices --- Russian book
p0180 A74-20904

Nozzle geometry and forward velocity effects on noise for CTOL engine-over-the-wing concept
p0314 A74-30076

The design of sound absorptive materials to meet special requirements
p0315 A74-30091

Investigation of acoustic effects of leading-edge serrations on airfoils
p0317 A74-30392

Finite-amplitude waves in cylindrical lined ducts
[AIAA PAPER 74-553] p0339 A74-33145

Attenuation of instabilities in propulsion system combustors
p0478 A74-44422

ACOUSTIC COMBUSTION

U COMBUSTION STABILITY

ACOUSTIC DUCTS

Turbine noise generation and suppression --- prediction method linking acoustic modes with aerodynamics
[ASME PAPER 73-WA/GT-7] p0071 A74-13298
Application of finite difference techniques to noise propagation in jet engine ducts
[ASME PAPER 73-WA/GT-10] p0072 A74-13301
Nonlinear acoustic phenomena in the presence of absorptive liners in circular ducts
p0315 A74-30090

High intensity sound in a lined duct
p0336 A74-32593

Finite-amplitude waves in cylindrical lined ducts
[AIAA PAPER 74-553] p0339 A74-33145

Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] p0470 A74-32418

ACOUSTIC FATIGUE

Sonic fatigue failure mechanisms in potential Space Shuttle Orbiter panel designs
[AIAA PAPER 74-348] p0270 A74-27267
Oil canning of metallic panels in thermal-acoustic environments
[AIAA PAPER 74-982] p0428 A74-38740
Acoustic fatigue design data, part 3 --- design criteria for aircraft structural elements to reduce effects of acoustic stress
[AGARDGRAPH-162-PT-3] p0257 A74-19550

ACOUSTIC GENERATORS

U SOUND GENERATORS

ACOUSTIC IMPEDANCE

Quiet engine program: Turbine noise suppression. Volume 2: Treatment selection, installation, and test results
[NASA-CR-134586] p0256 A74-19401

ACOUSTIC MEASUREMENTS

NT NOISE MEASUREMENT

An experimental study of subsonic jet noise and comparison with theory
p0002 A74-10271

Transportation noise - It's measurement and evaluation
p0008 A74-11198

Aspects of large-scale, subsonic, wind-tunnel design for propulsion noise research
[AIAA PAPER 73-1279] p0011 A74-11291

The effect of noise constraints on engine cycle optimization for long-haul transports
[AIAA PAPER 73-1292] p0011 A74-11298

Measured jet noise compared to California noise codes and health criteria
p0014 A74-11424

Investigation of the characteristics of tubular microphone windscreens for in-duct fan sound power measurements
p0023 A74-12126

Location of aircraft by an acoustic method
p0069 A74-13028

Non-engine aerodynamic noise - The limit to aircraft noise reduction
p0074 A74-13796

Electroacoustical performance requirements for aircraft noise certification measurements
p0074 A74-13799

Flight noise reduction in propeller-driven aircraft
p0089 A74-15962

Recent developments in sonic-boom simulation using shock tubes
p0115 A74-16384

SUBJECT INDEX

ACOUSTIC MEASUREMENTS CONTD.

Preliminary wind tunnel noise measurements of a semi-span wing with an upper-surface blown-flap [AIAA PAPER 74-191] p0134 A74-18832
Computer prediction of aircraft noise p0137 A74-19051
Effect of configuration variation on externally blown flap noise [AIAA PAPER 74-190] p0180 A74-20775
Parameterization of helicopter rotor broadband noise from experimental data p0206 A74-22469
Rotating-blade vortex noise p0203 A74-22470
Experimental studies of rotational noise in forward flight p0206 A74-22471
Some noise requirements for large subsonic wind-tunnels p0216 A74-22479
Exhaust noise field generated in the JT8D core engine - noise floor presented by the internal noise sources p0221 A74-23105
Aircraft acoustics --- Russian book on noise sources and abatement methods. p0225 A74-24998
A solid-state converter for measurement of aircraft noise and sonic boom p0261 A74-26345
Helicopter and V/STOL aircraft noise measurement problems [SAR AIR 1286] p0269 A74-27259
Noise limit values in the case of aircraft --- under German law [DGLR PAPER 74-015] p0270 A74-27363
Systematic investigations in the field of noise shielding [DGLR PAPER 74-021] p0271 A74-27365
Comments concerning noise indices /results of the study of aircraft noise in Munich conducted by the German Research Community are taken into account/ [DGLR PAPER 74-014] p0271 A74-27367
Variability in aircraft noise measurements --- from short and long period jet flight tests p0314 A74-30079
Nonlinear acoustic phenomena in the presence of absorptive liners in circular ducts p0315 A74-30090
A new anechoic facility for supersonic hot jet noise research at Lockheed-Georgia p0315 A74-30092
Microphone requirements for airport noise monitoring p0315 A74-30096
Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers p0315 A74-30098
A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153
Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen p0343 A74-34290
Preliminary measurements of aircraft aerodynamic noise [AIAA PAPER 74-572] p0344 A74-34332
The prediction of rotor rotational noise using measured fluctuating blade loads [AHS PREPRINT 801] p0387 A74-36615
Validity of aircraft noise data p0397 A74-37547
Spectrum of rotor noise caused by atmospheric turbulence p0430 A74-38854
Jet engine noise testing p0434 A74-39739
Static noise measurement of full scale jet engines p0434 A74-39740
The use of a rotating arm facility to study flight effects on jet noise p0436 A74-39970
Helicopter noise - Can it be adequately rated --- inadequacy of existing measurement techniques p0438 A74-40092
Unsteady lift and radiated sound from a wake cutting airfoil p0477 A74-44405

Acoustic-emission detection system p0478 A74-44928
Noise and wake structure measurements in a subsonic tip speed fan [NASA-CR-2323] p0036 N74-10020
NASA/GE quiet engine A acoustic test results [NASA-CR-121175] p0050 N74-10732
Truck noise via diesel exhaust and air intake noise --- acoustic measurements for evaluation of various exhaust and intake systems [PB-222624/9] p0052 N74-10742
Aerodynamic sound generation due to vortex-aerofoil interaction p0093 N74-11804
Results of the flight noise measurement program using a standard and modified SH-3A helicopter [NASA-TN-D-7330] p0096 N74-11836
Helicopter noise --- in relation to increased horsepower p0105 N74-12722
Aerodynamic and noise measurements on a quasi-two dimensional augmentor wing model with lobe-type nozzles [NASA-TN-X-62237] p0140 N74-13719
Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps [NASA-TN-X-62320] p0141 N74-13720
Noise generation by cylindrical spoilers immersed in an air duct --- analysis of acoustic power output and directivity patterns of noise field [AD-767336] p0142 N74-13730
Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [NASA-TN-X-71488] p0152 N74-14384
A study of the effect of flight density and background noise on V/STOL acceptability --- effective perceived noise level as measure of annoyance [NASA-CR-2197] p0161 N74-14765
A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas Aircraft [NASA-CR-114677] p0188 N74-15714
Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114691] p0189 N74-15716
Impact characterization of noise including implications of identifying and achieving levels of cumulative noise exposure [PB-224408/5GA] p0238 N74-17769
Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft [NASA-CR-114689] p0249 N74-18685
Noise measurements taken at LAX during operational evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114690] p0249 N74-18686
Preliminary measurement of the airframe noise from an F-106B delta wing aircraft at low flyover speeds --- establishment of lower limit for noise level of supersonic transport aircraft [NASA-TN-X-71527] p0284 N74-19668
The noise environment of a school classroom due to the operation of utility helicopters --- acoustic measurements of helicopter noise during flight over building [NASA-TN-X-71957] p0296 N74-20659
Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport --- development of noise exposure forecast contours for projected traffic volume and aircraft types [NASA-TN-X-71953] p0296 N74-20660
Component noise variables of a light observation helicopter [NASA-CR-114761] p0297 N74-20662
The effect of engine component noise on V/STOL aircraft noise contours [NASA-CR-114687] p0297 N74-20667
Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system [NASA-TN-D-7495] p0325 N74-21652

- Community acceptance of helicopter noise:
 Criteria and application [NASA-CR-132430] p0355 N74-25567
 Aircraft noise in urban areas. Measurement and evaluation [DGLR-PAPER-74-013] p0368 N74-26481
 Noise limit values of aircraft [DGLR-PAPER-74-015] p0368 N74-26482
 Systematic sound insulation investigations [HBB-UH-06-74-0] p0368 N74-26483
 Noise levels in the CH-113A and CUH-1H helicopter [DCIRM-73-R-993] p0407 N74-27504
 Investigation of the large scale coherent structure in a jet and its relevance to jet noise [NASA-CR-138908] p0407 N74-27505
 Flight velocity effects on the jet noise of several variations of a 104-tube suppressor nozzle [NASA-TN-X-3049] p0410 N74-28240
 Use of conventional equipment to measure the effective perceived noise level of aircraft p0411 N74-28399
 Acoustic tests on a fan-in-wing model: Effects of an extended inlet [BRC-13898] p0442 N74-29376
 Suppressor nozzle and airframe noise measurements during flyover of a modified F106B aircraft with underwing nacelles [NASA-TN-X-71578] p0442 N74-29379
 Investigation of the possibility of use of vibroacoustical signals for purposes of diagnostics in aeronautical engineering p0444 N74-29875
 Static noise tests on augmentor wing jet STOL research aircraft (C8A Buffalo) [NASA-CR-137520] p0489 N74-33455
 Test of acoustic tone source and propulsion performance of C8A Buffalo suppressor nozzle [NASA-CR-137521] p0489 N74-33456
 Non-engine aerodynamic noise investigation of a large aircraft [NASA-CR-2378] p0495 N74-34482
- ACOUSTIC NOZZLES**
 Forward velocity effects on jet noise with dominant internal noise source p0314 A74-30077
 Investigation of noise from full-scale high bypass engine and blown flap system [SAB PAPER 74-0467] p0352 A74-35012
 Jet propulsion for quiet aircraft --- nozzle configurations p0396 A74-37536
- ACOUSTIC PROPAGATION**
 The acoustic far-field of rigid bodies in arbitrary motion p0224 A74-24375
 Finite-amplitude waves in cylindrical lined ducts [AIAA PAPER 74-553] p0339 A74-33145
 Analysis of acoustic radiation in a jet flow environment p0461 A74-44314
- ACOUSTIC PROPERTIES**
 NT ACOUSTIC IMPEDANCE
 NT ACOUSTIC SCATTERING
 NT ACOUSTIC VELOCITY
 NT SOUND INTENSITY
 Noise characteristics of a turbulent crosswind jet p0177 A74-20281
 A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153
 Acoustic characteristics of a large-scale augmentor wing model at forward speed [NASA-TN-X-2940] p0041 N74-10052
 Aircraft noise reduction technology --- to show impact on individuals and communities, component noise sources, and operational procedures to reduce impact [NASA-TN-X-68241] p0055 N74-10917
 Aerodynamic sound generation due to vortex-aerofoil interaction p0093 N74-11804
 The effect of helicopter noise on communication and hearing [AD-767222] p0112 N74-13450
 Noise generation by cylindrical spoilers immersed in an air duct --- analysis of acoustic power output and directivity patterns of noise field [AD-767336] p0142 N74-13730
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [NASA-TN-X-71488] p0152 N74-14384
 A study of the effect of flight density and background noise on V/STOL acceptability --- effective perceived noise level as measure of annoyance [NASA-CR-2197] p0161 N74-14765
 Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines [NASA-TN-X-62319] p0189 N74-15719
 Noise characteristics of jet flap type exhaust flows --- effects of Mach number, slot nozzle aspect ratio, and flap length on radiated sound power [NASA-CR-2342] p0236 N74-17756
 Acoustical properties of a model rotor in nonaxial flight --- wind tunnel model noise measurements [NASA-CR-114749] p0248 N74-18678
 Preliminary measurement of the airframe noise from an F-106B delta wing aircraft at low flyover speeds --- establishment of lower limit for noise level of supersonic transport aircraft [NASA-TN-X-71527] p0284 N74-19668
 Influence of noise requirements on STOL propulsion system designs --- analysis of acoustic properties of short takeoff aircraft p0291 N74-20422
 Noise levels of operational helicopters of the OH-6 type designed to meet the LOM mission --- acoustic properties for various helicopter configurations [NASA-CR-114760] p0297 N74-20663
 Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept [NASA-TN-X-71562] p0355 N74-25568
 Investigation of the large scale coherent structure in a jet and its relevance to jet noise [NASA-CR-138908] p0407 N74-27505
 Flight velocity effects on the jet noise of several variations of a 104-tube suppressor nozzle [NASA-TN-X-3049] p0410 N74-28240
 Low noise propeller technology demonstration --- application to quiet aircraft development [AD-779773] p0443 N74-29395
 Investigation of the possibility of use of vibroacoustical signals for purposes of diagnostics in aeronautical engineering p0444 N74-29875
 Noise generated by quiet engine fans. 2: Fan A. --- measurement of power spectra and sideline perceived noise levels [NASA-TN-X-3066] p0444 N74-30240
 Static performance and noise tests on a thrust reverser for an augmentor wing aircraft [NASA-CR-137561] p0472 N74-32438
 Further analysis of broadband noise measurements for a rotating blade operating with and without its shed wake blown downstream [NASA-TN-D-7623] p0488 N74-33434
- ACOUSTIC RADIATION**
 O SOUND WAVES
ACOUSTIC SCATTERING
 Diffraction of evanescent waves, with applications to aerodynamically scattered sound and radiation from un baffled plates p0204 A74-23104
 A linear model of a finite amplitude Helmholtz instability. p0335 A74-32057
 Acoustic backscatter radar system for tracking aircraft trailing vortices p0477 A74-44420
 Acoustic scattering from an aircraft trailing vortex p0193 N74-16377
- ACOUSTIC SIMULATION**
 The experimental response of simple structures to simulated sonic booms p0021 A74-11814
 Acoustical modeling of the heavy lift helicopter p0206 A74-22466
 Model study of the propagation of sound from V/STOL aircraft into urban environs p0315 A74-30093
 Flyover noise prediction from static data --- extrapolation from engine ground tests p0316 A74-30100
 Acoustical model investigations of two versions of an airport noise suppressor

SUBJECT INDEX

ADHESIVES

Sonic boom research at UTIAS p0340 A74-33274

Acoustic fatigue design data, part 3 --- design criteria for aircraft structural elements to reduce effects of acoustic stress [AGARDGRAPH-162-PT-3] p0483 A74-46239

ACOUSTIC VELOCITY p0257 A74-19550

The jet density exponent issue for the noise of heated subsonic jets p0422 A74-38393

Tables for flight tests --- giving reference atmospheres, calibration velocity, mach number, and sound velocity p0190 A74-15722

ACOUSTIC VIBRATIONS

U SOUND WAVES

ACOUSTICS

BT PSYCHOACOUSTICS

Rotor aerodynamics and acoustics - The next phase --- helicopter noise at supersonic blade tip speeds p0203 A74-22465

Radially leaned outlet guide vanes for fan source noise reduction [NASA-CR-134486] p0065 A74-11597

Design and fabrication of an augmentor wing model for acoustic tests [NASA-CR-134518] p0241 A74-17960

ACQUISITION

BT DATA ACQUISITION

BT TARGET ACQUISITION

ACRYLIC RESINS

Application of acrylic based room temperature curing adhesives to structural helicopter bondments p0380 A74-35994

ACTINOMETERS

BT INFRARED DETECTORS

BT INFRARED SCANNERS

ACTUATORS

US Army helicopter hydraulic servocylinder reliability and maintainability investigation [AD-767243] p0142 A74-13731

Practical experience with a digital electrohydraulic actuator [NASA-TT-F-15292] p0191 A74-15735

The dynamic behavior of a digital electrohydraulic actuator [NASA-TT-F-15295] p0191 A74-15736

Redundant actuator development study --- flight control systems for supersonic transport aircraft [NASA-CR-114730] p0325 A74-21655

Comparison with regard to the economy of a digital and an analog electro-hydraulic actuator --- noting application to aircraft control. [DLR-FB-73-105] p0489 A74-33457

Contribution to the dynamic behavior of a digital electro-hydraulic actuator --- for fly by wire control [DLR-FB-73-106] p0490 A74-33458

The F-89 hydraulic actuator combinatorial geometry representation [AD-781996] p0498 A74-34547

ADAPTERS

UH-1 ground handling wheel adapter bars for OH-58 helicopters. Prototype design, fabrication, and user test [AD-778199] p0443 A74-29616

ADAPTIVE CONTROL

Conference on Decision and Control, 4th and Symposium on Adaptive Processes, 12th, San Diego, Calif., December 5-7, 1973, Proceedings p0175 A74-20076

Adaptive systems research in the NASA p0175 A74-20095

Digital adaptive flight controller development p0176 A74-20120

Reliability of adaptive systems --- Russian book on flight control p0181 A74-20919

Digital adaptive model following control --- for lateral aircraft dynamics p0183 A74-21338

Technical optimization --- German book on chemical process, spacecraft and aircraft optimal control p0227 A74-25038

Oscillations in an adaptive aircraft control system p0262 A74-26440

Adaptive arrays --- radar receiving antennas for sidelobe reduction and adaptive filtering p0316 A74-30319

Digital system identification and its application to digital flight control p0342 A74-33768

Nonlinear and adaptive control techniques; Proceedings of the First Annual Advanced Control Conference, Purdue University, Lafayette, Ind., April 29-May 1, 1974 p0373 A74-35204

Adaptive and nonlinear control systems in aerospace applications p0373 A74-35206

A comparative study of two model reference, adaptive aircraft control systems p0374 A74-35237

Digital adaptive model following flight control --- using fighter aircraft mathematical model-following algorithm [AIAA PAPER 74-886] p0402 A74-37868

A practical scheme for adaptive aircraft flight control systems p0357 A74-25588

Adaptive control techniques without perturbation for systems with inaccessible state variables with application to a supersonic aircraft air inlet control system p0499 A74-34668

ADAPTIVE CONTROL SYSTEMS

U ADAPTIVE CONTROL

ADDITION RESINS

BT ACRYLIC RESINS

ADDITIONS

BT ANTIFREEZES

BT ANTIOXIDANTS

BT OIL ADDITIVES

ADHEROMETERS

U ADHESION TESTS

ADHESION TESTS

Development and problems of testing prepreps for the Czechoslovakian aircraft industry p0280 A74-28528

ADHESIVE BONDING

Composite to metal bonding using structural thermosetting adhesives p0085 A74-14786

Technology of production of sandwich panels with aluminum honeycomb cores p0178 A74-20523

Application of advanced structures and materials to transport aircraft fuselages [AIAA PAPER 74-340] p0263 A74-26655

Adhesive bonding increases fatigue life of wing joint [AIAA PAPER 74-382] p0265 A74-26687

Adhesively bonded laminated metal structure [SAE PAPER 740259] p0274 A74-27510

An approach to the development of meaningful design rules for fatigue-loaded CFRP components --- carbon fiber reinforced plastics p0313 A74-29783

Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates p0316 A74-30313

Electromagnetic proof stressing of bonded airplane structure p0343 A74-34294

Application of acrylic based room temperature curing adhesives to structural helicopter bondments p0380 A74-35994

Adhesive bonding in the aviation industry and in other industrial sectors p0479 A74-44991

Evaluation of the adhesive bonding processes used in helicopter manufacture. Part 4: Nondestructive inspection of adhesive bonds using holographic techniques [AD-765455] p0047 A74-10480

Non-classical adhesive-bonded joints in practical aerospace construction [NASA-CR-112238] p0101 A74-12555

ADHESIVES

Effect of adhesive on the impact resistance of laminated plastics for windshield applications [AD-769735] p0193 A74-16259

ADIABATIC CONDITIONS

SUBJECT INDEX

ADIABATIC CONDITIONS

The mean skin friction coefficient for a rough flat plate with a turbulent two-dimensional boundary layer in compressible adiabatic flow, with application to wedges, cylinders and cones [ESDU-73016] p0035 A74-10008

ADSORPTION

Adsorption resins in jet fuels p0221 A74-23517

ABERATION

Foam and aeration characteristics of commercial aircraft lubricants [ASLE PREPRINT 74AM-1A-1] p0307 A74-28676

AERIAL IMAGERY

U AERIAL PHOTOGRAPHY

AERIAL PHOTOGRAPHY

Evaluation of the helicopter as a camera platform p0078 A74-14480

Distortions in aerial photographs due to internal refraction --- from sealed compartment temperature and pressure effects p0218 A74-23450

Protection of an optical sensor against vibration of the flight vehicle p0276 A74-27899

A low power night photo system for high speed unmanned aircraft p0423 A74-38535

AERIAL RECONNAISSANCE

Problems and organization in the case of aerial-survey flights at intermediate and high altitudes p0086 A74-15082

A truly airworthy video disc recorder/reproducer results in unique capabilities --- for aerial reconnaissance and surveillance p0218 A74-22553

Reduction of environmental testing and analysis costs through simulation p0380 A74-36037

Functional command/control considerations for ship-deployable tactical remotely-piloted vehicle /RPV/ p0433 A74-39664

A preliminary design of a remotely-controlled glider for a long-line operation [AD-767879] p0144 A74-13744

AERIAL RUDDERS

Multi-hinge rudder unit design with allowance for rudder deflection p0398 A74-37663

Stability of the tail surfaces --- relationship to rudder bending p0453 A74-41770

Aerodynamic comparison of two double-slotted rudders [AD-774432] p0294 A74-20644

AERODYNAMIC AXIS

U AERODYNAMIC BALANCE

AERODYNAMIC BALANCE

Magnetic balance and suspension systems for use with wind tunnels p0025 A74-12204

Automatic balancing of an aircraft p0124 A74-17804

Aerodynamic centre in two dimensional flow [ESDU-AIRCRAFT-08.01.05-AMEND-A] p0035 A74-10010

AERODYNAMIC BRAKES

NT BALLUTES

NT DRAG CHUTES

NT LEADING EDGE SLATS

NT SPLIT FLAPS

NT TRAILING-EDGE FLAPS

NT WING FLAPS

A variable drag drogue chute for use as the aerodynamic decelerator in sailplanes [AIAA PAPER 74-1046] p0456 A74-42058

Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators [NASA-CASE-LAR-10776-1] p0038 A74-10034

AERODYNAMIC BUZZ

U FLUTTER

AERODYNAMIC CENTER

U AERODYNAMIC BALANCE

AERODYNAMIC CHARACTERISTICS

NT AERODYNAMIC BALANCE

NT AERODYNAMIC DRAG

NT AERODYNAMIC STABILITY

NT INTERFERENCE DRAG

NT INTERFERENCE LIFT

NT JET LIFT

NT LIFT

NT ROTOR LIFT

NT STATIC AERODYNAMIC CHARACTERISTICS

The technical evolution of aircraft

V/STOL deflector aerodynamic design criteria --- geometric variations effects p0006 A74-11092

[AIAA PAPER 73-1181] p0008 A74-11226

Some design considerations for supersonic cruise mixed compression inlets [AIAA PAPER 73-1269] p0030 A74-12496

Experimental study on the characteristics of an isolated swept-back aerofoil with two parallel side-walls p0069 A74-12971

Aerodynamic aspects of gas turbine blade corrosion p0081 A74-14567

F28 - Development of the Mk 5000/6000. II - Development of the family p0086 A74-15152

Calculation of aerodynamic characteristics of bodies with relatively large trailing sections p0087 A74-15575

The aerodynamic characteristics of some variable geometry wing forms, derived from delta wings, gothic and mild-ogee wings p0088 A74-15810

Supersonic compressor test facility p0129 A74-18603

Calculation of the aerodynamic characteristics of a wing system moving at subsonic speed near land or smooth water surface p0131 A74-18681

Investigations into the possibilities of applying the 'Aerodynamic Paradoxon' principle in fluidic devices p0174 A74-19859

Subsonic potential aerodynamics for complex configurations - A general theory p0177 A74-20280

Aerodynamic problems of turbojet propulsion systems, repercussions on gas turbine development p0177 A74-20313

The influence of non-linear longitudinal aerodynamic characteristics on the power spectral response of aircraft to atmospheric turbulence p0182 A74-21105

STOL aircraft with blown wings p0209 A74-22785

Determination of the aerodynamic characteristics of bodies of complex shape in a free-molecular flow with allowance for shading p0204 A74-23233

Some aerodynamic problems raised by the airship [ONERA, TP NO. 1312] p0222 A74-24314

Unsteady aerodynamic characteristics of cascades of arbitrary profiles vibrating in the potential flow of an incompressible fluid p0222 A74-24378

Estimation of aircraft parameters in nonlinear aerodynamic models p0225 A74-24843

Aerodynamic problems of the short takeoff and landing aircraft [ONERA, TP NO. 1247] p0226 A74-25062

The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing [ASME PAPER 74-GT-120] p0271 A74-27419

Some results from tests on a high work axial gas generator turbine [ASME PAPER 74-GT-81] p0273 A74-27467

T-tail aerodynamics of the Super King Air [SAE PAPER 740370] p0309 A74-28741

Investigation of new wing shapes for hypersonic flight p0311 A74-29035

Random movement of a wing of finite span in an incompressible liquid p0312 A74-29497

Slender delta wing with conical camber p0317 A74-30398

Flight mechanical analysis of various flight attitudes of conventional aircraft. I - Basic aerodynamic principles /Aerodynamics of the airfoil - Geometry of the airfoil/ p0338 A74-33097

SUBJECT INDEX

AERODYNAMIC CHARACTERISTICS CONTD

- Low-speed aerodynamic characteristics of a
13.1-percent-thick, high-lift airfoil
[SAE PAPER 740366] p0345 A74-34800
- Calculation of the static stability of aircraft at
large angles of attack p0383 A74-36454
- The heat flux to a waverider of simple
configuration and its L/D ratio p0384 A74-36571
- Rotor moment control with flap-moment feedback
[AHS PREPRINT 842] p0385 A74-36593
- Dynamic model of a parachute and determination of
its characteristics p0389 A74-36635
- Consideration of the effect of the fuselage of a
two-rotor helicopter of the transverse or
longitudinal type when determining the optimal
rotor blade configuration for hovering p0390 A74-36799
- Numerical method of calculating the aerodynamic
characteristics of cambered and uncambered wings
in supersonic flow p0391 A74-36827
- Optimal configuration of the rotor blades of a
single-rotor helicopter during horizontal flight
p0391 A74-36864
- Reciprocal-action computational systems for
complex calculations in aeromechanics p0393 A74-37394
- Manual of the aviation engineer --- Russian book
p0403 A74-37999
- Guidelines for selecting the parameters of a slab
tailplane p0422 A74-38150
- A review of some Air Force STOL aircraft
aerodynamic prediction methods p0429 A74-38748
- Comparison of Fokker P28 'Fellowship' wind tunnel
and flight data - A summary p0430 A74-38796
- Aerodynamic design of airfoil sections p0430 A74-38848
- Some aerodynamic design considerations for high
bypass ratio fans p0437 A74-39989
- Review of NASA supercritical airfoils
[ICAS PAPER 74-10] p0448 A74-41312
- On the calculation of non-linear aerodynamic
characteristics and the near vortex wake
[ICAS PAPER 74-27] p0449 A74-41329
- Determination of ice shapes and their effect on
the aerodynamic characteristics for the
unprotected tail of the A 300 p0450 A74-41343
- Airframe noise - The next aircraft noise barrier
[AIAA PAPER 74-949] p0452 A74-41654
- An experimental investigation of the aerodynamic
characteristics of stepped-wedge airfoils at low
speeds p0454 A74-42037
- An improved-performance control system for
low-speed flight p0455 A74-42052
- A quasi-vortex-lattice method in thin wing theory
p0477 A74-44417
- Transient aerodynamic characteristics of thin
curvilinear airfoils in cascade p0482 A74-45928
- Determination of the aerodynamic characteristics
of a complexly shaped body in a free molecular
flow with consideration of shadowing effects
p0483 A74-46181
- Presentation and aerodynamic characteristics of
aircraft models derived from an optimal
disposition of rectangular biplane wings
according to studies of Toussaint, Menadovic,
and Denis p0484 A74-46675
- Study of the polar curve of the G-2 aircraft, and
summary of model tests carried out in the T-32
wind tunnel p0485 A74-46704
- Subsonic performance data for NACA type submerged
air intakes p0036 A74-10012
- [ESDU-66029]
- Aeronautics: Space in the seventies p0036 A74-10017
- [NASA-EP-85]
- Transonic aerodynamic characteristics associated
with variations in the geometry of the forward
portion of irregular planform wings p0038 A74-10028
- [NASA-CR-128781]
- Computation of the aerodynamic characteristics of
a rectangular wing with plates moving at low
subsonic speed near a screen p0039 A74-10036
- [JPRS-60353]
- Study of heaving motion in air cushion vehicles
[NASA-TT-F-15106] p0039 A74-10038
- Stability and dynamic behavior of two tethered
balloon systems p0043 A74-10070
- [AD-766439]
- Analysis and testing of aeroelastic model
stability augmentation systems --- for
supersonic transport aircraft wing and B-52
aircraft control system p0093 A74-11807
- [NASA-CR-132345]
- Analysis and testing of stability augmentation
systems --- for supersonic transport aircraft
wing and B-52 aircraft control system p0093 A74-11809
- [NASA-CR-132349]
- Geometry program for aerodynamic lifting surface
theory p0093 A74-11810
- [NASA-TN-X-62309]
- Low speed aerodynamic characteristics of a 17
percent thick airfoil section designed for
general aviation applications p0094 A74-11821
- [NASA-TN-D-7428]
- Effect of sweep angle on the pressure
distributions and effectiveness of the ogee tip
in diffusing a line vortex p0094 A74-11822
- [NASA-CR-132355]
- Theoretical and experimental investigation of the
performance of a fan-in-wing VTOL configuration
[NASA-TN-D-7498] p0094 A74-11823
- Aerodynamic characteristics of a large-scale model
with a swept wing and a jet flap having an
expandable duct p0095 A74-11826
- [NASA-TN-X-62281]
- On the reliability of results from the tower test
for free flight tests --- to determine pitching
and rolling moments p0095 A74-11827
- [NASA-TT-F-15174]
- Hypersonic aerodynamic characteristics of an
all-body research aircraft configuration p0096 A74-11831
- [NASA-TN-D-7358]
- Hypersonic aerodynamic characteristics of a family
of power-law, wing body configurations p0102 A74-12705
- [NASA-TN-D-7427]
- Non dimensional methods for the measurement of
hover performance of turbine engine helicopters
[ESDU-73027] p0103 A74-12711
- Introduction to nondimensional methods for the
measurement of performance of turbine-engined
helicopters p0103 A74-12712
- [ESDU-73026]
- General description of the rotorcraft flight
simulation computer program (G-81) p0105 A74-12728
- [AD-767239]
- Investigation of the maneuverability of the S-67
winged helicopter p0106 A74-12735
- [AD-767559]
- A mathematical model of unsteady aerodynamics and
radial flow for application to helicopter rotors
[AD-767240] p0106 A74-12738
- Performance characteristics of short haul
transport aircraft intended to operate from
reduced length runways p0140 A74-13716
- [CRANFIELD-ARRO-18]
- Wind tunnel investigation of a large-scale 25 deg
swept-wing jet transport model with an external
blowing triple-slotted flap p0141 A74-13721
- [NASA-TN-X-62197]
- V/STOL tilt rotor aircraft study. Volume 10:
Performance and stability test of A 1-14.622
Froude scaled Boeing Vertol Model 222 tilt rotor
aircraft (Phase 1) p0142 A74-13727
- [NASA-CR-114603]
- An experimental analysis and buffet investigation
of the shockless lifting airfoil no. 1 p0155 A74-14708
- [NRC-13673]
- Drag of supercritical airfoils in transonic flow
--- comparison with conventional airfoil drag
coefficients p0156 A74-14719
- Development of techniques to measure in-flight
drag of a US Navy fighter airplane and
correlation of flight measured drag with wind
tunnel data p0158 A74-14734

- A quick look at the state-of-the-art in flight testing of certain aerodynamic parameters related to wind tunnel testing
[PFA-AU-966] p0158 N74-14740
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 2
[NASA-CR-114708] p0160 N74-14756
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (the effects of some rotor feedback systems on rotor-body dynamics), Phase 7-A
[NASA-CR-114709] p0160 N74-14757
- Comparison of the flying qualities of the A-7D aircraft with the requirements of MIL-P-8785B ASG
[AD-768390] p0161 N74-14768
- An experimental investigation of a high lift device on the owl wing
[AD-769492] p0188 N74-15707
- Numerical calculations of velocity and pressure distribution around oscillating airfoils
[NASA-CR-2368] p0194 N74-16704
- Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods
[BMVG-FBWT-73-27] p0195 N74-16705
- Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps
[NASA-CR-2358] p0196 N74-16719
- Low-speed aerodynamic characteristics of NACA 0012 aerofoil section. Including the effects of upper-surface roughness simulating hoar frost
[ARC-R/N-3726] p0231 N74-17709
- Rational calculation of design gust loads in relation to present and proposed airworthiness requirements --- effects of atmospheric turbulence on aerodynamic configuration of short-haul aircraft
p0234 N74-17740
- Improvement of maneuverability at high subsonic speeds --- application of slotted and unslotted leading edge and trailing edge flaps
[NASA-TT-P-15406] p0236 N74-17757
- A technique for measuring oscillatory aerodynamic control surface hinge moments from forced response characteristics
[ARC-CP-1253] p0247 N74-18663
- NPL 9615 and NACA 0012: A comparison of aerodynamic data --- from two airfoils
[ARC-CP-1261] p0247 N74-18665
- Aerodynamic characteristics of NPL 9626 and NPL 9627, further aerofoils designed for helicopter rotor use
[ARC-CP-1262] p0247 N74-18666
- Preliminary performance estimates of a highly maneuverable remotely piloted vehicle --- computerized synthesis program to assess effects of vehicle and mission parameters
[NASA-TN-D-7551] p0248 N74-18677
- A lifting line analysis of nonplanar wings --- numerical relationship of spanwise circulation distribution to induced velocity at specific spanwise station
p0281 N74-19639
- Aircraft of the future --- evaluation of aerodynamic characteristics and configurations of proposed aircraft designs
[NASA-TT-P-15424] p0284 N74-19669
- A theoretical and experimental investigation of the external-flow, jet-augmented flap --- development of semi-empirical method for predicting performance characteristics
p0290 N74-20407
- Characteristics of cascades of slotted sections of adjustable guide vanes of axial-flow turbines
[AD-773900] p0293 N74-20452
- A computer program for the prediction of aerodynamic characteristics of wing-body-tail combinations at subsonic and supersonic speeds, part 2
[PFA-AU-635-PT-2] p0294 N74-20636
- Aerodynamic comparison of two double-slotted rudders
[AD-774432] p0294 N74-20644
- Application of the lateral and longitudinal (coupled) equations of motion to an inertially-slender aircraft in unsymmetric, rectilinear flight
p0295 N74-20645
- [AD-774435] p0295 N74-20645
- Aerodynamics of channel and ring wings --- development of deflected streamtube theory and lifting arc theory for channel wings
p0295 N74-20648
- External store effects on the stability of fighter and interceptor airplanes --- application to military aircraft mission requirements
[NASA-TM-X-71935] p0296 N74-20658
- Operational practicality of fly away ejection seats --- configurations and characteristics of several flyable ejection seat concepts
p0301 N74-20763
- Dynamics report for T-28B simplified flight simulator
[AD-774479] p0302 N74-20905
- An analytical investigation of wing-jet interaction
[NASA-CR-138140] p0323 N74-21633
- Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps --- low turbulence pressure tunnel tests to determine two dimensional lift and pitching moment characteristics
[NASA-TM-X-2623] p0323 N74-21634
- A flight investigation of the STOL characteristics of an augmented jet flap STOL research aircraft
[NASA-TM-X-62334] p0329 N74-22637
- Prediction methods for aircraft aerodynamic characteristics --- proceedings of conference on methods for predicting aircraft performance
[AGARD-LS-67] p0364 N74-26445
- Aerodynamic prediction methods for aircraft at low speeds with mechanical high lift devices
p0364 N74-26447
- Prediction of supersonic aircraft aerodynamic characteristics
p0365 N74-26450
- Engine installation aerodynamics --- design and optimization of aircraft engine installations for subsonic and supersonic aircraft
p0365 N74-26453
- Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport
[NASA-TM-X-71960] p0365 N74-26457
- Motion of vehicle with lifting airfoils over rippled water surface
[JPBS-62337] p0405 N74-27478
- Wind tunnel investigations aimed at devising tests of aircraft spin
[NASA-TT-P-15726] p0405 N74-27479
- Analysis of the aerodynamic characteristics of devices for increasing wing lift. 3: Influence of ground proximity on the aerodynamic characteristics of the flaps
[NASA-TT-P-15762] p0405 N74-27483
- Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap
[NASA-CR-114758] p0412 N74-28479
- Three computer programmes to calculate the steady or unsteady subsonic characteristics of lifting surfaces in ground effect
[ATM-7401] p0441 N74-29368
- Designing for maneuverability: Requirements and limitations
p0471 N74-32424
- Improvements to the kernel function method of steady, subsonic lifting surface theory
[NASA-TM-X-62327] p0487 N74-33429
- Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow
[NASA-TM-X-3060] p0487 N74-33430
- Subsonic wind tunnel investigation of the high lift capability of a circulation control wing on a 1/5-scale T-2C aircraft model
[AD-781856] p0491 N74-33466
- Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators
[NASA-TM-D-7670] p0493 N74-34461
- Wind-tunnel investigation of an externally blown flap STOL transport model including and investigation of wall effects
[NASA-TM-X-3009] p0493 N74-34462
- Survey of aircraft subcritical flight flutter testing methods
[NASA-CR-132479] p0494 N74-34468

SUBJECT INDEX

AERODYNAMIC CONFIGURATIONS

AERODYNAMIC CHORDS

U AIRFOIL PROFILES

AERODYNAMIC COEFFICIENTS

A problem of designing the optimal external contours of an aircraft p0087 A74-15709

Aerodynamics of rotating disks --- drag and lift in annular water tank p0091 A74-16039

A two-component statistical model for processing data from a rarefied-gas experiment p0204 A74-23572

Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data p0204 A74-23573

Progress in the techniques of free flight studies of catapulted models - Application to aircraft response to vertical gusts p0223 A74-25311

Designing aerodynamic ducts according to given conditions p0260 A74-25998

Comment on 'A finite-element method for calculating aerodynamic coefficients of a subsonic airplane' p0343 A74-33815

Calculation of the loads and strains on a swept wing with mechanical analog devices p0390 A74-36804

Recent contributions to the solution of nonlinear aerodynamic interference problems [ICAS PAPER 74-26] p0449 A74-41328

Laminar stall prediction and estimation of the maximum lift coefficient p0477 A74-44418

Conversion factor for profile drag increment for part-span flaps [ESDU-FLAPS-02.01.07-AMEND-A] p0035 N74-10002

Lift coefficient increment due to full-span split flap: Flap chord 0.15c [ESDU-FLAPS-01.01.05-AMEND-A] p0035 N74-10003

Information on the use of data items in the series wings 02.04 [ESDU-WINGS-02.04.00-AMEND-A] p0035 N74-10004

Effects of isolated body and wing-body interference on rolling moment due to sideslip [ESDU-73006] p0035 N74-10007

Information on the use of data items in the series bodies 02.04 [ESDU-BODIES-02.04.00-AMEND-A] p0035 N74-10011

Drag of streamline solids of revolution (transition at nose) [ESDU-BODIES-02.04.01-AMEND-A] p0045 N74-10311

Stability derivative. Contribution of full-span dihedral to rolling moment due to sideslip [ESDU-AIRCRAFT-06.01.03-AMEND-A] p0093 N74-11805

Aerofoils having a specified form of upper-surface pressure distributions: Details and comments on design [ESDU-71020] p0102 N74-12703

The influence of a deflected central spike on the aerodynamic coefficients of a rotationally symmetric hypersonic body [DLR-FB-69-37] p0103 N74-12706

Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices p0113 N74-13674

Profile drag at the drag-rise condition of aerofoils having a specified form of upper-surface pressure distribution at this condition [ESDU-67011] p0154 N74-14701

Appendix: A data item service for aircraft drag estimation --- collection, dissemination, and development of aerodynamic drag prediction data p0156 N74-14717

Transonic drag due to lift of planar jet-flapped airfoils p0156 N74-14720

Normal loads program for aerodynamic lifting surface theory --- evaluation of spanwise and chordwise loading distributions [NASA-TM-X-62326] p0231 N74-17702

A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges [AD-772952] p0251 N74-18701

A lifting line analysis of nonplanar wings --- numerical relationship of spanwise circulation distribution to induced velocity at specific spanwise station p0281 N74-19639

Determination of the allowable tolerances for the asymmetries of a free rolling vehicle [TAE-185] p0323 N74-21637

Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing [NASA-TM-D-7470] p0325 N74-21653

Estimation of longitudinal aerodynamic coefficients and comparison with wind-tunnel values p0356 N74-25577

The passage of an infinite swept airfoil/through an oblique gust --- approximate solution for aerodynamic response [NASA-CR-2395] p0363 N74-26425

Method for predicting the pressure distribution on swept wings with subsonic attached flow [ESDU-73012] p0492 N74-34446

Adaptation of drag-rise charts in T. D. memor. 71019 to the mid-semi-span portion of swept and tapered planforms [ESDU-72027] p0492 N74-34447

Parameter estimation of powered-lift STOL aircraft characteristics including turbulence and ground effects [NASA-TM-X-62382] p0493 N74-34466

Feasibility study of the transonic biplane concept for transport aircraft application [NASA-CR-132462] p0495 N74-34477

AERODYNAMIC CONFIGURATIONS

Investigation of heat transfer at the surface of a two-step wedge in supersonic flow p0070 A74-13188

YF-16 stresses advanced technology --- design of lightweight fighter p0118 A74-16793

Improvement of the downflow conditions behind an integrated shrouded propeller p0124 A74-17801

An approximate method for the calculation of the pressure distribution on a wing-cone configuration p0175 A74-20046

Effect of configuration variation on externally blown flap noise [AIAA PAPER 74-190] p0180 A74-20775

A review of aerodynamic and dynamic VSPOL model testing p0205 A74-22458

Aerodynamic/structural interactions in the design of the Concorde nacelle p0226 A74-25364

The problem of supersonic flow past intersecting wings p0307 A74-28644

A variation of the aerodynamic shape of a body which leads to a decrease in its drag p0383 A74-36499

The heat flux to a waverider of simple configuration and its L/D ratio p0384 A74-36571

Numerical method of calculating the aerodynamic characteristics of cambered and uncambered wings in supersonic flow p0391 A74-36827

YC-14 engine installation features [AIAA PAPER 74-972] p0428 A74-38737

Aerodynamic design evolution of the YF-16 [AIAA PAPER 74-935] p0479 A74-45100

Conversion factor for profile drag increment for part-span flaps [ESDU-FLAPS-02.01.07-AMEND-A] p0035 N74-10002

Lift coefficient increment due to full-span split flap: Flap chord 0.15c [ESDU-FLAPS-01.01.05-AMEND-A] p0035 N74-10003

Effects of isolated body and wing-body interference on rolling moment due to sideslip [ESDU-73006] p0035 N74-10007

Information on the use of data items in the series bodies 02.04 [ESDU-BODIES-02.04.00-AMEND-A] p0035 N74-10011

Subsonic performance data for NACA type submerged air intakes

- [ESDU-66029] p0036 N74-10012
Computation of vortex models for wings at high angle of attack in incompressible flow
- [PFA-AU-653] p0036 N74-10013
Some design considerations for supersonic cruise mixed compression inlets
- [NASA-TN-X-71460] p0037 N74-10021
Comparison of predicted and measured low-speed performance of two 51 centimeter-diameter inlets at incidence angle
- [NASA-TN-X-2937] p0037 N74-10026
A study of methods which predict supersonic flow fields from body geometry, distance, and Mach number
- [NASA-TN-D-7387] p0038 N74-10030
Study of heaving motion in air cushion vehicles
- [NASA-TT-P-15106] p0039 N74-10038
Refan program. Phase 1: Summary report
- [NASA-TN-X-71456] p0040 N74-10043
Effect of geometry variations on lee-surface vortex-induced heating for flat-bottom three-dimensional bodies at Mach 6
- [NASA-TN-D-7447] p0045 N74-10318
Technical evaluation report on Fluid Dynamics Panel Specialists' Meeting on Aerodynamic Drag
- [AGARD-AR-58] p0054 N74-10905
Multistage aerospace craft --- perspective drawings of conceptual design.
- [NASA-CASE-XNF-02263] p0054 N74-10907
Rotary wing design methodology --- based on nonlinear aeroelastic blade loads analysis
- p0054 N74-10909
Helicopter rotor loads predictions --- assumptions and techniques for numerical analysis of aerodynamic loads
- p0055 N74-10912
Rotor system design and evaluation using a general purpose helicopter flight simulation program
- p0055 N74-10913
The prediction of loading actions on high speed semi-rigid helicopters
- p0055 N74-10914
Loads prediction methods for hingeless rotor helicopters
- p0055 N74-10915
Aerodynamic problems of STOL aircraft
- [NASA-TT-P-15182] p0056 N74-10918
STOL tactical aircraft investigation. Volume 1: Configuration definition (medium STOL transport with vectored thrust/mechanical flaps)
- [AD-766637] p0056 N74-10925
STOL tactical aircraft investigation. Volume 2, part 1: Aerodynamic technology (design compendium, vectored thrust/mechanical flaps)
- [AD-766639] p0057 N74-10926
Geometry program for aerodynamic lifting surface theory
- [NASA-TN-X-62309] p0093 N74-11810
Calculation of flows around zero thickness wings with evolutive vortex sheets
- [NASA-TT-P-15183] p0094 N74-11815
Effect of sweep angle on the pressure distributions and effectiveness of the ogee tip in diffusing a line vortex
- [NASA-CR-132355] p0094 N74-11822
Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration
- [NASA-TN-D-7399] p0096 N74-11832
Advancement of prop rotor technology. Task 1: Design study summary --- aerodynamic concept of minimum size tilt prop rotor research aircraft
- [NASA-CR-114682] p0096 N74-11833
Advancement of prop rotor technology. Task 2: Wind-tunnel test results
- [NASA-CR-114363] p0096 N74-11834
Study of quiet turbofan STOL aircraft for short haul transportation
- [NASA-CR-2355] p0096 N74-11835
Airfoils having a specified form of upper-surface pressure distributions: Details and comments on design
- [ESDU-71020] p0102 N74-12703
Introduction to nondimensional methods for the measurement of performance of turbine-engined helicopters
- [ESDU-73026] p0103 N74-12712
Design and fabrication of an aeroelastic flap element for a Short TakeOff and Landing (STOL) aircraft model
- [NASA-CR-132339] p0104 N74-12717
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1
- [NASA-CR-114693] p0141 N74-13722
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap motor, volume 2
- [NASA-CR-114694] p0141 N74-13723
Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines
- [NASA-CR-2338] p0141 N74-13724
STOL tactical aircraft investigation. Volume 2: Design compendium
- [AD-767561] p0143 N74-13733
STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis
- [AD-767363] p0143 N74-13734
Profile drag at the drag-rise condition of aerofoils having a specified form of upper-surface pressure distribution at this condition
- [ESDU-67011] p0154 N74-14701
Technical Evaluation report --- application of aerodynamic drag research to design of aircraft
- p0155 N74-14710
Measurements of the drag of some characteristic aircraft excrescences immersed in turbulent boundary layers
- p0156 N74-14714
Remarks on methods for predicting viscous drag --- aerodynamic drag prediction for high angles of attack and multielement airfoils
- p0156 N74-14718
New investigations for reducing the base drag of wings with a blunt trailing edge --- effects of splitter plates and splitter wedges on aerodynamic drag coefficients
- p0157 N74-14723
Drag of lifting bodies for pilots at high altitude
- p0157 N74-14731
Development of techniques to measure in-flight drag of a US Navy fighter airplane and correlation of flight measured drag with wind tunnel data
- p0158 N74-14734
Aerodynamic aspects of the problems of air-intakes and exhaust for a supersonic transport aircraft --- design of air intake and after body of jet engine for Concorde aircraft
- [NAL-TR-194] p0159 N74-14748
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 1
- [NASA-CR-114707] p0160 N74-14755
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (identification of lifting rotor system parameters from transient response data), Phase 7-B
- [NASA-CR-114710] p0160 N74-14758
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (further experiments with progressing/regressing rotor flapping modes), Phase 7-C
- [NASA-CR-114711] p0160 N74-14759
An experimental investigation of a high lift device on the owl wing
- [AD-769492] p0188 N74-15707
Design of a powered elevator control system --- powered elevator system for modified C-8A aircraft for STOL operation
- [NASA-CR-114727] p0188 N74-15712
A study to determine the feasibility of a low sonic boom supersonic transport
- [NASA-CR-2332] p0188 N74-15713
C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry
- [NASA-CR-134184] p0189 N74-15717
Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines
- [NASA-TN-X-62319] p0189 N74-15719
The results of a high-speed wind tunnel test to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727 airplane
- [NASA-CR-134545] p0196 N74-16726
Cold-air study of the effect on turbine stator blade aerodynamic performance of coolant

- ejection from various trailing-edge slot geometries. 1: Experimental results
[NASA-TM-X-3000] p0231 N74-17699
- Experimental study of a wing profile with Fowler flaps and slats --- development of theory for flow conditions during takeoff and landing
[NASA-TT-P-15370] p0235 N74-17747
- Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration
[NASA-CR-114621] p0235 N74-17751
- Improvement of maneuverability at high subsonic speeds --- application of slotted and unslotted leading edge and trailing edge flaps
[NASA-TT-P-15406] p0236 N74-17757
- Experimental investigation of model variable-geometry and ogee tip rotors --- aerodynamic characteristics of variable geometry rotary wings
[NASA-CR-2275] p0245 N74-18645
- An experimental study of the validity of the heat-field concept for sonic-boom alleviation
[NASA-CR-2381] p0245 N74-18648
- A methodology for boost-glide transport technology planning
[NASA-CR-2346] p0249 N74-18681
- Separate surface stability augmentation design and development
p0249 N74-18687
- Flight investigation of effects of a fan-in-fin yaw control concept on helicopter flying-quality characteristics
[NASA-TN-D-7452] p0249 N74-18688
- STOL tactical aircraft investigation: Externally blown flap. Volume 1: Configuration definition
[AD-772738] p0251 N74-18697
- Input description for Jameson's three-dimensional transonic airfoil analysis program
[NASA-TM-X-71919] p0281 N74-19640
- Direct calculation of airfoils from pressure distribution
[NASA-TT-P-15417] p0281 N74-19641
- An experimental investigation of leading-edge vortex augmentation by blowing
[NASA-CR-132415] p0281 N74-19643
- A theoretical method for calculating the aerodynamic characteristics of arbitrary jet-flapped wings. Volume 1: The elementary vortex distribution jet-wing lifting surface theory
[AD-773939] p0281 N74-19646
- Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot
[NASA-TN-D-7474] p0283 N74-19665
- Aircraft of the future --- evaluation of aerodynamic characteristics and configurations of proposed aircraft designs
[NASA-TT-P-15424] p0284 N74-19669
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 1 --- conference to review development of government and industry for aircraft equipment design
[AD-773813] p0285 N74-19679
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 3
[AD-773815] p0285 N74-19680
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 4
[AD-773816] p0285 N74-19681
- The power profile - a new type of airfoil --- airfoil with blunt leading edge and two wall jets near the trailing edge
[AD-773655] p0286 N74-19690
- Wind tunnel testing with engine simulation for V/STOL airplanes --- characteristics of wind tunnel apparatus and wind tunnel models for tests of V/STOL aircraft configurations
p0290 N74-20409
- Some engine and aircraft design considerations affecting noise --- application to conventional short range aircraft for operation from short and medium length runways
p0291 N74-20421
- Preliminary results of flight tests of vortex attenuating splines --- evaluation of effectiveness of wingtip vortex attenuating device
[NASA-TM-X-71928] p0294 N74-20637
- Free-flight wind tunnel investigation of a four-engine sweptwing upper-surface blown transport configuration
[NASA-TM-X-71932] p0296 N74-20656
- Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft --- evaluation of gust alleviating aircraft control surfaces
[NASA-TM-X-71921] p0296 N74-20657
- External store effects on the stability of fighter and interceptor airplanes --- application to military aircraft mission requirements
[NASA-TM-X-71935] p0296 N74-20658
- Operational practicality of fly away ejection seats --- configurations and characteristics of several flyable ejection seat concepts
p0301 N74-20763
- Process and device for adaptation of sharp leading edge airfoils to any speed, subsonic or supersonic
[NASA-TT-P-15569] p0323 N74-21631
- On the use of thick-airfoil theory to design airfoil families in which thickness and lift are varied independently
[NASA-TN-D-7579] p0323 N74-21635
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds
[NASA-TM-X-3053] p0323 N74-21639
- Analytical studies of two-element airfoil systems
[AD-775538] p0324 N74-21645
- Oblique wing remotely piloted research aircraft. Volume 1: Development
[NASA-CR-114723] p0326 N74-21659
- Summary of propeller design procedures and data. Volume 1: Aerodynamic design and installation
[AD-774831] p0327 N74-21667
- Summary of propeller design procedures and data. Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
- Helicopter/technology program: Fiscal 1973 --- development of design methodology for helicopter fuselages
[AD-776580] p0359 N74-25611
- Prediction methods for aircraft aerodynamic characteristics --- proceedings of conference on methods for predicting aircraft performance
[AGARD-LS-67] p0364 N74-26445
- External store aerodynamics for aircraft performance prediction
p0365 N74-26454
- Supplementary contribution on aircraft performance considerations for noise reduction
p0365 N74-26455
- Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0405 N74-27485
- The effect of WIPICS on the F4-B to F conversion program
[AD-777256] p0408 N74-27509
- Effect of ground proximity on the longitudinal aerodynamic characteristics of an aspect-ratio-1 wing with and without wing-tip blowing
[NASA-TM-X-3048] p0412 N74-28475
- Preliminary performance estimates of an oblique, all-wing, remotely piloted vehicle for air-to-air combat
[NASA-TN-D-7731] p0413 N74-28507
- Three computer programmes to calculate the steady or unsteady subsonic characteristics of lifting surfaces in ground effect
[ATN-7401] p0441 N74-29368
- Low noise propeller technology demonstration --- application to quiet aircraft development
[AD-779773] p0443 N74-29395
- Additional studies, variable camber wing, phase 1
[AD-779041] p0443 N74-29396
- Perturbation solutions for the influence of forward flight on helicopter rotor flapping stability
[NASA-TM-X-62361] p0467 N74-31501
- A modified Theodorsen epsilon-function airfoil design procedure
[NASA-TN-D-7741] p0487 N74-33428
- Development of a computer program to obtain ordinates for NACA-6 and 6A-series airfoils
[NASA-TM-X-3069] p0487 N74-33431

AERODYNAMIC DRAG

- External burning assisted projectile - Theory and experiment
[AIAA PAPER 73-1193] p0009 A74-11234

- Minimum induced drag of a hemi-circular ground effect wing p0090 A74-15966
- Aerodynamics of rotating disks --- drag and lift in annular water tank p0091 A74-16039
- Minimum induced drag of wings with given lift and root-bending moment p0259 A74-25747
- On calculation of induced drag and conditions downstream of a lifting wing p0275 A74-27846
- Minimum induced drag of non-planar ground effect wings with small tip clearance p0279 A74-28421
- Minimum induced drag of semi-elliptic ground effect wing p0335 A74-32297
- Investigation into and application of the high velocity circulation control wall jet for high lift and drag generation on STOL aircraft [AIAA PAPER 74-502] p0338 A74-33102
- Selected results from the YF-16 wind tunnel test program [AIAA PAPER 74-619] p0380 A74-36046
- Effect of the body of a helicopter of single-prop or coaxial design on the optimal configuration of the main-rotor blades for hover-flight conditions p0389 A74-36631
- Investigations concerning the interference between annular wing and hub body in the case of annular wing/hub body configurations p0452 A74-41444
- An evaluation of sailplane drag coefficient parameters from flight test results [AIAA PAPER 74-1020] p0454 A74-42041
- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests p0481 A74-45379
- Information on the use of data items in the series bodies 02.04 [ESDU-BODIES-02.04.00-AMEND-A] p0035 N74-10011
- Exploratory investigation at Mach numbers from 0.40 to 0.95 of the effects of jets blown over a wing [NASA-TN-D-7367] p0036 N74-10014
- Drag of streamline solids of revolution (transition at nose) [ESDU-BODIES-02.04.01-AMEND-A] p0045 N74-10311
- Technical evaluation report on Fluid Dynamics Panel Specialists' Meeting on Aerodynamic Drag [AGARD-AR-58] p0054 N74-10905
- Profile drag at the drag-rise condition of aerofoils having a specified form of upper-surface pressure distribution at this condition [ESDU-67011] p0154 N74-14701
- Aerodynamic Drag [AGARD-CP-124] p0155 N74-14709
- Technical Evaluation report --- application of aerodynamic drag research to design of aircraft p0155 N74-14710
- A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14711
- On some basic and new aspects about the drag problem of wings and bodies in supersonic flows p0155 N74-14713
- Measurements of the drag of some characteristic aircraft excrescences immersed in turbulent boundary layers p0156 N74-14714
- Problems of estimating the drag of a helicopter --- correlation of flight test data and scale model test data p0156 N74-14715
- Aircraft drag prediction for project appraisal and performance estimation p0156 N74-14716
- Appendix: A data item service for aircraft drag estimation --- collection, dissemination, and development of aerodynamic drag prediction data p0156 N74-14717
- Remarks on methods for predicting viscous drag --- aerodynamic drag prediction for high angles of attack and multielement airfoils p0156 N74-14718
- Drag of supercritical airfoils in transonic flow --- comparison with conventional airfoil drag coefficients p0156 N74-14719
- Transonic drag due to lift of planar jet-flapped airfoils p0156 N74-14720
- Comparison of various methods for calculating profile drag from pressure measurements in the near wake at subcritical speeds p0156 N74-14721
- Drag and separation --- effects of separated flow on aerodynamic drag p0157 N74-14722
- New investigations for reducing the base drag of wings with a blunt trailing edge --- effects of splitter plates and splitter wedges on aerodynamic drag coefficients p0157 N74-14723
- Assessment of the influence of inlet and aftbody/nozzle performance on total aircraft drag p0157 N74-14726
- The problem of installing a modern high bypass engine on a twin jet transport aircraft p0157 N74-14727
- The drag of externally carried stores: Its prediction and alleviation --- drag reduction by redesign or development of new aircraft installations p0157 N74-14729
- Drag in hypersonic rarefied flow --- effects of cold pressure drag and friction drag p0157 N74-14730
- Drag of lifting bodies for pilots at high altitude p0157 N74-14731
- Development of techniques to measure in-flight drag of a US Navy fighter airplane and correlation of flight measured drag with wind tunnel data p0158 N74-14734
- Review of drag measurements from flight tests of manned aircraft with comparisons to wind-tunnel predictions p0158 N74-14735
- Performance of a ballute decelerator towed behind a jet airplane [NASA-TN-X-56019] p0160 N74-14760
- The minimum induced drag of the hemi-elliptic ground effect wing --- numerical analysis of aerodynamic drag characteristics p0231 N74-17700
- Flight-test investigation of the aerodynamic characteristics and flow interference effects about the aft fuselage of the F-111A airplane [NASA-TN-D-7563] p0246 N74-18657
- An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1 --- aerodynamic characteristics of off-design configurations at several Mach numbers [AD-772727] p0247 N74-18668
- Cruise drag results from high speed wind tunnel tests of NASA Refan JT8D engine nacelles on the Boeing 727-200 [NASA-CR-134546] p0247 N74-18673
- Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft. Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation [NASA-CR-2333] p0248 N74-18679
- Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft: Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data [NASA-CR-2334] p0248 N74-18680
- A method for avoiding insect roughness on aircraft --- installation of highly elastic rubber coverings on leading edges [NASA-TT-P-15454] p0324 N74-21646
- Aircraft lift and drag prediction and measurement p0364 N74-26449
- Aerodynamics of airfoils [JPBS-62363] p0405 N74-27471
- An experimental and analytical investigation of the potential flow field, boundary layers, and drag of various helicopter fuselage configurations [AD-777798] p0408 N74-27514

SUBJECT INDEX

AERODYNAMIC HEATING

- Adaptation of drag-rise charts in T. D. memor.
71019 to the mid-semi-span portion of swept and tapered planforms
[ESDU-72027] p0492 N74-34447
- AERODYNAMIC FORCES**
- NT AERODYNAMIC DRAG
- NT AERODYNAMIC INTERFERENCE
- NT AERODYNAMIC LOADS
- NT GUST LOADS
- NT INTERFERENCE LIFT
- NT JET LIFT
- NT LIFT
- NT ROTOR LIFT
- NT WING LOADING
- Flight-mechanics analysis of various flight conditions of conventional aircraft. VIII/2 - Mechanical foundations: Dynamic equations of motion of the control systems p0021 A74-11744
- Dynamical pressure distribution in aerodynamic bearing p0023 A74-11899
- Magnetic balance and suspension systems for use with wind tunnels p0025 A74-12204
- Influence of the atmosphere in the fall of bodies into water p0070 A74-13176
- Dynamic stability of straight airplane wings regarded as thin-walled bars p0072 A74-13362
- Concerning wave processes in a shell-gas system p0087 A74-15573
- Dynamic creep of titanium alloy with 1.5 wt % Mn and 3% Al in high-velocity air streams p0117 A74-16579
- Lifting-surface theory for an oscillating T-tail p0119 A74-17012
- Aerodynamic forces and moments on a slender body with a jet plume for angles of attack up to 180 degrees [AIAA PAPER 74-110] p0133 A74-18776
- Aerodynamic analysis of various flight conditions of conventional aircraft. II - Aerodynamic foundations /General Survey/ p0186 A74-22273
- Note on the aerodynamic theory of oscillating T-tails. II p0204 A74-24058
- A method for the dynamic study of helicopter fuselages in the design phase p0261 A74-26025
- Lift and moment prediction for an oscillating airfoil with a moving separation point [ASME PAPER 74-GT-28] p0272 A74-27426
- Ground testing and simulation. II - Aerodynamic testing and simulation: Saving lives, time, and money p0336 A74-32322
- Effect of the differentiability of random stationary processes on the magnitude of the mean square approximation error --- in recording aerodynamic forces on helicopter rotors p0383 A74-36463
- Estimation of the effect of unsteadiness in calculating flutter in aircraft with small aspect ratio wings in an incompressible flow p0389 A74-36646
- Aerodynamic analysis of different flight attitudes of conventional aircraft. II - Aerodynamic principles /Aerodynamics of the wing: Forces and moments of force of the air in the case of rectilinear flight at low Mach numbers/ p0423 A74-38498
- Opportunities in flight/propulsion control coupling /FPCC/ [SAE PAPER 740482] p0433 A74-39649
- Application to the Viggen aircraft configuration of the polar coordinate method for unsteady subsonic flow [ICAS PAPER 74-03] p0447 A74-41305
- Experimental investigation of wing-tip vortex abatement [ICAS PAPER 74-35] p0450 A74-41336
- Status and future of determination of aerodynamic derivatives from flight data [ICAS PAPER 74-48] p0451 A74-41348
- Calculation of wing flutter with allowance for the kinematic constraint between the bending strains in the wing and the aileron deflection p0481 A74-45472
- Calculation of wing flutter with allowance for the kinematic constraint between the total strain and aileron deflection p0482 A74-45473
- Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade p0482 A74-45927
- Free vibrations of dynamically inhomogeneous airfoil cascades in potential flow p0482 A74-45936
- Determination of the critical speed for the flexural-torsional flutter of an airplane wing by a numerical method p0483 A74-46591
- Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod [ONERA, TP NO. 1424] p0483 A74-46596
- Calculation of instantaneous pressure distributions and generalized aerodynamic forces with the doublet-lattice method --- on thin wings oscillating harmonically in subsonic flow [NLR-TR-72037-U] p0054 N74-10906
- A study of the nonlinear aerodynamics of bodies in nonplanar motion --- numerical analysis of aerodynamic force and moment systems during large amplitude, arbitrary motions [NASA-TR-R-421] p0158 N74-14741
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 2 [NASA-CR-114708] p0160 N74-14756
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (the effects of some rotor feedback systems on rotor-body dynamics), Phase 7-A [NASA-CR-114709] p0160 N74-14757
- Measurement of pressure on an oscillating aileron in transonic flow --- under plane-parallel flow conditions [AD-769982] p0197 N74-16739
- Supersonic and transonic wind tunnel tests on a slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes [PFA-AU-772] p0231 N74-17704
- Supersonic and transonic wind tunnel tests on slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes [PFA-AU-772-SUPPL] p0231 N74-17705
- Interfering lifting surfaces in unsteady subsonic flow: Comparison between theory and experiment [AGARD-R-614] p0246 N74-18654
- FORTRAN programs for the determination of generalized air forces on interfering lifting surfaces oscillating in subsonic flow [ABL/SM-REPT-345] p0246 N74-18655
- Blade-rate force fluctuations of a propeller in non-uniform flow --- using FORTRAN program [ABL/R/P-33A] p0247 N74-18667
- Determination of propulsion-system-induced forces and moments of a Mach 3 cruise aircraft p0357 N74-25591
- Investigations on rolling damping of slender wings [NASA-TT-P-15729] p0362 N74-26423
- Updated gust design values for use with AFDDL-70-106 [AD-778821] p0412 N74-28493
- Application of sampled-data control techniques in the design of an aircraft flutter mode controller [AD-779078] p0442 N74-29389
- Comparison of the influence of horizontal and vertical gust interferences on aircraft longitudinal motion [NASA-TT-P-15801] p0445 N74-30425
- Perturbation solutions for the influence of forward flight on helicopter rotor flapping stability [NASA-TN-X-62361] p0467 N74-31501
- AERODYNAMIC HEAT TRANSFER**
- NT HYPERSONIC HEAT TRANSFER
- NT SUPERSONIC HEAT TRANSFER
- Application of fusible temperature indicators for measuring heat flows to models in wind tunnels p0383 A74-36458
- AERODYNAMIC HEATING**
- NT SHOCK HEATING

AERODYNAMIC INTERFERENCE

SUBJECT INDEX

- A simplified method for studying the aerodynamic heating of axisymmetric bodies at an angle of attack p0029 A74-12441
- Vortex-induced heating to cone flaps at Mach 6 p0223 A74-24958
- Effect of geometry variations on lee-surface vortex-induced heating for flat-bottom three-dimensional bodies at Mach 6 [NASA-TN-D-7447] p0045 A74-10318
- Off-center-line shock interference heating patterns on basic shapes in hypersonic flows [NASA-TN-X-2866] p0098 A74-12091
- The strength and rigidity of structures at high aircraft velocities [AD-776743] p0359 A74-25610
- AERODYNAMIC INTERFERENCE**
- A criterion for assessing wind-tunnel wall interference at Mach I p0090 A74-15972
- Nonlinear airfoil theory with allowance for ground effects --- for aerodynamic interference problems solution p0121 A74-17270
- Lift-induced wing-tip vortex attenuation [AIAA PAPER 74-38] p0135 A74-18852
- Investigations concerning wing-fuselage interference in the case of subsonic velocity p0136 A74-18897
- Trailing vortex effects on following aircraft p0174 A74-19778
- Vortexes in aircraft wakes --- light aircraft hazards p0185 A74-22206
- Comments on significant development areas for future V/STOL wind tunnel testing p0207 A74-22476
- Some comments on V/STOL wind tunnel testing in the transition flight region p0215 A74-22477
- Some special Navy V/STOL testing problems /as related to full scale simulation/ p0207 A74-22478
- Suppression of flutter on interfering lifting surfaces by the use of active controls [AIAA PAPER 74-404] p0266 A74-26703
- Some tunnel-wall effects on transonic flutter --- from Boeing SST model tests [AIAA PAPER 74-406] p0266 A74-26705
- Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities p0312 A74-29493
- Some experimental results of the effect of a streamwise vortex on a two-dimensional wing p0321 A74-31247
- Analysis of predicted aircraft wake vortex transport and comparison with experiment [AIAA PAPER 74-506] p0339 A74-33105
- Interference of a sweptback wing and the fuselage at transonic speeds p0391 A74-36839
- Aerodynamic interference in a system of two harmonically oscillating airfoils in an incompressible flow p0447 A74-41041
- Recent contributions to the solution of nonlinear aerodynamic interference problems [ICAS PAPER 74-26] p0449 A74-41328
- Investigations concerning the interference between annular wing and hub body in the case of annular wing/hub body configurations p0452 A74-41444
- High lift characteristics of an airfoil placed in a narrow channel p0457 A74-43143
- The model mounting arrangements in the high speed wind-tunnel testing p0478 A74-44635
- Effects of isolated body and wing-body interference on rolling moment due to sideslip [ESDU-73006] p0035 A74-10007
- Integrated rotor/body loads prediction p0055 A74-10916
- Canard-wing lift interference related to maneuvering aircraft at subsonic speeds [NASA-TN-X-2897] p0094 A74-11819
- Wind tunnel blockage and support interference effects on winged-body models at Mach numbers from 0.6 to 1.0 [NASA-TN-X-3011] p0246 A74-18656
- Aerodynamic interference between fuselage and lifting jets emerging from its lower part --- effect of two high velocity lifting jets on induced lift and pitching moments p0290 A74-20413
- A numerical method for the determination of the vortex sheet location behind a wing in incompressible flow [NLR-TN-72091-U] p0294 A74-20642
- Results and information obtained regarding aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development --- lift loss in hovering flight phase [NASA-TT-F-15533] p0298 A74-20669
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds [NASA-TN-X-3053] p0323 A74-21639
- Suppression of flutter on interfering lifting surfaces by the use of active controls p0411 A74-28473
- An analysis of fixed wing-proprotor interference for folding propotor aircraft [AD-778823] p0441 A74-29371
- Suppression of flutter on interfering lifting surfaces by the use of active controls [AD-779770] p0441 A74-29372
- AERODYNAMIC LIFT**
- U LIFT**
- AERODYNAMIC LOADS**
- BT GUST LOADS**
- Longitudinal response of an aircraft due to a trailing vortex pair p0013 A74-11343
- Prediction of unsteady airloads for the solution of the panel flutter problem of nosecones and conical shell structures p0031 A74-12804
- Sea level side loads in high-area-ratio rocket engines [AIAA PAPER 73-1284] p0032 A74-12940
- Effect of unsteady loading on rotor noise p0073 A74-13792
- Designing a dynamically stable body with lifting surfaces for a follower load p0087 A74-15710
- A 300 B static and fatigue tests p0117 A74-16755
- Studies of an elastic wing --- aerodynamic load tests p0184 A74-21781
- Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces p0185 A74-22225
- Structural aspects of current RPV's --- Remotely Piloted Vehicles [AIAA PAPER 74-346] p0263 A74-26660
- Unsteady transonic flow over oscillating circular-arc airfoils [AIAA PAPER 74-360] p0264 A74-26670
- Application of unsteady lifting surface theory to propellers in forward flight [AIAA PAPER 74-419] p0276 A74-28169
- Nonlinear prediction of the aerodynamic loads on lifting surfaces [AIAA PAPER 74-503] p0338 A74-33103
- The scissors rotor --- for helicopters [AHS PREPRINT 812] p0388 A74-36621
- Reproduction of interactions between aerodynamic loads and deformation in the strength analysis of structures p0390 A74-36649
- Method of calculating the nonstationary aerodynamic loads on a thin wing of finite aspect ratio undergoing elastic harmonic vibrations in subsonic flow p0390 A74-36815
- Turbulence studies on a high-altitude sounding aircraft p0392 A74-37234
- Control load envelope shaping by live twist --- in helicopter rotors p0394 A74-37493
- Application to rotary wings of a simplified aerodynamic lifting surface theory for unsteady compressible flow p0394 A74-37494

SUBJECT INDEX

AERODYNAMIC NOISE

- High-lift aerodynamics /37th Wright Brothers
Lecture/ --- lift limits and economics
[AIAA PAPER 74-939] p0426 A74-38714
- Preliminary weight estimation of canard configured
aircraft
[SABR PAPER 1015] p0435 A74-39885
- Computation of aerodynamic loads on helicopter
rotorblades in forward flight, using the method
of the acceleration potential
[ICAS PAPER 74-54] p0451 A74-41353
- Static aeroelastic effects on the aerodynamics of
the Saab 37 Viggen aircraft, a comparison
between calculations, wind tunnel tests and
flight tests
[ICAS PAPER 74-55] p0451 A74-41354
- Determination of stability derivatives of isolated
rigid tail assemblies in sideslip and steady roll
[AIAA PAPER 74-1038] p0455 A74-42051
- Specialists Meeting on Helicopter Rotor Prediction
Methods
[AGARD-CP-122] p0054 A74-10908
- Rotary wing design methodology --- based on
nonlinear aeroelastic blade loads analysis
p0054 A74-10909
- Prediction of helicopter rotor loads --- based on
alternating aerodynamic loads imposed on rotary
wing and rotor hub
p0055 A74-10911
- Helicopter rotor loads predictions --- assumptions
and techniques for numerical analysis of
aerodynamic loads
p0055 A74-10912
- The prediction of loading actions on high speed
semi-rigid helicopters
p0055 A74-10914
- Loads prediction methods for hingeless rotor
helicopters
p0055 A74-10915
- Integrated rotor/body loads prediction
p0055 A74-10916
- Wake induced loads on helicopter rotor blades
p0103 A74-12708
- Unsteady gas dynamics problems and aeroelastic
applications related to flight vehicles
[AD-767605] p0106 A74-12734
- Statistical review of counting accelerometer data
for Navy and Marine fleet aircraft from 1
January 1962 to July 1973
[AD-767648] p0106 A74-12736
- Helicopter blade-tip stability in forward flight
p0195 A74-16711
- Normal loads program for aerodynamic lifting
surface theory --- evaluation of spanwise and
chordwise loading distributions
[NASA-TN-X-62326] p0231 A74-17702
- Swept wing-body combination at subsonic speeds
fuselage loads and pressure distributions for a
swept wing-body combination at supersonic speeds
[ARA-34] p0245 A74-18649
- On the prediction of aerodynamic loads on
oscillating wings in transonic flow
[AGARD-R-612] p0246 A74-18653
- CH-47A design and operational flight loads study
--- development of structural design criteria
for cargo and transport type helicopters
[AD-772949] p0251 A74-18700
- Downwash-velocity potential method for oscillating
surfaces using aerodynamic elements in subsonic
and supersonic flows
p0281 A74-19638
- CH 54A design and operational flight loads study
--- comparison of design mission profile with
operational mission profiles
[AD-773551] p0286 A74-19686
- OH-6A design and operational flight loads study
[AD-775832] p0331 A74-22690
- AH-1G design and operational flight loads study
[AD-775838] p0331 A74-22700
- Spectrum of loading of aircraft --- diagrams of
typical flight-load profiles for tactical and
transport aircraft
p0332 A74-23414
- Investigation of the effect of torsional natural
frequency on stall-induced dynamic loading
[AD-776415] p0353 A74-25544
- The 727/J18D refan side nacelle airloads
[NASA-CR-134547] p0363 A74-26436
- Analytical study of stresses recorded in the DH
2011 rotor blades
[NASA-CR-137527] p0407 A74-27501
- T-38 structural flight loads data for June 1970
through December 1971
[AD-758891] p0408 A74-27507
- Statistical review of counting accelerometer data
for Navy and Marine fleet aircraft
[AD-778645] p0416 A74-28531
- The vortex lattice method for the rotor-vortex
interaction problem
[NASA-CR-2421] p0488 A74-33433
- AERODYNAMIC MOMENTS
- U STABILITY DERIVATIVES
- AERODYNAMIC NOISE
- An experimental study of subsonic jet noise and
comparison with theory
p0002 A74-10271
- Effect of anisotropic turbulence on aerodynamic
noise --- Lighthill theory mathematical model
for axisymmetric turbulence
p0004 A74-10798
- Investigation of the characteristics of tubular
microphone windcreens for in-duct fan sound
power measurements
p0023 A74-12126
- Flow noise spectra from cylinders and aerofoils
p0023 A74-12127
- Progress in aerospace sciences. Volume 14 --- Book
p0025 A74-12203
- Introduction to aerodynamic noise theory
p0025 A74-12207
- Noise generation by ducted combustion systems ---
resonant oscillations
[AIAA PAPER 73-1024] p0026 A74-12223
- Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine
[AIAA PAPER 73-1217] p0030 A74-12495
- Acoustic characteristics of a gas turbine exhaust
model
[ASME PAPER 73-WA/GT-5] p0071 A74-13296
- Turbine noise generation and suppression ---
prediction method linking acoustic modes with
aerodynamics
[ASME PAPER 73-WA/GT-7] p0071 A74-13298
- Application of finite difference techniques to
noise propagation in jet engine ducts
[ASME PAPER 73-WA/GT-10] p0072 A74-13301
- Tip load modulation as a source of discrete tone
fan noise
p0073 A74-13791
- Aerodynamic noise from porous propeller fans
p0073 A74-13793
- Non-engine aerodynamic noise - The limit to
aircraft noise reduction
p0074 A74-13796
- Jet noise modeling - Experimental study and models
for the noise and turbulence fields
[AIAA PAPER 74-3] p0131 A74-18723
- Preliminary wind tunnel noise measurements of a
semi-span wing with an upper-surface blown-flap
[AIAA PAPER 74-191] p0134 A74-18832
- Analysis of axisymmetric turbulence relevant to
jet noise
p0172 A74-19631
- An investigation of impulsive rotor noise using a
model rotor
p0206 A74-22467
- A comparison of the noise characteristics of full
scale and model helicopter rotors
p0206 A74-22468
- Rotating-blade vortex noise
p0203 A74-22470
- Experimental studies of rotational noise in
forward flight
p0206 A74-22471
- Diffraction of evanescent waves, with applications
to aerodynamically scattered sound and radiation
from un baffled plates
p0204 A74-23104
- Fluctuating forces appropriate for the calculation
of discrete frequency noise generation in
subsonic turbomachines
p0204 A74-23108
- The acoustic far-field of rigid bodies in
arbitrary motion
p0224 A74-24375
- Aircraft acoustics --- Russian book on noise
sources and abatement methods

- Experimental study of the aerodynamic noise of airfoils p0225 A74-24998
- Noise phenomena in the case of helicopter rotors and possibilities for noise reduction [DGLR PAPER 74-024] p0224 A74-25327
- Evaluation of aircraft internal noise --- from aerodynamic sources, jet exhaust and internal equipment [SAE PAPER 740360] p0309 A74-28737
- Aerodynamic design of a rotor blade for minimum noise radiation [AIAA PAPER 74-571] p0340 A74-33155
- Preliminary measurements of aircraft aerodynamic noise [AIAA PAPER 74-572] p0344 A74-34332
- Jet propulsion for quiet aircraft --- nozzle configurations p0396 A74-37536
- The calculation of aerodynamic noise generated by large aircraft at landing approach p0397 A74-37540
- Noise due to jet motion caused by internal unsteadiness --- subsonic nozzle flow p0398 A74-37550
- Aircraft/engine jet noise control - A survey [AIAA PAPER 74-947] p0426 A74-38718
- Spectrum of rotor noise caused by atmospheric turbulence p0430 A74-38854
- Contribution to the study of noise from jet aircraft during flight p0437 A74-39983
- Recent developments at the ultimate noise barrier --- aerodynamic noise [ICAS PAPER 74-59] p0451 A74-41358
- Unified approach to aerodynamic sound generation in the presence of solid boundaries p0452 A74-41411
- Aerodynamic and acoustic performance of ejectors for engine-under-the-wing concepts [AIAA PAPER 74-950] p0452 A74-41655
- Effect of ejector spacing on ejector-jet noise characteristics p0479 A74-45032
- Control of supersonic wind-tunnel noise by laminarization of nozzle-wall boundary layer [NASA-TN-X-2879] p0062 A74-11119
- Aerodynamic sound generation due to vortex-aerofoil interaction p0093 A74-11804
- Aerodynamic and noise measurements on a quasi-two dimensional augmentor wing model with lobe-type nozzles [NASA-TN-X-62237] p0140 A74-13719
- A prediction model for wake related sound generation by single airfoils and subsonic rotors p0187 A74-15700
- A study to determine the feasibility of a low sonic boom supersonic transport [NASA-CR-2332] p0188 A74-15713
- Noise characteristics of jet flap type exhaust flows --- effects of Mach number, slot nozzle aspect ratio, and flap length on radiated sound power [NASA-CR-2342] p0236 A74-17756
- Preliminary measurement of the airframe noise from an F-106B delta wing aircraft at low flyover speeds --- establishment of lower limit for noise level of supersonic transport aircraft [NASA-TN-X-71527] p0284 A74-19668
- Research on helicopter noise [AD-773385] p0285 A74-19677
- Noise levels of operational helicopters of the OH-6 type designed to meet the LOH mission --- acoustic properties for various helicopter configurations [NASA-CR-114760] p0297 A74-20663
- Externally blown flap noise research [NASA-TN-X-71541] p0329 A74-22631
- Impulsive sources of aerodynamic sound: Oral script of the introductory review lecture --- aircraft noise at supersonic speeds p0329 A74-22643
- Civil helicopter noise assessment study Boeing-Vertol model 347 --- recommendations for reduction of helicopter noise levels [NASA-CR-132420] p0354 A74-25563
- Community acceptance of helicopter noise: Criteria and application [NASA-CR-132430] p0355 A74-25567
- Helicopter rotor noise and possibilities for its reduction [NBB-UD-118-74-0] p0368 A74-26485
- Investigation of the large scale coherent structure in a jet and its relevance to jet noise [NASA-CR-138908] p0407 A74-27505
- Suppressor nozzle and airframe noise measurements during flyover of a modified F106B aircraft with underwing nacelles [NASA-TN-X-71578] p0442 A74-29379
- The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary [AD-768850] p0471 A74-32429
- FAA JT3D quiet nacelle retrofit feasibility program. Volume I-1: Lower goal design, fabrication and ground testing [AD-775453] p0471 A74-32430
- Further analysis of broadband noise measurements for a rotating blade operating with and without its shed wake blown downstream [NASA-TN-D-7623] p0488 A74-33434
- Static noise tests on augmentor wing jet STOL research aircraft (C8A Buffalo) [NASA-CR-137520] p0489 A74-33455
- Test of acoustic tone source and propulsion performance of C8A Buffalo suppressor nozzle [NASA-CR-137521] p0489 A74-33456
- Non-engine aerodynamic noise investigation of a large aircraft [NASA-CR-2378] p0495 A74-34482
- AERODYNAMIC STABILITY**
- The effects of second order blade bending on the angle of attack of hingeless rotor blades p0022 A74-11846
- Jet engine exhaust noise due to rough combustion and nonsteady aerodynamic sources p0075 A74-13958
- The equation of flight vehicle roll motion p0088 A74-15728
- Effect of steady state coning angle and damping on whirl flutter stability p0090 A74-15967
- Example of aerodynamic instability under supercritical conditions about profiles p0223 A74-25319
- The effect of velocity-dependent pitching moments on longitudinal stability --- of STOL and VTOL aircraft p0261 A74-26047
- The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft [ASME PAPER 74-GT-52] p0272 A74-27445
- A unique approach to the development of a light helicopter automatic flight control system [SAE PAPER 740348] p0308 A74-28728
- Effects of yaw on a Gothic wing at supersonic speeds p0342 A74-33733
- A generalized comparison sensitivity concept for sensitivity reduction in control system design p0374 A74-35249
- Aeroelastic-stability characteristics of a V/STOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test [AHS PREPRINT 835] p0385 A74-36590
- Some approximations to the flapping stability of helicopter rotors p0393 A74-37486
- Stability characteristics of skewed wing aircraft [AIAA PAPER 74-772] p0399 A74-37797
- High attitude delta wing unsteady aerodynamics [AIAA PAPER 74-817] p0400 A74-37824
- Finite element technique in lifting surface problems p0432 A74-39344
- Estimates of the stability derivatives of a helicopter from flight measurements [ICAS PAPER 74-49] p0451 A74-41349
- Stability and dynamic behavior of two tethered balloon systems [AD-766439] p0043 A74-10070
- Results of a feasibility study using the Newton-Raphson digital computer program to identify lifting body derivatives from flight data [NASA-TN-X-56017] p0094 A74-11814
- The determination of non-symmetric vehicle stability parameters from response data p0139 A74-13702

SUBJECT INDEX

AEROELASTICITY

Analytical investigation of the aerodynamic stability of helical vortices shed from a hovering rotor
[AD-773026] p0252 N74-18705

Aerodynamics of airfoils
[JP85-62363] p0405 N74-27471

An analysis of fixed wing-prop rotor interference for folding prop rotor aircraft
[AD-778823] p0441 N74-29371

Performance estimates for powered parafoil systems
[AD-779926] p0468 N74-31514

Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] p0494 N74-34475

Rotor aeroelastic stability coupled with helicopter body motion
p0496 N74-34503

AEROBIOLOGICAL STALLING

Reynolds number effects at low speeds on the maximum lift of two-dimensional airfoil sections equipped with mechanical high lift devices
p0075 A74-13842

Wind tunnel dynamic analysis of an oscillating airfoil
[AIAA PAPER 74-259] p0130 A74-18666

Nonlinear aerodynamics of aircraft in high-angle-of-attack maneuvers
[AIAA PAPER 74-85] p0133 A74-18765

Aerodynamic problems in the calculation of helicopter airloads
p0203 A74-22456

The effects of Reynolds number on rotor stall
p0203 A74-22457

Modeling dynamic stall on an oscillating airfoil
p0224 A74-25329

Supersonic unstalled flutter in fan rotors - Analytical and experimental results
[ASME PAPER 74-GT-40] p0272 A74-27433

Some aspects of airfoil stall in low-speed flow
p0275 A74-27844

Stall/spin research status report --- of general aviation aircraft
[SAE PAPER 740354] p0308 A74-28734

Aerodynamic design approach to the stall/spin problem - The VariVigen
[SAE PAPER 740391] p0310 A74-28755

Stall/spin seventy years later --- aircraft performance at high angle of attack
p0344 A74-34699

Stall flutter of a thin airfoil with leading edge separation
p0374 A74-35269

Effect of blade design parameters on helicopter stall boundaries
[AHS PREPRINT 833] p0384 A74-36588

A systematic study of helicopter rotor stall using model rotors
[AHS PREPRINT 804] p0388 A74-36618

Dynamic stall modeling and correlation with experimental data on airfoils and rotors
p0393 A74-37483

Helicopter gust response characteristics including unsteady aerodynamic stall effects
p0394 A74-37490

Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter
p0395 A74-37503

A method for preventing airplane stall/spin --- aerodynamic spoiler system design
[AIAA PAPER 74-863] p0401 A74-37851

Flight test investigation of the sailplane as a post-stall research vehicle
[AIAA PAPER 74-951] p0427 A74-38720

Laminar stall prediction and estimation of the maximum lift coefficient
p0477 A74-44418

Experimental evaluation of a TP30-P-3 turboprop engine in an altitude facility: Effect of steady-state temperature distortion
[NASA-TN-X-2921] p0049 N74-10722

Analysis of stall flutter of a helicopter radar blade
[NASA-CR-2322] p0139 N74-13708

Dynamic stall
[NASA-CR-136473] p0139 N74-13709

The design, fabrication and evaluation of the aural angle of attack/stall warning system
[AD-767663] p0145 N74-13748

A nonlinear relay model for post stall oscillations
[AD-769405] p0187 N74-15706

Investigation of nonlinear inviscid and viscous flow effects in the analysis of dynamic stall --- air flow and chordwise pressure distribution on airfoil below stall condition
[NASA-CR-2335] p0245 N74-18646

Initial results from flight testing a large, remotely piloted airplane model --- flight tests of remotely controlled scale model of F-15 aircraft
[NASA-TN-X-56024] p0247 N74-18671

Dynamic stall modeling and correlation with experimental data on airfoils and rotors
p0495 N74-34491

Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter
p0497 N74-34511

AERODYNAMIC VEHICLES
U AIRCRAFT

AERODYNAMICS

NT AEROTHERMODYNAMICS
NT ROTOR AERODYNAMICS

Solution of the plane problem of the aerodynamics of a rarefied gas on the basis of Boltzmann's kinetic equation
p0005 A74-10976

Progress in aerospace sciences. Volume 14 --- Book
p0025 A74-12203

Recent advances in aerodynamics for transport aircraft. I
p0080 A74-14521

Aerodynamic calculation of blades in axial-flow turbomachines
[AD-765932] p0051 N74-10739

The institute for Flight Mechanics, Braunschweig (081) and Stuttgart (027)
[NASA-TT-P-15197] p0139 N74-13706

Work unit 08 (V/STOL aerodynamics) --- low speed aerodynamics and fan-in-wing
[AD-771811] p0232 N74-17718

The separating turbulent boundary layer: An experimental study of an airfoil type flow
p0281 N74-19637

A survey of AFFDL parameter estimation efforts and future plans
p0355 N74-25571

AEROELASTICITY

NT AEROTHERMOELASTICITY

The lifting surface theory applied to fixed wings and propellers
[ONERA, TP NO. 1298] p0005 A74-10999

Exploitation of spectral density curves in the case of wind tunnel flutter measurement
p0005 A74-11000

Some conclusions regarding the aeroelastic stability of hingeless helicopter blades in hover and in forward flight
p0022 A74-11844

The effects of second order blade bending on the angle of attack of hingeless rotor blades
p0022 A74-11846

Dynamic stability of straight airplane wings regarded as thin-walled bars
p0072 A74-13362

The behavior of a wing panel in a stream of gas under transient conditions
p0088 A74-15757

Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells
p0088 A74-15784

Control of an elastic aircraft
p0128 A74-18271

Hingeless rotor vibration and loads at high advance ratio
p0206 A74-22463

Aeroelastic stability of periodic systems with application to rotor blade flutter
[AIAA PAPER 74-417] p0267 A74-26713

Optimal aeroelastic design of an oblique wing structure

AEROMAGNETO FLUTTER

SUBJECT INDEX

[AIAA PAPER 74-349] p0277 A74-28173
 Control of an elastic aircraft p0314 A74-30073
 Influence of static aeroelasticity on oblique winged aircraft p0317 A74-30399
 Optimization of complex structures to satisfy static, dynamic and aeroelastic requirements p0318 A74-30453
 The Alpha Jet wind tunnel model for aeroelastic investigations p0318 A74-30599
 Observable changes of load sample function due to structural elasticity p0321 A74-31745
 Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft p0342 A74-33778
 Test results from the Langley high Reynolds number cryogenic transonic tunnel [AIAA PAPER 74-631] p0376 A74-35395
 Pyrotechnic pulse generators for in-flight structural tests p0382 A74-36353
 The problem of optimum design of a wing under strength and aeroelastic constraints p0383 A74-36509
 Determination of the efficiency of the longitudinal control systems of an elastic flight vehicle p0384 A74-36576
 Effect of blade design parameters on helicopter stall boundaries [AHS PREPRINT 833] p0384 A74-36588
 Aeroelastic-stability characteristics of a V/STOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test [AHS PREPRINT 835] p0385 A74-36590
 Some problems of the multi-point excitation technique in the experimental study of the vibrations of elastic structures p0390 A74-36803
 Determining the scale of rigidity and estimating the degree of nonsimilarity of elastic models of wings with a low aspect ratio p0390 A74-36805
 Rotor aeroelastic stability coupled with helicopter body motion p0394 A74-37495
 Experimental and analytical studies in tilt-rotor aeroelasticity p0395 A74-37498
 Consideration of control elasticity in calculating the deformation of gyroplane rotor blades p0398 A74-37662
 Effect of the structural elasticity of an aircraft on safety and comfort during flights in a turbulent atmosphere p0398 A74-37673
 Static aeroelastic effects on the aerodynamics of the Saab 37 Viggen aircraft, a comparison between calculations, wind tunnel tests and flight tests [ICAS PAPER 74-55] p0451 A74-41354
 Pyrotechnic bonkers for structural tests in flight [ONERA, TP NO. 1389 B] p0478 A74-44953
 Idealization and determination of the inertial characteristics of the structure of a flight vehicle p0484 A74-46696
 Unsteady gas dynamics problems and aeroelastic applications related to flight vehicles [AD-767605] p0106 A74-12734
 Transonic single-mode flutter and buffet of a low aspect ratio wing having a subsonic airfoil shape [NASA-TN-D-7346] p0153 A74-14631
 Similarity requirements for aeroelastic models of helicopter rotors [ARC-CP-1245] p0161 A74-14767
 Aeroelastic analysis of a telescoping rotor blade --- computer programs [AD-771963] p0239 A74-17774
 Structural representation in aeroelastic calculations --- noting residual flexibility matrices and use of normal modes [ARC-R/M-3729] p0257 A74-19563
 Status of two studies on active control of aeroelastic response at NASA Langley Research

Center p0354 A74-25553
 Estimation of elastic aircraft parameters using the maximum likelihood method p0357 A74-25589
 Analytical study of stresses recorded in the DB 2011 rotor blades [NASA-CR-137527] p0407 A74-27501
 Rotor aeroelastic stability coupled with helicopter body motion p0496 A74-34503

AEROMAGNETO FLUTTER
U FLUTTER

AERONAUTICAL ENGINEERING

Contribution of computer simulation to the development of aeronautical equipment or systems p0213 A74-22662
 Does research in the field of aeronautics have a future --- emphasis on aircraft design refinements and cost reduction p0259 A74-25723
 NASA general aviation research overview [SAE PAPER 740352] p0308 A74-28732
 Manual of the aviation engineer --- Russian book p0403 A74-37999
 Netherlands Association of Aeronautical Engineers, Yearbook 1973 --- Book p0430 A74-38792
 Some opportunities for progress in ultra-light aeronautics --- for aircraft with low wing loading [AIAA PAPER 74-1034] p0455 A74-42048
 Information on the use of data items in the series wings 02.04 [ESDU-WINGS-02.04.00-AMEND-A] p0035 A74-10004
 Information on the use of data items on rolling moment derivatives of an aeroplane [ESDU-AIRCRAFT-06.01.00] p0035 A74-10005
 Aeronautics: Space in the seventies [NASA-EP-85] p0036 A74-10017
 The Institute for Flight Mechanics, Braunschweig (081) and Stuttgart (027) [NASA-TT-F-15197] p0139 A74-13706
 Role of computerized simulation in the perfecting aeronautical equipments or systems --- applied to hydraulic pump and air intake design p0199 A74-16811
 Annual report, 1972 --- aerospace research projects in Germany p0244 A74-18611
 Kron's method: An algorithm for the eigenvalue analysis of large-scale structural systems --- aeronautical engineering [ARC-R/M-3733] p0257 A74-19564

AERONAUTICAL SATELLITES

AEROSAT overview --- aeronautical satellites for oceanic ATC p0024 A74-12189
 AEROSAT performance specifications --- aeronautical satellite for oceanic aircraft communication p0024 A74-12190
 AEROSAT ground environment and test plan --- aeronautical satellites for ATC p0024 A74-12191
 A first generation of L-Band avionics for AEROSAT --- experimentation and evaluation phase of aeronautical satellites p0024 A74-12192
 Description and cost of a satellite-based oceanic ATC system --- voice and data communication channel capacity requirements p0025 A74-12193
 The aeronautical satellites: Deluxe gadgets or system of the future --- economic factors p0029 A74-12448
 Future air traffic control - Ground, cockpit, or space --- system functions transfer to aircraft or satellites [AIAA PAPER 74-262] p0131 A74-18669
 Some transmission characteristics of AEROSAT-type air traffic control systems p0174 A74-19957

SUBJECT INDEX

AEROSPACE VEHICLES

- Access control techniques for satellite mobile communications systems
[AIAA PAPER 74-441] p0275 A74-27811
- Software definition study for the Aeronautical Satellite Communications Center. Volume 1: Definition specifications. Part 1: General presentation of the Aeronautical Satellite Communications Center and its software
[EX-5102/27-73/309] p0107 N74-12864
- Software definition study for the Aeronautical Satellite Communications Center. Volume 1: Definition specifications. Part 2: Description of operational and simulation functions
[EX-5102/27-73/305] p0107 N74-12865
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 1: Software organization and general description
[EX-5102/27-73/296] p0108 N74-12866
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Description of operational functions
[EX-5102/27-73/308] p0108 N74-12867
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 3: Description of simulation function
[EX-5102/27-73/299] p0108 N74-12868
- Software definition study for the Aeronautical Satellite Communications Center. Volume 3: Definition of the means --- noting computer memory requirements and program execution time
[EX-5102/27-73/311] p0108 N74-12869
- Software definition study for the Aeronautical Satellite Communications Center. Volume 4: Planning --- for Aerosta program
[EX-5102/27-73/315] p0108 N74-12870
- AERONAUTICS**
- Fifth session of Commission for Aeronautical Meteorology --- conference proposals for personnel training, terminal forecasting, SST operations, and application of satellite data
[WMO-322] p0100 N74-12330
- AEROSOLS**
- The light-scattering matrix and types of optical weather --- atmospheric aerosols, haze, fog, drizzle
p0004 A74-10783
- AEROSPACE ENGINEERING**
- NT AERONAUTICAL ENGINEERING**
- Prospects for aerospace research
p0007 A74-11098
- Advanced composites --- in aerospace structural design
[AIAA PAPER 74-242] p0180 A74-20834
- Flight safety work and the DFVLR --- German aerospace research center programs
p0208 A74-22632
- Deutsche Gesellschaft fuer Luft- und Raumfahrt, Yearbook 1972 --- German book
p0225 A74-24892
- New materials in the aerospace industries --- emphasizing heat resistant and light alloys
p0342 A74-33682
- Aerospace sandwich materials. I --- technology, design and performance review
p0479 A74-44989
- Aerospace activities
p0053 N74-10897
- Highlights, spring 1973 --- of progress of AGARD panels
p0332 N74-23500
- The National Aeronautics and Space Administration interdisciplinary studies in space technology at the University of Kansas
[NASA-CR-140623] p0501 N74-35250
- AEROSPACE INDUSTRY**
- NT AIRCRAFT INDUSTRY**
- U.S. aerospace industry at the crossroads --- response to European competition
p0020 A74-11610
- Non-classical adhesive-bonded joints in practical aerospace construction
[NASA-CR-112238] p0101 N74-12555
- Visit report on the flying and space Equipment Exhibition in Paris 1971
[POA-2-C-2494-M6] p0113 N74-13690
- AEROSPACE MEDICINE**
- Annotated bibliography of reports --- concerning aviation medicine
[AD-766458] p0102 N74-12701
- AEROSPACE SCIENCES**
- Progress in aerospace sciences. Volume 14 --- Book
p0025 A74-12203
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Annual Report 1972 --- German book
p0126 A74-17969
- Aerotechnology in aviation problems
p0154 N74-14675
- Annual report, 1972 --- aerospace research projects in Germany
p0244 N74-18611
- AEROSPACE SYSTEMS**
- Cost - The emerging aerospace technology --- applications to gas turbine engines
[AIAA PAPER 73-1327] p0013 A74-11318
- Aerospace fluidics applications and circuit manufacture
[SAE PAPER 730880] p0019 A74-11604
- EASCON '73; Electronics and Aerospace Systems Convention, Washington, D.C., September 17-19, 1973, Record
p0023 A74-12176
- Ground testing and simulation. I - Key to efficient development of aerospace systems
p0335 A74-32321
- MECA systems and related equipment - RB 199 powerplant
p0336 A74-32631
- Adaptive and nonlinear control systems in aerospace applications
p0373 A74-35206
- Civil aviation research and development
p0378 A74-35718
- Stichting National Aerospace Laboratory, review for the year 1972
p0053 N74-10891
- Visit report on the flying and space Equipment Exhibition in Paris 1971
[POA-2-C-2494-M6] p0113 N74-13690
- AEROSPACE VEHICLES**
- 'SWEEP' - An interdisciplinary approach to a structure weight estimating program
[SAE PAPER 1016] p0435 A74-39886
- Unsteady gas dynamics problems and aeroelastic applications related to flight vehicles
[AD-767605] p0106 N74-12734
- Visit report on the flying and space Equipment Exhibition in Paris 1971
[POA-2-C-2494-M6] p0113 N74-13690
- Section 3: Stability, construction materials, construction methods
p0154 N74-14670
- Feasibility study of an Integrated Program for Aerospace vehicle Design (IPAD). Volume 1. Summary
[NASA-CR-132401] p0413 N74-28508
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 2: Characterization of the IPAD system (Phase 1, Task 1)
[NASA-CR-132402] p0414 N74-28509
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 3: Engineering creative/evaluation processes (Phase 1, Task 2)
[NASA-CR-132403] p0414 N74-28510
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 4: Design of the IPAD system. Part 1: IPAD system design requirements (Phase 1, Task 2)
[NASA-CR-132404] p0414 N74-28511
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 5: Design of the IPAD system. Part 2: System design. Part 3: General purpose utilities (Phase 1, Task 2)
[NASA-CR-132405] p0414 N74-28512
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 6: Implementation schedule, development costs, operational costs, benefit assessment, impact on company organization, spin-off assessment (Phase 2, Tasks 3 to 8)
[NASA-CR-132406] p0414 N74-28513

AEROSPACEPLANES

SUBJECT INDEX

- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1A: Summary [NASA-CR-132390] p0415 N74-28514
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1B: Concise review [NASA-CR-132391] p0415 N74-28515
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process [NASA-CR-132392] p0415 N74-28516
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 3: Support of the design process [NASA-CR-132393] p0415 N74-28517
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 4: IPAD system design [NASA-CR-132394] p0415 N74-28518
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 5: Catalog of IPAD technical program elements [NASA-CR-132395] p0415 N74-28519
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 6: IPAD system development and operation [NASA-CR-132396] p0415 N74-28520
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 7: IPAD benefits and impact [NASA-CR-132397] p0416 N74-28521
- AEROSPACEPLANES**
- Multistage aerospace craft --- perspective drawings of conceptual design [NASA-CASE-XMP-02263] p0054 N74-10907
- A methodology for boost-glide transport technology planning [NASA-CR-2346] p0249 N74-18681
- AEROTHERMODYNAMICS**
- Developing a technology base in planetary entry aerothermodynamics p0030 A74-12799
- Off-center-line shock interference heating patterns on basic shapes in hypersonic flows [NASA-TN-X-2866] p0098 N74-12091
- AEROTHERMOELASTICITY**
- Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615
- AFCS (CONTROL SYSTEM)**
- U AUTOMATIC FLIGHT CONTROL**
- AFTERBODIES**
- Aerodynamic aspects of the problems of air-intakes and exhaust for a supersonic transport aircraft --- design of air intake and after body of jet engine for Concorde aircraft [NAL-TR-194] p0159 N74-14748
- Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods [BNV-FEWT-73-27] p0195 N74-16705
- Engine installation aerodynamics --- design and optimization of aircraft engine installations for subsonic and supersonic aircraft p0365 N74-26453
- AFTERBURNERS**
- U AFTERBURNING**
- AFTERBURNING**
- Emission of gaseous pollutants by turbojet engines - The Olympus case p0122 A74-17305
- Pyrogenic ignition system for afterburners p0437 A74-40001
- Spontaneous ignition in afterburner segment tests at an inlet temperature of 1240 K and a pressure of 1 atmosphere with ASTM jet-A fuel [NASA-TN-X-2952] p0101 N74-12571
- Calculating procedure of sea-level static performance of two-spool afterburning bypass jet engine [AD-776547] p0362 N74-26258
- AGE HARDENING**
- U PRECIPITATION HARDENING**
- AILERONS**
- Flight test results of a separate surface wing-leveling system [SAE PAPER 740369] p0309 A74-28740
- Optimally fast-acting control of aircraft roll in the presence of constraints on the angle of aileron deflection and the deflection rate p0389 A74-36634
- Calculation of wing flutter with allowance for the kinematic constraint between the bending strains in the wing and the aileron deflection p0481 A74-45472
- Calculation of wing flutter with allowance for the kinematic constraint between the total strain and aileron deflection p0482 A74-45473
- Measurement of pressure on an oscillating aileron in transonic flow --- under plane-parallel flow conditions [AD-769982] p0197 N74-16739
- AIR**
- NT COMPRESSED AIR**
- NT HIGH TEMPERATURE AIR**
- Thermodynamic and transport properties of air and its products of combustion with ASTM-A-1 fuel and natural gas at 20, 30, and 40 atmospheres [NASA-TN-D-7488] p0101 N74-12575
- AIR BEARINGS**
- U GAS BEARINGS**
- AIR BREATHING ENGINES**
- NT BRISTOL-SIDDELEY BS 53 ENGINE**
- NT GAS TURBINE ENGINES**
- NT J-57 ENGINE**
- NT J-79 ENGINE**
- NT J-85 ENGINE**
- NT J-93 ENGINE**
- NT JET ENGINES**
- NT PULSEJET ENGINES**
- NT RAMJET ENGINES**
- NT SUPERSONIC COMBUSTION RAMJET ENGINES**
- NT TURBOFAN ENGINES**
- NT TURBOJET ENGINES**
- NT TURBOPROP ENGINES**
- Dynamic simulation of CONFLOW - A facility to provide hot-gas ground testing of air-breathing missiles under simulated flight conditions [AIAA PAPER 73-1281] p0011 A74-11292
- Supersonic mixing and combustion studies of ducted hydrogen-air flows at an inlet air Mach number of 2.6 [AIAA PAPER 73-1320] p0012 A74-11313
- Low cost supersonic expendable turbine engines --- tactical missile applications [SAE PAPER 730910] p0017 A74-11583
- NEPCOMP - The Navy Engine Performance Program [ASME PAPER 74-GT-83] p0273 A74-27469
- Instrumentation for airbreathing propulsion; Proceedings of the Symposium, U.S. Naval Postgraduate School, Monterey, Calif., September 19-21, 1972 p0277 A74-28283
- Current state-of-the-art for airbreathing combustor measurements p0277 A74-28298
- AIR CARGO**
- A new outbreak of Zeppelin fever --- freight and passenger dirigible revival p0031 A74-12911
- Demands for air transport - 1980-1990 p0078 A74-14502
- Refrigerated containerized transport for 'Jumbo' jets p0119 A74-17007
- Air transportation of hazardous materials p0209 A74-22640
- Use of containers and pallets in air cargo transport p0270 A74-27295
- New heavy-haul freight aviation p0439 A74-40647
- High level container --- for aerial resupply of military units [AD-766306] p0054 N74-10899
- Restraint procedures for cargo loaded in vehicles to be air transported [AD-768172] p0146 N74-13954
- AIR CONDITIONING**
- HRCA systems and related equipment - Air conditioning p0336 A74-32634
- Aircraft cabin pressure and temperature control through reliable fluidic circuits p0378 A74-35720

AIR CONDITIONING EQUIPMENT

Lockheed S-3A Viking - Air conditioning and pressurization systems p0268 A74-27016

Cockpit air filtration requirements of the B-1 in a nuclear dust environment [AD-766711] p0042 A74-10065

AIR COOLING

The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing [ASME PAPER 74-GT-120] p0271 A74-27419

High temperature cooled gas turbines (analysis and design) [AD-766031] p0051 A74-10740

AIR CURRENTS

NT MERIDIONAL FLOW

NT VERTICAL AIR CURRENTS

AIR CUSHION VEHICLES

U GROUND EFFECT MACHINES

AIR DEFENSE

A primary radar automatic track extractor --- for air defense systems p0028 A74-12402

Flexibility in computer-assisted radar - Controlled interceptions --- software in air defense p0028 A74-12406

AIR DUCTS

Three-dimensional wave interactions in supersonic intakes p0436 A74-39980

Mixed compression air intakes for operation at Mach 2.2 p0437 A74-39981

The influence of engine-ducted by-pass air on a burner-can burn-through flame --- with J-57 [FAA-NA-73-87] p0101 A74-12574

AIR FLOW

NT MERIDIONAL FLOW

NT VERTICAL AIR CURRENTS

Unsteady flow of power-law fluids p0004 A74-10573

Dynamic creep of titanium alloy with 1.5 wt % Mn and 3% Al in high-velocity air streams p0117 A74-16579

High lift testing in closed wind tunnels [AIAA PAPER 74-641] p0376 A74-35405

Hingeless circulation control rotor blade design [AHS PREPRINT 813] p0388 A74-36622

The mean skin friction coefficient for a rough flat plate with a turbulent two-dimensional boundary layer in compressible adiabatic flow, with application to wedges, cylinders and cones [ESDU-73016] p0035 A74-10008

Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds [NASA-TN-D-7331] p0036 A74-10015

The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation [NASA-CR-2344] p0036 A74-10019

Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft) [NASA-TN-X-2903] p0037 A74-10022

FORTRAN program for predicting off-design performance of centrifugal compressors [NASA-TN-D-7487] p0037 A74-10024

Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft) [NASA-TN-X-2905] p0037 A74-10027

Aerodynamic sound generation due to vortex-aerofoil interaction p0093 A74-11804

Analysis of the low-speed flow over a slender sharp edged delta wing at angles of attack p0098 A74-12034

Performance of conical diffusers in incompressible flow [ESDU-73024] p0109 A74-12986

Exact solutions for conical mixed flow rotors. Part 2: Cambered blades of finite thickness [NEL-524-PT-2] p0109 A74-12989

Measurements in a three dimensional incompressible turbulent boundary layer in an adverse pressure gradient under infinite swept wing conditions [NLR-TR-72092-U] p0109 A74-12995

Artificial development of an atmospheric boundary layer flow model in a wind tunnel --- using wind flow modulating devices at wind tunnel entrance p0139 A74-13701

The determination of non-symmetric vehicle stability parameters from response data p0139 A74-13702

A proposed method for calculating film-cooled wall temperatures in gas turbine combustion chambers [CRANFIELD-SHE-4] p0152 A74-14440

The effects of hypersonic viscous interaction on static stability of slender bodies in simulated non-equilibrium flows p0154 A74-14704

Study of reverse-flow characteristics of a tip fan and an ejector --- for application to air cushion landing system [AD-770080] p0198 A74-16744

STOL tactical aircraft investigation-externally blown flap. Volume 6: Air cushion landing system trade study [AD-770448] p0199 A74-16753

A lifting line analysis of nonplanar wings --- numerical relationship of spanwise circulation distribution to induced velocity at specific spanwise station p0281 A74-19639

Input description for Jameson's three-dimensional transonic airfoil analysis program [NASA-TN-X-71919] p0281 A74-19640

Preliminary results of flight tests of vortex attenuating splines --- evaluation of effectiveness of wingtip vortex attenuating device [NASA-TN-X-71928] p0294 A74-20637

Turbulent lift. Comments on some preliminary wind tunnel tests --- characteristics of vortex on wing surface from tangential blowing on upper surface [NASA-TT-P-15743] p0405 A74-27484

AIR FREIGHT

U AIR CARGO

AIR INLETS

U AIR INTAKES

AIR INTAKES

NT ENGINE INLETS

NT SUPERSONIC INLETS

Air and fuel monitoring for gas turbines p0081 A74-14565

The effect of inlet distortion on the performance and stability of the low-speed spool of a turbofan engine [AIAA PAPER 74-234] p0135 A74-18855

A new pneumatic hybrid control system --- for reduction of supply air consumption p0174 A74-19884

Contribution of computer simulation to the development of aeronautical equipment or systems p0213 A74-22662

A study of the Concorde air intake in yaw [ICAS PAPER 74-50] p0451 A74-41350

Subsonic performance data for NACA type submerged air intakes [ESDU-66029] p0036 A74-10012

Role of computerized simulation in the perfecting aeronautical equipments or systems --- applied to hydraulic pump and air intake design p0199 A74-16811

Engine installation aerodynamics --- design and optimization of aircraft engine installations for subsonic and supersonic aircraft p0365 A74-26453

AIR JETS

An experimental study of subsonic jet noise and comparison with theory p0002 A74-10271

Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270

Interaction between an overexpanded gas jet and a flat obstacle p0391 A74-37138

AIR LAND INTERACTIONS

Results of measurements of the slight atmospheric pressure increase on the earth surface under an overflying aircraft p0312 A74-29484

AIR NAVIGATION

NT ALL-WEATHER AIR NAVIGATION

NT AREA NAVIGATION

AIR PIRACY

SUBJECT INDEX

The application of the vertical gyroscope for the artificial horizon --- low visibility air navigation p0004 A74-10825

Civil air navigation equipment, on the ground and in the air p0007 A74-11094

Properties of air-derived and ground-derived aircraft landing guidance concepts p0007 A74-11102

Range-rate from DME-air data measurements --- for aircraft radial velocity estimation p0024 A74-12182

AEROSAT overview --- aeronautical satellites for oceanic ATC p0024 A74-12189

AEROSAT performance specifications --- aeronautical satellite for oceanic aircraft communication p0024 A74-12190

Application to zone navigation /E/Nav/ of hybrid navigation systems p0029 A74-12446

Integrated navigation in the air and on the sea --- automatic systems p0029 A74-12449

Air traffic control --- long term planning in Germany p0128 A74-18182

Collection of problems on airplane piloting /4th revised and enlarged edition/ --- Russian book p0170 A74-19372

Analysis of aided inertial navigation systems performance on international routes p0175 A74-20096

Simplified navigation for unmanned aircraft p0175 A74-20098

Recent development in aircraft safety air traffic control and navigation p0208 A74-22628

Upgrading the ATC system; Proceedings of the Annual Meeting, Washington, D.C., November 28, 29, 1973 p0219 A74-22677

Navigation improvements - To what end --- ATC system design with emphasis on VORTAC p0219 A74-22679

Navigation in the upgraded third generation system --- MLS, ILS, VORTAC, area navigation, etc p0220 A74-22680

International airline views on the United States' plans for the upgraded third generation system --- ATC technology assessment p0220 A74-22685

International user charges and their effect on the implementation of ATC, navigation, and communication systems p0222 A74-22687

The role of the International Civil Aviation Organization /ICAO/ in obtaining international adoption and implementation of air traffic control, navigation and communications systems p0222 A74-22688

Some air traffic control problems and trends in their resolution p0228 A74-25356

The loran C procedure p0268 A74-27095

The aeronautical aspects of an employment of loran C and Omega --- in conjunction with inertial navigation p0268 A74-27097

Aeronautical aspects of the employment of Omega and loran C in general aviation p0268 A74-27098

Instrumentation and cockpit controls for electronic navigation and communication aids [SAE ARP 571 B] p0269 A74-27261

CONUS aeronautical radionavigation by satellite [AIAA PAPER 74-439] p0275 A74-27809

Automated piloting of heavy aircraft --- Russian book p0276 A74-28075

Fully automatic LORAN C for commercial airlines p0316 A74-30356

Analysis of route widths in the domestic airspace --- navigation system errors effect on route confinement p0317 A74-30360

The use of a navigation platform for performance flight testing p0345 A74-34841

Digital computing and the display requirements in modern aircraft. II - Modern display techniques p0403 A74-37923

Optimization of air routes with a view to minimizing the risk of collision p0421 A74-38098

The Soviet radio navigation procedure RSBH --- for aircraft landing control p0461 A74-44071

Impact of new separation standards --- for aircraft approach spacings p0482 A74-45547

En route position and time control of aircraft using Kalman filtering of radio aid data [NASA-TN-D-7509] p0100 N74-12360

SRDS technical program document, fiscal year 1974. Engineering and development programs p0113 N74-13682

A proposal for the future of flight service stations. Volume 1: Summary --- systems analysis of automated air traffic control for general aviation aircraft [PB-225052/0GA] p0242 N74-18315

A proposal for the future of flight service stations. Volume 2: Cost analysis of the present flight service station system --- system analysis of automated air traffic control for general aviation aircraft [PB-225053/8GA] p0242 N74-18316

A proposal for the future of flight service stations. Volume 3: Functional analysis of the FSS system --- functions of automated air traffic control for general aviation aircraft [PB-225054/6GA] p0242 N74-18317

A proposal for the future of flight service stations. Volume 4: Proposed automated FSS system concept --- requirements for system sizing and configuration of automated air traffic control for general aviation aircraft [PB-225055/3GA] p0243 N74-18318

A proposal for the future of flight service stations. Volume 5: Implementation concept for the proposed system --- and schedule for automated air traffic control of general aviation aircraft [PB-225056/1GA] p0243 N74-18319

Navigation and guidance requirements for commercial VTOL operations [NASA-CR-132423] p0444 N74-30093

A STOL terminal area navigation system [NASA-TN-X-62348] p0444 N74-30095

AIR PIRACY

Air and space hi-jacking --- criminal aspects p0031 A74-12878

Skyjacking and airport security p0127 A74-18100

The aftermath of a hijacking - Passenger claims and insurance p0127 A74-18101

Air traffic confronted with dangers inherent in the trends of evolution p0228 A74-24896

AIR POLLUTION

Impact of emission regulations on gas turbine combustor design [AIAA PAPER 73-1155] p0003 A74-10508

Measurement of gas turbine exhaust pollutants by Raman spectroscopy [AIAA PAPER 73-1276] p0010 A74-11288

Impact of emission regulations on future gas turbine engine combustors [AIAA PAPER 73-1277] p0010 A74-11289

Conversion of fuel nitrogen to NOx in a compact combustor [ASME PAPER 73-WA/GT-2] p0071 A74-13293

Status of state air emission regulations affecting gas turbines [ASME PAPER 73-WA/GT-8] p0072 A74-13299

Sampling a turbine engine exhaust for average emissions [ASME PAPER 73-WA/GT-9] p0072 A74-13300

Jet engine emissions --- commercial aviation air pollution near airports p0073 A74-13730

Emission of gaseous pollutants by turbojet engines - The Olympus case

- Stratosphere contamination by aircraft and mathematical models p0122 A74-17305
- Aviation fuels and lubricants p0122 A74-17312
- The jet engine design that can drastically reduce oxides of nitrogen [AIAA PAPER 74-160] p0128 A74-18180
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft p0133 A74-18797
- Stratospheric survey aircraft developed --- canard BPV for pollution monitoring in YF-12 wakes p0275 A74-27773
- Jet engine soot emission measured at altitude p0276 A74-27849
- Development of pollution controls for Rolls-Royce RB 211 and Olympus 593 engines p0317 A74-30397
- Pollution emission analysis of selected Air Force aircraft [SAE PAPER 740483] p0351 A74-34996
- [ASME PAPER 74-ENAS-30] p0431 A74-39130
- Pollution in the ground support environment --- at Naval air facilities p0048 N74-10602
- Low NOx emission combustor for automobile --- evaluation of various fuel injection methods [PB-222075/4] p0052 N74-10745
- Low NOx emission combustor for automobile gas turbine engines --- design and tests of two research combustors [PB-222340/2] p0052 N74-10746
- A unique method for monitoring cabin air pollution from engine oil in the RB-57 D aircraft [AD-766701] p0057 N74-10932
- Interest and feasibility study of atmospheric turbulence and thermal gradients simulation --- application to air pollution and meteorology p0064 N74-11380
- Air pollution from airports [TR-595-73] p0111 N74-13318
- Turbojet aircraft engine test cell pollution abatement study [AD-768287] p0146 N74-13957
- Atmospheric Pollution by Aircraft Engines [AGARD-CP-125] p0148 N74-14271
- Reduction of NO formations by premixing p0148 N74-14272
- United States Department of Transportation research program for high altitude pollution p0148 N74-14273
- Photo-oxidation of aircraft engine emissions at low and high altitudes p0148 N74-14277
- Effect of supersonic transport upon the ozone layer, studied in a two-dimensional photochemical model with transport p0148 N74-14278
- Problems of chemical pollution by aircraft. The airport and its immediate environment p0148 N74-14281
- Relative air pollution emissions from an airport in the UK and neighbouring urban areas p0148 N74-14282
- Pollution levels at London (Heathrow) Airport and methods for reducing them p0149 N74-14284
- Pollution control of airport engine test facilities p0149 N74-14285
- Factors controlling pollutant emissions from gas turbine engines p0149 N74-14292
- A systematic approach to the study of the connection between emission and ambient air concentrations p0149 N74-14293
- A preliminary study on the influence of fuel staging on nitric oxide emissions from gas turbine combustors p0150 N74-14301
- The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel [NASA-TM-X-2958] p0153 N74-14650
- Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel [NASA-TM-X-2959] p0154 N74-14651
- Technical evaluation report on AGARD Technical Meeting on Atmospheric Pollution by Aircraft Engines --- requirement to analyze contribution to air pollution near airports from various sources [AGARD-AR-63] p0164 N74-15349
- The divided combustion chamber concept and design for control of SI engine exhaust air pollutant emissions p0165 N74-15454
- Reduction of pollutants from aircraft turbine by fuel selection and prevaporization [AD-769099] p0166 N74-15468
- Effect of increased fuel temperature on emissions of oxides of nitrogen from a gas turbine combustor burning ASTM Jet-A fuel [NASA-TM-X-2931] p0166 N74-15659
- United States Air Force aircraft pollution emissions [AD-769482] p0201 N74-17374
- Atmospheric pollution by aircraft engines [AD-769655] p0201 N74-17376
- Environmental pollution: Air pollution (exhaust gases) --- bibliography [AD-771710] p0242 N74-18312
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft [NASA-TM-X-71509] p0243 N74-18400
- Jet engine exhaust emissions of high altitude commercial aircraft projected to 1990 [NASA-TM-X-3007] p0294 N74-20591
- The fluid dynamics aspects of air pollution related to aircraft operations [AGARD-AR-55] p0361 N74-26104
- AIR PURIFICATION**
- Confined space atmosphere purification unit --- aircrew module to supercede protective clothing p0212 A74-23550
- AIR SAMPLING**
- Sampling a turbine engine exhaust for average emissions [ASME PAPER 73-WA/GT-9] p0072 A74-13300
- Development of a LASL whole-air sampler for WB-57F aircraft [LA-5491-MS] p0474 N74-32903
- AIR TO AIR MISSILES**
- Comparative study of various flight vehicle propulsion systems, using an air-to-air missile as an example [DGLR PAPER 73-068] p0120 A74-17177
- Two numerical methods to solve realistic air-to-air combat differential games [AIAA PAPER 74-22] p0132 A74-18736
- Toward the definition of escape and capture regions for a two aircraft pursuit-evasion game --- considering air to air infrared missile weapons [AD-770281] p0201 N74-17689
- Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing [NASA-TM-X-3070] p0487 N74-33432
- AIR TO AIR REFUELING**
- Experimental reel response system for high performance simplified aerial refueling store --- operational test of hose reel assembly and control system [AD-771389] p0240 N74-17799
- AIR TO AIR ROCKETS**
- U AIR TO AIR MISSILES**
- AIR TO SURFACE MISSILES**
- Lasers - Ranger and marked target seeker p0118 A74-16756
- AIR TRAFFIC**
- Airports from 1963 to 1983 - Evolution or revolution p0007 A74-11095
- The air transport of tomorrow - Economic obstacles to surmount p0007 A74-11096
- What's wrong with airline earnings --- operating costs vs consumer spending habits p0075 A74-13973
- Demands for air transport - 1980-1990 p0078 A74-14502
- Short take-off and landing --- cost penalties and operational advantages p0078 A74-14505
- Urban air traffic and city planning: Case study of Los Angeles County --- Book

AIR TRAFFIC CONTROL

SUBJECT INDEX

- Frankfurt's scheduled traffic mathematically analyzed p0179 A74-20624
- Lateral distribution of aircraft traffic --- application to pavement design criteria for aircraft with complex landing gear [AD-765435] p0275 A74-27776
- Civil aviation in the USSR (the fiftieth anniversary of its formation) [NASA-TT-F-806] p0045 A74-10304
- AIR TRAFFIC CONTROL** p0283 A74-19666
- NT RADAR APPROACH CONTROL**
- A cylindrical phased-array antenna for ATC interrogation p0001 A74-10018
- Civil air navigation equipment, on the ground and in the air p0007 A74-11094
- Collision avoidance and the future of air traffic control p0007 A74-11101
- Properties of air-derived and ground-derived aircraft landing guidance concepts p0007 A74-11102
- AEROSAT overview --- aeronautical satellites for oceanic ATC p0024 A74-12189
- AEROSAT ground environment and test plan --- aeronautical satellites for ATC p0024 A74-12191
- Description and cost of a satellite-based oceanic ATC system --- voice and data communication channel capacity requirements p0025 A74-12193
- Advanced enroute air traffic control radar system /ARSR-3/ --- small aircraft detection p0025 A74-12198
- Radar - Present and future; Proceedings of the International Conference, London, England, October 23-25, 1973 p0027 A74-12355
- Secondary surveillance radar in ATC --- operational problems p0027 A74-12357
- New developments in secondary surveillance radar --- design improvements for ATC p0028 A74-12358
- Equipment for suppressing reflected secondary radar signals --- ATC surveillance radar system design p0028 A74-12359
- Present and future radar display techniques --- CRT, LED and liquid crystals for ATC applications p0028 A74-12382
- Use of synthetic radar information - Operational and technical aspects p0028 A74-12403
- Power conditioning system for FAA Air Route Traffic Control Centers p0077 A74-14133
- The future of secondary surveillance radar in air traffic control p0078 A74-14499
- Concorde in the airport environment p0078 A74-14504
- Maplin - The operational factors and their influence on the design of the airport p0079 A74-14511
- Some trends in air traffic control p0091 A74-16074
- The impact of area navigation on flight control systems and displays p0122 A74-17277
- Innovations in ATC communication systems --- since 1920's p0126 A74-17984
- Military and aerospace --- cost effective technology utilization for ATC, NASA programs and defense projects p0126 A74-18050
- Vortex cases - At a turbulent crossroads --- aircraft wakes and legal liability for accidents p0126 A74-18097
- Air traffic control --- long term planning in Germany p0128 A74-18182
- Future air traffic control - Ground, cockpit, or space --- system functions transfer to aircraft or satellites [AIAA PAPER 74-262] p0131 A74-18669
- Recent advances in air traffic control radars p0169 A74-19315
- Problems in civil air traffic control which SAW technology may impact --- Surface Acoustic Wave devices p0170 A74-19390
- The reduction of garbling in secondary surveillance radar p0170 A74-19391
- High integrity ATC data links p0170 A74-19392
- The fuel crisis and the controller --- turbojet aircraft descent trajectories for fuel consumption reduction p0173 A74-19726
- A look at the British ATC scene. II --- primary and secondary radar systems development p0173 A74-19727
- Some transmission characteristics of AEROSAT-type air traffic control systems p0174 A74-19957
- Winter Simulation Conference, Washington, D.C., January 14-16, 1974, Proceedings. Volume 2 p0179 A74-20662
- Air traffic control scheme through simulation p0179 A74-20663
- The automatic aircraft guidance law for mid-air collision avoidance p0183 A74-21340
- Recent development in aircraft safety air traffic control and navigation p0208 A74-22628
- Use of ARTS-III in aircraft accident investigation --- Automated Radar Terminal System p0208 A74-22637
- Automation Radar Terminal System - ARTS III p0214 A74-22638
- Impact of microwave landing system on safety p0219 A74-22639
- Upgrading the ATC system; Proceedings of the Annual Meeting, Washington, D.C., November 28, 29, 1973 p0219 A74-22677
- Plans for intermittent positive control improved beacon and other features of the upgraded third generation system p0219 A74-22678
- Navigation improvements - To what end --- ATC system design with emphasis on VORTAC p0219 A74-22679
- Criticism of FAA handling of collision avoidance systems p0220 A74-22681
- Collision avoidance systems --- proximity warning indicator for ATC p0220 A74-22682
- The discrete address beacon system - Development, transition, and introduction p0220 A74-22683
- Air-ground communications in the upgraded third generation ATC system p0215 A74-22684
- International airline views on the United States' plans for the upgraded third generation system --- ATC technology assessment p0220 A74-22685
- International user charges and their impact on world-wide implementation of ATC systems p0222 A74-22686
- International user charges and their effect on the implementation of ATC, navigation, and communication systems p0222 A74-22687
- The role of the International Civil Aviation Organization /ICAO/ in obtaining international adoption and implementation of air traffic control, navigation and communications systems p0222 A74-22688
- Objectives for interim military landing systems p0220 A74-22689
- Requirements and trends of collision avoidance systems [ONERA, TP NO. 1337] p0220 A74-23393
- A discrete address beacon system --- surveillance radar for ATC p0221 A74-23785

SUBJECT INDEX

AIR TRAFFIC CONTROL CONTD

- A synchronized Discrete Address Beacon System --- for ATC surveillance p0221 A74-23786
- Universal air-ground data link system --- for automated ATC communications p0215 A74-23830
- Air-traffic-control simulator for the training of ATC personnel p0216 A74-24052
- Requirements and trends in collision avoidance p0228 A74-25355
- Some air traffic control problems and trends in their resolution p0228 A74-25356
- Problems associated with the implementation of an air-ground data link p0226 A74-25360
- R-NAV systems development for a STOL application --- area navigation for high density interurban operations p0259 A74-25741
- Acquisition signal design for satellite-aircraft communications [AIAA PAPER 74-437] p0275 A74-27807
- CONUS aeronautical radionavigation by satellite [AIAA PAPER 74-439] p0275 A74-27809
- The expanding liability of air traffic controllers p0307 A74-28573
- The new radar control stations of the French airspace p0311 A74-29251
- Aircraft characteristics and air traffic systems p0335 A74-31975
- Safe separation in controlled flight p0337 A74-33065
- The 'Materik' instrument landing system --- for course and glide path determination p0338 A74-33091
- Aircraft 4-D constant velocity control system p0342 A74-33812
- The quantitative description of a traffic control process --- for aircraft p0403 A74-37921
- Use of ARTS III in aircraft accident investigation --- Automated Radar Terminal System p0482 A74-45544
- New radars for ATC p0482 A74-45545
- Impact of new separation standards --- for aircraft approach spacings p0482 A74-45547
- Radar techniques for Air Force applications in avoidance of bird-aircraft collisions and improvement of flight safety [AD-754981] p0043 A74-10068
- Continental Land Mass Air Traffic Control (COLM ATC) --- using three artificial satellite configurations [NASA-CR-132831] p0048 A74-10619
- Provisional signal formats for the discrete address beacon system --- for air traffic control applications [ATC-30] p0048 A74-10620
- An optimum interference detector for DABS monopulse data editing --- for application to air traffic control [ESD-TR-73-253] p0048 A74-10621
- A synchronized discrete-address beacon system --- for air traffic control improvement [FAA-EM-74-3] p0049 A74-10622
- Human factors experiments for data link --- coding of air traffic control messages [AD-760401] p0049 A74-10625
- Aerosat and Marsat: Satellites for mobile services p0059 A74-11018
- Interrogation scheduling algorithms for a discrete address beacon system --- for air traffic control applications [ATC-19] p0065 A74-11432
- Some user benefits achievable from an advanced air traffic management system [R-1320-DOT] p0065 A74-11435
- Cost comparisons of advanced air traffic management systems [R-1319-DOT] p0065 A74-11436
- Control of air traffic by aid of satellites p0100 A74-12354
- ATC surveillance/communication analysis and planning --- research projects for application of electronics technology to air traffic control [FAA-RD-73-161] p0100 A74-12356
- En route position and time control of aircraft using Kalman filtering of radio aid data [NASA-TN-D-7509] p0100 A74-12360
- Air traffic control/collision avoidance system interface simulation, phase 2 --- based on high density terminal area with simultaneous approaches to parallel runways [FAA-NA-73-40] p0100 A74-12361
- Development of a discrete address beacon system [FAA-RD-73-165] p0100 A74-12362
- Power conditioning system for FAA air route traffic control centers p0102 A74-12636
- Software definition study for the Aeronautical Satellite Communications Center. Volume 1: Definition specifications. Part 1: General presentation of the Aeronautical Satellite Communications Center and its software [EX-5102/27-73/309] p0107 A74-12864
- Software definition study for the Aeronautical Satellite Communications Center. Volume 1: Definition specifications. Part 2: Description of operational and simulation functions [EX-5102/27-73/305] p0107 A74-12865
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 1: Software organization and general description [EX-5102/27-73/296] p0108 A74-12866
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 2: Description of operational functions [EX-5102/27-73/308] p0108 A74-12867
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 3: Description of simulation function [EX-5102/27-73/299] p0108 A74-12868
- Software definition study for the Aeronautical Satellite Communications Center. Volume 3: Definition of the means --- noting computer memory requirements and program execution time [EX-5102/27-73/311] p0108 A74-12869
- Software definition study for the Aeronautical Satellite Communications Center. Volume 4: Planning --- for Aerosta program [EX-5102/27-73/315] p0108 A74-12870
- Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.2: Appendix A: System technique summary. Appendix B: Functional requirements summary. Appendix C: Detailed feasibility hardware specifications [FAA-RD-73-166-VOL-3.2] p0111 A74-13421
- General aviation air traffic pattern safety analysis [NASA-TN-X-69455] p0111 A74-13422
- Potential conflict prediction and associated functions for oceanic air traffic control automation [AD-767453] p0112 A74-13427
- SRDS technical program document, fiscal year 1974. Engineering and development programs p0113 A74-13682
- Field evaluation of ARTS 2 B (TRACAB) --- evaluation of radar beacon for air traffic control applications [AD-768203] p0151 A74-14360
- User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system [AD-768049] p0151 A74-14361
- Empirical assessment of ATCRBS --- performance of air traffic control digital processing system [ATC-16] p0164 A74-15379
- The effects of interference on monopulse performance --- characteristics of air traffic control radar beacons [AD-769336] p0192 A74-15876
- An airline's experience on turbulence --- avoidance of atmospheric turbulence through air traffic control, meteorological reports, and pilot experience p0233 A74-17727
- A proposal for the future of flight service stations. Volume 1: Summary --- systems

- analysis of automated air traffic control for general aviation aircraft
[PB-225052/0GA] p0242 N74-18315
- A proposal for the future of flight service stations. Volume 2: Cost analysis of the present flight service station system --- system analysis of automated air traffic control for general aviation aircraft
[PB-225053/86A] p0242 N74-18316
- A proposal for the future of flight service stations. Volume 3: Functional analysis of the FSS system --- functions of automated air traffic control for general aviation aircraft
[PB-225054/66A] p0242 N74-18317
- A proposal for the future of flight service stations. Volume 4: Proposed automated FSS system concept --- requirements for system sizing and configuration of automated air traffic control for general aviation aircraft
[PB-225055/36A] p0243 N74-18318
- A proposal for the future of flight service stations. Volume 5: Implementation concept for the proposed system --- and schedule for automated air traffic control of general aviation aircraft
[PB-225056/1GA] p0243 N74-18319
- Application of Monte Carlo methods to estimation of collision risks associated with ATC separation standards
[BAE-TR-73104] p0256 N74-19283
- Prediction of optical landing guidance system performance in Cat. 3-a minimum weather
[AD-773830] p0289 N74-20237
- Automation of the landing control of aircraft --- radio equipment for establishing landing approach
[AD-777174] p0369 N74-26491
- National airspace system enroute stage 1 system engineering and analysis, investigation of system problems, capacity testing
[AD-778479] p0444 N74-30104
- AIR TRANSPORTATION**
- Air transportation noise technology overview
[AIAA PAPER 73-1152] p0003 A74-10506
- The air transport of tomorrow - Economic obstacles to surmount
p0007 A74-11096
- Advantages of aircraft system maturity --- profitability
[SAE PAPER 730907] p0018 A74-11585
- Research and development for future air transports
p0020 A74-11615
- A simulation approach for studying the interactions of noise, patronage, and economic viability for air transportation systems
[AIAA PAPER 73-1161] p0025 A74-12216
- Airports for the 80s; Proceedings of the Fourth World Airports Conference, London, England, April 3-5, 1973
p0078 A74-14501
- Demands for air transport - 1980-1990
p0078 A74-14502
- Changes in the European air transport pattern
p0079 A74-14507
- Airport terminal planning
p0079 A74-14508
- Transport aerospace industry contributions to modern problem solutions /W. Rupert Turnbull
Lecture for 1973/
p0085 A74-15045
- Energy problems in air transportation --- options for demand reduction, efficiency increase and fuel alternatives
p0171 A74-19479
- Airports evolution and qualification
p0171 A74-19481
- The implications for air transportation of energy shortage
p0171 A74-19486
- Future advanced-technology aircraft in the context of an integrated transport system
p0171 A74-19487
- Air traffic confronted with dangers inherent in the trends of evolution
p0228 A74-24896
- Technology of passenger clearance in air transportation using various clearance methods
p0269 A74-27211
- The present technics of air transportation
p0280 A74-28487
- A proposed pricing procedure for domestic airlines
p0340 A74-33298
- Design and development of Montreal and Ottawa STOLports
[SAE PAPER 740487] p0350 A74-34994
- Fuel state - Expensive
p0377 A74-35496
- A review of precious resources and their effect on air transport; Proceedings of the Spring Convention, London, England, May 15, 16, 1974
p0381 A74-36316
- Metallic and other material resources --- for aircraft construction
p0381 A74-36317
- Precious resources and air transport - An airline view --- fuel price increase effects
p0382 A74-36322
- Symposium on Air Transport in Europe, London, England, January 16, 1974, Proceedings
p0382 A74-36326
- Air transport in Europe - Commercial trends and prospects
p0382 A74-36327
- Technical regulation and direction --- European Civil Aviation Conference regulations for member states
p0382 A74-36329
- The good and bad usages of air transport
p0391 A74-36941
- Air transport. Volume 3 --- Russian book on passenger airline operations
p0421 A74-38049
- An economic assessment of STOL aircraft potential including terminal area environmental considerations. Volume 2: Appendices
[NASA-CR-114605] p0040 N74-10044
- The energy dilemma and its impact on air transportation
[NASA-CR-135993] p0067 N74-11743
- The air transportation/energy system
p0068 N74-11745
- Energy conservation and air transportation
p0068 N74-11746
- Conclusions and recommendations --- for problems in energy situation, air transportation, and hydrogen fuel
p0068 N74-11748
- Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses
[P-5046] p0068 N74-11791
- The future of short-haul air transport within Western Europe
[REPT-SP-73-001] p0097 N74-11842
- Where are we headed in air transport? --- trends for future aircraft design
p0102 N74-12669
- Air mobility fuel cell study --- desulfurization of JP-4 fuel
[AD-766757] p0107 N74-12742
- United States Department of Transportation research program for high altitude pollution
p0148 N74-14273
- Economics of air transport --- direct and indirect costs
[NASA-TT-P-15249] p0154 N74-14682
- A comparative economic analysis of a lighter-than-air logistics system
[AD-769205] p0194 N74-16694
- Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 N74-19651
- Civil aviation in the USSR (the fiftieth anniversary of its formation)
[NASA-TT-P-806] p0283 N74-19666
- Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier
[AD-774898] p0327 N74-21669
- The weight, economic and noise penalties of short haul transport aircraft resulting from the reduction of balanced field length
[CRANFIELD-AERO-24] p0330 N74-22672
- Small V/STOL aircraft analysis, volume 1
[NASA-CR-2425] p0413 N74-28504
- AIRBORNE EQUIPMENT**
- NT AIRBORNE/SPACEBORNE COMPUTERS**
- Error model identification and performance predictions for airborne direct ranging Loran
p0024 A74-12178

SUBJECT INDEX

AIRCRAFT ACCIDENTS

- A new system for recording aircraft attitude ---
airborne gyro-stabilized opto-electronic sensing
p0091 A74-16246
- Airborne profiling of ice thickness using a short
pulse radar
p0124 A74-17810
- What we do and what we need --- military airborne
video tape recorder requirements and applications
p0216 A74-22528
- The status of the F-14A airborne mission recorder
requirements and utilization
p0216 A74-22529
- Commercial quality video recorders for airborne
military applications
p0217 A74-22530
- A basic, highly maintainable airborne video tape
recorder/reproducer
p0217 A74-22533
- Pave Spike Video Film Recorder
p0218 A74-22543
- Criticism of FAA handling of collision avoidance
systems
p0220 A74-22681
- Advance airborne system for maintenance monitoring
[SAE PAPER 730955]
p0269 A74-27255
- Aircraft on-board equipment for dynamic
measurements with piezoelectric sensors
p0270 A74-27293
- Automation of measurements and of data processing
for experiments in an IL-18 aircraft laboratory
p0276 A74-27884
- Protection of an optical sensor against vibration
of the flight vehicle
p0276 A74-27899
- Possibility of investigating the spatial
distribution of atmospheric ozone with the aid
of an ozonometer installed in the cockpit of an
aircraft
p0311 A74-28847
- Potential uses for the Kiebitz tethered rotor
platform
p0318 A74-30596
- The effects of relative source strength and
signal-to-noise ratio on angular resolution of
antennas
p0373 A74-35132
- Holographic multicolor moving map display
p0377 A74-35563
- Airborne Ka band satellite communications terminal
development
p0424 A74-38560
- Flight testing a highly instrumented sailplane
[AIAA PAPER 74-1023]
p0454 A74-42042
- Hot-wire anemometry for in-flight measurement of
aircraft wake vortices
p0460 A74-43621
- Airborne profiling of ice thickness using a short
pulse radar
[NASA-TN-X-71481]
p0063 A74-11204
- Engineering aspects with satellite communication
terminals in aircraft
[REPT-7-72]
p0192 A74-15842
- Possibilities of an airborne television system
[ESRO-TT-20]
p0301 A74-20819
- Development of a LASL whole-air sampler for WB-57F
aircraft
[LA-5491-MS]
p0474 A74-32903
- AIRBORNE/SPACEBORNE COMPUTERS**
- Problems in data management for earth monitoring
missions
[DGLR PAPER 73-109]
p0121 A74-17205
- Data acquisition, processing, and control for
advanced aircraft
[SAE PAPER 730957]
p0124 A74-17542
- Flight control --- computerized aircraft guidance
p0128 A74-18181
- Lockheed S-3A avionics - Transmitting data by
multiprocessor computer
p0173 A74-19754
- Reliability of aircraft navigation computers ---
Russian book
p0180 A74-20905
- U.S. Navy VTOL automatic landing system
development program
[AHS PREPRINT 823]
p0389 A74-36627
- F-1 central air data computer --- for weapons
delivery and aircraft control
p0425 A74-38580
- Turbomachine numerical control using the ASHODEE
01 prototype --- airborne computer
p0431 A74-39007
- Safety objectives of onboard computers on civil
aircraft
p0431 A74-39010
- AIRCRAFT**
- Bilinear surface representation of radar
scattering for aircraft --- methods for target
classification
[AD-766320]
p0044 A74-10169
- Analysis of the longitudinal disturbed motion of a
surface skimmer --- like common aircraft
[AD-765992]
p0046 A74-10326
- Flight control of airplanes and helicopters
[AD-767943]
p0143 A74-13738
- Calculation of certain geometric parameters of
complex surfaces on Ural-4 computer --- computer
design and reproduction of external shapes of
aircraft
[AD-772040]
p0240 A74-17926
- Apparatus for span loading to alleviate
wake-vortex hazard behind aircraft
[NASA-CASE-ARC-10801-1]
p0471 A74-32428
- AIRCRAFT ACCIDENT INVESTIGATION**
- Wake turbulence - The invisible killer
p0078 A74-14498
- Pilot error accidents in airline jet aircraft -
1958-1970
p0208 A74-22629
- Accident prevention by incident analysis
p0208 A74-22634
- Violations of system safety principles in the
cockpit
p0208 A74-22635
- Use of ARTS-III in aircraft accident investigation
--- Automated Radar Terminal System
p0208 A74-22637
- Summary of fire and explosion manual for aircraft
accident investigation
p0211 A74-23543
- The design of crashworthy general aviation aircraft
[SAE PAPER 740376]
p0309 A74-28744
- Aircraft accident data recording systems: System
evaluation and data recovery --- Book
p0390 A74-36657
- Failure analyses of aircraft accidents. I
p0398 A74-37634
- Use of ARTS III in aircraft accident investigation
--- Automated Radar Terminal System
p0482 A74-45544
- Aircraft accident report: Continental Airlines,
Sabreliner model NA-265-60, N743R, Montrose,
Colorado, 13 April 1973
[NTSB-AAR-73-19]
p0095 A74-11830
- Fire and explosion manual for aircraft accident
investigators
[AD-771191/4GA]
p0250 A74-18694
- AIRCRAFT ACCIDENTS**
- Application of military human factors techniques
to general aviation accident prevention
p0004 A74-10880
- Bird control at the airport
p0080 A74-14523
- Aircraft recovery - There is a solution ---
disabled aircraft removal from airport
operational areas
p0089 A74-15865
- Design of crashworthy aircraft cabins based on
dynamic buckling
p0090 A74-15971
- Government responsibility for damages in airplane
crash cases when weather is a factor
p0126 A74-18098
- New orientations in the study of transport
aircraft safety
p0208 A74-22633
- Requirements and trends of collision avoidance
systems
[ONERA, TP NO. 1337]
p0220 A74-23393
- The decline in USAF ejection survival rates
p0214 A74-23556
- Requirements and trends in collision avoidance
p0228 A74-25355
- Portable chemical oxygen
[SAE AS 1303]
p0269 A74-27264
- The expanding liability of air traffic controllers
p0307 A74-28573

AIRCRAFT ANTENNAS

SUBJECT INDEX

- A digital simulation technique for crashworthy analysis of aircraft seats
[SAE PAPER 740371] p0309 A74-28742
- The MUDAS-F crash recorder for the Alpha Jet p0319 A74-30601
- Simulated aircraft accident exercises p0439 A74-40622
- Aircraft accident report: Air Iowa, Incorporated, Beech E18S, N310WA, Davenport Iowa, 19 Apr. 1973 [NTSB-AAR-73-18] p0039 A74-10041
- Aircraft incident report: Eastern Air Lines, Incorporated, Boeing 727-225, N8843E, Toledo, Ohio, 10 April 1973 p0040 A74-10050
- Radar techniques for Air Force applications in avoidance of bird-aircraft collisions and improvement of flight safety [AD-754981] p0043 A74-10068
- Aircraft accident reports: Brief format, US Civil Aviation. Issue no. 1: 1973 accidents [NTSB-BA-73-8] p0056 A74-10919
- Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost [AD-767028] p0057 A74-10930
- Aircraft accident report: Continental Airlines, Sabreliner model NA-265-60, N743R, Montrose, Colorado, 13 April 1973 p0095 A74-11830
- Orientation-error accidents in regular Army UH-1 aircraft during fiscal year 1970: Relative incidence and cost [AD-768307] p0144 A74-13742
- Aircraft accident reports: Brief format, supplemental issue, 1972 accidents [NTSB-BA-73-10] p0196 A74-16722
- Aircraft accident report: Overseas National Airways, Inc., McDonnell Douglas, DC-8-63, N863P, Bangor, Maine, 20 June 1973 --- takeoff accident caused by failure of right main landing gear tire [NTSB-AAR-74-1] p0235 A74-17748
- Aircraft accident report: Loftleidir Icelandic Airlines, Incorporated, Douglas DC-8-61, John F. Kennedy International Airport, Jamaica, New York, 23 June 1973 p0249 A74-18683
- Aircraft accident report: Skyways International, Incorporated, Douglas DC-7C, N296 near the Miami International Airport, Dade County, Florida, 21 June 1973 [NTSB-AAR-74-2] p0249 A74-18684
- Application of Monte Carlo methods to estimation of collision risks associated with ATC separation standards [BAE-TR-73104] p0256 A74-19283
- Aircraft accident report: Brief format, US civil aviation, issue no. 3 of 1973 accidents --- compilation of selected aircraft accident reports [NTSB-BA-74-1] p0297 A74-20664
- Aircraft accident report: Delta Air Lines, Incorporated, Douglas DC-9-31, N975-BE, Boston, Massachusetts, 31 July 1973 [NTSB-AAR-74-3] p0297 A74-20665
- Army autorotational accidents --- analysis of factors contributing to helicopter accidents p0301 A74-20771
- Special study: US general aviation accidents involving fuel starvation, 1970 - 1972 [NTSB-AAS-74-1] p0325 A74-21657
- Aircraft accident report: World Airways, Incorporated, DC-8-63P, N802WA, King Cove, Alaska, 8 September 1973 [NTSB-AAR-74-6] p0364 A74-26438
- Aircraft accident report: Piedmont Airlines, Boeing 737, N75IN, Greensboro, North Carolina, 28 October 1973 [NTSB-AAR-74-7] p0364 A74-26439
- Aircraft accident report: Ozark Airlines, Incorporated, Fairchild Hiller FH-227B, N4215 near the Lambert-Saint Louis International Airport, Saint Louis, Missouri, 23 July 1973 [NTSB-AAR-74-5] p0413 A74-28503
- Aircraft accident report: Trans World Airlines, Incorporated, Boeing 707-131B, N757TW, Los Angeles, California, 16 January 1974 [NTSB-AAR-74-10] p0489 A74-33447
- AIRCRAFT ANTENNAS**
- Effect of differences between the antennas of a Doppler velocity meter on its operational accuracy p0023 A74-11994
- Roll-plane analysis of on-aircraft antennas p0169 A74-19228
- Electromagnetic effects of aircraft wake-active feuillet interaction p0174 A74-19915
- Correlational ground speed meters and drift indicators of flight vehicles --- Russian book p0180 A74-20900
- General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494
- A simple antenna system approach for mobile SATCOM terminals p0424 A74-38557
- Radomes of microwave antennas - Radio engineering design and calculation --- Russian book p0426 A74-38692
- Satellite communications systems --- multiplexing for communication lines, equipment of earth stations, and onboard receiver transmitter and antennas [JPRES-54505] p0044 A74-10153
- Improvement of performance characteristics of a class of broadband circularly polarized antennas --- for use with tactical airborne jamming equipment [AD-766473] p0059 A74-11065
- Engineering aspects with satellite communication terminals in aircraft [HEPT-7-72] p0192 A74-15842
- Roll plane analysis of on-aircraft antennas [NASA-CR-136815] p0200 A74-16953
- Antenna modeling of the KC-135 [AD-769913] p0200 A74-16960
- Computer analysis of aircraft and shuttle antennas [NASA-CR-138605] p0369 A74-26666
- Numerical solutions to some on-aircraft antenna pattern problems --- analysis of direction finding antenna on F-4 aircraft [AD-777977] p0409 A74-27639
- Analysis of on-aircraft antenna patterns [AD-777975] p0409 A74-27641
- Diffraction by a perfectly conducting rectangular cylinder which is illuminated by an array of line sources [NASA-CR-2405] p0417 A74-28706
- Flush-mounted antennas radiating on aircraft type surfaces [NASA-CR-2403] p0417 A74-28707
- The dyadic diffraction coefficient for a curved edge [NASA-CR-2401] p0417 A74-28710
- A wideband shallow cavity-backed sleeve dipole aircraft antenna [AD-778930] p0418 A74-28719
- Antennas for avionics --- conference on application of avionic antennas in Aerosat systems [AGARD-CP-139] p0468 A74-31667
- Airborne low-VHF antennas p0468 A74-31680
- A commutation on antenna systems covering standard aircraft and balloons p0469 A74-31685
- A linear array of blade antennas as an aircraft antenna for satellite communication p0469 A74-31686
- A comparison of two L-band aircraft antennas for aeronautical satellite applications --- circularly polarized slot configurations p0469 A74-31688
- Dynamic measurement of avionic antennas --- by ground radar tracks evaluations p0469 A74-31702
- Determination of the movement of the apparent phase centers of aircraft antennas for calibrating the ZDBS interferometer --- coherent wave front simulations for slot antennas and spiral antennas p0469 A74-31704
- AIRCRAFT APPROACH SPACING**
- Aircraft 4-D constant velocity control system p0342 A74-33812
- AIRCRAFT BASES**
- U MILITARY AIR FACILITIES**
- AIRCRAFT BRAKES**
- NT LEADING EDGE SLATS**
- NT SPLIT FLAPS**

SUBJECT INDEX

AIRCRAFT COMPARTMENTS

WT TRAILING-EDGE FLAPS

WT WING FLAPS

A thermal, thermoelastic, and wear simulation of a high-energy sliding contact problem
[ASME PAPER 73-LUB-6] p0027 A74-12333
Recent studies of tire braking performance --- for aircraft p0125 A74-17898

Fluid power for aircraft: Modern hydraulic technology /2nd edition/ p0214 A74-23376

Response speed of a correlator in an extremal system for aircraft wheel braking p0213 A74-24022

A device for measuring the power of an aircraft wheel brake p0213 A74-24027

The effect of runway traction on commercial airplane stopping systems p0349 A74-34976

[SAE PAPER 740500]
Improvements in airplane stopping performance on adverse runways p0427 A74-38730

[AIAA PAPER 74-965]
Suction braking --- in air cushion landing system aircraft p0428 A74-38733

[AIAA PAPER 74-968]
Effect of frictional heating on brake materials p0461 A74-44161

An automatic brake control system for aircraft p0484 A74-46685

Brake control system modification, augmentor wing Jet STOL Research Airplane (AWJSRA) p0441 A74-29374

[NASA-CR-137530]

AIRCRAFT CABINS

U AIRCRAFT COMPARTMENTS

AIRCRAFT CARRIERS

Deck heating effects due to VTOL jet exhaust impingement p0008 A74-11227

[AIAA PAPER 73-1182]
Vectored thrust V/STOL shipboard testing p0172 A74-19498

Conceptual options for future aircraft-ship operations p0182 A74-21290

[AIAA PAPER 74-300]
Wind modification over the flight decks of high-speed ships p0182 A74-21291

[AIAA PAPER 74-301]
A new aircraft/ship mating system p0183 A74-21292

[AIAA PAPER 74-303]
The design application of aircraft securing and traversing systems to the surface effect ship p0183 A74-21293

[AIAA PAPER 74-304]
Some special Navy V/STOL testing problems /as related to full scale simulation/ p0207 A74-22478

Lockheed S-3A Viking - Structure with carrier suitability characteristics p0213 A74-23838

Shipboard operations of Harrier p0320 A74-30823

AN/SPN-42 automatic carrier landing system p0374 A74-35209

LSO/pilot interaction simulator --- for analysis of flight hazards during approach to landing on aircraft carrier p0041 A74-10055

[AD-765686]
Test plan report for catapult fatigue. Test of the model E-2 A/B airplane p0042 A74-10059

[AD-765708]
A modified design concept, utilizing deck motion prediction, for the A-7E automatic carrier landing system p0144 A74-13739

[AD-767691]
The simulation and analysis of carrier landings using a nonlinear pilot model p0145 A74-13747

[AD-767679]
Investigation of the fatigue behavior of large propellers --- for aircraft carriers p0194 A74-16603

[AD-769466]
Program plan for investigation of model E-11C-1 airplane catapult and hold-back operations capacity p0369 A74-26495

[AD-777435]
Product support program (ground power systems) p0370 A74-27304

[AD-777704]

AIRCRAFT COMMUNICATION

A cylindrical phased-array antenna for ATC interrogation p0001 A74-10018

AEROSAT overview --- aeronautical satellites for oceanic ATC p0024 A74-12189

AEROSAT performance specifications --- aeronautical satellite for oceanic aircraft communication p0024 A74-12190

Lockheed S-3A avionics - Tactical voice and data communication p0173 A74-19753

The discrete address beacon system - Development, transition, and introduction p0220 A74-22683

Air-ground communications in the upgraded third generation ATC system p0215 A74-22684

International user charges and their effect on the implementation of ATC, navigation, and communication systems p0222 A74-22687

The advanced OPLE for search and rescue --- OMEGA Position Location Experiment for global applications p0221 A74-23787

Vanguard/PLACE experiment system design and test plan p0216 A74-23788

Universal air-ground data link system --- for automated ATC communications p0215 A74-23830

Problems associated with the implementation of an air-ground data link p0226 A74-25360

Instrumentation and cockpit controls for electronic navigation and communication aids [SAE ARP 571 B] p0269 A74-27261

Acquisition signal design for satellite-aircraft communications [AIAA PAPER 74-437] p0275 A74-27807

Access control techniques for satellite mobile communications systems [AIAA PAPER 74-441] p0275 A74-27811

U.S. Navy Fleet Satellite Communications [AIAA PAPER 74-458] p0307 A74-28606

Application of dispersive networks in data-transmission receivers p0311 A74-29353

MRCA systems and related equipment - MRCA avionics p0337 A74-32636

Multiple channel same frequency repeater flight test --- for intra-aircraft voice communications p0424 A74-38556

Implementation considerations with PSK modulation --- variable rate and secure voice modems p0424 A74-38558

Bandwidth filtering effects on PSK modulation p0424 A74-38559

Airborne Ka band satellite communications terminal development p0424 A74-38560

Development of a discrete address beacon system [FAA-RD-73-165] p0100 A74-12362

A proposal for the future of flight service stations. Volume 2: Cost analysis of the present flight service station system --- system analysis of automated air traffic control for general aviation aircraft p0242 A74-18316

[PB-225053/86A]
A proposal for the future of flight service stations. Volume 3: Functional analysis of the FSS system --- functions of automated air traffic control for general aviation aircraft p0242 A74-18317

[PB-225054/66A]
A proposal for the future of flight service stations. Volume 4: Proposed automated FSS system concept --- requirements for system sizing and configuration of automated air traffic control for general aviation aircraft p0243 A74-18318

[PB-225055/36A]
A proposal for the future of flight service stations. Volume 5: Implementation concept for the proposed system --- and schedule for automated air traffic control of general aviation aircraft p0243 A74-18319

[PB-225056/16A]

AIRCRAFT COMPARTMENTS

Differential method for testing the optical standards of cockpit windshields p0005 A74-10937

AIRCRAFT CONFIGURATIONS

SUBJECT INDEX

- Problems and organization in the case of
aerial-survey flights at intermediate and high
altitudes p0086 A74-15082
- Design of crashworthy aircraft cabins based on
dynamic buckling p0090 A74-15971
- Distortions in aerial photographs due to internal
refraction --- from sealed compartment
temperature and pressure effects p0218 A74-23450
- Evaluation of aircraft internal noise --- from
aerodynamic sources, jet exhaust and internal
equipment [SAE PAPER 740360] p0309 A74-28737
- Cabin pressure control - An exercise in nonlinear
design p0373 A74-35208
- Aircraft cabin pressure and temperature control
through reliable fluidic circuits p0378 A74-35720
- Reply to criticisms by V. E. Callaway of papers
MM1 and MM11 at the 86th Meeting of the ASA ---
aircraft cabin noise level p0391 A74-37061
- A unique method for monitoring cabin air pollution
from engine oil in the EB-57 D aircraft
[AD-766701] p0057 N74-10932
- Conference on Transparent Aircraft Enclosures ---
development and design concepts for vision areas
of crew enclosures [AD-769344] p0190 N74-15727
- Full-scale aircraft cabin flammability tests of
improved fire-resistant materials [NASA-TN-X-58141] p0411 N74-28423
- AIRCRAFT CONFIGURATIONS**
- Integrated airframe-nozzle performance for
designing twin-engine fighters [AIAA PAPER 73-1303] p0011 A74-11302
- An integrated approach to structural weight
estimation [SAE PAPER 730936] p0016 A74-11564
- A new outbreak of Zeppelin fever --- freight and
passenger dirigible revival p0031 A74-12911
- Propulsion requirements for powered-lift aircraft
[AIAA PAPER 73-1214] p0031 A74-12928
- Recent advances in aerodynamics for transport
aircraft. I p0080 A74-14521
- F28 - Development of the Mk 5000/6000. II -
Development of the family p0086 A74-15152
- Test and evaluation of a quiet helicopter
configuration HH-43B p0087 A74-15644
- A problem of designing the optimal external
contours of an aircraft p0087 A74-15709
- Fixed wing aircraft p0127 A74-18176
- Application of an improved unified
subsonic-supersonic potential flow method for
the aerodynamic analysis of aircraft
configurations [AIAA PAPER 74-186] p0135 A74-18841
- An interdisciplinary approach to integrated
rotor/body mathematical modeling p0205 A74-22453
- A status summary of the MRCA project ---
Multi-Role Combat Aircraft p0212 A74-23596
- Nozzle geometry and forward velocity effects on
noise for CTOL engine-over-the-wing concept p0314 A74-30076
- Hawker's new Hawk --- light training
aircraft p0335 A74-31878
- Dolphin airship with undulatory-flow
dynamic lift p0338 A74-33096
- A perspective on short-haul STOL
[SAE PAPER 740503] p0349 A74-34975
- Propulsion integration for a hybrid
propulsive-lift system [SAE PAPER 740471] p0351 A74-35002
- Nozzle development for the upper surface - Blown
jet flap on the YC-14 airplane [SAE PAPER 740469] p0351 A74-35003
- Wind tunnel and flight development of the F-14
subsonic/transonic maneuvering configuration
[AIAA PAPER 74-618] p0376 A74-35386
- Measurement of dynamic cross-derivatives due to
pitching and yawing [AIAA PAPER 74-611] p0380 A74-36044
- Experimental investigation of optimal fuselage
nose parts for supersonic passenger aircraft p0382 A74-36451
- Hybrid aircraft for heavy lift --- combined
helicopter and lighter-than-air elements [AHS PREPRINT 810] p0389 A74-36623
- The Ka-26 helicopter --- Russian book p0421 A74-38042
- Hybrid heavy-lift vehicle under study ---
airship-lifting body-conventional wing combination p0421 A74-38140
- The Dolphin airship with an undulating propulsion
system and its many uses as crane and
operational aircraft p0423 A74-38497
- Powered lift for longer field lengths and longer
missions --- for aircraft [SAE PAPER 740502] p0433 A74-39650
- Preliminary weight estimation of canard configured
aircraft [SAE PAPER 1015] p0435 A74-39885
- Application to the Viggen aircraft configuration
of the polar coordinate method for unsteady
subsonic flow [ICAS PAPER 74-03] p0447 A74-41305
- Effects of Reynolds number on swept-wing-body
configurations with high lift devices at
transonic speeds [ICAS PAPER 74-05] p0447 A74-41307
- Noise shielding aircraft configurations - A
comparison between predicted and experimental
results [ICAS PAPER 74-58] p0451 A74-41357
- YF-17 design concepts [AIAA PAPER 74-936] p0452 A74-41651
- Gemini - A variable geometry sailplane [AIAA PAPER 74-1035] p0455 A74-42049
- The HS146 - A new dimension in short-haul
profitability p0456 A74-42725
- Dolphin airship with undulating propulsion -
Action of the elastic drive blades p0461 A74-44073
- Prediction and measurement of propulsion system
performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
- Aircraft design for flight below the sonic boom
speed limit p0483 A74-46240
- Assessment of the influence of inlet and
airbody/nozzle performance on total aircraft drag p0157 N74-14726
- The problem of installing a modern high bypass
engine on a twin jet transport aircraft p0157 N74-14727
- The drag of externally carried stores: Its
prediction and alleviation --- drag reduction by
redesign or development of new aircraft
installations p0157 N74-14729
- Review of drag measurements from flight tests of
manned aircraft with comparisons to wind-tunnel
predictions p0158 N74-14735
- Exhaust system interaction program --- evaluation
of exhaust system installation losses and effect
on aircraft performance [AD-769086] p0159 N74-14747
- Flight test data for a Cessna Cardinal --- steady
state performance and fixed stick dynamic
stability characteristics [NASA-CR-2337] p0159 N74-14752
- An investigation of cost factors relating to class
4 aircraft modifications [AD-769195] p0191 N74-15730
- Preliminary performance estimates of a highly
maneuverable remotely piloted vehicle ---
computerized synthesis program to assess effects
of vehicle and mission parameters [NASA-TN-D-7551] p0248 N74-18677
- Use of the method of variation of similarity
constants in designing aircraft over the long term
[JPRS-61923] p0298 N74-20670

SUBJECT INDEX

AIRCRAFT CONTROL

- Analysis and moving base simulation of transition configuration management aspects of a powered lift aircraft
[NASA-CR-114698] p0330 N74-22671
- Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept
[NASA-TM-X-71562] p0355 N74-25568
- Aircraft Design Integration and Optimization, Volume 1 --- conference on optimal design of aircraft and related systems
[AGARD-CP-147-VOL-1] p0465 N74-31458
- Preliminary design aspects of design-to-cost for the YF-16 prototype fighter
p0465 N74-31460
- Design evolution of the Boeing 2707-300 supersonic transport. Part 2: Design impact of handling qualities criteria, flight control system concepts, and aeroelastic effects on stability and control
p0465 N74-31468
- The F-15 design considerations
p0465 N74-31470
- Design optimization of the VAK 191B and its evaluation based on results from the hardware realization and test data
p0466 N74-31479
- Concept CCV and specifications
p0466 N74-31480
- Introduction of CCV technology into airplane design
p0466 N74-31481
- Advancements in future fighter aircraft
p0466 N74-31483
- Analytical model for tilting propeller aircraft dynamics, including blade torsion and coupled bending modes, and conversion mode operation
[NASA-TM-X-62369] p0467 N74-31498
- Progress in aircraft design since 1903
[NASA-TM-X-70319] p0467 N74-31499
- Flutter analysis of swept-wing subsonic aircraft with parameter studies of composite wings
[NASA-TM-D-7539] p0469 N74-32356
- The effect of canard and vertical tails on the aerodynamic characteristics of a model with a 59 deg sweptback wing at a Mach number of 0.30
[NASA-TM-X-3088] p0469 N74-32412
- Preliminary aircraft design --- procedures for determining aircraft configurations for accomplishing specific military requirements
[AGARD-LS-65] p0470 N74-32420
- Introduction to preliminary aircraft design
p0470 N74-32421
- Designing for maneuverability: Requirements and limitations
p0471 N74-32424
- Modern engineering methods in aircraft preliminary design
p0471 N74-32425
- The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary
[AD-768850] p0471 N74-32429
- FAA JT3D quiet nacelle retrofit feasibility program. Volume 1-1: Lower goal design, fabrication and ground testing
[AD-775453] p0471 N74-32430
- DC-9 noise retrofit feasibility. Volume 1: Lower goal noise, performance and cost evaluation
[AD-776127] p0472 N74-32437
- Static performance and noise tests on a thrust reverser for an augmentor wing aircraft
[NASA-CR-137561] p0472 N74-32438
- Effect of artificial stability on aircraft performance
[NASA-TT-F-15953] p0472 N74-32442
- A new aviation for heavy transport
[NASA-TT-F-15935] p0489 N74-33446
- Lost range, fuel and time due to climb and descent: aircraft with turbo-jet and turbo-fan engines
[ESDU-74018] p0493 N74-34464
- Survey of aircraft subcritical flight flutter testing methods
[NASA-CR-132479] p0494 N74-34468
- AIRCRAFT CONSTRUCTION**
U AIRCRAFT STRUCTURES
AIRCRAFT CONTROL
HT HELICOPTER CONTROL
- Flight-mechanics analysis of various flight conditions of conventional aircraft. VIII/2 - Mechanical foundations: Dynamic equations of motion of the control systems
p0021 A74-11744
- Flexibility in computer-assisted radar - Controlled interceptions --- software in air defense
p0028 A74-12406
- Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane
[ASME PAPER 73-WA/AERO-4] p0071 A74-13246
- Noise - The technical aspects --- aircraft operations near airports
p0079 A74-14513
- Control authority with a flight performance controller
p0081 A74-14596
- Feedback control of an airplane with time varying gain
p0086 A74-15447
- The equation of flight vehicle roll motion
p0088 A74-15728
- Automatic control aspects of a control-configured aircraft with allowance for maneuver load control
[DGLR PAPER 73-121] p0121 A74-17216
- Decoupling of a class of nonlinear systems and its application to an aircraft control problem
p0127 A74-18139
- Control of an elastic aircraft
p0128 A74-18271
- Collection of problems on airplane piloting /4th revised and enlarged edition/ --- Russian book
p0170 A74-19372
- Flight vehicle control systems --- Russian book
p0170 A74-19374
- F-15 progress report. II --- with emphasis on flight test status and control characteristics
p0171 A74-19489
- Adaptive systems research in the NASA
p0175 A74-20095
- Digital adaptive flight controller development
p0176 A74-20120
- Art of the Stretch 8. I --- DC 8-63 flight instruments, takeoff performance, minimum control speed
p0177 A74-20274
- A direct procedure for partitioning scanning workload with a flight director
p0183 A74-21336
- Digital adaptive model following control --- for lateral aircraft dynamics
p0183 A74-21338
- Violations of system safety principles in the cockpit
p0208 A74-22635
- Investigation of the motion of a controlled body in a resisting medium under transient conditions
p0220 A74-23076
- Aircraft symmetric flight optimization --- gradient techniques for supersonic aircraft control
p0209 A74-23091
- Problems of quality of flight of future transport aircraft in course of development
p0210 A74-23396
- E-1 Crew Escape System
p0211 A74-23533
- Piloting techniques and flying qualities of the next generation of aircraft
p0212 A74-23595
- The atmosphere and flight vehicle motion control --- Russian book
p0212 A74-23693
- The use of computer technology in civil aviation --- Russian book
p0215 A74-23698
- Automatic flight control systems and their analytic design --- Russian book
p0228 A74-24325
- On some problems related to the identification of aircraft parameters
p0227 A74-24842
- Estimation of aircraft parameters in nonlinear aerodynamic models
p0225 A74-24843
- Aircraft performance measurements in nonsteady flights
p0225 A74-24856
- Automatic control systems for flight-vehicle engines --- Russian book

- Technical optimization --- German book on chemical process, spacecraft and aircraft optimal control p0229 A74-24995
p0227 A74-25038
- Considerations regarding the regulation of aircraft noise p0226 A74-25358
- Identification of aircraft stability and control parameters using hierarchical state estimation p0260 A74-25759
- RPRVs - The first and future flights --- Remotely Piloted Research Vehicle p0261 A74-26410
- Oscillations in an adaptive aircraft control system p0262 A74-26440
- Flight control system advances for near-future military aircraft [SAE PAPER 730987] p0269 A74-27252
- Automated piloting of heavy aircraft --- Russian book p0276 A74-28075
- Applications of fluidics to light aircraft instrumentation and control [SAE PAPER 740351] p0308 A74-28731
- Control of an elastic aircraft p0314 A74-30073
- Study of wind effects on electrostatic autopilots p0317 A74-30395
- Aircraft dynamics and automatic control --- Book p0320 A74-31219
- MCCA systems and related equipment - Hydraulic system and flying controls p0336 A74-32633
- Nonstationary atmospheric boundary layer turbulence simulation [AIAA PAPER 74-587] p0340 A74-33166
- Digital system identification and its application to digital flight control p0342 A74-33768
- Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft p0342 A74-33778
- Air-to-air tracking techniques to evaluate aircraft handling qualities p0345 A74-34838
- Survivable flight control system Fly-by-Wire flight testing p0346 A74-34842
- The effect of runway traction on commercial airplane stopping systems [SAE PAPER 740500] p0349 A74-34976
- Flight/propulsion control integration aspects of energy management [SAE PAPER 740480] p0349 A74-34978
- Integrated flight/propulsion control design techniques starting with the engine [SAE PAPER 740481] p0351 A74-34997
- Advanced controls for commercial transport aircraft --- USAF Control Configured Vehicles and NASA Active Control Technology programs [SAE PAPER 740453] p0352 A74-35008
- Optimal trajectories of high thrust aircraft p0374 A74-35234
- A comparative study of two model reference, adaptive aircraft control systems p0374 A74-35237
- A generalized comparison sensitivity concept for sensitivity reduction in control system design p0374 A74-35249
- Input design for parameter identification. I - A new formulation and a practical solution p0374 A74-35252
- VFW 614 surface control system p0375 A74-35362
- Digital fly-by-wire - Computers lead the way p0377 A74-35629
- Steady state decoupling and design of linear multivariable systems p0380 A74-36115
- A gradient method of control correction for the solution of a boundary value problem --- for aircraft trajectory optimization p0383 A74-36505
- Determination of the efficiency of the longitudinal control systems of an elastic flight vehicle p0384 A74-36576
- An experimental investigation of STOL lateral-directional flying qualities and roll control power requirements using the variable stability X-22A aircraft [AHS PREPRINT 841] p0385 A74-36592
- Optimally fast-acting control of aircraft roll in the presence of constraints on the angle of aileron deflection and the deflection rate p0389 A74-36634
- Synthesis of an optimal system for stabilizing aircraft center of gravity paths p0392 A74-37383
- Estimation of nonlinear aerodynamic derivatives of a variable geometry fighter aircraft from flight data [AIAA PAPER 74-790] p0399 A74-37810
- The effect of non-symmetric flight on aircraft high angle of attack handling qualities and departure characteristics [AIAA PAPER 74-792] p0400 A74-37812
- Design for departure prevention in the YF-16 --- control stability assurance [AIAA PAPER 74-794] p0400 A74-37814
- Configuration management during transition for a powered lift STOL aircraft [AIAA PAPER 74-836] p0401 A74-37834
- Design philosophy of a three axis separate surface stability augmentation system for a small turboprop airliner [AIAA PAPER 74-860] p0401 A74-37849
- Spoilers for roll control of light airplanes [AIAA PAPER 74-861] p0401 A74-37850
- Sample rate selection for aircraft digital control [AIAA PAPER 74-885] p0401 A74-37867
- Digital adaptive model following flight control --- using fighter aircraft mathematical model-following algorithm [AIAA PAPER 74-886] p0402 A74-37868
- Digital explicit model following with unstable model dynamics [AIAA PAPER 74-888] p0402 A74-37869
- The quantitative description of a traffic control process --- for aircraft p0403 A74-37921
- Optimization of air routes with a view to minimizing the risk of collision p0421 A74-38098
- S.S.T. flight-profile optimisation p0422 A74-38158
- Management of analytical redundancy in digital flight control systems for aircraft [AIAA PAPER 74-887] p0422 A74-38249
- Considerations in the design of a digital flight control function for a high performance aircraft p0423 A74-38533
- A digital multimode flight control system for tactical fighters p0423 A74-38551
- B-1 central air data computer --- for weapons delivery and aircraft control p0425 A74-38580
- Performance bound of an aircraft lateral control system using the microwave scanning beam landing system p0433 A74-39485
- Application of modern control theory to the design of optimum aircraft controllers p0433 A74-39496
- Automatisms in supersonic transport p0433 A74-39520
- Opportunities in flight/propulsion control coupling /FPCC/ [SAE PAPER 740482] p0433 A74-39649
- A head-up display for all-weather approach and landing of tilt-wing V/STOL aircraft [AIAA PAPER 74-952] p0452 A74-41656
- Direct force control for light airplanes [AIAA PAPER 74-862] p0453 A74-41809
- An improved-performance control system for low-speed flight [AIAA PAPER 74-1039] p0455 A74-42052
- Impact of new separation standards --- for aircraft approach spacings p0482 A74-45547
- Short-time parameter optimization with flight control application p0482 A74-45720
- An automatic brake control system for aircraft p0484 A74-46685

Fluidics and its application in aircraft and spacecraft

p0484 A74-46688

Extremal centering and loading of horizontal tail surfaces --- aircraft center of gravity position relationship to lift

p0484 A74-46695

Determinant parameters defining the principal layout and design solution of a system for automatic control of the transfer ratio in a longitudinal flight control system

p0485 A74-46708

The effect of a program for automatic gear ratio change system operation and stabilizer 'deflection' on the main aerodynamic parameters of the longitudinal controllability of an aircraft

p0485 A74-46709

Fluidic emergency roll control system --- for emergency aircraft control following failure of primary roll control system

[NASA-CR-114588] p0040 N74-10048

Investigation and application of two methods of determining co-efficients of transfer functions of longitudinal motion of aircraft from measured input and output data --- equations of motion and response curve fitting

[ESRO-TT-2] p0041 N74-10053

A roll-pitch interaction simulator and a control position command encoder for remote piloting of spin-entry research models

[NASA-TN-D-7361] p0059 N74-11059

The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200

[NASA-CR-134503] p0093 N74-11808

The design of an optimal adaptive lateral-directional flight control system for a high-performance aircraft

p0095 N74-11824

Analysis of aeroelastic model stability augmentation systems --- for application to supersonic transport aircraft

[NASA-CR-132354] p0095 N74-11829

Tactile display for aircraft control

[AD-767763] p0144 N74-13741

A computer program for aircraft optimal control problems

[AD-767919] p0145 N74-13750

A real-time digital program for estimating aircraft stability and control parameters from flight test data by using the maximum likelihood method

[NASA-TN-X-2788] p0146 N74-13882

Application of the aerospace multiprocessor to the A-7D flight control system --- development of digital fly-by-wire system

[AD-768382] p0162 N74-14769

Analysis of control surface augmentation in high-performance aircraft by thrust vectoring

[AD-769495] p0190 N74-15726

Determination of critical nondimensional parameters in aircraft dynamic response to random input

[NASA-CR-2361] p0193 N74-16322

An optimal control approach to airplane stability augmentation systems design

p0195 N74-16712

Application of energy management concepts to flight-path control in turbulence --- strategy for control of airspeed and flight path with emphasis on landing approach

p0235 N74-17744

Control theory analysis of a three-axis VTOL flight director

[NASA-TN-X-69960] p0248 N74-18676

Separate surface stability augmentation design and development

p0249 N74-18687

A limited analysis of an F-4C aircraft with a high-gain control augmentation system and comparison with flight test data

[AD-772673] p0251 N74-18698

Visual elements in flight simulation --- analysis of visibility characteristics during flight and impact on aircraft control

[AD-772586] p0253 N74-18714

An investigation of separate surface stability augmentation systems for general aviation aircraft

[NASA-CR-138120] p0324 N74-21647

Optimal controller design for high performance aircraft undergoing large disturbance angles

[NASA-CR-138130] p0324 N74-21648

Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap

[NASA-TN-D-7411] p0324 N74-21649

Redundant actuator development study --- flight control systems for supersonic transport aircraft

[NASA-CR-114730] p0325 N74-21655

Automatic flight control (1966-1973)

[NAL-BIEL-SER-51] p0353 N74-25545

Active control systems for load alleviation, flutter suppression and ride control --- conference

[AGARDOGRAPH-175] p0353 N74-25550

The effect of active control systems on structural design criteria

p0354 N74-25552

Status of two studies on active control of aeroelastic response at NASA Langley Research Center

p0354 N74-25553

Active flutter suppression on wings with external stores

p0354 N74-25555

Parameter estimation techniques and application in aircraft flight testing

[NASA-TN-D-7647] p0355 N74-25569

A survey of APFDL parameter estimation efforts and future plans

p0355 N74-25571

Identification of aircraft stability and control derivatives in the presence of turbulence

p0356 N74-25575

Identification of aircraft stability and control parameters using multilevel, hierarchical estimation

p0356 N74-25581

Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities

[AD-776360] p0359 N74-25613

Summary of propeller design procedures and data. Volume 3: Hub, actuator, and control designs --- propellers for conventional and vertical takeoff aircraft

[AD-776998] p0360 N74-25614

Design study of an electronic landing display for STOL aircraft

[NASA-TT-F-15618] p0361 N74-26151

Flutter suppression and gust alleviation using active controls

[NASA-CR-138658] p0363 N74-26424

Automatic transitions of a tilt-rotor aircraft, part 1. Automatic control of a helicopter with a hanging load, part 2

p0363 N74-26432

Wind tunnel investigations aimed at devising tests of aircraft spin

[NASA-TT-F-15726] p0405 N74-27479

The flight control system for the Concorde supersonic civil transport aircraft

[RAE-LIB-TRANS-1615] p0413 N74-28502

On the design and evaluation of flight control systems

p0463 N74-31442

Realization and flight tests of an integrated digital flight control system

p0464 N74-31447

B-52 control configured vehicles program

p0464 N74-31452

V/STOL aircraft control/display concept for maximum operational effectiveness

p0464 N74-31455

Introduction of CCV technology into airplane design

[NASA-CR-140487] p0466 N74-31481

The effect of canard and vertical tails on the aerodynamic characteristics of a model with a 59 deg sweptback wing at a Mach number of 0.30

[NASA-TN-X-3088] p0469 N74-32412

Turbulence flight director analysis and preliminary simulation

[NASA-CR-140487] p0488 N74-33445

Comparison with regard to the economy of a digital and an analog electro-hydraulic actuator --- noting application to aircraft control

[DLR-PB-73-105] p0489 N74-33457

AIRCRAFT DESIGN

SUBJECT INDEX

- The results of a low-speed wind tunnel test to investigate the effects of the Refan JT8D engine target thrust reverser on the stability and control characteristics of the Boeing 727-200 airplane
[NASA-CR-134699] p0494 A74-34467
- Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques
[AD-783269] p0498 A74-34550
- ## AIRCRAFT DESIGN
- ### HT HELICOPTER DESIGN
- The technology and economics of commercial airplane design. I
p0001 A74-10144
- The technology and economics of commercial airplane design. II
p0001 A74-10145
- Designing for noise and emission control in general aviation
[AIAA PAPER 73-1158] p0003 A74-10509
- F-14 inlet maneuvering capability
[AIAA PAPER 73-1273] p0010 A74-11286
- The influence of operational experience on aircraft escape system development
[AIAA PAPER 73-1340] p0013 A74-11387
- Effect of exhaust defectors on the design of lift plus lift/cruise V/STOL aircraft
[SAE PAPER 730959] p0015 A74-11554
- Evaluation of V/STOL research aircraft design --- landing approaches, propulsion/control, piloted moving base simulator
[SAE PAPER 730947] p0016 A74-11557
- Evaluation of advanced air vehicle designs in the USAF
[SAE PAPER 730945] p0016 A74-11558
- Advanced flutter design techniques --- subsonic and SST aircraft
[SAE PAPER 730935] p0016 A74-11565
- Computer-aided design and drafting /CADD/ - An advanced designer's tool
[SAE PAPER 730934] p0016 A74-11566
- Use of simulators in the design and development of flight control systems
[SAE PAPER 730933] p0016 A74-11567
- External blowing flap technology on the USAF/McDonnell Douglas YC-15 /AMST/ program
[SAE PAPER 730915] p0017 A74-11579
- Air Force STOL tactical aircraft investigation - Evaluation of externally blown flaps
[SAE PAPER 730914] p0017 A74-11580
- STOL tactical aircraft investigation --- transports configuration sizing and design
[SAE PAPER 730913] p0017 A74-11581
- Propulsion technology advances needed for a quiet supersonic transport
[SAE PAPER 730898] p0018 A74-11591
- The influence of design to cost and prototyping on the A-10 aircraft
[SAE PAPER 730890] p0019 A74-11598
- Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter
[SAE PAPER 730888] p0019 A74-11600
- Material selection procedures for advanced transport aircraft
[SAE PAPER 730884] p0019 A74-11602
- Maintainability concepts used in the design and operation of Douglas commercial jet aircraft
[SAE PAPER 730881] p0019 A74-11603
- New airfoil sections for general aviation aircraft --- cruising and flap development tests
[SAE PAPER 730876] p0019 A74-11606
- AMST - The approach to the STOL transport of the US
p0021 A74-11776
- Ten years transonic wind tunnel of the AVA Goettingen --- design and measurement objectives
p0021 A74-11808
- Noise design goals for the next generation of aircraft --- community of STOL aircraft
p0022 A74-11816
- The next step is straight up --- V/STOL fighter-attack aircraft for minicarriers
p0023 A74-12129
- A positive approach to the problems of aircraft noise
[AIAA PAPER 73-1157] p0026 A74-12227
- One-dimensional analysis of compressible ejector flows applicable to V/STOL aircraft design
- [AIAA PAPER 73-1184] p0031 A74-12921
- The cost of a quality product --- jet aircraft hardware and systems
- Man-powered flight - The oscillating wing machine
p0076 A74-13975
- QTOL-Europlane --- Quiet Takeoff and Landing for short distances
p0077 A74-14262
- Fracture mechanics aircraft structural design application and related research
p0077 A74-14361
- Vertical/short take-off and landing --- future possibilities
p0078 A74-14461
- Maplin - The operational factors and their influence on the design of the airport
p0079 A74-14506
- Advanced composite F-5 fuselage component --- design, tooling, fabrication and assembly flexibilities
p0079 A74-14511
- Fracture toughness and ndt requirements for aircraft design
p0084 A74-14763
- MRC progress report --- multirole combat aircraft turbofan engine design
p0085 A74-15033
- F28 - Development of the Mk 5000/6000. II - Development of the family
p0086 A74-15151
- Computerized design of transport airplane
p0086 A74-15152
- A problem of designing the optimal external contours of an aircraft
p0086 A74-15445
- The equation of flight vehicle roll motion
p0087 A74-15709
- An approach to optimal design of passenger aircraft
p0088 A74-15728
- QTOL and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations
p0088 A74-15731
- The light-weight high-performance YF-17
p0089 A74-15862
- Design of crashworthy aircraft cabins based on dynamic buckling
p0089 A74-15953
- Manufacturing exercise involved in the redesign of the Hawker Siddeley Trident /tri-jet/ fuselage
p0090 A74-15971
- B-1 cost/weight trade methodology
p0115 A74-16445
- YF-16 stresses advanced technology --- design of lightweight fighter
p0115 A74-16447
- Transonic transport wings - Oblique or swept
p0118 A74-16793
- Design and hover-flight testing of a deflection control system for the Aerodyne wingless, remote-controlled experimental flight vehicle
[DGLR PAPER 73-070] p0119 A74-17048
- Automatic control aspects of a control-configured aircraft with allowance for maneuver load control
[DGLR PAPER 73-121] p0120 A74-17179
- Materials for the new generation of aircraft
p0121 A74-17216
- L-1011 upkeep
[SAE PAPER 730883] p0122 A74-17374
- Development of requirements for, and evaluation of, manufacturer advanced design aircraft
[SAE PAPER 730948] p0123 A74-17532
- Utility analysis in weight control
p0124 A74-17541
- Vehicle crashworthiness --- rotary wing, fixed wing light and transport aircraft
p0124 A74-17740
- New jumbo jets must speak in whispers - Certifying the Lockheed 1011
p0124 A74-17776
- Aircraft components from remelted steels - Design and development
p0125 A74-17856
- Automatic flight controls in fixed wing aircraft - The first 100 years
p0125 A74-17887
- Application of damage tolerance technology to advanced metallic fighter wing structure
p0129 A74-18296

SUBJECT INDEX

AIRCRAFT DESIGN CONTD

- [AIAA PAPER 74-29] p0132 A74-18738
- Methods for the design and analysis of jet-flapped airfoils
- [AIAA PAPER 74-188] p0134 A74-18833
- Thin-airfoil theory of an ejector-flapped wing section
- [AIAA PAPER 74-187] p0134 A74-18834
- The Alpha Jet programme
- p0136 A74-18902
- Future advanced-technology aircraft in the context of an integrated transport system
- p0171 A74-19487
- The development and evaluation of weight-estimation formulas for aircraft design with the aid of methods of mathematical statistics and probability calculus --- German book
- p0175 A74-20049
- Plan for developing structural criteria for composite airframes
- p0181 A74-20945
- General Dynamics lightweight fighter --- F-16 aircraft development and production
- p0183 A74-21320
- The Fairchild Industries A-10 - Designed for close air support
- p0184 A74-21726
- Flight test of the ski equipped Mohawk
- p0184 A74-21820
- A review of some damage tolerance design approaches for aircraft structures
- p0222 A74-22503
- Cockpit design for crew coordination
- p0208 A74-22631
- Airline airplanes for the eighties - A response --- emphasizing system efficiency and fuel savings
- p0222 A74-23464
- Survival and Flight Equipment Association, Annual Symposium, 11th, Phoenix, Ariz., October 7-11, 1973, Proceedings
- p0210 A74-23526
- An approach to the design of integrated life support systems for two new USAF aircraft
- p0211 A74-23532
- Advanced aircraft oxygen systems --- design flexibility cost effectiveness and applications
- p0212 A74-23544
- Confined space atmosphere purification unit --- aircrew module to supercede protective clothing
- p0212 A74-23550
- Anticipatory anti-blackout system --- oxygen operated anti-G valves for aircrew protection
- p0212 A74-23551
- Boeing freezes AMST prototype design --- Advanced Medium Stal Transport
- p0224 A74-24132
- Technical aspects of the VFW 614 --- short range short takeoff aircraft design and performance
- p0225 A74-24895
- The CCV concept and specifications --- Control Configured Vehicles
- [ONERA, TP NO. 1282] p0225 A74-25061
- Aerodynamic problems of the short takeoff and landing aircraft
- [ONERA, TP NO. 1247] p0226 A74-25062
- The new constraints on military aircraft --- cost and maintainability
- p0226 A74-25357
- Structural research with the aim of adapting the design to the materials
- p0229 A74-25359
- Systems integration - Avionics of tomorrow --- inclusion in aircraft design concepts
- p0227 A74-25361
- Aerodynamic/structural interactions in the design of the Concorde nacelle
- p0226 A74-25364
- Why military airplanes cost so much and what can be done about it
- p0259 A74-25671
- Does research in the field of aeronautics have a future --- emphasis on aircraft design refinements and cost reduction
- p0259 A74-25723
- The technical aspects of supersonic civil transport aircraft
- p0260 A74-25800
- Thick ion-vapor-deposited aluminum coatings for irregularly shaped aircraft and spacecraft parts
- p0260 A74-25813
- Determination of the shear stresses in spar walls in the design of a wing on the basis of a plate analogy
- p0260 A74-25984
- F-15 performance. III - New fighter to have ground attack role
- p0261 A74-26399
- Advanced Metallic Air Vehicle Structure Program
- [AIAA PAPER 74-336] p0262 A74-26651
- Air Superiority Fighter wing structure design for improved cost, weight and integrity
- [AIAA PAPER 74-337] p0262 A74-26652
- Air Superiority Fighter wing design for cost and weight reduction
- [AIAA PAPER 74-338] p0263 A74-26653
- Advanced structural concepts for transport aircraft wings
- [AIAA PAPER 74-339] p0263 A74-26654
- Application of advanced structures and materials to transport aircraft fuselages
- [AIAA PAPER 74-340] p0263 A74-26655
- Structural aspects of current RPV's --- Remotely Piloted Vehicles
- [AIAA PAPER 74-346] p0263 A74-26660
- A comparison of two types of structural optimization procedures for satisfying flutter requirements
- [AIAA PAPER 74-405] p0266 A74-26704
- Lockheed S-3A Viking - Designing the auxiliary power unit to occupy ram air turbine generator space
- p0268 A74-27014
- Lockheed S-3A Viking - Air conditioning and pressurisation systems
- p0268 A74-27016
- The influence of engine technology advancements on aircraft economics
- [SAE PAPER 730960] p0269 A74-27256
- Potentials for advanced civil transport aircraft
- /Third William Littlewood Memorial Lecture/ [SAE-SP-385] p0270 A74-27266
- Systematic investigations in the field of noise shielding
- [DGLR PAPER 74-021] p0271 A74-27365
- Integrated propulsion systems for V/STOL transports
- [ASME PAPER 74-GT-118] p0273 A74-27486
- Anglo-French collaboration - Concorde and supersonic transport /26th Louis Bleriot Lecture/
- p0274 A74-27591
- HS.146 progress report
- p0274 A74-27634
- YF-17 evolved from previous data base --- Northrop trainer/fighter prototype
- p0276 A74-27848
- Stratospheric survey aircraft developed --- canard RPV for pollution monitoring in YF-12 wakes
- p0276 A74-27849
- Optimal aeroelastic design of an oblique wing structure
- [AIAA PAPER 74-349] p0277 A74-28173
- Light aircraft crash safety program
- [SAE PAPER 740353] p0308 A74-28733
- T-tail aerodynamics of the Super King Air
- [SAE PAPER 740370] p0309 A74-28741
- The design of crashworthy general aviation aircraft
- [SAE PAPER 740376] p0309 A74-28744
- Aerodynamic design approach to the stall/spin problem - The VariViggen
- [SAE PAPER 740391] p0310 A74-28755
- Amphibian aircraft design
- [SAE PAPER 740395] p0310 A74-28756
- Carrier designs for space shuttle orbiter being refined --- piggyback mode transportation competition between C-5 and Boeing 747
- p0311 A74-28791
- Critical analyses and laboratory research work at the stage of aircraft preliminary design
- [ONERA, TP NO. 1291] p0312 A74-29467
- Wing design in the case of the VFW 614 transport aircraft
- p0313 A74-29806
- Dornier/Dassault-Breguet Alpha Jet --- multipurpose combat aircraft
- p0313 A74-29829
- New German-Swiss aircraft project - Master-Porter PD-01
- p0314 A74-29830

- Tilt-rotor aircraft nears final design
p0319 A74-30748
- Escape system concepts need reexamining --- cost factors in aircraft design
p0320 A74-30824
- Looking ahead with hindsight /The Sixty-Second Wilbur and Orville Wright Memorial Lecture/
p0321 A74-31245
- Modern landing gear for aircraft --- including combat, STOL, executive and transport aircraft
p0335 A74-31892
- Progress in the development of a versatile airborne simulator for V/STOL aircraft
p0335 A74-31895
- Aircraft characteristics and air traffic systems
p0335 A74-31975
- MCCA systems and related equipment - Landing gear
p0337 A74-32635
- Enhancement of durability of aircraft design elements /2nd revised and enlarged edition/ --- Russian book
p0337 A74-32775
- Flight mechanical analysis of various flight attitudes of conventional aircraft. I - Basic aerodynamic principles /Aerodynamics of the airfoil - Geometry of the airfoil/
p0338 A74-33097
- Computer-aided design in aircraft industry
p0341 A74-33450
- Flight test results for an advanced technology light airplane wing
[SAE PAPER 740368]
p0345 A74-34801
- Development and flight test of a radio controlled ornithopter prototype
p0347 A74-34850
- Jet noise suppression --- for quiet aircraft design
[SAE PAPER 740492]
p0350 A74-34991
- Cooperative airframe/propulsion control for supersonic cruise aircraft
[SAE PAPER 740478]
p0351 A74-34998
- L-1011 secondary power systems - Design and function
[SAE PAPER 740466]
p0351 A74-35004
- Secondary power systems --- for DC-10
[SAE PAPER 740465]
p0351 A74-35005
- VFW 614 airframe
p0375 A74-35357
- Fly-by-wire controls are on the way
p0378 A74-35743
- The problem of optimum design of a wing under strength and aeroelastic constraints
p0383 A74-36509
- Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method
p0393 A74-37393
- Reciprocal-action computational systems for complex calculations in aeromechanics
p0393 A74-37394
- Development of noise-reduction concepts for the 707 airplane
p0396 A74-37533
- Aircraft noise retrofit feasibility program objectives and scope
p0396 A74-37535
- The spectrum of rotor noise caused by atmospheric turbulence
p0397 A74-37537
- Noise reduction programs for DC-8 and DC-9 airplanes
p0397 A74-37548
- Multi-hinge rudder unit design with allowance for rudder deflection
p0398 A74-37663
- A passive gust alleviation system for light aircraft
[AIAA PAPER 74-773]
p0399 A74-37798
- Status of design criteria for predicting departure characteristics and spin susceptibility --- of aircraft
[AIAA PAPER 74-791]
p0399 A74-37811
- Design for departure prevention in the YF-16 --- control stability assurance
[AIAA PAPER 74-794]
p0400 A74-37814
- A method for preventing airplane stall/spin --- aerodynamic spoiler system design
[AIAA PAPER 74-863]
p0401 A74-37851
- Impact of new MIL-F-9490D requirements on future flight control developments
[AIAA PAPER 74-914]
p0402 A74-37894
- The low technology airship --- design for medium-range heavy payload transport
p0423 A74-38499
- VFW 614, quiet short haul airliner
[AIAA PAPER 74-937]
p0426 A74-38713
- Flight testing the Pokker P28 with advanced wing
[AIAA PAPER 74-944]
p0426 A74-38717
- Design-to-cost for the A-10 close air support aircraft
[AIAA PAPER 74-963]
p0427 A74-38728
- Conceptual design of a lift fan plus lift/cruise fighter aircraft
[AIAA PAPER 74-969]
p0428 A74-38734
- An analysis of the effects of internally blown jet flaps on an advanced fighter aircraft design
[AIAA PAPER 74-970]
p0428 A74-38735
- Practical design of minimum weight aircraft structures for strength and flutter requirements
[AIAA PAPER 74-986]
p0429 A74-38743
- Advanced supersonic transport design developments
[AIAA PAPER 74-987]
p0429 A74-38744
- Flight performance of a circulation controlled STOL
[AIAA PAPER 74-994]
p0429 A74-38749
- International airworthiness requirements for sailplanes
p0430 A74-38794
- Aerodynamic design of airfoil sections
p0430 A74-38848
- Safety objectives of onboard computers on civil aircraft
p0431 A74-39010
- Inside the 747 --- aircraft design and operational criteria
p0432 A74-39381
- Application of modern control theory to the design of optimum aircraft controllers
p0433 A74-39496
- Weight estimates for Quiet/STOL aircraft
[SAWE PAPER 1001]
p0434 A74-39876
- Methodologies for predicting avionic system capability and weight in CTOL and VTOL fighter/attack aircraft 1975 to 1995
[SAWE PAPER 1002]
p0435 A74-39877
- Weight control and how we look at it --- in aircraft design and production
[SAWE PAPER 1004]
p0435 A74-39878
- The C-5 weight control program and its influence on structural efficiency
[SAWE PAPER 1008]
p0435 A74-39880
- A method for weight/cost trade-offs in preliminary air vehicle design
[SAWE PAPER 1017]
p0435 A74-39887
- Fly-by-wire - What does it weigh --- fighter aircraft flight control weight reduction
[SAWE PAPER 1018]
p0435 A74-39888
- Fuselage basic shell weight prediction
[SAWE PAPER 1019]
p0435 A74-39889
- Airbus A-300 B --- design and cost effectiveness
p0438 A74-40329
- VFW 614 - An appraisal of Germany's new short haul jet
p0438 A74-40511
- New heavy-haul freight aviation
p0439 A74-40647
- Fail-safe characteristics of built-up sheet structures
[ICAS PAPER 74-08]
p0448 A74-41310
- Research on the transonic aerofoil sections at the National Aerospace Laboratory, Japan
[ICAS PAPER 74-12]
p0448 A74-41314
- Advanced material applications to subsonic transport aviation
[ICAS PAPER 74-22]
p0449 A74-41324
- Problems of flight in turbulence
[ICAS PAPER 74-32]
p0449 A74-41333
- YF-17 design concepts
[AIAA PAPER 74-936]
p0452 A74-41651
- Development and flight test progress of the YF-17
[AIAA PAPER 74-941]
p0452 A74-41652
- V/STOL demonstrator vehicle for ejector thrust augmentation technology
[AIAA PAPER 74-995]
p0453 A74-41663
- An analytic survey of low-speed flying devices - Natural and man-made
[AIAA PAPER 74-1019]
p0454 A74-42040
- The technological prospects for oscillating-wing propulsion of ultralight gliders
[AIAA PAPER 74-1028]
p0455 A74-42044
- New trends and developments in hang gliders
[AIAA PAPER 74-1031]
p0455 A74-42046
- Determination of stability derivatives of isolated rigid tail assemblies in sideslip and steady roll

- [AIAA PAPER 74-1038] p0455 A74-42051
Analysis, design and test of thrust reverser and thrust vectoring systems for STOL transport aircraft
- [AIAA PAPER 73-1218] p0456 A74-42849
Alcor - A high altitude pressurized sailplane /1/
- Alcor - A high altitude pressurized sailplane /2/ p0459 A74-43470
- The F-15 air superiority fighter electromagnetic compatibility program p0459 A74-43471
- A quasi-vortex-lattice method in thin wing theory p0460 A74-43913
- Laminar stall prediction and estimation of the maximum lift coefficient p0477 A74-44417
- Aerodynamic design evolution of the YF-16 p0477 A74-44418
- [AIAA PAPER 74-935] p0479 A74-45100
University of Toronto Institute for Aerospace Studies, Quarter Century Symposium, Toronto, Canada, April 1, 2, 1974, Proceedings
- Ejector-powered lift systems for V/STOL aircraft p0483 A74-46236
- Aircraft design for flight below the sonic boom speed limit p0483 A74-46237
- Application of boundary layer control by tangential blowing of a jet over trailing edge flaps p0483 A74-46240
- Aeronautics: Space in the seventies p0484 A74-46691
- [NASA-EP-85] p0036 N74-10017
Small V/STOL aircraft analysis. Volume 2: Appendices --- to determine current and future general aviation missions and performance requirements
- [NASA-CR-114629] p0040 N74-10045
Remote lift fan study program, volume 4
- [NASA-CR-121277] p0040 N74-10049
Motorless flight research, 1972 --- glider design, airframes, and soaring flight developments
- [NASA-CR-2315] p0041 N74-10051
Multistage aerospace craft --- perspective drawings of conceptual design
- [NASA-CASE-MFP-02263] p0054 N74-10907
Advancement of propotor technology. Task 1: Design study summary --- aerodynamic concept of minimum size tilt propotor research aircraft
- [NASA-CR-114682] p0096 N74-11833
Advancement of propotor technology. Task 2: Wind-tunnel test results
- [NASA-CR-114363] p0096 N74-11834
Study of quiet turbofan STOL aircraft for short haul transportation
- [NASA-CR-2355] p0096 N74-11835
The future of short-haul air transport within Western Europe
- [REPT-SP-73-001] p0097 N74-11842
Survey on effect of surface winds on aircraft design and operation and recommendations for needed wind research
- [NASA-CR-2360] p0099 N74-12317
Where are we headed in air transport? --- trends for future aircraft design
- On the nature of large clear air gusts near storm tops p0102 N74-12669
- [ARC-CP-1248] p0111 N74-13402
A preliminary design of a remotely-controlled glider for a long-line operation
- [AD-767879] p0144 N74-13744
Technical Evaluation report --- application of aerodynamic drag research to design of aircraft
- A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14710
- Aircraft drag prediction for project appraisal and performance estimation p0155 N74-14711
- The problem of installing a modern high bypass engine on a twin jet transport aircraft p0156 N74-14716
- Computer program to perform cost and weight analysis of transport aircraft. Volume 1: Summary p0157 N74-14727
- [NASA-CR-132361] p0161 N74-14762
- Computer program to perform cost and weight analysis of transport aircraft. Volume 2: Technical volume p0161 N74-14763
- [NASA-CR-132362] p0195 N74-16712
An optimal control approach to airplane stability augmentation systems design
- Study of quiet turbofan STOL aircraft for short-haul transportation. Volume 1: Summary p0196 N74-16718
- [NASA-CR-2353] p0196 N74-16718
Advanced subsonic long-haul transport terminal area compatibility study. Volume 1: Compatibility assessment
- [NASA-CR-132367] p0196 N74-16729
Advanced subsonic long-haul transport terminal area compatibility study. Volume 2: Research and technology recommendations
- [NASA-CR-132368] p0196 N74-16730
STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium
- [AD-770110] p0199 N74-16751
STOL tactical aircraft investigation-externally blown flap. Volume 5: Flight control technology. Part 2: Simulation studies/flight control system validation
- [AD-770449] p0199 N74-16752
Flight in turbulence --- proceedings of conference on atmospheric turbulence and effects on aircraft operation
- [AGARD-CP-140] p0232 N74-17720
On turbulence environment and design criteria --- application of power spectral techniques for analyzing gust loads at low altitudes
- Design problems of military aircraft as affected by turbulence --- analytical prediction of pilot task proficiency under vibration environment p0233 N74-17734
- Data requirements on turbulence in the earth's atmospheric shear layer for STOL design criteria --- development of low altitude gust model for determining importance of gust parameters on STOL aircraft performance p0234 N74-17735
- Structural loads and gust criteria --- comparison of gust load analysis methods for application to aircraft design p0234 N74-17737
- Rational calculation of design gust loads in relation to present and proposed airworthiness requirements --- effects of atmospheric turbulence on aerodynamic configuration of short haul aircraft p0234 N74-17740
- High transonic speed transport aircraft study --- aerodynamic characteristics of single-fuselage, yaved-wing configuration p0235 N74-17750
- [NASA-CR-114658] p0249 N74-18681
A methodology for boost-glide transport technology planning
- [NASA-CR-2346] p0282 N74-19653
Some considerations of the influence of fatigue in the design of strike aircraft
- Fatigue design practice p0282 N74-19654
- Fatigue and fracture considerations for tactical aircraft p0282 N74-19656
- Designers' need for general information from analysis of fatigue test results and service behavior p0283 N74-19660
- Aircraft of the future --- evaluation of aerodynamic characteristics and configurations of proposed aircraft designs p0284 N74-19669
- [NASA-TT-P-15424] p0289 N74-20401
V/STOL propulsion systems --- conference on propulsion system design, configuration, and performance for vertical and short takeoff aircraft
- [AGARD-CP-135] p0291 N74-20423
The influence of noise requirements on STOL aircraft engine design --- analysis of acceptable noise levels for short takeoff aircraft operating in congested areas
- Propulsion system of the VJ 101 C VTOL aircraft: Philosophy and practical experience ---

- optimization of vertical takeoff aircraft
airframe and engine p0292 N74-20428
- The development and flight testing of the
propulsion system of the VAK 191 B V/STOL strike
and reconnaissance aircraft p0292 N74-20432
- Technical evaluation report on 42nd Propulsion and
Energetics Panel Meeting on V/STOL Propulsion
Systems --- proposals for future developments in
V/STOL aircraft and engines p0292 N74-20433
- Aeronautical fuel conservation possibilities for
advanced subsonic transports --- application of
aeronautical technology for drag and weight
reduction p0292 N74-20433
- [NASA-TN-X-71927] p0295 N74-20654
- Use of the method of variation of similarity
constants in designing aircraft over the long term
[JPRS-61923] p0298 N74-20670
- Validation of new gust design procedures for
military transports p0324 N74-21641
- Sensitivity of transport aircraft performance and
economics to advanced technology and cruise Mach
number p0325 N74-21654
- [NASA-TN-X-62336] p0326 N74-21659
- Oblique wing remotely piloted research aircraft.
Volume 1: Development p0326 N74-21659
- [NASA-CR-114723] p0330 N74-22672
- The weight, economic and noise penalties of short
haul transport aircraft resulting from the
reduction of balanced field length
[CRANFIELD-AERO-24] p0330 N74-22673
- Dynamic responses of the structural model with
built-up wings and a fuselage (1) p0332 N74-23509
- [NAL-TB-350] p0332 N74-23509
- The creative life of S. V. Il'yushin
[NASA-TT-P-15622] p0353 N74-25548
- A structural design for an Externally Blown Flap
(EBF) medium STOL research aircraft ---
development of computer program for structural
analysis p0353 N74-25551
- [NASA-CR-112249] p0354 N74-25552
- Effect of yaw damper on lateral gust loads in
design of the L-1011 transport p0357 N74-25594
- The effect of active control systems on structural
design criteria p0358 N74-25602
- General principles of designing control systems
--- analysis of systems for aircraft, missiles,
and spacecraft configurations p0364 N74-26446
- [NASA-TT-P-782] p0365 N74-26450
- Application of practical optimal control theory to
the C-5A load improvement control system (LICS)
[AD-776297] p0365 N74-26457
- General technical information --- survey of
technical data on aircraft performance prediction
p0366 N74-26463
- Prediction of supersonic aircraft aerodynamic
characteristics p0366 N74-26465
- Low speed wind tunnel tests of a 1/9-scale model
of a variable-sweep advanced supersonic transport
[NASA-TN-X-71960] p0405 N74-27485
- Investigation of the fail-safe properties of civil
aircraft p0407 N74-27500
- A unified technology plan for fatigue and fracture
design p0413 N74-28507
- Antonov's transport plane p0413 N74-28508
- [AD-777661] p0414 N74-28509
- Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0414 N74-28510
- Dynamics of tilting propeller aircraft in cruise
flight p0414 N74-28511
- [NASA-TN-D-7677] p0414 N74-28512
- Preliminary performance estimates of an oblique,
all-wing, remotely piloted vehicle for
air-to-air combat p0414 N74-28513
- [NASA-TN-D-7731] p0414 N74-28514
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1.
Summary p0414 N74-28515
- [NASA-CR-132401] p0414 N74-28516
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD) system. Phase
1, Task 1 p0414 N74-28517
- [NASA-CR-132402] p0414 N74-28518
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD) system. Volume
3: Engineering creative/evaluation processes
(Phase 1, Task 2) p0414 N74-28519
- [NASA-CR-132403] p0414 N74-28520
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD) system. Volume
4: Design of the IPAD system. Part 1: IPAD
system design requirements (Phase 1, Task 2)
[NASA-CR-132404] p0414 N74-28521
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD) system. Volume
5: Design of the IPAD system. Part 2: System
design. Part 3: General purpose utilities
(Phase 1, Task 2) p0414 N74-28522
- [NASA-CR-132405] p0414 N74-28523
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD) system. Volume
6: Implementation schedule, development costs,
operational costs, benefit assessment, impact on
company organization, spin-off assessment (Phase
2, Tasks 3 to 8) p0414 N74-28524
- [NASA-CR-132406] p0414 N74-28525
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1A:
Summary p0414 N74-28526
- [NASA-CR-132390] p0414 N74-28527
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1B:
Concise review p0414 N74-28528
- [NASA-CR-132391] p0414 N74-28529
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 3:
Support of the design process p0414 N74-28530
- [NASA-CR-132393] p0414 N74-28531
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design p0414 N74-28532
- [NASA-CR-132394] p0414 N74-28533
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 5:
Catalog of IPAD technical program elements
[NASA-CR-132395] p0414 N74-28534
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 6:
IPAD system development and operation p0414 N74-28535
- [NASA-CR-132396] p0414 N74-28536
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 7: IPAD
benefits and impact p0414 N74-28537
- [NASA-CR-132397] p0414 N74-28538
- Assessment of the application of advanced
technologies to subsonic CTOL transport aircraft
[NASA-CR-132461] p0414 N74-28539
- Aircraft Design Integration and Optimization,
Volume 1 --- conference on optimal design of
aircraft and related systems p0414 N74-28540
- [AGARD-CP-147-VOL-1] p0414 N74-28541
- The role of preliminary design in reducing
development, production and operational costs of
aircraft systems p0414 N74-28542
- Preliminary design aspects of design-to-cost for
the YF-16 prototype fighter p0414 N74-28543
- Design evolution of the Boeing 2707-300 supersonic
transport. Part 2: Design impact of handling
qualities criteria, flight control system
concepts, and aeroelastic effects on stability
and control p0414 N74-28544
- The F-15 design considerations p0414 N74-28545
- Initial-design optimisation on civil and military
aircraft p0414 N74-28546
- Design optimization of the VAK 191B and its
evaluation based on results from the hardware
realisation and test data p0414 N74-28547
- Advancements in future fighter aircraft p0414 N74-28548
- Aircraft design studies: B67 tilt-wing executive
aircraft --- with vertical takeoff and landing
capability [CRANFIELD-AERO-23] p0414 N74-28549

SUBJECT INDEX

AIRCRAFT ENGINES

- Progress in aircraft design since 1903
[NASA-TM-X-70319] p0467 A74-31499
- Preliminary aircraft design --- procedures for determining aircraft configurations for accomplishing specific military requirements [AGARD-LS-65] p0470 A74-32420
- Introduction to preliminary aircraft design p0470 A74-32421
- Preliminary design of civil and military aircraft at Avions Marcel Dassault-Breguet Aviation p0471 A74-32422
- Propulsion/aircraft design matching experience p0471 A74-32423
- Designing for maneuverability: Requirements and limitations p0471 A74-32424
- Modern engineering methods in aircraft preliminary design p0471 A74-32425
- The team leader's role in design to cost preliminary design p0471 A74-32426
- A new type of sail plane [NASA-TT-F-15920] p0472 A74-32440
- Advanced metallic structures: Air superiority fighter wing design for improved cost weight and integrity. Volume 2: Criteria sensitivity study [AD-781811] p0473 A74-32451
- A new aviation for heavy transport [NASA-TT-F-15935] p0489 A74-33446
- Vehicle design considerations for active control application to subsonic transport aircraft [NASA-CR-2408] p0494 A74-34476
- Feasibility study of the transonic biplane concept for transport aircraft application [NASA-CR-132462] p0495 A74-34477
- Fighter technology demonstrator precursor analysis and test. Volume 1: Baseline development and technology identification [AD-783636] p0497 A74-34517
- AIRCRAFT DETECTION**
- Advanced enroute air traffic control radar system /ARSR-3/ --- small aircraft detection p0025 A74-12198
- A primary radar automatic track extractor --- for air defense systems p0028 A74-12402
- Reachable sets for tracking --- all possible aircraft positions p0321 A74-31643
- AIRCRAFT ENGINES**
- NT HELICOPTER ENGINES**
- NT TP-30 ENGINE
- NT TP-34 ENGINE
- Influence of noise requirements on STOL propulsion system designs p0001 A74-10148
- Designing small gas turbine engines for low noise and clean exhaust [AIAA PAPER 73-1154] p0003 A74-10507
- A simplified fuel control approach for low-cost aircraft gas turbines [SAE PAPER 730388] p0004 A74-10802
- Aircraft engines - Progress made in France over ten years, and possibilities for the ten years to come p0006 A74-11093
- A modular turbofan design for high availability and low life cycle cost [AIAA PAPER 73-1189] p0009 A74-11231
- Wind tunnel tests of a 20 inch diameter 1.15 pressure ratio fan engine model [AIAA PAPER 73-1216] p0009 A74-11245
- Prediction of aircraft gas turbine NO/x/ emission dependence on engine operating parameters and ambient conditions [AIAA PAPER 73-1275] p0010 A74-11287
- Impact of emission regulations on future gas turbine engine combustors [AIAA PAPER 73-1277] p0010 A74-11289
- Qualitative effects of cycle variables on turbine engine performance and stability [AIAA PAPER 73-1315] p0012 A74-11310
- AST - A fifth engine for environmental consideration [SAE PAPER 730899] p0018 A74-11590
- Spray cooled generators and design-to-cost at Westinghouse p0019 A74-11605
- [SAE PAPER 730878]
- The Dolphin airship with undulating propulsion system - On-test-stand comparison with a helicopter --- payload capacity and engine performance p0021 A74-11743
- RB 211 - The first eighteen months operating experience /Sholto Douglas Memorial Lecture/ p0027 A74-12300
- An analytical study of icing simulation for turbine engines in altitude test cells [AIAA PAPER 73-1280] p0032 A74-12938
- Preliminary results of flight tests of the propulsion system of the YF-12 airplane at Mach numbers to 3.0 [AIAA PAPER 73-1314] p0033 A74-12951
- Modular construction - Fully optimised --- aircraft engines p0076 A74-13978
- Wear determination in Boeing 747 engines p0077 A74-14363
- Application of powder metallurgy in gas turbine aircraft engines p0084 A74-14765
- Prepared for overhauling the RB211 --- aircraft engine maintenance p0086 A74-15150
- The light-weight high-performance YF-17 p0089 A74-15953
- Noise and emission outlook for military engines [AIAA PAPER 73-1156] p0120 A74-17175
- An approach toward optimizing material cost and part function in advanced powerplants [SAE PAPER 730909] p0123 A74-17535
- Heat-resistant titanium alloys - Introduction of the 651 A alloy p0125 A74-17891
- Propulsion system installations --- for aircraft p0127 A74-18179
- Importance of the means of engine condition surveillance p0129 A74-18598
- Some specific characteristics of small gas turbines and the modeling problems of their wind tunnel testing p0131 A74-18682
- The case for engine flying test beds --- for aircraft p0172 A74-19499
- Long range view of materials research for civil transport aircraft p0176 A74-20210
- Engine condition monitoring - The Alitalia approach p0180 A74-20825
- The environment and the gas turbine p0185 A74-21874
- On the effect of quieter aircraft engines on noise and number index /NNI/ values p0185 A74-22244
- Quieting the JT3D powered 707 p0221 A74-22788
- Additives for lubrication oils used with foreign gas-turbine aviation engines - Survey of patents p0219 A74-23518
- Heat-resistant titanium alloys - Introduction of the UT651A alloy p0219 A74-23963
- Astafan - A new concept from Turbomeca --- constant speed ducted turbofan engine p0229 A74-24697
- Experimental and theoretical investigation of HT-S/PMR-PI composites for application to advanced aircraft engines --- High-Tip-Speed/Polymerization of Monomeric Reactant p0228 A74-24868
- Influence of measurement errors on the regression relationships of engine characteristics p0260 A74-25979
- Integral methods for the investigation of temperature fields in complex-configuration structure components of aircraft and their engines p0260 A74-25995
- The influence of engine technology advancements on aircraft economics [SAE PAPER 730960] p0269 A74-27256
- Aircraft engine and accessory drives and flange standards [SAE AIR 1160 A] p0269 A74-27257

- Calculation procedures for potential and viscous flow solutions for engine inlets
[ASME PAPER 74-GT-3] p0271 A74-27411
- A model of conver programming for turbojet main parameter selection optimization
[ASME PAPER 74-GT-79] p0272 A74-27466
- Some results from tests on a high work axial gas generator turbine
[ASME PAPER 74-GT-81] p0273 A74-27467
- An automated interactive design system for advanced gas turbines
[ASME PAPER 74-GT-82] p0273 A74-27468
- Objectives for a course in aircraft gas turbines
[ASME PAPER 74-GT-98] p0273 A74-27480
- The use of desk top computers in the teaching of aircraft gas turbines
[ASME PAPER 74-GT-115] p0273 A74-27484
- Turbine blade pyrometer system in the control of the Concorde engine p0278 A74-28309
- Engine sensory requirements for energy management p0278 A74-28311
- Automatic detection and suppression of inlet buzz p0278 A74-28313
- Engine condition monitoring as a part of the propulsion management concept p0278 A74-28314
- Inflight engine condition monitoring system p0278 A74-28315
- A systems engineering approach to effective engine condition monitoring p0278 A74-28316
- Engine aids and the metrologist syndrome --- overinstrumentation in aircraft engine monitoring systems p0279 A74-28318
- Two surprises for the Hanover exposition: Thrust gondola SG 85, Fanliner - Porsche of the air p0279 A74-28351
- Current state of development of lubricating oils for aircraft turbine engines p0280 A74-28434
- Foam and aeration characteristics of commercial aircraft lubricants
[ASLE PREPRINT 74AM-1A-1] p0307 A74-28676
- Fuel system requirements for light aircraft turbocharged reciprocating engines
[SAE PAPER 740382] p0309 A74-28747
- Mathematical simulation of a vibrating light aircraft piston engine and correlation with engine flight test data
[SAE PAPER 740383] p0310 A74-28748
- New jet engines --- presented at Paris air show p0316 A74-30346
- Reliability and maintainability of jet engines p0316 A74-30347
- 25 years after, why the Astafan --- double flow turbofan aircraft engine design p0319 A74-30690
- GE ships final engine for flight-test B-1 p0321 A74-31275
- Thermal loads on the turbine disk after turning off a turbojet engine p0335 A74-31893
- MBCA systems and related equipment - RB 199 powerplant p0336 A74-32631
- How Eastern Airlines uses nondestructive evaluation to assure quality of specific jet engine hardware p0343 A74-34287
- CC-115 Buffalo aircraft engine and engine inlet duct anti-icing system evaluation trials p0346 A74-34849
- Impact of increasing secondary power requirements on engine and accessory system design
[SAE PAPER 740495] p0349 A74-34977
- Performance versus cost tradeoffs - Initial look at alternatives --- for aircraft engine fuel cost minimization
[SAE PAPER 740494] p0350 A74-34989
- An approach to aeroengine tradeoff factors
[SAE PAPER 740493] p0350 A74-34990
- Development of a reduced smoke combustor for the JT3D engine
[SAE PAPER 740484] p0350 A74-34995
- Development of pollution controls for Rolls-Royce RB 211 and Olympus 593 engines
[SAE PAPER 740483] p0351 A74-34996
- Effects of STOL thrust reversers and powered lift on inlet flow quality
[SAE PAPER 740457] p0351 A74-35007
- VFW 614 powerplant p0375 A74-35365
- Noise attenuation in the case of the microturbine engine TRS 18 p0379 A74-35981
- Index of the relative technical perfection level of long-range aircraft jet engines p0390 A74-36791
- Sources of unsteady flow in subsonic aircraft inlets p0398 A74-37549
- Effect of erosive wear on the fatigue life of cantilever blades of axial-flow compressors of aircraft turbojet engines p0399 A74-37681
- Quiet engine from NASA p0422 A74-38295
- The energy crisis of fuel and the procedures of cruising flight p0422 A74-38315
- Advanced supersonic transport design developments
[AIAA PAPER 74-987] p0429 A74-38744
- The case for a high-speed research airplane - Results from an in-house study p0429 A74-38745
- Turbomachine numerical control using the ASHODEE 01 prototype --- airborne computer p0431 A74-39007
- The Viper turbojet engines. I p0432 A74-39418
- Test techniques and equipment for the development of aircraft engine components resistant to bird ingestion p0434 A74-39742
- Evaluating and controlling erosion in aircraft turbine engines p0434 A74-39749
- The CP6-6 engine - The first million hours p0436 A74-39965
- Performance problems related to installation of future engines in both subsonic and supersonic transport aircraft p0436 A74-39967
- Feederliner engine installation - Trends and problems p0436 A74-39968
- Life enhancement of turbine blades p0436 A74-39971
- Some aerodynamic design considerations for high bypass ratio fans p0437 A74-39989
- The design and development of an advanced annular combustor for civil application p0437 A74-40000
- Pyrogenic ignition system for afterburners p0437 A74-40001
- Turbofan of the future p0439 A74-40953
- Matched propulsion for advanced vehicles --- application to aircraft turbofan engines
[ICAS PAPER 74-36] p0450 A74-41337
- A device for generating an artificial boundary layer in a short axial distance in a supersonic flow p0452 A74-41398
- YC-15 powerplant system design and development
[AIAA PAPER 74-973] p0453 A74-41658
- The feasibility of an aircraft propelled by solar energy
[AIAA PAPER 74-1042] p0456 A74-42055
- Technology for the reduction of aircraft turbine engine pollutant emissions
[ICAS PAPER 74-31] p0457 A74-43125
- Symposium on the Application of Electrical Control to Aircraft Propulsion Systems, London, England, February 20, 21, 1974, Proceedings p0457 A74-43201
- Power plant controls - 'The system' --- digital techniques for aircraft engines p0457 A74-43202
- The development of electrical systems for powerplant control p0457 A74-43203
- Overall safety objectives for integrated propulsion system p0457 A74-43204

SUBJECT INDEX

AIRCRAFT ENGINES CONTD

- Aircraft approach - A degree of bias ---
supersonic transports engine control problems
p0458 A74-43205
- Power complex - A suitable case for treatment ---
aircraft engine electronic control system choice
p0458 A74-43206
- The architecture of a turbine engine control ---
hydromechanical and electronic control in
multiengine aircraft
p0458 A74-43209
- An electronic full-authority engine fuel control
system
p0458 A74-43211
- The case for digital techniques applied to
powerplant controls --- for aircraft
p0458 A74-43212
- Turbine blade pyrometer system in the control of
the Concorde engine
p0458 A74-43214
- Adaptation of measuring and inspection instruments
to the measurement of standard blades of
aircraft-engine turbines and compressors
p0460 A74-43767
- New structural materials for jet engine components
p0460 A74-43768
- Performance of an inlet for an integrated scramjet
concept
p0478 A74-44424
- Influence of flaps and engines on aircraft wake
vortices
p0478 A74-44425
- The aircraft engine M-14V26 --- Russian book
p0480 A74-45269
- Aviation turbine oils - Research objectives and
results
[DFVLR-SONDDE-344]
p0481 A74-45427
- Refan program. Phase 1: Summary report
[NASA-TM-X-71456]
p0040 N74-10043
- Study of small turbofan engines applicable to
general-aviation aircraft
[NASA-CR-114630]
p0049 N74-10725
- Impact resistance of fiber composite blades used
in aircraft turbine engines
[NASA-CR-134502]
p0049 N74-10726
- Aviation gas turbine engines (selected portions)
[AD-756810]
p0052 N74-10751
- The identification of aircraft powerplant dynamic
response from flight tests using power spectral
techniques
[RAE-TR-73049]
p0105 N74-12725
- Air pollution from airports
[TR-595-73]
p0111 N74-13318
- Photo-oxidation of aircraft engine emissions at
low and high altitudes
p0148 N74-14277
- Effect of supersonic transport upon the ozone
layer, studied in a two-dimensional
photochemical model with transport
p0148 N74-14278
- Technology for the reduction of aircraft turbine
engine exhaust emissions
p0149 N74-14300
- Design and evaluation of combustors for reducing
aircraft engine pollution
p0150 N74-14302
- Aircraft gas turbine pollutant limitations
oriented toward minimum effect on engine
performance
p0150 N74-14304
- Technical evaluation report on AGARD Technical
Meeting on Atmospheric Pollution by Aircraft
Engines --- requirement to analyze contribution
to air pollution near airports from various
sources
[AGARD-AR-63]
p0164 N74-15349
- The divided combustion chamber concept and design
for control of SI engine exhaust air pollutant
emissions
p0165 N74-15454
- United States Air Force aircraft pollution emissions
[AD-769482]
p0201 N74-17374
- Atmospheric pollution by aircraft engines
[AD-769655]
p0201 N74-17376
- Technological change through product improvement
in aircraft turbine engines
[AD-769911]
p0201 N74-17519
- Experimental and data analysis techniques for
deducing collision-induced forces from
photographic histories of engine rotor fragment
impact/interaction with a containment ring
[NASA-CR-134548]
p0243 N74-18399
- Forecast of jet engine exhaust emissions for
future high altitude commercial aircraft
[NASA-TM-X-71509]
p0243 N74-18400
- Aircraft air intake regulator --- device for
automatic control of air intake flow for
aircraft engines
[AD-772021]
p0243 N74-18416
- V/STOL propulsion systems --- proceedings of
conference on propulsion system design and
operation
[AGARD-AR-64]
p0256 N74-19404
- By-pass engines --- characteristics of USSR
aircraft engines for jet aircraft
[AD-772723]
p0257 N74-19413
- Lubricating systems of gas turbine engines ---
design of lubricating systems for aircraft gas
turbine engines
[AD-773493]
p0288 N74-20161
- V/STOL propulsion systems --- conference on
propulsion system design, configuration, and
performance for vertical and short takeoff
aircraft
[AGARD-CP-135]
p0289 N74-20401
- Comparative appraisal of propulsion systems for
VTOL-aircraft --- functional description and
classification of aircraft jet propulsion systems
p0289 N74-20402
- Optimum engines for military V/STOL aircraft ---
effect of military operational requirements on
propulsion system configurations
p0289 N74-20403
- Engine cycle selection for commercial STOL aircraft
--- effect of aircraft requirements and
operational characteristics on engine parameters
p0290 N74-20408
- The influence of the control concept for V/STOL
engines on their static and dynamic performance
characteristics
p0290 N74-20415
- Integrated propulsion/energy transfer control
systems for lift-fan V/STOL aircraft ---
reduction of total propulsion system and control
system installation requirements
p0291 N74-20416
- Compact thrust augmentors for V/STOL aircraft ---
propulsion system configuration for V/STOL and
cruise flight using one engine
p0291 N74-20419
- Some engine and aircraft design considerations
affecting noise --- application to conventional
short range aircraft for operation from short
and medium length runways
p0291 N74-20421
- Influence of noise requirements on STOL propulsion
system designs --- analysis of acoustic
properties of short takeoff aircraft
p0291 N74-20422
- Cost of ownership for propulsion system of powered
lift aircraft --- effects of development,
acquisition, operation, and maintenance on
aircraft engine cost factors
p0292 N74-20427
- Technical evaluation report on 42nd Propulsion and
Energetics Panel Meeting on V/STOL Propulsion
Systems --- proposals for future developments in
V/STOL aircraft and engines
p0292 N74-20433
- Problem of the application of turbofan engines in
air transport. Methods of increase in
efficiency of turbofan engine with high bypass
ratios
[AD-773292]
p0293 N74-20453
- Rotor burst protection program: Statistics on
aircraft gas turbine engine rotor failures that
occurred in US commercial aviation during 1972
[NASA-CR-136900]
p0304 N74-21396
- Heat and mass transfer in aircraft propulsion
[HTS/73/55]
p0305 N74-21591
- Problems in managing the development of aircraft
engines, Department of Defense
[B-179166]
p0329 N74-22632
- Geometry considerations for jet noise shielding
with CTOL engine-over-the-wing concept
[NASA-TM-X-71562]
p0355 N74-25568
- Organization and planning of production at
aircraft engine-building plants
[AD-775780]
p0362 N74-26421

AIRCRAFT EQUIPMENT

SUBJECT INDEX

- Engine installation aerodynamics --- design and optimization of aircraft engine installations for subsonic and supersonic aircraft
p0365 N74-26453
- Major Item Special Study (MISS), AH-1G gas turbine engine (T53-L-13B) --- cost savings through quality and design improvements
[AD-776939] p0370 N74-27300
- Graphite-polyimide composite for application to aircraft engines
[NASA-TN-D-7698] p0370 N74-27412
- Development of helicopter engine seals
[NASA-CR-134647] p0410 N74-28229
- The power plants of vertical takeoff and landing aircraft
[AD-778791] p0419 N74-29225
- Investigation of the possibility of use of vibroacoustical signals for purposes of diagnostics in aeronautical engineering
p0444 N74-29875
- Effects of forward velocity and acoustic treatment on inlet fan noise
[NASA-TN-X-71591] p0445 N74-30249
- Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] p0470 N74-32418
- Quiet engine program flight engine design study
[NASA-CR-134660] p0475 N74-33226
- Fretting in aircraft turbine engines
[NASA-TN-X-71606] p0475 N74-33228
- Advanced ceramic seal program, phase 1
[AD-781004] p0492 N74-34076
- AIRCRAFT EQUIPMENT**
- NT AIRCRAFT HYDRAULIC SYSTEMS**
- NT AIRCRAFT TIRES**
- NT BOMBING EQUIPMENT**
- NT EJECTION SEATS**
- Civil air navigation equipment, on the ground and in the air
p0007 A74-11094
- Electronic display mechanization for monitoring aircraft parameters
[SAE PAPER 730956] p0015 A74-11555
- Theory and practice of avionics reliability
p0129 A74-18597
- Military airborne video recording: Requirements, utilization and techniques; Proceedings of the Seminar, Dayton, Ohio, April 3-5, 1973
p0216 A74-22526
- Compact video tape recorders of exceptional performance and reliability
p0217 A74-22534
- A small high-performance videotape recorder for military airborne applications
p0217 A74-22535
- An approach to the design of integrated life support systems for two new USAF aircraft
p0211 A74-23532
- Survival radio performance tests
p0215 A74-23538
- Advanced aircraft oxygen systems --- design flexibility cost effectiveness and applications
p0212 A74-23544
- A compact derotator design --- for aircraft periscope image rotation prevention
p0218 A74-23718
- Interconnections in grounding and shielding devices for electronic equipment --- Russian book
p0227 A74-25027
- Maximum space utilization of a C47 aircraft for remote sensing
p0226 A74-25399
- Flight-control systems for automatic landings - Safety by means of redundancy
p0313 A74-29828
- MRCA systems and related equipment - Air conditioning
p0336 A74-32634
- MRCA systems and related equipment - Landing gear
p0337 A74-32635
- Nickel cadmium aircraft battery run-a-way requirements
p0337 A74-32671
- Impact of increasing secondary power on engine and accessory system design
[SAE PAPER 740495] p0349 A74-34977
- VFW 614 de-icing
p0375 A74-35360
- VFW 614 oxygen system
p0375 A74-35361
- VFW 614 electrical system
p0375 A74-35363
- The Ka-26 helicopter --- Russian book
p0421 A74-38042
- Advanced environmental control system --- for aircraft subsystems
p0424 A74-38552
- Electromagnetic compatibility considerations in system integration --- for aircraft installation
p0424 A74-38554
- Solid-state power controllers for B-1 flight test
p0425 A74-38575
- Fiber optics as applied to Advanced Aircraft Electrical Systems
p0425 A74-38576
- Aircraft fuel tank entry wall-projectile interaction studies
[AD-765667] p0043 N74-10066
- A synchronized discrete-address beacon system --- for air traffic control improvement
[FAA-EM-74-3] p0049 N74-10622
- Estimation of an aeronautical equipment mission reliability
[AD-766886] p0058 N74-10935
- The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers
[RCAC-PR-72-045] p0098 N74-11973
- Lightning effects on general aviation aircraft
[FAA-RD-73-99] p0099 N74-12167
- Markings for propeller conspicuity
[AGARD-AR-56] p0103 N74-12713
- Trends in transport aircraft avionics
[NASA-TN-X-62322] p0104 N74-12715
- Evaluation of the structural integrity of an aircraft loading walkway under severe fuel-spill fire conditions
[FAA-RD-73-144] p0104 N74-12716
- Survey of solid state reflective/transmissive display media
[AD-767644] p0109 N74-12938
- Flight study of a vehicle operational status and monitoring system --- applied to systems on YF-12 aircraft
[NASA-TN-D-7546] p0141 N74-13725
- Failure analysis of helicopter external cargo-handling systems
[AD-767254] p0142 N74-13729
- The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices
[AD-768199] p0146 N74-13903
- Aircraft inertial system testing and evaluation in the United Kingdom
p0151 N74-14352
- Analysis and calculation of lightning-induced voltages in aircraft electrical circuits
[NASA-CR-2349] p0160 N74-14754
- Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages
[NASA-CR-2350] p0189 N74-15720
- An investigation of cost factors relating to class 4 aircraft modifications
[AD-769195] p0191 N74-15730
- A test technique for measuring lightning-induced voltages on aircraft electrical circuits
[NASA-CR-2348] p0195 N74-16716
- Effect of modified seat angle on air to air weapon system performance under high acceleration
[AD-770271] p0198 N74-16747
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 1: Document deficiency analysis --- deficiencies in military specifications and standards for helicopter hydraulic systems
[AD-773022] p0252 N74-18709
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 2: Supplemental design guide --- design requirements related to environmental conditions, reliability, and maintainability programs
[AD-773023] p0252 N74-18710
- Control-by-wire actuator model development for AFCAS --- characteristics of hydraulic control valves

- to control tandem and parallel control systems
[AD-772588] p0253 N74-18715
- Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic loading of fuel tanks impacted by bullets and projectiles
[AD-772744] p0254 N74-18719
- A device for spreading small grain bait lure --- airborne spraying device for rodent control
[AD-772053] p0255 N74-19144
- Determination of the forces in the kinematic pairs of a landing gear mechanism
[AD-773877] p0285 N74-19678
- Development and testing of a cadmium telluride high temperature (750 F) infrared fire detector --- for detecting aircraft engine fires
[AD-773324] p0287 N74-19714
- Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region
[LA-UR-73-1304] p0293 N74-20527
- Preliminary results of flight tests of vortex attenuating splines --- evaluation of effectiveness of wingtip vortex attenuating device
[NASA-TN-X-71928] p0294 N74-20637
- Advanced concepts for rotary wing and V/STOL aircraft escape systems
p0301 N74-20766
- Construction of differentiating devices for an airborne magnetometer
p0302 N74-21027
- Determining the accuracy in registry by highly sensitive airborne magnetometers
p0302 N74-21028
- Development of design criteria for sensor displays --- controls and man machine interfaces for fixed and rotary wing aircraft
[AD-774725] p0303 N74-21049
- Technical and operational aspects of externally-mounted aircraft equipment
p0305 N74-21614
- Process and device for adaptation of sharp leading edge airfoils to any speed, subsonic or supersonic
[NASA-TT-P-15569] p0323 N74-21631
- Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier
[AD-774898] p0327 N74-21669
- Air-to-air fire control exposition, phase 3 (Expo 3)
[AD-775360] p0327 N74-21673
- Problems in avionics life-cycle analysis
[P-5136] p0328 N74-22597
- Effects of new approach procedures on cockpit design and chances for realization
[NASA-TT-P-15613] p0355 N74-25565
- Qualification test methods for helicopter cargo handling systems
[AD-776991] p0358 N74-25599
- Disk geometry MHD generator for high voltage high power aircraft requirements
[AD-775749] p0362 N74-26255
- Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] p0365 N74-26456
- Development of cargo slings with nondestructive checkout systems
[AD-777497] p0369 N74-26492
- A method of automatically stabilizing helicopter sling loads
[NASA-TN-D-7593] p0413 N74-28506
- Nonscratching windshield wiper blade
[AD-778759] p0416 N74-28532
- Contractors for improved aircraft electrical power distribution systems
[RAE-TN-73157] p0417 N74-28549
- Hydraulic-to-pneumatic power supply for aircraft fluidic systems
[AD-778764] p0417 N74-28550
- Windshield bird strike structure design criteria
[AD-779729] p0442 N74-29393
- Interrupt times on constant frequency ac systems --- for aircraft power supplies
p0473 N74-32481
- Comparison of electrical generating systems based on IDG and VSCF techniques in two types of aircraft
p0473 N74-32482
- VSCF generators --- variable speed constant frequency generators, design, construction and performance
p0474 N74-32485
- Reference manual on aviation materials
[AD-783739] p0498 N74-34534
- Tactile display for aircraft control --- evaluation of control system as a one and two axis error display device during manual tracking experiments
[AD-783690] p0498 N74-34538
- Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques
[AD-783269] p0498 N74-34550
- AIRCRAFT FUEL SYSTEMS**
- Models in the design of fuel systems
p0118 A74-16758
- Automatic balancing of an aircraft
p0124 A74-17804
- Lockheed S-3A Viking - Fuel system excludes management and control manipulation
p0213 A74-23840
- A control concept combining the best of the current hydromechanical and electronic technologies
[SAE PAPER 740380] p0309 A74-28745
- Investigation of the economic efficiency of surplus tanking of aircraft fuel
p0338 A74-33092
- Application of hydrogen to commercial transports
[SAE PAPER 740451] p0349 A74-34985
- VFW 614 powerplant
p0375 A74-35365
- Protection of civil aviation aircraft against fire
p0421 A74-38149
- Aircraft fuel system tests with gelled fuel-flowmeter calibration, fuel boost pump and jettison tests
[FAA-NA-73-43] p0095 N74-11828
- An experimental study of attenuation of shock waves in aircraft fuel tanks
[AD-769930] p0198 N74-16750
- Evaluation of various sizes and configurations of fuel tanks
[AD-777801] p0408 N74-27516
- AIRCRAFT FUELS**
- Aviation turbine fuel and its lubricating qualities
p0020 A74-11739
- Operational problems with the aircraft type Tu-134 in the case of a use of the aircraft turbine fuel TS-1
p0020 A74-11740
- The quality of the fuel --- aviation fuel purity maintenance during transport and storage
p0021 A74-11741
- The hydrogen fuel economy and aircraft propulsion
[AIAA PAPER 73-1319] p0125 A74-17905
- Aviation fuels and lubricants
p0128 A74-18180
- Hydrogen - Make-sense fuel for an American supersonic transport
[AIAA PAPER 74-163] p0169 A74-19353
- Energy problems in air transportation --- options for demand reduction, efficiency increase and fuel alternatives
p0171 A74-19479
- The implications for air transportation of energy shortage
p0171 A74-19486
- Requirements on the purity of aircraft fuels
p0178 A74-20524
- The case for hydrogen-fueled transport aircraft
p0312 A74-29452
- Fuel state - Expensive
p0377 A74-35496
- The development of aircraft as influenced by the shortage of materials and fuel
p0381 A74-36319
- Sensitivity of suboptimal fixed-range flight paths --- aircraft fuel consumption dependence on atmospheric parameters
[AIAA PAPER 74-813] p0400 A74-37822
- Filtration of aviation fuels --- Russian book
p0421 A74-38046
- Aircraft fuel conservation: An AIAA view; Proceedings of a Workshop Conference, Reston, Va., March 13-15, 1974
p0430 A74-38898

AIRCRAFT GUIDANCE

SUBJECT INDEX

- A study of high temperature fuels and lubricants on supersonic aircraft/engine system performance [SAE PAPER 740473] p0433 A74-39648
- Aviation turbine fuels, 1972 p0065 A74-11592
- An initial step: A demonstration project --- promoting subsonic, hydrogen-fueled aircraft p0068 A74-11747
- Aircraft fuel system tests with gelled fuel-flowmeter calibration, fuel boost pump and jettison tests [FAA-NA-73-43] p0095 A74-11828
- Prospects for liquid hydrogen fueled aircraft [PR-37] p0295 A74-20647
- Bibliography on aircraft fire hazards and safety. Volume 1: Hazards. Part 1: Key numbers 1 to 817 [NASA-TN-X-71553-VOL-1-PT-1] p0406 A74-27491
- ## AIRCRAFT GUIDANCE
- Properties of air-derived and ground-derived aircraft landing guidance concepts p0007 A74-11102
- Motion relationships in aircraft attitude and guidance displays - A flight experiment p0081 A74-14597
- Aircraft simulator motion and the order of merit of flight attitude and steering guidance displays p0082 A74-14598
- Flight control --- computerized aircraft guidance p0128 A74-18181
- Electronic displays and digital automatic control in advanced terminal area operations [AIAA PAPER 74-27] p0136 A74-18881
- The National Microwave Landing System p0169 A74-19317
- Parameters of RF flight navigation aids and their measurement --- Russian book p0169 A74-19371
- Lockheed S-3A avionics - Three system digital flight guidance p0173 A74-19751
- The automatic aircraft guidance law for mid-air collision avoidance p0183 A74-21340
- Application of modern control theory to the analysis of aircraft autoland performance using a scanning beam guidance system p0374 A74-35236
- VFW 614 avionics --- guidance, communications and radar systems p0375 A74-35364
- The Hazeltine Doppler microwave landing system - Specialized techniques and features [AIAA PAPER 74-905] p0402 A74-37886
- System design and flight test results of the Bendix/Bell MLS category II/III elevation approach guidance function [AIAA PAPER 74-909] p0402 A74-37889
- System for guiding fixed- or rotary-wing aircraft in approach and landing zones [ONERA, TP NO. 1342] p0422 A74-38310
- An operational look at the two-segment approach --- for aircraft noise reduction [AIAA PAPER 74-979] p0428 A74-38738
- Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point [NASA-CASE-FRC-10049-1] p0111 A74-13420
- Calculation and analysis of aircraft motion --- various guidance methods and numerical solution of optimal control theory problems [NASA-TT-F-757] p0159 A74-14751
- Comparative simulator studies with the contact analog channel display and with conventional instruments [ESRO-TT-15] p0302 A74-21044
- Automatic transitions of a tilt-rotor aircraft, part 1. Automatic control of a helicopter with a hanging load, part 2 p0363 A74-26432
- Navigation and guidance requirements for commercial VTOL operations [NASA-CR-132423] p0444 A74-30093
- National airspace system enroute stage A system engineering and analysis, investigation of system problems, capacity testing [AD-778479] p0444 A74-30104
- A flight investigation of a terminal area navigation and guidance concept for STOL aircraft [NASA-TN-X-62375] p0474 A74-33114
- Flight operations and guide beam systems [NASA-TT-F-15962] p0492 A74-34154
- ## AIRCRAFT HAZARDS
- Technology forecasting - Aircraft hazard detection p0015 A74-11499
- Bird strike and the radar properties of birds --- migration patterns monitoring p0028 A74-12389
- Vortex age as a wake turbulence scaling parameter [AIAA PAPER 74-36] p0132 A74-18745
- Hazard function monitoring of airline components p0181 A74-20967
- Vortexes in aircraft wakes --- light aircraft hazards p0185 A74-22206
- Helmets and head protection in USAF ejections 1968-1972 p0210 A74-23528
- Nickel cadmium aircraft battery run-a-way p0337 A74-32671
- Another look at landing and stopping criteria [AIAA PAPER 74-956] p0427 A74-38722
- Test techniques and equipment for the development of aircraft engine components resistant to bird ingestion p0434 A74-39742
- Acoustic backscatter radar system for tracking aircraft trailing vortices p0477 A74-44420
- An evaluation of the relative fire hazards of jet A and jet B for commercial flight [NASA-TN-X-71437] p0049 A74-10709
- Aerospace vehicle hazards protection program: Detectors materials fuel vulnerability [AD-776301] p0359 A74-25603
- Bibliography on aircraft fire hazards and safety. Volume 1: Hazards. Part 1: Key numbers 1 to 817 [NASA-TN-X-71553-VOL-1-PT-1] p0406 A74-27491
- Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524 [NASA-TN-X-71553-VOL-2-PT-1] p0406 A74-27492
- ## AIRCRAFT HYDRAULIC SYSTEMS
- World-wide Navy program controls aircraft contamination --- hydraulic fluids p0069 A74-13017
- Trends in hydraulic systems of commercial transport aircraft p0171 A74-19471
- Contribution of computer simulation to the development of aeronautical equipment or systems p0213 A74-22662
- Fluid power for aircraft: Modern hydraulic technology /2nd edition/ p0214 A74-23376
- Lockheed S-3A Viking - Combined flight control/utility system p0268 A74-27015
- Fluid power and control requirements for the U.S. Army heavy lift helicopter [SAE PAPER 730988] p0269 A74-27253
- L-1011 Iron Bird uncovers potential hydraulic troubles --- aircraft reliability tests p0319 A74-30625
- Hydraulic muscle with electrical controls --- for Fly by Wire aircraft hydraulic systems p0321 A74-31474
- Oil filtration in modern aircraft systems p0335 A74-31894
- MRCAs systems and related equipment - Hydraulic system and flying controls p0336 A74-32633
- L-1011 secondary power systems - Design and function [SAE PAPER 740466] p0351 A74-35004
- Secondary power systems --- for DC-10 [SAE PAPER 740465] p0351 A74-35005
- VFW 614 hydraulics p0375 A74-35359
- ## AIRCRAFT INDUSTRY
- The implications for air transportation of energy shortage p0171 A74-19486
- Aircraft life cycle profitability - The manufacturer's challenge [AIAA PAPER 74-280] p0180 A74-20836
- Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962

SUBJECT INDEX

AIRCRAFT INSTRUMENTS

- State versus federal regulation of commercial aeronautics p0307 A74-28572
- Looking ahead with hindsight /The Sixty-Second Wilbur and Orville Wright Memorial Lecture/ p0321 A74-31245
- The filtration of oil in modern aircraft installations. II p0343 A74-33820
- A review of precious resources and their effect on air transport; Proceedings of the Spring Convention, London, England, May 15, 16, 1974 p0381 A74-36316
- Metallic and other material resources --- for aircraft construction p0381 A74-36317
- The development of aircraft as influenced by the shortage of materials and fuel p0381 A74-36319
- The economic utilisation of resources through aviation --- manhours, land and fuel p0381 A74-36321
- Adhesive bonding in the aviation industry and in other industrial sectors p0479 A74-44991
- Aviation needs and public concerns --- civil aviation growth in Europe and environmental control p0159 A74-14749
- A Dassault Dossier: Aircraft acquisition in France [AD-774598] p0299 A74-20681
- Diffusion welding in aviation technology [NASA-TT-P-15568] p0328 A74-22138
- ## AIRCRAFT INSTRUMENTS
- NT ALTIMETERS
- NT ANEMOMETERS
- NT APPROACH INDICATORS
- NT ATTITUDE INDICATORS
- NT AUTOMATIC PILOTS
- NT FLIGHT RECORDERS
- NT GYRO HORIZONS
- NT GYROCOMPASSES
- NT HOT-WIRE ANEMOMETERS
- NT POSITION INDICATORS
- NT RADIO ALTIMETERS
- NT SPEED INDICATORS
- New concepts of visualization for aircraft --- instrument panel display integration p0029 A74-12447
- A new system for recording aircraft attitude --- airborne gyro-stabilized opto-electronic sensing p0091 A74-16246
- The Type 3B altitude measurement system p0122 A74-17276
- Correlational ground speed meters and drift indicators of flight vehicles --- Russian book p0180 A74-20900
- Reliability of aircraft navigation computers --- Russian book p0180 A74-20905
- Quasi-visual flight navigation --- all-weather navigation with synthetic external scenes p0219 A74-22519
- A truly airworthy video disc recorder/reproducer results in unique capabilities --- for aerial reconnaissance and surveillance p0218 A74-22553
- Collision avoidance systems --- proximity warning indicator for ATC p0220 A74-22682
- Peripheral vision - A factor for improved instrument design p0218 A74-23542
- Influence of the intrinsic motion of the conveyance on the frequency selection system p0261 A74-26326
- MICA nav-attack system --- Multi-Role Combat Aircraft p0262 A74-26417
- Solid state vertical scale instruments --- for aircraft light emitting diode displays p0267 A74-26965
- Instrumentation and cockpit controls for electronic navigation and communication aids [SAE ARP 571 B] p0269 A74-27261
- Nomenclature and abbreviations, flight deck area [SAE AS 425 B] p0269 A74-27263
- The use of magnetic recording in measurement systems for in-flight measurements
- New developments in aircraft instrumentation --- onboard instruments for flight and engine monitoring p0279 A74-28433
- A review of aircraft measurement techniques --- data on digital voltmeters, pressure standards and onboard tensometer equipment p0280 A74-28435
- Applications of fluidics to light aircraft instrumentation and control [SAE PAPER 740351] p0280 A74-28436
- Jet engine soot emission measured at altitude p0308 A74-28731
- General avionics progress p0317 A74-30397
- Required flight-path variometer - The quiet revolution in gliding p0318 A74-30592
- MICA systems and related equipment - MICA avionics p0336 A74-32482
- The 'Materik' instrument landing system --- for course and glide path determination p0337 A74-32636
- An instrument for nitric oxide measurements in the stratosphere p0338 A74-33091
- Flight evaluation of four low airspeed indicating systems p0341 A74-33428
- Energy management display p0345 A74-34839
- The shock adjustment concept - A new method for improved supersonic air data sensing p0346 A74-34844
- Flight test evaluation of a low cost electrostatic autopilot p0346 A74-34845
- Determining helicopter instrument flight capability p0346 A74-34846
- VFW 614 avionics --- guidance, communications and radar systems p0346 A74-34848
- Advanced integrated modular instrumentation system --- naval aircraft cockpit display p0375 A74-35364
- Integrated, universal pilot warning/collision avoidance display p0377 A74-35560
- Helicopter command instrument systems p0377 A74-35567
- [AHS PREPRINT 822] p0389 A74-36626
- A new concept for angular rate flight control sensors [AIAA PAPER 74-868] p0401 A74-37855
- Digital computing and the display requirements in modern aircraft. II - Modern display techniques p0403 A74-37923
- Servomechanisms of aircraft instruments - Dynamics of servomechanisms in the presence of dry friction and retardation --- Russian book p0421 A74-38043
- An investigation of corrugated metallic diaphragm capsules as used in aircraft instrument pressure elements p0423 A74-38403
- Instruments of flight: A guide to the pilot's flight panel of a modern airliner --- Book p0426 A74-38694
- Surveillance in flight of aircraft systems p0431 A74-39004
- Naval Air Test Center adopts real-time telemetry processing p0478 A74-44729
- To assist the Sportsman-helicopter pilot in blind flight [AD-772650] p0251 A74-18699
- Angle of attack computation system --- based on air data, aircraft acceleration, surface positions, and stored aerodynamic data [AD-771183/1GA] p0255 A74-19107
- AGARD flight test instrumentation services. Volume 1: Basic principles of flight test instrumentation engineering --- application to large automated systems for initial flight tests of military and civilian aircraft [AGARDOGRAPH-160-VOL-1] p0360 A74-25933
- The users' requirements p0360 A74-25934

AIRCRAFT LANDING

SUBJECT INDEX

- An induction into the design of flight test instrumentation systems --- factors affecting the development and design of flight test instrumentation systems p0360 A74-25935
- Meteorological characteristics of a measuring channel --- fundamental characteristics of flight test instrumentation system p0360 A74-25936
- ## AIRCRAFT LANDING
- ### MT CRASH LANDING
- Properties of air-derived and ground-derived aircraft landing guidance concepts p0007 A74-11102
- Blind landing --- automatic systems p0015 A74-11552
- MLS program - Phase II --- equipment and technique selection for Microwave Landing System p0076 A74-14132
- Conventional take-off and landing --- Tristar aircraft operations and traffic trends p0078 A74-14503
- Uses of a visual landing system in primary flight training p0082 A74-14599
- An analytic approximate calculation of the nonlinear landing impact motions and loads on aircraft with both rigid and elastic wing structure [DGLB PAPER 73-078] p0120 A74-17185
- Air traffic control --- long term planning in Germany p0128 A74-18182
- Influence of boundary layer blowing on the low-speed aerodynamic performance of a 45 degree swept-wing airplane [AIAA PAPER 74-269] p0131 A74-18674
- The national Microwave Landing System p0169 A74-19317
- Zeppelins - Not again --- airship operational hazards p0176 A74-20167
- VITAL II --- Virtual Image Takeoff and Landing system in Boeing 727 flight simulator p0177 A74-20275
- Safety during automatic landing with poor visibility p0178 A74-20422
- A new aircraft/ship mating system [AIAA PAPER 74-303] p0183 A74-21292
- Calculation and observance of landing parameters for the aircraft IL-62 and their effect on the safety factor p0185 A74-22270
- Problems with the aircraft/runway interface p0208 A74-22636
- Objectives for interim military landing systems p0220 A74-22689
- FAA progress report on MLS Phase II --- Microwave Landing System feasibility p0220 A74-22690
- STOL aircraft with blown wings p0209 A74-22785
- Simulation of the landing and take-off of a VTOL aircraft on a ship in a random sea [AIAA PAPER 74-303] p0209 A74-22803
- Helicopter safety --- design for catastrophic failure prevention and safe emergency landing p0211 A74-23541
- Use of methods based on compound control theory in landing-phase control of an aircraft p0221 A74-24017
- A simulator of wind gust disturbances p0213 A74-24024
- Problems concerning the flying qualities of future transport aircraft p0225 A74-24894
- Measurements of runway adherence and problems of braking in the regulation of landing distances p0226 A74-25353
- Drop testing naval aircraft and the VSD landing gear dynamic test facility [AIAA PAPER 74-343] p0263 A74-26658
- The Instrument Landing System for category I, II, and III operation p0268 A74-27210
- A study of light airplane pilot landing performance [SAE PAPER 740350] p0308 A74-28730
- ICAO and the future landing system --- International Civil Aviation Organization p0311 A74-29252
- Response of a light airplane to ground induced vibration environment p0314 A74-29903
- Summary of the air cushion landing system on the de Havilland Buffalo aircraft p0316 A74-30142
- A data reduction method for landing performance tests p0320 A74-30821
- The 'Materik' instrument landing system --- for course and glide path determination p0338 A74-33091
- ACLS for a commercial transport --- Air Cushion Landing System [SAE PAPER 740452] p0349 A74-34984
- Impact of runway traction on possible approaches to certification and operation of jet transport aircraft [SAE PAPER 740497] p0350 A74-34987
- Elements affecting runway traction [SAE PAPER 740496] p0350 A74-34988
- GCA radars - Their history and state of development p0373 A74-35127
- AN/SPN-42 automatic carrier landing system p0374 A74-35209
- U.S. Navy VTOL automatic landing system development program [AHS PREPRINT 823] p0389 A74-36627
- Recommended design procedure for VASI-2 systems --- Visual Approach Slope Indicator as landing aid p0392 A74-37341
- Fatigue concepts for concrete airport pavement design p0392 A74-37342
- The calculation of aerodynamic noise generated by large aircraft at landing approach p0397 A74-37540
- Closed loop analysis of manual flare --- aircraft maneuvers simulation [AIAA PAPER 74-834] p0401 A74-37833
- System design and flight test results of the Bendix/Bell MLS category II/III elevation approach guidance function [AIAA PAPER 74-909] p0402 A74-37889
- System for guiding fixed- or rotary-wing aircraft in approach and landing zones [ONERA, TP NO. 1342] p0422 A74-38310
- Another look at landing and stopping criteria [AIAA PAPER 74-956] p0427 A74-38722
- Considerations for STOL landing ground rules [AIAA PAPER 74-996] p0429 A74-38750
- Microwave landing system requirements for STOL operations [AIAA PAPER 74-997] p0430 A74-38751
- New heavy-haul freight aviation p0439 A74-40647
- Developing STOL operational criteria p0459 A74-43602
- The Soviet radio navigation procedure RSN --- for aircraft landing control p0461 A74-44071
- Use of the Magnus effect for large augmentation of wing lift on modern aircraft during takeoff and landing p0485 A74-46715
- Simulation study on flare control system by optimization theory [NAL-TB-312] p0040 A74-10046
- LSO/pilot interaction simulator --- for analysis of flight hazards during approach to landing on aircraft carrier [AD-765686] p0041 A74-10055
- Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers [AD-766450] p0043 A74-10072
- A feasibility study and preliminary evaluation of the use of a biased glide slope technique for noise abatement approach [FAA-RD-73-153] p0048 A74-10618
- Comparison of simulation and flight testing at automatic STOL landing [NASA-TT-P-15171] p0056 A74-10923
- STOL tactical aircraft investigation. Volume 3: Takeoff and landing performance ground rules for powered lift STOL transport aircraft [AD-766640] p0058 A74-10938

SUBJECT INDEX

AIRCRAFT LANDING CONTD

- Preliminary assessment of the microwave landing system requirements for STOL operations
[NASA-TN-X-62310] p0064 N74-11431
- Modern beaconing in airports for bad weather flights
[NASA-TT-F-15178] p0065 N74-11433
- Measurement of turbulence inputs for V/STOL approach paths in a simulated planetary boundary layer
[UTIAS-189] p0066 N74-11661
- MLS program: Phase 2
p0102 N74-12631
- Model study of C-5A landings on AM2 landing mat
[AD-767231] p0109 N74-12970
- Fungus resistance of polyvinyl acetate latex dust control material --- helicopter landing pads
[AD-767256] p0111 N74-13286
- A new type of electronic landing system for regional airports --- based on IFR
[DGLR-PAPER-73-020] p0112 N74-13424
- A modified design concept, utilizing deck motion prediction, for the A-7E automatic carrier landing system
[AD-767691] p0144 N74-13739
- The simulation and analysis of carrier landings using a nonlinear pilot model
[AD-767679] p0145 N74-13747
- Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.1: Technique analysis program
[FAA-RD-73-166-VOL-1.1] p0150 N74-14340
- Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 1: Post TACD development plan
[FAA-RD-73-166-VOL-1.2-BK-1] p0150 N74-14341
- Multi-input, multi-output regulator design for constant disturbances and non-zero set points with application to automatic landing in a crosswind
[NASA-CR-136618] p0164 N74-15378
- Failure modes, effects and criticality analysis (FMECA) of category III instrument landing system with traveling: Wave localizer antenna
[U1-840912-100] p0164 N74-15380
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 1: Executive summary
[FAA-RD-72-150-VOL-1] p0165 N74-15381
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation
[FAA-RD-72-150-VOL-3] p0165 N74-15382
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technical analysis and contract definition phase of the national MLS development program, Volume 3A
[FAA-RD-72-150-VOL-3A] p0165 N74-15383
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 4: System considerations 1.1.2 through 1.1.5
[FAA-RD-72-150-VOL-4] p0165 N74-15384
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance
[FAA-RD-72-150-VOL-5] p0165 N74-15385
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 6: Supporting studies, appendices D through H
[FAA-RD-150-VOL-6] p0165 N74-15386
- Fixed-base simulation study of decoupled controls during approach and landing of a STOL transport airplane
[NASA-TN-D-7363] p0187 N74-15703
- Design of a flight director/configuration management system for piloted STOL approaches
[NASA-CR-114688] p0189 N74-15715
- Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft
[NASA-CR-114691] p0189 N74-15716
- Two dimensional air cushion landing system peripheral jet configuration study
[AD-769494] p0191 N74-15729
- Computer programs for estimating aircraft takeoff and landing performance --- applied to conventional, vectored lift, and powered-lift concept aircraft
[NASA-TN-X-62333] p0196 N74-16720
- Drop and static tests on a tenth-scale model of an Air Cushion Landing System (ACLS)
[AD-770026] p0198 N74-16742
- Study of reverse-flow characteristics of a tip fan and an ejector --- for application to air cushion landing system
[AD-770080] p0198 N74-16744
- Aircraft antiskid analysis verification and refinement
[AD-770300] p0198 N74-16749
- STOL tactical aircraft investigation-externally blown flap, Volume 6: Air cushion landing system trade study
[AD-770448] p0199 N74-16753
- Progress in the mathematical modelling of flight in turbulence --- effects of atmospheric turbulence during approach and landing of aircraft
p0232 N74-17725
- The effect of gusts and wind shear for automatic STOL approach and landing --- simulation and flight test of flight control system for short takeoff aircraft
p0233 N74-17730
- Wake Vortex Avoidance System program (WVAS) --- design and implementation of ground based monitoring and predictive system for safety from wake vortices
p0233 N74-17732
- Application of energy management concepts to flight-path control in turbulence --- strategy for control of airspeed and flight path with emphasis on landing approach
p0235 N74-17744
- Aircraft accident report: Loftleidir Icelandic Airlines, Incorporated, Douglas DC-8-61, John F. Kennedy International Airport, Jamaica, New York, 23 June 1973
[NTSB-AAR-73-20] p0249 N74-18683
- Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft
[NASA-CR-114689] p0249 N74-18685
- Modification of V/STOL instrument approach geometry as a means of compensating for along-track wind effects
[NRC-13842] p0256 N74-19281
- A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft
[NASA-TN-D-7497] p0284 N74-19671
- Flight investigation of approach and flare from simulated breakout altitude of a subsonic jet transport and comparison with analytical models
[NASA-TN-D-7645] p0284 N74-19672
- Nuclear instrument landing system
[SAN-828-2] p0288 N74-20232
- Aircraft accident report: Delta Air Lines, Incorporated, Douglas DC-9-31, N975-NE, Boston, Massachusetts, 31 July 1973
[NTSB-AAR-74-3] p0297 N74-20665
- The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments
[NASA-TT-F-15532] p0297 N74-20668
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 1: Technical results
[AD-774728] p0299 N74-20678
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 2: background information
[AD-774729] p0299 N74-20679
- Air cushion landing system performance on a tenth-scale model Jindivik RPV
[AD-774389] p0299 N74-20683

AIRCRAFT LAUNCHING DEVICES

SUBJECT INDEX

An experimentally based prediction of the static performance in the vertical direction of an air cushion landing system
[AD-774387] p0300 N74-20685

Static two dimensional performance of a cushioned air cushion landing system
[AD-774394] p0300 N74-20686

An analysis of the longitudinal dynamics of a STOL transport in landing approach
[AD-774434] p0301 N74-20696

Landing rates for mixed STOL and CTOL traffic
[NASA-TN-D-7666] p0304 N74-21290

Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane
[NASA-TN-D-7463] p0326 N74-21658

Hook bounce test of the C-2A airplane arresting gear A frame
[AD-774085] p0328 N74-21902

Hook bounce test of the E-2A airplane arresting gear A frame
[AD-774086] p0328 N74-21903

Evaluation of runway skid-resistance characteristics at Minot Air Force Base, North Dakota
[AD-773403] p0328 N74-21904

C-130 landing on XM-18B landing mat, Oak Grove Auxiliary Air Field, North Carolina
[AD-775365] p0328 N74-21910

Display requirements for the final approach and landing phase of an RPV mission
[NASA-TN-X-62346] p0354 N74-25561

Flight investigation of the VFR and IFR landing approach characteristics and terminal area airspace requirements for a light STOL airplane
[NASA-TN-X-3008] p0354 N74-25562

Flight-mechanics problems during landing approach with direct lift control, exemplified by HPB 320 Bansha
[NASA-TT-F-15614] p0355 N74-25566

Evaluation of the lidar technique of determining slant range visibility for aircraft landings operations
[AD-776054] p0358 N74-25596

Optimal control aircraft landing analysis
[AD-776316] p0358 N74-25601

Microwave landing system integration study.
Volume 1: Summary report
[AD-775703] p0361 N74-26149

Microwave landing system integration study.
Volume 3: Appendices
[AD-775724] p0361 N74-26155

Aircraft accident report: Piedmont Airlines, Boeing 737, N751N, Greensboro, North Carolina, 28 October 1973
[NTSB-AAR-74-7] p0364 N74-26439

Automation of the landing control of aircraft --- radio equipment for establishing landing approach
[AD-777174] p0369 N74-26491

Dynamic response of the landing mat to aircraft landing
p0369 N74-26768

Flight control problems for steep approaches
[NASA-TT-F-15617] p0406 N74-27493

Ground loads on the nose undercarriage of the F-104G aircraft
[RAE-LIB-TRANS-1744] p0406 N74-27494

Minima for landing aircraft
[JPRES-62252] p0407 N74-27502

Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings
[NASA-TN-D-7524] p0410 N74-28102

Optimal control aircraft landing analysis
p0412 N74-28497

Aircraft accident report: Ozark Airlines, Incorporated, Fairchild Hiller FH-227B, N4215 near the Lambert-Saint Louis International Airport, Saint Louis, Missouri, 23 July 1973
[NTSB-AAR-74-5] p0413 N74-28503

Landing transition paths which optimize fuel, time or distance for jet-lift VTOL transport aircraft in steep approaches
[ARC-R/M-3732] p0416 N74-28527

A monitor display for automatically regulated steep approaches
[NASA-TT-F-15615] p0419 N74-29118

Preliminary study of a possible automatic landing system
[NASA-TN-D-7611] p0419 N74-29119

Development of an independent altitude monitor concept
[AD-775454] p0474 N74-33116

Aircraft accident report: Trans World Airlines, Incorporated, Boeing 707-131B, N757TW, Los Angeles, California, 16 January 1974
[NTSB-AAR-74-10] p0489 N74-33447

A flight investigation with a STOL airplane flying curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 N74-33452

Takeoff and landing analysis computer program (TOLA). Part 3: Users manual
[AD-781756] p0490 N74-33461

Flight operations and guide beam systems
[NASA-TT-F-15962] p0492 N74-34154

Flight-path and airspeed control during landing approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 N74-34481

AIRCRAFT LAUNCHING DEVICES

Investigation of a stored energy launch system for gliders
[AIAA PAPER 74-1047] p0456 A74-42059

Catapult fatigue test of the model C-2A airplane
[AD-775615] p0358 N74-25597

Program plan for investigation of model E-11C-1 airplane catapult and hold-back operations capacity
[AD-777435] p0369 N74-26495

AIRCRAFT MAINTENANCE

Advantages of aircraft system maturity --- profitability
[SAE PAPER 730907] p0018 A74-11585

The main rotor bifilar absorber and its effect on helicopter reliability/maintainability
[SAE PAPER 730894] p0019 A74-11595

Maintainability concepts used in the design and operation of Douglas commercial jet aircraft
[SAE PAPER 730881] p0019 A74-11603

World-wide Navy program controls aircraft contamination --- hydraulic fluids
p0069 A74-13017

Cost effective built-in test for advanced aircraft electrical systems
p0075 A74-13808

User report on automatic test equipment --- AJ37 Viggen aircraft avionics maintenance testing
p0075 A74-13813

What keeps wide body jets down on the ground --- mechanical/operational breakdown problems
p0075 A74-13974

Make no mistake about it - Air transport productivity demands a total and dedicated 'team effort' --- Boeing 747 modification program
p0076 A74-13977

Modular construction - Fully optimised --- aircraft engines
p0076 A74-13978

Computer aided test design today --- for avionics maintenance onboard aircraft carriers
p0076 A74-14127

Wear determination in Boeing 747 engines
p0077 A74-14363

Prepared for overhauling the B211 --- aircraft engine maintenance
p0086 A74-15150

Aircraft recovery - There is a solution --- disabled aircraft removal from airport operational areas
p0089 A74-15865

Avionics design for maintainability - Are we gaining or losing
[SAE PAPER 730882] p0123 A74-17531

L-1011 upkeep
[SAE PAPER 730883] p0123 A74-17532

Aircraft and systems reliability --- relation to overhaul and maintenance
p0129 A74-18599

T700 aims at low combat maintenance --- turboshaft engine for military transports and helicopters
p0136 A74-18998

Equipment for aircraft and helicopter technical servicing --- Russian book
p0169 A74-19370

Engine condition monitoring - The Alitalia approach
p0180 A74-20825

Hazard function monitoring of airline components
p0181 A74-20967

The Fairchild Industries A-10 - Designed for close air support

SUBJECT INDEX

AIRCRAFT MANEUVERS

- Fluid power for aircraft: Modern hydraulic technology /2nd edition/ p0184 A74-21726
- Semi-Markovian models in problems of designing flight-vehicle control systems --- Russian book p0214 A74-23376
- F-15 performance. II - Simplicity is stressed in F-15 operations, maintenance p0228 A74-24324
- The growing procedural problems of washing mammoth aircraft p0259 A74-25675
- [AIAA PAPER 74-376] p0265 A74-26683
- Advance airborne system for maintenance monitoring [SAE PAPER 730955] p0269 A74-27255
- Reliability and maintainability of jet engines p0316 A74-30347
- Airframe maintenance and corrosion protection p0337 A74-32672
- Aircraft servicing and the network technique. II --- graphically represented sequential ground support routines p0338 A74-33094
- Manual of the aviation engineer --- Russian book p0403 A74-37999
- Improving Mean-Time-Between-Maintenance-Actions - A recommended system approach --- for avionics p0424 A74-38555
- Reliability and maintainability of aircraft jet engines. I p0431 A74-38908
- Surveillance in flight of aircraft systems p0431 A74-39004
- An analysis of vibration diagnostics for helicopter power trains p0432 A74-39198
- Vibration effects on helicopter reliability and maintainability [AD-766307] p0042 A74-10064
- Mod-metric tested for bias [AD-760081] p0054 A74-10904
- The economic efficiency of raising the flying life and reliability of gas-turbine engines [AD-767027] p0065 A74-11601
- Major Item Special Study (MISS), AH-1G 90 degree gearbox --- analysis of helicopter gear box maintenance and reliability [AD-767540] p0106 A74-12731
- Major Item Special Study (MISS), CH-54A main rotor primary servo [AD-767539] p0106 A74-12732
- Major Item Special Study (MISS), AH-1G driveshaft assembly, main transmission to engine [AD-768763] p0163 A74-14780
- Helicopter inspection design requirements [AD-769061] p0163 A74-14781
- Major Item Special Study (MISS), AH-1G mast assembly --- failure analysis of helicopter antenna mast assembly [AD-768764] p0163 A74-14782
- The impact of conversion to the metric measurement system on aircraft maintenance at base level [AD-769186] p0191 A74-15733
- An analysis of the phased inspection system for B-52H aircraft --- analysis of cost reduction by increasing flying hours between inspections [AD-769154] p0194 A74-16695
- Maintainability analysis of major helicopter components --- analysis of man-hour costs for maintaining military helicopters [AD-769941] p0197 A74-16740
- Research and design of a seventy-six (76) foot span aircraft maintenance hanger with quarter shell endwalls [AD-770299] p0200 A74-17001
- Integrated maintenance and readiness data processing for the CASEE simulation model [AD-771416] p0238 A74-17766
- Air mobile technical maintenance unit [AD-771786] p0239 A74-17778
- Major Item Special Study (MISS), AH-1G main transmission assy, universal [AD-772983] p0250 A74-18695
- Analysis of criteria for on-condition maintenance for helicopter transmissions --- numerical analysis of relationship between component operating time and component hazard rate [AD-773024] p0252 A74-18707
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 1: Document deficiency analysis --- deficiencies in military specifications and standards for helicopter hydraulic systems [AD-773022] p0252 A74-18709
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 2: Supplemental design guide --- design requirements related to environmental conditions, reliability, and maintainability programs [AD-773023] p0252 A74-18710
- Investigation and analysis of reliability and maintainability problems associated with Army aircraft engines [AD-772950] p0256 A74-19411
- Major Item Special Study (MISS), CH-47A rotary wing head FWD [AD-773718] p0286 A74-19691
- Nondestructive holographic techniques for structures inspection --- in large aircraft [AD-774758] p0303 A74-21105
- Major Item Special Study (MISS), CH-47A hydraulic servocylinder --- reliability analysis of military helicopter hydraulic system [AD-775449] p0327 A74-21672
- Major Item Special Study (MISS), CH-47A rotary wing blade [AD-776419] p0359 A74-25605
- Interrelated aspects of service safety arising from consideration of safe life, fail-safe, manufacturing quality and maintenance procedures p0366 A74-26461
- A computer model for economic analysis of army aircraft RAM improvement proposals [AD-778751] p0442 A74-29390
- New technologies and maintenance of helicopters p0466 A74-31478
- Major Item Special Study (MISS), OH-6A main rotor hub [AD-781507] p0473 A74-32457
- Major Item Special Study (MISS), OH-6A tail rotor transmission assembly [AD-782926] p0498 A74-34526
- Major Item Special Study (MISS), CH-47A auxiliary power unit (T62-T-2A) [AD-782927] p0499 A74-34552
- ## AIRCRAFT MANEUVERS
- Rolling motion of variable sweep aircrafts. II p0086 A74-15446
- Automatic control aspects of a control-configured aircraft with allowance for maneuver load control [DGLR PAPER 73-121] p0121 A74-17216
- Differential-turning optimality criteria --- for aircraft pursuit/evasion situations [AIAA PAPER 74-23] p0132 A74-18737
- Nonlinear aerodynamics of aircraft in high-angle-of-attack maneuvers [AIAA PAPER 74-85] p0133 A74-18765
- Experience gained from a comparison of spins on wind-tunnel models and on aircraft p0226 A74-25328
- A detailed investigation of flight buffeting response at subsonic and transonic speeds [AIAA PAPER 74-358] p0264 A74-26668
- Inflight thrust and base pressure survey on the A-7 airplane p0345 A74-34840
- Wind tunnel and flight development of the F-14 subsonic/transonic maneuvering configuration [AIAA PAPER 74-618] p0376 A74-35386
- Controls and displays for helicopter IFR operation - Pilot factor considerations [AHS PREPRINT 825] p0384 A74-36584
- Differential-turning tactics --- air-to-air combat [AIAA PAPER 74-815] p0400 A74-37823
- Closed loop analysis of manual flare and landing --- aircraft maneuvers simulation [AIAA PAPER 74-834] p0401 A74-37833
- An analysis of the effects of internally blown jet flaps on an advanced fighter aircraft design [AIAA PAPER 74-970] p0426 A74-38735
- Supercirculation effects induced by vectoring a partial-span rectangular jet --- for fighter aircraft maneuverability [AIAA PAPER 74-971] p0428 A74-38736
- 3-D energy management for supersonic aircraft p0432 A74-39472

AIRCRAFT MODELS

A display of energy-maneuverability performance information for fighter aircraft
[AIAA PAPER 74-814] p0453 A74-41797

In-flight symmetrical maneuvers of a flight vehicle
p0484 A74-46697

Remote control of aircraft and weapon system using a new method --- guidance, navigation, and targeting
[FOA-2-A-2553-B4] p0105 A74-12723

Differential game barriers and their application in air-to-air combat
[AD-766890] p0113 A74-13696

Some observations on manoeuvre stability and longitudinal control
[AHC-B/M-3730] p0250 A74-18690

A numerical study of the effects of aircraft manoeuvres on the focusing of sonic booms
[AD-775095] p0326 A74-21664

Study of stability of large maneuvers of airplanes
[NASA-CR-2447] p0442 A74-29382

Background information and user guide for MIL-S-83691
[AD-780523] p0490 A74-33459

AIRCRAFT MODELS

VTOL recirculation and impingement model testing --- flow fields in ground effect test
[AIAA PAPER 73-1183] p0008 A74-11228

Photographic pyrometry in an aeroballistic range --- aerodynamic model surface temperature measurement
p0030 A74-12752

Decoupling of a class of nonlinear systems and its application to an aircraft control problem
p0127 A74-18139

Helicopter modelling /18th Henson and Stringfellow Lecture/ --- exploratory, development and research models
p0129 A74-18299

Status of testing and modeling techniques for V/STOL aircraft; Proceedings of the Mideast Region Symposium, Essington, Pa., October 26-28, 1972
p0205 A74-22451

Factors in the design and fabrication of powered dynamically similar V/STOL wind tunnel models
p0205 A74-22459

Effect of transient phenomena on the responses of aircraft to gusts and comparison between calculations and experiments
p0223 A74-25308

Buffeting tests with a swept wing in the transonic range
p0223 A74-25310

Progress in the techniques of free flight studies of catapulted models - Application to aircraft response to vertical gusts
p0223 A74-25311

Review of developments in test techniques using free-floating models --- of aircraft
p0223 A74-25317

A wind-tunnel investigation of a B-52 model flutter suppression system
[AIAA PAPER 74-401] p0265 A74-26700

Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities
p0312 A74-29493

Continuing the Aerodyne experimental study
p0318 A74-30597

The Alpha Jet wind tunnel model for aeroelastic investigations
p0318 A74-30599

Light hoverable combat aircraft - Wind tunnel tests
p0319 A74-30600

Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft
p0342 A74-33778

Application of fusible temperature indicators for measuring heat flows to models in wind tunnels
p0383 A74-36458

Tail-rotor thrust on a 5.5-foot helicopter model in ground effect
[AHS PREPRINT 802] p0388 A74-36616

Comparison of Fokker F28 'Fellowship' wind tunnel and flight data - A summary
p0430 A74-38796

Experimental investigation of wing-tip vortex abatement

SUBJECT INDEX

[ICAS PAPER 74-35] p0450 A74-41336

The model mounting arrangements in the high speed wind-tunnel testing
p0478 A74-44635

Presentation and aerodynamic characteristics of aircraft models derived from an optimal disposition of rectangular biplane wings according to studies of Toussaint, Menadovic, and Denis
p0484 A74-46675

Study of Moire measuring techniques for wind tunnel model deformation
[AD-766892] p0063 A74-11298

Navy participation in the development of airframe parameter identification techniques
p0356 A74-25572

Evaluation of a wind tunnel technique to determine aircraft departure characteristics
[AD-776317] p0360 A74-25791

Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap
[NASA-CR-114758] p0412 A74-28479

AIRCRAFT NOISE

NT JET AIRCRAFT NOISE

NT SONIC BOOMS

Air transportation noise technology overview
[AIAA PAPER 73-1152] p0003 A74-10506

Designing for noise and emission control in general aviation
[AIAA PAPER 73-1158] p0003 A74-10509

It's quiet in front --- community reaction to aircraft noise
[AIAA PAPER 73-1159] p0003 A74-10510

Noise, an urgent problem with a slow solution --- aircraft noise reduction in airport vicinity
p0005 A74-11001

Flap noise prediction method for a powered lift system
[AIAA PAPER 73-1028] p0006 A74-11051

Aircraft noise reduction - Alternatives versus cost
p0008 A74-11199

Noise design goals for the next generation of aircraft --- community of STOL aircraft
p0022 A74-11816

The acoustics of aircraft engine-duct systems
[AIAA PAPER 73-1153] p0025 A74-12215

Aircraft noise relief potential at major hub airports
[AIAA PAPER 73-1164] p0026 A74-12217

The effect of inlet-noise suppression on propulsion system design
[AIAA PAPER 73-1294] p0032 A74-12942

Location of aircraft by an acoustic method
p0069 A74-13028

Aircraft noise induced vibration in fifteen residences near Seattle-Tacoma International Airport
p0073 A74-13770

INTER-NOISE 73; Proceedings of the International Conference on Noise Control Engineering, Copenhagen, Denmark, August 22-24, 1973
p0073 A74-13789

Can helicopters be good neighbors --- noise generation and effects
p0073 A74-13795

Non-engine aerodynamic noise - The limit to aircraft noise reduction
p0074 A74-13796

The role of certification in freeing the environment from aircraft noise nuisance
p0074 A74-13797

Electroacoustical performance requirements for aircraft noise certification measurements
p0074 A74-13799

Airport noise monitoring systems --- automatic computerized system
p0074 A74-13800

QTOL-Europlane --- Quiet Takeoff and Landing for short distances
p0077 A74-14361

Noise - The technical aspects --- aircraft operations near airports
p0079 A74-14513

Noise - The social impact --- airport operations
p0080 A74-14514

QTOL and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations

SUBJECT INDEX

AIRCRAFT NOISE COSTD

- Flight noise reduction in propeller-driven aircraft p0089 A74-15862
 Noise burden factor - New way of rating airport noise p0089 A74-15962
 Putting all our noise technology to work --- NASA Quiet Engine Program p0118 A74-16898
 Vertical take-off and landing aircraft p0119 A74-17049
 The German law for protection against the noise of aircraft p0127 A74-18178
 Isolated airfoil - TIP vortex interaction noise p0128 A74-18265
 [AIAA PAPER 74-194] p0134 A74-18831
 Computer prediction of aircraft noise p0137 A74-19051
 Noise problems in airport design and in civil aircraft operation p0171 A74-19476
 Statistical analysis of aircraft noise levels p0173 A74-19638
 Noise characteristics of a turbulent crosswind jet p0177 A74-20281
 Reduction of noise from small turbopropulsion engines [AIAA PAPER 74-59] p0179 A74-20760
 Noise suppressing devices --- Russian book p0180 A74-20904
 On the effect of quieter aircraft engines on noise and number index /NNI/ values p0185 A74-22244
 Rotor aerodynamics and acoustics - The next phase --- helicopter noise at supersonic blade tip speeds p0203 A74-22465
 Parameterization of helicopter rotor broadband noise from experimental data p0206 A74-22469
 Some noise requirements for large subsonic wind-tunnels p0216 A74-22479
 Aircraft noise and sound suppression --- for propeller driven aircraft p0224 A74-24671
 Aircraft acoustics --- Russian book on noise sources and abatement methods p0225 A74-24998
 Aerodynamic problems of the short takeoff and landing aircraft [ONERA, TP NO. 1247] p0226 A74-25062
 Considerations regarding the regulation of aircraft noise p0226 A74-25358
 Helicopter and V/STOL aircraft noise measurement problems [SAE AIR 1286] p0269 A74-27259
 Noise measurements of the jet and piston engines on the Lala-1 experimental airplane p0270 A74-27296
 Noise limit values in the case of aircraft --- under German law [DGLR PAPER 74-015] p0270 A74-27363
 Noise phenomena in the case of helicopter rotors and possibilities for noise reduction [DGLR PAPER 74-024] p0270 A74-27364
 Quieter propellers for general aviation - Present situation, future outlook [DGLR PAPER 74-023] p0271 A74-27366
 Comments concerning noise indices /results of the study of aircraft noise in Munich conducted by the German Research Community are taken into account/ [DGLR PAPER 74-014] p0271 A74-27367
 A quiet propeller for commuter and general aviation aircraft [SAE PAPER 740359] p0308 A74-28736
 The background to propeller airplane noise regulations [SAE PAPER 740361] p0309 A74-28738
 Nozzle geometry and forward velocity effects on noise for CTOL engine-over-the-wing concept p0314 A74-30076
 Effects of discontinuation of nocturnal aircraft noise p0315 A74-30084
 Nonlinear acoustic phenomena in the presence of absorptive liners in circular ducts p0315 A74-30090
 Model study of the propagation of sound from V/STOL aircraft into urban environs p0315 A74-30093
 Microphone requirements for airport noise monitoring p0315 A74-30096
 The effects of aircraft noise in schools around London Airport p0336 A74-32591
 Computation of minimum-noise takeoff flight paths by varying the thrust and the inclination angle of the flight path p0337 A74-32902
 Preliminary measurements of aircraft aerodynamic noise [AIAA PAPER 74-572] p0344 A74-34332
 Sonic inlet technology development and application to STOL propulsion [SAE PAPER 740458] p0349 A74-34981
 Propulsion system sizing for powered lift and mechanical flap quiet aircraft [SAE PAPER 740455] p0349 A74-34983
 Noise - Future targets --- subsonic aircraft noise reduction p0381 A74-36318
 The prediction of rotor rotational noise using measured fluctuating blade loads [AHS PREPRINT 801] p0387 A74-36615
 Can helicopter rotors be designed for low noise and high performance [AHS PREPRINT 803] p0388 A74-36617
 Discrete tones of isolated airfoils p0391 A74-37053
 Minimum noise climbout trajectories of a VTOL aircraft p0392 A74-37284
 The calculation of aerodynamic noise generated by large aircraft at landing approach p0397 A74-37540
 The noise environment of a school classroom due to the operation of utility helicopters p0397 A74-37541
 Aircraft community noise research and development - A historical overview p0397 A74-37545
 Validity of aircraft noise data p0397 A74-37547
 An operational look at the two-segment approach --- for aircraft noise reduction [AIAA PAPER 74-979] p0428 A74-38738
 Powered lift for longer field lengths and longer missions --- for aircraft [SAE PAPER 740502] p0433 A74-39650
 A review of air transport noise p0438 A74-40087
 Noise sources and their control in V/STOL aircraft p0438 A74-40089
 Noise of advanced subsonic air transport systems p0438 A74-40090
 Helicopter noise - Can it be adequately rated --- inadequacy of existing measurement techniques p0438 A74-40092
 Recent developments at the ultimate noise barrier --- aerodynamic noise [ICAS PAPER 74-59] p0451 A74-41358
 Airframe noise - The next aircraft noise barrier [AIAA PAPER 74-949] p0452 A74-41654
 Aerodynamic and acoustic performance of ejectors for engine-under-the-wing concepts [AIAA PAPER 74-950] p0452 A74-41655
 Ejector-powered lift systems for V/STOL aircraft p0483 A74-46237
 Refan program. Phase 1: Summary report [NASA-TN-X-71456] p0040 A74-10043
 Speech intelligibility testing with the modified rhyme test in aviation type noise [AD-765470] p0044 A74-10159
 A feasibility study and preliminary evaluation of the use of a biased glide slope technique for noise abatement approach [FAA-RD-73-153] p0048 A74-10618
 Aircraft noise reduction technology --- to show impact on individuals and communities, component noise sources, and operational procedures to reduce impact [NASA-TN-X-68241] p0055 A74-10917
 Aerodynamic problems of STOL aircraft [NASA-TT-F-15182] p0056 A74-10918

AIRCRAFT PARTS

SUBJECT INDEX

V/STOL noise prediction and reduction
[LG73ER0062] p0056 N74-10921

The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200
[NASA-CR-134503] p0093 N74-11808

Results of the flight noise measurement program using a standard and modified SH-3A helicopter
[NASA-TN-D-7330] p0096 N74-11836

Flight experience with the decelerating noise abatement approach
[NASA-TN-X-56020] p0104 N74-12720

The effect of helicopter noise on communication and hearing
[AD-767222] p0112 N74-13450

Aerodynamic and noise measurements on a quasi-two dimensional augmentor wing model with lobe-type nozzles
[NASA-TN-X-62237] p0140 N74-13719

Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps
[NASA-TN-X-62320] p0141 N74-13720

Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines
[NASA-CR-2338] p0141 N74-13724

Military aircraft and airport noise and opportunities for reduction without inhibition of military missions
[PB-223637/0GA] p0145 N74-13752

A study of the effect of flight density and background noise on V/STOL acceptability --- effective perceived noise level as measure of annoyance
[NASA-CR-2197] p0161 N74-14765

A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas Aircraft
[NASA-CR-114677] p0188 N74-15714

Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft
[NASA-CR-114691] p0189 N74-15716

Reduction of aircraft noise in the vicinity of airports
[NASA-TT-F-15237] p0189 N74-15718

Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration
[NASA-CR-114621] p0235 N74-17751

Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 1: Static testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752

Impact characterization of noise including implications of identifying and achieving levels of cumulative noise exposure
[PB-224408/5GA] p0238 N74-17769

Review and analysis of present and planned FAA noise regulatory actions and their consequences regarding aircraft and airport operations
[PB-224405/1GA] p0238 N74-17770

Noise source abatement technology and cost analysis including retrofitting --- noise control for commercial and general aviation aircraft
[PB-224422/6GA] p0238 N74-17771

Concerning the performance data of a reverberation chamber --- test facility for determining physiological effects of aircraft noise
[NASA-TT-F-15371] p0240 N74-17958

Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft
[NASA-CR-114689] p0249 N74-18685

Noise measurements taken at LAX during operational evaluation of two-segment approaches in a 727-200 aircraft
[NASA-CR-114690] p0249 N74-18686

Legal and institutional analysis of aircraft and airport noise and apportionment of authority between Federal, State, and local governments
[PB-225149/4GA] p0287 N74-19898

Some engine and aircraft design considerations affecting noise --- application to conventional short range aircraft for operation from short and medium length runways
p0291 N74-20421

The influence of noise requirements on STOL aircraft engine design --- analysis of acceptable noise levels for short takeoff aircraft operating in congested areas
p0291 N74-20423

Q-fan propulsion for short haul transports --- application of variable thrust fans for aircraft and engine noise reduction
p0291 N74-20424

The noise environment of a school classroom due to the operation of utility helicopters --- acoustic measurements of helicopter noise during flight over building
[NASA-TN-X-71957] p0296 N74-20659

Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport --- development of noise exposure forecast contours for projected traffic volume and aircraft types
[NASA-TN-X-71953] p0296 N74-20660

Component noise variables of a light observation helicopter
[NASA-CR-114761] p0297 N74-20662

The effect of engine component noise on V/STOL aircraft noise contours
[NASA-CR-114687] p0297 N74-20667

Effects of a traffic noise background on judgements of aircraft noise
[NASA-TN-X-71938] p0304 N74-21308

Supplementary contribution on aircraft performance considerations for noise reduction
p0365 N74-26455

Aircraft noise in urban areas. Measurement and evaluation
[DGLR-PAPER-74-013] p0368 N74-26481

Noise limit values of aircraft
[DGLR-PAPER-74-015] p0368 N74-26482

Noise levels in the CH-113A and CUH-1H helicopter
[DCIEM-73-R-993] p0407 N74-27504

Use of conventional equipment to measure the effective perceived noise level of aircraft
p0411 N74-28399

Noise reducing methods for STOL aircraft approach and takeoff
[NASA-TT-F-15612] p0413 N74-28500

Laboratory for automatic processing of analog signals
p0419 N74-29361

Suppressor nozzle and airframe noise measurements during flyover of a modified F106B aircraft with underwing nacelles
[NASA-TN-X-71578] p0442 N74-29379

Effects of forward velocity and acoustic treatment on inlet fan noise
[NASA-TN-X-71591] p0445 N74-30249

DC-9 noise retrofit feasibility. Volume 1: Lower goal noise, performance and cost evaluation
[AD-776127] p0472 N74-32437

Static performance and noise tests on a thrust reverser for an augmentor wing aircraft
[NASA-CR-137561] p0472 N74-32438

AIRCRAFT PARTS

Further development of the JT15D turbofan --- Remotely Piloted Vehicle applications
[SAE PAPER 730919] p0017 A74-11576

A life study of AISI M-50 and Super Nitralloy spur gears with and without tip relief
[ASME PAPER 73-LUB-38] p0027 A74-12352

The use of ultra high strength titanium alloys in a V/STOL military aircraft application - The H. S. A. Harrier
p0115 A74-16446

Development of cold headable titanium alloys for the 'Concorde' supersonic jet
p0117 A74-16554

Fretting resistant coatings for titanium alloys
p0117 A74-16592

Aircraft components from remelted steels - Design and development
p0125 A74-17887

Nomenclature and abbreviations, flight deck area
[SAE AS 425 B] p0269 A74-27263

Modern landing gear for aircraft --- including combat, STOL, executive and transport aircraft

SUBJECT INDEX

AIRCRAFT PERFORMANCE

- Eddy current inspection - Testing of aircraft parts p0335 A74-31892
p0341 A74-33471
- 0-0-1% - Q. A. by objectives --- helicopter primary part Quality Assurance by audit scheme [AHS PREPRINT 851] p0386 A74-36597
- Evaluation of the friction power in nonisothermal flows of lubricants in clearings of aircraft ball bearings and of their thermal behavior p0481 A74-45467
- Manufacture and properties of titanium and titanium alloys emphasizing their use in aeronautics. Part I: Manufacture and processing --- conference p0064 A74-11336
- Manufacture of titanium and titanium alloy semifinished products --- with application to production of drop-forged aircraft parts p0064 A74-11338
- status and development tendencies of titanium processing --- metallurgical techniques for manufacture of aircraft parts p0064 A74-11339
- Improved circumferential shaft seal for aircraft gear transmissions [NASA-TR-D-7130] p0147 A74-14138
- Changes in flutter results by stiffening some degrees of freedom --- flutter analysis of elastically connected aircraft structures with low masses [TR-195] p0188 A74-15709
- The effects of sand particles on small, intricate mechanical components --- analysis of binding failures caused by sand particles in helicopter circuit breakers [AD-772977] p0253 A74-18718
- Examples of aircraft failure --- photographic examples of typical aircraft component cracking through in service failure p0332 A74-23415
- AIRCRAFT PERFORMANCE**
MT HELICOPTER PERFORMANCE
- Evolution philosophy --- Fokker F28 aircraft p0005 A74-10936
- The technical evolution of aircraft p0006 A74-11092
- The effect of noise constraints on engine cycle optimization for long-haul transports [AIAA PAPER 73-1292] p0011 A74-11298
- Integrated airframe-nozzle performance for designing twin-engine fighters [AIAA PAPER 73-1303] p0011 A74-11302
- The case for hydrogen fueled transport aircraft [AIAA PAPER 73-1323] p0012 A74-11315
- Tupolev 144 and Concorde - The official performances are compared for the first time p0013 A74-11348
- New concepts of visualization for aircraft --- instrument panel display integration p0029 A74-12447
- Performance and noise aspects of supersonic transport p0074 A74-13798
- YF-16 stresses advanced technology --- design of lightweight fighter p0118 A74-16793
- Some results of an experimental study of the Aerodyne concept by Dornier System GmbH [DGLR PAPER 73-069] p0120 A74-17178
- Influence of boundary layer blowing on the low-speed aerodynamic performance of a 45 degree swept-wing airplane [AIAA PAPER 74-269] p0131 A74-18674
- Trimmed drag and maximum flight efficiency of aft tail and canard configurations [AIAA PAPER 74-69] p0134 A74-18813
- F-15 progress report. II --- with emphasis on flight test status and control characteristics p0171 A74-19489
- Longitudinal stability for supersonic transport aircraft p0172 A74-19490
- S-3A initial operational test and evaluation p0172 A74-19496
- Vectored thrust V/STOL shipboard testing p0172 A74-19498
- BD-5 flight test program report p0172 A74-19500
- Art of the Stretch 8. I --- DC 8-63 flight instruments, takeoff performance, minimum control speed p0177 A74-20274
- Explanations and remarks on standards for flight mechanics p0178 A74-20522
- Wind modification over the flight decks of high-speed ships [AIAA PAPER 74-301] p0182 A74-21291
- Aircraft performance measurements in nonsteady flights p0225 A74-24856
- Deutsche Gesellschaft fuer Luft- und Raumfahrt, Yearbook 1972 --- German book p0225 A74-24892
- Technical aspects of the VFW 614 --- short range short takeoff aircraft design and performance p0225 A74-24895
- Why military airplanes cost so much and what can be done about it p0259 A74-25671
- F-15 performance. II - Simplicity is stressed in F-15 operations, maintenance p0259 A74-25675
- F-15 performance. III - New fighter to have ground attack role p0261 A74-26399
- Royal Air Force experience of the Harrier /Second Sir Sydney Camm Lecture/ p0262 A74-26564
- Alpha Jet - A German-French joint venture p0274 A74-27520
- Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft p0277 A74-28286
- Engine sensory requirements for energy management p0278 A74-28311
- Results of measurements of the slight atmospheric pressure increase on the earth surface under an overflying aircraft p0312 A74-29484
- Low speed handling with prototype-Concorde p0320 A74-30819
- XPV-12A V/STOL fighter/attack aircraft p0320 A74-30822
- Aircraft characteristics and air traffic systems p0335 A74-31975
- Ground testing and simulation. I - Key to efficient development of aerospace systems p0335 A74-32321
- Minimum time and minimum fuel flight path sensitivity p0342 A74-33811
- Stall/spin seventy years later --- aircraft performance at high angle of attack p0344 A74-34699
- The use of a navigation platform for performance flight testing p0345 A74-34841
- Performance considerations for terrain following flight p0346 A74-34843
- Energy management display p0346 A74-34844
- Implementation of the uniform flight test analysis system --- aircraft performance computer programs p0347 A74-34855
- Tracking systems for flight development of today's commercial aircraft p0348 A74-34858
- Advanced controls for commercial transport aircraft --- USAF Control Configured Vehicles and NASA Active Control Technology programs [SAE PAPER 740453] p0352 A74-35008
- Transonic Aircraft Technology /TACT/ program [AIAA PAPER 74-620] p0376 A74-35387
- Index of the relative technical perfection level of long-range aircraft jet engines p0390 A74-36791
- An index of the relative level of technical perfection of an airframe p0390 A74-36814
- Sonic boom from an aircraft flying in a quiet atmosphere p0392 A74-37376
- VFW 614, quiet short haul airliner. [AIAA PAPER 74-937] p0426 A74-38713

AIRCRAFT PERFORMANCE CONTD

SUBJECT INDEX

- A broad view of Navy S-3A testing p0426 A74-38716
[AIAA PAPER 74-943]
- Design-to-cost for the A-10 close air support aircraft p0427 A74-38728
[AIAA PAPER 74-963]
- Flight performance of a circulation controlled STOL p0429 A74-38749
[AIAA PAPER 74-994]
- Fighter requirements and developments p0430 A74-38793
- Pollution emission analysis of selected Air Force aircraft p0431 A74-39130
[ASME PAPER 74-ENAS-30]
- Performance bound of an aircraft lateral control system using the microwave scanning beam landing system p0433 A74-39485
- A study of high temperature fuels and lubricants on supersonic aircraft/engine system performance p0433 A74-39648
[SAE PAPER 740473]
- The C-5 weight control program and its influence on structural efficiency p0435 A74-39880
[SAE PAPER 1008]
- A study of the Concorde air intake in yaw p0451 A74-41350
[ICAS PAPER 74-50]
- A display of energy-maneuverability performance information for fighter aircraft p0453 A74-41797
[AIAA PAPER 74-814]
- Advancements in flight test engineering; Proceedings of the Fifth Annual Symposium, Anaheim, Calif., August 7-9, 1974 p0459 A74-43601
- Ejector-powered lift systems for V/STOL aircraft p0483 A74-46237
- Information on the use of data items on rolling moment derivatives of an aeroplane p0035 N74-10005
[ESDU-AIRCRAFT-06.01.00]
- Small V/STOL aircraft analysis. Volume 2: Appendices --- to determine current and future general aviation missions and performance requirements p0040 N74-10045
[NASA-CR-114629]
- Remote lift fan study program, volume 4 p0040 N74-10049
[NASA-CR-121277]
- Motorless flight research, 1972 --- glider design, airframes, and soaring flight developments p0041 N74-10051
[NASA-CR-2315]
- Simulating the system of automatic correction of aircraft coordinates on an analog computer p0042 N74-10058
[AD-765991]
- Research on aircraft dynamics for subsonic flight p0042 N74-10061
[AD-765657]
- Study of small turbofan engines applicable to general-aviation aircraft p0049 N74-10725
[NASA-CR-114630]
- Aerodynamic problems of STOL aircraft p0056 N74-10918
[NASA-TT-P-15182]
- Views regarding the validity of results from simulation testing in comparison with the results from actual flight test p0056 N74-10922
[NASA-TT-P-15172]
- Comparison of simulation and flight testing at automatic STOL landing p0056 N74-10923
[NASA-TT-P-15171]
- STOL tactical aircraft investigation. Volume 1: Configuration definition (medium STOL transport with vectored thrust/mechanical flaps) p0056 N74-10925
[AD-766637]
- STOL tactical aircraft investigation. Volume 2, part 1: Aerodynamic technology (design compendium, vectored thrust/mechanical flaps) p0057 N74-10926
[AD-766639]
- STOL tactical aircraft investigation. Volume 1: Configuration definition p0057 N74-10927
[AD-766941]
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 1: Takeoff and landing ground rules p0057 N74-10928
[AD-766942]
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 2: Takeoff and landing digital computer program p0058 N74-10936
[AD-766943]
- STOL tactical aircraft investigation. Volume 3: Takeoff and landing performance ground rules for powered lift STOL transport aircraft p0058 N74-10938
[AD-766640]
- Motion software for a synergistic six-degree-of-freedom motion base p0060 N74-11096
[NASA-TN-D-7350]
- On the reliability of results from the tower test for free flight tests --- to determine pitching and rolling moments p0095 N74-11827
[NASA-TT-P-15174]
- Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines p0103 N74-12709
[ESDU-73019]
- Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines p0103 N74-12710
[ESDU-73018]
- Low-speed wind tunnel investigation of the lateral-directional characteristics of a large-scale variable wing-sweep fighter model in the high-lift configuration p0103 N74-12714
[NASA-TN-X-62306]
- The effects of an autopilot on airplane responses to turbulence with emphasis on tail loads p0104 N74-12719
[NASA-TN-D-7231]
- Statistical review of counting accelerometer data for Navy and Marine fleet aircraft from 1 January 1962 to July 1973 p0106 N74-12736
[AD-767648]
- Performance characteristics of short haul transport aircraft intended to operate from reduced length runways p0140 N74-13716
[CRANFIELD-AERO-18]
- The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps p0140 N74-13718
[NASA-CR-2320]
- The design and flight evaluation of a performance control system --- general aviation aircraft under VFR conditions p0144 N74-13746
[AD-767786]
- Aerodynamic Drag p0155 N74-14709
[AGARD-CP-124]
- Exhaust system interaction program --- evaluation of exhaust system installation losses and effect on aircraft performance p0159 N74-14747
[AD-769086]
- Calculation and analysis of aircraft motion --- various guidance methods and numerical solution of optimal control theory problems p0159 N74-14751
[NASA-TT-P-757]
- Flight test data for a Cessna Cardinal --- steady state performance and fixed stick dynamic stability characteristics p0159 N74-14752
[NASA-CR-2337]
- Comparison of the flying qualities of the A-7D aircraft with the requirements of MIL-F-8785B ASG p0161 N74-14768
[AD-768390]
- Description of six degree of freedom rigid aircraft mathematical models --- numerical analysis of flight dynamics of high speed aircraft p0187 N74-15702
[WRE-TN-901(WB/D)]
- A nonlinear relay model for post stall oscillations p0187 N74-15706
[AD-769405]
- Design of a powered elevator control system --- powered elevator system for modified C-8A aircraft for STOL operation p0188 N74-15712
[NASA-CR-114727]
- A simplified flight-test method for determining aircraft takeoff performance that includes effects of pilot technique p0195 N74-16717
[NASA-TN-D-7603]
- Computer programs for estimating aircraft takeoff and landing performance --- applied to conventional, vectored lift, and powered-lift concept aircraft p0196 N74-16720
[NASA-TN-X-62333]
- Flight in turbulence --- proceedings of conference on atmospheric turbulence and effects on aircraft operation p0232 N74-17720
[AGARD-CP-140]
- Progress in the mathematical modelling of flight in turbulence --- effects of atmospheric turbulence during approach and landing of aircraft p0232 N74-17725
- Influence of pilot and aircraft characteristics on structural loads in operational flight --- recommendations for improvements in flight instruments to reduce control problems p0233 N74-17728
[AGARD-R-608]
- Data requirements on turbulence in the earth's atmospheric shear layer for STOL design criteria --- development of low altitude gust model for determining importance of gust parameters on STOL aircraft performance

- Experience with a low altitude turbulence model for autoland certification --- correlation of gust model data with statistical analysis of flight test results p0234 N74-17737
- A new approach to gust alleviation of a flexible aircraft using an open loop device --- application to control system of SE-210 aircraft p0234 N74-17738
- Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration p0235 N74-17745
- Improvement of maneuverability at high subsonic speeds --- application of slotted and unslotted leading edge and trailing edge flaps [NASA-CR-114621] p0235 N74-17751
- Climbing performance --- optimum attitude for commercial aircraft [AD-772052] p0236 N74-17757
- Implicit model decoupling approach to VTOL flight control design --- stability during specific types of maneuvers at critically low speeds [RE-469] p0239 N74-17782
- Initial results from flight testing a large, remotely piloted airplane model --- flight tests of remotely controlled scale model of F-15 aircraft [NASA-TN-X-56024] p0245 N74-18644
- Preliminary performance estimates of a highly maneuverable remotely piloted vehicle --- computerized synthesis program to assess effects of vehicle and mission parameters [NASA-TN-D-7551] p0247 N74-18671
- A limited analysis of an F-4C aircraft with a high-gain control augmentation system and comparison with flight test data [AD-772673] p0248 N74-18677
- Aircraft of the future --- evaluation of aerodynamic characteristics and configurations of proposed aircraft designs [NASA-TT-P-15424] p0251 N74-18698
- A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft [NASA-TN-D-74977] p0284 N74-19669
- Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations --- effects of environment on V/STOL aircraft operation [AD-773734] p0284 N74-19676
- Design and development of the gust wind tunnel at the National Aerospace Laboratory [NAL-TN-335] p0287 N74-19891
- Formulating military requirements --- effect of military requirements on technical and design considerations p0289 N74-20404
- The motorization of short take-off and landing aircraft p0289 N74-20405
- Engine cycle selection for commercial STOL aircraft --- effect of aircraft requirements and operational characteristics on engine parameters p0290 N74-20408
- Short haul aircraft adaptation to the use of short landing fields p0290 N74-20411
- Some engine and aircraft design considerations affecting noise --- application to conventional short range aircraft for operation from short and medium length runways p0291 N74-20421
- Problems of V/STOL aircraft connected with the propulsion system as experienced on the Do 31 experimental transport aircraft p0292 N74-20430
- The development and flight testing of the propulsion system of the VAK 191 B V/STOL strike and reconnaissance aircraft p0292 N74-20432
- Technical evaluation report on AGARD Flight Mechanics Panel Symposium on Flight in Turbulence [AGARD-AR-67] p0294 N74-20639
- Aeronautical fuel conservation possibilities for advanced subsonic transports --- application of aeronautical technology for drag and weight reduction [NASA-TN-X-71927] p0295 N74-20654
- The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments [NASA-TT-P-15532] p0297 N74-20668
- Determination of the allowable tolerances for the asymmetries of a free rolling vehicle [TAE-185] p0323 N74-21637
- Validation of new gust design procedures for military transports [AD-775385] p0324 N74-21641
- An investigation of separate surface stability augmentation systems for general aviation aircraft [NASA-CR-138120] p0324 N74-21647
- Optimal controller design for high performance aircraft undergoing large disturbance angles [NASA-CR-138130] p0324 N74-21648
- Sensitivity of transport aircraft performance and economics to advanced technology and cruise Mach number [NASA-TN-X-62336] p0325 N74-21654
- Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane [NASA-TN-D-7463] p0326 N74-21658
- Study of dynamics of X-14B VTOL aircraft [NASA-CR-138185] p0326 N74-21661
- A numerical study of the effects of aircraft maneuvers on the focusing of sonic booms [AD-775095] p0326 N74-21664
- F-14 optimum flight modes, volume 1 [AD-775246] p0326 N74-21665
- Longitudinal motion of an airliner during steep approach [NASA-TT-P-15616] p0355 N74-25564
- Extraction of derivatives from flight data for several aircraft, using the LRC interactive computer system p0356 N74-25574
- A unified approach to aircraft parameter identification --- considering algorithm, control input, and instrumentation system p0357 N74-25584
- A practical scheme for adaptive aircraft flight control systems p0357 N74-25588
- Application of practical optimal control theory to the C-5A load improvement control system (LICS) [AD-776297] p0358 N74-25602
- AGARD flight test instrumentation services. Volume 1: Basic principles of flight test instrumentation engineering --- application to large automated systems for initial flight tests of military and civilian aircraft [AGARDOGRAPH-160-VOL-1] p0360 N74-25933
- The users' requirements p0360 N74-25934
- Preliminary performance appraisal of Navy V/STOL transport and search-type airplanes using hydrogen fuel [NASA-TN-X-71550] p0363 N74-26435
- Prediction methods for aircraft aerodynamic characteristics --- proceedings of conference on methods for predicting aircraft performance [AGARD-LS-67] p0364 N74-26445
- General technical information --- survey of technical data on aircraft performance prediction p0364 N74-26446
- Aerodynamic prediction methods for aircraft at low speeds with mechanical high lift devices p0364 N74-26447
- A review of the low speed aerodynamic characteristics of aircraft with powered lift systems p0364 N74-26448
- Aircraft lift and drag prediction and measurement p0364 N74-26449
- Prediction of supersonic aircraft aerodynamic characteristics p0365 N74-26450
- Appraisal of wing aerodynamic design methods for subsonic flight speed p0365 N74-26451
- External store aerodynamics for aircraft performance prediction p0365 N74-26454
- Supplementary contribution on aircraft performance considerations for noise reduction

AIRCRAFT PILOTS

SUBJECT INDEX

p0365 N74-26455
Flight control problems for steep approaches
[NASA-TT-F-15617] p0406 N74-27493
Flight evaluation of advanced control systems and
displays on a general aviation airplane
[NASA-TN-D-7703] p0407 N74-27499
Determination of the derivatives of longitudinal
motion of an aircraft from flight data by a
model with automatic parameter adjustment
[RAE-LIE-TRANS-1740] p0407 N74-27506
T-38 structural flight loads data for June 1970
through December 1971
[AD-758891] p0408 N74-27507
Effect of canard location and size on canard-wing
interference and aerodynamic center shift
related to maneuvering aircraft at transonic
speeds
[NASA-TN-D-7505] p0411 N74-28474
The flight control system for the Concorde
supersonic civil transport aircraft
[RAE-LIE-TRANS-1615] p0413 N74-28502
Small V/STOL aircraft analysis, volume 1
[NASA-CR-2425] p0413 N74-28504
Assessment of the application of advanced
technologies to subsonic CTOL transport aircraft
[NASA-CR-132461] p0441 N74-29375
Study of stability of large maneuvers of airplanes
[NASA-CR-2447] p0442 N74-29382
B-52 control configured vehicles program
p0464 N74-31452
Autostabilization in VTOL aircraft: Results of
flight trials with SC 1
p0465 N74-31456
Concept CCV and specifications
p0466 N74-31480
Progress in aircraft design since 1903
[NASA-TN-X-70319] p0467 N74-31499
The effect of canard and vertical tails on the
aerodynamic characteristics of a model with a 59
deg sweptback wing at a Mach number of 0.30
[NASA-TN-X-3088] p0469 N74-32412
Preliminary aircraft design --- procedures for
determining aircraft configurations for
accomplishing specific military requirements
[AGARD-LS-65] p0470 N74-32420
Introduction to preliminary aircraft design
p0470 N74-32421
Propulsion/aircraft design matching experience
p0471 N74-32423
Designing for maneuverability: Requirements and
limitations
p0471 N74-32424
Modern engineering methods in aircraft preliminary
design
p0471 N74-32425
Effects of aircraft design on STOL ride quality:
A simulator study
[NASA-CR-140059] p0473 N74-32443
Development of computer programs to determine the
aerodynamic characteristics of complete light
aircraft
[NASA-CR-139690] p0487 N74-33426
Optimal and suboptimal control technique for
aircraft spin recovery
[NASA-TN-D-7714] p0489 N74-33453
Background information and user guide for
MIL-S-83691
[AD-780523] p0490 N74-33459
Takeoff and landing analysis computer program
(TOLA). Part 3: Users manual
[AD-781758] p0490 N74-33461
A study of techniques for real-time, on-line
optimum flight path control. Three dimensional
minimum-time flight paths with two state variables
[AD-782490] p0491 N74-33470
Lost range, fuel and time due to climb and
descent: aircraft with turbo-jet and turbo-fan
engines
[ESDU-74018] p0493 N74-34464
Aircraft range optimization using singular
perturbations
[NASA-CR-140519] p0493 N74-34465
AIRCRAFT PILOTS
The development of third level air services in
France
p0382 A74-36328

AIRCRAFT POWER SOURCES U AIRCRAFT ENGINES

AIRCRAFT PRODUCTION
Simplified assembly of F-15 stressed ---
production time and labor cost reduction
p0003 A74-10546
The cost of a quality product --- jet aircraft
hardware and systems
p0076 A74-13975
Improving aircraft productivity - We all have a
part of the action --- wide body jet production
management
p0076 A74-13976
Make no mistake about it - Air transport
productivity demands a total and dedicated 'team
effort' --- Boeing 747 modification program
p0076 A74-13977
Design and development support for critical
helicopter applications in Ti-6Al-4V alloy
p0115 A74-16448
General Dynamics lightweight fighter --- F-16
aircraft development and production
p0183 A74-21320
The HS.146 - A four-jet feeder-liner
p0184 A74-21727
The development and prospects of helicopters
p0213 A74-23837
Utilization of titanium and its alloys in the
manufacture of helicopters and airplane frames
p0218 A74-23967
MBCA prepares for flight test --- Multi-Role
Combat Aircraft
p0261 A74-26416
The development of the WG-13 --- helicopter
program management, manufacture and flight testing
p0262 A74-26567
Alpha Jet - A German-French joint venture
p0274 A74-27520
Anglo-French collaboration - Concorde and
supersonic transport /26th Louis Bleriot Lecture/
p0274 A74-27591
Improved manufacturing of the F-14A composite
horizontal stabilizer
p0316 A74-30323
Prelude to airworthiness - An outline of quality
assurance in aircraft construction
p0318 A74-30593
Computer-aided design in aircraft industry
p0341 A74-33450
F-14, A-6 assembly woes seen easing
p0348 A74-34929
Weight control and how we look at it
--- in
aircraft design and production
[SAWE PAPER 1004] p0435 A74-39878
MSU Monoplane - A testbed for ultralight vehicle
development
[AIAA PAPER 74-1033] p0455 A74-42047
Use of simulation for the development of Concorde
p0197 N74-16733
Engineering feasibility study of ultrasonic
applications for aircraft manufacture
[AD-774305] p0303 N74-21084
Nondestructive holographic techniques for
structures inspection --- in large aircraft
[AD-774758] p0303 N74-21105
Techniques oriented towards cost reduction --- in
aircraft production
p0305 N74-21613
Research work and costs, the role of data processing
--- in aircraft production
p0305 N74-21617
Impact of technology on cost reduction --- in
aircraft production
p0305 N74-21618
Diffusion welding in aviation technology
[NASA-TT-F-15568] p0328 N74-22138
Preliminary design of civil and military aircraft
at Avions Marcel Dassault-Breguet Aviation
p0471 N74-32422
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0496 N74-34496
AIRCRAFT RELIABILITY
The main rotor bifilar absorber and its effect on
helicopter reliability/maintainability
[SAE PAPER 730894] p0019 A74-11595
Reliability in avionics
p0077 A74-14142

SUBJECT INDEX

AIRCRAFT SAFETY

- Fracture mechanics applications in materials selection, fabrication sequencing and inspection [AIAA PAPER 72-383] p0090 A74-15968
- Aircraft and systems reliability --- relation to overhaul and maintenance p0129 A74-18599
- Reliability and choosing number of prototypes --- in helicopter development program p0181 A74-20938
- Risk analysis - A program management tool --- for environmental problems and aircraft metal fatigue p0182 A74-20987
- Biodegradation of materials used in the construction of utilitarian aircraft p0219 A74-22522
- What do aircraft reliability statistics prove p0275 A74-27674
- Engine condition monitor system to detect foreign object damage and crack development p0279 A74-28320
- A simplified criterion to certify light aircraft for flight in icing conditions p0308 A74-28729
- A digital simulation technique for crashworthy analysis of aircraft seats [SAE PAPER 740371] p0309 A74-28742
- The design of crashworthy general aviation aircraft [SAE PAPER 740376] p0309 A74-28744
- Reliability and maintainability of jet engines p0316 A74-30347
- Prelude to airworthiness - An outline of quality assurance in aircraft construction p0318 A74-30593
- L-1011 Iron Bird uncovers potential hydraulic troubles --- aircraft reliability tests p0319 A74-30625
- Oil filtration in modern aircraft systems p0335 A74-31894
- Survivable flight control system Fly-by-Wire flight testing p0346 A74-34842
- Processing of operational data recorded on flight report cards p0377 A74-35664
- Helicopter reliability testing [AHS PREPRINT 860] p0386 A74-36600
- Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability [AHS PREPRINT 884] p0387 A74-36613
- Manual of the aviation engineer --- Russian book p0403 A74-37999
- Netherlands Association of Aeronautical Engineers, Yearbook 1973 --- Book p0430 A74-38792
- International airworthiness requirements for sailplanes p0430 A74-38794
- Reliability and maintainability of aircraft jet engines. I p0431 A74-38908
- Aircraft avionics environmental control analysis procedures for optimized life cycle cost p0434 A74-39741
- Evaluating and controlling erosion in aircraft turbine engines p0434 A74-39749
- Testing of commercial airplane environmental control systems [SAE ARP 217 B] p0434 A74-39768
- Fail-safe characteristics of built-up sheet structures [ICAS PAPER 74-08] p0448 A74-41310
- Determination of ice shapes and their effect on the aerodynamic characteristics for the unprotected tail of the A 300 [ICAS PAPER 74-42] p0450 A74-41343
- Corrosion on aircraft - Evaluation, examination, and elimination. II p0460 A74-44069
- Reliability efforts in large European programs for military and commercial aircraft development p0483 A74-46292
- Airworthiness Committee tenth meeting [DOC-9065] p0039 A74-10035
- Estimation of an aeronautical equipment mission reliability [AD-766886] p0058 A74-10935
- Fail-safe aircraft structures, volume 1 --- conference [RAE-TR-73183-VOL-1] p0366 A74-26458
- Airworthiness philosophy developed from full-scale testing --- of DC 10 aircraft p0366 A74-26464
- Fail-safe aircraft structures, volume 2 --- conference [RAE-TR-73183-VOL-2] p0367 A74-26468
- Aircraft fatigue and structural integrity in the Royal Air Force from a maintenance engineering viewpoint p0367 A74-26474
- The impact of long service on the fatigue of transport aircraft: Airworthiness aspects p0367 A74-26475
- Fatigue in carbon fibre reinforced plastic structures: A review of the problems p0368 A74-26478
- AIRCRAFT SAFETY**
- Design and evaluation of aircraft pavements - 1971 p0022 A74-11874
- Dynamic test of air data computers with simulated flight profiles p0124 A74-17736
- Vehicle crashworthiness --- rotary wing, fixed wing light and transport aircraft p0124 A74-17776
- The Zele balloons and air safety p0129 A74-18596
- Theory and practice of avionics reliability p0129 A74-18597
- Problems in civil air traffic control which SAW technology may impact --- Surface Acoustic Wave devices p0170 A74-19390
- Realization of a horizontal collision avoidance system p0175 A74-20099
- Zeppelins - Not again --- airship operational hazards p0176 A74-20167
- Safety during automatic landing with poor visibility p0178 A74-20422
- The design application of aircraft securing and traversing systems to the surface effect ship [AIAA PAPER 74-304] p0183 A74-21293
- Calculation and observance of landing parameters for the aircraft IL-62 and their effect on the safety factor p0185 A74-22270
- Economics of air safety and long-range safety research and development; Proceedings of the Twenty-sixth Annual International Air Safety Seminar, Lisbon, Portugal, November 4-7, 1973 p0207 A74-22626
- Aircraft wake turbulence --- safety development for vortex hazards and airport capacity increase p0207 A74-22627
- Recent development in aircraft safety air traffic control and navigation p0208 A74-22628
- New orientations in the study of transport aircraft safety p0208 A74-22633
- Accident prevention by incident analysis p0208 A74-22634
- Violations of system safety principles in the cockpit p0208 A74-22635
- Problems with the aircraft/runway interface p0208 A74-22636
- Impact of microwave landing system on safety p0219 A74-22639
- Plans for intermittent positive control improved beacon and other features of the upgraded third generation system p0219 A74-22678
- Criticism of FAA handling of collision avoidance systems p0220 A74-22681
- Survival and Flight Equipment Association, Annual Symposium, 11th, Phoenix, Ariz., October 7-11, 1973, Proceedings p0210 A74-23526
- Crashworthy Army helicopter crew and troop seating systems p0211 A74-23534

AIRCRAFT SPECIFICATIONS

SUBJECT INDEX

Underwater escape from helicopters --- water actuated lap belts for crew safety p0211 A74-23535

Helicopter safety --- design for catastrophic failure prevention and safe emergency landing p0211 A74-23541

Peripheral vision - A factor for improved instrument design p0218 A74-23542

Summary of fire and explosion manual for aircraft accident investigation p0211 A74-23543

Integrated logistics support and acquisition management /ILS-AM/ panel for aviation-crew systems equipment changes p0222 A74-23549

A new approach to the design of quick release boxes for single point parachute harnesses p0212 A74-23552

Emergency Evacuation and Survival Equipment Deployment for transport aircraft /EESD/ p0214 A74-23554

Recovery system for an advanced performance ejection seat p0214 A74-23555

Air traffic confronted with dangers inherent in the trends of evolution p0228 A74-24896

Wind-tunnel investigations aimed at devising tests of aircraft spin p0223 A74-25316

Light aircraft crash safety program [SAE PAPER 740353] p0308 A74-28733

Escape system concepts need reexamining --- cost factors in aircraft design p0320 A74-30824

The new Douglas 'Minipac' ejection seat p0321 A74-31795

Safe separation in controlled flight p0337 A74-33065

Certification of helicopters for flight in instrument meteorological conditions p0348 A74-34877

Nonflammable fibrous materials for aeronautical systems p0379 A74-35807

Influence of runway traction on operation of jet transport aircraft [AIAA PAPER 74-958] p0427 A74-38724

Reliability and maintainability of aircraft jet engines. I p0431 A74-38908

Concorde and safety - Design, testing and certification p0431 A74-39050

Overall safety objectives for integrated propulsion system p0457 A74-43204

Problems of aircraft takeoff from precipitation-covered runways p0484 A74-46689

Airworthiness Committee tenth meeting [DOC-9065] p0039 A74-10035

High sensitivity 1000F gas multiplication UV flame detector for aircraft [AD-766960] p0063 A74-11296

An investigation of pattern recognition of aircraft attitudes indicator displays [AD-768345] p0147 A74-14126

Application of the collision-imparted velocity method for analyzing the responses of containment and deflector structures to engine rotor fragment impact [NASA-CR-134494] p0194 A74-16592

Aircraft vortex wake descent and decay under real atmospheric effects [AD-771311] p0238 A74-17767

Experimental and data analysis techniques for deducing collision-induced forces from photographic histories of engine rotor fragment impact/interaction with a containment ring [NASA-CR-134548] p0243 A74-18399

Bibliography on safety in aircraft operations (1970-1972) [NAL-BIBL-SER-45] p0353 A74-25547

Interrelated aspects of service safety arising from consideration of safe life, fail-safe, manufacturing quality and maintenance procedures p0366 A74-26461

Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524 [NASA-TM-X-71553-VOL-2-P1-1] p0406 A74-27492

Some results from applying a cost-effectiveness model for evaluating aviation weather dissemination techniques [AD-777441] p0410 A74-28082

Safety during automatic landing with poor visibility [NASA-TT-F-15716] p0410 A74-28101

Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft [NASA-CASE-LAR-10753-1] p0445 A74-30421

AIRCRAFT SPECIFICATIONS

Evolution philosophy --- Fokker F28 aircraft p0005 A74-10936

The new constraints on military aircraft --- cost and maintainability p0226 A74-25357

Flight test applications and analysis of parameter identification techniques p0347 A74-34856

Impact of new MIL-F-9490D requirements on future flight control developments [AIAA PAPER 74-914] p0402 A74-37894

Study of the polar curve of the G-2 aircraft, and summary of model tests carried out in the T-32 wind tunnel p0485 A74-46704

Catapult performance and interface requirements for launch of BQM-34 vehicles [AD-783935] p0499 A74-34686

AIRCRAFT STABILITY

ST. HOVERING STABILITY

Longitudinal response of an aircraft due to a trailing vortex pair p0013 A74-11343

Some conclusions regarding the aeroelastic stability of hingeless helicopter blades in hover and in forward flight p0022 A74-11844

Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane [ASME PAPER 73-WA/AERO-4] p0071 A74-13246

Feedback control of an airplane with time varying gain p0086 A74-15447

Automatic balancing of an aircraft p0124 A74-17804

Flight control --- computerized aircraft guidance p0128 A74-18181

FAA certification of the S-58T helicopter for instrument flight. I p0172 A74-19491

FAA certification of the S-58T helicopter for instrument flight. II p0172 A74-19492

Trailing vortex effects on following aircraft p0174 A74-19778

The influence of non-linear longitudinal aerodynamic characteristics on the power spectral response of aircraft to atmospheric turbulence p0182 A74-21105

Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces p0185 A74-22225

Aerodynamic analysis of various flight conditions of conventional aircraft. IX - Aerodynamic foundations /General Survey/ p0186 A74-22273

Prediction of stability and control characteristics of rotorcraft p0205 A74-22452

Maximum likelihood identification of aircraft stability and control derivatives p0209 A74-23327

Problems of quality of flight of future transport aircraft in course of development p0210 A74-23396

Case studies in Aircraft Parameter Identification p0225 A74-24840

Problems concerning the flying qualities of future transport aircraft p0225 A74-24894

The CCV concept and specifications --- Control Configured Vehicles [ONERA, TP NO. 1282] p0225 A74-25061

SUBJECT INDEX

AIRCRAFT STABILITY CONTD

- Experience gained from a comparison of spins on
wind-tunnel models and on aircraft p0226 A74-25328
- Identification of aircraft stability and control
parameters using hierarchical state estimation p0260 A74-25759
- Influence of the intrinsic motion of the
conveyance on the frequency selection system p0261 A74-26326
- Practical aspects of electrostatic stabilization
--- of aircraft p0261 A74-26411
- Dynamic stability testing of aircraft - Needs
versus capabilities p0262 A74-26477
- Aeroelastic stability of periodic systems with
application to rotor blade flutter [AIAA PAPER 74-417] p0267 A74-26713
- Stall/spin research status report --- of general
aviation aircraft [SAE PAPER 740354] p0308 A74-28734
- Balancing of vibration measurements of a
continuous mechanical system - Application to
the direct measurement of generalized
coordinates of an airplane in flight [ONERA, TP NO. 1378] p0314 A74-29860
- Control of an elastic aircraft p0314 A74-30073
- Stability and control of hingeless rotor
helicopter ground resonance p0343 A74-33813
- Inflight thrust and base pressure survey on the
A-7 airplane p0345 A74-34840
- Calculation of the static stability of aircraft at
large angles of attack p0383 A74-36454
- Helicopter vibration reduction with pendulum
absorbers [AHS PREPRINT 830] p0384 A74-36585
- Aeroelastic-stability characteristics of a V/STOL
tilt-rotor aircraft with hingeless blades -
Correlation of analysis and test [AHS PREPRINT 835] p0385 A74-36590
- Digital computer techniques for engine/airframe
simulation --- for helicopters [AHS PREPRINT 874] p0387 A74-36609
- Estimation of the effect of unsteadiness in
calculating flutter in aircraft with small
aspect ratio wings in an incompressible flow p0389 A74-36646
- Synthesis of an optimal system for stabilizing
aircraft center of gravity paths p0392 A74-37383
- Some approximations to the flapping stability of
helicopter rotors p0393 A74-37486
- Helicopter gust response characteristics including
unsteady aerodynamic stall effects p0394 A74-37490
- Application of antiresonance theory to helicopters
p0394 A74-37491
- Rotor aeroelastic stability coupled with
helicopter body motion p0394 A74-37495
- An application of Floquet theory to prediction of
mechanical instability --- for helicopter with
inoperative blade damper p0395 A74-37496
- Comparison of flight data and analysis for
hingeless rotor regressive inplane mode stability
p0395 A74-37499
- Open and closed loop stability of hingeless rotor
helicopter air and ground resonance p0395 A74-37501
- Transient processes in an aircraft stabilization
system with jet-driven flywheels p0398 A74-37656
- The dynamic behavior of an aircraft encountering
aircraft wake turbulence [AIAA PAPER 74-774] p0399 A74-37799
- Status of design criteria for predicting departure
characteristics and spin susceptibility --- of
aircraft [AIAA PAPER 74-791] p0399 A74-37811
- Design philosophy of a three axis separate surface
stability augmentation system for a small
turboprop airliner [AIAA PAPER 74-860] p0401 A74-37849
- A method for preventing airplane stall/spin ---
aerodynamic spoiler system design [AIAA PAPER 74-863] p0401 A74-37851
- Flight evaluation of a Mach 3 cruise longitudinal
autopilot [AIAA PAPER 74-910] p0402 A74-37890
- Guidelines for selecting the parameters of a slab
tailplane p0422 A74-38150
- Flight test investigation of the sailplane as a
post-stall research vehicle [AIAA PAPER 74-951] p0427 A74-38720
- On-line two-level gust alleviation control system
for aircraft in an unknown environment p0433 A74-39495
- Vibrations and stability of a helicopter with a
two-blade main rotor p0438 A74-40406
- Influence of sloshing in wing tip tanks on the
vibration natural modes of an aircraft [ICAS PAPER 74-15] p0448 A74-41317
- Static aeroelastic effects on the aerodynamics of
the Saab 37 Viggen aircraft, a comparison
between calculations, wind tunnel tests and
flight tests [ICAS PAPER 74-55] p0451 A74-41354
- Stability of the tail surfaces --- relationship to
rudder bending p0453 A74-41770
- An investigation of overall systems criteria for
the longitudinal flying qualities of highly
augmented fighter aircraft [AIAA PAPER 74-833] p0453 A74-41803
- Effect of upper-surface blowing on static
longitudinal stability of a swept wing p0477 A74-44419
- Extremal centering and loading of horizontal tail
surfaces --- aircraft center of gravity position
relationship to lift p0484 A74-46695
- Information on the use of data items on rolling
moment derivatives of an aeroplane [ESDU-AIRCRAFT-06.01.00] p0035 A74-10005
- Simulating the system of automatic correction of
aircraft coordinates on an analog computer [AD-765991] p0042 A74-10058
- Analysis and testing of aeroelastic model
stability augmentation systems --- for
supersonic transport aircraft wing and B-52
aircraft control system [NASA-CR-132345] p0093 A74-11807
- The results of low-speed wind tunnel tests to
investigate the effects of the NASA refan JT8D
engine nacelles on the stability and control
characteristics of the Boeing 727-200 [NASA-CR-134503] p0093 A74-11808
- Analysis and testing of stability augmentation
systems --- for supersonic transport aircraft
wing and B-52 aircraft control system [NASA-CR-132349] p0093 A74-11809
- Study of a control system to alleviate aircraft
response to horizontal and vertical gusts ---
for short takeoff aircraft with vane-controlled
gust-alleviation system [NASA-TB-D-7278] p0095 A74-11825
- On the reliability of results from the tower test
for free flight tests --- to determine pitching
and rolling moments [NASA-TT-F-15174] p0095 A74-11827
- Analysis of aeroelastic model stability
augmentation systems --- for application to
supersonic transport aircraft [NASA-CR-132354] p0095 A74-11829
- Survey on effect of surface winds on aircraft
design and operation and recommendations for
needed wind research [NASA-CR-2360] p0099 A74-12317
- Low-speed wind tunnel investigation of the
lateral-directional characteristics of a
large-scale variable wing-sweep fighter model in
the high-lift configuration [NASA-TB-X-62306] p0103 A74-12714
- Control Configured Vehicle Ride Control (CCV RCS).
B-52 control system analysis, synthesis, and
design [AD-767590] p0142 A74-13728
- A pylon to decrease the effects of external stores
on the stability of aircraft [AD-767913] p0145 A74-13749

- STOL tactical aircraft investigation, externally blown flap, Volume 5, part 3: Stability and control derivative accuracy requirements and effects of augmentation system design [AD-767182] p0146 N74-13757
- A real-time digital program for estimating aircraft stability and control parameters from flight test data by using the maximum likelihood method [NASA-TM-X-2788] p0146 N74-13882
- The problem of installing a modern high bypass engine on a twin jet transport aircraft p0157 N74-14727
- Calculation and analysis of aircraft motion --- various guidance methods and numerical solution of optimal control theory problems [NASA-TT-F-757] p0159 N74-14751
- Flight test data for a Cessna Cardinal --- steady state performance and fixed stick dynamic stability characteristics [NASA-CR-2337] p0159 N74-14752
- A method for measuring the dynamic stability Cyr in a subsonic wind tunnel [RREP-1427] p0187 N74-15701
- An optimal control approach to airplane stability augmentation systems design p0195 N74-16712
- The results of a high-speed wind tunnel test to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727 airplane [NASA-CR-134545] p0196 N74-16726
- Experience with a low altitude turbulence model for autoland certification --- correlation of gust model data with statistical analysis of flight test results p0234 N74-17738
- C.S.A.S. design for good handling in turbulence --- development of design criteria for stability augmentation systems for alleviation of gust effects p0234 N74-17741
- Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence --- analysis of problem areas associated with rigid aircraft controlled by simple autopilot p0234 N74-17742
- The design of automatic flight control systems to reduce the effects of atmospheric disturbances --- flight tests of experimental automatic pilots on BAC-111 aircraft p0234 N74-17743
- Implicit model decoupling approach to VTOL flight control design --- stability during specific types of maneuvers at critically low speeds [BB-469] p0245 N74-18644
- Some observations on manoeuvre stability and longitudinal control [ABC-B/N-3730] p0250 N74-18690
- Development and flight tests of a gyro-less wing leveler and directional autopilot [NASA-TN-D-7460] p0256 N74-19282
- External store effects on the stability of fighter and interceptor airplanes --- application to military aircraft mission requirements [NASA-TN-X-71935] p0296 N74-20658
- Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment [BSRO-TT-8] p0298 N74-20675
- Validation of new gust design procedures for military transports [AD-775385] p0324 N74-21641
- Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap [NASA-TN-D-7411] p0324 N74-21649
- Longitudinal motion of an airliner during steep approach [NASA-TT-F-15616] p0355 N74-25564
- A survey of AFFDL parameter estimation efforts and future plans p0355 N74-25571
- Identification of aircraft stability and control derivatives in the presence of turbulence p0356 N74-25575
- Application of a Kalman filter identification technique to flight data from the X-22A variable stability V/STOL aircraft p0356 N74-25578
- Identification of aircraft stability and control parameters using multilevel, hierarchical estimation p0356 N74-25581
- Parameter estimation using an a posteriori criterion p0357 N74-25582
- Effects of flight instrumentation errors on the estimation of aircraft stability and control derivatives --- including Monte Carlo analysis p0357 N74-25585
- Application of practical optimal control theory to the C-5A load improvement control system (LICS) [AD-776297] p0358 N74-25602
- Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment [RAE-LIB-TRANS-1740] p0407 N74-27506
- Effect of canard location and size on canard-wing interference and aerodynamic center shift related to maneuvering aircraft at transonic speeds [NASA-TN-D-7505] p0411 N74-28474
- Study of stability of large maneuvers of airplanes [NASA-CR-2447] p0442 N74-29382
- Design of a control system to stabilize the aft fuselage of a B-52 bomber in the presence of a random wind gust [AD-779081] p0442 N74-29392
- Lateral-directional stability characteristics of a wing-fuselage configuration at angles of attack up to 44 deg [NASA-TN-X-3087] p0463 N74-31421
- A fly-by-wire flight control system for decoupled manual control p0464 N74-31443
- Autostabilization in VTOL aircraft: Results of flight trials with SC 1 p0465 N74-31456
- Concept CCV and specifications p0466 N74-31480
- Introduction of CCV technology into airplane design p0466 N74-31481
- On the application of theory of Markov processes to the evaluation of state of dynamic systems and to control of aircraft oscillations [NASA-TT-F-15817] p0472 N74-32441
- Turbulence flight director analysis and preliminary simulation [NASA-CR-140487] p0488 N74-33445
- Optimal and suboptimal control technique for aircraft spin recovery [NASA-TN-D-7714] p0489 N74-33453
- Some approximations to the flapping stability of helicopter rotors p0496 N74-34494
- AIRCRAFT STRUCTURES**
- NT AFTERBODIES**
- NT AIRFRAMES**
- NT FUSELAGES**
- NT PLASTIC AIRCRAFT STRUCTURES**
- The next step is straight up --- V/STOL fighter-attack aircraft for minicarriers p0023 A74-12129
- The state of application of composite materials in aeronautics p0072 A74-13364
- Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue p0072 A74-13365
- Problems of stress corrosion in the case of aluminum alloys employed in aerospace technology p0076 A74-14018
- Fracture mechanics aircraft structural design application and related research p0078 A74-14461
- Harmco 5208/T300 - A graphite-epoxy system engineered for high-performance aircraft structures p0082 A74-14732
- Sliding-seal electron-beam welding of titanium p0083 A74-14752
- Laminated metallic structure - An approach to fracture control p0083 A74-14754
- Long range view of materials research for civil transport aircraft

SUBJECT INDEX

AIRCRAFT STRUCTURES CONTD

- Service evaluation of aircraft composite structural components p0083 A74-14756
- The light-weight high-performance YF-17 p0084 A74-14774
- Applications of the high strength alloy Ti-4Al-4Mo-2Sn-0.5Si in European aircraft projects p0089 A74-15953
- Titanium - The bridge to composites --- for light weight/high performance aircraft p0116 A74-16450
- A 300 B static and fatigue tests p0116 A74-16451
- An analytic approximate calculation of the nonlinear landing impact motions and loads on aircraft with both rigid and elastic wing structure [DGLR PAPER 73-078] p0117 A74-16755
- Materials for the new generation of aircraft p0120 A74-17185
- Application of advances in structures and materials to the design of the YF-17 airplane [SAE PAPER 730891] p0122 A74-17374
- The use of fully stressed iteration and structural index in automated structural optimization p0123 A74-17534
- An aircraft exterior coating system and surface pretreatment p0124 A74-17739
- Structural materials of aeronautics and astronautics p0125 A74-17862
- Analytical design of optimal monolithic panels p0128 A74-18190
- On repetitive flutter calculations in structural design p0130 A74-18642
- Airplane nacelle composite structure [AIAA PAPER 74-141] p0133 A74-18789
- A review of some damage tolerance design approaches for aircraft structures p0185 A74-22102
- Biodegradation of materials used in the construction of utilitarian aircraft p0222 A74-22503
- Endurance tests on glasses of transport aircraft p0219 A74-22522
- Advances in aerospace materials-processing technology p0209 A74-22659
- Lockheed S-3A Viking - Structure with carrier suitability characteristics p0218 A74-23255
- Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys p0213 A74-23838
- Diffusion welding of structural components for aeronautics and astronautics p0228 A74-24297
- The use of chromium anodic protection /the BP 4 process/ for the detection of metallurgical anomalies in light alloys p0227 A74-25024
- The application of electron beam welding for major titanium structures p0227 A74-25351
- Aerodynamic/structural interactions in the design of the Concorde nacelle p0227 A74-25363
- Thick ion-vapor-deposited aluminum coatings for irregularly shaped aircraft and spacecraft parts p0226 A74-25364
- Integral methods for the investigation of temperature fields in complex-configuration structure components of aircraft and their engines p0260 A74-25813
- A detailed investigation of flight buffeting response at subsonic and transonic speeds [AIAA PAPER 74-358] p0260 A74-25995
- Developing the 'backbone' of the F-14 --- Ti structures for variable sweep wing center section [AIAA PAPER 74-371] p0264 A74-26668
- New alloys for advanced metallic fighter-wing structures p0265 A74-26678
- Material selection and evaluation for advanced metallic aircraft structures [AIAA PAPER 74-372] p0265 A74-26679
- [AIAA PAPER 74-373] p0265 A74-26680
- A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures [AIAA PAPER 74-415] p0266 A74-26711
- Aircraft on-board equipment for dynamic measurements with piezoelectric sensors p0270 A74-27293
- Influence of the method of hole machining on the fatigue strength of aircraft structural materials p0270 A74-27343
- Adhesively bonded laminated metal structure [SAE PAPER 740259] p0274 A74-27510
- Black-box philosophy in reliability of aircraft structures --- stochastic hypothesis on fatigue damage under random loads p0279 A74-28432
- The stress-endurance fatigue severity index concept - A method of SN data development for aluminum aircraft structures [SAE PAPER 740386] p0310 A74-28750
- A new method of bulkhead analysis in aircraft structures [SAE PAPER 740388] p0310 A74-28752
- Finite element airplane cost analysis [SAE PAPER 740390] p0310 A74-28754
- Potential use of work hardening aluminum alloy X5090 sheet in civil aircraft [SAE PAPER 740398] p0310 A74-28757
- Optimization of complex structures to satisfy static, dynamic and aeroelastic requirements p0318 A74-30453
- Prelude to airworthiness - An outline of quality assurance in aircraft construction p0318 A74-30593
- Random vibration of aircraft undercarriages with nonlinear characteristics p0321 A74-31705
- Airframe maintenance and corrosion protection p0337 A74-32672
- Holographic time-average vibration study of a structure dynamic model of an airplane fin p0340 A74-33179
- Alloys for helicopter rotor-blade spars p0343 A74-34145
- Nondestructive testing of aircraft wheels at Eastern Airlines p0343 A74-34288
- Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen p0343 A74-34290
- Electromagnetic proof stressing of bonded airplane structure p0343 A74-34294
- Glass windshields for wide bodied aircraft p0348 A74-34884
- Aircraft floor panel developments at British Airways /1967-1973/ p0352 A74-35027
- VPW 614 airframe p0375 A74-35357
- Experience gained from statistical testing of fatigue lives of model samples p0377 A74-35666
- An experimental study of box beam wing structures subjected to torsion p0378 A74-35719
- Structural fabrication of metal-matrix composites p0379 A74-35824
- An automated tape layup system /ATLAS/ --- for composite aircraft structures fabrication p0379 A74-35838
- Pyrotechnic pulse generators for in-flight structural tests p0382 A74-36353
- Application of the method of extreme values to the determination of maximum operating loads p0383 A74-36455
- Fabrication of boron-hybrid swashplates [ABS PREPRINT 850] p0386 A74-36596
- Reproduction of interactions between aerodynamic loads and deformation in the strength analysis of structures p0390 A74-36649
- Some problems of the multi-point excitation technique in the experimental study of the vibrations of elastic structures p0390 A74-36803

- Resolution of a conflict between weight and component resistance in an aircraft
p0398 A74-37652
- Effect of the structural elasticity of an aircraft on safety and comfort during flights in a turbulent atmosphere
p0398 A74-37673
- Aircraft structures designed to cost
[AIAA PAPER 74-962] p0427 A74-38727
- Oil canning of metallic panels in thermal-acoustic environments
[AIAA PAPER 74-982] p0428 A74-38740
- Practical design of minimum weight aircraft structures for strength and flutter requirements
[AIAA PAPER 74-986] p0429 A74-38743
- Concorde and safety - Design, testing and certification
p0431 A74-39050
- 'SWEET' - An interdisciplinary approach to a structure weight estimating program
[SAWE PAPER 1016] p0435 A74-39886
- Carbon fibres can be cost-competitive - An example
p0436 A74-39902
- Application of carbon fibers to helicopters
p0436 A74-39910
- Composite structures --- special-purpose computer programs
p0447 A74-41262
- Fail-safe characteristics of built-up sheet structures
[ICAS PAPER 74-08] p0448 A74-41310
- New materials and structures --- for aircraft
[ICAS PAPER 74-21] p0449 A74-41323
- Advanced material applications to subsonic transport aviation
[ICAS PAPER 74-22] p0449 A74-41324
- Differentiation of corrosion damage by the severity of its effects upon the resistance to fatigue and corrosion-fatigue disintegration of aircraft skin elements
p0456 A74-42792
- Minimizing hydrogen pick-up during electroplating of high-strength steels
p0478 A74-44530
- Acoustic-emission detection system
p0478 A74-44928
- Pyrotechnic bonkers for structural tests in flight
[ONERA, TP NO. 1389 E] p0478 A74-44953
- Idealization and determination of the inertial characteristics of the structure of a flight vehicle
p0484 A74-46696
- Review of investigations on aeronautical fatigue in the Federal Republic of Germany, May 1969 - June 1973
[LBF-S-108] p0097 A74-11843
- Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] p0110 A74-13129
- An improved exceedance theory for combined random stresses with application to aircraft gust response
p0152 A74-14569
- Analytical and experimental investigation of aircraft metal structures reinforced with filamentary composites. Phase 3: Major component development
[NASA-CR-2122] p0153 A74-14625
- Optimisation of aircraft structures with multiple stiffness requirements
p0166 A74-15612
- An investigation of cost factors relating to class 4 aircraft modifications
[AD-769195] p0191 A74-15730
- Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] p0193 A74-16249
- Fatigue of spacecraft structures
[ESBO-CR(P)-322] p0194 A74-16597
- In situ non-destructive testing of aircraft structures by holographic interferometry
[RAE-TR-72218] p0197 A74-16734
- Design and fabrication of a boron/aluminum composite wing box test specimen
[AD-770203] p0197 A74-16741
- Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for aircraft applications
[AD-770350] p0201 A74-17278
- Structural representation in aeroelastic calculations --- noting residual flexibility
matrices and use of normal modes
[ARC-R/M-3729] p0257 A74-19563
- Structural fatigue analysis and testing for fighter aircraft
p0282 A74-19655
- Fatigue behaviour of hat section stringer stiffened panels compressed in the post-buckling range
[AD-773672] p0293 A74-20579
- Nondestructive holographic techniques for structures inspection --- in large aircraft
[AD-774758] p0303 A74-21105
- Typical plane strain fracture toughness of aircraft materials
p0332 A74-23443
- Research reports from the Institute for Service Reliability, issue 6
p0332 A74-23491
- Apparatus for the qualification of very low frequency vibration exciters --- replacing aircraft structure excited by turbulence
p0332 A74-23520
- Navy participation in the development of airframe parameter identification techniques
p0356 A74-25572
- Estimation of elastic aircraft parameters using the maximum likelihood method
p0357 A74-25589
- Fail-safe aircraft structures, volume 1 --- conference
[RAE-TR-73183-VOL-1] p0366 A74-26458
- A unified technology plan for fatigue and fracture design
p0366 A74-26465
- Fail-safe aircraft structures, volume 2 --- conference
[RAE-TR-73183-VOL-2] p0367 A74-26468
- Fatigue and fracture considerations in critical titanium components --- for aircraft structures
p0367 A74-26470
- Effect of proof load application on fatigue test results
p0367 A74-26471
- The 747 fail-safe structural verification program
p0367 A74-26473
- Aircraft fatigue and structural integrity in the Royal Air Force from a maintenance engineering viewpoint
p0367 A74-26474
- The impact of long service on the fatigue of transport aircraft: Airworthiness aspects
p0367 A74-26475
- A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft
p0367 A74-26476
- Exploratory investigation of rapid crack propagation and crack arrest --- in aircraft structural alloys
[AD-778822] p0418 A74-29012
- Aircraft Design Integration and Optimization, Volume 1 --- conference on optimal design of aircraft and related systems
[AGARD-CP-147-VOL-1] p0465 A74-31458
- The role of preliminary design in reducing development, production and operational costs of aircraft systems
p0465 A74-31459
- EMP-induced skin currents on aircraft
[UCRL-75426] p0492 A74-33750
- Weapon system costing methodology for aircraft airframes and basic structures. Volume 1: Cost methods research and development
[AD-783639] p0501 A74-35362
- AIRCRAFT SURVIVABILITY**
- Application of damage tolerance technology to advanced metallic fighter wing structure
[AIAA PAPER 74-29] p0132 A74-18738
- The Fairchild Industries A-10 - Designed for close air support
p0184 A74-21726
- Evaluation of damage tolerance in aircraft structures
[AIAA PAPER 74-347] p0263 A74-26661
- Survivable flight control system Fly-by-Wire flight testing
p0346 A74-34842
- The application of fracture mechanics to the design of damage-tolerant components for the

SUBJECT INDEX

AIRFOIL PROFILES

- UTTAS helicopter --- Utility Tactical Transport
Aircraft System
[AHS PREPRINT 882] p0387 A74-36611
- AIRCRAFT TIRES**
Recent studies of tire braking performance --- for
aircraft p0125 A74-17898
- Improvements in airplane stopping performance on
adverse runways p0427 A74-38730
[AIAA PAPER 74-965]
- Aircraft accident report: Overseas National
Airways, Inc., McDonnell Douglas, DC-8-63,
N863F, Bangor, Maine, 20 June 1973 --- takeoff
accident caused by failure of right main landing
gear tire p0235 A74-17748
[NTSB-AAR-74-1]
- Prediction of aircraft ground performance by
evaluation of ground vehicle rut depths p0330 A74-22689
[AD-775744]
- AIRCRAFT WAKES**
NT HELICOPTER WAKES
NT PROPELLER SLIPSTREAMS
Longitudinal response of an aircraft due to a
trailing vortex pair p0013 A74-11343
- Wake turbulence - The invisible killer p0078 A74-14498
- Observations of atmospheric effects on vortex wake
behavior p0090 A74-15963
- On the inviscid rolled-up structure of
lift-generated vortices p0090 A74-15964
- Vortex cases - At a turbulent crossroads ---
aircraft wakes and legal liability for accidents p0126 A74-18097
- Inviscid wake-airfoil interaction on multielement
high lift systems p0127 A74-18143
- A method of calculating aircraft wake velocity
profiles and comparison with full-scale
experimental measurements p0132 A74-18747
[AIAA PAPER 74-39]
- Ingestion and dispersion of engine exhaust
products by trailing vortices for supersonic
flight in the stratosphere p0134 A74-18815
[AIAA PAPER 74-42]
- Trailing vortex effects on following aircraft p0174 A74-19778
- Electromagnetic effects of aircraft wake-active
feuillet interaction p0174 A74-19915
- Vortexes in aircraft wakes --- light aircraft
hazards p0185 A74-22206
- Aircraft wake turbulence --- safety development
for vortex hazards and airport capacity increase p0207 A74-22627
- The stability of a trailing line vortex. I -
Inviscid theory p0337 A74-33049
- Nonlinear prediction of the aerodynamic loads on
lifting surfaces p0338 A74-33103
[AIAA PAPER 74-503]
- Analysis of predicted aircraft wake vortex
transport and comparison with experiment p0339 A74-33105
[AIAA PAPER 74-506]
- Experimental studies of turbulent aircraft wake p0392 A74-37257
- Calculation of initial vortex roll-up in aircraft
wakes p0392 A74-37283
- Hingeless rotor frequency response with unsteady
inflow p0393 A74-37482
- The dynamic behavior of an aircraft encountering
aircraft wake turbulence p0399 A74-37799
[AIAA PAPER 74-774]
- NASA flight research on aircraft wake vortices and
minimization concepts p0427 A74-38721
[AIAA PAPER 74-953]
- Numerical computations of wake vortices behind
lifting surfaces p0449 A74-41330
[ICAS PAPER 74-28]
- Aircraft trailing vortex instabilities p0450 A74-41335
[ICAS PAPER 74-34]
- Turbulent trailing vortex with central jet or wake p0450 A74-41341
[ICAS PAPER 74-40]
- Hot-wire anemometry for in-flight measurement of
aircraft wake vortices p0460 A74-43621
- Influence of flaps and engines on aircraft wake
vortices p0478 A74-44425
- The measurement of the DC-7 trailing vortex system
using the tower fly-by technique p0104 A74-12718
[FAA-BD-73-141]
- Comparison of various methods for calculating
profile drag from pressure measurements in the
near wake at subcritical speeds p0156 A74-14721
- Acoustic scattering from an aircraft trailing vortex p0193 A74-16377
- The detection of aircraft wake vortices ---
development of acoustic and wind pressure
sensors for vortex detection p0233 A74-17731
- Wake Vortex Avoidance System program (WVAS) ---
design and implementation of ground based
monitoring and predictive system for safety from
wake vortices p0233 A74-17732
- Vortex wake research --- inflight investigation of
turbulent wake generated by C-5 aircraft p0233 A74-17733
- Aircraft vortex wake descent and decay under real
atmospheric effects p0238 A74-17767
[AD-771311]
- Use of a pitot-static probe for determining wing
section drag in flight at Mach numbers from 0.5
to approximately 1.0 p0441 A74-29370
[NASA-TM-X-56025]
- Simulation of wake vortices descending in a stably
stratified atmosphere p0499 A74-34715
[AD-783750]
- Analysis of predicted aircraft wake vortex
transport and comparison with experiment.
Volume 1: Wake vortex predictive system study p0499 A74-34716
[AD-783649]
- AIRCRAFTS**
U FLIGHT CREWS
AIRFIELD SURFACE MOVEMENTS
AIRTRANS operational readiness test --- airport
interterminal transportation evaluation p0074 A74-13807
- Airport terminal planning p0079 A74-14508
- Maplin - The operational factors and their
influence on the design of the airport p0079 A74-14511
- Aircraft recovery - There is a solution ---
disabled aircraft removal from airport
operational areas p0089 A74-15865
- AIRFOIL CHARACTERISTICS**
U AIRFOILS
AIRFOIL PROFILES
NT WING PROFILES
NT WING SPAN
Inverting the mapping function --- coefficients
for circle-airfoil transformation function
expansion p0001 A74-10070
- On the flow around the leading edge of a lifting
airfoil p0005 A74-10996
[ONERA, TP NO. 1294]
- Methods of visualization of the leading edge
separation bubble and analysis of results p0005 A74-10997
[ONERA, TP NO. 1295]
- Prevention of transition over a backward step by
suction --- laminar boundary layer control p0013 A74-11339
- Prediction of airfoil shock location in transonic
flow p0013 A74-11342
- Finite element solution of the incompressible flow
over an airfoil in a nonuniform stream p0014 A74-11426
- Distribution of turbulent kinetic energy in the
wake of an airfoil in detached flow p0069 A74-13041
- Manufacture of hollow airfoils for elastic fluid
turbines - Rokor p0072 A74-13303
[ASME PAPER 73-WA/GT-12]
- Reynolds number effects at low speeds on the
maximum lift of two-dimensional aerofoil
sections equipped with mechanical high lift

devices p0075 A74-13842

The assessment of hot corrosion resistance by rig testing - Philosophy and experience p0081 A74-14580

Transonic flow past lifting airfoils p0085 A74-14989

Comparison of surface-vorticity method with surface-source method and with an exact solution for two-dimensional potential flow around two adjacent lifting airfoils p0086 A74-15047

Investigation of the effect of induction damping of vortices in their interaction with a wing p0087 A74-15708

Exact method of designing airfoils with given velocity distribution in incompressible flow p0090 A74-15965

A direct method for computing the steady flow at Mach number one past a given wing airfoil p0118 A74-16963

Calculation of separated flows at subsonic and transonic speeds p0118 A74-16965

A method of designing supercritical lift profiles [DGLR PAPER 73-081] p0120 A74-17187

Characteristics of the wake behind a cascade of airfoils p0123 A74-17495

Wind tunnel dynamic analysis of an oscillating airfoil [AIAA PAPER 74-259] p0130 A74-18666

Unsteady lift forces on highly cambered airfoils moving through a gust [AIAA PAPER 74-88] p0133 A74-18807

Methods for the design and analysis of jet-flapped airfoils p0134 A74-18833

Unsteady viscous flow on oscillating airfoils [AIAA PAPER 74-182] p0179 A74-20774

Transonic flow around symmetric aerofoils at zero incidence p0204 A74-23331

A method of obtaining transonic shock-free flow around lifting aerofoils p0205 A74-24061

Unsteady aerodynamic characteristics of cascades of arbitrary profiles vibrating in the potential flow of an incompressible fluid p0222 A74-24378

Experimental study of the aerodynamic noise of airfoils p0224 A74-25327

Modeling dynamic stall on an oscillating airfoil p0224 A74-25329

Unsteady transonic flow over oscillating circular-arc airfoils [AIAA PAPER 74-360] p0264 A74-26670

A model of two-dimensional, incompressible flow through a cascade of airfoils with allowance for the viscous displacement effect [ASME PAPER 74-GT-126] p0271 A74-27422

Lift and moment prediction for an oscillating airfoil with a moving separation point [ASME PAPER 74-GT-28] p0272 A74-27426

Theoretical solution of high subsonic flow past two-dimensional cascades of airfoils [ASME PAPER 74-GT-91] p0273 A74-27474

Some aspects of airfoil stall in low-speed flow p0275 A74-27844

Inverse transonic flow calculations using experimental pressure distributions p0276 A74-28050

A Fowler flap system for a high-performance general aviation airfoil [SAE PAPER 740365] p0309 A74-28739

Investigation of acoustic effects of leading-edge serrations on airfoils p0317 A74-30392

Flight mechanical analysis of various flight attitudes of conventional aircraft. X - Basic aerodynamic principles /Aerodynamics of the airfoil - Geometry of the airfoil/ p0338 A74-33097

A rapid computer aided transonic airfoil design method [AIAA PAPER 74-501] p0338 A74-33101

Transonic shock-free aerofoil design by an analytic hodograph method

[AIAA PAPER 74-539] p0339 A74-33136

An inviscid analysis of transonic, slatted airfoils [AIAA PAPER 74-541] p0339 A74-33137

Transonic laminar viscous-inviscid interaction over airfoils [AIAA PAPER 74-600] p0340 A74-33177

Low-speed aerodynamic characteristics of a 13.1-percent-thick, high-lift airfoil [SAE PAPER 740366] p0345 A74-34800

A time-saving method for calculating subsonic flows at airfoils p0384 A74-36559

Investigation of the influence of vortex generators on turbulent boundary layer separation p0389 A74-36632

Laminar viscous-inviscid interactions at transonic speeds p0425 A74-38622

High-lift aerodynamics /37th Wright Brothers Lecture/ --- lift limits and economics [AIAA PAPER 74-939] p0426 A74-38714

Aerodynamic design of airfoil sections p0430 A74-38848

Automatic numerical generation of body-fitted curvilinear coordinate system for field containing any number of arbitrary two-dimensional bodies p0432 A74-39286

Study of unsteady flows around a pointed airfoil by conformal transformation p0432 A74-39300

Some aerodynamic design considerations for high bypass ratio fans p0437 A74-39989

The effect of the Mach number on wave-drag optimized fuselages and profiles in the case of supersonic flow p0447 A74-41032

Review of NASA supercritical airfoils [ICAS PAPER 74-10] p0448 A74-41312

Research on the transonic aerofoil sections at the National Aerospace Laboratory, Japan [ICAS PAPER 74-12] p0448 A74-41314

On the design of airfoils for low Reynolds numbers [AIAA PAPER 74-1017] p0454 A74-42038

The quest for high-lift --- airfoil design [AIAA PAPER 74-1018] p0454 A74-42039

A two-dimensional aerofoil with a control surface oscillating at low frequency in high subsonic flow p0456 A74-42694

High lift characteristics of an airfoil placed in a narrow channel p0457 A74-43143

Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade p0482 A74-45927

Transient aerodynamic characteristics of thin curvilinear airfoils in cascade p0482 A74-45928

Free vibrations of dynamically inhomogeneous airfoil cascades in potential flow p0482 A74-45936

Low-speed aerodynamic characteristics of NACA 0012 aerofoil section. Including the effects of upper-surface roughness simulating hoar frost [ARC-R/M-3726] p0231 A74-17709

A suggestion for improving flap effectiveness by heat addition --- with pressure gradient modification near trailing-edge flaps [ARC-CP-1252] p0246 A74-18662

Results of the combined application of boundary layer and profile theory [NASA-TT-F-15416] p0254 A74-18917

Input description for Jameson's three-dimensional transonic airfoil analysis program [NASA-TM-X-71919] p0281 A74-19640

Direct calculation of airfoils from pressure distribution [NASA-TT-F-15417] p0281 A74-19641

The power profile - a new type of airfoil --- airfoil with blunt leading edge and two wall jets near the trailing edge [AD-773655] p0286 A74-19690

Development of a computer program to obtain ordinates for NACA-6 and 6A-series airfoils [NASA-TM-X-3069] p0487 A74-33431

AIRFOIL SECTIONS
U AIRFOIL PROFILES

SUBJECT INDEX

AIRFOILS

AIRFOIL THICKNESS
U AIRFOIL PROFILES
AIRFOILS

NT AERIAL RUDDERS
 NT ALLEBONS
 NT ARROW WINGS
 NT CAMBERED WINGS
 NT CABBET WINGS
 NT DELTA WINGS
 NT ELEVATORS (CONTROL SURFACES)
 NT EXTERNALLY BLOWN FLAPS
 NT FIXED WINGS
 NT FLAPS (CONTROL SURFACES)
 NT FLEXIBLE WINGS
 NT HORIZONTAL TAIL SURFACES
 NT INFINITE SPAN WINGS
 NT JET FLAPS
 NT LEADING EDGE SLATS
 NT LIFTING ROTORS
 NT LOW ASPECT RATIO WINGS
 NT OBLIQUE WINGS
 NT PARAWINGS
 NT PROPELLER BLADES
 NT RECTANGULAR WINGS
 NT RIGID ROTORS
 NT RING WINGS
 NT ROTARY WINGS
 NT SLENDER WINGS
 NT SPLIT FLAPS
 NT SPOILERS
 NT SUPERCRITICAL WINGS
 NT SUPERSONIC AIRFOILS
 NT SWEEP WINGS
 NT SWEEPBACK WINGS
 NT THIN AIRFOILS
 NT THIN WINGS
 NT TILTING ROTORS
 NT TRAILING-EDGE FLAPS
 NT TRAPEZOIDAL WINGS
 NT TWISTED WINGS
 NT UNCAMBERED WINGS
 NT VARIABLE SWEEP WINGS
 NT WING FLAPS
 NT WINGS
 Airfoil design for high tip speed compressors ---
 fan technology
 [AIAA PAPER 73-1248] p0009 A74-11269
 Suitability of the finite element method for
 analysis of unsteady flow around oscillating
 airfoils p0014 A74-11439
 New airfoil sections for general aviation aircraft
 --- cruising and flap development tests
 [SAE PAPER 730876] p0019 A74-11606
 Scattering by a conducting aerofoil ---
 electromagnetic radiation p0023 A74-11908
 Flow noise spectra from cylinders and aerofoils
 p0023 A74-12127
 Experimental study on the characteristics of an
 isolated swept-back aerofoil with two parallel
 side-walls p0069 A74-12971
 Calculation of aerodynamic characteristics of
 bodies with relatively large trailing sections
 p0087 A74-15575
 Nonlinear airfoil theory with allowance for ground
 effects --- for aerodynamic interference
 problems solution p0121 A74-17270
 Integral equation method for calculation of
 subsonic flow past airfoils in a ventilated wind
 tunnel - Comparison with NAE high Reynolds
 number measurements p0133 A74-18764
 [AIAA PAPER 74-83]
 Isolated airfoil - TIP vortex interaction noise
 [AIAA PAPER 74-194] p0134 A74-18831
 Analysis of flow-reversal delay for a pitching
 airfoil p0134 A74-18835
 [AIAA PAPER 74-183]
 The high subsonic flow around a two-dimensional
 aerofoil with a trailing edge control surface
 p0182 A74-21104
 The calculation of subsonic and transonic
 turbulent boundary layers on an infinite yawed
 airfoil p0344 A74-34320
 [AIAA PAPER 74-557]
 Discrete tones of isolated airfoils p0391 A74-37053

Dynamic stall modeling and correlation with
 experimental data on airfoils and rotors p0393 A74-37483
 Analysis of moving body problems in aerodynamics
 p0432 A74-39346
 Viscous effects in transonic flow past airfoils
 [ICAS PAPER 74-19] p0448 A74-41321
 Experimental study of viscous flow on multiple
 element airfoils p0451 A74-41346
 [ICAS PAPER 74-46]
 The use of gliders for airfoil section research
 and development p0454 A74-42034
 [AIAA PAPER 74-1008]
 Iterative solution of transonic flows over
 airfoils and wings, including flows at Mach 1 p0459 A74-43451
 Unsteady lift and radiated sound from a wake
 cutting airfoil p0477 A74-44405
 The effects of leading-edge serrations on reducing
 flow unsteadiness about airfoils, an
 experimental and analytical investigation
 [NASA-CR-2344] p0036 N74-10019
 Two-dimensional wind tunnel test on a
 variable-camber airfoil with distributed suction
 boundary-layer control p0038 N74-10033
 [AD-766304]
 Aerodynamic sound generation due to
 vortex-aerofoil interaction p0093 N74-11804
 Calculation of flows around zero thickness wings
 with evolutive vortex sheets p0094 N74-11815
 [NASA-TT-F-15183]
 Low speed aerodynamic characteristics of a 17
 percent thick airfoil section designed for
 general aviation applications p0094 N74-11821
 [NASA-TN-D-7428]
 Aerofoils having a specified form of upper-surface
 pressure distributions: Details and comments on
 design p0102 N74-12703
 [ESDU-71020]
 Reynolds number effects at low speeds on the
 maximum lift of two-dimensional aerofoil
 sections equipped with mechanical high lift
 devices p0113 N74-13674
 Transonic single-mode flutter and buffet of a low
 aspect ratio wing having a subsonic airfoil shape
 [NASA-TN-D-7346] p0153 N74-14631
 Profile drag at the drag-rise condition of
 aerofoils having a specified form of
 upper-surface pressure distribution at this
 condition p0154 N74-14701
 [ESDU-67011]
 An experimental analysis and buffet investigation
 of the shockless lifting airfoil no. 1 p0155 N74-14708
 [NRC-13673]
 Remarks on methods for predicting viscous drag ---
 aerodynamic drag prediction for high angles of
 attack and multielement airfoils p0156 N74-14718
 Transonic drag due to lift of planar jet-flapped
 airfoils p0156 N74-14720
 A prediction model for wake related sound
 generation by single airfoils and subsonic rotors p0187 N74-15700
 Numerical calculations of velocity and pressure
 distribution around oscillating airfoils p0194 N74-16704
 [NASA-CR-2368]
 Calculation of the displacement effect in
 two-dimensional subsonic attached flow around
 aerofoils. Examples of calculations using
 measured displacement thicknesses p0195 N74-16707
 [NLR-TR-72116-U]
 Investigation of nonlinear inviscid and viscous
 flow effects in the analysis of dynamic stall
 --- air flow and chordwise pressure distribution
 on airfoil below stall condition p0245 N74-18646
 [NASA-CR-2335]
 NPL 9615 and NACA 0012: A comparison of
 aerodynamic data --- from two airfoils p0247 N74-18666
 [ARC-CP-1261]
 Aerodynamic characteristics of NPL 9626 and NPL
 9627, further aerofoils designed for helicopter
 rotor use p0247 N74-18666
 [ARC-CP-1262]
 An experimental analysis and buffet investigation
 of the shockless lifting airfoil no. 1 ---

AIRFRAME MATERIALS

SUBJECT INDEX

aerodynamic characteristics of off-design configurations at several Mach numbers
[AD-772727] p0247 N74-18668

Finite element analysis of the flow through a cascade of aerofoils
[CURD/A-TURBO/TR-A5] p0255 N74-18920

The separating turbulent boundary layer: an experimental study of an airfoil type
[AD-771170/8GA] p0255 N74-18939

The separating turbulent boundary layer: An experimental study of an airfoil type flow
p0281 N74-19637

An experimental study of the effect of a low speed external flow on a coanda effect flap
[AD-774393] p0300 N74-20684

Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps --- low turbulence pressure tunnel tests to determine two dimensional lift and pitching moment characteristics
[NASA-TN-X-2623] p0323 N74-21634

On the use of thick-airfoil theory to design airfoil families in which thickness and lift are varied independently
[NASA-TN-D-7579] p0323 N74-21635

Analytical studies of two-element airfoil systems
[AD-775538] p0324 N74-21645

Aerodynamics of airfoils
[JPRS-62363] p0405 N74-27471

Motion of an airfoil with variable distance from a barrier
p0405 N74-27472

Longitudinal static stability of vehicles with two lifting wings
p0405 N74-27473

Motion of vehicle with lifting airfoils over rippled water surface
[JPRS-62337] p0405 N74-27478

Single wing supersonic aircraft --- with pivotal attachment of airfoil
[NASA-CASE-ARC-10470-3] p0445 N74-30414

A streamline curvature method for design of supercritical and subcritical airfoils
[NASA-TN-D-7770] p0470 N74-32416

Calculation of unsteady transonic aerodynamics for oscillating wings with thickness (computer program)
[NASA-CR-132477] p0487 N74-33427

A modified Theodorsen epsilon-function airfoil design procedure
[NASA-TN-D-7741] p0487 N74-33428

Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow
[NASA-TN-X-3060] p0487 N74-33430

Dynamic stall modeling and correlation with experimental data on airfoils and rotors
p0495 N74-34491

An approximate solution of unsteady transonic flow problems --- unsteady pressures on thin two-dimensional airfoil pitching and plunging
[AD-783621] p0500 N74-34718

AIRFRAME MATERIALS

Commercial aircraft --- weight reduction by composite materials
p0002 A74-10495

A corrosion inhibiting coating for structural airframe fasteners
[SAE PAPER 730902] p0018 A74-11588

Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter
[SAE PAPER 730888] p0019 A74-11600

The use of ultra high strength titanium alloys in a V/STOL military aircraft application - The H. S. A. Barrier
p0115 A74-16446

Effects of Ti-6Al-4V alloy metallurgical structures on ultrasonic response characteristics
p0116 A74-16477

Ultrasonic inspection of titanium airframe components
p0116 A74-16479

High cycle fatigue properties of titanium in aircraft application
p0116 A74-16513

Deep hardenable titanium alloys for large airframe elements
p0117 A74-16559

Application of advances in structures and materials to the design of the YF-17 airplane
[SAE PAPER 730891] p0123 A74-17534

Structural materials of aeronautics and astronautics
p0128 A74-18190

Experimental study of metal-plastic couplings in tension
p0130 A74-18648

Long range view of materials research for civil transport aircraft
p0176 A74-20210

Advanced composites --- in aerospace structural design
[AIAA PAPER 74-242] p0180 A74-20834

Utilization of titanium and its alloys in the manufacture of helicopters and airplane frames
p0218 A74-23967

Application of advanced structures and materials to transport aircraft fuselages
[AIAA PAPER 74-340] p0263 A74-26655

Aircraft applications for electroless nickel plate
[SAE PAPER 740399] p0310 A74-28758

Structural fabrication of metal-matrix composites
p0379 A74-35824

Application of advanced composites to helicopter airframe structures --- CH-53 D materials
[AHS PREPRINT 880] p0387 A74-36610

Costs and benefits of composite material applications to a civil STOL aircraft
[AIAA PAPER 74-964] p0427 A74-38729

New materials and structures --- for aircraft
[ICAS PAPER 74-21] p0449 A74-41323

Advanced material applications to subsonic transport aviation
[ICAS PAPER 74-22] p0449 A74-41324

Titanium structural brazing
p0480 A74-45260

Materials for aerospace current research and development
[D-HAT-194] p0303 N74-21139

Examples of aircraft failure --- photographic examples of typical aircraft component cracking through in service failure
p0332 N74-23415

AIRFRAMES

Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane
[ASME PAPER 73-WA/AERO-4] p0071 A74-13246

Flat rolled beta titanium alloys for airframe application
p0116 A74-16449

Titanium flamecutting reduces airframe costs
p0118 A74-16760

Control of an elastic aircraft
p0128 A74-18271

An algorithm for rational selection of the parameters of nonlinearly deforming thin-walled framework elements
p0130 A74-18645

Plan for developing structural criteria for composite airframes
p0181 A74-20945

Restoration in the laboratory of the effects of kinetic heating on the structure of the Concorde aircraft
p0216 A74-22670

Some aerodynamic problems raised by the airship
[ONERA, TP NO. 1312] p0222 A74-24314

Confidence assessment of military airframe cost predictions --- for cost overrun elimination
p0267 A74-26874

Airframe maintenance and corrosion protection
p0337 A74-32672

Flight test applications and analysis of parameter identification techniques
p0347 A74-34856

Cooperative airframe/propulsion control for supersonic cruise aircraft
[SAE PAPER 740478] p0351 A74-34998

Digital computer techniques for engine/airframe simulation --- for helicopters
[AHS PREPRINT 874] p0387 A74-36609

An index of the relative level of technical perfection of an airframe
p0390 A74-36814

Coupled rotor/airframe vibration prediction methods
p0394 A74-37489

- Engine/airframe interface dynamics experience ---
for helicopters p0396 A74-37506
- Airframe noise - The next aircraft noise barrier
[AIAA PAPER 74-949] p0452 A74-41654
- Test plan report for catapult fatigue. Test of
the model E-2 A/B airplane p0042 A74-10059
- Symmetrical eigen forms of the vibrations of a
supporting surface and of an elastic fuselage
[AD-756285] p0043 A74-10067
- Nonlinear crack analysis with finite elements ---
for application to airframes p0067 A74-11722
- Fatigue-test acceleration with flight-by-flight
loading and heating to simulate
supersonic-transport operation
[NASA-TN-D-7380] p0099 A74-12261
- Study of structural criteria for composite
airframes. Volume 3: Bibliography --- with
emphasis on characteristics of filamentary
composites p0105 A74-12726
- Development and evaluation of methods of plane
stress fracture analysis. Part 1: Review and
evaluation of structural residual strength
prediction techniques p0110 A74-13262
- Evaluation of APC 77 martensitic stainless steel
for airframe structural applications p0110 A74-13263
- Development of self-contained portable unit for
nondestructive compositional analysis of
aircraft and space systems alloys --- X ray
fluorescence analysis p0110 A74-13265
- Study of structural criteria for composite
airframes. Volume 1: Evaluation p0147 A74-14238
- Study of structural criteria for composite
airframes. Volume 2: Current/criteria/selected
rationale review and evaluation p0147 A74-14239
- Structural analysis of light aircraft using NASTRAN
p0153 A74-14594
- Static and dynamic helicopter airframe analysis
with NASTRAN p0153 A74-14616
- NASTRAN data generation of helicopter fuselages
using interactive graphics --- preprocessor
system for finite element analysis using IBM
computer p0153 A74-14621
- Similarity parameters and their sensitivity for
transonic airframe exhaust nozzle interactions
[AD-768988] p0159 A74-14746
- Helicopter inspection design requirements
[AD-769061] p0163 A74-14781
- Changes in flutter results by stiffening some
degrees of freedom --- flutter analysis of
elastically connected aircraft structures with
low masses p0188 A74-15709
- Design guide for the use of structural shapes in
aircraft applications. Part 1: Selection
criteria for structural shapes and tubing. Part
2: Manufacturing methods for structural shapes
and tubing p0190 A74-15723
- Design parameters for torsion of sandwich strips
having trapezoidal, rectangular, and triangular
cross sections p0244 A74-18549
- Study of advanced structural concepts for fuselage
--- fiber reinforced composite materials for
helicopter tail section p0250 A74-18696
- CH-53 A flexible frame vibration analysis/test
correlation p0252 A74-18711
- Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for airframe applications p0255 A74-19184
- Acoustic fatigue design data, part 3 --- design
criteria for aircraft structural elements to
reduce effects of acoustic stress p0257 A74-19550
- Service evaluation of aircraft composite
structural components p0284 A74-19667
- Investigation of advanced structural concepts for
fuselage --- application of fiber reinforced
composite materials to fuselage structures
[AD-773597] p0285 A74-19684
- Addition of an arbitrary body analysis capability
to the Boeing TEA 236 finite element computer
program p0301 A74-20694
- Engineering feasibility study of ultrasonic
applications for aircraft manufacture
[AD-774305] p0303 A74-21084
- Development of engineering data on thick-section
electron beam welded titanium p0303 A74-21151
- Cumulative fatigue damage theory and models
[AD-774529] p0304 A74-21569
- The reduction of airframe costs with particular
reference to combat aircraft p0305 A74-21615
- The flow over a porous body: A singular
perturbation problem with two parameters ---
development of method for predicting skin
friction and heat transfer characteristics of
aircraft surfaces p0324 A74-21644
- Hook bounce test of the C-2A airplane arresting
gear A frame p0328 A74-21902
- Hook bounce test of the E-2A airplane arresting
gear A frame p0328 A74-21903
- Diffusion welding in aviation technology
[NASA-TT-P-15568] p0328 A74-22138
- Fracture mechanics of aircraft structures ---
proceedings of conference on structural
characteristics of aircraft components p0331 A74-23413
- Spectrum of loading of aircraft --- diagrams of
typical flight-load profiles for tactical and
transport aircraft p0332 A74-23414
- Examples of aircraft failure --- photographic
examples of typical aircraft component cracking
through in service failure p0332 A74-23415
- The strength and rigidity of structures at high
aircraft velocities p0359 A74-25610
- The Lockheed L-1011 Tristar fatigue and fail-safe
development program p0366 A74-26462
- Limit criteria for low cost airframe concepts
[AD-777572] p0369 A74-26489
- On the use of branch modes for the calculation of
helicopter structural dynamic characteristics
[NASA-TT-P-15713] p0407 A74-27503
- A new type of sail plane p0472 A74-32440
- Advanced metallic structures: Air superiority
fighter wing design for improved cost weight and
integrity. Volume 2: Criteria sensitivity study
[AD-781811] p0473 A74-32451
- Advanced metallic structure: Cargo fuselage
design for improved cost, weight, and integrity
[AD-781814] p0473 A74-32456
- Advanced metallic structure: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 3: Materials test program
[AD-781812] p0490 A74-33460
- Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 2: Design data
[AD-781807] p0490 A74-33462
- Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 3: Stress, fatigue and
fracture, cost and material data p0490 A74-33463
- Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 4: Baseline damage
tolerance evaluation p0490 A74-33464
- Structural dynamic response of AH-1G wing with
XM35 weapon [AD-781973] p0491 A74-33468

AIRLINE OPERATIONS

SUBJECT INDEX

Engine/airframe interface dynamics experience
p0497 A74-34514

Weapon system costing methodology for aircraft
airframes and basic structures. Volume 1: Cost
methods research and development
[AD-783639] p0501 A74-35362

AIRLINE OPERATIONS

The technology and economics of commercial
airplane design. I p0001 A74-10144

Advantages of aircraft system maturity ---
profitability p0018 A74-11585
[SAE PAPER 730907]

Maintainability concepts used in the design and
operation of Douglas commercial jet aircraft
[SAE PAPER 730881] p0019 A74-11603

Jet engine emissions --- commercial aviation air
pollution near airports p0073 A74-13730

What's wrong with airline earnings --- operating
costs vs consumer spending habits p0075 A74-13973

What keeps wide body jets down on the ground ---
mechanical/operational breakdown problems p0075 A74-13974

Make no mistake about it - Air transport
productivity demands a total and dedicated 'team
effort' --- Boeing 747 modification program p0076 A74-13977

Conventional take-off and landing --- Tristar
aircraft operations and traffic trends p0078 A74-14503

Changes in the European air transport pattern p0079 A74-14507

Dynamic Manchester air transport region ---
passenger and cargo handling facilities, runway
modifications p0089 A74-15863

L-1011 upkeep [SAE PAPER 730883] p0123 A74-17532

Development of requirements for, and evaluation
of, manufacturer advanced design aircraft
[SAE PAPER 730948] p0124 A74-17541

Skyjacking and airport security p0127 A74-18100

The fuel crisis and the controller --- turbojet
aircraft descent trajectories for fuel
consumption reduction p0173 A74-19726

A look at the British ATC scene. II --- primary
and secondary radar systems development p0173 A74-19727

The airship can meet the energy challenge p0176 A74-20166

Engine condition monitoring - The Alitalia approach p0180 A74-20825

Aircraft life cycle profitability - The operator's
challenge [AIAA PAPER 74-281] p0180 A74-20837

Simulation of dispatch reliability for a fleet of
large commercial aircraft p0181 A74-20952

Hazard function monitoring of airline components p0181 A74-20967

International airline views on the United States'
plans for the upgraded third generation system
--- ATC technology assessment p0220 A74-22685

International user charges and their effect on the
implementation of ATC, navigation, and
communication systems p0222 A74-22687

Airline airplanes for the eighties - A response
--- emphasizing system efficiency and fuel savings p0222 A74-23464

Obsolescence of commercial aircraft - When, where,
how p0222 A74-23878

Technology of passenger clearance in air
transportation using various clearance methods p0269 A74-27211

Advance airborne system for maintenance monitoring
[SAE PAPER 730955] p0269 A74-27255

Use of containers and pallets in air cargo transport p0270 A74-27295

What do aircraft reliability statistics prove p0275 A74-27674

Fully automatic LORAN C for commercial airlines p0316 A74-30356

Computation of minimum-noise takeoff flight paths
by varying the thrust and the inclination angle
of the flight path p0337 A74-32902

Aircraft servicing and the network technique. II
--- graphically represented sequential ground
support routines p0338 A74-33094

A proposed pricing procedure for domestic airlines p0340 A74-33298

New design and operating techniques for improved
terminal area compatibility [SAE PAPER 740454] p0349 A74-34982

Concorde - Testing the market --- passenger
utilization prognosis p0377 A74-35632

Those Concorde economics again p0378 A74-35668

Precious resources and air transport - An airline
view --- fuel price increase effects p0382 A74-36322

Symposium on Air Transport in Europe, London,
England, January 16, 1974, Proceedings p0382 A74-36326

Air transport in Europe - Commercial trends and
prospects p0382 A74-36327

The development of third level air services in
France p0382 A74-36328

Air transport. Volume 3 --- Russian book on
passenger airline operations p0421 A74-38049

Influence of runway traction on operation of jet
transport aircraft [AIAA PAPER 74-958] p0427 A74-38724

Automation and flight management in commercial
aviation p0433 A74-39499

Feederliner engine installation - Trends and
problems p0436 A74-39968

Potential conflict prediction and associated
functions for oceanic air traffic control
automation [AD-767453] p0112 A74-13427

United States Department of Transportation
research program for high altitude pollution p0148 A74-14273

Aircraft accident reports: Brief format,
supplemental issue, 1972 accidents [NTSB-BA-73-10] p0196 A74-16722

The potential for energy conservation in
commercial air transport [R-1360-MSP] p0244 A74-18606

Effectiveness evaluation of STOL transport
operations (phase 2) --- computer simulation
program of commercial short haul aircraft
operations [NASA-CR-137481] p0326 A74-21660

The weight, economic and noise penalties of short
haul transport aircraft resulting from the
reduction of balanced field length [CRANFIELD-ABRO-24] p0330 A74-22672

Local service air carriers' unit costs. Volume 2:
Unit costs, computations and historical data,
year ended 30 September 1973 p0371 A74-27436

An economic assessment of STOL aircraft potential
including terminal area environmental
considerations, volume 1 [NASA-CR-2424] p0406 A74-27497

Conceptual design studies of a V/STOL civil lift
fan transport including effect of size and fan
pressure ratio [NASA-CR-2426] p0406 A74-27498

An analysis of the impact of cabin floor angle
restrictions on L/D for a typical supersonic
transport [NASA-CR-132508] p0494 A74-34469

AIRPLANE PRODUCTION COSTS

The technology and economics of commercial
airplane design. II p0001 A74-10145

Advanced composite F-5 fuselage component ---
design, tooling, fabrication and assembly
flexibilities p0084 A74-14763

- B-1 cost/weight trade methodology p0115 A74-16447
- Long range view of materials research for civil transport aircraft p0176 A74-20210
- The Aeritalia-Lockheed agreement - The package also includes the Lancer --- G-222 and F-104 military aircraft marketing p0213 A74-23877
- The new constraints on military aircraft --- cost and maintainability p0226 A74-25357
- Why military airplanes cost so much and what can be done about it p0259 A74-25671
- Confidence assessment of military airframe cost predictions --- for cost overrun elimination p0267 A74-26874
- The influence of engine technology advancements on aircraft economics [SAE PAPER 730960] p0269 A74-27256
- F-14, A-6 assembly woes seen easing p0348 A74-34929
- Improved cost effectiveness of helicopters through a two-point design criterion [AHS PREPRINT 811] p0388 A74-36620
- AIRPORT BEACONS**
- Modern beaconing in airports for bad weather flights [NASA-TT-P-15178] p0065 A74-11433
- AIRPORT LIGHTS**
- RT RUNWAY LIGHTS**
- Recommended design procedure for VASI-2 systems --- Visual Approach Slope Indicator as landing aid p0392 A74-37341
- AIRPORT PLANNING**
- Airports from 1963 to 1983 - Evolution or revolution p0007 A74-11095
- The air transport of tomorrow - Economic obstacles to surmount p0007 A74-11096
- Noise design goals for the next generation of aircraft --- community of STOL aircraft p0022 A74-11816
- Wind conditions at the Cologne/Bonn airport and possibilities of forecasting them p0022 A74-11835
- Design and evaluation of aircraft pavements - 1971 p0022 A74-11874
- Aircraft noise relief potential at major hub airports [AIAA PAPER 73-1164] p0026 A74-12217
- Military aircraft noise --- abatement program [AIAA PAPER 73-1291] p0032 A74-12941
- Airport noise monitoring systems --- automatic computerized system p0074 A74-13800
- AIRTRANS operational readiness test --- airport interterminal transportation evaluation p0074 A74-13807
- Airports for the 80s; Proceedings of the Fourth World Airports Conference, London, England, April 3-5, 1973 p0078 A74-14501
- Demands for air transport - 1980-1990 p0078 A74-14502
- Conventional take-off and landing --- Tristar aircraft operations and traffic trends p0078 A74-14503
- Concorde in the airport environment p0078 A74-14504
- Airport terminal planning p0079 A74-14508
- Access to airports --- surface links to urban centers p0079 A74-14509
- Maplin - Planning aspects and their influence on airport design p0079 A74-14510
- Maplin - The operational factors and their influence on the design of the airport p0079 A74-14511
- Maplin - Management aspects --- automation and passenger service p0079 A74-14512
- Noise - The technical aspects --- aircraft operations near airports p0079 A74-14513
- Economic consequences of airport development p0080 A74-14515
- Criteria for the siting of major airports p0080 A74-14516
- The role of local planning authorities in relation to the siting and development of airports p0080 A74-14517
- Bird control at the airport p0080 A74-14523
- QTOL and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations p0089 A74-15862
- Dynamic Manchester air transport region --- passenger and cargo handling facilities, runway modifications p0089 A74-15863
- Forgotten airport aesthetics --- architectural critique of terminal facilities p0089 A74-15864
- Aircraft recovery - There is a solution --- disabled aircraft removal from airport operational areas p0089 A74-15865
- Concrete or black top --- airport runway pavement requirements p0089 A74-15866
- Noise burden factor - New way of rating airport noise p0118 A74-16898
- An innovative approach to airport planning p0127 A74-18099
- Noise problems in airport design and in civil aircraft operation p0171 A74-19476
- Airports evolution and qualification p0171 A74-19481
- Air traffic control scheme through simulation p0179 A74-20663
- Simulation studies of an airport noise silencer p0184 A74-21641
- Aircraft wake turbulence --- safety development for vortex hazards and airport capacity increase p0207 A74-22627
- The remote airport - A study of access feasibility p0216 A74-23353
- Considerations regarding the regulation of aircraft noise p0226 A74-25358
- Frankfurt's scheduled traffic mathematically analyzed p0275 A74-27776
- Amphibian STOL and its facilities [SAE PAPER 740488] p0350 A74-34993
- Design and development of Montreal and Ottawa STOLports [SAE PAPER 740487] p0350 A74-34994
- Fatigue concepts for concrete airport pavement design p0392 A74-37342
- Structural analysis of flexible airfield pavements p0392 A74-37343
- DFW AIRTRANS transit system simulation [AIAA PAPER 74-878] p0401 A74-37863
- Optimization of air routes with a view to minimizing the risk of collision p0421 A74-38098
- Impact of new separation standards --- for aircraft approach spacings p0482 A74-45547
- The apron-terminal complex: Analysis of concepts for evaluation of terminal buildings [FAA-RD-73-82] p0098 A74-12019
- Advanced subsonic long-haul transport terminal area compatibility study. Volume 1: Compatibility assessment [NASA-CR-132367] p0196 A74-16729
- Advanced subsonic long-haul transport terminal area compatibility study. Volume 2: Research and technology recommendations [NASA-CR-132368] p0196 A74-16730
- AIRPORTS**
- It's quiet in front --- community reaction to aircraft noise [AIAA PAPER 73-1159] p0003 A74-10510
- Noise, an urgent problem with a slow solution --- aircraft noise reduction in airport vicinity p0005 A74-11001
- Jet engine emissions --- commercial aviation air pollution near airports p0073 A74-13730

- Aircraft noise induced vibration in fifteen residences near Seattle-Tacoma International Airport p0073 A74-13770
- Noise - The social impact --- airport operations p0080 A74-14514
- A new ILS localizer for regional airports p0136 A74-18901
- Statistical analysis of aircraft noise levels p0173 A74-19638
- Microphone requirements for airport noise monitoring p0315 A74-30096
- The effects of aircraft noise in schools around London Airport p0336 A74-32591
- New design and operating techniques for improved terminal area compatibility [SAB PAPER 740454] p0349 A74-34982
- Noise of advanced subsonic air transport systems p0438 A74-40090
- Simulated aircraft accident exercises p0439 A74-40622
- Visual landings in regional and local airports [NASA-TT-F-15177] p0060 A74-11093
- Air pollution from airports [TR-595-73] p0111 A74-13318
- Military aircraft and airport noise and opportunities for reduction without inhibition of military missions [PB-223637/OGA] p0145 A74-13752
- Problems of chemical pollution by aircraft. The airport and its immediate environment p0148 A74-14281
- Relative air pollution emissions from an airport in the UK and neighbouring urban areas p0148 A74-14282
- Pollution levels at London (Heathrow) Airport and methods for reducing them p0149 A74-14284
- Pollution control of airport engine test facilities p0149 A74-14285
- Reduction of aircraft noise in the vicinity of airports [NASA-TT-F-15237] p0189 A74-15718
- Atmospheric pollution by aircraft engines [AD-769655] p0201 A74-17376
- Review and analysis of present and planned FAA noise regulatory actions and their consequences regarding aircraft and airport operations [PB-224405/1GA] p0238 A74-17770
- Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft [NASA-CR-114689] p0249 A74-18685
- Legal and institutional analysis of aircraft and airport noise and apportionment of authority between Federal, State, and local governments [PB-225149/AGA] p0287 A74-19898
- Texas airport systems plan - air passenger demand model: Model test and evaluation [AD-772471] p0294 A74-20630
- Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport --- development of noise exposure forecast contours for projected traffic volume and aircraft types [NASA-TN-X-71953] p0296 A74-20660
- AIRSHIPS**
- The Dolphin airship with undulating propulsion system - On-test-stand comparison with a helicopter --- payload capacity and engine performance p0021 A74-11743
- A new outbreak of Zeppelin fever --- freight and passenger dirigible revival p0031 A74-12911
- The airship can meet the energy challenge p0176 A74-20166
- Zeppelins - Not again --- airship operational hazards p0176 A74-20167
- The Dolphin airship with undulating propulsion system - A new form of the evaluation factor p0185 A74-22272
- Pegase project - Advantages of a lens-shaped hull --- for stratospheric dirigibles [ONERA, TP NO. 1310] p0224 A74-24312
- Some aerodynamic problems raised by the airship [ONERA, TP NO. 1312] p0222 A74-24314
- Advanced composite materials - Solution to problems of structure weight reduction [ONERA, TP NO. 1313] p0228 A74-24315
- Dolphin airship with undulatory-flow propulsion - Dynamic lift p0338 A74-33096
- Hybrid aircraft for heavy lift --- combined helicopter and lighter-than-air elements [AHS PREPRINT 814] p0389 A74-36623
- Hybrid heavy-lift vehicle under study --- airship-lifting body-conventional wing combination p0421 A74-38140
- The Dolphin airship with an undulating propulsion system and its many uses as crane and operational aircraft p0423 A74-38497
- The low technology airship --- design for medium-range heavy payload transport p0423 A74-38499
- Dolphin airship with undulating propulsion - Action of the elastic drive blades p0461 A74-44073
- A comparative economic analysis of a lighter-than-air logistics system [AD-769205] p0194 A74-16694
- AIRSPEED**
- Flight evaluation of four low airspeed indicating systems p0345 A74-34839
- Flight velocity effects on jet noise of several variations of a 48-tube suppressor installed on a plug nozzle [NASA-TN-X-2919] p0165 A74-15465
- Flight velocity effects on jet noise of several variations of a twelve-chute suppressor installed on a plug nozzle [NASA-TN-X-2918] p0166 A74-15466
- AIRWORTHINESS**
- U AIRCRAFT RELIABILITY
- AIRWORTHINESS REQUIREMENTS**
- U AIRCRAFT RELIABILITY
- ALARMS**
- U WARNING SYSTEMS
- ALBEDO**
- Reflection-measuring aircraft instruments. II - Spectral albedometer p0276 A74-27894
- ALGEBRA**
- BT DYADICS
- BT EIGENVALUES
- BT EIGENVECTORS
- BT LINEAR EQUATIONS
- BT MATRICES (MATHEMATICS)
- BT NONLINEAR EQUATIONS
- BT STATE VECTORS
- BT STIFFNESS MATRIX
- ALGORITHMS**
- Reduced order filtering with applications in hybrid navigation --- minimum variance Kalman filter algorithm p0023 A74-12177
- Discretization of a vortex sheet, with an example of roll-up --- for elliptically loaded wings p0086 A74-15475
- Evaluation of the operations contained in algorithms carried out by digital controller computers p0130 A74-18638
- An algorithm for rational selection of the parameters of nonlinearly deforming thin-walled framework elements p0130 A74-18645
- Piecewise smooth approximation method for sensor data --- from strain gages p0391 A74-37149
- Interrogation scheduling algorithms for a discrete address beacon system --- for air traffic control applications [ATC-19] p0065 A74-11432
- Kron's method: An algorithm for the eigenvalue analysis of large-scale structural systems --- aeronautical engineering [ARC-R/M-3733] p0257 A74-19564
- A unified approach to aircraft parameter identification --- considering algorithm, control input, and instrumentation system p0357 A74-25584
- ALIPHATIC COMPOUNDS**
- BT METHANE

SUBJECT INDEX

ALUMINUM ALLOYS

ALKALI METALS

NT SODIUM

ALKANES

NT METHANE

ALL-WEATHER AIR NAVIGATION

Safety during automatic landing with poor visibility
p0178 A74-20422Quasi-visual flight navigation --- all-weather
navigation with synthetic external scenes
p0219 A74-22519MBCA nav-attack system --- Multi-Role Combat
Aircraft
p0262 A74-26417Determining helicopter instrument flight capability
p0346 A74-34848Westland design philosophy on the Lynx for
instrument and all-weather flying
p0348 A74-34878Prediction of optical landing guidance system
performance in Cat. 3-a minimum weather
[AD-773830]
p0289 A74-20237

ALL-WEATHER LANDING SYSTEMS

Flight test safety analysis of the all weather
landing system /AWLS/ program
p0182 A74-20974ICAO and the future landing system ---
International Civil Aviation Organization
p0311 A74-29252AN/SPN-42 automatic carrier landing system
p0374 A74-35209System for guiding fixed- or rotary-wing aircraft
in approach and landing zones
[ONERA, TP NO. 1342]
p0422 A74-38310A head-up display for all-weather approach and
landing of tilt-wing V/STOL aircraft
[AIAA PAPER 74-952]
p0452 A74-41656

ALLOYS

NT ALUMINUM ALLOYS

NT BERYLLIUM ALLOYS

NT BORON ALLOYS

NT CARBON STEELS

NT COBALT ALLOYS

NT EUTECTIC ALLOYS

NT HEAT RESISTANT ALLOYS

NT HIGH STRENGTH ALLOYS

NT HIGH STRENGTH STEELS

NT LIGHT ALLOYS

NT MAGNESIUM ALLOYS

NT MARTENSITIC STAINLESS STEELS

NT NICKEL ALLOYS

NT NICKEL STEELS

NT NIMONIC ALLOYS

NT NIOBIUM ALLOYS

NT NITINOL ALLOYS

NT STEELS

NT TITANIUM ALLOYS

NT YTTRIUM ALLOYS

Development of self-contained portable unit for
nondestructive compositional analysis of
aircraft and space systems alloys --- X ray
fluorescence analysis
[AD-767226]
p0110 A74-13265Hot corrosion of metals, alloys and ceramics
[AD-769340]
p0191 A74-15829

ALUCANTAR

U ELEVATION ANGLE

ALOUETTE HELICOPTERS

NT SA-330 HELICOPTER

NT SE-3160 HELICOPTER

The automatic approach of helicopters and STOL
airplanes
p0210 A74-23398

ALOUETTE 3 HELICOPTER

U SE-3160 HELICOPTER

ALPHA JET AIRCRAFT

The Alpha Jet programme
p0136 A74-18902Dornier/Dassault-Breguet Alpha Jet ---
multipurpose combat aircraft
p0313 A74-29829The Alpha Jet wind tunnel model for aeroelastic
investigations
p0318 A74-30599

ALTERNATING CURRENT GENERATORS

U AC GENERATORS

ALTERNATORS (GENERATORS)

U AC GENERATORS

ALTIMETERS

NT RADIO ALTIMETERS

The Type 3B altitude measurement system

p0122 A74-17276

Terrain properties and topography from Skylab
altimetry --- Oregon, Utah, Texas, and Nevada
[E74-10043]
p0062 A74-11164Geodetic analysis of Skylab altimetry preliminary
data - SL/2 EREP pass 9 --- time series analysis
of geoidal heights
[E74-10086]
p0062 A74-11197Adaptation of computer programming to output form
of altimeter data --- Sierra Nevada and Grand
Canyon regions
[E74-10087]
p0062 A74-11198Radar backscattering as a means for measuring
ocean surface parameters using S193 altimetry
and S190B photography
[E74-10092]
p0063 A74-11202Evaluation of the modified Bendix AAU 19A/A AIMS
altimeter
[AD-768722]
p0164 A74-15115Evaluation and redesign of FAA altimeter pack
[AD-769540]
p0192 A74-16164Development of an independent altitude monitor
concept
[AD-775454]
p0474 A74-33116

ALTITUDE

NT FLIGHT ALTITUDE

NT HIGH ALTITUDE

NT LOW ALTITUDE

ALTITUDE SIMULATION

An analytical study of icing simulation for
turbine engines in altitude test cells
[AIAA PAPER 73-1280]
p0032 A74-12938

ALUMINIZING

U ALUMINUM COATINGS

ALUMINUM

NT POWDERED ALUMINUM

Technology of production of sandwich panels with
aluminum honeycomb cores
p0178 A74-20523Solving an aluminum bracket failure --- in fire
damaged aircraft engine
p0313 A74-29609

ALUMINUM ALLOYS

Creep fracture mechanisms in aluminum alloys
p0020 A74-11736Problems of stress corrosion in the case of
aluminum alloys employed in aerospace technology
p0076 A74-14018Feasibility study of use of polysulfide sealants
for corrosion protection of spot welded aluminum
alloys
p0084 A74-14771Evaluation of methods for reducing fretting
fatigue damage in 2024-T3 aluminum lap joints
p0117 A74-16696Buckling loads and minimum weight of compressed
curved ribbed aluminum alloy panels
p0118 A74-16822Heat-resistant titanium alloys - Introduction of
the 651 A alloy
p0125 A74-17891Properties of high-strength aluminum P/M products
p0227 A74-24225Influence of heat on crack propagation and
residual strength and its relation to the
supersonic aircraft fatigue problem
p0229 A74-24423New alloys for advanced metallic fighter-wing
structures
[AIAA PAPER 74-372]
p0265 A74-26679Fatigue strength of an aluminum alloy in petroleum
jet fuels at various temperatures
p0268 A74-27078Quality exponent method for planning and
interpretation of results of full-scale,
low-cycle fatigue tests
[SAE PAPER 740218]
p0274 A74-27501The stress-endurance fatigue severity index
concept - A method of SN data development for
aluminum aircraft structures
[SAE PAPER 740386]
p0310 A74-28750Potential use of work hardening aluminum alloy
X5090 sheet in civil aircraft
[SAE PAPER 740398]
p0310 A74-28757An approach to the development of meaningful
design rules for fatigue-loaded CFRP components
--- carbon fiber reinforced plastics
p0313 A74-29783

Measurement of hot fatigue crack growth rate of
AUGEN aluminum alloy
[OSERA, TP NO. 1373] p0318 A74-30513
Alloys for helicopter rotor-blade spars
p0343 A74-34145
Aircraft floor panel developments at British
Airways /1967-1973/ p0352 A74-35027
Effect of prior creep on durability of AK4-1-T1
alloy p0383 A74-36510
Fabrication of boron-hybrid swashplates
[AHS PREPRINT 850] p0386 A74-36596
Determination of the fatigue life of structural
elements for a biharmonic loading process
p0393 A74-37385
The heat-resistant deformable aluminum alloy D21
p0439 A74-40767
Fatigue crack growth and residual strength of
aluminum alloy sheet at temperatures down to -75C
--- in aircraft structures at temperatures down
to -75C p0099 A74-12248
Effect of polymer coatings on fatigue strength of
aluminum alloy 2024 box beams
[NASA-CR-114699] p0193 A74-16250
Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for aircraft applications
[AD-770350] p0201 A74-17278
Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for airframe applications p0255 A74-19184
Research toward development feasibility of an
advanced technology V/STOL propeller system ---
development and evaluation of boron-aluminum
compound for propeller blades p0290 A74-20414
Fatigue behaviour of hat section stringer
stiffened panels compressed in the post-buckling
range p0293 A74-20579
Materials for aerospace current research and
development p0303 A74-21139
The prediction of fatigue crack propagation under
service load-time histories p0366 A74-26467
Exploratory investigation of rapid crack
propagation and crack arrest --- in aircraft
structural alloys p0418 A74-29012
Advanced metallic structures: Cargo fuselage
design for improved cost, weight, and integrity
[AD-781814] p0473 A74-32456
ALUMINUM COATINGS
Thick ion-vapor-deposited aluminum coatings for
irregularly shaped aircraft and spacecraft parts
p0260 A74-25813
ASIDES
NT POLYIMIDES
AMPHIBIOUS AIRCRAFT
Amphibian aircraft design p0310 A74-28756
[SAB PAPER 740395]
Amphibian STOL and its facilities p0350 A74-34993
[SAB PAPER 740488]
AMPHIBIOUS VEHICLES
NT AMPHIBIOUS AIRCRAFT
AMPLIFICATION
NT POWER GAIN
AMPLIFIERS
NT JET AMPLIFIERS
AMPLITUDE MODULATION
Propeller modulation effects on a scanning beam
microwave landing system p0468 A74-31617
[NASA-TN-X-62368]
ANALOG COMPUTERS
Dynamic test of air data computers with simulated
flight profiles p0124 A74-17736
The use of computer technology in civil aviation,
--- Russian book p0215 A74-23698
Angle of attack computation system --- based on
air data, aircraft acceleration, surface
positions, and stored aerodynamic data
[AD-771183/16A] p0255 A74-19107

ANALOG DATA

Flight study of a vehicle operational status and
monitoring system --- applied to systems on
F-12 aircraft p0141 A74-13725
[NASA-TN-D-7546]
Laboratory for automatic processing of analog
signals p0419 A74-29361

ANALOG SIMULATION

Dynamic simulation of CONFLOW - A facility to
provide hot-gas ground testing of air-breathing
missiles under simulated flight conditions
[AIAA PAPER 73-1281] p0011 A74-11292
Simulation study of transient performance matching
of turbofan engine using an analogue computer to
evaluate its usefulness as design tool
[ASME PAPER 74-GT-50] p0272 A74-27442
Calculation of the loads and strains on a swept
wing with mechanical analog devices p0390 A74-36804
Study and stabilization of lateral motion of
modern transport aircraft --- by damping in yaw
control p0330 A74-22684

ANALOGIES

NT HYDRAULIC ANALOGIES
ANALYSIS (MATHEMATICS)
NT APPROXIMATION
NT ASYMPTOTIC SERIES
NT BIHARMONIC EQUATIONS
NT CALCULUS OF VARIATIONS
NT COMPLEX VARIABLES
NT CONFORMAL MAPPING
NT DIFFERENTIAL EQUATIONS
NT ELLIPTIC DIFFERENTIAL EQUATIONS
NT ERROR ANALYSIS
NT EXTREMUM VALUES
NT FINITE DIFFERENCE THEORY
NT FINITE ELEMENT METHOD
NT GAUSS EQUATION
NT HARMONIC ANALYSIS
NT HELMHOLTZ VORTICITY EQUATION
NT INTEGRAL EQUATIONS
NT KERNEL FUNCTIONS
NT LEAST SQUARES METHOD
NT LINEAR EQUATIONS
NT MONTE CARLO METHOD
NT NEWTON-RAPHSON METHOD
NT NONLINEAR EQUATIONS
NT NUMERICAL ANALYSIS
NT PARTIAL DIFFERENTIAL EQUATIONS
NT RAYLEIGH-RITZ METHOD
NT RELAXATION METHOD (MATHEMATICS)
NT RUNGE-KUTTA METHOD
NT SERIES (MATHEMATICS)
NT SINGULARITY (MATHEMATICS)

ANALYZERS

NT ENGINE ANALYZERS
ANECHOIC CHAMBERS
A new anechoic facility for supersonic hot jet
noise research at Lockheed-Georgia p0315 A74-30092

ANEMOMETERS

NT HOT-WIRE ANEMOMETERS
Wind-tunnel investigations aimed at devising tests
of aircraft spin p0223 A74-25316

ANEMOMETRY

U VELOCITY MEASUREMENT
ANGLE OF ATTACK
NT ZERO ANGLE OF ATTACK
On the flow around the leading edge of a lifting
airfoil p0005 A74-10996
[OSERA, TP NO. 1294]
The effects of second order blade bending on the
angle of attack of hingeless rotor blades p0022 A74-11846
A simplified method for studying the aerodynamic
heating of axisymmetric bodies at an angle of
attack p0029 A74-12441
Investigation of the characteristics of flows past
plates at large angles of attack p0070 A74-13183
Supersonic flow past sharp- and blunt-nosed
conical bodies at angles of attack from 0 to 45
deg
[OGLR PAPER 73-080] p0120 A74-17186

SUBJECT INDEX

ANTENNA RADIATION PATTERNS

- The jet-flapped wing in ground proximity with special allowance for large angle of attack and large jet flap angle
p0121 A74-17221
- Vortex age as a wake turbulence scaling parameter [AIAA PAPER 74-36]
p0132 A74-18745
- Nonlinear aerodynamics of aircraft in high-angle-of-attack maneuvers [AIAA PAPER 74-85]
p0133 A74-18765
- Aerodynamic forces and moments on a slender body with a jet plume for angles of attack up to 180 degrees [AIAA PAPER 74-110]
p0133 A74-18776
- Transonic flow about lifting wing-body combinations [AIAA PAPER 74-185]
p0133 A74-18812
- Evaluation of aircraft departure divergence criteria with a six-degree-of-freedom digital simulation program [AIAA PAPER 74-68]
p0136 A74-18882
- Lockheed S-3A avionics - Three system digital flight guidance
p0173 A74-19751
- Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack
p0312 A74-29496
- Stall/spin seventy years later --- aircraft performance at high angle of attack
p0344 A74-34699
- An investigation of the rolling stability derivatives of a T-tail fighter configuration at high angles-of-attack
p0347 A74-34852
- Calculation of the static stability of aircraft at large angles of attack
p0383 A74-36454
- Flow patterns of fuselage-wing models at supercritical angles of attack
p0391 A74-37143
- The effect of non-symmetric flight on aircraft high angle of attack handling qualities and departure characteristics [AIAA PAPER 74-792]
p0400 A74-37812
- Flight evaluation of a Mach 3 cruise longitudinal autopilot [AIAA PAPER 74-910]
p0402 A74-37890
- Flight testing a highly instrumented sailplane [AIAA PAPER 74-1023]
p0454 A74-42042
- The design, fabrication and evaluation of the aural angle of attack/stall warning system [AD-767663]
p0145 A74-13748
- A study of the nonlinear aerodynamics of bodies in nonplanar motion --- numerical analysis of aerodynamic force and moment systems during large amplitude, arbitrary motions [NASA-TR-8-421]
p0158 A74-14741
- Angle of attack computation system --- based on air data, aircraft acceleration, surface positions, and stored aerodynamic data [AD-771183/16A]
p0255 A74-19107
- ANGLES (GEOMETRY)**
- NT ANGLE OF ATTACK
- NT DIHEDRAL ANGLE
- NT ELEVATION ANGLE
- NT SWEEP ANGLE
- NT ZERO ANGLE OF ATTACK
- ANGULAR MOTION**
- U ANGULAR VELOCITY
- ANGULAR RESOLUTION**
- The effects of relative source strength and signal-to-noise ratio on angular resolution of antennas
p0373 A74-35132
- ANGULAR VELOCITY**
- A new concept for angular rate flight control sensors [AIAA PAPER 74-868]
p0401 A74-37855
- ANIMALS**
- NT BIRDS
- NT INSECTS
- NT RODENTS
- ANISOTROPY**
- NT PLASTIC ANISOTROPY
- Effect of anisotropic turbulence on aerodynamic noise --- Lighthill theory mathematical model for axisymmetric turbulence
p0004 A74-10798
- ANNULAR FLOW**
- Annular slot and frontal slot flow --- turbulent flow resistance coefficients
p0001 A74-10033
- Subsonic annular wing theory with application to flow about nacelles [NASA-TR-D-7630]
p0470 A74-32414
- ANODIC COATINGS**
- The use of chromium anodic protection /the BF 4 process/ for the detection of metallurgical anomalies in light alloys
p0227 A74-25351
- Material thickness control through process refinement [AIAA PAPER 74-375]
p0265 A74-26682
- ANODIZING**
- The use of chromium anodic protection /the BF 4 process/ for the detection of metallurgical anomalies in light alloys
p0227 A74-25351
- ANTENNA ARRAYS**
- NT LINEAR ARRAYS
- New concepts in ANTI radar - Nulling effects of Doppler filter/multi-element horn array
p0121 A74-17252
- The technology and application of free-space power transmission by microwave beam
p0170 A74-19464
- Adaptive arrays --- radar receiving antennas for sidelobe reduction and adaptive filtering
p0316 A74-30319
- ANTENNA COMPONENTS**
- NT ANTENNA COUPLERS
- Major Item Special Study (MISS), AH-1G mast assembly --- failure analysis of helicopter antenna mast assembly [AD-768764]
p0163 A74-14782
- High frequency radio emission and reception by forest trees and by helicopter using hybrid electromagnetic antenna couplers [AD-773909]
p0287 A74-19822
- ANTENNA COUPLERS**
- NT COUPLING CIRCUITS
- Lockheed S-3A avionics - Tactical voice and data communication
p0173 A74-19753
- ANTENNA DESIGN**
- Adaptive arrays --- radar receiving antennas for sidelobe reduction and adaptive filtering
p0316 A74-30319
- Evaluation of lateral displacement of SLS antennas --- SideLobe Suppression
p0382 A74-36427
- A simple antenna system approach for mobile SATCOM terminals
p0424 A74-38557
- Engineering aspects with satellite communication terminals in aircraft [REPT-7-72]
p0192 A74-15842
- Antennas for avionics --- conference on application of avionic antennas in Aerosat systems [AGARD-CP-139]
p0468 A74-31667
- Airborne low-VHF antennas
p0468 A74-31680
- A commutation on antenna systems covering standard aircraft and balloons
p0469 A74-31685
- ANTENNA FIELDS**
- U ANTENNA RADIATION PATTERNS
- ANTENNA RADIATION PATTERNS**
- A cylindrical phased-array antenna for ATC interrogation
p0001 A74-10018
- Effect of differences between the antennas of a Doppler velocity meter on its operational accuracy
p0023 A74-11994
- Roll-plane analysis of on-aircraft antennas
p0169 A74-19228
- Electromagnetic effects of aircraft wake-active feuillet interaction
p0174 A74-19915
- Evaluation of lateral displacement of SLS antennas --- SideLobe Suppression
p0382 A74-36427
- User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system [AD-768049]
p0151 A74-14361
- Roll plane analysis of on-aircraft antennas [NASA-CR-136815]
p0200 A74-16953

ANTENNAS

SUBJECT INDEX

A study of KC-135 aircraft antenna patterns
[NASA-CR-138585] p0369 H74-26663
Computer analysis of aircraft and shuttle antennas
[NASA-CR-138605] p0369 H74-26666
Numerical solutions to some on-aircraft antenna
pattern problems --- analysis of direction
finding antenna on F-4 aircraft
[AD-777977] p0409 H74-27639
A technique to combine the geometrical theory of
diffraction and the moment method
[AD-777976] p0409 H74-27640
Analysis of on-aircraft antenna patterns
[AD-777975] p0409 H74-27641
Antenna gain pattern measurements on a BQM-34F
target drone, volume 5
[AD-778075] p0409 H74-27642
Diffraction by a perfectly conducting rectangular
cylinder which is illuminated by an array of
line sources
[NASA-CR-2405] p0417 H74-28706
Flush-mounted antennas radiating on aircraft type
surfaces
[NASA-CR-2403] p0417 H74-28707
Antennas for avionics --- conference on
application of avionic antennas in Aerosat systems
[AGARD-CP-139] p0468 H74-31667
Determination of the movement of the apparent
phase centers of aircraft antennas for
calibrating the ZDBS interferometer --- coherent
wave front simulations for slot antennas and
spiral antennas
p0469 H74-31704

ANTENNAS

NT AIRCRAFT ANTENNAS
NT CYLINDRICAL ANTENNAS
NT DIPOLE ANTENNAS
NT DIRECTIONAL ANTENNAS
NT HORN ANTENNAS
NT MICROWAVE ANTENNAS
NT MONOPOLE ANTENNAS
NT RADAR ANTENNAS
NT SATELLITE ANTENNAS
NT SPACECRAFT ANTENNAS
The radiation from slots in truncated
dielectric-covered surfaces
[NASA-CR-2397] p0417 H74-28709
ANTIFREEZES
VPW 614 de-icing
p0375 A74-35360

ANTI-FRICTION BEARINGS

NT BALL BEARINGS
NT ROLLER BEARINGS
Investigation of rotor dynamic and high speed
bearing technology for a 3 KW turbo-alternator
[AD-765501] p0047 H74-10486
Cold-weather flight tests of an OH-58 helicopter
equipped with an elastomeric-bearing main rotor
[AD-772935] p0253 H74-18716

ANTIOXIDANTS

Additives for lubrication oils used with foreign
gas-turbine aviation engines - Survey of patents
p0219 A74-23518

ANTI-SKID DEVICES

Recent studies of tire braking performance --- for
aircraft
p0125 A74-17898
Aircraft antiskid analysis verification and
refinement
[AD-770300] p0198 H74-16749
ANTISUBMARINE WARFARE
Helicopter applications at sea
p0173 A74-19690
BPV potential for naval applications
p0481 A74-45309

ANTISUBMARINE WARFARE AIRCRAFT

NT CL-84 AIRCRAFT
NT S-3 AIRCRAFT
NT SH-3 HELICOPTER
The S-3A - A new dimension in airborne sea control
[AIAA PAPER 74-239] p0137 A74-19205

AO-1 AIRCRAFT

U OV-1 AIRCRAFT

APPROACH

NT INSTRUMENT APPROACH
Measurement of turbulence inputs for V/STOL
approach paths in a simulated planetary boundary
layer
[OTIAS-189] p0066 H74-11661

The effect of gusts and wind shear for automatic
STOL approach and landing --- simulation and
flight test of flight control system for short
takeoff aircraft
p0233 H74-17730

APPROACH CONTROL

NT RADAR APPROACH CONTROL

The national Microwave Landing System
p0169 A74-19317
Problems of quality of flight of future transport
aircraft in course of development.
p0210 A74-23396

The automatic approach of helicopters and STOL
airplanes
p0210 A74-23398

Air-traffic-control simulator for the training of
ATC personnel
p0216 A74-24052

Automatic approach of helicopters and STOL aircraft
p0229 A74-25362

Piloted power approach simulation
p0347 A74-34853

Steady state decoupling and design of linear
multivariable systems
p0380 A74-36115

An experimental investigation of STOL
lateral-directional flying qualities and roll
control power requirements using the variable
stability X-22A aircraft
[ABS PREPRINT 841] p0385 A74-36592

System design and flight test results of the
Bendix/Bell MLS category II/III elevation
approach guidance function
[AIAA PAPER 74-909] p0402 A74-37889

System for guiding fixed- or rotary-wing aircraft
in approach and landing zones
[ONERA, TP NO. 1342] p0422 A74-38310

An operational look at the two-segment approach
--- for aircraft noise reduction
[AIAA PAPER 74-979] p0428 A74-38738

Considerations for STOL landing ground rules
[AIAA PAPER 74-996] p0429 A74-38750

A head-up display for all-weather approach and
landing of tilt-wing V/STOL aircraft
[AIAA PAPER 74-952] p0452 A74-41656

Direct force control for light airplanes
[AIAA PAPER 74-862] p0453 A74-41809

The Soviet radio navigation procedure RSBN --- for
aircraft landing control
p0461 A74-44071

A feasibility study and preliminary evaluation of
the use of a biased glide slope technique for
noise abatement approach
[FAA-RD-73-153] p0048 H74-10618

Flight experience with the decelerating noise
abatement approach
[NASA-TN-X-56020] p0104 H74-12720

Proposal for a visual system of simulating a landing
--- pilot training with televised display of
simulated landing environment
[FOA-2-C-2509-84] p0111 H74-13423

Microwave Landing System (MLS) development plan as
proposed by AIL during the technique analysis
and contract definition phase of the national
MLS development program. Part 1.0, Volume 1.1:
Technique analysis program
[FAA-RD-73-166-VOL-1.1] p0150 H74-14340

Simplified Visual Approach Slope Indicator (VASI)
--- operation test and evaluation
[AD-767901] p0151 H74-14362

Failure modes, effects and criticality analysis
(FMECA) of category III instrument landing
system with traveling: Wave localizer antenna
[U1-840912-100] p0164 H74-15380

Microwave Landing System (MLS) development plan as
proposed by Raytheon during the technique
analysis and contract definition phase of the
national MLS development program. Volume 1:
Executive summary
[FAA-RD-72-150-VOL-1] p0165 H74-15381

Microwave Landing System (MLS) development plan as
proposed by Raytheon during the technique
analysis and contract definition phase of the
national MLS development program. Volume 3:
1.1.1 performance validation
[FAA-RD-72-150-VOL-3] p0165 H74-15382

Microwave Landing System (MLS) development plan as
proposed by Raytheon during the technical
analysis and contract definition phase of the

SUBJECT INDEX

ARTIFICIAL SATELLITES

- national MLS development program, Volume 3A
[FAA-RD-72-150-VOL-3A] p0165 N74-15383
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 4: System considerations 1.1.2 through 1.1.5
[FAA-RD-72-150-VOL-4] p0165 N74-15384
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance
[FAA-RD-72-150-VOL-5] p0165 N74-15385
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 6: Supporting studies, appendices D through H
[FAA-RD-150-VOL-6] p0165 N74-15386
- Design of a flight director/configuration management system for piloted STOL approaches
[NASA-CR-114688] p0189 N74-15715
- Applicability of NASA (ARC) two-segment approach procedures to Boeing Aircraft
[NASA-CR-114678] p0235 N74-17749
- Analytical design and simulation evaluation of an approach flight director system for a jet STOL aircraft
[NASA-CR-114697] p0330 N74-22676
- Display requirements for the final approach and landing phase of an RPV mission
[NASA-TN-X-62346] p0354 N74-25561
- Longitudinal motion of an airliner during steep approach
[NASA-TT-F-15616] p0355 N74-25564
- Flight-mechanics problems during landing approach with direct lift control, exemplified by FFB 320 Bansha
[NASA-TT-F-15614] p0355 N74-25566
- Optimal control aircraft landing analysis
[AD-776316] p0358 N74-25601
- Flight control problems for steep approaches
[NASA-TT-F-15617] p0406 N74-27493
- Minima for landing aircraft
[JPRS-62252] p0407 N74-27502
- Noise reducing methods for STOL aircraft approach and takeoff
[NASA-TT-F-15612] p0413 N74-28500
- A flight investigation with a STOL airplane flying curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 N74-33452
- Flight operations and guide beam systems
[NASA-TT-F-15962] p0492 N74-34154
- Flight-path and airspeed control during landing approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 N74-34481
- APPROACH INDICATORS**
- Recommended design procedure for VASI-2 systems
--- Visual Approach Slope Indicator as landing aid
p0392 A74-37341
- Color perception in the transitional zones of tricolor Glide-Slope Indicators (GSI's)
[AD-771422] p0237 N74-17762
- Nuclear instrument landing system
[SAN-828-2] p0288 N74-20232
- Design study of an electronic landing display for STOL aircraft
[NASA-TT-F-15618] p0361 N74-26151
- A monitor display for automatically regulated steep approaches
[NASA-TT-F-15615] p0419 N74-29118
- APPROXIMATION**
- BT FINITE DIFFERENCE THEORY
- BT FINITE ELEMENT METHOD
- BT LEAST SQUARES METHOD
- BT NEWTON-RAPHSON METHOD
- BT HAYLEIGH-BITZ METHOD
- BT RELAXATION METHOD (MATHEMATICS)
- An analytic approximate calculation of the nonlinear landing impact motions and loads on aircraft with both rigid and elastic wing structure
[DGLR PAPER 73-078] p0120 A74-17185
- APPROXIMATION METHODS**
- U APPROXIMATION**
- ARCHITECTURE**
- Forgotten airport aesthetics --- architectural critique of terminal facilities
- ARCTIC REGIONS p0089 A74-15864
- The single-engine turboprop in the northern frontier
p0185 A74-21821
- AREA NAVIGATION**
- Application to zone navigation /R/Nav/ of hybrid navigation systems
p0029 A74-12446
- Simulator tests of pilotage error in area navigation with vertical guidance - Effects of descent angle and display scale factor
p0081 A74-14595
- Pilotage error and residual attention - The evaluation of a performance control system in airborne area navigation
p0087 A74-15630
- Eurocontrol evaluation of the Standard Elektrik Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac computing, navigation and display system for area navigation. Phase III - Flight trials 1971-1972
p0091 A74-16075
- The impact of area navigation on flight control systems and displays
p0122 A74-17277
- Navigation in the upgraded third generation system --- MLS, ILS, VORTAC, area navigation, etc
p0220 A74-22680
- R-NAV systems development for a STOL application --- area navigation for high density interurban operations
p0259 A74-25741
- ARGON LASERS**
- Two-color dual-beam backscatter laser Doppler velocimeter
p0076 A74-14093
- ARGUMENTS (MATHEMATICS)**
- U INDEPENDENT VARIABLES**
- ARIZONA**
- Adaptation of computer programming to output form of altimeter data --- Sierra Nevada and Grand Canyon regions
[E74-10087] p0062 N74-11198
- ARMED FORCES**
- BT ARMED FORCES (UNITED STATES)
- BT NAVY
- ARMED FORCES (UNITED STATES)**
- Airborne warning and control system /AWACS/ --- for air operations management during military crises
[AIAA PAPER 74-241] p0130 A74-18655
- ARRAYS**
- BT ANTENNA ARRAYS
- BT LINEAR ARRAYS
- BT PHASED ARRAYS
- ARRESTING GEAR**
- Test plan for the hook bounce condition of the E-2A airplane arresting gear A frame
[AD-774084] p0300 N74-20692
- Test plan for the hook bounce condition of the C-2A airplane arresting gear A frame
[AD-774083] p0301 N74-20693
- Hook bounce test of the C-2A airplane arresting gear A frame
[AD-774085] p0328 N74-21902
- Hook bounce test of the E-2A airplane arresting gear A frame
[AD-774086] p0328 N74-21903
- ARROW WINGS**
- Separation of a shock wave from the edge of a V-shaped backswept wing
p0384 A74-36513
- Quasi homogeneous approximations for the calculation of wings with curved subsonic leading edges flying at supersonic speeds
[VTH-173] p0195 N74-16708
- Effect of trailing-edge flap deflection on the lateral and longitudinal-stability characteristics of a supersonic transport model having a highly-swept arrow wing
[NASA-TN-X-71936] p0295 N74-20652
- ARTIFICIAL SATELLITES**
- BT AERONAUTICAL SATELLITES
- BT ATS 3
- BT ATS 5
- BT COMMUNICATION SATELLITES
- BT EARTH RESOURCES TECHNOLOGY SATELLITES
- BT ROLE SATELLITES
- BT MARITIME SATELLITES

NT NAVIGATION SATELLITES
NT SYNCHRONOUS SATELLITES
 Continental Land Mass Air Traffic Control (COLM ATC)
 --- using three artificial satellite
 configurations
 [NASA-CR-132831] p0048 A74-10619
 Control of air traffic by aid of satellites
 p0100 A74-12354
ASCENT
NT CLIMBING FLIGHT
ASPECT RATIO
NT HIGH ASPECT RATIO
NT LOW ASPECT RATIO
 Transonic single-mode flutter and buffet of a low
 aspect ratio wing having a subsonic airfoil shape
 [NASA-TN-D-7346] p0153 A74-14631
ASPHALT
 Test of LOX compatibility for asphalt and concrete
 runway materials
 [NASA-TN-X-64086] p0059 A74-11091
ASSESSMENTS
NT TECHNOLOGY ASSESSMENT
ASTRONOMICS
 RASCON '73; Electronics and Aerospace Systems
 Convention, Washington, D.C., September 17-19,
 1973, Record p0023 A74-12176
 Deutsche Forschungs- und Versuchsanstalt fuer
 Luft- und Raumfahrt, Annual Report 1972 ---
 German book p0126 A74-17969
ASYMMETRY
 Stability characteristics of skewed wing aircraft
 [AIAA PAPER 74-772] p0399 A74-37797
ASYMPTOTIC METHODS
 Asymptotic behavior of the solution of the
 Navier-Stokes equations near fins p0088 A74-15779
 Uniform asymptotic solutions for the
 two-dimensional potential field about a slender
 body p0392 A74-37268
 3-D energy management for supersonic aircraft
 p0432 A74-39472
 The numerical solution of the asymptotic equations
 of trailing edge flow p0456 A74-42797
ASYMPTOTIC SERIES
 On the flow field of a rapidly oscillating airfoil
 in a supersonic flow p0267 A74-26960
ATHODIDS
U RAMJET ENGINES
ATMOSPHERIC BOUNDARY LAYER
 Statistical properties of vertical shear of
 lateral velocity p0274 A74-27529
 Nonstationary atmospheric boundary layer
 turbulence simulation
 [AIAA PAPER 74-587] p0340 A74-33166
ATMOSPHERIC CHEMISTRY
 Gas-phase nitrogen and methane chemistry in the
 atmosphere p0015 A74-11513
 Possible effects of a fleet of supersonic
 transports on the stratospheric ozone shield
 p0176 A74-20125
 Possibility of investigating the spatial
 distribution of atmospheric ozone with the aid
 of an ozonometer installed in the cockpit of an
 aircraft p0311 A74-28847
 First results of environmental tests on board
 Concorde 001 p0340 A74-33312
 An instrument for nitric oxide measurements in the
 stratosphere p0341 A74-33428
 Atmospheric Pollution by Aircraft Engines
 [AGARD-CP-125] p0148 A74-14271
 Reduction of NO formations by premixing
 p0148 A74-14272
 United States Department of Transportation
 research program for high altitude pollution
 p0148 A74-14273
 Photo-oxidation of aircraft engine emissions at
 low and high altitudes p0148 A74-14277

Relative air pollution emissions from an airport
 in the UK and neighbouring urban areas p0148 A74-14282
 Gas-phase nitrogen and methane chemistry in the
 atmosphere [AP-10] p0255 A74-19053
ATMOSPHERIC COMPOSITION
NT ATMOSPHERIC MOISTURE
 Dosage of minority stratospheric constituents, of
 the order of 1 ppb, by absorption spectrometry
 p0340 A74-33313
 NO and O3 measurements in the lower stratosphere
 from a U-2 aircraft p0373 A74-35121
 Relative air pollution emissions from an airport
 in the UK and neighbouring urban areas p0148 A74-14282
 Pollution levels at London (Heathrow) Airport and
 methods for reducing them p0149 A74-14284
 Pollution control of airport engine test facilities
 p0149 A74-14285
ATMOSPHERIC CONDITIONS
U METEOROLOGY
ATMOSPHERIC DENSITY
 Influence of the atmosphere in the fall of bodies
 into water p0070 A74-13176
 A systematic approach to the study of the
 connection between emission and ambient air
 concentrations p0149 A74-14293
ATMOSPHERIC DIFFUSION
 Dispersion and dilution of jet aircraft exhaust at
 high-altitude flight conditions [AIAA PAPER 74-41]
 p0132 A74-18749
ATMOSPHERIC ELECTRICITY
 Practical aspects of electrostatic stabilization
 --- of aircraft p0261 A74-26411
 Lightning effects on general aviation aircraft
 [FAA-NA-73-32(2)] p0039 A74-10040
ATMOSPHERIC ENTRY
NT SPACECRAFT REENTRY
 Theory of hypersonic flow about a wing p0025 A74-12205
 Developing a technology base in planetary entry
 aerothermodynamics p0030 A74-12799
 An empirical equation for prediction of transition
 location on cones in super-or hypersonic flight
 [AD-765692] p0038 A74-10032
ATMOSPHERIC IMPURITIES
U AIR POLLUTION
ATMOSPHERIC MODELS
NT DYNAMIC MODELS
NT REFERENCE ATMOSPHERES
 Atmospheric ozone - Possible impact on
 stratospheric aviation p0175 A74-20039
 The atmosphere and flight vehicle motion control.
 --- Russian book p0212 A74-23693
 The effects of ionospheric scintillation on
 satellite communications p0259 A74-25670
 Nonstationary atmospheric boundary layer
 turbulence simulation [AIAA PAPER 74-587] p0340 A74-33166
 Artificial development of an atmospheric boundary
 layer flow model in a wind tunnel --- using wind
 flow modulating devices at wind tunnel entrance
 p0139 A74-13701
 A systematic approach to the study of the
 connection between emission and ambient air
 concentrations p0149 A74-14293
ATMOSPHERIC MOISTURE
 Problems of stress corrosion in the case of
 aluminum alloys employed in aerospace technology
 p0076 A74-14018
ATMOSPHERIC OPTICS
 The light-scattering matrix and types of optical
 weather --- atmospheric aerosols, haze, fog,
 drizzle p0004 A74-10783
ATMOSPHERIC PRESSURE
 Results of measurements of the slight atmospheric
 pressure increase on the earth surface under an

SUBJECT INDEX

ATMOSPHERIC TURBULENCE

- overflying aircraft p0312 A74-29484
- ATMOSPHERIC REFRACTION**
 - Electromagnetic effects of aircraft wake-active
feuillet interaction p0174 A74-19915
- ATMOSPHERIC SHELLS**
- U ATMOSPHERIC STRATIFICATION**
- ATMOSPHERIC STRATIFICATION**
 - Simulation of wake vortices descending in a stably
stratified atmosphere
[AD-783750] p0499 A74-34715
- ATMOSPHERIC TEMPERATURE**
 - Temperature, winds, and turbulence at SST flight
levels p0122 A74-17311
 - Atmospheric ozone - Possible impact on
stratospheric aviation p0175 A74-20039
- ATMOSPHERIC TURBULENCE**
 - NT CLEAR AIR TURBULENCE**
 - NT GUSTS**
 - NT LOW LEVEL TURBULENCE**
 - Observations of atmospheric effects on vortex wake
behavior p0090 A74-15963
 - Temperature, winds, and turbulence at SST flight
levels p0122 A74-17311
 - The influence of non-linear longitudinal
aerodynamic characteristics on the power
spectral response of aircraft to atmospheric
turbulence p0182 A74-21105
 - A study of lifting rotor flapping response peak
distribution in atmospheric turbulence p0210 A74-23329
 - The atmosphere and flight vehicle motion control
--- Russian book p0212 A74-23693
 - Statistical properties of vertical shear of
lateral velocity p0274 A74-27529
 - Nonstationary atmospheric boundary layer
turbulence simulation
[AIAA PAPER 74-587] p0340 A74-33166
 - Turbulence studies on a high-altitude sounding
aircraft p0392 A74-37234
 - Effect of the structural elasticity of an aircraft
on safety and comfort during flights in a
turbulent atmosphere p0398 A74-37673
 - Spectrum of rotor noise caused by atmospheric
turbulence p0430 A74-38854
 - Problems of flight in turbulence
[ICAS PAPER 74-32] p0449 A74-41333
 - Interest and feasibility study of atmospheric
turbulence and thermal gradients simulation ---
application to air pollution and meteorology
p0064 A74-11380
 - Measurement of turbulence inputs for V/STOL
approach paths in a simulated planetary boundary
layer
[UTIAS-189] p0066 A74-11661
 - The effects of an autopilot on airplane responses
to turbulence with emphasis on tail loads
[NASA-TN-D-7231] p0104 A74-12719
 - Control Configured Vehicle Ride Control (CCV RCS).
B-52 control system analysis, synthesis, and
design
[AD-767590] p0142 A74-13728
 - The spectrum of turbomachine rotor noise caused by
inlet guide vane wakes and atmospheric turbulence
p0151 A74-14379
 - Flight in turbulence --- proceedings of conference
on atmospheric turbulence and effects on
aircraft operation
[AGARD-CP-140] p0232 A74-17720
 - Progress in the mathematical modelling of flight
in turbulence --- effects of atmospheric
turbulence during approach and landing of aircraft
p0232 A74-17725
 - An airline's experience on turbulence ---
avoidance of atmospheric turbulence through air
traffic control, meteorological reports, and
pilot experience p0233 A74-17727
 - Aircraft response to turbulence-crew comfort
assessments using power spectral density methods
--- factors affecting operational efficiency of
crew in low level gust environment p0233 A74-17729
 - On turbulence environment and design criteria ---
application of power spectral techniques for
analyzing gust loads at low altitudes p0233 A74-17734
 - Design problems of military aircraft as affected
by turbulence --- analytical prediction of pilot
task proficiency under vibration environment
p0234 A74-17735
 - Influence of turbulence on helicopter design and
operation --- analysis of structural loads,
pilot workload, and passenger comfort affected
by atmospheric turbulence p0234 A74-17736
 - Data requirements on turbulence in the earth's
atmospheric shear layer for STOL design criteria
--- development of low altitude gust model for
determining importance of gust parameters on
STOL aircraft performance p0234 A74-17737
 - Experience with a low altitude turbulence model
for autoland certification --- correlation of
gust model data with statistical analysis of
flight test results p0234 A74-17738
 - Structural loads and gust criteria --- comparison
of gust load analysis methods for application to
aircraft design p0234 A74-17739
 - Rational calculation of design gust loads in
relation to present and proposed airworthiness
requirements --- effects of atmospheric
turbulence on aerodynamic configuration of short
haul aircraft p0234 A74-17740
 - C.S.A.S. design for good handling in turbulence
--- development of design criteria for stability
augmentation systems for alleviation of gust
effects p0234 A74-17741
 - Theoretical horizontal tail loads and associated
aircraft responses of an autopilot-controlled
jet transport flying in turbulence --- analysis
of problem areas associated with rigid aircraft
controlled by simple autopilot p0234 A74-17742
 - The design of automatic flight control systems to
reduce the effects of atmospheric disturbances
--- flight tests of experimental automatic
pilots on BAC-111 aircraft p0234 A74-17743
 - Application of energy management concepts to
flight-path control in turbulence --- strategy
for control of airspeed and flight path with
emphasis on landing approach p0235 A74-17744
 - A new approach to gust alleviation of a flexible
aircraft using an open loop device ---
application to control system of SE-210 aircraft
p0235 A74-17745
 - Computed lateral power spectral density response
of conventional and STOL airplanes to random
atmospheric turbulence p0237 A74-17759
 - Technical evaluation report on AGARD Flight
Mechanics Panel Symposium on Flight in Turbulence
[AGARD-AR-67] p0294 A74-20639
 - Apparatus for the qualification of very low
frequency vibration exciters --- replacing
aircraft structure excited by turbulence p0332 A74-23520
 - Updated gust design values for use with AFDDL-70-106
[AD-778821] p0412 A74-28493
 - A digital calculation of the response of a piloted
subsonic jet-transport airplane to severe
vertical gusts p0412 A74-28498
 - Aircraft accident report: Ozark Airlines,
Incorporated, Fairchild Hiller FH-227B, N4215
near the Lambert-Saint Louis International
Airport, Saint Louis, Missouri, 23 July 1973
[NTSB-AAR-74-5] p0413 A74-28503
 - Comparison of the influence of horizontal and
vertical gust interferences on aircraft
longitudinal motion

[NASA-TT-P-15801] p0445 N74-30425
Turbulence flight director analysis and
preliminary simulation
[NASA-CR-140487] p0488 N74-33445

ATS
NT ATS 3
NT ATS 5
ATS 3
Vanguard/PLACE experiment system design and test
plan p0216 A74-23788

ATS 5
Vanguard/PLACE experiment system design and test
plan p0216 A74-23788

ATTACK AIRCRAFT
NT A-4 AIRCRAFT
NT A-6 AIRCRAFT
NT A-7 AIRCRAFT
NT A-10 AIRCRAFT
NT A-37 AIRCRAFT
NT ALPHA JET AIRCRAFT
NT B-1 AIRCRAFT
NT B-52 AIRCRAFT
NT B-57 AIRCRAFT
NT BOMBER AIRCRAFT
NT F-4 AIRCRAFT
NT F-5 AIRCRAFT
NT F-8 AIRCRAFT
NT F-14 AIRCRAFT
NT F-15 AIRCRAFT
NT F-17 AIRCRAFT
NT F-89 AIRCRAFT
NT F-104 AIRCRAFT
NT F-106 AIRCRAFT
NT F-111 AIRCRAFT
NT FIGHTER AIRCRAFT
NT FV-12A AIRCRAFT
NT P-1127 AIRCRAFT
NT SAAB 37 AIRCRAFT
NT T-2 AIRCRAFT
NT VJ-101 AIRCRAFT
NT YF-12 AIRCRAFT
NT YF-16 AIRCRAFT
Lasers - Ranger and marked target seeker
p0118 A74-16756
The Alpha Jet programme p0136 A74-18902
SAAB digital flight control --- for Viggen aircraft
[AIAA PAPER 74-26] p0179 A74-20754
A status summary of the MBCA project ---
Multi-Role Combat Aircraft p0212 A74-23596
Royal Air Force experience of the Harrier /Second
Sir Sydney Camm Lecture/ p0262 A74-26564
Experimental system for future remotely piloted
vehicles p0318 A74-30598
Airborne testing of advanced multisensor aircraft
p0460 A74-43612
Formulating military requirements --- effect of
military requirements on technical and design
considerations p0289 N74-20404
Evaluation of a wind tunnel technique to determine
aircraft departure characteristics
[AD-776317] p0360 N74-25791

ATTENUATION
NT ACOUSTIC ATTENUATION
NT SHOCK WAVE ATTENUATION
NT SIDELobe REDUCTION
ATTITUDE (INCLINATION)
NT PITCH (INCLINATION)
NT ROLL
NT YAW
An analysis of the impact of cabin floor angle
restrictions on L/D for a typical supersonic
transport
[NASA-CR-132508] p0494 N74-34469

ATTITUDE CONTROL
NT DIRECTIONAL CONTROL
NT LATERAL CONTROL
NT LONGITUDINAL CONTROL
NT THRUST VECTOR CONTROL
The problem of increasing the operational
precision of electrolytic sensors p0276 A74-27898

Flight test results of a separate surface
wing-leveling system
[SAR PAPER 740369] p0309 A74-28740
Design philosophy of a three axis separate surface
stability augmentation system for a small
turboprop airliner
[AIAA PAPER 74-860] p0401 A74-37849

ATTITUDE GYROS
NT GYRO HORIZONS
ATTITUDE INDICATORS
NT GYRO HORIZONS
Aircraft simulator motion and the order of merit
of flight attitude and steering guidance displays
p0082 A74-14598
A new system for recording aircraft attitude ---
airborne gyro-stabilized opto-electronic sensing
p0091 A74-16246
Flight test evaluation of a low cost electrostatic
autopilot p0346 A74-34846
An investigation of pattern recognition of
aircraft attitudes indicator displays
[AD-768345] p0147 N74-14126
In-flight performance of civilian pilots using
moving-aircraft and moving-horizon attitude
indicators
[AD-773450] p0287 N74-20054
Comparison of conventional and electronic
indicator instruments in a flight simulator and
in a test aircraft
[ESRO-TT-13] p0302 N74-21042

ATTITUDE STABILITY
NT DIRECTIONAL STABILITY
NT GYROSCOPIC STABILITY
NT LATERAL STABILITY
NT LONGITUDINAL STABILITY
Dynamics of slung bodies utilizing a rotating
wheel for stability p0127 A74-18141

AUDIO EQUIPMENT
NT MICROPHONES
AUDIO VISUAL EQUIPMENT
U TRAINING DEVICES
U VISUAL AIDS
AUDITORY PERCEPTION
Jet engine noise testing p0434 A74-39739

AUGMENTATION
NT THRUST AUGMENTATION
AUTOMATIC CONTROL
NT ADAPTIVE CONTROL
NT AUTOMATIC FLIGHT CONTROL
NT AUTOMATIC LANDING CONTROL
NT CASCADE CONTROL
NT DYNAMIC CONTROL
NT FEEDBACK CONTROL
NT NUMERICAL CONTROL
NT OPTIMAL CONTROL
NT TIME OPTIMAL CONTROL
Integrated navigation in the air and on the sea
--- automatic systems p0029 A74-12449
Maplin - Management aspects --- automation and
passenger service p0079 A74-14512
Automatic control aspects of a control-configured
aircraft with allowance for maneuver load control
[DGLR PAPER 73-121] p0121 A74-17216
The automatic aircraft guidance law for mid-air
collision avoidance p0183 A74-21340
Lockheed S-3A Viking - The advanced stabilised
ejection seat has three sub-systems p0213 A74-23841
Automatic control systems for flight-vehicle engines
--- Russian book p0229 A74-24995
Fully automatic LORAN C for commercial airlines
p0316 A74-30356
Controllability and stability of systems with
restricted resources --- Russian book p0380 A74-36154
An automatic brake control system for aircraft
p0484 A74-46685
Fluidics and its application in aircraft and
spacecraft p0484 A74-46688
Determinant parameters defining the principal
layout and design solution of a system for

SUBJECT INDEX

AUTOMATIC LANDING CONTROL

- automatic control of the transfer ratio in a longitudinal flight control system p0485 A74-46708
- The effect of a program for automatic gear ratio change system operation and stabilizer 'deflection' on the main aerodynamic parameters of the longitudinal controllability of an aircraft p0485 A74-46709
- Control failure simulations of the PHM hydrofoil craft using a 1/20-scale dynamic model with automatic control [AD-766098] p0046' N74-10338
- Flight control of airplanes and helicopters --- characteristics of automatic flight control to include methods of display and human factors engineering [AD-777297] p0368 N74-26488
- AUTOMATIC CONTROL VALVES**
- WT PRESSURE REGULATORS**
- AUTOMATIC DATA PROCESSING**
- U DATA PROCESSING**
- AUTOMATIC FLIGHT CONTROL**
- BT AUTOMATIC LANDING CONTROL**
- Control authority with a flight performance controller p0081 A74-14596
- Automatic balancing of an aircraft p0124 A74-17804
- Flight control --- computerized aircraft guidance p0128 A74-18181
- Automatic flight controls in fixed wing aircraft - The first 100 years p0129 A74-18296
- A self-reorganizing digital flight control system for aircraft [AIAA PAPER 74-21] p0133 A74-18808
- Automatic Flight Control System development for U.S. Army heavy lift helicopter [AIAA PAPER 74-25] p0135 A74-18865
- Electronic displays and digital automatic control in advanced terminal area operations [AIAA PAPER 74-27] p0136 A74-18881
- Flight vehicle control systems --- Russian book p0170 A74-19374
- Lockheed S-3A avionics - Three system digital flight guidance p0173 A74-19751
- SAAB digital flight control --- for Viggen aircraft [AIAA PAPER 74-26] p0179 A74-20754
- Reliability of adaptive systems --- Russian book on flight control p0181 A74-20919
- The evolution of electronic displays for civil and military aircraft p0184 A74-21729
- Semi-Markovian models in problems of flight-vehicle control systems --- Russian book p0228 A74-24324
- Automatic flight control systems and analytic design --- Russian book p0228 A74-24325
- Oscillations in an adaptive aircraft control system p0262 A74-26440
- Flight control system advances for near-future military aircraft [SAE PAPER 730987] p0269 A74-27252
- Automated piloting of heavy aircraft --- Russian book p0276 A74-28075
- A unique approach to the development of a light helicopter automatic flight control system [SAE PAPER 740348] p0308 A74-28728
- Flight test results of a separate surface wing-leveling system [SAE PAPER 740369] p0309 A74-28740
- Aircraft dynamics and automatic control --- Book p0320 A74-31219
- MRCA systems and related equipment - MRCA avionics p0337 A74-32636
- System integration in business aircraft avionics --- for automatic flight control [SAE PAPER 740346] p0345 A74-34799
- Integrated flight/propulsion control design techniques starting with the engine [SAE PAPER 740481] p0351 A74-34997
- Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover [AHS PREPRINT 843] p0385 A74-36594
- Design philosophy of a three axis separate surface stability augmentation system for a small turboprop airliner [AIAA PAPER 74-860] p0401 A74-37849
- Considerations in the design of a digital flight control function for a high performance aircraft p0423 A74-38533
- Performance bound of an aircraft lateral control system using the microwave scanning beam landing system p0433 A74-39485
- Use of ARTS III in aircraft accident investigation --- Automated Radar Terminal System p0482 A74-45544
- Development and flight tests of a gyro-less wing leveler and directional autopilot [NASA-TN-D-7460] p0256 N74-19282
- Problems of pilot-automatic control interactions in flight control --- applied to blind CTOL landing and VTOL stabilization [ILR-4-1973] p0326 N74-21663
- Automatic flight control (1966-1973) [NAL-BIBL-SER-51] p0353 N74-25545
- Flight control systems research --- optimization of F-8 aircraft control system [NASA-CR-139595] p0463 N74-31427
- A fly-by-wire flight control system for decoupled manual control p0464 N74-31443
- Turbulence flight director analysis and preliminary simulation [NASA-CR-140487] p0488 N74-33445
- AUTOMATIC LANDING CONTROL**
- Blind landing --- automatic systems p0015 A74-11552
- Safety during automatic landing with poor visibility p0178 A74-20422
- Impact of microwave landing system on safety p0219 A74-22639
- Use of methods based on compound control theory in landing-phase control of an aircraft p0221 A74-24017
- A simulator of wind gust disturbances p0213 A74-24024
- The national microwave landing system /MLS/ [SAE PAPER 740345] p0307 A74-28726
- Flight-control systems for automatic landings - Safety by means of redundancy p0313 A74-29828
- AN/SPN-42 automatic carrier landing system p0374 A74-35209
- Application of modern control theory to the analysis of aircraft autoland performance using a scanning beam guidance system p0374 A74-35236
- U.S. Navy VTOL automatic landing system development program [AHS PREPRINT 823] p0389 A74-36627
- The Hazeltine Doppler microwave landing system - Specialized techniques and features [AIAA PAPER 74-905] p0402 A74-37886
- Simulation study on flare control system by optimization theory [NAL-TR-312] p0040 N74-10046
- Comparison of simulation and flight testing at automatic STOL landing [NASA-TT-F-15171] p0056 N74-10923
- Multi-input, multi-output regulator design for constant disturbances and non-zero set points with application to automatic landing in a crosswind [NASA-CR-136618] p0164 N74-15378
- Design of a flight director/configuration management system for piloted STOL approaches [NASA-CR-114688] p0189 N74-15715
- Experience with a low altitude turbulence model for autoland certification --- correlation of gust model data with statistical analysis of flight test results p0234 N74-17738
- Automation of the landing control of aircraft --- radio equipment for establishing landing approach [AD-777174] p0369 N74-26491
- Safety during automatic landing with poor visibility [NASA-TT-F-15716] p0410 N74-28101
- Preliminary study of a possible automatic landing system [NASA-TN-D-7611] p0419 N74-29119

AUTOMATIC PATTERN RECOGNITION

SUBJECT INDEX

AUTOMATIC PATTERN RECOGNITION

U PATTERN RECOGNITION

AUTOMATIC PILOTS

- Blind landing --- automatic systems p0015 A74-11552
- Safety during automatic landing with poor visibility p0178 A74-20422
- The automatic approach of helicopters and STOL airplanes p0210 A74-23398
- An application of some aspects of optimal control --- for missile autopilot design p0215 A74-23598
- Use of methods based on compound control theory in landing-phase control of an aircraft p0221 A74-24017
- Automatic approach of helicopters and STOL aircraft p0229 A74-25362
- BPRVs - The first and future flights --- Remotely Piloted Research Vehicle p0261 A74-26410
- Practical aspects of electrostatic stabilization --- of aircraft p0261 A74-26411
- Automated piloting of heavy aircraft --- Russian book p0276 A74-28075
- Applications of fluidics to light aircraft instrumentation and control [SAE PAPER 740351] p0308 A74-28731
- Study of wind effects on electrostatic autopilots p0317 A74-30395
- Potential uses for the Kiebitz tethered rotor platform p0318 A74-30596
- Continuing the Aerodyne experimental study p0318 A74-30597
- Experimental system for future remotely piloted vehicles p0318 A74-30598
- Aircraft 4-D constant velocity control system p0342 A74-33812
- Flight test evaluation of a low cost electrostatic autopilot p0346 A74-34846
- Sample rate selection for aircraft digital control [AIAA PAPER 74-885] p0401 A74-37867
- Flight evaluation of a Mach 3 cruise longitudinal autopilot [AIAA PAPER 74-910] p0402 A74-37890
- Instruments of flight: A guide to the pilot's flight panel of a modern airliner --- Book p0426 A74-38694
- Automatisms in supersonic transport p0433 A74-39520
- Fly-by-wire - What does it weigh --- fighter aircraft flight control weight reduction [SAE PAPER 1018] p0435 A74-39888
- Simulating the system of automatic correction of aircraft coordinates on an analog computer [AD-765991] p0042 N74-10058
- The effects of an autopilot on airplane responses to turbulence with emphasis on tail loads [NASA-TN-D-7231] p0104 N74-12719
- Automatic control of a helicopter with a hanging load --- development and evaluation of automatic pilot for use with S-61 helicopter [NASA-CR-136504] p0140 N74-13715
- Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence --- analysis of problem areas associated with rigid aircraft controlled by simple autopilot p0234 N74-17742
- The design of automatic flight control systems to reduce the effects of atmospheric disturbances --- flight tests of experimental automatic pilots on BAC-111 aircraft p0234 N74-17743
- Development and flight tests of a gyroless wing leveler and directional autopilot [NASA-TN-D-7460] p0256 N74-19282
- Automatic transitions of a tilt-rotor aircraft, part 1. Automatic control of a helicopter with a hanging load, part 2 p0363 N74-26432

AUTOMATIC ROCKET IMPACT PREDICTORS

U COMPUTERIZED SIMULATION

AUTOMATIC TEST EQUIPMENT

- Automatic support systems for advanced maintainability; International Symposium, Arlington, Tex., November 5-7, 1973, Record p0074 A74-13802
- A compiler-compiler system for avionic test languages --- syntax and semantics inputs for target language production p0074 A74-13804
- AIRTRANS operational readiness test --- airport interterminal transportation evaluation p0074 A74-13807
- Cost effective built-in test for advanced aircraft electrical systems p0075 A74-13808
- User report on automatic test equipment --- AJ37 Viggen aircraft avionics maintenance testing p0075 A74-13813
- CTL - A programming language for automatic testing --- COMPASS Test Language p0075 A74-13815
- Computer aided test design today --- for avionics maintenance onboard aircraft carriers p0076 A74-14127
- Putting the computer in its place --- Automated Telemetry System for aircraft flight tests p0172 A74-19497
- Modularized instrument system for turbojet engine test facilities p0277 A74-28296

AUTOMATION

- Automation Radar Terminal System - ARTS III p0214 A74-22638
- Plans for intermittent positive control improved beacon and other features of the upgraded third generation system p0219 A74-22678
- Automation and flight management in commercial aviation p0433 A74-39499

AUTOMOBILE ENGINES

- Low NOx emission combustor for automobile --- evaluation of various fuel injection methods [PB-222075/4] p0052 N74-10745
- Low NOx emission combustor for automobile gas turbine engines --- design and tests of two research combustors [PB-222340/2] p0052 N74-10746

AUTOPILOTS

U AUTOMATIC PILOTS

AUTOROTATION

- Parachute escape from helicopters --- vertical and horizontal separation of parachutist from autorotating helicopter [AD-772970] p0251 N74-18702
- Army autorotational accidents --- analysis of factors contributing to helicopter accidents p0301 N74-20771

AUXILIARY POWER SOURCES

- Gas generator design for a wide variety of APU applications [AIAA PAPER 73-1169] p0031 A74-12916
- Some specific characteristics of small gas turbines and the modeling problems of their wind tunnel testing p0131 A74-18682
- Lockheed S-3A Viking - Designing the auxiliary power unit to occupy ram air turbine generator space p0268 A74-27014
- Impact of increasing secondary power requirements on engine and accessory system design [SAE PAPER 740495] p0349 A74-34977
- Secondary power systems --- for DC-10 [SAE PAPER 740465] p0351 A74-35005
- VFW 614 electrical system p0375 A74-35363
- Air mobility fuel cell study --- desulfurization of JP-4 fuel [AD-766757] p0107 N74-12742
- Aircraft auxiliary power systems study. A main generation channel for a V/STOL strike aircraft p0474 N74-32483
- Major Item Special Study (MISS), CH-47A auxiliary power unit (T62-T-2A) [AD-782927] p0499 N74-34552

AV-8A AIRCRAFT

U HARRIER AIRCRAFT

SUBJECT INDEX

AXIAL FLOW

AVIATION

U AERONAUTICS

AVIATORS

U AIRCRAFT PILOTS

AVIONICS

EASCON '73; Electronics and Aerospace Systems Convention, Washington, D.C., September 17-19, 1973, Record p0023 A74-12176

Error model identification and performance predictions for airborne direct ranging Loran p0024 A74-12178

A first generation of L-Band avionics for AEROSAT --- experimentation and evaluation phase of aeronautical satellites p0024 A74-12192

A compiler-compiler system for avionic test languages --- syntax and semantics inputs for target language production p0074 A74-13804

User report on automatic test equipment --- AJ37 Viggen aircraft avionics maintenance testing p0075 A74-13813

Computer aided test design today --- for avionics maintenance onboard aircraft carriers p0076 A74-14127

Reliability in avionics p0077 A74-14142

New concepts in ANTI radar - Nulling effects of Doppler filter/multi-element horn array p0121 A74-17252

Avionics design for maintainability - Are we gaining or losing [SAE PAPER 730882] p0123 A74-17531

Theory and practice of avionics reliability p0129 A74-18597

The S-3A - A new dimension in airborne sea control [AIAA PAPER 74-239] p0137 A74-19205

Lockheed S-3A avionics - Transmitting data by multiprocessor computer p0173 A74-19754

Display systems - An airborne look ahead p0178 A74-20595

Reliability demonstration testing using failure-free trials p0181 A74-20950

DC-10 avionics parts reliability in review p0182 A74-20969

The evolution of electronic displays for civil and military aircraft p0184 A74-21729

Interconnections in grounding and shielding devices for electronic equipment --- Russian book p0227 A74-25027

The CCV concept and specifications --- Control Configured Vehicles [ONERA, TP NO. 1282] p0225 A74-25061

Systems integration - Avionics of tomorrow --- inclusion in aircraft design concepts p0227 A74-25361

MRCAs nav-attack system --- Multi-Role Combat Aircraft p0262 A74-26417

Solid state vertical scale instruments --- for aircraft light emitting diode displays p0267 A74-26965

Instrumentation and cockpit controls for electronic navigation and communication aids [SAE ARP 571 B] p0269 A74-27261

A rational basis for determining the EMC capability of a system p0312 A74-29371

General avionics progress p0318 A74-30592

USAF evaluating helicopter IFR aids p0319 A74-30749

MRCAs systems and related equipment - MRCAs avionics p0337 A74-32636

Application and design of relays for aircraft --- from DC-3 to DC-10 p0344 A74-34775

System integration in business aircraft avionics --- for automatic flight control [SAE PAPER 740346] p0345 A74-34799

Are existing nav aids adequate for commercial STOL operations in coming STOL environments --- suggested improvements for existing systems p0346 A74-34847

Recent Air Force electronic systems corrosion problems

[NACE PAPER 24] p0375 A74-35279

VFW 614 avionics --- guidance, communications and radar systems

Evolution and new functions of airborne radars p0375 A74-35364

The future of avionics --- large scale integration and digital systems p0378 A74-35744

Air Force findings and recommendations on digital aircraft avionics p0399 A74-37786

Electromagnetic compatibility considerations in system integration --- for aircraft installation p0423 A74-38523

Improving Mean-Time-Between-Maintenance-Actions - A recommended system approach --- for avionics p0424 A74-38554

Implementation considerations with PSK modulation --- variable rate and secure voice modems p0424 A74-38555

Microwave dielectric waveguide data bus system for aircraft interior data transfer p0424 A74-38558

A digital Mark XII IPF reply evaluator for the F-15 p0424 A74-38564

Aircraft avionics environmental control analysis procedures for optimized life cycle cost p0425 A74-38565

Methodologies for predicting avionic system capability and weight in CTOL and VTOL fighter/attack aircraft 1975 to 1995 p0434 A74-39741

[SAE PAPER 1002] p0435 A74-39877

Airborne testing of advanced multisensor aircraft p0460 A74-43612

The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers [ECAC-PR-72-045] p0098 N74-11973

Trends in transport aircraft avionics [NASA-TM-X-62322] p0104 N74-12715

An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 9: Project Sea Scanner avionics and sensor system [AD-770548] p0199 N74-16754

A conceptual definition study for a digital avionics information system: Approach 1, volume 1 --- applied to military aircraft systems [AD-771736] p0250 N74-18691

A conceptual definition study for a digital avionics information system: Approach 1, volume 2 --- applied to military aircraft systems [AD-771755] p0250 N74-18692

Problems in avionics life-cycle analysis [P-5136] p0328 N74-22597

Effects of new approach procedures on cockpit design and chances for realization [NASA-TT-F-15613] p0355 N74-25565

Antennas for avionics --- conference on application of avionic antennas in Aerosat systems [AGARD-CP-139] p0468 N74-31667

A flight investigation of a terminal area navigation and guidance concept for STOL aircraft [NASA-TM-X-62375] p0474 N74-33114

AVOIDANCE

NT COLLISION AVOIDANCE

AXIAL COMPRESSION LOADS

Buckling of orthotropic, curved, sandwich panels in shear and axial compression

p0013 A74-11340

AXIAL COMPRESSORS

U TURBOCOMPRESSORS

AXIAL FLOW

Calculation of the characteristics of multistage axial turbomachines --- mathematical model for temperature, pressure and flow parameters

p0001 A74-10029

Theoretical analysis of the noise characteristics of an ejector jet

p0070 A74-13048

Axial flow measurements in trailing vortices

p0425 A74-38626

Unsteady fluid dynamic response of an axial-flow compressor stage with distorted inflow

[AD-766084] p0051 N74-10736

AXIAL FLOW COMPRESSORS

SUBJECT INDEX

Performance of conical diffusers in incompressible flow
[ESDU-73024] p0109 N74-12986

AXIAL FLOW COMPRESSORS
U TURBOCOMPRESSORS

AXIAL FLOW PUMPS
The state of development of axial pumps with supercavitating cascades p0178 A74-20325

AXIAL FLOW TURBINES
Some aspects of inlet/engine flow compatibility p0200 A74-11618

Tip load modulation as a source of discrete tone fan noise p0073 A74-13791

Selection of the economically optimal blade profile for axial fluid flow engines p0177 A74-20311

Some results from tests on a high work axial gas generator turbine p0273 A74-27467
[ASME PAPER 74-GT-81]

Study of flow in axial compressors p0457 A74-43132

Throughflow theory for turbomachines [AD-766537] p0065 N74-11602

A numerical solution for the heat transfer between an axisymmetric air jet and a heated plate --- applied to performance of gas turbine engines [AD-767266] p0112 N74-13510

Basic research requirements for V/STOL propulsion and drive-train components --- analysis of jet engine operating parameters for axial and radial turbines p0290 N74-20412

Characteristics of cascades of slotted sections of adjustable guide vanes of axial-flow turbines [AD-773900] p0293 N74-20452

AXIAL LOADS
NT AXIAL COMPRESSION LOADS

AXIAL STRAIN
Elastic, plastic behavior of a rotor. I - Analysis of an axisymmetric rotor whose radius varies in axial direction p0082 A74-14620

AXIAL STRESS
A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures [AIAA PAPER 74-415] p0266 A74-26711

AXISYMMETRIC BODIES
A simplified method for studying the aerodynamic heating of axisymmetric bodies at an angle of attack p0029 A74-12441

Nonuniqueness of the solution to the problem of viscous interaction on an axisymmetric body --- hypersonic boundary layer equations p0070 A74-13179

Calculation of transonic gas flows past axisymmetric bodies and lifting wing profiles p0390 A74-36826

Reciprocal influence of a body of finite length and a wing at mid-wing position at subsonic speed [BNVG-PBWT-73-33] p0231 N74-17707

AXISYMMETRIC DEFORMATION
U AXIAL STRAIN

AXISYMMETRIC FLOW
NT ANNULAR FLOW

Effect of anisotropic turbulence on aerodynamic noise --- Lighthill theory mathematical model for axisymmetric turbulence p0004 A74-10798

Analysis of axisymmetric turbulence relevant to jet noise p0172 A74-19631

A simple integral method for the calculation of thick axisymmetric turbulent boundary layers p0279 A74-28423

The effect of the Mach number on wave-drag optimized fuselages and profiles in the case of supersonic flow p0447 A74-41032

Calculation of potential flow about axially symmetric fuselages, annular profiles and engine inlets [NASA-TT-P-15213] p0139 N74-13707

Calculation of the boundary-layer flow in the windward symmetry plane of a spherically blunted axisymmetric body at angle of attack, including

stream line-swallowing effects [AD-768340] p0147 N74-13992

AXLES
U SHAFTS (MACHINE ELEMENTS)

A2F AIRCRAFT
U A-6 AIRCRAFT
A4D AIRCRAFT
U A-4 AIRCRAFT

B

B-1 AIRCRAFT
B-1 cost/weight trade methodology p0115 A74-16447

Three dimensional supersonic flow field analysis of the B-1 airplane by a finite difference technique and comparison with experimental data [AIAA PAPER 74-189] p0136 A74-18877

B-1 Crew Escape System p0211 A74-23533

GB ships final engine for flight-test B-1 p0321 A74-31275

Piloted power approach simulation p0347 A74-34853

Solid-state power controllers for B-1 flight test p0425 A74-38575

B-1 central air data computer --- for weapons delivery and aircraft control p0425 A74-38580

Cockpit air filtration requirements of the B-1 in a nuclear dust environment [AD-766711] p0042 N74-10065

B-52 AIRCRAFT
Multi-surface system for the CCV B-52 --- Control Configured Vehicles [AIAA PAPER 74-126] p0135 A74-18851

A wind-tunnel investigation of a B-52 model flutter suppression system [AIAA PAPER 74-401] p0265 A74-26700

Control Configured Vehicle Ride Control (CCV RCS). B-52 control system analysis, synthesis, and design [AD-767590] p0142 N74-13728

An analysis of the phased inspection system for B-52H aircraft --- analysis of cost reduction by increasing flying hours between inspections [AD-769154] p0194 N74-16695

Design of a control system to stabilize the aft fuselage of a B-52 bomber in the presence of a random wind gust [AD-779081] p0442 N74-29392

B-52 control configured vehicles program p0464 N74-31452

B-57 AIRCRAFT
A unique method for monitoring cabin air pollution from engine oil in the B-57 D aircraft [AD-766701] p0057 N74-10932

BAC AIRCRAFT
NT BAC 111 AIRCRAFT
NT CANBERRA AIRCRAFT
BAC 111 AIRCRAFT

The design of automatic flight control systems to reduce the effects of atmospheric disturbances --- flight tests of experimental automatic pilots on BAC-111 aircraft p0234 N74-17743

BACKGROUND NOISE
Effects of a traffic noise background on judgements of aircraft noise [NASA-TN-X-71938] p0304 N74-21308

BACKSCATTERING
Acoustic backscatter radar system for tracking aircraft trailing vortices p0477 A74-44420

Radar backscattering as a means for measuring ocean surface parameters using S193 altimetry and S190B photography [E74-10092] p0063 N74-11202

BAILOUT
Parachute escape from helicopters --- vertical and horizontal separation of parachutist from autorotating helicopter [AD-772970] p0251 N74-18702

BALANCING
Balancing of a flexible rotor. III - Universal state of balance of a flexible rotor irrespective of its bearing stiffness p0082 A74-14622

- Ball type slave bearings for rotor support in dynamic balancing machines
[SAE ARP 1202] p0269 A74-27262
- BALL BEARINGS**
Ball type slave bearings for rotor support in dynamic balancing machines
[SAE ARP 1202] p0269 A74-27262
Evaluation of the friction power in nonisothermal flows of lubricants in clearings of aircraft ball bearings and of their thermal behavior p0481 A74-45467
US Army helicopter rod end bearing reliability and maintainability investigation p0190 A74-15724
[AD-768843]
- BALLISTIC RANGES**
Photographic pyrometry in an aeroballistic range --- aerodynamic model surface temperature measurement p0030 A74-12752
Ames research facilities summary 1974 --- wind tunnels, shock tubes, ballistic ranges, flight simulators, research aircraft, and computers [NASA-TN-X-69411] p0192 A74-15939
- BALLISTIC TRAJECTORIES**
Hologram study of gas flow in a ballistic wind tunnel p0013 A74-11414
- BALLISTICS**
NT TERMINAL BALLISTICS
- BALLCON SOUNDING**
Temperature, winds, and turbulence at SST flight levels p0122 A74-17311
An instrument for nitric oxide measurements in the stratosphere p0341 A74-33428
- BALLOONS**
NT HIGH ALTITUDE BALLOONS
NT METEOROLOGICAL BALLOONS
NT TETHERED BALLOONS
Launching of small inflated balloons from cargo aircraft --- using palletized modular airdrop platform [AD-766428] p0043 A74-10069
A buoyant tornado-probe concept incorporating an inverted lifting device --- and balloon combination [NASA-TN-D-7335] p0047 A74-10584
LDF powered balloon program --- feasibility demonstration of free balloon station keeping capability [AD-768673] p0162 A74-14770
- BALLUTES**
Performance of a ballute decelerator towed behind a jet airplane [NASA-TN-X-56019] p0160 A74-14760
- BANDPASS FILTERS**
Bandwidth filtering effects on PSK modulation p0424 A74-38559
- BANDWIDTH**
NT BROADBAND
Bandwidth filtering effects on PSK modulation p0424 A74-38559
- BANKING FLIGHT**
U TURNING FLIGHT
- BARDEN APPROXIMATION**
U ELECTRICAL PROPERTIES
U SURFACE PROPERTIES
- BAROMETERS**
Paratroop harness TOTAL, PARAQUICK canopy release and BFA-36 chronobarometric parachute opener p0212 A74-23553
- BAROMETRIC PRESSURE**
U ATMOSPHERIC PRESSURE
- BARRICADES**
U BARRIERS
- BARRIERS**
Aerodynamics of airfoils [JPBS-62363] p0405 A74-27471
Motion of an airfoil with variable distance from a barrier p0405 A74-27472
- BARS**
NT ELASTIC BARS
- BARYCENTER**
U CENTER OF GRAVITY
- BASE FLOW**
External burning assisted projectile - Theory and experiment
- [AIAA PAPER 73-1193] p0009 A74-11234
- BASE PRESSURE**
Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack p0312 A74-29496
Inflight thrust and base pressure survey on the A-7 airplane p0345 A74-34840
- BATTERY CHARGERS**
Nickel cadmium aircraft battery run-a-way p0337 A74-32671
- BAYES THEOREM**
On some problems related to the identification of aircraft parameters p0227 A74-24842
- BAYESIAN STATISTICS**
U BAYES THEOREM
- BAYS (STRUCTURAL UNITS)**
Maximum space utilization of a C47 aircraft for remote sensing p0226 A74-25399
- BCC LATTICES**
U BODY CENTERED CUBIC LATTICES
- BEACONS**
NT AIRPORT BEACONS
NT RADAR BEACONS
NT RADIO BEACONS
- BEAMS (SUPPORTS)**
NT BOX BEAMS
NT RECTANGULAR BEAMS
Deflection of carbon fibre/acrylic foam sandwich beams p0002 A74-10322
Design of uniformly long-lived structures of minimum weight p0381 A74-36304
- BEARINGS**
NT ANTIFRICTION BEARINGS
NT BALL BEARINGS
NT FOIL BEARINGS
NT GAS BEARINGS
NT JOURNAL BEARINGS
NT ROLLER BEARINGS
Vibrations of asymmetric rotors supported by asymmetric bearings p0070 A74-13094
Balancing of a flexible rotor. III - Universal state of balance of a flexible rotor irrespective of its bearing stiffness p0082 A74-14622
Investigation of sliding-surface bearings of screw pumps utilized on the navy distillate fuel oil conversion program [AD-771453] p0242 A74-18146
Metalurgical analysis of wear particles and wearing surfaces [AD-778340] p0409 A74-27920
- BEAUFORT SEA (NORTH AMERICA)**
Nasa remote sensing of sea ice in AIDJEX p0063 A74-11223
- BEECH AIRCRAFT**
U BEECHCRAFT AIRCRAFT
- BEECHCRAFT AIRCRAFT**
NT BEECHCRAFT 18 AIRCRAFT
T-tail aerodynamics of the Super King Air [SAE PAPER 740370] p0309 A74-28741
- BEECHCRAFT 18 AIRCRAFT**
Aircraft accident report: Air Iowa, Incorporated, Beech H18S, N310WA, Davenport Iowa, 19 Apr. 1973 [NTSB-AAR-73-18] p0039 A74-10041
- BELL AIRCRAFT**
NT UH-1 HELICOPTER
NT X-14 AIRCRAFT
NT X-22 AIRCRAFT
Tilt-rotor aircraft nears final design p0319 A74-30748
The operation of the Bell 212 under instrument flight rules p0348 A74-34879
Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system [NASA-TN-D-7495] p0325 A74-21652
Quarterly Bulletin of the Division of Mechanical Engineering and the National Aeronautical Establishment, 1 January - 31 March 1974 [DHE/NAE-1974(1)] p0332 A74-23483

BENCRES

SUBJECT INDEX

BENCRES

U SEATS

BENDING

NT ELASTIC BENDING

Calculation of wing flutter with allowance for the kinematic constraint between the bending strains in the wing and the aileron deflection
p0481 A74-45472

BENDING DIAGRAMS

Deflection of carbon fibre/acrylic foam sandwich beams
p0002 A74-10322

BENDING MOMENTS

Effect of transient phenomena on the responses of aircraft to gusts and comparison between calculations and experiments
p0223 A74-25308

Minimum induced drag of wings with given lift and root-bending moment
p0259 A74-25747

Lift and moment prediction for an oscillating airfoil with a moving separation point
[ASME PAPER 74-GT-28]
p0272 A74-27426

Solution of the non-linear differential equations for finite bending of a thin-walled tube by parameter differentiation
p0279 A74-28420

Stability of the tail surfaces --- relationship to rudder bending
p0453 A74-41770

Design of a control system to stabilize the aft fuselage of a B-52 bomber in the presence of a random wind gust
[AD-779081]
p0442 A74-29392

BENDING THEORY

Integral equation solutions for simply supported polygonal plates
p0483 A74-46071

BENDING VIBRATION

Torsion-flap-lag coupling on helicopter rotor blades
p0022 A74-11843

The effect of gyroscopic moment and distributed mass on the vibration of a rotating shaft with a rotor
p0082 A74-14621

Balancing of a flexible rotor. III - Universal state of balance of a flexible rotor irrespective of its bearing stiffness
p0082 A74-14622

Designing a dynamically stable body with lifting surfaces for a follower load
p0087 A74-15710

Nonstationary vibrations of a rigidly supported flexible rotor of variable mass
p0125 A74-17851

Bending-torsional flutter of a cantilevered wing containing a tip mass and subjected to a transverse follower force
p0398 A74-37648

Structure of solutions to basic bending and vibration problems for plates of complex shape
p0482 A74-45592

BERYLLIUM

Properties of beryllium reinforced titanium matrix composites
p0379 A74-35826

BERYLLIUM ALLOYS

Design guide for the use of structural shapes in aircraft applications. Part 1: Selection criteria for structural shapes and tubing. Part 2: Manufacturing methods for structural shapes and tubing
[AD-769042]
p0190 A74-15723

BIBLIOGRAPHIES

Annotated bibliography of reports --- concerning aviation medicine
[AD-766458]
p0102 A74-12701

Study of structural criteria for composite airframes. Volume 3: Bibliography --- with emphasis on characteristics of filamentary composites
[AD-767569]
p0105 A74-12726

Environmental pollution: Air pollution (exhaust gases) --- bibliography
[AD-771710]
p0242 A74-18312

Circulation control: A bibliography of NSRDC research and selected outside references
[AD-775284]
p0327 A74-21666

Automatic flight control (1966-1973)

[NAL-BIBL-SER-51]
p0353 A74-25545

Bibliography on safety in aircraft operations (1970-1972)

[NAL-BIBL-SER-45]
p0353 A74-25547

A summary of helicopter vorticity and wake turbulence publications with an annotated bibliography
[AD-780053]
p0472 A74-32435

Background information and user guide for MIL-S-83691
[AD-780523]
p0490 A74-33459

BIMATHEONIC EQUATIONS

Integral equation solutions for simply supported polygonal plates
p0483 A74-46071

BINARY MIXTURES

NT EUTECTIC ALLOYS

BINARY SYSTEMS (DIGITAL)

U DIGITAL SYSTEMS

BINARY SYSTEMS (MATHEMATICAL)

NT EUTECTIC ALLOYS

BINDERS (ADHESIVES)

U ADHESIVES

BINDERS (MATERIALS)

Development and problems of testing prepregs for the Czechoslovakian aircraft industry
p0280 A74-28528

BIOLOGICAL EFFECTS

Biodegradation of materials used in the construction of utilitarian aircraft
p0219 A74-22522

BIOSPHERE

U LOWER ATMOSPHERE

BIPLANES

Presentation and aerodynamic characteristics of aircraft models derived from an optimal disposition of rectangular biplane wings according to studies of Toussaint, Nenadovic, and Denis
p0484 A74-46675

Feasibility study of the transonic biplane concept for transport aircraft application
[NASA-CR-132462]
p0495 A74-34477

BIRDS

Bird strike and the radar properties of birds --- migration patterns monitoring
p0028 A74-12389

Bird control at the airport
p0080 A74-14523

Studies of the effects of sonic boom on birds
[FAA-RD-73-148]
p0039 A74-10039

Radar techniques for Air Force applications in avoidance of bird-aircraft collisions and improvement of flight safety
[AD-754981]
p0043 A74-10068

An experimental investigation of a high lift device on the owl wing
[AD-769492]
p0188 A74-15707

Falconry as a means of reducing bird-aircraft strike hazards at Whiteman Air Force Base, Missouri
[AD-774568]
p0299 A74-20682

Windshield bird strike structure design criteria
[AD-779729]
p0442 A74-29393

BIT SYNCHRONIZATION

A synchronized Discrete Address Beacon System --- for ATC surveillance
p0221 A74-23786

BITUMENS

Concrete or black top --- airport runway pavement requirements
p0089 A74-15866

BLACKOUT (PHYSIOLOGY)

Anticipatory anti-blackout system --- oxygen operated anti-G valves for aircrew protection
p0212 A74-23551

BLACKOUT (PROPAGATION)

NT ELECTROMAGNETIC NOISE

NT WHITE NOISE

BLADDERS (MECHANICS)

U DIAPHRAGMS (MECHANICS)

SUBJECT INDEX

BODY-WING CONFIGURATIONS

BLADE TIPS

- An investigation of the vibratory and acoustic benefits obtainable by the elimination of the blade tip vortex p0022 A74-11845
- Tip load modulation as a source of discrete tone fan noise p0073 A74-13791
- Isolated airfoil - TIP vortex interaction noise [AIAA PAPER 74-194] p0134 A74-18831
- Rotor aerodynamics and acoustics - The next phase --- helicopter noise at supersonic blade tip speeds p0203 A74-22465
- Quieter propellers for general aviation - Present situation, future outlook [DGLR PAPER 74-023] p0271 A74-27366
- Theory of rotor dynamics with coupling of disk and blade flexibility and support structure asymmetry [ASME PAPER 74-GT-159] p0274 A74-27494
- Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages [NASA-TM-X-2926] p0050 N74-10734
- Helicopter blade-tip stability in forward flight p0195 N74-16711

BLADES

- Dolphin airship with undulating propulsion - Action of the elastic drive blades p0461 A74-44073
- A linear array of blade antennas as an aircraft antenna for satellite communication p0469 N74-31686

BLAST DEFLECTORS

- Model experiments to evaluate vortex dissipation devices proposed for installation on or near aircraft runways [NASA-CN-132365] p0241 N74-17959
- Evaluation of the automatic JBD (Jet Blast Deflector) system [AD-775665] p0358 N74-25595

BLIND LANDING

- Blind landing --- automatic systems p0015 A74-11552
- Problems of pilot-automatic control interactions in flight control --- applied to blind CTOL landing and VTOL stabilization [ILR-4-1973] p0326 N74-21663

BLOWING

- Influence of boundary layer blowing on the low-speed aerodynamic performance of a 45 degree swept-wing airplane [AIAA PAPER 74-269] p0131 A74-18674
- Effect of upper-surface blowing on static longitudinal stability of a swept wing p0477 A74-44419

BLUNT BODIES

- Supersonic flow past sharp- and blunt-nosed conical bodies at angles of attack from 0 to 45 deg [DGLR PAPER 73-080] p0120 A74-17186
- Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity p0186 A74-22304
- Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data p0204 A74-23573
- Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities p0312 A74-29493
- Flow past a triangular wing with blunted edges in the case of strong compression in the shock layer p0384 A74-36560
- Reaction modes occurring at detonation of explosive gas mixture due to detached shock front from a blunt mockup at supersonic speeds [ISI-28/72] p0067 N74-11740
- Calculation of the boundary-layer flow in the windward symmetry plane of a spherically blunted axisymmetric body at angle of attack, including stream line-swallowing effects [AD-768340] p0147 N74-13992
- Drag in hypersonic rarefied flow --- effects of cold pressure drag and friction drag p0157 N74-14730

BOATS

- Control failure simulations of the PHM hydrofoil

craft using a 1/20-scale dynamic model with automatic control [AD-766098] p0046 N74-10338

BOATTAILS

- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests p0481 A74-45379
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds [NASA-TM-X-3053] p0323 N74-21639
- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests [NASA-TM-X-71548] p0360 N74-25812

BODIES OF REVOLUTION

- NT CONICAL BODIES
- NT CYLINDRICAL BODIES
- NT ROTATING CYLINDERS
- Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds [NASA-TM-D-7331] p0036 N74-10015
- A study of methods which predict supersonic flow fields from body geometry, distance, and Mach number [NASA-TM-D-7387] p0038 N74-10030
- Drag of streamline solids of revolution (transition at nose) [ESDU-BODIES-02.04.01-AMEND-A] p0045 N74-10311
- Transonic flow around slender bodies --- transonic flow around slender and fin stabilized bodies of revolution p0046 N74-10440
- Calculation of potential flow about axially symmetric fuselages, annular profiles and engine inlets [NASA-TT-P-15213] p0139 N74-13707
- Magnus characteristics of arbitrary rotating bodies [AGARD-AG-171] p0139 N74-13710
- BODY CENTERED CUBIC LATTICES
- Flat rolled beta titanium alloys for airframe application p0116 A74-16449

BODY KINEMATICS

- Rotor aeroelastic stability coupled with helicopter body motion p0394 A74-37495

BODY-WING AND TAIL CONFIGURATIONS

- Wing fuselage structural/concept study for a subsonic transport aircraft [SAE PAPER 730886] p0123 A74-17533
- Preliminary weight estimation of canard configured aircraft [SAE PAPER 1015] p0435 A74-39885
- Supersonic and transonic wind tunnel tests on a slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes [PPA-AU-772] p0231 N74-17704
- Supersonic and transonic wind tunnel tests on slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes [PPA-AU-772-SUPPL] p0231 N74-17705
- A computer program for the prediction of aerodynamic characteristics of wing-body-tail combinations at subsonic and supersonic speeds, part 2 [PPA-AU-635-PT-2] p0294 N74-20636
- Dynamic responses of the structural model with built-up wings and a fuselage (1) [NAL-TR-350] p0330 N74-22673
- BODY-WING CONFIGURATIONS
- Supersonic flow about slab delta wings and wing-body configurations p0070 A74-13152
- Transonic flow about lifting wing-body combinations [AIAA PAPER 74-185] p0133 A74-18812
- Determination of the aerodynamic characteristics of bodies of complex shape in a free-molecular flow with allowance for shading p0204 A74-23233
- Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities p0312 A74-29493
- Computation of transonic flow about lifting wing-cylinder combinations p0318 A74-30403

BOEING AIRCRAFT

SUBJECT INDEX

- A contribution to the nonlinear lift and pitching moment properties of slender wing-body combinations p0373 A74-35098
- Effect of the body of a helicopter of single-prop or coaxial design on the optimal configuration of the main-rotor blades for hover-flight conditions p0389 A74-36631
- Consideration of the effect of the fuselage of a two-rotor helicopter of the transverse or longitudinal type when determining the optimal rotor blade configuration for hovering p0390 A74-36799
- Flow patterns of fuselage-wing models at supercritical angles of attack p0391 A74-37143
- Hybrid heavy-lift vehicle under study --- airship-lifting body-conventional wing combination p0421 A74-38140
- Effects of Reynolds number on swept-wing-body configurations with high lift devices at transonic speeds [ICAS PAPER 74-05] p0447 A74-41307
- Investigations concerning the interference between annular wing and hub body in the case of annular wing/hub body configurations p0452 A74-41444
- Determination of the aerodynamic characteristics of a complexly shaped body in a free molecular flow with consideration of shadowing effects p0483 A74-46181
- Effects of isolated body and wing-body interference on rolling moment due to sideslip [ESDU-73006] p0035 N74-10007
- Hypersonic aerodynamic characteristics of a family of power-law, wing body configurations [NASA-TN-D-7427] p0102 N74-12705
- Reciprocal influence of a body of finite length and a wing at mid-wing position at subsonic speed [BMVG-FBWT-73-33] p0231 N74-17707
- Swept wing-body combination at subsonic speeds fuselage loads and pressure distributions for a swept wing-body combination at supersonic speeds [ARA-34] p0245 N74-18649
- Wind tunnel blockage and support interference effects on winged-body models at Mach numbers from 0.6 to 1.0 [NASA-TN-X-3011] p0246 N74-18656
- Addition of an arbitrary body analysis capability to the Boeing TRA 236 finite element computer program [AD-774430] p0301 N74-20694
- Study of the single body yawed-wing aircraft concept [NASA-CR-137483] p0405 N74-27485
- Investigation of the static lift capability of a low-aspect-ratio wing operating in a powered ground-effect mode [NASA-TN-X-3031] p0412 N74-28483
- Lateral-directional stability characteristics of a wing-fuselage configuration at angles of attack up to 44 deg [NASA-TN-X-3087] p0463 N74-31421
- BOEING AIRCRAFT**
- NT B-52 AIRCRAFT
- NT BOEING 707 AIRCRAFT
- NT BOEING 720 AIRCRAFT
- NT BOEING 727 AIRCRAFT
- NT BOEING 737 AIRCRAFT
- NT BOEING 747 AIRCRAFT
- NT BOEING 2707 AIRCRAFT
- NT C-135 AIRCRAFT
- NT CH-47 HELICOPTER
- Potentials for advanced civil transport aircraft /Third William Littlewood Memorial Lecture/ [SAE-SP-385] p0270 A74-27266
- Design to cost at work for helicopter systems --- Boeing Vertol programs [AHS PREPRINT 810] p0388 A74-36619
- Aircraft community noise research and development - A historical overview p0397 A74-37545
- Applicability of NASA (ARC) two-segment approach procedures to Boeing Aircraft [NASA-CR-114678] p0235 N74-17749
- BOEING MILITARY AIRCRAFT**
- U MILITARY AIRCRAFT
- BOEING 707 AIRCRAFT**
- Quieting the JT3D powered 707 p0221 A74-22788
- Development of noise-reduction concepts for the 707 airplane p0396 A74-37533
- Aircraft noise retrofit feasibility program objectives and scope p0396 A74-37535
- FAA JT3D quiet nacelle retrofit feasibility program. Volume I-1: Lower goal design, fabrication and ground testing p0471 N74-32430
- Aircraft accident report: Trans World Airlines, Incorporated, Boeing 707-131B, N757TW, Los Angeles, California, 16 January 1974 [NTSB-AAR-74-10] p0489 N74-33447
- BOEING 720 AIRCRAFT**
- Gust velocities encountered by a 720-B type airplane and derived by means of a model for continuous turbulence [LBF-FB-105/73] p0097 N74-11840
- BOEING 727 AIRCRAFT**
- VITAL II --- Virtual Image Takeoff and Landing system in Boeing 727 flight simulator p0177 A74-20275
- Development of noise-reduction concepts for 727 and 737 airplanes p0397 A74-37546
- Aircraft incident report: Eastern Air Lines, Incorporated, Boeing 727-225, N8843E, Toledo, Ohio, 10 April 1973 [NTSB-AAR-73-17] p0040 N74-10050
- The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200 [NASA-CR-134503] p0093 N74-11808
- Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114691] p0189 N74-15716
- The results of a high-speed wind tunnel test to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727 airplane [NASA-CR-134545] p0196 N74-16726
- A 727 airplane center duct inlet low speed performance confirmation model test for refanned JT8D engines, phase 2 [NASA-CR-134534] p0236 N74-17755
- Noise measurements taken at LAX during operational evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114690] p0249 N74-18686
- The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines [NASA-CR-134609] p0296 N74-20661
- Low speed wind tunnel flow field results for JT8D refan engines on the Boeing 727-200 [NASA-CR-134630] p0353 N74-25537
- The 727/JT8D refan side nacelle airloads [NASA-CR-134547] p0363 N74-26436
- The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary [AD-768850] p0471 N74-32429
- The results of a low-speed wind tunnel test to investigate the effects of the Refan JT8D engine target thrust reverser on the stability and control characteristics of the Boeing 727-200 airplane [NASA-CR-134699] p0494 N74-34467
- BOEING 737 AIRCRAFT**
- Development of noise-reduction concepts for 727 and 737 airplanes p0397 A74-37546
- Aircraft accident report: Piedmont Airlines, Boeing 737, N751N, Greensboro, North Carolina, 28 October 1973 [NTSB-AAR-74-7] p0364 N74-26439
- BOEING 747 AIRCRAFT**
- Make no mistake about it - Air transport productivity demands a total and dedicated 'team effort' --- Boeing 747 modification program p0076 A74-13977
- Wear determination in Boeing 747 engines p0077 A74-14363
- The new Advanced Airborne Command Post [ATAA PAPER 74-240] p0130 A74-18654
- Carrier designs for space shuttle orbiter being refined --- piggyback mode transportation

SUBJECT INDEX

BOUNDARY LAYER EQUATIONS

- competition between C-5 and Boeing 747
p0311 A74-28791
- Inside the 747 --- aircraft design and operational criteria
p0432 A74-39381
- Evaluation of effectiveness of various devices for attenuation of trailing vortices based on model tests in a large towing basin
[NASA-CR-2202] p0188 A74-15710
- The 747 fail-safe structural verification program
p0367 A74-26473
- BORING 2707 AIRCRAFT**
The civil supersonic aircraft --- design, economic and political factors
p0310 A74-28786
- Design evolution of the Boeing 2707-300 supersonic transport. Part 2: Design impact of handling qualities criteria, flight control system concepts, and aeroelastic effects on stability and control
p0465 A74-31468
- BOLTZMANN TRANSPORT EQUATION**
Solution of the plane problem of the aerodynamics of a rarefied gas on the basis of Boltzmann's kinetic equation
p0005 A74-10976
- BOMBEE AIRCRAFT**
NT A-4 AIRCRAFT
NT A-6 AIRCRAFT
NT B-1 AIRCRAFT
NT B-52 AIRCRAFT
NT B-57 AIRCRAFT
- Advanced Metallic Air Vehicle Structure Program
[AIAA PAPER 74-336] p0262 A74-26651
- Material selection and evaluation for advanced metallic aircraft structures
[AIAA PAPER 74-373] p0265 A74-26680
- GE ships final engine for flight-test B-1
p0321 A74-31275
- Exhaust system interaction program --- evaluation of exhaust system installation losses and effect on aircraft performance
[AD-769086] p0159 A74-14747
- BOMBING EQUIPMENT**
A pylon to decrease the effects of external stores on the stability of aircraft
[AD-767913] p0145 A74-13749
- BONDING**
NT ADHESIVE BONDING
NT METAL BONDING
NT METAL-METAL BONDING
NT RESIN BONDING
- Heat transfer modeling for curing process of composite rotor blade
[AHS PREPRINT 852] p0386 A74-36598
- BOOMS (EQUIPMENT)**
Development of a graphite-epoxy tailboom for a high-performance armed helicopter
p0083 A74-14748
- BOOST**
U ACCELERATION (PHYSICS)
- BOOSTGLIDE VEHICLES**
A methodology for boost-glide transport technology planning
[NASA-CR-2346] p0249 A74-18681
- BORON**
Improved manufacturing of the F-14A composite horizontal stabilizer
p0083 A74-14739
- Effects of fabrication defects on boron/epoxy composites
[AIAA PAPER 74-352] p0264 A74-26664
- The real and imaginary parts of the complex viscoelastic modulus for boron fiber reinforced plastics /BFRP/
p0315 A74-30095
- Improved manufacturing of the F-14A composite horizontal stabilizer
p0316 A74-30323
- Impact resistance of composite fan blades --- fiber reinforced graphite and boron epoxy blades for STOL operating conditions
[NASA-CR-134515] p0099 A74-12285
- BORON ALLOYS**
Research toward development feasibility of an advanced technology V/STOL propeller system --- development and evaluation of boron-aluminum compound for propeller blades
p0290 A74-20414
- BOUNDARIES**
NT GAS-SOLID INTERFACES
NT GRAIN BOUNDARIES
- BOUNDARY LAYER COMBUSTION**
Swirling flow combustion - Fundamentals and application --- hydrocarbon-air flame velocity, turbojet afterburner application
[AIAA PAPER 73-1250] p0009 A74-11271
- BOUNDARY LAYER CONTROL**
Prevention of transition over a backward step by suction --- laminar boundary layer control
p0013 A74-11339
- Upper Surface Blowing technology as applied to the YC-14 airplane
[SAE PAPER 730916] p0017 A74-11578
- Minimizing boundary layer bleed for a mixed compression inlet
[AIAA PAPER 73-1270] p0030 A74-12497
- Control of laminar flow past a wing in free flight
p0086 A74-15567
- Influence of boundary layer blowing on the low-speed aerodynamic performance of a 45 degree swept-wing airplane
[AIAA PAPER 74-269] p0131 A74-18674
- Investigation into and application of the high velocity circulation control wall jet for high lift and drag generation on STOL aircraft
[AIAA PAPER 74-502] p0338 A74-33102
- Investigation of the influence of vortex generators on turbulent boundary layer separation
p0389 A74-36632
- Theoretical and experimental study of boundary layer blowing at the hinge of a lift-augmenting flap
[ONERA, TP NO. 1367] p0422 A74-38311
- A device for generating an artificial boundary layer in a short axial distance in a supersonic flow
p0452 A74-41398
- Application of boundary layer control by tangential blowing of a jet over trailing edge flaps
p0484 A74-46691
- Two-dimensional wind tunnel test on a variable-camber airfoil with distributed suction boundary-layer control
[AD-766304] p0038 A74-10033
- Investigation of the suction system and boundary-layer characteristics on a high-lift, BLC L-19 test aircraft
[AD-766305] p0042 A74-10063
- Minimizing boundary layer bleed for a mixed compression inlet --- sized for TF30-P-3 turbofan engine at Mach 2.0 and 2.5
[NASA-TM-X-71461] p0045 A74-10321
- STOL tactical aircraft investigation. Volume 6: Air cushion landing system study
[AD-766644] p0058 A74-10940
- STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium
[AD-770110] p0199 A74-16751
- Low speed wind tunnel measurements on a two-dimensional flapped wing model using tunnel wall boundary layer control at the wing-wall junctions
[NLR-TR-70050-U] p0488 A74-33440
- Subsonic wind tunnel investigation of the high lift capability of a circulation control wing on a 1/5-scale T-2C aircraft model
[AD-781856] p0491 A74-33466
- Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds
[NASA-TR-R-428] p0493 A74-34459
- BOUNDARY LAYER EQUATIONS**
Nonuniqueness of the solution to the problem of viscous interaction on an axisymmetric body --- hypersonic boundary layer equations
p0070 A74-13179
- A simple integral method for the calculation of thick axisymmetric turbulent boundary layers
p0279 A74-28423
- The three-dimensional boundary layer in the vicinity of the stagnation line of a swept wing in the case of nonuniform suction
p0382 A74-36452
- The numerical solution of the asymptotic equations of trailing edge flow
p0456 A74-42797

BOUNDARY LAYER FLOW

SUBJECT INDEX

BOUNDARY LAYER FLOW

NT BOUNDARY LAYER SEPARATION

NT REATTACHED FLOW

NT SEPARATED FLOW

Supersonic flow about slab delta wings and wing-body configurations

p0070 A74-13152

Aerodynamic aspects of gas turbine blade corrosion

p0081 A74-14567

Comparison of surface-vorticity method with surface-source method and with an exact solution for two-dimensional potential flow around two adjacent lifting airfoils

p0086 A74-15047

Ablation --- heat and mass transfer in hypersonic flight

p0119 A74-17103

Attachment-line flow on an infinite swept wing

p0177 A74-20293

A study of compressible potential and asymptotic viscous flows for corner region

p0204 A74-23205

Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data

p0204 A74-23573

Experimental and theoretical study of the transonic flow past a half-wing

p0224 A74-25321

Evaluation of aircraft internal noise --- from aerodynamic sources, jet exhaust and internal equipment

p0309 A74-28737

Transonic laminar viscous-inviscid interaction over airfoils

p0340 A74-33177

Theoretical and experimental study of boundary layer blowing at the hinge of a lift-augmenting flap

p0422 A74-38311

Laminar viscous-inviscid interactions at transonic speeds

p0425 A74-38622

Application of boundary layer control by tangential blowing of a jet over trailing edge flaps

p0484 A74-46691

Artificial development of an atmospheric boundary layer flow model in a wind tunnel --- using wind flow modulating devices at wind tunnel entrance

p0139 A74-13701

Calculation of the boundary-layer flow in the windward symmetry plane of a spherically blunted axisymmetric body at angle of attack, including stream line-swallowing effects

p0147 A74-13992

Flutter computer program and lifting surface theory with boundary layer

p0155 A74-14707

Aerodynamics of airfoils

p0405 A74-27471

Three-dimensional measurements of the velocity in the near flow field of a full-scale hovering rotor

p0470 A74-32417

BOUNDARY LAYER NOISE

U AERODYNAMIC NOISE

U BOUNDARY LAYERS

BOUNDARY LAYER SEPARATION

Prediction of airfoil shock location in transonic flow

p0013 A74-11342

Realization of the power amplification effect in a ramjet unit by applying the principle of boundary layer separation

p0175 A74-20069

Unsteady viscous flow on oscillating airfoils

p0179 A74-20774

Example of aerodynamic instability under supercritical conditions about profiles

p0223 A74-25319

Modeling dynamic stall on an oscillating airfoil

p0224 A74-25329

A systematic study of helicopter rotor stall using model rotors

p0388 A74-36618

Investigation of the influence of vortex generators on turbulent boundary layer separation

p0389 A74-36632

Similarity parameters and their sensitivity for transonic airframe exhaust nozzle interactions

[AD-768988] p0159 A74-14746

A nonlinear relay model for post stall oscillations

[AD-769405] p0187 A74-15706

The separating turbulent boundary layer: An

experimental study of an airfoil type flow

p0281 A74-19637

Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds

[NASA-TR-R-428] p0493 A74-34459

BOUNDARY LAYER STABILITY

Nonlinear stability theory of the boundary layer

p0007 A74-11155

High-lift aerodynamics /37th Wright Brothers

Lecture/ --- lift limits and economics

[AIAA PAPER 74-939] p0426 A74-38714

BOUNDARY LAYER TRANSITION

Experimental study of shock-wave reflection upon

boundary layer transition

[ONERA, TP NO. 1284] p0006 A74-11072

Nonlinear stability theory of the boundary layer

p0007 A74-11155

Prevention of transition over a backward step by

suction --- laminar boundary layer control

p0013 A74-11339

On the design of airfoils for low Reynolds numbers

[AIAA PAPER 74-1017] p0454 A74-42038

Drag of streamline solids of revolution

(transition at nose)

[ESDU-BODIES-02.04.01-ANEND-A] p0045 A74-10311

Results of the combined application of boundary

layer and profile theory

[NASA-TT-P-15416] p0254 A74-18917

BOUNDARY LAYERS

NT ATMOSPHERIC BOUNDARY LAYER

NT HYPERSONIC BOUNDARY LAYER

NT INCOMPRESSIBLE BOUNDARY LAYER

NT LAMINAR BOUNDARY LAYER

NT SUPERSONIC BOUNDARY LAYERS

NT THREE DIMENSIONAL BOUNDARY LAYER

NT TURBULENT BOUNDARY LAYER

NT TWO DIMENSIONAL BOUNDARY LAYER

Flight experience with a pivoting traversing

boundary-layer probe

[NASA-TS-X-56022] p0192 A74-16102

BOUNDARY VALUE PROBLEMS

Unsteady flow of power-law fluids

p0004 A74-10573

Boundary value problems of two-dimensional

isentropic gas flow

p0014 A74-11430

A direct method for linear dynamical problems in

continuum mechanics with random loads

p0070 A74-13164

Evaluation of the influence of errors in specifying boundary conditions on the accuracy

of the determination of temperature fields in infinite cylinders

p0130 A74-18635

Note on the aerodynamic theory of oscillating

T-tails. II

p0204 A74-24058

A gradient method of control correction for the solution of a boundary value problem --- for

aircraft trajectory optimization

p0383 A74-36505

Automatic numerical generation of body-fitted

curvilinear coordinate system for field

containing any number of arbitrary

two-dimensional bodies

p0432 A74-39286

Analysis of moving body problems in aerodynamics

p0432 A74-39346

Aerodynamic interference in a system of two

harmonically oscillating airfoils in an

incompressible flow

p0447 A74-41041

Experimental study of viscous flow on multiple

element airfoils

[ICAS PAPER 74-46] p0451 A74-41346

Structure of solutions to basic bending and

vibration problems for plates of complex shape

p0482 A74-45592

BOW SHOCK WAVES

U BOW WAVES

U SHOCK WAVES

SUBJECT INDEX

C-5 AIRCRAFT

- BOW WAVES**
A relaxation method for calculating transonic flows with detached bow shocks p0119 A74-16970
- BOX BEAMS**
Torsion of prismatic shell by finite difference approach p0314 A74-29906
An experimental study of box beam wing structures subjected to torsion p0378 A74-35719
Effect of polymer coatings on fatigue strength of aluminum alloy 2024 box beams [NASA-CR-114699] p0193 A74-16250
- BRAKES (FOR ARRESTING MOTION)**
NT AERODYNAMIC BRAKES
NT AIRCRAFT BRAKES
NT BALLUTES
NT DRAG CHUTES
NT LEADING EDGE SLATS
NT SPLIT FLAPS
NT TRAILING-EDGE FLAPS
NT WHEEL BRAKES
NT WING FLAPS
- BRAKING**
Recent studies of tire braking performance --- for aircraft p0125 A74-17898
Measurements of runway adherence and problems of braking in the regulation of landing distances p0226 A74-25353
- BRANCHING (MATHEMATICS)**
Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes p0129 A74-18291
Branch-and-bound and heuristic approaches to a sequencing problem with team-size requirements [P-5152] p0288 A74-20176
- BRAZING**
Titanium structural brazing p0480 A74-45260
Braze titanium fail-safe structures p0480 A74-45261
- BREAKAWAY**
U BOUNDARY LAYER SEPARATION
- BREAKERS (ELECTRIC)**
U CIRCUIT BREAKERS
- BREATHING APPARATUS**
VPW 614 oxygen system p0375 A74-35361
- BRISTOL-SIDDELEY BS 53 ENGINE**
Pegasus engine operating experience in the Harrier Aircraft --- analysis of requirements for aircraft engine for V/STOL close combat application p0292 A74-20431
- BROADBAND**
A wideband shallow cavity-backed sleeve dipole aircraft antenna [AD-778930] p0418 A74-28719
- BUBBLES**
Methods of visualization of the leading edge separation bubble and analysis of results [ONEBA, TP NO. 1295] p0005 A74-10997
- BUCKEYE AIRCRAFT**
U T-2 AIRCRAFT
- BUCKLING**
NT CREEP BUCKLING
NT ELASTIC BUCKLING
Buckling of orthotropic, curved, sandwich panels in shear and axial compression p0013 A74-11340
Buckling of orthotropic circular plates p0085 A74-14972
Design of crashworthy aircraft cabins based on dynamic buckling p0090 A74-15971
Buckling loads and minimum weight of compressed curved ribbed aluminum alloy panels p0118 A74-16822
Buckling and failure of flat stiffened panels [AIAA PAPER 74-409] p0266 A74-26708
Shell instability analysis applied to a radome p0311 A74-28963
Installation for the investigation of the buckling characteristics of thin-walled structural components p0311 A74-29105
- Oil canning of metallic panels in thermal-acoustic environments [AIAA PAPER 74-982] p0428 A74-38740
The interaction of local and overall buckling of thin-walled structures [ICAS PAPER 74-07] p0448 A74-41309
- BUFFALO AIRCRAFT**
U DBC 5 AIRCRAFT
- BUFFETING**
The calculation of the buffeting limits of swept wings --- transonic flow regime p0005 A74-10985
Buffeting tests with a swept wing in the transonic range p0223 A74-25310
A detailed investigation of flight buffeting response at subsonic and transonic speeds [AIAA PAPER 74-358] p0264 A74-26668
Wind tunnel instrumentation considerations for buffet predictions [AIAA PAPER 74-629] p0376 A74-35393
An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1 [NRC-13673] p0155 A74-14708
Buffeting tests with a swept wing in the transonic range [NASA-TT-P-15803] p0416 A74-28522
- BUILDING MATERIALS**
U CONSTRUCTION MATERIALS
- BUILDING STRUCTURES**
U BUILDINGS
- BUILDINGS**
Aircraft noise induced vibration in fifteen residences near Seattle-Tacoma International Airport p0073 A74-13770
Wind tunnel and field investigations of shapes for balloon shelters [NCAE-TN/EDD-82] p0036 A74-10016
The apron-terminal complex: Analysis of concepts for evaluation of terminal buildings [FAA-RD-73-82] p0098 A74-12019
- BULKHEADS**
A new method of bulkhead analysis in aircraft structures [SAE PAPER 740388] p0310 A74-28752
- BURNERS**
The influence of engine-ducted by-pass air on a burner-can burn-through flame --- with j-57 [FAA-NA-73-87] p0101 A74-12574
- BURNING**
U COMBUSTION
BURNING PROCESS
U COMBUSTION
- BURNTHROUGH (FAILURE)**
Ultraviolet and near-infrared spectral analysis of a burner-can burn-through flame [FAA-NA-73-86] p0053 A74-10866
The influence of engine-ducted by-pass air on a burner-can burn-through flame --- with j-57 [FAA-NA-73-87] p0101 A74-12574
The feasibility of detecting a burner-can burn-through by means of CO, CO2, pressure, and air temperature levels in a jet engine nacelle [AD-775304] p0475 A74-33225
- BYPASSES**
The influence of engine-ducted by-pass air on a burner-can burn-through flame --- with j-57 [FAA-NA-73-87] p0101 A74-12574
- C**
- C-1A AIRCRAFT**
Program plan for investigation of model E-11C-1 airplane catapult and hold-back operations capacity [AD-777435] p0369 A74-26495
- C-2 AIRCRAFT**
Test plan for the hook bounce condition of the C-2A airplane arresting gear A frame [AD-774083] p0301 A74-20693
Hook bounce test of the C-2A airplane arresting gear A frame [AD-774085] p0328 A74-21902
Catapult fatigue test of the model C-2A airplane [AD-775615] p0358 A74-25597
- C-5 AIRCRAFT**
The growing procedural problems of washing mammoth aircraft

C-142 AIRCRAFT

SUBJECT INDEX

[AIAA PAPER 74-376] p0265 A74-26683
Carrier designs for space shuttle orbiter being refined --- piggyback mode transportation competition between C-5 and Boeing 747 p0311 A74-28791
The calculation of aerodynamic noise generated by large aircraft at landing approach p0397 A74-37540
The C-5 weight control program and its influence on structural efficiency [SAWE PAPER 1008] p0435 A74-39880
Keyed joint performance under heavy load aircraft [AD-766706] p0061 A74-11101
Model study of C-5A landings on AM2 landing mat [AD-767231] p0109 A74-12970
C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry [NASA-CR-134184] p0189 A74-15717
Vortex wake research --- inflight investigation of turbulent wake generated by C-5 aircraft p0233 A74-17733
Airfield erosion control for C-5A aircraft operations [AD-774484] p0301 A74-20904
Application of practical optimal control theory to the C-5A load improvement control system (LICS) [AD-776297] p0358 A74-25602
C-142 AIRCRAFT
U IC-142 AIRCRAFT
C-47 AIRCRAFT
Maximum space utilization of a C47 aircraft for remote sensing p0226 A74-25399
C-130 AIRCRAFT
C-130 landing on XM-18B landing mat, Oak Grove Auxiliary Air Field, North Carolina [AD-775365] p0328 A74-21910
A fly-by-wire flight control system for decoupled manual control p0464 A74-31443
C-131 AIRCRAFT
In-flight testing of a flight control multiplex system in the HC-131 B total in-flight simulator [AD-774049] p0302 A74-20907
C-135 AIRCRAFT
Antenna modeling of the KC-135 [AD-769913] p0200 A74-16960
A study of KC-135 aircraft antenna patterns [NASA-CR-138585] p0369 A74-26663
C-141 AIRCRAFT
Effects of compressive overloads on fatigue crack growth [AIAA PAPER 74-365] p0264 A74-26674
Calculation of initial vortex roll-up in aircraft wakes p0392 A74-37283
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft. Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation [NASA-CR-2333] p0248 A74-18679
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft: Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data [NASA-CR-2334] p0248 A74-18680
Advanced metallic structures: Cargo wing design for improved cost, weight, and integrity [AD-782258] p0497 A74-34523
CABIN ATMOSPHERES
Cockpit air filtration requirements of the B-1 in a nuclear dust environment [AD-766711] p0042 A74-10065
CABLES (ROPES)
Helicopter windlass rescue with the Alouette III p0184 A74-21705
VFW 614 surface control system p0375 A74-35362
Development of cargo slings with nondestructive checkout systems [AD-777497] p0369 A74-26492
CADMIUM COMPOUNDS
NT CADMIUM TELLURIDES
CADMIUM NICKEL BATTERIES
U NICKEL CADMIUM BATTERIES

CADMIUM TELLURIDES
Development and testing of a cadmium telluride high temperature (750 F) infrared fire detector --- for detecting aircraft engine fires [AD-773324] p0287 A74-19714
CALCULATORS
Design considerations for the calculator, altitude ML-646 (XE-1/UM) [AD-766699] p0063 A74-11295
CALCULUS
NT ASYMPTOTIC SERIES
NT SERIES (MATHEMATICS)
CALCULUS OF VARIATIONS
Buckling of rods under creep conditions p0391 A74-36834
CALIBRATING
An oscillatory method for the flight calibration of sideslip and incidence sensors p0077 A74-14263
Determination of the movement of the apparent phase centers of aircraft antennas for calibrating the ZDBS interferometer --- coherent wave front simulations for slot antennas and spiral antennas p0469 A74-31704
CALIFORNIA
Thermal warm fog dissipation: Heat requirements and projected utilization of a system for Travis AFB, California [AD-766247] p0048 A74-10605
CALORIMETRY
U HEAT MEASUREMENT
CAMBER
NT CONICAL CAMBER
NT WING CAMBER
CAMBERED WINGS
Unsteady lift forces on highly cambered airfoils moving through a gust [AIAA PAPER 74-88] p0133 A74-18807
The problem of supersonic flow past intersecting wings p0307 A74-28644
Slender delta wing with conical camber p0317 A74-30398
Numerical method of calculating the aerodynamic characteristics of cambered and uncambered wings in supersonic flow p0391 A74-36827
Additional studies, variable camber wing, phase 1 [AD-779041] p0443 A74-29396
CAMERAS
NT FRAMING CAMERAS
NT HIGH SPEED CAMERAS
NT TELEVISION CAMERAS
CAMOUFLAGE
The response of aircraft camouflage lacquers to thermal radiation. Part 2; 6000 degrees K radiator and 800 ft/sec air flow [AD-776884] p0361 A74-26078
CANADIAN AIRCRAFT
NT CL-84 AIRCRAFT
CANADIAN CF-104 AIRCRAFT
U F-104 AIRCRAFT
CANADIAN CL-84 AIRCRAFT
U CL-84 AIRCRAFT
CANARD CONFIGURATIONS
Trimmed drag and maximum flight efficiency of aft tail and canard configurations [AIAA PAPER 74-69] p0134 A74-18813
Stratospheric survey aircraft developed --- canard BPV for pollution monitoring in YF-12 wakes p0276 A74-27849
Aerodynamic design approach to the stall/spin problem - The VariViggen [SAE PAPER 740391] p0310 A74-28755
Preliminary weight estimation of canard configured aircraft [SAWE PAPER 1015] p0435 A74-39885
Static aeroelastic effects on the aerodynamics of the Saab 37 Viggen aircraft, a comparison between calculations, wind tunnel tests and flight tests [ICAS PAPER 74-55] p0451 A74-41354
Canard-wing lift interference related to maneuvering aircraft at subsonic speeds [NASA-TM-X-2897] p0094 A74-11819
Control Configured Vehicle Ride Control (CCV RCS). B-52 control system analysis, synthesis, and design

- [AD-767590] p0142 N74-13728
Effect of canard location and size on canard-wing interference and aerodynamic center shift related to maneuvering aircraft at transonic speeds
- [NASA-TN-D-7505] p0411 N74-28474
The effect of canard and vertical tails on the aerodynamic characteristics of a model with a 59 deg sweptback wing at a Mach number of 0.30
- [NASA-TN-X-3088] p0469 N74-32412
Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing
- [NASA-TN-X-3070] p0487 N74-33432
- CANBERRA AIRCRAFT**
On the nature of large clear air gusts near storm tops
[ARC-CP-1248] p0111 N74-13402
- CANBERRA BOMBER**
U E-57 AIRCRAFT
- CANNONS**
U GUNS (ORDNANCE)
- CANOPIES**
Explosive canopy severance --- feasibilities of ejection through different canopy materials
p0214 A74-23531
Paratroop harness TOTAL, PARAQUICK canopy release and EFA-36 chronobarometric parachute opener
p0212 A74-23553
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] p0193 N74-16249
Cobra window design analysis and no glare canopy design
[AD-778165] p0408 N74-27508
Windshield bird strike structure design criteria
[AD-779729] p0442 N74-29393
- CANTILEVER WINGS**
U WINGS
- CAPTIVE TESTS**
NT STATIC TESTS
- CANAVELLE AIRCRAFT**
U SE-210 AIRCRAFT
- CARBIDES**
NT SILICON CARBIDES
NT TANTALUM CARBIDES
- CARBON**
A shock tube study of the formation of carbon particles during the pyrolysis of hydrocarbons
p0229 A74-25213
- CARBON COMPOUNDS**
NT SILICON CARBIDES
NT TANTALUM CARBIDES
- CARBON DIOXIDE LASERS**
Study of condensation phenomena in the ISL laser wind tunnel using light diffusion
[ISL-RT-19/72] p0060 N74-11099
- CARBON FIBER REINFORCED PLASTICS**
Deflection of carbon fibre/acrylic foam sandwich beams
p0002 A74-10322
Naraco 5208/T300 - A graphite-epoxy system engineered for high-performance aircraft structures
p0082 A74-14732
Advanced composite materials - Solution to problems of structure weight reduction
[ONERA, TP NO. 1313] p0228 A74-24315
An approach to the development of meaningful design rules for fatigue-loaded CFRP components --- carbon fiber reinforced plastics
p0313 A74-29783
Transverse compressive behaviour of unidirectional carbon fibre reinforced plastics
p0313 A74-29785
Solid particle erosion of graphite-epoxy composites --- for aircraft structures
p0402 A74-37920
Costs and benefits of composite material applications to a civil STOL aircraft
[AIAA PAPER 74-964] p0427 A74-38729
Carbon fibres can be cost-competitive - An example
p0436 A74-39902
Application of carbon fibers to helicopters
p0436 A74-39910
Applications of advanced composites in aircraft structures
p0479 A74-45045
- Materials for aerospace current research and development
[D-MAT-194] p0303 N74-21139
Fatigue in carbon fibre reinforced plastic structures: A review of the problems
p0368 N74-26478
Fatigue of composite structures: Experience gained in the design of CFRP structures for helicopters
p0368 N74-26479
- CARBON FIBERS**
The future of carbon fibres
p0317 A74-30380
Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft
[AD-769041] p0163 N74-14779
S-3A graphite/epoxy spoiler development program
[AD-779069] p0444 N74-30013
- CARBON MONOXIDE**
Chemical reactions calculations in turbulent flows - Application to a CO containing turbojet plume
[ONERA, TP NO. 1229] p0006 A74-11069
- CARBON STEELS**
Characterization of carburized Vasco X-2 steel
[AD-782362] p0500 N74-34952
- CARBON-CARBON COMPOSITES**
The future of carbon fibres
p0317 A74-30380
- CARBOXYL GROUP**
Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates
p0316 A74-30313
- CARET WINGS**
Theory of hypersonic flow about a wing
p0025 A74-12205
Investigations concerning yawed caret wings in the hypersonic domain
p0072 A74-13548
Investigation of new wing shapes for hypersonic flight
p0311 A74-29035
Force measurements on caret and delta wings over the incidence range 27 deg less than or equal to alpha less than or equal to 55 deg at M 12.2
[IC-AERO-71-22] p0154 N74-14705
- CARGO**
NT AIR CARGO
In place of congestion: Some observations on the transport of freight
[TT-7308] p0053 N74-10890
- CARGO AIRCRAFT**
NT C-1A AIRCRAFT
NT C-2 AIRCRAFT
NT C-5 AIRCRAFT
NT C-47 AIRCRAFT
NT C-130 AIRCRAFT
NT C-131 AIRCRAFT
NT C-135 AIRCRAFT
NT C-141 AIRCRAFT
NT DC 7 AIRCRAFT
External blowing flap technology on the USAF/McDonnell Douglas YC-15 /AMST/ program
[SAE PAPER 730915] p0017 A74-11579
STOL tactical aircraft investigation --- transports configuration sizing and design
[SAE PAPER 730913] p0017 A74-11581
The airship can meet the energy challenge
p0176 A74-20166
YC-15 powerplant system design and development
[AIAA PAPER 74-973] p0453 A74-41658
Take-off velocities --- of cargo aircraft
[AD-771632] p0239 N74-17776
Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters
[AD-773025] p0252 N74-18708
Updated gust design values for use with AFFDL-70-106
[AD-778821] p0412 N74-28493
Advanced metallic structure: Cargo fuselage design for improved cost, weight, and integrity
[AD-781814] p0473 N74-32456
A new aviation for heavy transport
[NASA-TT-F-15935] p0489 N74-33446
- CARTRIDGE ACTUATED DEVICES**
U ACTUATORS
U EXPLOSIVE DEVICES
- CASCADE CONTROL**
A unique supersonic inlet unsteady aerodynamic

- cascade experiment
[AIAA PAPER 74-622] p0376 A74-35389
- CASCADE FLOW**
The behavior of axial compressor cascades in the case of deviations from purely cylindrical flow p0001 A74-10030
Characteristics of the wake behind a cascade of airfoils p0123 A74-17495
Theoretical investigation of supersonic flow past oscillating cascades with subsonic leading-edge locus [AIAA PAPER 74-14] p0135 A74-18843
The state of development of axial pumps with supercavitating cascades p0178 A74-20325
Experimental study of the aerodynamic noise of airfoils p0224 A74-25327
The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing [ASME PAPER 74-GT-120] p0271 A74-27419
A model of two-dimensional, incompressible flow through a cascade of airfoils with allowance for the viscous displacement effect [ASME PAPER 74-GT-126] p0271 A74-27422
Theoretical solution of high subsonic flow past two-dimensional cascades of airfoils [ASME PAPER 74-GT-91] p0273 A74-27474
Experimental investigations of strongly swept turbine cascades with low speed flow p0280 A74-28457
The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component [AIAA PAPER 74-530] p0339 A74-33127
A unique supersonic inlet unsteady aerodynamic cascade experiment [AIAA PAPER 74-622] p0376 A74-35389
A concept for designing transonic blade cascades p0431 A74-38930
Flow through a cascade of aerofoils p0432 A74-39355
Designing transonic turbine blades by the hodograph method p0437 A74-40002
Transient aerodynamic characteristics of thin curvilinear airfoils in cascade p0482 A74-45928
Free vibrations of dynamically inhomogeneous airfoil cascades in potential flow p0482 A74-45936
Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range [NAL-TR-313] p0045 A74-10322
A study of supersonic flow past vibrating shells and cascades --- using linearized characteristic methods [AD-765735] p0046 A74-10335
Test of a supersonic compressor cascade, volume 1 [AD-756870] p0052 A74-10749
Test of a supersonic compressor cascade, volume 2 --- effects of vortex generators mounted on blades [AD-756871] p0052 A74-10750
Finite element analysis of the flow through a cascade of aerofoils [CUED/A-TURBO/TR-45] p0255 A74-18920
Characteristics of cascades of slotted sections of adjustable guide vanes of axial-flow turbines [AD-773900] p0293 A74-20452
Performance of a model cascade thrust reverser for short-haul applications [NASA-TM-X-71614] p0500 A74-35202
- CASCADES (FLUID DYNAMICS)**
U FLUID DYNAMICS
CASE BONDED PROPELLANTS
Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates p0316 A74-30313
- CASING**
Study of casing treatment effects in axial flow compressors [ASME PAPER 74-GT-89] p0273 A74-27472
Heat transfer of a disk rotating in a casing --- cooling fluid flow in gas turbine engines [NASA-TT-F-15199] p0101 A74-12572
- CASTING**
Evolution of applications of precision casting in turbojets p0125 A74-17892
Ice and landing surface demoulding: Replica fabrication [PPA-MEMO-90] p0047 A74-10541
- CATALYTIC ACTIVITY**
The refining of turbine fuels by modern hydrotreating [AIAA PAPER 74-162] p0133 A74-18798
- CATAPULTS**
NT ROCKET CATAPULTS
Progress in the techniques of free flight studies of catapulted models - Application to aircraft response to vertical gusts p0223 A74-25311
Test plan report for catapult fatigue. Test of the model E-2 A/B airplane [AD-765708] p0042 A74-10059
Catapult fatigue test of the model C-2A airplane [AD-775615] p0358 A74-25597
Program plan for investigation of model E-11C-1 airplane catapult and hold-back operations capacity [AD-777435] p0369 A74-26495
Catapult performance and interface requirements for launch of BQM-34 vehicles [AD-783935] p0499 A74-34686
- CATHODE RAY TUBES**
Electronic display mechanization for monitoring aircraft parameters [SAE PAPER 730956] p0015 A74-11555
Present and future radar display techniques --- CRT, LED and liquid crystals for ATC applications p0028 A74-12382
Development of teledyne video recording systems - Progression of state of the art in film recording p0217 A74-22540
- CATIONS**
NT METAL IONS
- CAVITATION**
U CAVITATION FLOW
CAVITATION FLOW
Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic loading of fuel tanks impacted by bullets and projectiles [AD-772744] p0254 A74-18719
- CENTER OF GRAVITY**
Synthesis of an optimal system for stabilizing aircraft center of gravity paths p0392 A74-37383
Extremal centering and loading of horizontal tail surfaces --- aircraft center of gravity position relationship to lift p0484 A74-46695
Helicopter gross weight and center of gravity measurement system --- applicable to CH-47 and OH-1 helicopters [AD-771955] p0239 A74-17775
- CENTRIFUGAL COMPRESSORS**
Method for calculating the impellers of centrifugal superchargers with allowance for the deformation of the cover plate p0089 A74-15933
Theoretical and experimental studies of a high pressure ratio centrifugal compressor at reduced rotating speed [ICAS PAPER 74-37] p0450 A74-41338
FORTRAN program for predicting off-design performance of centrifugal compressors [NASA-TN-D-7487] p0037 A74-10024
Exact solutions for conical mixed flow rotors. Part 2: Cambered blades of finite thickness [NEL-524-PT-2] p0109 A74-12989
Modeling a high pressure ratio centrifugal compressor using a low speed of sound gas [AD-767241] p0152 A74-14444
Basic research requirements for V/STOL propulsion and drive-train components --- analysis of jet engine operating parameters for axial and radial turbines p0290 A74-20412
- CENTRIFUGAL FORCE**
Swirling flow combustion - Fundamentals and application --- hydrocarbon-air flame velocity, turbojet afterburner application [AIAA PAPER 73-1250] p0009 A74-11271

SUBJECT INDEX

CHANNEL FLOW

CENTRIFUGAL PUMPS

Advanced engine control program --- using
computerized electronic equipment
[AD-773660] p0293 N74-20451

CENTRIFUGING

Modified centrifuge technique for hydrolytic
stability of neopentyl polyol ester lubricants
p0259 A74-25717

CERAMAL PROTECTIVE COATINGS

U PROTECTIVE COATINGS

CERAMICS

Hot corrosion of metals, alloys and ceramics
[AD-769340] p0191 N74-15829
Advanced ceramic seal program, phase I
[AD-781004] p0492 N74-34076

CERTIFICATION

The role of certification in freeing the
environment from aircraft noise nuisance
p0074 A74-13797
Electroacoustical performance requirements for
aircraft noise certification measurements
p0074 A74-13799
New jumbo jets must speak in whispers - Certifying
the Lockheed 1011 p0125 A74-17856

FAA certification of the S-58T helicopter for
instrument flight. I p0172 A74-19491

FAA certification of the S-58T helicopter for
instrument flight. II p0172 A74-19492

A simplified criterion to certify light aircraft
for flight in icing conditions
[SAE PAPER 740349] p0308 A74-28729

The background to propeller airplane noise
regulations
[SAE PAPER 740361] p0309 A74-28738

Certification of helicopters for flight in
instrument meteorological conditions
p0348 A74-34877

Requirements for the helicopter instrument rating
p0348 A74-34880

CESNA AIRCRAFT

NT A-37 AIRCRAFT

NT CESNA 172 AIRCRAFT

Flight test results for an advanced technology
light airplane wing
[SAE PAPER 740368] p0345 A74-34801
Evaluation of spoilers for light aircraft flight
path control p0434 A74-39867

Flight test data for a Cessna Cardinal --- steady
state performance and fixed stick dynamic
stability characteristics
[NASA-CR-2337] p0159 N74-14752

Static radar cross section of light aircraft.
Volume 1: Cessna 150 L at L-, S-, and C-bands
[AD-781825] p0491 N74-33648

CESNA MILITARY AIRCRAFT

U MILITARY AIRCRAFT

CESNA 172 AIRCRAFT

Flight test results of a separate surface
wing-leveling system
[SAE PAPER 740369] p0309 A74-28740

CF-104 AIRCRAFT

U F-104 AIRCRAFT

CFRP

U CARBON FIBER REINFORCED PLASTICS

CH-53 HELICOPTER

U H-53 HELICOPTER

CH-3 HELICOPTER

Vibration effects on helicopter reliability and
maintainability
[AD-766307] p0042 N74-10064

CH-47 HELICOPTER

The effect of helicopter noise on communication
and hearing
[AD-767222] p0112 N74-13450

Recommended design modifications to the CH-47
forward rotor drive gearbox
[AD-769062] p0162 N74-14775

Engineering appraisal of Southwest Research
Institute magnetic crack definer applied to CH47
rotor blades
[AD-769068] p0163 N74-14778

Helicopter gross weight and center of gravity
measurement system --- applicable to CH-47 and
UH-1 helicopters
[AD-771955] p0239 N74-17775

CH-47A design and operational flight loads study

--- development of structural design criteria
for cargo and transport type helicopters
[AD-772949] p0251 N74-18700

Major item special study (MISS), CH-47A engine ---
cost reduction by eliminating high failure rate
equipment on CH-47 helicopter
[AD-772978] p0253 N74-18717

Major Item Special Study (MISS), CH-47A rotary
wing head FWD
[AD-773718] p0286 N74-19691

Major Item Special Study (MISS), CH-47A hydraulic
servocylinder --- reliability analysis of
military helicopter hydraulic system
[AD-775449] p0327 N74-21672

Helicopter icing spray system qualification
[AD-775803] p0330 N74-22688

Development of manufacturing methods for
ballistically tolerant fiberglass tubular
bellcranks --- for the CH-47 helicopter
[AD-775818] p0331 N74-22701

Major Item Special Study (MISS), CH-47A rotary
wing blade
[AD-776419] p0359 N74-25605

Major Item Special Study (MISS), CH-47A
Synchronizer shaft assembly --- failure analysis
to eliminate failure modes and reduce logistics
costs
[AD-776418] p0359 N74-25606

Major Item Special Study (MISS), CH-47A auxiliary
power unit (T62-T-2A)
[AD-782927] p0499 N74-34552

CH-54 HELICOPTER

Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter
p0395 A74-37503

Major Item Special Study (MISS), CH-54A T/B blade
[AD-766227] p0041 N74-10056

Major Item Special Study (MISS), CH-54A clutch
assembly (APP)
[AD-766226] p0041 N74-10057

Major Item Special Study (MISS), CH-54A turbine
engine
[AD-766228] p0051 N74-10738

Major Item Special Study (MISS), CH-54A main rotor
primary servo
[AD-767539] p0106 N74-12732

The evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter
[AD-771962] p0238 N74-17773

CH-54 B main gearbox thermal mapping program
[AD-772664] p0253 N74-18712

CH 54A design and operational flight loads study
--- comparison of design mission profile with
operational mission profiles
[AD-773551] p0286 N74-19686

A design analysis of CH-54B main rotor hub
fabricated from composite materials
[AD-774270] p0300 N74-20689

Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter
p0497 N74-34511

CHAIRS

U SEATS

CHALCOGENIDES

NT CADMIUM TELLURIDES

NT CARBON MONOXIDE

NT NITRIC OXIDE

NT NITROGEN DIOXIDE

NT NITROGEN OXIDES

NT POLYSULFIDES

CHANCE-VOUGHT MILITARY AIRCRAFT

U MILITARY AIRCRAFT

CHANNEL CAPACITY

Description and cost of a satellite-based oceanic
ATC system --- voice and data communication
channel capacity requirements
p0025 A74-12193

Access control techniques for satellite mobile
communications systems
[AIAA PAPER 74-441] p0275 A74-27811

CHANNEL FLOW

High lift characteristics of an airfoil placed in
a narrow channel
p0457 A74-43143

CHANNELS (DATA TRANSMISSION)

SUBJECT INDEX

CHANNELS (DATA TRANSMISSION)

Some transmission characteristics of AEROSAT-type air traffic control systems p0174 A74-19957

Application of dispersive networks in data-transmission receivers p0311 A74-29353

Bandwidth filtering effects on PSK modulation p0424 A74-38559

CHAPLYGIN EQUATION
A time-saving method for calculating subsonic flows at airfoils p0384 A74-36559

CHAPMAN-JOUQUET PLANE
U CHEMICAL EQUILIBRIUM
U FLAME PROPAGATION

CHARACTERISTIC EQUATIONS
U EIGENVALUES
U EIGENVECTORS

CHARACTERISTIC FUNCTIONS
U EIGENVALUES
U EIGENVECTORS

CHARACTERISTICS
Drag and separation --- effects of separated flow on aerodynamic drag p0157 N74-14722

CHARGED PARTICLES
NT METAL IONS

CHARTS
NT GRAPHS (CHARTS)

CHASSIS
Restraint procedures for cargo loaded in vehicles to be air transported [AD-768172] p0146 N74-13954

CHECKOUT
Aircraft servicing and the network technique. II --- graphically represented sequential ground support routines p0338 A74-33094

CHECKOUT EQUIPMENT
U TEST EQUIPMENT

CHEMICAL ANALYSIS
NT GAS ANALYSIS
NT OZONOMETRY
NT SPECTROSCOPIC ANALYSIS
Jet engine emissions --- commercial aviation air pollution near airports p0073 A74-13730

Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake period --- in lower stratosphere [NASA-CR-132323] p0053 N74-10863

Aviation turbine fuels, 1972 p0065 N74-11592

The chemistry of fuel deposits and their precursors [AD-773630] p0289 N74-20399

CHEMICAL ATTACK
NT INTERGRANULAR CORROSION
Effects of corrosions on the fatigue life of an ultra-high strength steel p0478 A74-44538

CHEMICAL COMPOSITION
Composition and chemical stability of motor fuels [AD-770538] p0199 N74-16870

CHEMICAL ELEMENTS
NT ALUMINUM
NT BERYLLIUM
NT BORON
NT CARBON
NT CHROMIUM
NT LIQUID HYDROGEN
NT NITROGEN
NT OXYGEN 18
NT POWDERED ALUMINUM
NT SODIUM
NT TITANIUM

CHEMICAL EQUILIBRIUM
Modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants p0259 A74-25717

CHEMICAL FUELS
NT AIRCRAFT FUELS
NT DIESEL FUELS
NT HYDROCARBON FUELS
NT HYDROGEN FUELS
NT JET ENGINE FUELS
NT JP-4 JET FUEL
NT JP-5 JET FUEL

CHEMICAL KINETICS

U REACTION KINETICS

CHEMICAL PROPERTIES
NT THERMOCHEMICAL PROPERTIES

CHEMICAL PROPULSION
NT HYBRID PROPULSION

CHEMICAL REACTIONS
NT DESULFURIZING
NT HYDROGENATION
NT HYDROLYSIS
NT OXIDATION
NT PHOTOCHEMICAL REACTIONS
NT PHOTOOXIDATION
NT PYROLYSIS

Chemical reactions calculations in turbulent flows - Application to a CO containing turbojet plume [ONERA, TP NO. 1229] p0006 A74-11069

Possible effects of a fleet of supersonic transports on the stratospheric ozone shield p0176 A74-20125

Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake period --- in lower stratosphere [NASA-CR-132323] p0053 N74-10863

Composition and chemical stability of motor fuels [AD-770538] p0199 N74-16870

CHEMICAL SHIFT
U CHEMICAL EQUILIBRIUM

CHEMICAL TESTS
NT CHEMICAL ANALYSIS
NT GAS ANALYSIS
NT OZONOMETRY
NT SALT SPRAY TESTS
NT SPECTROSCOPIC ANALYSIS

CHINOOK HELICOPTER
U CH-47 HELICOPTER

CHIRP
NT CHIRP SIGNALS

CHIRP SIGNALS
Application of dispersive networks in data-transmission receivers p0311 A74-29353

CROKES (RESTRICTIONS)
A study of the characteristics of measuring elements of pneumatic systems p0174 A74-19852

CHROMATOGRAPHY
Odor intensity and characterization studies of exhaust from a turbojet engine combustor [AIAA PAPER 73-1278] p0011 A74-11290

CHROME
U CHROMIUM

CHROMIUM
The use of chromium anodic protection /the BP 4 process/ for the detection of metallurgical anomalies in light alloys p0227 A74-25351

CHROMOSPHERE
Eclipse flight of Concorde 001 --- 30 June 1973 p0030 A74-12515

CHRONOGRAPHS
U CHRONOMETERS

CHRONOMETERS
Paratroop harness TOTAL, PARAQUICK canopy release and EFA-36 chronobarometric parachute opener p0212 A74-23553

CHRONOTRONS
U TIME LAG

CHUGGING
U COMBUSTION STABILITY

CIRCUIT BREAKERS
The effects of sand particles on small, intricate mechanical components --- analysis of binding failures caused by sand particles in helicopter circuit breakers [AD-772977] p0253 N74-18718

CIRCUIT PROTECTION
Interconnections in grounding and shielding devices for electronic equipment --- Russian book p0227 A74-25027

CIRCUIT RELIABILITY
Application and design of relays for commercial aircraft --- from DC-3 to DC-10 p0344 A74-34775

CIRCUITS
NT COUPLING CIRCUITS
NT ECHO SUPPRESSORS
NT FLUIDIC CIRCUITS
NT INTEGRATED CIRCUITS

SUBJECT INDEX

CLEAR AIR TURBULENCE

- NT LOGIC CIRCUITS
- NT MICROWAVE CIRCUITS
- NT PHASE SHIFT CIRCUITS
- NT POWER SUPPLY CIRCUITS
- NT TRANSISTOR CIRCUITS
- Analysis and calculation of lightning-induced voltages in aircraft electrical circuits [NASA-CR-2349] p0160 A74-14754
- A test technique for measuring lightning-induced voltages on aircraft electrical circuits [NASA-CR-2348] p0195 A74-16716
- CIRCULAR CONES
- Shock wave shape associated with a nonsymmetric hypersonic flow around a circular cone p0222 A74-24393
- Vortex-induced heating to cone flaps at Mach 6 p0223 A74-24958
- CIRCULAR CYLINDERS
- The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041
- Flow noise spectra from cylinders and aerofoils p0023 A74-12127
- Computation of transonic flow about lifting wing-cylinder combinations p0318 A74-30403
- CIRCULAR PLATES
- Buckling of orthotropic circular plates p0085 A74-14972
- Strong and weak shock waves. Experiments and calculations [ISL-WB-1/73] p0067 A74-11718
- CIRCULAR POLARIZATION
- A comparison of two L-band aircraft antennas for aeronautical satellite applications --- circularly polarized slot configurations p0469 A74-31688
- CIRCULAR TUBES
- Solution of the non-linear differential equations for finite bending of a thin-walled tube by parameter differentiation p0279 A74-28420
- Processing of titanium tubes - An approach to helicopter blade spar manufacturing [AHS PREPRINT 853] p0386 A74-36599
- CITIES
- Aircraft noise in urban areas. Measurement and evaluation [DGLR-PAPER-74-013] p0368 A74-26481
- CIVIL AVIATION
- Changes in the European air transport pattern p0079 A74-14507
- Long range view of materials research for civil transport aircraft p0083 A74-14756
- Parameters of HF flight navigation aids and their measurement --- Russian book p0169 A74-19371
- Problems in civil air traffic control which SAW technology may impact. --- Surface Acoustic Wave devices p0170 A74-19390
- Noise problems in airport design and in civil aircraft operation p0171 A74-19476
- Airports evolution and qualification p0171 A74-19481
- Helicopter applications at sea p0173 A74-19690
- A look at the British ATC scene. II --- primary and secondary radar systems, development p0173 A74-19727
- Long range view of materials research for civil transport aircraft p0176 A74-20210
- The role of the International Civil Aviation Organization /ICAO/ in obtaining international adoption and implementation of air traffic control, navigation and communications systems p0222 A74-22688
- The use of computer technology in civil aviation --- Russian book p0215 A74-23698
- New frontiers of civil aeronautics p0229 A74-25352
- The technical aspects of supersonic civil transport aircraft p0260 A74-25800
- Noise limit values in the case of aircraft --- under German law [DGLR PAPER 74-015] p0270 A74-27363
- State versus federal regulation of commercial aeronautics p0307 A74-28572
- The national microwave landing system /MLS/ [SAE PAPER 740345] p0307 A74-28726
- The civil supersonic aircraft --- design, economic and political factors p0310 A74-28786
- ICAO and the future landing system --- International Civil Aviation Organization p0311 A74-29252
- Fully automatic LORAN C for commercial airlines p0316 A74-30356
- Looking ahead with hindsight /The Sixty-Second Wilbur and Orville Wright Memorial Lecture/ p0321 A74-31245
- Civil aviation research and development p0378 A74-35718
- The economic utilisation of resources through aviation --- manhours, land and fuel p0381 A74-36321
- Technical regulation and direction --- European Civil Aviation Conference regulations for member states p0382 A74-36329
- Protection of civil aviation aircraft against jet engines. I p0421 A74-38149
- Reliability and maintainability of aircraft jet engines. I p0431 A74-38908
- The design and development of an advanced annular combustor for civil application p0437 A74-40000
- Use of ARTS III in aircraft accident investigation --- Automated Radar Terminal System p0482 A74-45544
- Aircraft accident reports: Brief format, US Civil Aviation. Issue no. 1: 1973 accidents [NTSB-BA-73-8] p0056 A74-10919
- Fifth session of Commission for Aeronautical Meteorology --- conference proposals for personnel training, terminal forecasting, SST operations, and application of satellite data [WMO-322] p0100 A74-12330
- New technologies and profitability of helicopters --- application of helicopters to commercial operations [NASA-TT-F-15195] p0140 A74-13717
- Aviation needs and public concerns --- civil aviation growth in Europe and environmental control p0159 A74-14749
- Forty years of civil aviation, 1931 - 1971 --- for Italy p0159 A74-14750
- Aircraft accident reports: Brief format, supplemental issue, 1972 accidents [NTSB-BA-73-10] p0196 A74-16722
- Civil aviation in the USSR (the fiftieth anniversary of its formation) p0283 A74-19666
- In-flight performance of civilian pilots using moving-aircraft and moving-horizon attitude indicators [AD-773450] p0287 A74-20054
- Aircraft accident report: Brief format, US civil aviation, issue no. 3 of 1973 accidents --- compilation of selected aircraft accident reports [NTSB-BA-74-1] p0297 A74-20664
- Initial-design optimisation on civil and military aircraft p0465 A74-31477
- CL-84 AIRCRAFT
- A head-up display for all-weather approach and landing of tilt-wing V/STOL aircraft [AIAA PAPER 74-952] p0452 A74-41656
- CLARK Y AIRFOIL
- U AIRFOIL PROFILES
- CLASSIC AIRCRAFT
- U IL-62 AIRCRAFT
- CLASSIFICATIONS
- NT HIERARCHIES
- CLEAR AIR TURBULENCE
- Automatisms in supersonic transport p0433 A74-39520

CLIMBING FLIGHT

Turbulence near the tropopause in the presence of mountain waves
[AD-766577] p0063 A74-11274
On the nature of large clear air gusts near storm tops
[ARC-CP-1248] p0111 A74-13402
EOAC experience with turbulence --- performance requirements for clear air turbulence detecting sensor
p0233 A74-17726

CLIMBING FLIGHT

QTOL-Europlane --- Quiet Takeoff and Landing for short distances
p0077 A74-14361
Minimum noise climbout trajectories of a VTOL aircraft
p0392 A74-37284
Lateral control and sailplane design considerations to optimize altitude gain while thermalling
[AIAA PAPER 74-1004] p0454 A74-42032
Climbing performance --- optimum attitude for commercial aircraft
[AD-772052] p0239 A74-17782

CLOCKS

NT CHRONOMETERS

CLOSED LOOP SYSTEMS

U FEEDBACK CONTROL

CLOTH

U FABRICS

CLOTHING

NT HELMETS

NT PROTECTIVE CLOTHING

CLOUD SEEDING

Project Foggy Cloud 4, phase 1. Evaluation of warm fog dissipation techniques --- and stratus cloud modification
[AD-766086] p0047 A74-10597

CLOUDS

NT CONVECTION CLOUDS

NT STRATUS CLOUDS

CLOUDS (METEOROLOGY)

NT CONVECTION CLOUDS

NT STRATUS CLOUDS

CLUTCHES

Major Item Special Study (MISS). CH-54A clutch assembly (APP)
[AD-766226] p0041 A74-10057
Spring overriding aircraft clutch --- for multiengine helicopters
[AD-766309] p0044 A74-10073

CLUTTER

The improvement in performance of an S-band surveillance radar operating in conditions of rain clutter
p0028 A74-12396

COANDA EFFECT

Upper Surface Blowing technology as applied to the YC-14 airplane
[SAE PAPER 730916] p0017 A74-11578
A new pneumatic hybrid control system --- for reduction of supply air consumption
p0174 A74-19884

An experimental study of the effect of a low speed external flow on a coanda effect flap
[AD-774393] p0300 A74-20684

COATING

NT ANODIZING

NT ELECTROPLATING

COATINGS

NT ALUMINUM COATINGS

NT ANODIC COATINGS

NT ELECTROPLATING

NT LACQUERS

NT METAL COATINGS

NT PAINTS

NT PLASTIC COATINGS

NT PROTECTIVE COATINGS

NT SPRAYED COATINGS

NT THERMAL CONTROL COATINGS

COBALT ALLOYS

Evolution of applications of precision casting in turbojets
p0125 A74-17892

Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy
p0337 A74-32812

SUBJECT INDEX

COCKPITS

Differential method for testing the optical standards of cockpit windshields
p0005 A74-10937

Future air traffic control - Ground, cockpit, or space --- system functions transfer to aircraft or satellites
[AIAA PAPER 74-262] p0131 A74-18669

Cockpit design for crew coordination
p0208 A74-22631

Instrumentation and cockpit controls for electronic navigation and communication aids
[SAE ARP 571 B] p0269 A74-27261

Nomenclature and abbreviations, flight deck area
[SAE AS 425 B] p0269 A74-27263

MRCA systems and related equipment - The MRCA cockpit
p0336 A74-32632

VFW 614 cockpit
p0375 A74-35358

Advanced integrated modular instrumentation system --- naval aircraft cockpit display
p0377 A74-35560

Endurance tests on transport aircraft cockpit window glasses --- noting European Airbus
p0197 A74-16732

High acceleration cockpit: The maneuvering countermeasure --- cockpit design for improved pilot performance
[AD-770287] p0198 A74-16743

Report on the Conference on Transparent Aircraft Enclosures
[AD-769372] p0199 A74-16755

Holographic multicolor moving map display (system definition) --- of performance characteristics in cockpits
[AD-772155] p0241 A74-18083

Effects of new approach procedures on cockpit design and chances for realization
[NASA-TT-P-15613] p0355 A74-25565

COD AIRCRAFT

U C-2 AIRCRAFT

CODING

NT SIGNAL ENCODING

Human factors experiments for data link --- coding of air traffic control messages
[AD-760401] p0049 A74-10625

COEFFICIENT OF FRICTION

A device for measuring the power of an aircraft wheel brake
p0213 A74-24027

Evaluation of the friction power in nonisothermal flows of lubricants in clearings of aircraft ball bearings and of their thermal behavior
p0481 A74-45467

COEFFICIENTS

NT AERODYNAMIC COEFFICIENTS

NT COEFFICIENT OF FRICTION

NT CORRELATION COEFFICIENTS

NT DISCHARGE COEFFICIENT

NT HEAT TRANSFER COEFFICIENTS

NT NOZZLE THRUST COEFFICIENTS

COIN AIRCRAFT

NT F-5 AIRCRAFT

COLD FLOW TESTS

Flap noise prediction method for a powered lift system
[AIAA PAPER 73-1028] p0006 A74-11051

V/STOL deflector aerodynamic design criteria --- geometric variations effects
[AIAA PAPER 73-1181] p0008 A74-11226

Effect of configuration variation on externally blown flap noise
[AIAA PAPER 74-190] p0180 A74-20775

Externally blown flap noise research
[SAE PAPER 740468] p0352 A74-35011

COLD FORMING

U COLD WORKING

COLD WEATHER TESTS

Cold-weather flight tests of an OH-58 helicopter equipped with an elastomeric-bearing main rotor
[AD-772935] p0253 A74-18716

COLD WORKING
Development of cold headable titanium alloys for the 'Concorde' supersonic jet
p0117 A74-16554

COLLISION AVOIDANCE
Collision avoidance and the future of air traffic control

SUBJECT INDEX

COMBUSTION CHAMBERS

- Realization of a horizontal collision avoidance system p0007 A74-11101
- The automatic aircraft guidance law for mid-air collision avoidance p0175 A74-20099
- Upgrading the ATC system; Proceedings of the Annual Meeting, Washington, D.C., November 28, 29, 1973 p0183 A74-21340
- Plans for intermittent positive control improved beacon and other features of the upgraded third generation system p0219 A74-22677
- Criticisms of FAA handling of collision avoidance systems p0219 A74-22678
- Collision avoidance systems --- proximity warning indicator for ATC p0220 A74-22681
- Requirements and trends of collision avoidance systems p0220 A74-22682
- [ONERA, TP NO. 1337] p0220 A74-23393
- A discrete address beacon system --- digital surveillance radar for ATC p0221 A74-23785
- A synchronized Discrete Address Beacon System --- for ATC surveillance p0221 A74-23786
- Requirements and trends in collision avoidance p0228 A74-25355
- Safe separation in controlled flight p0337 A74-33065
- Integrated, universal pilot warning/collision avoidance display p0377 A74-35567
- Optimization of air routes with a view to minimizing the risk of collision p0421 A74-38098
- Automatisms in supersonic transport p0433 A74-39520
- Some user benefits achievable from an advanced air traffic management system [R-1320-DOT] p0065 N74-11435
- Cost comparisons of advanced air traffic management systems [R-1319-DOT] p0065 N74-11436
- Control of air traffic by aid of satellites p0100 N74-12354
- Air traffic control/collision avoidance system interface simulation, phase 2 --- based on high density terminal area with simultaneous approaches to parallel runways p0100 N74-12361
- Potential conflict prediction and associated functions for oceanic air traffic control automation [AD-767453] p0112 N74-13427
- Application of Monte Carlo methods to estimation of collision risks associated with ATC separation standards [RAE-TR-73104] p0256 N74-19283
- Landing rates for mixed STOL and CTOL traffic [NASA-TN-D-7666] p0304 N74-21290
- COLLISION WARNING DEVICES**
- U COLLISION AVOIDANCE
- U WARNING SYSTEMS
- COLLISIONS**
- NT MIDAIR COLLISIONS
- COLLOIDS**
- NT AEROSOLS
- NT FOG
- COLOR PERCEPTION**
- U COLOR VISION
- COLOR PHOTOGRAPHY**
- A color schlieren system p0124 A74-17806
- Holographic multicolor moving map display p0377 A74-35563
- COLOR VISION**
- Color perception in the transitional zones of tricolor Glide-Slope Indicators (GSI's) [AD-771422] p0237 N74-17762
- COLUMNS (SUPPORTS)**
- Column failure of thin-walled compression members in aircraft wings as affected by wall imperfection and crushing p0197 N74-16737
- COMBAT**
- A simulation study of the force mix problem in close air support operations [AD-766879] p0102 N74-12699
- COMBINED STRESS**
- An algorithm for rational selection of the parameters of nonlinearly deforming thin-walled framework elements p0130 A74-18645
- COMBUSTIBLE FLOW**
- Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity p0186 A74-22304
- COMBUSTION**
- NT AFTERBURNING
- NT BOUNDARY LAYER COMBUSTION
- NT FUEL COMBUSTION
- NT HYDROCARBON COMBUSTION
- NT METAL COMBUSTION
- NT SPONTANEOUS COMBUSTION
- NT SUPERSONIC COMBUSTION
- Low NOx emission combustor for automobile --- evaluation of various fuel injection methods [PB-222075/4] p0052 N74-10745
- COMBUSTION CHAMBERS**
- Aircraft engines - Progress made in France over ten years, and possibilities for the ten years to come p0006 A74-11093
- Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270
- Impact of emission regulations on future gas turbine engine combustors [AIAA PAPER 73-1277] p0010 A74-11289
- Odor intensity and characterization studies of exhaust from a turbojet engine combustor [AIAA PAPER 73-1278] p0011 A74-11290
- An experimental investigation of techniques for reducing objectionable exhaust emissions [AIAA PAPER 73-1324] p0012 A74-11316
- Modeling of gas turbine combustors p0014 A74-11434
- Simplified physical model of spray combustion in a gas turbine engine p0015 A74-11451
- An empirical model for calculating the critical conditions of flame stabilization p0022 A74-11824
- Advanced technology for reducing aircraft engine pollution [ASME PAPER 73-WA/AERO-2] p0071 A74-13244
- Current state-of-the-art for airbreathing combustor measurements p0277 A74-28298
- Development of a reduced smoke combustor for the JT3D engine [SAE PAPER 740484] p0350 A74-34995
- The design and development of an advanced annular combustor for civil application p0437 A74-40000
- Attenuation of instabilities in propulsion system combustors p0478 A74-44422
- Calculating pressure in combustion chamber of pulsejet engine during filling process [AD-766045] p0051 N74-10737
- Low NOx emission combustor for automobile gas turbine engines --- design and tests of two research combustors [PB-222340/2] p0052 N74-10746
- Use of an air-assisted fuel nozzle to reduce idle emissions of a jt8d engine combustor [NASA-TN-X-2946] p0067 N74-11738
- Estimation and optimization of the film cooling requirements in a gas turbine combustion chamber [CRANFIELD-SME-5] p0152 N74-14439
- A proposed method for calculating film-cooled wall temperatures in gas turbine combustion chambers [CRANFIELD-SME-4] p0152 N74-14440
- The divided combustion chamber concept and design for control of SI engine exhaust air pollutant emissions p0165 N74-15454
- Measurements of liner cooling effectiveness within a full scale double-annular ram-induction combustor [NASA-TN-D-7689] p0362 N74-26389

COMBUSTION EFFICIENCY

SUBJECT INDEX

COMBUSTION EFFICIENCY

An experimental investigation of techniques for reducing objectionable exhaust emissions
[AIAA PAPER 73-1324] p0012 A74-11316
The reduction of gas turbine idle emissions by fuel zoning for compressor bleed
[ASME PAPER 73-WA/ABRO-1] p0070 A74-13243
The hydrogen fuel economy and aircraft propulsion
[AIAA PAPER 73-1319] p0125 A74-17905
Current state-of-the-art for airbreathing combustor measurements p0277 A74-28298

Aeronautical fuel conservation possibilities for advanced subsonic transports --- application of aeronautical technology for drag and weight reduction
[NASA-TN-X-71927] p0295 A74-20654

COMBUSTION INSTABILITY

U COMBUSTION STABILITY

COMBUSTION PHYSICS

Deutsche Gesellschaft fuer Luft- und Raumfahrt, Yearbook 1972 --- German book p0225 A74-24892
Mixing and combustion processes in jet engines --- physics of interaction of droplets or solid particles with gas stream
[AD-766030] p0051 A74-10741
Parameters controlling nitric oxide emissions from gas turbine combustors p0149 A74-14291

COMBUSTION PRODUCTS

Prediction of aircraft gas turbine NO_x/ emission dependence on engine operating parameters and ambient conditions
[AIAA PAPER 73-1275] p0010 A74-11287
Measurement of gas turbine exhaust pollutants by Raman spectroscopy
[AIAA PAPER 73-1276] p0010 A74-11288
Modeling of gas turbine combustors p0014 A74-11434

The effects of water, pressure, and equivalence ratio on nitric oxide production in gas turbines
[ASME PAPER 73-WA/GT-1] p0071 A74-13292
Conversion of fuel nitrogen to NO_x in a compact combustor

[ASME PAPER 73-WA/GT-2] p0071 A74-13293
Ingestion and dispersion of engine exhaust products by trailing vortices for supersonic flight in the stratosphere

[AIAA PAPER 74-42] p0134 A74-18815
A shock tube study of the formation of carbon particles during the pyrolysis of hydrocarbons

p0229 A74-25213
Jet engine soot emission measured at altitude p0317 A74-30397

Atmospheric Pollution by Aircraft Engines
[AGARD-CP-125] p0148 A74-14271

Parameters controlling nitric oxide emissions from gas turbine combustors p0149 A74-14291

Technical evaluation report on AGARD Technical Meeting on Atmospheric Pollution by Aircraft Engines --- requirement to analyze contribution to air pollution near airports from various sources

[AGARD-AR-63] p0164 A74-15349
Forecast of jet engine exhaust emissions for future high altitude commercial aircraft

[NASA-TN-X-71509] p0243 A74-18400

COMBUSTION STABILITY

NT FLAME STABILITY

Jet engine exhaust noise due to rough combustion and nonsteady aerodynamic sources p0075 A74-13958

Attenuation of instabilities in propulsion system combustors p0478 A74-44422

Combustion generated noise in turbopropulsion systems
[AD-768615] p0166 A74-15666

COMBUSTION VIBRATION

Noise generation by ducted combustion systems --- resonant oscillations
[AIAA PAPER 73-1024] p0026 A74-12223

COMBUSTION WAVES

U FLAME PROPAGATION

COMBUSTORS

U COMBUSTION CHAMBERS

COMET 4 AIRCRAFT

Gust loads on Comet aircraft --- noting gust frequencies and cloud collision radar effect
[ARC-CP-1247] p0250 A74-18689

COMMAND AND CONTROL

The new Advanced Airborne Command Post
[AIAA PAPER 74-240] p0130 A74-18654
Airborne warning and control system /AWACS/ --- for air operations management during military crises
[AIAA PAPER 74-241] p0130 A74-18655
Aircraft 4-D constant velocity control system p0342 A74-33812
Helicopter command instrument systems
[AHS PREPRINT 822] p0389 A74-36626
Functional command/control considerations for ship-deployable tactical remotely-piloted vehicle /RPV/ p0433 A74-39664

RPV potential for naval applications p0481 A74-45309

COMMAND-CONTROL

U COMMAND AND CONTROL

COMMERCIAL AIRCRAFT

NT A-300 AIRCRAFT
NT BOEING 707 AIRCRAFT
NT BOEING 720 AIRCRAFT
NT BOEING 727 AIRCRAFT
NT BOEING 737 AIRCRAFT
NT BOEING 747 AIRCRAFT
NT BOEING 7707 AIRCRAFT
NT COMET 4 AIRCRAFT
NT DC 7 AIRCRAFT
NT DC 8 AIRCRAFT
NT DC 9 AIRCRAFT
NT DC 10 AIRCRAFT
NT EUROPEAN AIRBUS
NT F-28 TRANSPORT AIRCRAFT
NT IL-62 AIRCRAFT
NT L-1011 AIRCRAFT
NT SE-210 AIRCRAFT
NT SUPERSONIC COMMERCIAL AIR TRANSPORT
NT TU-134 AIRCRAFT
NT TU-144 AIRCRAFT

The technology and economics of commercial airplane design. I

The technology and economics of commercial airplane design. II

Commercial aircraft --- weight reduction by composite materials

Noise, an urgent problem with a slow solution --- aircraft noise reduction in airport vicinity

Maintainability concepts used in the design and operation of Douglas commercial jet aircraft
[SAE PAPER 730881] p0019 A74-11603

Transport vehicles - Weights and loads --- commercial aircraft

Propulsion requirements for powered-lift aircraft
[AIAA PAPER 73-1214] p0031 A74-12928

QTOL-Europlane --- Quiet Takeoff and Landing for short distances

Transport aerospace industry contributions to modern problem solutions /W. Rupert Turnbull Lecture for 1973/

The aftermath of a hijacking - Passenger claims and insurance

Trends in hydraulic systems of commercial transport aircraft

Noise problems in airport design and in civil aircraft operation

Airports evolution and qualification

Simulation of dispatch reliability for a fleet of large commercial aircraft

The cost of noise reduction in intercity commercial helicopters

SUBJECT INDEX

COMPLEX VARIABLES

- Obsolescence of commercial aircraft - When, where, how
p0222 A74-23878
- Structural research with the aim of adapting the design to the materials
p0229 A74-25359
- Potentials for advanced civil transport aircraft /Third William Littlewood Memorial Lecture/ [SAE-SP-385]
p0270 A74-27266
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft
p0275 A74-27773
- Are existing nav aids adequate for commercial STOL operations in coming STOL environments --- suggested improvements for existing systems
p0346 A74-34847
- Tracking systems for flight development of today's commercial aircraft
p0348 A74-34858
- The effect of runway traction on commercial airplane stopping systems [SAE PAPER 740500]
p0349 A74-34976
- ACLS for a commercial transport --- Air Cushion Landing System [SAE PAPER 740452]
p0349 A74-34984
- Application of hydrogen to commercial transports [SAE PAPER 740451]
p0349 A74-34985
- Advanced controls for commercial transport aircraft --- USAF Control Configured Vehicles and NASA Active Control Technology programs [SAE PAPER 740453]
p0352 A74-35008
- Cabin pressure control - An exercise in nonlinear design
p0373 A74-35208
- The development of third level air services in France
p0382 A74-36328
- Reply to criticisms by V. E. Callaway of papers MM1 and MM11 at the 86th Meeting of the ASA --- aircraft cabin noise level
p0391 A74-37061
- Safety objectives of onboard computers on civil aircraft
p0431 A74-39010
- Automation and flight management in commercial aviation
p0433 A74-39499
- Testing of commercial airplane environmental control systems [SAE ARP 217 B]
p0434 A74-39768
- Reliability efforts in large European programs for military and commercial aircraft development
p0483 A74-46292
- New technologies and profitability of helicopters --- application of helicopters to commercial operations [NASA-TT-F-15195]
p0140 A74-13717
- Noise source abatement technology and cost analysis including retrofitting --- noise control for commercial and general aviation aircraft [PB-224422/6GA]
p0238 A74-17771
- Climbing performance --- optimum attitude for commercial aircraft [AD-772052]
p0239 A74-17782
- Design of a fault tolerant airborne digital computer. Volume 1: Architecture [NASA-CR-132252]
p0240 A74-17909
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft [NASA-TN-X-71509]
p0243 A74-18400
- Aircraft accident report: Loftleidir Icelandic Airlines, Incorporated, Douglas DC-8-61, John F. Kennedy International Airport, Jamaica, New York, 23 June 1973 [NTSR-AAR-73-20]
p0249 A74-18683
- Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology [NASA-CR-132253]
p0254 A74-18842
- Engine cycle selection for commercial STOL aircraft --- effect of aircraft requirements and operational characteristics on engine parameters
p0290 A74-20408
- Jet engine exhaust emissions of high altitude commercial aircraft projected to 1990 [NASA-TN-X-3007]
p0294 A74-20591
- Prospects for liquid hydrogen fueled commercial aircraft
- [PR-37]
p0295 A74-20647
- Landing rates for mixed STOL and CTOL traffic [NASA-TN-D-7666]
p0304 A74-21290
- Longitudinal motion of an airliner during steep approach [NASA-TT-F-15616]
p0355 A74-25564
- Investigation of the fail-safe properties of civil aircraft
p0366 A74-26463
- Local service air carriers' unit costs. Volume 2: Unit costs, computations and historical data, year ended 30 September 1973
p0371 A74-27436
- Economic effects of propulsion system technology on existing and future transport aircraft [NASA-CR-134645]
p0410 A74-28230
- Navigation and guidance requirements for commercial VTOL operations [NASA-CR-132423]
p0444 A74-30093
- COMMERCIAL AVIATION**
U CIVIL AVIATION
U COMMERCIAL AIRCRAFT
- COMMUNICATING**
NT AIRCRAFT COMMUNICATION
NT GROUND-AIR-GROUND COMMUNICATIONS
- COMMUNICATION CABLES**
NT WAVEGUIDES
- COMMUNICATION EQUIPMENT**
NT RADIO RECEIVERS
NT TRANSMITTER RECEIVERS
- Instrumentation and cockpit controls for electronic navigation and communication aids [SAE ARP 571 B]
p0269 A74-27261
- VPW 614 avionics --- guidance, communications and radar systems
p0375 A74-35364
- Transportability --- of military equipment [AD-765456]
p0044 A74-10229
- Interrogation scheduling algorithms for a discrete address beacon system --- for air traffic control applications [ATC-19]
p0065 A74-11432
- COMMUNICATION SATELLITES**
NT AERONAUTICAL SATELLITES
- The effects of ionospheric scintillation on satellite communications
p0259 A74-25670
- Access control techniques for satellite mobile communications systems [AIAA PAPER 74-441]
p0275 A74-27811
- Application of dispersive networks in data-transmission receivers
p0311 A74-29353
- A simple antenna system approach for mobile SATCOM terminals
p0424 A74-38557
- Satellite communications systems --- multiplexing for communication lines, equipment of earth stations, and onboard receiver transmitter and antennas [JPRS-54505]
p0044 A74-10153
- Continental Land Mass Air Traffic Control (COLM ATC) --- using three artificial satellite configurations [NASA-CR-132831]
p0048 A74-10619
- Aerosat and Marsat: Satellites for mobile services
p0059 A74-11018
- Conference on Satellite Systems for Mobile Communications and Surveillance [AD-767369]
p0109 A74-12884
- COMMUNICATION SYSTEMS**
U TELECOMMUNICATION
- COMPARTMENTS**
NT AIRCRAFT COMPARTMENTS
NT ANEROIC CHAMBERS
NT PRESSURIZED CABINS
- COMPASSES**
NT GYROCOMPASSES
- COMPILATION (COMPUTERS)**
U COMPILERS
U COMPILER PROGRAMS
U COMPILERS
- COMPILERS**
A compiler-compiler system for avionic test languages --- syntax and semantics inputs for target language production
p0074 A74-13804
- COMPLEX VARIABLES**
NT CONFORMAL MAPPING

COMPLEXITY

SUBJECT INDEX

- NT SINGULARITY (MATHEMATICS)
Analytical studies of two-element airfoil systems
[AD-775538] p0324 A74-21645
- COMPLEXITY
- NT TASK COMPLEXITY
- COMPONENT RELIABILITY
- Service evaluation of aircraft composite structural components p0084 A74-14774
- Fracture mechanics applications in materials selection, fabrication sequencing and inspection [AIAA PAPER 72-383] p0090 A74-15968
- Hazard function monitoring of airline components p0181 A74-20967
- DC-10 avionics parts reliability in review p0182 A74-20969
- Compact video tape recorders of exceptional performance and reliability p0217 A74-22534
- Flight-control systems for automatic landings - Safety by means of redundancy p0313 A74-29828
- Small Turbine Advanced Gas Generators for future engine requirements p0387 A74-36607
- Failure analyses of aircraft accidents. I p0398 A74-37634
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 2: Supplemental design guide --- design requirements related to environmental conditions, reliability, and maintainability programs [AD-773023] p0252 A74-18710
- COMPOSITE MATERIALS
- NT CARBON FIBER REINFORCED PLASTICS
- NT CARBON-CARBON COMPOSITES
- NT GLASS FIBER REINFORCED PLASTICS
- NT LAMINATES
- NT METAL MATRIX COMPOSITES
- NT REINFORCED PLASTICS
- Applications of composite materials --- Book p0002 A74-10494
- Commercial aircraft --- weight reduction by composite materials p0002 A74-10495
- Military aircraft --- structural design with fiber reinforced composite materials p0002 A74-10496
- VTOL aircraft --- fibrous composites for structural weight reduction p0002 A74-10497
- Advanced structural materials application for high-subsonic-speed transports [SAE PAPER 730887] p0019 A74-11601
- Marco 5208/T300 - A graphite-epoxy system engineered for high-performance aircraft structures p0082 A74-14732
- Polyimides for advanced radomes --- heat resistant reinforced composite materials p0082 A74-14738
- Advanced composite F-5 fuselage component --- design, tooling, fabrication and assembly flexibilities p0084 A74-14763
- Service evaluation of aircraft composite structural components p0084 A74-14774
- Titanium - The bridge to composites --- for light weight/high performance aircraft p0116 A74-16451
- Application of advances in structures and materials to the design of the YF-17 airplane [SAE PAPER 730891] p0123 A74-17534
- Advanced composites --- in aerospace structural design [AIAA PAPER 74-242] p0180 A74-20834
- Plan for developing structural criteria for composite airframes p0181 A74-20945
- Advances in aerospace materials-processing technology p0218 A74-23255
- Advanced composite materials - Solution to problems of structure weight reduction [ONERA, TP NO. 1313] p0228 A74-24315
- Structural research with the aim of adapting the design to the materials
- The future of carbon fibres p0229 A74-25359
- Low-weight, impact-resistant helicopter drive shafts p0317 A74-30380
- Inspection of advance composite structures by nondestructive testing p0380 A74-36000
- Application of advanced composites to helicopter airframe structures --- CH-53 D materials [AHS PREPRINT 880] p0387 A74-36610
- Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability [AHS PREPRINT 884] p0387 A74-36613
- Costs and benefits of composite material applications to a civil STOL aircraft [AIAA PAPER 74-964] p0427 A74-38729
- New materials and structures --- for aircraft [ICAS PAPER 74-21] p0449 A74-41323
- Composite materials inspection --- ultrasonic vibration holographic NDT p0457 A74-43164
- Composites - Standards, testing and design; Proceedings of the Conference, Teddington, Hiddx., England, April 8, 9, 1974 p0479 A74-45039
- Impact resistance of fiber composite blades used in aircraft turbine engines [NASA-CR-134502] p0049 A74-10726
- Low cost, fiber glass reinforced plastic fuel tank, volume 1 --- for A-7 aircraft application [AD-766361] p0057 A74-10929
- Low cost, fiber glass reinforced plastic fuel tank, volume 2 --- development and evaluation for application to A-7 aircraft [AD-766400] p0057 A74-10931
- Impact resistance of composite fan blades --- fiber reinforced graphite and boron epoxy blades for STOL operating conditions [NASA-CR-134515] p0099 A74-12285
- Study of structural criteria for composite airframes. Volume 3: Bibliography --- with emphasis on characteristics of filamentary composites [AD-767569] p0105 A74-12726
- Design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-767242] p0107 A74-12739
- Study of structural criteria for composite airframes, Volume 1: Evaluation [AD-767706] p0147 A74-14238
- Study of structural criteria for composite airframes. Volume 2: Current/criteria/selected rationale review and evaluation [AD-767707] p0147 A74-14239
- Analytical and experimental investigation of aircraft metal structures reinforced with filamentary composites. Phase 3: Major component development [NASA-CR-2122] p0153 A74-14625
- Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft [AD-769041] p0163 A74-14779
- High-performance composite materials for vehicle construction: An elastoplastic analysis of crack propagation in a unidirectional composite [AD-769867] p0201 A74-17626
- Composite-material helicopter rotor hubs [AD-771973] p0238 A74-17772
- Impact resistance of current design composite fan blades tested under short-haul operating conditions [NASA-CR-134533] p0247 A74-18672
- Study of advanced structural concepts for fuselage --- fiber reinforced composite materials for helicopter tail section [AD-772708] p0250 A74-18696
- UH-1D filament-wound tubular-reinforced rotor blade --- development of procedures for calculating structural characteristics [AD-772947] p0253 A74-18713
- Galvanic corrosion effects associated with graphite composites/metal joints [LR-26088] p0254 A74-18813
- Service evaluation of aircraft composite structural components [NASA-TN-X-71944] p0284 A74-19667

SUBJECT INDEX

COMPRESSION LOADS

Investigation of advanced structural concepts for fuselage --- application of fiber reinforced composite materials to fuselage structures [AD-773597] p0285 N74-19684

Manufacturing methods for self-sealing fuel lines --- development of braiding process for production of fuel lines for military aircraft [AD-778083] p0411 N74-28243

S-3A graphite/epoxy spoiler development program [AD-779069] p0444 N74-30013

Continuous seam diffusion bond titanium spar evaluation [AD-780029] p0468 N74-31515

COMPOSITE STRUCTURES

NT LAMINATES

Fabrication of advanced fibrous composite structures [SME PAPER 8473-716] p0075 A74-13953

Design and fabrication of a mixed composite wing box [AD-778083] p0083 A74-14749

Cost effective composite structures --- fiber reinforced helicopter rotor blade design and fabrication p0084 A74-14778

A sailplane wing constructed of foam core and polyester fiberglass skin [AIAA PAPER 74-258] p0130 A74-18665

Plan for developing structural criteria for composite airframes p0181 A74-20945

Airplane nacelle composite structure technology p0185 A74-22102

Advanced composite lattice structure for improved structural integrity [AIAA PAPER 74-357] p0264 A74-26667

Adhesively bonded laminated metal structure [SAE PAPER 740259] p0274 A74-27510

Improved manufacturing of the F-14A composite horizontal stabilizer p0316 A74-30323

Aircraft floor panel developments at British Airways /1967-1973/ p0352 A74-35027

An automated tape layup system /ATLAS/ --- for composite aircraft structures fabrication p0379 A74-35838

Inspection of advance composite structures by nondestructive testing p0380 A74-36000

Heat transfer modeling for curing process of composite rotor blade [AHS PREPRINT 852] p0386 A74-36598

Impact testing on composite fan blades p0438 A74-40502

Composite structures --- special-purpose computer programs p0447 A74-41262

Brazed titanium fail-safe structures p0480 A74-45261

Development of a graphite horizontal stabilizer --- structural analysis of static ultimate load and simulated fatigue spectrum loading [AD-768869] p0164 N74-14783

A design analysis of CH-54B main rotor hub fabricated from composite materials [AD-774270] p0300 N74-20689

COMPOSITE WRAPPING

An automated tape layup system /ATLAS/ --- for composite aircraft structures fabrication p0379 A74-35838

COMPOSITES

U COMPOSITE MATERIALS

COMPOSITION (PROPERTY)

NT ATMOSPHERIC COMPOSITION

NT ATMOSPHERIC MOISTURE

NT CHEMICAL COMPOSITION

COMPOUND HELICOPTERS

NT S-67 HELICOPTER

Analysis of the use of an auxiliary wing on a helicopter. II p0090 A74-16038

Panel discussion on wind tunnel testing --- for helicopter rotor evaluation p0207 A74-22474

On the use of first order rotor dynamics in multiblade coordinates --- for compound helicopter [AHS PREPRINT 831] p0384 A74-36586

AN-56A /AMCS/ compound helicopter vibration reduction --- Advanced Mechanical Control System [AHS PREPRINT 834] p0385 A74-36589

COMPRESSED AIR

Investigation of a stored energy launch system for gliders [AIAA PAPER 74-1047] p0456 A74-42059

COMPRESSIBILITY EFFECTS

Compressibility effects in unsteady thin-airfoil theory p0177 A74-20298

Effect of compressibility on three-dimensional helicopter rotor blade flutter p0140 N74-13714

COMPRESSIBLE FLOW

NT TRANSONIC FLOW

Dynamic relaxation solution of three dimensional subsonic compressible oscillatory flow p0014 A74-11428

One-dimensional analysis of compressible ejector flows applicable to V/STOL aircraft design [AIAA PAPER 73-1184] p0031 A74-12921

Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow [DFVLR-SONDDR-335] p0073 A74-13549

Development of a method of discretized-distribution singularities for the study of compressible and incompressible flows p0119 A74-16968

A color schlieren system p0124 A74-17806

Flexible lifting surfaces --- in steady inviscid compressible flow p0173 A74-19684

A study of compressible potential and asymptotic viscous flows for corner region p0204 A74-23205

Calculation, design, and testing of a model of transonic flutter p0224 A74-25326

Theoretical solution of high subsonic flow past two-dimensional cascades of airfoils [ASME PAPER 74-GT-91] p0273 A74-27474

The calculation of subsonic and transonic turbulent boundary layers on an infinite yawed airfoil [AIAA PAPER 74-557] p0344 A74-34320

Application to rotary wings of a simplified aerodynamic lifting surface theory for unsteady compressible flow p0394 A74-37494

Mixed compression air intakes for operation at Mach 2.2 p0437 A74-39981

Analysis of viscous flow over swept wings [ICAS PAPER 74-20] p0449 A74-41322

Study of flow in axial compressors p0457 A74-43132

Prediction of unsteady airloads for oblique blade-gust interaction in compressible flow p0477 A74-44406

A mathematical model of unsteady aerodynamics and radial flow for application to helicopter rotors [AD-767240] p0106 N74-12738

Three-dimensional compressible boundary layer flow over a yawed cone with mass injection p0146 N74-13960

Research on aircraft dynamics for subsonic flight [AD-770540] p0197 N74-16738

COMPRESSIBLE FLUIDS

The aero/acoustic response of finite chord blade rows to circumferential inlet flow distortion in an unsteady, compressible fluid p0254 N74-18904

COMPRESSION LOADS

NT AXIAL COMPRESSION LOADS

NT IMPACT LOADS

Buckling loads and minimum weight of compressed curved ribbed aluminum alloy panels p0118 A74-16822

Analytical design of optimal monolithic panels p0130 A74-18642

Effects of compressive overloads on fatigue crack growth [AIAA PAPER 74-365] p0264 A74-26674

Flow past a triangular wing with blunted edges in the case of strong compression in the shock layer p0384 A74-36560

The interaction of local and overall buckling of thin-walled structures [ICAS PAPER 74-07] p0448 A74-41309

COMPRESSION TESTERS

SUBJECT INDEX

- Column failure of thin-walled compression members in aircraft wings as affected by wall imperfection and crushing
[VTR-175] p0197 N74-16737
- COMPRESSION TESTERS**
- U COMPRESSION TESTS**
- COMPRESSION TESTS**
- Transverse compressive behaviour of unidirectional carbon fibre reinforced plastics p0313 A74-29785
- Buckling of rods under creep conditions p0391 A74-36834
- COMPRESSION WAVES**
- External burning assisted projectile - Theory and experiment
[AIAA PAPER 73-1193] p0009 A74-11234
- COMPRESSIVE STRENGTH**
- Buckling and failure of flat stiffened panels
[AIAA PAPER 74-409] p0266 A74-26708
- COMPRESSOR BLADES**
- Selection of cutting conditions in the machining axial-flow compressor blades on an assembled rotor p0029 A74-12424
- Theoretical investigation of supersonic flow past oscillating cascades with subsonic leading-edge locus
[AIAA PAPER 74-14] p0135 A74-18843
- Experimental and theoretical investigation of HT-S/FHH-PI composites for application to advanced aircraft engines --- High-Tip-Speed/Polymerization of Monomeric Reactant p0228 A74-24868
- Study of casing treatment effects in axial flow compressors
[ASME PAPER 74-GT-89] p0273 A74-27472
- Effect of erosive wear on the fatigue life of cantilever blades of axial-flow compressors of aircraft turbojet engines p0399 A74-37681
- Flow through a cascade of aerofoils p0432 A74-39355
- Composite materials inspection --- ultrasonic vibration holographic NDT p0457 A74-43164
- Adaptation of measuring and inspection instruments to the measurement of standard blades of aircraft-engine turbines and compressors p0460 A74-43767
- Effect of geometric profile and cascade parameters on the critical flutter speed of a compressor blade packet p0482 A74-45934
- Aerodynamic calculation of blades in axial-flow turbomachines
[AD-765532] p0051 N74-10739
- Test of a supersonic compressor cascade, volume 2 --- effects of vortex generators mounted on blades
[AD-756871] p0052 N74-10750
- Experimental investigation of the effects of tip clearance and end losses on axial compressor performance
[AD-767656] p0112 N74-13511
- The aero/acoustic response of finite chord blade rows to circumferential inlet flow distortion in an unsteady, compressible fluid p0254 N74-18904
- Graphite-polyimide composite for application to aircraft engines
[NASA-TN-D-7698] p0370 N74-27412
- Calculating method for multi-stage axial compressors with impulse bladings and constant tip diameter --- computerized simulation of compressor performance
[AD-778808] p0419 N74-29228
- COMPRESSOR EFFICIENCY**
- An analytical and experimental study of inlet ground vortices
[AIAA PAPER 73-1313] p0011 A74-11309
- The effect of inlet temperature and pressure distortion on turbojet performance
[AIAA PAPER 73-1316] p0012 A74-11311
- Small gas turbines for helicopters /Halford Memorial Lecture/ p0451 A74-41397
- COMPRESSOR ROTORS**
- Accelerating test stand for rotating elements of turbomachines p0089 A74-15930
- Theoretical and experimental studies of a high pressure ratio centrifugal compressor at reduced rotating speed
[ICAS PAPER 74-37] p0450 A74-41338
- Exact solutions for conical mixed flow rotors. Part 2: Cambered blades of finite thickness
[NEL-524-PT-2] p0109 N74-12989
- COMPRESSORS**
- NT CENTRIFUGAL COMPRESSORS**
- NT SUPERCHARGERS**
- NT SUPERSONIC COMPRESSORS**
- NT TRANSONIC COMPRESSORS**
- NT TURBOCOMPRESSORS**
- Airfoil design for high tip speed compressors --- fan technology
[AIAA PAPER 73-1248] p0009 A74-11269
- Flight-measured inlet pressure transients accompanying engine compressor surges on the F-111A airplane
[NASA-TN-D-7696] p0362 N74-26251
- COMPUTER DESIGN**
- Lockheed S-3A avionics - Transmitting data by multiprocessor computer p0173 A74-19754
- A helicopter flight performance system using an LSI microprocessor --- for calculating gross weight
[AD-765680] p0041 N74-10054
- Design of a fault tolerant airborne digital computer. Volume 1: Architecture
[NASA-CR-132252] p0240 N74-17909
- Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology
[NASA-CR-132253] p0254 N74-18842
- COMPUTER GRAPHICS**
- Computer-aided design and drafting /CADD/ - An advanced designer's tool
[SAE PAPER 730934] p0016 A74-11566
- Use of synthetic radar information - Operational and technical aspects p0028 A74-12403
- An automated interactive design system for advanced gas turbines
[ASME PAPER 74-GT-82] p0273 A74-27468
- Structural finite element analysis aided by computer graphics
[SAE PAPER 740389] p0310 A74-28753
- Computer-aided design in aircraft industry p0341 A74-33450
- Interactive computer graphics application of the bi-cubic parametric surface to engineering design problems p0344 A74-34761
- Analysis of moving body problems in aerodynamics
[AD-765532] p0432 A74-39346
- Plotting program for aerodynamic lifting surface theory --- user manual for FORTRAN computer program
[NASA-TN-X-62321] p0158 N74-14739
- Application of interactive graphics to the avionics evaluation program
[AD-775372] p0328 N74-21847
- COMPUTER METHODS**
- U COMPUTER PROGRAMS**
- COMPUTER PROGRAMMING**
- NT ON-LINE PROGRAMMING**
- CTL - A programming language for automatic testing --- COMPASS Test Language p0075 A74-13815
- Evaluation of the operations contained in algorithms carried out by digital controller computers p0130 A74-18638
- Adaptation of computer programming to output form of altimeter data --- Sierra Nevada and Grand Canyon regions
[E74-10087] p0062 N74-11198
- Software definition study for the Aeronautical Satellite Communications Center. Volume 1: Definition specifications. Part 1: General presentation of the Aeronautical Satellite Communications Center and its software
[EX-5102/27-73/309] p0107 N74-12864
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 2: Description of operational functions
[EX-5102/27-73/308] p0108 N74-12867

- A computer program for aircraft optimal control problems
[AD-767919] p0145 N74-13750
- Flutter computer program and lifting surface theory with boundary layer
[NASA-CR-136559] p0155 N74-14707
- Design of a fault tolerant airborne digital computer. Volume 1: Architecture
[NASA-CR-132252] p0240 N74-17909
- Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology
[NASA-CR-132253] p0254 N74-18842
- A program to compute the behavior of a three dimensional turbulent vortex
[AD-778433] p0418 N74-28782
- COMPUTER PROGRAMS**
- BT COMPILERS**
- BT COMPUTER SYSTEMS PROGRAMS**
- BT INPUT/OUTPUT ROUTINES**
- An integrated approach to structural weight estimation
[SAE PAPER 730936] p0016 A74-11564
- Development of parametricized computations for AST study engines
[SAE PAPER 730895] p0018 A74-11594
- Application to zone navigation /E/Nav/ of hybrid navigation systems
p0029 A74-12446
- Computerized design of transport airplane
p0086 A74-15445
- Structural analysis of light aircraft using NASTRAN
[AIAA PAPER 74-257] p0130 A74-18664
- Application of an improved unified subsonic-supersonic potential flow method for the aerodynamic analysis of aircraft configurations
[AIAA PAPER 74-186] p0135 A74-18841
- Winter Simulation Conference, Washington, D.C., January 14-16, 1974, Proceedings. Volume 2
p0179 A74-20662
- NEPCOMP - The Navy Engine Performance Program
[ASME PAPER 74-GT-83] p0273 A74-27469
- UTIAS flight test - Real-time data analysis --- helicopters in Utility Tactical Transport Aircraft System
[AHS PREPRINT 864] p0386 A74-36604
- Composite structures --- special-purpose computer programs
p0447 A74-41262
- Generalized dynamic engine simulation techniques for the digital computer
p0481 A74-45378
- An investigation of a nonplanar vortex lattice method for wing calculations
[CRANFIELD-AERO-17] p0037 N74-10023
- FORTRAN program for predicting off-design performance of centrifugal compressors
[NASA-TN-D-7487] p0037 N74-10024
- A helicopter flight performance system using an LSI microprocessor --- for calculating gross weight
[AD-765680] p0041 N74-10054
- Current loads technology for helicopter rotors --- based on rotor loads computer program for determining fatigue design loads
p0054 N74-10910
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 2: Takeoff and landing digital computer program
[AD-766943] p0058 N74-10936
- Motion software for a synergistic six-degree-of-freedom motion base
[NASA-TN-D-7350] p0060 N74-11096
- Geometry program for aerodynamic lifting surface theory
[NASA-TN-X-62309] p0093 N74-11810
- En route position and time control of aircraft using Kalman filtering of radio aid data
[NASA-TN-D-7509] p0100 N74-12360
- General description of the rotorcraft flight simulation computer program (G-81)
[AD-767239] p0105 N74-12728
- Software definition study for the Aeronautical Satellite Communications Center. Volume 1: Definition specifications. Part 2: Description of operational and simulation functions
[EX-5102/27-73/305] p0107 N74-12865
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 1: Software organization and general description
[EX-5102/27-73/296] p0108 N74-12866
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 3: Description of simulation function
[EX-5102/27-73/299] p0108 N74-12868
- Software definition study for the Aeronautical Satellite Communications Center. Volume 4: Planning --- for Aerosta program
[EX-5102/27-73/315] p0108 N74-12870
- Off-design behavior for axial flow compressor stages with invariable and variable geometry blades
[AD-767265] p0112 N74-13513
- A real-time digital program for estimating aircraft stability and control parameters from flight test data by using the maximum likelihood method
[NASA-TN-X-2788] p0146 N74-13882
- Structural analysis of light aircraft
p0153 N74-14594
- Blade dynamics analysis using NASTRAN --- effects of blade geometry, temperature gradients, and rotational speed
p0153 N74-14599
- Static and dynamic helicopter airframe analysis with NASTRAN
p0153 N74-14616
- NASTRAN data generation of helicopter fuselages using interactive graphics --- preprocessor system for finite element analysis using IBM computer
p0153 N74-14621
- Plotting program for aerodynamic lifting surface theory --- user manual for FORTRAN computer program
[NASA-TN-X-62321] p0158 N74-14739
- Computer programs for estimating aircraft takeoff and landing performance --- applied to conventional, vectored lift, and powered-lift concept aircraft
[NASA-TN-X-62333] p0196 N74-16720
- Integrated maintenance and readiness data processing for the CASEE simulation model
[AD-771416] p0238 N74-17766
- Aeroelastic analysis of a telescoping rotor blade --- computer programs
[AD-771963] p0239 N74-17774
- Blade-rate force fluctuations of a propeller in non-uniform flow --- using FORTRAN program
[ARL/H/P-33A] p0247 N74-18667
- F-14 optimum flight modes, volume 1
[AD-775246] p0326 N74-21665
- Predicting lateral hover, flying qualities with paper pilot --- simulation of pilot performance in VTOL aircraft
[AD-775704] p0353 N74-25543
- Three computer programmes to calculate the steady or unsteady subsonic characteristics of lifting surfaces in ground effect
[ATN-7401] p0441 N74-29368
- A viscous potential flow interaction analysis method for multi-element infinite swept wings, volume 2
[NASA-CR-137550] p0470 N74-32413
- Development of computer programs to determine the aerodynamic characteristics of complete light aircraft
[NASA-CR-139690] p0487 N74-33426
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Stress, fatigue and fracture, cost and material data
[AD-781808] p0490 N74-33463
- COMPUTER SIMULATION**
- U COMPUTERIZED SIMULATION**
- COMPUTER STORAGE DEVICES**
- BT MAGNETIC DISKS**
- BT MAGNETIC TAPES**
- Lockheed S-3A avionics - Transmitting data by multiprocessor computer
p0173 A74-19754
- COMPUTER SYSTEMS DESIGN**
- Interactive computer graphics application of the bi-cubic parametric surface to engineering

COMPUTER SYSTEMS PROGRAMS

SUBJECT INDEX

- design problems p0344 A74-34761
- Reciprocal-action computational systems for complex calculations in aeromechanics p0393 A74-37394
- COMPUTER SYSTEMS PROGRAMS**
- INPUT/OUTPUT ROUTINES**
- Implementation of the uniform flight test analysis system --- aircraft performance computer programs p0347 A74-34855
- Reciprocal-action computational systems for complex calculations in aeromechanics p0393 A74-37394
- Software definition study for the Aeronautical Satellite Communications Center. Volume 3: Definition of the means --- noting computer memory requirements and program execution time [EX-5102/27-73/311] p0108 N74-12869
- COMPUTER TECHNIQUES**
- Introduction to advanced systems monitor --- for flight crew and maintenance data [SAE PAPER 730953] p0016 A74-11556
- Flexibility in computer-assisted radar - Controlled interceptions --- software in air defense p0028 A74-12406
- Airport noise monitoring systems --- automatic computerized system p0074 A74-13800
- A compiler-compiler system for avionic test languages --- syntax and semantics inputs for target language production p0074 A74-13804
- AIRTRANS operational readiness test --- airport interterminal transportation evaluation p0074 A74-13807
- Cost effective built-in test for advanced aircraft electrical systems p0075 A74-13808
- Computer prediction of aircraft noise p0137 A74-19051
- Putting the computer in its place --- Automated Telemetry System for aircraft flight tests p0172 A74-19497
- Realization of a horizontal collision avoidance system p0175 A74-20099
- The use of computer technology in civil aviation --- Russian book p0215 A74-23698
- Air-traffic-control simulator for the training of ATC personnel p0216 A74-24052
- Adaptive and nonlinear control systems in aerospace applications p0373 A74-35206
- A digital Mark XII IFF reply evaluator for the F-15 p0425 A74-38565
- Automatic numerical generation of body-fitted curvilinear coordinate system for field containing any number of arbitrary two-dimensional bodies p0432 A74-39286
- Fuselage basic shell weight prediction [SAE PAPER 1019] p0435 A74-39889
- Research work and costs, the role of data processing --- in aircraft production p0305 N74-21617
- Extraction of derivatives from flight data for several aircraft, using the LRC interactive computer system p0356 N74-25574
- Computer analysis of aircraft and shuttle antennas [NASA-CR-138605] p0369 N74-26666
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1: Summary [NASA-CR-132401] p0413 N74-28508
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 2: Characterization of the IPAD system (Phase 1, Task 1) [NASA-CR-132402] p0414 N74-28509
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 3: Engineering creative/evaluation processes (Phase 1, Task 2) [NASA-CR-132403] p0414 N74-28510
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 4: Design of the IPAD system. Part 1: IPAD system design requirements (Phase 1, Task 2) [NASA-CR-132404] p0414 N74-28511
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 5: Design of the IPAD system. Part 2: System design. Part 3: General purpose utilities (Phase 1, Task 2) [NASA-CR-132405] p0414 N74-28512
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 6: Implementation schedule, development costs, operational costs, benefit assessment, impact on company organization, spin-off assessment (Phase 2, Tasks 3 to 8) [NASA-CR-132406] p0414 N74-28513
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1A: Summary [NASA-CR-132390] p0415 N74-28514
- Feasibility study of an Integrated Program for Aerospace vehicle Design (IPAD). Volume 1B: Concise review [NASA-CR-132391] p0415 N74-28515
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process [NASA-CR-132392] p0415 N74-28516
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 3: Support of the design process [NASA-CR-132393] p0415 N74-28517
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 4: IPAD system design [NASA-CR-132394] p0415 N74-28518
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 5: Catalog of IPAD technical program elements [NASA-CR-132395] p0415 N74-28519
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 6: IPAD system development and operation [NASA-CR-132396] p0415 N74-28520
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 7: IPAD benefits and impact [NASA-CR-132397] p0416 N74-28521
- Realization and flight tests of an integrated digital flight control system p0464 N74-31447
- COMPUTERIZED CONTROL**
- NUMERICAL CONTROL**
- COMPUTERIZED DESIGN**
- A semi-empirical method for predicting subsonic diffuser performance [AIAA PAPER 73-1272] p0010 A74-11285
- Evaluation of advanced air vehicle designs in the USAF [SAE PAPER 730945] p0016 A74-11558
- Computer-aided design and drafting /CADD/ - An advanced designer's tool [SAE PAPER 730934] p0016 A74-11566
- Digital computer simulation of the dynamic response of a twin-spool turbofan with mixed exhausts p0020 A74-11617
- Computer aided test design today --- for avionics maintenance onboard aircraft carriers p0076 A74-14127
- Computerized design of transport airplane p0086 A74-15445
- The use of fully stressed iteration and structural index in automated structural optimization p0124 A74-17739
- Analytical design of optimal monolithic panels p0130 A74-18642
- Determination of the basic parameters of light helicopters on the basis of the treatment and analysis of statistical data p0131 A74-18694
- Design of optimum structures to impulse type loading [AIAA PAPER 74-345] p0263 A74-26659
- A comparison of two types of structural optimization procedures for satisfying flutter requirements [AIAA PAPER 74-405] p0266 A74-26704

- Real-time simulation of jet engines with digital computer
[ASME PAPER 74-GT-19] p0271 A74-27418
- An automated interactive design system for advanced gas turbines
[ASME PAPER 74-GT-82] p0273 A74-27468
- The use of desk top computers in the teaching of aircraft gas turbines
[ASME PAPER 74-GT-115] p0273 A74-27484
- A rapid computer aided transonic airfoil design method
[AIAA PAPER 74-501] p0338 A74-33101
- Transonic shock-free aerofoil design by an analytic hodograph method
[AIAA PAPER 74-539] p0339 A74-33136
- Computer-aided design; Proceedings of the Conference, Eindhoven, Netherlands, October 16-18, 1972 p0341 A74-33446
- Computer-aided design in aircraft industry p0341 A74-33450
- Interactive computer graphics application of the bi-cubic parametric surface to engineering design problems p0344 A74-34761
- AN/SPN-42 automatic carrier landing system p0374 A74-35209
- Improved cost effectiveness of helicopters through a two-point design criterion
[AHS PREPRINT 811] p0388 A74-36620
- Reciprocal-action computational systems for complex calculations in aeromechanics p0393 A74-37394
- Coupled rotor/airframe vibration prediction methods p0394 A74-37489
- Aerodynamic design of airfoil sections p0430 A74-38848
- 'SWEEP' - An interdisciplinary approach to a structure weight estimating program
[SAWE PAPER 1016] p0435 A74-39886
- Three dimensional flows around airfoils with shocks p0480 A74-45226
- Computer program to perform cost and weight analysis of transport aircraft. Volume 1: Summary
[NASA-CR-132361] p0161 N74-14762
- Computer program to perform cost and weight analysis of transport aircraft. Volume 2: Technical volume
[NASA-CR-132362] p0161 N74-14763
- Application of the aerospace multiprocessor to the A-7D flight control system --- development of digital fly-by-wire system
[AD-768382] p0162 N74-14769
- Simplified aircraft performance methods: Power required for single and tandem rotor helicopters in hover and forward flight
[AD-768769] p0163 N74-14777
- Calculation of certain geometric parameters of complex surfaces on Ural-4 computer --- computer design and reproduction of external shapes of aircraft
[AD-772040] p0240 N74-17926
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1: Summary
[NASA-CR-132401] p0413 N74-28508
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 2: Characterization of the IPAD system (Phase 1, Task 1)
[NASA-CR-132402] p0414 N74-28509
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 3: Engineering creative/evaluation processes (Phase 1, Task 2)
[NASA-CR-132403] p0414 N74-28510
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 4: Design of the IPAD system. Part 1: IPAD system design requirements (Phase 1, Task 2)
[NASA-CR-132404] p0414 N74-28511
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 5: Design of the IPAD system. Part 2: System design. Part 3: General purpose utilities (Phase 1, Task 2)
[NASA-CR-132405] p0414 N74-28512
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 6: Implementation schedule, development costs, operational costs, benefit assessment, impact on company organization, spin-off assessment (Phase 2, Tasks 3 to 8)
[NASA-CR-132406] p0414 N74-28513
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1A: Summary
[NASA-CR-132390] p0415 N74-28514
- Feasibility study of an Integrated Program for Aerospace vehicle Design (IPAD). Volume 1B: Concise review
[NASA-CR-132391] p0415 N74-28515
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process
[NASA-CR-132392] p0415 N74-28516
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 3: Support of the design process
[NASA-CR-132393] p0415 N74-28517
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 4: IPAD system design
[NASA-CR-132394] p0415 N74-28518
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 5: Catalog of IPAD technical program elements
[NASA-CR-132395] p0415 N74-28519
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 6: IPAD system development and operation
[NASA-CR-132396] p0415 N74-28520
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 7: IPAD benefits and impact
[NASA-CR-132397] p0416 N74-28521
- Initial-design optimisation on civil and military aircraft p0465 N74-31477
- Concept CCV and specifications p0466 N74-31480
- Propulsion/aircraft design matching experience p0471 N74-32423
- Calculation of unsteady transonic aerodynamics for oscillating wings with thickness (computer program)
[NASA-CR-132477] p0487 N74-33427
- Development of a computer program to obtain ordinates for NACA-6 and 6A-series airfoils
[NASA-TN-X-3069] p0487 N74-33431
- COMPUTERIZED SIMULATION**
- NT ANALOG SIMULATION**
- NT DIGITAL SIMULATION**
- Structural analysis of light aircraft using NASTRAN
[AIAA PAPER 74-257] p0130 A74-18664
- Evaluation of aircraft departure divergence criteria with a six-degree-of-freedom digital simulation program
[AIAA PAPER 74-68] p0136 A74-18882
- VITAL II --- Virtual Image Takeoff and Landing system in Boeing 727 flight simulator p0177 A74-20275
- Winter Simulation Conference, Washington, D.C., January 14-16, 1974, Proceedings. Volume 2 p0179 A74-20662
- Air traffic control scheme through simulation p0179 A74-20663
- Simulation of dispatch reliability for a fleet of large commercial aircraft p0181 A74-20952
- Ground based helicopter simulation p0215 A74-22454
- Contribution of computer simulation to the development of aeronautical equipment or systems p0213 A74-22662
- MEPCOMP - The Navy Engine Performance Program
[ASME PAPER 74-GT-83] p0273 A74-27469
- Ground testing and simulation. II - Aerodynamic testing and simulation: Saving lives, time, and money p0336 A74-32322
- Identification of structural parameters from helicopter dynamic test data p0396 A74-37505
- Transient processes in an aircraft stabilization system with jet-driven flywheels

- p0398 A74-37656
 Theoretical store separation analyses of a
 prototype store and comparison with a flight
 drop test
 [AIAA PAPER 74-776] p0399 A74-37801
 LSO/pilot interaction simulator --- for analysis
 of flight hazards during approach to landing on
 aircraft carrier p0041 N74-10055
 Some performance characteristics of the Bell 100
 ton surface effect ship --- based on
 computerized simulation p0042 N74-10062
 Test of a supersonic compressor cascade, volume 1
 [AD-756870] p0052 N74-10749
 Selected problems regarding the formation of a
 simulation model --- dynamic structural analysis
 of V/STOL flight control system p0060 N74-11095
 [NASA-TT-P-15173]
 A simulation study of the force mix problem in
 close air support operations p0102 N74-12699
 [AD-766879]
 Role of computerized simulation in the perfecting
 aeronautical equipments or systems --- applied
 to hydraulic pump and air intake design p0199 N74-16811
 Helicopter weight, size, and performance program
 --- computer aided analysis p0240 N74-17783
 [AD-771140]
 Analog computer implementation of four
 instantaneous distortion indices p0243 N74-18397
 [NASA-TN-X-2993]
 Redundant actuator development study --- flight
 control systems for supersonic transport aircraft
 [NASA-CR-114730] p0325 N74-21655
 Effectiveness evaluation of STOL transport
 operations (phase 2) --- computer simulation
 program of commercial short haul aircraft
 operations p0326 N74-21660
 [NASA-CR-137481]
 Application of interactive graphics to the
 avionics evaluation program p0328 N74-21847
 [AD-775372]
 Optimal control aircraft landing analysis p0412 N74-28497
 Calculating method for multi-stage axial
 compressors with impulse bladings and constant
 tip diameter --- computerized simulation of
 compressor performance p0419 N74-29228
 [AD-778808]
 Takeoff and landing analysis computer program
 (TOLA). Part 3: Users manual p0490 N74-33461
 [AD-781758]
- COMPUTERS**
 NT AIRBORNE/SPACEBORNE COMPUTERS
 NT ANALOG COMPUTERS
 NT DIGITAL COMPUTERS
 NT MINICOMPUTERS
 Ames research facilities summary 1974 --- wind
 tunnels, shock tubes, ballistic ranges, flight
 simulators, research aircraft, and computers
 [NASA-TN-X-69411] p0192 N74-15939
- CONCENTRATION (COMPOSITION)**
 NT ATMOSPHERIC MOISTURE
- CONCORDE AIRCRAFT**
 Tupolev 144 and Concorde - The official
 performances are compared for the first time
 p0013 A74-11348
 Eclipse flight of Concorde 001 --- 30 June 1973
 p0030 A74-12515
 Concorde in the airport environment p0078 A74-14504
 Development of cold headable titanium alloys for
 the 'Concorde' supersonic jet p0117 A74-16554
 Stratosphere contamination by aircraft and
 mathematical models p0122 A74-17312
 Longitudinal stability for supersonic transport
 aircraft p0172 A74-19490
 Various mechanisms applied to the Concorde main
 landing gear p0178 A74-20548
 New orientations in the study of transport
 aircraft safety p0208 A74-22633
 Restoration in the laboratory of the effects of
 kinetic heating on the structure of the Concorde
- aircraft p0216 A74-22670
 Measurements of gusts on Concorde --- in wind
 tunnels and inflight p0226 A74-25320
 Aerodynamic/structural interactions in the design
 of the Concorde nacelle p0226 A74-25364
 Anglo-French collaboration - Concorde and
 supersonic transport /26th Louis Bleriot Lecture/
 p0274 A74-27591
 Turbine blade pyrometer system in the control of
 the Concorde engine p0278 A74-28309
 The civil supersonic aircraft --- design, economic
 and political factors p0310 A74-28786
 Anti-icing tests on Concorde p0319 A74-30818
 Low speed handling with prototype-Concorde
 p0320 A74-30819
 First results of environmental tests on board
 Concorde 001 p0340 A74-33312
 Concorde - Testing the market --- passenger
 utilization prognosis p0377 A74-35632
 Those Concorde economics again p0378 A74-35668
 S.S.T. flight-profile optimisation p0422 A74-38158
 Concorde and safety - Design, testing and
 certification p0431 A74-39050
 A study of the Concorde air intake in yaw
 [ICAS PAPER 74-50] p0451 A74-41350
 Turbine blade pyrometer system in the control of
 the Concorde engine p0458 A74-43214
 Aerodynamic aspects of the problems of air-intakes
 and exhaust for a supersonic transport aircraft
 --- design of air intake and after body of jet
 engine for Concorde aircraft p0159 N74-14748
 [NAL-TR-194]
 Use of simulation for the development of Concorde
 p0197 N74-16733
 Laboratory simulation of kinetic heating effects
 on the structure of Concorde aircraft --- using
 infrared radiation facility p0237 N74-17760
 Vibration amplitudes produced in St. David's
 Cathedral by Concorde sonic bangs p0257 N74-19565
 [ARC-R-3736]
 Tupolev 144 and Concorde: The official
 performances are compared for the first time
 [NASA-TT-P-15446] p0283 N74-19661
 Temporal observations of the Lambda 5303 emission
 line profile during the 74 minute totality from
 the Concorde SST at the 30 June 1973 total solar
 eclipse: Preliminary intensity variations above
 an active region p0293 N74-20527
 [LA-UR-73-1304]
 The flight control system for the Concorde
 supersonic civil transport aircraft p0413 N74-28502
 [RAE-LIB-TRANS-1615]
 Gust measurements on Concorde p0467 N74-31494
 [NASA-TT-P-15837]
- CONCRETES**
 Concrete or black top --- airport runway pavement
 requirements p0089 A74-15866
 Fatigue concepts for concrete airport pavement
 design p0392 A74-37342
 Test of LOX compatibility for asphalt and concrete
 runway materials p0059 N74-11091
 [NASA-TN-X-64086]
 Strong and weak shock waves. Experiments and
 calculations p0067 N74-11718
 [ISL-NB-1/73]
- CONDENSATES**
 Study of condensation phenomena in the ISL laser
 wind tunnel using light diffusion p0060 N74-11099
 [ISL-RT-19/72]
- CONDITIONS**
 NT ADIABATIC CONDITIONS
 NT FLIGHT CONDITIONS
 NT RUNWAY CONDITIONS

SUBJECT INDEX

CONFERENCES

CONDUCTORS

NT ELECTRIC CONDUCTORS

CONES

NT CIRCULAR CONES

NT CONICAL FODIES

NT NOSE CONES

An approximate method for the calculation of the pressure distribution on a wing-cone configuration
p0175 A74-20046

CONFERENCES

EASCON '73; Electronics and Aerospace Systems

Convention, Washington, D.C., September 17-19, 1973, Record
p0023 A74-12176

Radar - Present and future; Proceedings of the International Conference, London, England, October 23-25, 1973
p0027 A74-12355

INTER-NOISE 73; Proceedings of the International Conference on Noise Control Engineering, Copenhagen, Denmark, August 22-24, 1973
p0073 A74-13789

Automatic support systems for advanced maintainability; International Symposium, Arlington, Tex., November 5-7, 1973, Record
p0074 A74-13802

Western Electronic Show and Convention, San Francisco, Calif., September 11-14, 1973, Proceedings
p0076 A74-14126

Deposition and corrosion in gas turbines; Proceedings of the Conference, London, England, December 6, 7, 1972
p0080 A74-14563

Component performance and systems applications of surface acoustic wave devices; Proceedings of the International Specialist Seminar, Aviemore, Scotland, September 25-28, 1973
p0170 A74-19376

Conference on Decision and Control, 4th and Symposium on Adaptive Processes, 12th, San Diego, Calif., December 5-7, 1973, Proceedings
p0175 A74-20076

Winter Simulation Conference, Washington, D.C., January 14-16, 1974, Proceedings. Volume 2
p0179 A74-20662

International Conference on Cybernetics and Society, Boston, Mass., November 5-7, 1973, Proceedings
p0183 A74-21335

Status of testing and modeling techniques for V/STOL aircraft; Proceedings of the Mideast Region Symposium, Essington, Pa., October 26-28, 1972
p0205 A74-22451

Military airborne video recording: Requirements, utilization and techniques; Proceedings of the Seminar, Dayton, Ohio, April 3-5, 1973
p0216 A74-22526

Economics of air safety and long-range safety research and development; Proceedings of the Twenty-sixth Annual International Air Safety Seminar, Lisbon, Portugal, November 4-7, 1973
p0207 A74-22626

Upgrading the ATC system; Proceedings of the Annual Meeting, Washington, D.C., November 28, 29, 1973
p0219 A74-22677

Survival and Flight Equipment Association, Annual Symposium, 11th, Phoenix, Ariz., October 7-11, 1973, Proceedings
p0210 A74-23526

International Telemetry Conference, Washington, D.C., October 9-11, 1973, Proceedings
p0215 A74-23784

Instrumentation for airbreathing propulsion; Proceedings of the Symposium, U.S. Naval Postgraduate School, Monterey, Calif., September 19-21, 1972
p0277 A74-28283

Computer-aided design; Proceedings of the Conference, Eindhoven, Netherlands, October 16-18, 1972
p0341 A74-33446

Flight testing today - 1973; Proceedings of the Fourth National Symposium, Las Vegas, Nev., August 21-23, 1973
p0345 A74-34837

Nonlinear and adaptive control techniques; Proceedings of the First Annual Advanced Control Conference, Purdue University, Lafayette, Ind., April 29-May 1, 1974
p0373 A74-35204

Society for Information Display, International Symposium and Exhibition, San Diego, Calif., May 21-23, 1974, Digest of Technical Papers
p0377 A74-35559

A review of precious resources and their effect on air transport; Proceedings of the Spring Convention, London, England, May 15, 16, 1974
p0381 A74-36316

Symposium on Air Transport in Europe, London, England, January 16, 1974, Proceedings
p0382 A74-36326

Specialists Meeting on Rotorcraft Dynamics, Moffett Field, Calif., February 13-15, 1974, Proceedings
p0393 A74-37481

Aircraft fuel conservation: An AIAA view; Proceedings of a Workshop Conference, Reston, Va., March 13-15, 1974
p0430 A74-38898

Symposium on the Application of Electrical Control to Aircraft Propulsion Systems, London, England, February 20, 21, 1974, Proceedings
p0457 A74-43201

Advancements in flight test engineering; Proceedings of the Fifth Annual Symposium, Anaheim, Calif., August 7-9, 1974
p0459 A74-43601

Composites - Standards, testing and design; Proceedings of the Conference, Teddington, Middx., England, April 8, 9, 1974
p0479 A74-45039

University of Toronto Institute for Aerospace Studies, Quarter Century Symposium, Toronto, Canada, April 1, 2, 1974, Proceedings
p0483 A74-46236

Technical evaluation report on Fluid Dynamics Panel Specialists' Meeting on Aerodynamic Drag [AGARD-AR-58]
p0054 N74-10905

Specialists Meeting on Helicopter Rotor Prediction Methods [AGARD-CP-122]
p0054 N74-10908

Manufacture and properties of titanium and titanium alloys emphasizing their use in aeronautics. Part 1: Manufacture and processing --- conference
p0064 N74-11336

Fifth session of Commission for Aeronautical Meteorology --- conference proposals for personnel training, terminal forecasting, SST operations, and application of satellite data [WHO-322]
p0100 N74-12330

Conference on Satellite Systems for Mobile Communications and Surveillance [AD-767369]
p0109 N74-12884

Atmospheric Pollution by Aircraft Engines [AGARD-CP-125]
p0148 N74-14271

Aerodynamic Drag [AGARD-CP-124]
p0155 N74-14709

Conference on Transparent Aircraft Enclosures --- development and design concepts for vision areas of crew enclosures [AD-769344]
p0190 N74-15727

Flight in turbulence --- proceedings of conference on atmospheric turbulence and effects on aircraft operation [AGARD-CP-140]
p0232 N74-17720

Papers presented at the Lightning and Static Electricity Conference (1972). Structure of lightning noise - especially above HF. Triggered lightning and its application to rockets and aircraft [AD-771464]
p0255 N74-19271

V/STOL propulsion systems --- proceedings of conference on propulsion system design and operation [AGARD-AR-64]
p0256 N74-19404

Design against fatigue --- conference on the fatigue life assessment of tactical aircraft [AGARD-CP-141]
p0282 N74-19652

Aircraft/Stores Compatibility Symposium Proceedings, Volume 1 --- conference to review development of government and industry for aircraft equipment design [AD-773813]
p0285 N74-19679

CONFIDENCE LIMITS

SUBJECT INDEX

- V/STOL propulsion systems --- conference on propulsion system design, configuration, and performance for vertical and short takeoff aircraft
[AGARD-CP-135] p0289 N74-20401
- Technical evaluation report on AGARD Flight Mechanics Panel Symposium on Flight in Turbulence
[AGARD-AR-67] p0294 N74-20639
- Aircraft/Stores Compatibility Symposium proceedings, volume 2
[AD-773814] p0298 N74-20676
- Noise mechanisms --- AGARD conference on propagation and reduction of jet noise
[AGARD-CP-131] p0329 N74-22640
- Fracture mechanics of aircraft structures --- proceedings of conference on structural characteristics of aircraft components
[AGARD-AG-176] p0331 N74-23413
- Active control systems for load alleviation, flutter suppression and ride control --- conference
[AGARDOGRAPH-175] p0353 N74-25550
- Parameter estimation techniques and application in aircraft flight testing
[NASA-TN-D-7647] p0355 N74-25569
- The fluid dynamics aspects of air pollution related to aircraft operations
[AGARD-AR-55] p0361 N74-26104
- Prediction methods for aircraft aerodynamic characteristics --- proceedings of conference on methods for predicting aircraft performance
[AGARD-LS-67] p0364 N74-26445
- Fail-safe aircraft structures, volume 1 --- conference
[RAE-TR-73183-VOL-1] p0366 N74-26458
- Fail-safe philosophy: An introduction to the symposium --- design against fatigue
p0366 N74-26460
- Fail-safe aircraft structures, volume 2 --- conference
[RAE-TR-73183-VOL-2] p0367 N74-26468
- Aircraft Design Integration and Optimization, Volume 1 --- conference on optimal design of aircraft and related systems
[AGARD-CP-147-VOL-1] p0465 N74-31458
- Antennas for avionics --- conference on application of avionic antennas in Aerosat systems
[AGARD-CP-139] p0468 N74-31667
- Rotorcraft dynamics
[NASA-SP-352] p0495 N74-34489
- CONFIDENCE LIMITS**
Confidence assessment of military airframe cost predictions --- for cost overrun elimination
p0267 A74-26874
- CONFIGURATION MANAGEMENT**
Configuration management during transition for a powered lift STOL aircraft
[AIAA PAPER 74-836] p0401 A74-37834
- The role of preliminary design in reducing development, production and operational costs of aircraft systems
p0465 N74-31459
- Design evolution of the Boeing 2707-300 supersonic transport. Part 2: Design impact of handling qualities criteria, flight control system concepts, and aeroelastic effects on stability and control
p0465 N74-31468
- The F-15 design considerations
p0465 N74-31470
- Initial-design optimisation on civil and military aircraft
p0465 N74-31477
- Introduction of CCV technology into airplane design
p0466 N74-31481
- Advancements in future fighter aircraft
p0466 N74-31483
- CONFORMAL MAPPING**
Exact method of designing airfoils with given velocity distribution in incompressible flow
p0090 A74-15965
- Study of unsteady flows around a pointed airfoil by conformal transformation
p0432 A74-39300
- CONFORMAL TRANSFORMATIONS**
U CONFORMAL MAPPING
- CONGRESSIONAL REPORTS**
The Federal Government and energy: R and D historical background
- Advanced supersonic technology
[GPO-39-784] p0494 N74-34473
- CONICAL BODIES**
An empirical equation for prediction of transition location on cones in super-or hypersonic flight
[AD-765692] p0038 N74-10032
- Laminar heat transfer on sharp and blunt ten-degree cones in conical and parallel low-density flow --- measurements in hypersonic wind tunnels
[AD-765546] p0053 N74-10869
- CONICAL CAMBER**
Slender delta wing with conical camber
p0317 A74-30398
- CONICAL FLARE**
U CONES
- CONICAL FLOW**
Calculation method for the supersonic spanwise twisted rectangular wings
p0088 A74-15820
- Calculation of supersonic flow past conical bodies
p0174 A74-19935
- Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data
p0204 A74-23573
- Shock wave shape associated with a nonsymmetric hypersonic flow around a circular cone
p0222 A74-24393
- CONICAL SHELLS**
Prediction of unsteady airloads for the solution of the panel flutter problem of nosecones and conical shell structures
p0031 A74-12804
- Torsion of conical thin-walled aircraft components
p0088 A74-15817
- CONNECTIONS**
U JOINTS (JUNCTIONS)
- CONOIDS**
U CONICAL BODIES
- CONSERVATION**
NT ENERGY CONSERVATION
- CONSTANT SPEED PROPELLERS**
U VARIABLE PITCH PROPELLERS
- CONSTRAINTS**
NT METEOROLOGICAL PARAMETERS
- CONSTRUCTION**
Improved methods for construction and maintenance of runway pavement surfaces
[SAE PAPER 740498] p0350 A74-34986
- CONSTRUCTION MATERIALS**
Advanced structural materials application for high-subsonic-speed transports
[SAE PAPER 730887] p0019 A74-11601
- Fracture mechanics applications in materials selection, fabrication sequencing and inspection
[AIAA PAPER 72-383] p0090 A74-15968
- Materials for the new generation of aircraft
p0122 A74-17374
- Long range view of materials research for civil transport aircraft
p0176 A74-20210
- New materials in the aerospace industries --- emphasizing heat resistant and light alloys
p0342 A74-33682
- Metallic and other material resources --- for aircraft construction
p0381 A74-36317
- The development of aircraft as influenced by the shortage of materials and fuel
p0381 A74-36319
- Advanced material applications to subsonic transport aviation
[ICAS PAPER 74-22] p0449 A74-41324
- Nonstructural materials for jet engine components
p0460 A74-43768
- Aerospace sandwich materials. I --- technology, design and performance review
p0479 A74-44989
- Section 3: Stability, construction materials, construction methods
p0154 N74-14670
- CONSUMABLES (SPACECREW SUPPLIES)**
NT SOAPS
- CONSUMPTION**
NT ENERGY CONSUMPTION
- NT FUEL CONSUMPTION**

SUBJECT INDEX

CONTROL SURFACES

CONTACTORS

Contactors for improved aircraft electrical power distribution systems
[RAE-TR-73157] p0417 N74-28549

CONTACTS (ELECTRIC)
U ELECTRIC CONTACTS

CONTAINERS

Refrigerated containerized transport for 'Jumbo' jets
p0119 A74-17007

Use of containers and pallets in air cargo transport
p0270 A74-27295

Evaluation and redesign of FAA altimeter pack
[AD-769540] p0192 N74-16164

CONTAINMENT

Application of the collision-imparted velocity method for analyzing the responses of containment and deflector structures to engine rotor fragment impact
[NASA-CR-134494] p0194 N74-16592

CONTAMINANTS

NT TRACE CONTAMINANTS

CONTAMINATION

NT FUEL CONTAMINATION

World-wide Navy program controls aircraft contamination --- hydraulic fluids
p0069 A74-13017

CONTINENTS

NT EUROPE

CONTINUOUS SPECTRA

A theoretical study of inaccuracies arising from the representation of a continuous gust spectrum by a programme of discrete loads in fatigue tests
[BR37134] p0257 N74-19567

CONTINUUM MECHANICS

A direct method for linear dynamical problems in continuum mechanics with random loads
p0070 A74-13164

Balancing of vibration measurements of a continuous mechanical system - Application to the direct measurement of generalized coordinates of an airplane in flight
[ONERA, TP NO. 1378] p0314 A74-29860

CONTOURS

A problem of designing the optimal external contours of an aircraft
p0087 A74-15709

The dyadic diffraction coefficient for a curved edge
[NASA-CR-2401] p0417 N74-28710

CONTRACT MANAGEMENT

Equipment procured reliability and real-life survival --- avionics producer-military user communications improvement
p0181 A74-20954

CONTROL BOARDS

Cockpit design for crew coordination
p0208 A74-22631

VFW 614 cockpit
p0375 A74-35358

CONTROL CONFIGURED VEHICLES

Prospects for aerospace research
p0007 A74-11098

Automatic control aspects of a control-configured aircraft with allowance for maneuver load control
[DGLR PAPER 73-121] p0121 A74-17216

Multi-surface system for the CCV B-52 --- Control Configured Vehicles
[AIAA PAPER 74-126] p0135 A74-18851

The CCV concept and specifications --- Control Configured Vehicles
[ONERA, TP NO. 1282] p0225 A74-25061

New design and operating techniques for improved terminal area compatibility
[SAE PAPER 740454] p0349 A74-34982

Advanced controls for commercial transport aircraft --- USAF Control Configured Vehicles and NASA Active Control Technology programs
[SAE PAPER 740453] p0352 A74-35008

Fly-by-wire controls are on the way
p0378 A74-35743

Control Configured Vehicle Ride Control (CCV RCS) - B-52 control system analysis, synthesis, and design
[AD-767590] p0142 N74-13728

B-52 control configured vehicles program
p0464 N74-31452

Concept CCV and specifications
p0466 N74-31480

Effect of artificial stability on aircraft performance
[NASA-TT-F-15953] p0472 N74-32442

CONTROL DEVICES

U CONTROL EQUIPMENT

CONTROL EQUIPMENT

NT CONTROL STICKS

NT PRESSURE REGULATORS

NT SPEED REGULATORS

Simulation and flight test evaluation --- of helicopter control system
p0347 A74-34851

F-15 Eagle flight control system
p0347 A74-34854

An automatic brake control system for aircraft
p0484 A74-46685

Control failure simulations of the PHM hydrofoil craft using a 1/20-scale dynamic model with automatic control
[AD-766098] p0046 N74-10338

Turbojet aircraft engine test cell pollution abatement study
[AD-768287] p0146 N74-13957

Aircraft air intake regulator --- device for automatic control of air intake flow for aircraft engines
[AD-772021] p0243 N74-18416

CONTROL PANELS

U CONTROL BOARDS

CONTROL SIMULATION

Evaluation of V/STOL research aircraft design --- landing approaches, propulsion/control, piloted moving base simulator
[SAE PAPER 730947] p0016 A74-11557

Pilotage error and residual attention - The evaluation of a performance control system in airborne area navigation
p0087 A74-15630

On the dynamics of human pilots in marginally controllable systems
p0209 A74-23203

Air-traffic-control simulator for the training of ATC personnel
p0216 A74-24052

Real-time simulation of jet engines with digital computer
[ASHE PAPER 74-GT-19] p0271 A74-27418

CONTROL STABILITY

Oscillations in an adaptive aircraft control system
p0262 A74-26440

Steady state decoupling and design of linear multivariable systems
p0380 A74-36115

Controllability and stability of systems with restricted resources --- Russian book
p0380 A74-36154

Design for departure prevention in the YF-16 --- control stability assurance
[AIAA PAPER 74-794] p0400 A74-37814

Short-time parameter optimization with flight control application
p0482 A74-45720

The design of an optimal adaptive lateral-directional flight control system for a high-performance aircraft
p0095 N74-11824

An optimal control approach to airplane stability augmentation systems design
p0195 N74-16712

VSTOL aircraft stability and control experience from methods and results of Do 31 flight tests
[NASA-TT-F-15531] p0325 N74-21651

Vehicle design considerations for active control application to subsonic transport aircraft
[NASA-CR-2408] p0494 N74-34476

CONTROL STICKS

A design study to standardize collective-stick controls in US Army helicopters: A Human Factors Engineering (HFE) evaluation
[AD-773688] p0286 N74-19689

CONTROL SURFACES

NT AERIAL RUDDERS

NT AILERONS

NT ELEVATORS (CONTROL SURFACES)

NT EXTERNALLY BLOWN FLAPS

NT FLAPS (CONTROL SURFACES)

NT GUIDE VANES

NT HORIZONTAL TAIL SURFACES

NT JET FLAPS

NT LEADING EDGE SLATS
 NT SPLIT FLAPS
 NT SPOILERS
 NT TRAILING-EDGE FLAPS
 NT WING FLAPS

Flight-mechanics analysis of various flight conditions of conventional aircraft. VIII/2 - Mechanical foundations: Dynamic equations of motion of the control systems

p0021 A74-11744

Multi-surface system for the CCV B-52 --- Control Configured Vehicles

[AIAA PAPER 74-126]

p0135 A74-18851

The high subsonic flow around a two-dimensional aerofoil with a trailing edge control surface

p0182 A74-21104

A wind-tunnel investigation of a B-52 model

flutter suppression system

[AIAA PAPER 74-401]

p0265 A74-26700

A transonic study of active flutter suppression based on an aerodynamic energy concept

[AIAA PAPER 74-403]

p0266 A74-26702

Suppression of flutter on interfering lifting surfaces by the use of active controls

[AIAA PAPER 74-404]

p0266 A74-26703

NRCA systems and related equipment - Hydraulic system and flying controls

p0336 A74-32633

Investigation into and application of the high velocity circulation control wall jet for high lift and drag generation on STOL aircraft

[AIAA PAPER 74-502]

p0338 A74-33102

VFW 614 surface control system

p0375 A74-35362

Design philosophy of a three axis separate surface stability augmentation system for a small turboprop airliner

[AIAA PAPER 74-860]

p0401 A74-37849

An improved-performance control system for low-speed flight

[AIAA PAPER 74-1039]

p0455 A74-42052

A two-dimensional aerofoil with a control surface oscillating at low frequency in high subsonic flow

p0456 A74-42694

Canard-wing lift interference related to maneuvering aircraft at subsonic speeds

[NASA-TM-X-2897]

p0094 A74-11819

Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct

[NASA-TM-X-62281]

p0095 A74-11826

STOL tactical aircraft investigation. Volume 2: Design compendium

[AD-767561]

p0143 A74-13733

Changes in flutter results by stiffening some degrees of freedom --- flutter analysis of elastically connected aircraft structures with low masses

[TR-195]

p0188 A74-15709

A technique for measuring oscillatory aerodynamic control surface hinge moments from forced response characteristics

[ARC-CP-1253]

p0247 A74-18663

Separate surface stability augmentation design and development

p0249 A74-18687

A theoretical method for calculating the aerodynamic characteristics of arbitrary jet-flapped wings. Volume 1: The elementary vortex distribution jet-wing lifting surface theory

[AD-773939]

p0281 A74-19646

Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft --- evaluation of gust alleviating aircraft control surfaces

[NASA-TM-X-71921]

p0296 A74-20657

General principles of designing control systems --- analysis of systems for aircraft, missiles, and spacecraft configurations

[NASA-TT-F-782]

p0357 A74-25594

An experimental study of a vane controlled jet flap gust alleviation system --- reduction in wing rotation angle in turbulent gust conditions

[AD-777987]

p0405 A74-27488

Development of a graphite horizontal stabilizer --- flight control surface for A-4 aircraft

[AD-782646]

p0491 A74-33473

Simulation of wake vortices descending in a stably stratified atmosphere

[AD-783750]

p0499 A74-34715

CONTROL THEORY

Conference on Decision and Control, 4th and

Symposium on Adaptive Processes, 12th, San

Diego, Calif., December 5-7, 1973, Proceedings

p0175 A74-20076

Digital adaptive model following control --- for lateral aircraft dynamics

p0183 A74-21338

Investigation of the motion of a controlled body in a resisting medium under transient conditions

p0220 A74-23076

Use of methods based on compound control theory in landing-phase control of an aircraft

p0221 A74-24017

Technical optimization --- German book on chemical process, spacecraft and aircraft optimal control

p0227 A74-25038

Identification of aircraft stability and control parameters using hierarchical state estimation

p0260 A74-25759

Application of modern control theory to the analysis of aircraft autoland performance using a scanning beam guidance system

p0374 A74-35236

A generalized comparison sensitivity concept for sensitivity reduction in control system design

p0374 A74-35249

Input design for parameter identification. I - A new formulation and a practical solution

p0374 A74-35252

A gradient method of control correction for the solution of a boundary value problem --- for aircraft trajectory optimization

p0383 A74-36505

Application of modern control theory to the design of optimum aircraft controllers

p0433 A74-39496

Optimal incomplete feedback control of linear stochastic systems

p0064 A74-11378

General principles of designing control systems --- analysis of systems for aircraft, missiles, and spacecraft configurations

p0357 A74-25594

Suppression of flutter on interfering lifting surfaces by the use of active controls

p0441 A74-29372

Application of sampled-data control techniques in the design of an aircraft flutter mode controller

p0442 A74-29389

CONTROL VALVES

Airflow control system for supersonic inlets

p0295 A74-20646

CONTROLLABILITY

Low speed handling with prototype-Concorde

p0320 A74-30819

Controllability and stability of systems with restricted resources --- Russian book

p0380 A74-36154

Helicopter icing handling qualities

p0385 A74-36595

The effect of a program for automatic gear ratio change system operation and stabilizer

p0485 A74-46709

CONTROLLED ATMOSPHERES

NT CABIN ATMOSPHERES

CONTROLLERS

NT SERVOMECHANISMS

Digital explicit model following with unstable model dynamics

p0402 A74-37869

On-line two-level gust alleviation control system for aircraft in an unknown environment

p0433 A74-39495

Solid state controller three axes controller

p0059 A74-10942

CONVAIR MILITARY AIRCRAFT

U GENERAL DYNAMICS AIRCRAFT

U MILITARY AIRCRAFT

CONVECTION CLOUDS

NT STRATUS CLOUDS

Modification of convective clouds by jets

p0361 A74-26130

[AD-776730]

SUBJECT INDEX

COST ANALYSIS

CONVECTIVE FLOW

Lateral control and sailplane design
considerations to optimize altitude gain while
thermalling
[AIAA PAPER 74-1004] p0454 A74-42032

CONVERGENT-DIVERGENT NOZZLES

Subsonic blocking in double-flow nozzles
p0311 A74-29310

CONVERTAPLANES

U V/STOL AIRCRAFT

COOLING

NT AIR COOLING

NT FILM COOLING

NT LIQUID COOLING

NT SURFACE COOLING

COOLING SYSTEMS

Spray cooled generators and design-to-cost at
Westinghouse
[SAE PAPER 730878] p0019 A74-11605

A numerical solution for the heat transfer between
an axi-symmetric air jet and a heated plate ---
applied to performance of gas turbine engines
[AD-767266] p0112 N74-13510

COORDINATE TRANSFORMATIONS

Automatic numerical generation of body-fitted
curvilinear coordinate system for field
containing any number of arbitrary
two-dimensional bodies
p0432 A74-39286

COORDINATES

NT POLAR COORDINATES

COPILOTS

U AIRCRAFT PILOTS

CORE FLOW

Structure of Betz vortex cores
p0090 A74-15970

CORES

NT BONEYCOMB CORES

CORNER FLOW

A study of compressible potential and asymptotic
viscous flows for corner region
p0204 A74-23205

Three-dimensional wave interactions in supersonic
intakes
p0436 A74-39980

CORONAS

NT SOLAR CORONA

CORRELATION

NT CORRELATION COEFFICIENTS

NT CROSS CORRELATION

NT DATA CORRELATION

NT SIGNAL ANALYSIS

NT STATISTICAL CORRELATION

Correlational ground speed meters and drift
indicators of flight vehicles --- Russian book
p0180 A74-20900

CORRELATION COEFFICIENTS

The reduction of garbling in secondary
surveillance radar
p0170 A74-19391

CORRELATION FUNCTIONS

U CORRELATION

CORRELATORS

Response speed of a correlator in an extremal
system for aircraft wheel braking
p0213 A74-24022

CORROSION

NT ELECTROCHEMICAL CORROSION

NT FRETTING CORROSION

NT FUEL CORROSION

NT INTERGRANULAR CORROSION

NT STRESS CORROSION

Hot corrosion of metals, alloys and ceramics
[AD-769340] p0191 N74-15829

CORROSION PREVENTION

Evaluation of methods for reducing fretting
fatigue damage in 2024-T3 aluminum lap joints
p0117 A74-16696

Airframe maintenance and corrosion protection
p0337 A74-32672

Recent Air Force electronic systems corrosion
problems
[NACE PAPER 24] p0375 A74-35279

Corrosion on aircraft - Evaluation, examination,
and elimination. II
p0460 A74-44069

CORROSION RESISTANCE

NT OXIDATION RESISTANCE

A corrosion inhibiting coating for structural
airframe fasteners
[SAE PAPER 730902] p0018 A74-11588
Deposition and corrosion in gas turbines;
Proceedings of the Conference, London, England,
December 6, 7, 1972

p0080 A74-14563
The assessment of hot corrosion resistance by rig
testing - Philosophy and experience
p0081 A74-14580

Turbine corrosion - Rig evaluation and engine
experience
p0081 A74-14583

Feasibility study of use of polysulfide sealants
for corrosion protection of spot welded aluminum
alloys
p0084 A74-14771

Fatigue strength of an aluminum alloy in petroleum
jet fuels at various temperatures
p0268 A74-27078

Alloys for helicopter rotor-blade spars
p0343 A74-34145

Differentiation of corrosion damage by the
severity of its effects upon the resistance to
fatigue and corrosion-fatigue disintegration of
aircraft skin elements
p0456 A74-42792

CORROSION TESTS

NT SALT SPRAY TESTS

Deposition and corrosion in gas turbines;
Proceedings of the Conference, London, England,
December 6, 7, 1972
p0080 A74-14563

Problems of future high-temperature corrosion
research and testing
p0080 A74-14564

Air and fuel monitoring for gas turbines
p0081 A74-14565

Aerodynamic aspects of gas turbine blade corrosion
p0081 A74-14567

The assessment of hot corrosion resistance by rig
testing - Philosophy and experience
p0081 A74-14580

Turbine corrosion - Rig evaluation and engine
experience
p0081 A74-14583

Corrosion on aircraft - Evaluation, examination,
and elimination. II
p0460 A74-44069

CONSAIR AIRCRAFT

U A-7 AIRCRAFT

COST ANALYSIS

Aircraft noise reduction - Alternatives versus cost
p0008 A74-11199

AEROSAT overview --- aeronautical satellites for
oceanic ATC
p0024 A74-12189

The aeronautical satellites: Deluxe gadgets or
system of the future --- economic factors
p0029 A74-12448

A new outbreak of Zeppelin fever --- freight and
passenger dirigible revival
p0031 A74-12911

Cost impact of mission requirements on future
engine design selection
[AIAA PAPER 73-1186] p0031 A74-12922

A performance and cost analysis of aircraft and
satellites for operational earth resources systems
p0085 A74-14873

Transport aerospace industry contributions to
modern problem solutions /W. Rupert Turnbull
Lecture for 1973/
p0085 A74-15045

Comparative study of various flight vehicle
propulsion systems, using an air-to-air missile
as an example
[DGLR PAPER 73-068] p0120 A74-17177

An approach toward optimizing material cost and
part function in advanced powerplants
[SAE PAPER 730909] p0123 A74-17535

Importance of the means of engine condition
surveillance
p0129 A74-18598

Selection of the economically optimal blade
profile for axial fluid flow engines
p0177 A74-20311

Aircraft life cycle profitability - The
manufacturer's challenge
[AIAA PAPER 74-280] p0180 A74-20836

- Aircraft life cycle profitability - The operator's challenge
[AIAA PAPER 74-281] p0180 A74-20837
- Some experiences from the use of an LCC approach
--- Life Cycle Cost for weapon systems acquisition p0181 A74-20944
- The single-engine turboprop in the northern frontier p0185 A74-21821
- Panel prepared comments for the AHS mid-east region symposium --- on low speed wind tunnel costs and V/STOL models p0204 A74-22473
- International user charges and their impact on world-wide implementation of ATC systems p0222 A74-22686
- The cost of noise reduction in intercity commercial helicopters p0210 A74-23328
- Why military airplanes cost so much and what can be done about it p0259 A74-25671
- Engine aids and the metrologist syndrome --- overinstrumentation in aircraft engine monitoring systems p0279 A74-28318
- Finite element airplane cost analysis [SAE PAPER 740390] p0310 A74-28754
- An approach to aeroengine tradeoff factors [SAE PAPER 740493] p0350 A74-34990
- Metallic and other material resources --- for aircraft construction p0381 A74-36317
- The development of aircraft as influenced by the shortage of materials and fuel p0381 A74-36319
- Precious resources and air transport - An airline view --- fuel price increase effects p0382 A74-36322
- Costs and benefits of composite material applications to a civil STOL aircraft [AIAA PAPER 74-964] p0427 A74-38729
- A parametric analysis of transport aircraft system weights and costs [SAE PAPER 1024] p0436 A74-39891
- Carbon fibres can be cost-competitive - An example p0436 A74-39902
- Cost comparisons of advanced air traffic management systems [B-1319-DOT] p0065 N74-11436
- Project/cost/benefit [PB-222339/4] p0068 N74-11801
- Energy in transportation --- energy costs of passenger and cargo transportation p0113 N74-13675
- Economics of air transport --- direct and indirect costs [NASA-TT-P-15249] p0154 N74-14682
- Computer program to perform cost and weight analysis of transport aircraft. Volume 1: Summary [NASA-CR-132361] p0161 N74-14762
- An investigation of cost factors relating to class 4 aircraft modifications [AD-769195] p0191 N74-15730
- A comparative economic analysis of a lighter-than-air logistics system [AD-769205] p0194 N74-16694
- Maintainability analysis of major helicopter components --- analysis of man-hour costs for maintaining military helicopters [AD-769941] p0197 N74-16740
- Methods and costs associated with outfitting light aircraft for remote sensing applications [NASA-TM-X-69938] p0236 N74-17754
- General aviation cost impact study. Volume 1: Executive summary [AD-771603] p0239 N74-17779
- General aviation cost impact study. Volume 2: Research methodology [AD-771606] p0239 N74-17780
- General aviation cost impact study. Volume 3: Planning guide [AD-771759] p0239 N74-17781
- Analysis of criteria for on-condition maintenance for helicopter transmissions --- numerical analysis of relationship between component operating time and component hazard rate [AD-773024] p0252 N74-18707
- A simplified life-cycle cost comparison of various engines for small helicopter use [NASA-TM-X-71517] p0256 N74-19405
- Cost of ownership for propulsion system of powered lift aircraft --- effects of development, acquisition, operation, and maintenance on aircraft engine cost factors p0292 N74-20427
- Effectiveness evaluation of STOL transport operations (phase 2) --- computer simulation program of commercial short haul aircraft operations [NASA-CR-137481] p0326 N74-21660
- Problems in avionics life-cycle analysis [P-5136] p0328 N74-22597
- Limit criteria for low cost airframe concepts [AD-777572] p0369 N74-26489
- The effect of WIPICS on the F4-B to B conversion program [AD-777256] p0408 N74-27509
- A computer model for economic analysis of army aircraft RAM improvement proposals [AD-778751] p0442 N74-29390
- The role of preliminary design in reducing development, production and operational costs of aircraft systems p0465 N74-31459
- Recent experience from BAC aircraft for NATO p0465 N74-31469
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 2: Design data [AD-781807] p0490 N74-33462
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Stress, fatigue and fracture, cost and material data [AD-781808] p0490 N74-33463
- COST EFFECTIVENESS**
- The technology and economics of commercial airplane design. II p0001 A74-10145
- A modular turbofan design for high availability and low life cycle cost [AIAA PAPER 73-1189] p0009 A74-11231
- Lycomings LTS 101 - Low cost turbine power in the 600 hp class [SAE PAPER 730911] p0017 A74-11582
- Description and cost of a satellite-based oceanic ATC system --- voice and data communication channel capacity requirements p0025 A74-12193
- A cost-effective approach for flight experiments - Application of Airborne Science aircraft experience to the Shuttle Sortie Lab p0031 A74-12829
- Cost effective built-in test for advanced aircraft electrical systems p0075 A74-13808
- What's wrong with airline earnings --- operating costs vs consumer spending habits p0075 A74-13973
- The cost of a quality product --- jet aircraft hardware and systems p0076 A74-13975
- Make no mistake about it - Air transport productivity demands a total and dedicated 'team effort' --- Boeing 747 modification program p0076 A74-13977
- Advanced composite F-5 fuselage component --- design, tooling, fabrication and assembly flexibilities p0084 A74-14763
- Cost effective composite structures --- fiber reinforced helicopter rotor blade design and fabrication p0084 A74-14778
- B-1 cost/weight trade methodology p0115 A74-16447
- Military and aerospace --- cost effective technology utilization for ATC, NASA programs and defense projects p0126 A74-18050
- Advanced aircraft oxygen systems --- design flexibility cost effectiveness and applications p0212 A74-23544
- Integrated logistics support and acquisition management /ILS-AM/ panel for aviation-crew systems equipment changes

SUBJECT INDEX

COUNTERS

p0222 A74-23549
 Air Superiority Fighter wing structure design for improved cost, weight and integrity
 [AIAA PAPER 74-337] p0262 A74-26652
 Investigation of the economic efficiency of surplus tanking of aircraft fuel
 p0338 A74-33092
 Forgings for jet engines - More quality at less cost
 p0348 A74-34874
 Performance versus cost tradeoffs - Initial look at alternatives --- for aircraft engine fuel cost minimization
 [SAE PAPER 740494] p0350 A74-34989
 Design to cost at work for helicopter systems --- Boeing Vertol programs
 [AHS PREPRINT 810] p0388 A74-36619
 Improved cost effectiveness of helicopters through a two-point design criterion
 [AHS PREPRINT 811] p0388 A74-36620
 The low technology airship --- design for medium-range heavy payload transport
 p0423 A74-38499
 Air transportation - Energy cost-effective or not
 [AIAA PAPER 74-959] p0427 A74-38725
 Aircraft structures designed to cost
 [AIAA PAPER 74-962] p0427 A74-38727
 Design-to-cost for the A-10 close air support aircraft
 [AIAA PAPER 74-963] p0427 A74-38728
 A method for weight/cost trade-offs in preliminary air vehicle design
 [SAE PAPER 1017] p0435 A74-39887
 Airbus A-300 B --- design and cost effectiveness
 p0438 A74-40329
 Design to cost during the requirements, development and test phases of systems acquisition --- for weapon systems
 p0479 A74-45003
 Air Force concepts for RPV application
 p0480 A74-45308
 New technologies and profitability of helicopters --- application of helicopters to commercial operations
 [NASA-TT-F-15195] p0140 A74-13717
 An analysis of the acquisition of the F-111A simulators
 [AD-769202] p0194 A74-16693
 An analysis of the phased inspection system for B-52H aircraft --- analysis of cost reduction by increasing flying hours between inspections
 [AD-769154] p0194 A74-16695
 Fiber and integrated optic communication technology
 [AD-771402] p0240 A74-17902
 Investigation of advanced structural concepts for fuselage --- application of fiber reinforced composite materials to fuselage structures
 [AD-773597] p0285 A74-19684
 Major Item Special Study (MISS), CH-47A alternating generator --- product quality control and cost savings
 [AD-773720] p0286 A74-19712
 Some results from applying a cost-effectiveness model for evaluating aviation weather dissemination techniques
 [AD-777441] p0410 A74-28082
 A computer model for economic analysis of army aircraft RAM improvement proposals
 [AD-778751] p0442 A74-29390
 New technologies and maintenance of helicopters
 p0466 A74-31478
COST ESTIMATES
 A simplified approach for estimating manufacturing cost at the part level
 [SAE PAPER 730908] p0017 A74-11584
 International user charges and their effect on the implementation of ATC, navigation, and communication systems
 p0222 A74-22687
 Confidence assessment of military airframe cost predictions --- for cost overrun elimination
 p0267 A74-26874
 Fuel state - Expensive
 p0377 A74-35496
 Minimum life cycle costing for a V/STOL transport
 [AD-768133] p0144 A74-13740
 Weapon system costing methodology for aircraft airframes and basic structures. Volume 1: Cost methods research and development
 [AD-783639] p0501 A74-35362

COST REDUCTION

Simplified assembly of F-15 stressed --- production time and labor cost reduction
 p0003 A74-10546
 A simplified fuel control approach for low-cost aircraft gas turbines
 [SAE PAPER 730388] p0004 A74-10802
 Design competence - The mainspring to cost reduction
 [AIAA PAPER 73-1187] p0008 A74-11230
 Cost - The emerging aerospace technology --- applications to gas turbine engines
 [AIAA PAPER 73-1327] p0013 A74-11318
 The influence of design to cost and prototyping on the A-10 aircraft
 [SAE PAPER 730890] p0019 A74-11598
 Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter
 [SAE PAPER 730888] p0019 A74-11600
 Advanced structural materials application for high-subsonic-speed transports
 [SAE PAPER 730887] p0019 A74-11601
 Spray cooled generators and design-to-cost at Westinghouse
 [SAE PAPER 730878] p0019 A74-11605
 Modular construction - Fully optimised --- aircraft engines
 p0076 A74-13978
 Titanium flamecutting reduces airframe costs
 p0118 A74-16760
 Airline airplanes for the eighties - A response --- emphasizing system efficiency and fuel savings
 p0222 A74-23464
 Does research in the field of aeronautics have a future --- emphasis on aircraft design refinements and cost reduction
 p0259 A74-25723
 Air Superiority Fighter wing design for cost and weight reduction
 [AIAA PAPER 74-338] p0263 A74-26653
 A low cost p-i-n diode phase shifter for airborne phased-array antennas
 p0321 A74-31611
 Forgings for jet engines - More quality at less cost
 p0348 A74-34874
 New application potential for lower cost, heavy denier Kevlar-49 yarns
 p0379 A74-35837
 Reduction of environmental testing and analysis costs through simulation
 p0380 A74-36037
 Aircraft avionics environmental control analysis procedures for optimized life cycle cost
 p0434 A74-39741
 Major item special study (MISS), CH-47A engine --- cost reduction by eliminating high failure rate equipment on CH-47 helicopter
 [AD-772978] p0253 A74-18717
 Techniques oriented towards cost reduction --- in aircraft production
 p0305 A74-21613
 The reduction of airframe costs with particular reference to combat aircraft
 p0305 A74-21615
 The hingeless rotor: A concept to increase mission effectiveness at reduced costs
 p0305 A74-21616
 Research work and costs, the role of data processing --- in aircraft production
 p0305 A74-21617
 Impact of technology on cost reduction --- in aircraft production
 p0305 A74-21618
 Active control systems for load alleviation, flutter suppression and ride control --- conference
 [AGARDOGRAPH-175] p0353 A74-25550
 Major Item Special Study (MISS), AH-1G gas turbine engine (T53-L-13B) --- cost savings through quality and design improvements
 [AD-776939] p0370 A74-27300

COSTS

NT AIRPLANE PRODUCTION COSTS

NT LOW COST

COUNTERMEASURES

NT ELECTRONIC COUNTERMEASURES

COUNTERS

NT GEIGER COUNTERS

COUPLERS

SUBJECT INDEX

COUPLERS

NT ANTENNA COUPLERS
NT COUPLING CIRCUITS

COUPLING

NT CROSS COUPLING
COUPLING CIRCUITS

High frequency radio emission and reception by forest trees and by helicopter using hybrid electromagnetic antenna couplers
[AD-773909] p0287 A74-19822

COUPLINGS

Experimental study of metal-plastic couplings in tension
p0130 A74-18648

CRACK FORMATION

O CRACK INITIATION

CRACK INITIATION

Consolidated presentation of fatigue data for design applications
[SAE PAPER 740277] p0274 A74-27511
Geometrical study of the conditions of initiation of sudden cracks of quasi-brittle type
p0280 A74-28526
Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen
p0343 A74-34290

Fail-safe philosophy: An introduction to the symposium --- design against fatigue
p0366 A74-26460

CRACK PROPAGATION

The application of fracture mechanics to the design of the barrel and driver tube of a hypersonic gun tunnel
p0002 A74-10484

Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue
p0072 A74-13365

Problems of stress corrosion in the case of aluminum alloys employed in aerospace technology
p0076 A74-14018

Laminated metallic structure - An approach to fracture control
p0083 A74-14754

Fracture mechanics /Dryden Lecture/ --- aerospace structural design applications
[AIAA PAPER 74-230] p0135 A74-18858

Photoelastic analysis of the stress field surrounding a fatigue crack
p0169 A74-19259

Crack growth retardation under aircraft spectrum loads
p0218 A74-22501

A review of some damage tolerance design approaches for aircraft structures
p0222 A74-22503

Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys
p0228 A74-24297

Influence of heat on crack propagation and residual strength and its relation to the supersonic aircraft fatigue problem
p0229 A74-24423

Evaluation of damage tolerance in aircraft structures
[AIAA PAPER 74-347] p0263 A74-26661

Effects of compressive overloads on fatigue crack growth
[AIAA PAPER 74-365] p0264 A74-26674

Methods for analyzing fatigue crack growth rate behavior associated with flight-by-flight loading
[AIAA PAPER 74-367] p0264 A74-26675

Analysis of crack propagation under variable amplitude loading using the Willenborg retardation model
[AIAA PAPER 74-369] p0265 A74-26677

New alloys for advanced metallic fighter-wing structures
[AIAA PAPER 74-372] p0265 A74-26679

Consolidated presentation of fatigue data for design applications
[SAE PAPER 740277] p0274 A74-27511

Engine condition monitor system to detect foreign object damage and crack development
p0279 A74-28320

Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy
[ONERA, TP NO. 1373] p0318 A74-30513

Design of uniformly long-lived structures of minimum weight
p0381 A74-36304

Nonlinear effects of spectrum loading on fatigue crack growth in transport wings
[AIAA PAPER 74-984] p0428 A74-38742

New materials and structures --- for aircraft
[ICAS PAPER 74-21] p0449 A74-41323

Effects of corrosidents on the fatigue life of an ultra-high strength steel
p0478 A74-44538

Brazed titanium fail-safe structures
p0480 A74-45261

Damage threshold determination of light walls submitted to single or repeated bangs, part 1
[ISI-35/72-PT-1] p0053 A74-10846

Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics
[NASA-TN-D-7483] p0099 A74-12187

Fatigue crack growth and residual strength of aluminium alloy sheet at temperatures down to -75C --- in aircraft structures at temperatures down to -75C
[NLR-TR-72096-U] p0099 A74-12248

Engineering appraisal of Southwest Research Institute magnetic crack definer applied to CH47 rotor blades
[AD-769068] p0163 A74-14778

High-performance composite materials for vehicle construction: An elastoplastic analysis of crack propagation in a unidirectional composite
[AD-769867] p0201 A74-17626

The prediction of fatigue crack propagation under service load-time histories
[NLR-MP-73016-U] p0366 A74-26467

Influence of the degree of fail-safe achieved, using the internal pressure indicator (BIM), on the flight safety during a specified service life of main rotor blades of SA 321 and SA 330 helicopters
p0367 A74-26469

Effect of proof load application on fatigue test results
p0367 A74-26471

Exploratory investigation of rapid crack propagation and crack arrest --- in aircraft structural alloys
[AD-778822] p0418 A74-29012

CRACKING (FRACTURING)
NT STRESS CORROSION CRACKING

Fracture mechanics applications in materials selection, fabrication sequencing and inspection
[AIAA PAPER 72-383] p0090 A74-15968

Failure experience with and failure anticipation in titanium components
p0116 A74-16476

Nonlinear crack analysis with finite elements --- for application to airframes
[AD-766558] p0067 A74-11722

CRACKS
NT SURFACE CRACKS

CRACKS
Qualification test methods for helicopter cargo handling systems
[AD-776991] p0358 A74-25599

CRASH INJURIES
A digital simulation technique for crashworthy analysis of aircraft seats
[SAE PAPER 740371] p0309 A74-28742

CRASH LANDING
Design of crashworthy aircraft cabins based on dynamic buckling
p0090 A74-15971

Vehicle crashworthiness --- rotary wing, fixed wing light and transport aircraft
p0124 A74-17776

Review of developments in test techniques using free-floating models --- of aircraft
p0223 A74-25317

Light aircraft crash safety program
[SAE PAPER 740353] p0308 A74-28733

Crash-resistant fuel tanks for helicopters and general aviation aircraft
[SAE PAPER 740358] p0308 A74-28735

NASA, Langley Impact Dynamics Facility
[SAE PAPER 740374] p0309 A74-28743

The MUDAS-F crash recorder for the Alpha Jet
p0319 A74-30601

- Crashworthy landing gear study --- to establish energy-absorbing design criteria applicable to rotary wing aircraft
[AD-765489] p0042 N74-10060
- CRASHES**
- NT CRASH LANDING**
The design of crashworthy general aviation aircraft [SAE PAPER 740376] p0309 A74-28744
Aircraft accident report: World Airways, Incorporated, DC-8-63F, N802WA, King Cove, Alaska, 8 September 1973 [NTSB-AAR-74-6] p0364 N74-26438
- CRAZING**
U SURFACE CRACKS
- CREEP BUCKLING**
Buckling of rods under creep conditions p0391 A74-36834
- CREEP PROPERTIES**
Creep fracture mechanisms in aluminum alloys p0020 A74-11736
Effect of prior creep on durability of AK4-1-T1 alloy p0383 A74-36510
- CREEP RESISTANCE**
U CREEP STRENGTH
- CREEP RUPTURE STRENGTH**
Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy p0337 A74-32812
- CREEP STRENGTH**
Dynamic creep of titanium alloy with 1.5 wt % Mn and 3% Al in high-velocity air streams p0117 A74-16579
- CREWS**
NT FLIGHT CREWS
- CRITERIA**
NT STRUCTURAL DESIGN CRITERIA
Criteria for the siting of major airports p0080 A74-14516
- CRITICAL FLOW**
An empirical model for calculating the critical conditions of flame stabilization p0022 A74-11824
Velocity characteristics of a turbine with adjustable nozzle diaphragms p0087 A74-15719
- CRITICAL LOADING**
Effects of compressive overloads on fatigue crack growth [AIAA PAPER 74-365] p0264 A74-26674
Application of the method of extreme values to the determination of maximum operating loads p0383 A74-36455
Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615
- CRITICAL MACH NUMBER**
U CRITICAL VELOCITY
U MACH NUMBER
- CRITICAL REYNOLDS NUMBER**
U CRITICAL VELOCITY
U REYNOLDS NUMBER
- CRITICAL SPEED**
U CRITICAL VELOCITY
- CRITICAL STRESS**
U CRITICAL LOADING
- CRITICAL VELOCITY**
The effect of gyroscopic moment and distributed mass on the vibration of a rotating shaft with a rotor p0082 A74-14621
Concerning wave processes in a shell-gas system p0087 A74-15573
Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells p0088 A74-15784
An analytical method valid up to the critical speed for predicting store separation characteristics from modern aircraft [AIAA PAPER 74-775] p0399 A74-37800
Effect of geometric profile and cascade parameters on the critical flutter speed of a compressor blade packet p0482 A74-45934
Determination of the critical speed for the flexural-torsional flutter of an airplane wing
- by a numerical method p0483 A74-46591
- CROSS CORRELATION**
Use of cross-correlation measurements to investigate noise generating regions of a real jet engine and a model jet p0329 N74-22650
- CROSS COUPLING**
Measurement of dynamic cross-derivatives due to pitching and yawing [AIAA PAPER 74-611] p0380 A74-36044
- CROSS FLOW**
Near-field trajectory of turbulent jets discharged at various inclinations into a uniform crossflow p0003 A74-10568
Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270
Some results of an optical study of supersonic spatial flows p0223 A74-24396
Crossflow-induced flow distortion and its influence on the performance of a vertical axis lifting fan [ME-73-4] p0438 A74-40303
Analysis of stratified and closely spaced jets exhausting into a crossflow --- aerodynamic characteristics of lift-jet, vectored thrust, and lift fan V/STOL aircraft [NASA-CR-132297] p0061 N74-11118
Thrust performance of podded lift-fans in crossflow --- effect of increasing cross flow velocity on thrust deterioration p0291 N74-20420
- CRUDE OIL**
Supersonic fuels from medium oils produced by the thermal cracking of crude oil residues [DFVLR-SOHDDB-301] p0136 A74-18925
- CRUISING FLIGHT**
Possibilities for improved supersonic inlet performance [AIAA PAPER 73-1271] p0010 A74-11284
New airfoil sections for general aviation aircraft --- cruising and flap development tests [SAE PAPER 730876] p0019 A74-11606
Some design considerations for supersonic cruise mixed compression inlets [AIAA PAPER 73-1269] p0030 A74-12496
On the fuel optimality of cruise --- for aircraft p0127 A74-18142
The influence of non-linear longitudinal aerodynamic characteristics on the power spectral response of aircraft to atmospheric turbulence p0182 A74-21105
Index of the relative technical perfection level of long-range aircraft jet engines p0390 A74-36791
An index of the relative level of technical perfection of an airframe p0390 A74-36814
Flight evaluation of a Mach 3 cruise longitudinal autopilot [AIAA PAPER 74-910] p0402 A74-37890
The energy crisis of fuel and the procedures of cruising flight p0422 A74-38315
Supercirculation effects induced by vectoring a partial-span rectangular jet --- for fighter aircraft maneuverability [AIAA PAPER 74-971] p0428 A74-38736
Gemini - A variable geometry sailplane [AIAA PAPER 74-1035] p0455 A74-42049
Cruise drag results from high speed wind tunnel tests of NASA Refan JT8D engine nacelles on the Boeing 727-200 [NASA-CR-134546] p0247 N74-18673
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft : Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data [NASA-CR-2334] p0248 N74-18680
Dynamics of tilting propeller aircraft in cruise flight [NASA-TN-D-7677] p0407 N74-27500
An analysis of the impact of cabin floor angle restrictions on L/D for a typical supersonic transport

CRUSADER AIRCRAFT

SUBJECT INDEX

[NASA-CR-132508] p0494 N74-34469

CRUSADER AIRCRAFT

U F-8 AIRCRAFT

CRYOGENIC EQUIPMENT

Functional tests of a cryo-cooled mass spectrometer ion source in a supersonic wind tunnel

Test results from the Langley high Reynolds number cryogenic transonic tunnel [AIAA PAPER 74-631] p0080 A74-14548

CRYOGENIC FLUIDS

HT LIQUID HYDROGEN

HT LIQUID OXYGEN

CRYSTAL DEFECTS

HT CRYSTAL DISLOCATIONS

CRYSTAL DISLOCATIONS

Solving an aluminum bracket failure --- in fire damaged aircraft engine p0376 A74-35395

CRYSTAL LATTICES

HT BODY CENTERED CUBIC LATTICES

CRYSTALS

HT LIQUID CRYSTALS

CUBIC LATTICES

HT BODY CENTERED CUBIC LATTICES

CUMULATIVE DAMAGE

Black-box philosophy in reliability of aircraft structures --- stochastic hypothesis on fatigue damage under random loads p0279 A74-28432

Vibration amplitudes produced in St. David's Cathedral by Concorde sonic bangs [ARC-B/M-3736] p0257 N74-19565

CURING

Effective methods for fabrication of large polyimide-matrix aircraft components p0084 A74-14780

Application of acrylic based room temperature curing adhesives to structural helicopter bondseats p0380 A74-35994

Heat transfer modeling for curing process of composite rotor blade [AHS PREPRINT 852] p0386 A74-36598

CURRENT DISTRIBUTION

Scattering by a conducting aerofoil --- electromagnetic radiation p0023 A74-11908

CURTIS-WRIGHT MILITARY AIRCRAFT

U MILITARY AIRCRAFT

CURVE FITTING

An evaluation of sailplane drag coefficient parameters from flight test results [AIAA PAPER 74-1020] p0454 A74-42041

CURVED PANELS

Buckling of orthotropic, curved, sandwich panels in shear and axial compression p0013 A74-11340

Buckling loads and minimum weight of compressed curved ribbed aluminum alloy panels p0118 A74-16822

Sonic fatigue failure mechanisms in potential Space Shuttle Orbiter panel designs [AIAA PAPER 74-348] p0270 A74-27267

CURVED SURFACES

U CONTOURS

U SURFACES

CUTANEOUS PERCEPTION

U TOUCH

CUTTING

HT METAL CUTTING

HT MILLING (MACHINING)

CV-7 AIRCRAFT

U BNC 5 AIRCRAFT

CYBERNETICS

International Conference on Cybernetics and Society, Boston, Mass., November 5-7, 1973, Proceedings p0183 A74-21335

CYCLES

HT STRESS CYCLES

HT THERMODYNAMIC CYCLES

CYCLIC LOADS

Effect of several metallurgical variables on the thermal fatigue behavior of superalloys p0004 A74-10622

Multi-axial low cycle fatigue test rig --- for aircraft compressors and turbine disks

High cycle fatigue properties of titanium in aircraft application p0077 A74-14158

Methods for analyzing fatigue crack growth rate behavior associated with flight-by-flight loading [AIAA PAPER 74-367] p0116 A74-16513

Analysis of crack propagation under variable amplitude loading using the Willenborg retardation model p0264 A74-26675

[AIAA PAPER 74-369] p0265 A74-26677

Consolidated presentation of fatigue data for design applications p0274 A74-27511

[SAE PAPER 740277]

An approach to the development of meaningful design rules for fatigue-loaded CFBP components --- carbon fiber reinforced plastics p0313 A74-29783

Determination of the fatigue life of structural elements for a biharmonic loading process p0393 A74-37385

Flight-by-flight tests with notched specimens using a wing upper surface load spectrum [LBF-PB-104/72] p0097 N74-11839

Cyclic-stress analysis of notches for supersonic transport conditions --- using finite element method [NASA-CR-132387] p0257 N74-19544

CYLINDRICAL AFTERBODIES

U AFTERBODIES

U CYLINDRICAL BODIES

CYLINDRICAL ANTENNAS

A cylindrical phased-array antenna for ATC interrogation p0001 A74-10018

Diffraction by a perfectly conducting rectangular cylinder which is illuminated by an array of line sources [NASA-CR-2405] p0417 N74-28706

CYLINDRICAL BODIES

HT ROTATING CYLINDERS

Influence of the atmosphere in the fall of bodies into water p0070 A74-13176

A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body p0129 A74-18632

Evaluation of the influence of errors in specifying boundary conditions on the accuracy of the determination of temperature fields in infinite cylinders p0130 A74-18635

Determination of the aerodynamic characteristics of bodies of complex shape in a free-molecular flow with allowance for shading p0204 A74-23233

Dynamic behaviour of cylinder with spring and concentrated mass collided with rigid body --- shock absorbing landing gear model p0391 A74-37049

Uniform asymptotic solutions for the two-dimensional potential field about a slender body p0392 A74-37268

Determination of the aerodynamic characteristics of a complexly shaped body in a free molecular flow with consideration of shadowing effects p0483 A74-46181

Hydrodynamic forces on oscillating and nonoscillating smooth circular cylinders in crossflow --- for towed bodies [AD-767022] p0062 N74-11125

CYLINDRICAL SHELLS

The influence of a high velocity fluid environment on the static and dynamic stability of thin cylindrical shell structures p0072 A74-13321

Concerning wave processes in a shell-gas system p0087 A74-15573

Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells p0088 A74-15784

A study of supersonic flow past vibrating shells and cascades --- using linearized characteristic methods [AD-765735] p0046 N74-10335

CYLINDROIDS
U CYLINDRICAL BODIES

D

DARBO (DATA ANALYSIS)

U DATA PROCESSING
U DATA REDUCTION
U DATA TRANSMISSION

DAKOTA AIRCRAFT

U C-47 AIRCRAFT

DAMAGE

NT CUMULATIVE DAMAGE
NT FIRE DAMAGE
NT IMPACT DAMAGE
NT RAIN IMPACT DAMAGE

DAMPING

NT ELASTIC DAMPING
NT VIBRATION DAMPING

Investigation of the effect of induction damping
of vortices in their interaction with a wing
p0087 A74-15708

Effect of steady state coning angle and damping on
whirl flutter stability
p0090 A74-15967

The evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter
[AD-771962] p0238 A74-17773

Study and stabilization of lateral motion of
modern transport aircraft --- by damping in yaw
control
p0330 A74-22684

Identification of structural parameters from
helicopter dynamic test data
p0497 A74-34513

DAMPING FACTOR

U DAMPING

DAMPING IN PITCH

U DAMPING

U PITCH (INCLINATION)

DAMPING IN ROLL

U DAMPING

U ROLL

DAMPING IN YAW

U DAMPING

U YAW

DAMPING TESTS

In-flight stabilization of externally slung
helicopter loads --- design, development, and
evaluation of candidate stabilizing systems
[AD-769063] p0162 A74-14774

DART TURBOPROP ENGINES

U TURBOPROP ENGINES

DASSAULT AIRCRAFT

A Dassault Dossier: Aircraft acquisition in France
[AD-774598] p0299 A74-20681

DATA ACQUISITION

Remote sensing of the earth's resources -
Applications, benefits, methods
p0008 A74-11204

Data acquisition, processing, and control for
advanced aircraft
[SAE PAPER 730957] p0124 A74-17542

Dynamic test of air data computers with simulated
flight profiles
p0124 A74-17736

Research instrumentation requirements for
flight/wind-tunnel tests of the YF-12 propulsion
system and related flight experience
p0277 A74-28285

System for evaluation of F-15 inlet dynamic
distortion
p0277 A74-28287

Views regarding the validity of results from
simulation testing in comparison with the
results from actual flight test
[NASA-TT-F-15172] p0056 A74-10922

Appendix: A data item service for aircraft drag
estimation --- collection, dissemination, and
development of aerodynamic drag prediction data
p0156 A74-14717

A quick look at the state-of-the-art in flight
testing of certain aerodynamic parameters
related to wind tunnel testing
[PFA-AD-966] p0158 A74-14740

AGARD flight test instrumentation series. Volume
5: Magnetic recording of flight test data ---
design and performance of airborne tape transports

[AGARDOGRAPH-160-VOL-5] p0254 A74-18833

AGARD flight test instrumentation services.
Volume 1: Basic principles of flight test
instrumentation engineering --- application to
large automated systems for initial flight tests
of military and civilian aircraft
[AGARDOGRAPH-160-VOL-1] p0360 A74-25933

Statistical review of counting accelerometer data
for Navy and Marine fleet aircraft
[AD-778645] p0416 A74-28531

Background information and user guide for
MIL-S-83691
[AD-780523] p0490 A74-33459

DATA ADAPTIVE EVALUATOR/MONITOR

U DATA PROCESSING

U DATA REDUCTION

U DATA TRANSMISSION

DATA ANALYSIS

U DATA PROCESSING

U DATA REDUCTION

DATA BUSES

U CHANNELS (DATA TRANSMISSION)

DATA CORRELATION

NT SIGNAL ANALYSIS

Aircraft and systems reliability --- relation to
overhaul and maintenance
p0129 A74-18599

Three dimensional supersonic flow field analysis
of the B-1 airplane by a finite difference
technique and comparison with experimental data
[AIAA PAPER 74-189] p0136 A74-18877

Statistical analysis of aircraft noise levels
p0173 A74-19638

Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0394 A74-37488

A quick look at the state-of-the-art in flight
testing of certain aerodynamic parameters
related to wind tunnel testing
[PFA-AU-966] p0158 A74-14740

Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0495 A74-34491

Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0495 A74-34491

DATA HANDLING SYSTEMS

U DATA SYSTEMS

DATA LINKS

High integrity ATC data links

Air-ground communications in the upgraded third
generation ATC system
p0170 A74-19392

A synchronized Discrete Address Beacon System ---
for ATC surveillance
p0215 A74-22684

Universal air-ground data link system --- for
automated ATC communications
p0221 A74-23786

Problems associated with the implementation of an
air-ground data link
p0215 A74-23830

Functional command/control considerations for
ship-deployable tactical remotely-piloted
vehicle /RPV/
p0226 A74-25360

Human factors experiments for data link --- coding
of air traffic control messages
[AD-760401] p0433 A74-39664

Cost effective built-in test for advanced aircraft
electrical systems
p0049 A74-10625

DATA MANAGEMENT

Problems in data management for earth monitoring
missions
[DGLR PAPER 73-109] p0121 A74-17205

Data management during the Navy performance test
and evaluation of the F-14A airplane
p0347 A74-34857

Information on the use of data items in the series
wings 02.04
[ESDU-WINGS-02.04.00-AMEND-A] p0035 A74-10004

Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1.
Summary
[NASA-CR-132401] p0413 A74-28508

Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD) system. Volume
2: Characterization of the IPAD system (Phase

1, Task 1)
[NASA-CR-132402] p0414 N74-28509
Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
3: Engineering creative/evaluation processes
(Phase 1, Task 2)
[NASA-CR-132403] p0414 N74-28510
Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
4: Design of the IPAD system. Part 1: IPAD
system design requirements (Phase 1, Task 2)
[NASA-CR-132404] p0414 N74-28511
Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
5: Design of the IPAD system. Part 2: System
design. Part 3: General purpose utilities
(Phase 1, Task 2)
[NASA-CR-132405] p0414 N74-28512
Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
6: Implementation schedule, development costs,
operational costs, benefit assessment, impact on
company organization, spin-off assessment (Phase
2, Tasks 3 to 8)
[NASA-CR-132406] p0414 N74-28513
Feasibility study of an Integrated Program for
Aerospace vehicle Design (IPAD). Volume 1B:
Concise review
[NASA-CR-132391] p0415 N74-28515

DATA PROCESSING

NT DATA CORRELATION
NT DATA REDUCTION
NT DATA RETRIEVAL
NT DATA SMOOTHING
NT SIGNAL ANALYSIS
NT SIGNAL PROCESSING
Data acquisition, processing, and control for
advanced aircraft
[SAE PAPER 730957] p0124 A74-17542
Maximum likelihood identification of aircraft
stability and control derivatives
p0209 A74-23327
Piecewise smooth approximation method for sensor
data --- from strain gages
p0391 A74-37149

DATA PROCESSING EQUIPMENT

NT AIRBORNE/SPACEBORNE COMPUTERS
NT ANALOG COMPUTERS
NT COMPUTERS
NT DIGITAL COMPUTERS
NT MINICOMPUTERS

DATA READOUT SYSTEMS

U DATA SYSTEMS
U DISPLAY DEVICES

DATA RECORDERS

Automation of measurements and of data processing
for experiments in an IL-18 aircraft laboratory
p0276 A74-27884
An induction into the design of flight test
instrumentation systems --- factors affecting
the development and design of flight test
instrumentation systems
p0360 N74-25935

DATA RECORDING

Inflight engine condition monitoring system
p0278 A74-28315
Processing of operational data recorded on flight
report cards
p0377 A74-35664
Aircraft accident data recording systems: System
evaluation and data recovery --- Book
p0390 A74-36657

DATA REDUCTION

NT DATA SMOOTHING
A data reduction method for landing performance
tests
p0320 A74-30821
The use of a navigation platform for performance
flight testing
p0345 A74-34841
UTTAS flight test - Real-time data analysis ---
helicopters in Utility Tactical Transport
Aircraft System
[AHS PREPRINT 864] p0386 A74-36604
Extraction of derivatives from flight data for
several aircraft, using the LRC interactive
computer system
p0356 N74-25574

Laboratory for automatic processing of analog
signals
p0419 N74-29361

DATA RETRIEVAL

Aircraft accident data recording systems: System
evaluation and data recovery --- Book
p0390 A74-36657

DATA SAMPLING

A two-component laser Doppler velocimeter for
periodic flow fields
p0267 A74-26916
Sample rate selection for aircraft digital control
[AIAA PAPER 74-885] p0401 A74-37867

DATA SMOOTHING

Experimental and data analysis techniques for
deducing collision-induced forces from
photographic histories of engine rotor fragment
impact/interaction with a containment ring
[NASA-CR-134548] p0243 N74-18399

DATA SYSTEMS

Introduction to advanced systems monitor --- for
flight crew and maintenance data
[SAE PAPER 730953] p0016 A74-11556
Engine condition monitoring - The Alitalia approach
p0180 A74-20825
Advance airborne system for maintenance monitoring
[SAE PAPER 730955] p0269 A74-27255
Implementation of the uniform flight test analysis
system --- aircraft performance computer programs
p0347 A74-34855
Information on the use of data items in the series
wings 02.04
[ESDU-WINGS-02.04.00-AMEND-A] p0035 N74-10004

DATA TRANSMISSION

Description and cost of a satellite-based oceanic
ATC system --- voice and data communication
channel capacity requirements
p0025 A74-12193
High integrity ATC data links
p0170 A74-19392
Lockheed S-3A avionics - Tactical voice and data
communication
p0173 A74-19753
Lockheed S-3A avionics - Transmitting data by
multiprocessor computer
p0173 A74-19754
International Telemetry Conference, Washington,
D.C., October 9-11, 1973, Proceedings
p0215 A74-23784
Microwave dielectric waveguide data bus system for
aircraft interior data transfer
p0424 A74-38564
Fiber optics as applied to Advanced Aircraft
Electrical Systems
p0425 A74-38576

DATING

U TIME MEASUREMENT

DC 7 AIRCRAFT

The measurement of the DC-7 trailing vortex system
using the tower fly-by technique
[FAA-RD-73-141] p0104 N74-12718
Aircraft accident report: Skyways International,
Incorporated, Douglas DC-7C, N296 near the Miami
International Airport, Dade County, Florida, 21
June 1973
[NTSB-AAR-74-2] p0249 N74-18684

DC 8 AIRCRAFT

Art of the Stretch 8. I --- DC 8-63 flight
instruments, takeoff performance, minimum
control speed
p0177 A74-20274
Noise reduction programs for DC-8 and DC-9 airplanes
p0397 A74-37548
Quiet engine from NASA
p0422 A74-38295

Aircraft accident report: Overseas National
Airways, Inc., McDonnell Douglas, DC-8-63,
N863P, Bangor, Maine, 20 June 1973 --- takeoff
accident caused by failure of right main landing
gear tire
[NTSB-AAR-74-1] p0235 N74-17748
Aircraft accident report: Loftleidir Icelandic
Airlines, Incorporated, Douglas DC-8-61, John P.
Kennedy International Airport, Jamaica, New
York, 23 June 1973
[NTSB-AAR-73-20] p0249 N74-18683
Aircraft accident report: World Airways,
Incorporated, DC-8-63P, N802WA, King Cove,
Alaska, 8 September 1973

SUBJECT INDEX

DELTA WINGS

- [NTSB-AAR-74-6] p0364 N74-26438
- DC 9 AIRCRAFT**
- Calculation of initial vortex roll-up in aircraft wakes p0392 A74-37283
- Noise reduction programs for DC-8 and DC-9 airplanes p0397 A74-37548
- DC-9/JT8D refan, Phase 1 --- technical and economic feasibility of retrofitting DC-9 aircraft with refan engine to achieve desired acoustic levels p0050 N74-10729
- [NASA-CR-121252]
- Aircraft accident report: Delta Air Lines, Incorporated, Douglas DC-9-31, N975-NE, Boston, Massachusetts, 31 July 1973 p0297 N74-20665
- [NTSB-AAR-74-3]
- DC-9 noise retrofit feasibility. Volume 1: Lower goal noise, performance and cost evaluation p0472 N74-32437
- [AD-776127]
- DC 10 AIRCRAFT**
- DC-10 avionics parts reliability in review p0182 A74-20969
- Secondary power systems --- for DC-10 [SAE PAPER 740465] p0351 A74-35005
- The application of fracture mechanics in the development of the DC-10 fuselage --- analysis of the degree of damage tolerance of fuselage pressure shell p0332 N74-23428
- Airworthiness philosophy developed from full-scale testing --- of DC 10 aircraft p0366 N74-26464
- DE HAVILLAND AIRCRAFT**
- NT COMET 4 AIRCRAFT
- NT DHC 5 AIRCRAFT
- DE HAVILLAND DH 106 AIRCRAFT
- U COMET 4 AIRCRAFT
- DE HAVILLAND DHC 5 AIRCRAFT
- U DHC 5 AIRCRAFT
- DE LAVAL NOZZLES
- U CONVERGENT-DIVERGENT NOZZLES
- DEADWEIGHT**
- U STATIC LOADS
- DEBUGGING**
- U CHECKOUT
- DECAY**
- NT X RAY FLUORESCENCE
- DECAY RATES**
- The structure and decay of trailing vortices p0447 A74-41044
- DECISION MAKING**
- Conference on Decision and Control, 4th and Symposium on Adaptive Processes, 12th, San Diego, Calif., December 5-7, 1973, Proceedings p0175 A74-20076
- DECKS (FLOORS)**
- U FLOORS
- DECOUPLING**
- Decoupling of a class of nonlinear systems and its application to an aircraft control problem p0127 A74-18139
- Implicit model decoupling approach to VTOL flight control design --- stability during specific types of maneuvers at critically low speeds [RE-469] p0245 N74-18644
- Steady-state decoupling and design of linear multivariable systems [NASA-CR-138815] p0409 N74-27715
- DEFECTS**
- NT CRYSTAL DISLOCATIONS
- Development of NDT/I for integral wing fuel tank structures using infrared thermography [AD-773466] p0288 N74-20060
- DEFENSE COMMUNICATIONS SATELLITE SYSTEM**
- Navy's Fleet Satellite and GAPPILLER Satellite Communications programs p0268 A74-27137
- DEFENSE INDUSTRY**
- Design to cost during the requirements, development and test phases of systems acquisition --- for weapon systems p0479 A74-45003
- DEFENSE PROGRAM**
- Military and aerospace --- cost effective technology utilization for ATC, NASA programs and defense projects p0126 A74-18050
- Airborne warning and control system /AWACS/ --- for air operations management during military
- crises [AIAA PAPER 74-241] p0130 A74-18655
- Navy's Fleet Satellite and GAPPILLER Satellite Communications programs p0268 A74-27137
- DEFLATING**
- U INFLATABLE STRUCTURES
- DEPLETION**
- Optimally fast-acting control of aircraft roll in the presence of constraints on the angle of aileron deflection and the deflection rate p0389 A74-36634
- Multi-hinge rudder unit design with allowance for rudder deflection p0398 A74-37663
- DEPLECTORS**
- NT BLAST DEPLECTORS
- V/STOL deflector aerodynamic design criteria --- geometric variations effects p0008 A74-11226
- [AIAA PAPER 73-1181]
- Effect of exhaust deflectors on the design of lift plus lift/cruise V/STOL aircraft p0015 A74-11554
- [SAE PAPER 730959]
- DEFORMATION**
- NT AXIAL STRAIN
- NT ELASTIC BENDING
- NT ELASTIC BUCKLING
- NT ELASTIC DEFORMATION
- NT PLASTIC DEFORMATION
- Study of Moire measuring techniques for wind tunnel model deformation [AD-766892] p0063 N74-11298
- DEGRADATION**
- NT THERMAL DEGRADATION
- DEGREES OF FREEDOM**
- Evaluation of aircraft departure divergence criteria with a six-degree-of-freedom digital simulation program p0136 A74-18882
- [AIAA PAPER 74-68]
- Motion software for a synergistic six-degree-of-freedom motion base [NASA-TN-D-7350] p0060 N74-11096
- Description of six degree of freedom rigid aircraft mathematical models --- numerical analysis of flight dynamics of high speed aircraft [URE-TN-901(WR/D)] p0187 N74-15702
- Analytical study to define a helicopter stability derivative extraction method, volume 1 [NASA-CR-132371] p0248 N74-18674
- Analytical study to define a helicopter stability derivative extraction method, volume 2 [NASA-CR-132372] p0248 N74-18675
- Investigation of application of two-degree-of-freedom dry tuned-gimbal gyroscopes to strapdown navigation systems --- for use in VTOL aircraft [NASA-CR-132419] p0304 N74-21289
- Dynamics of tilting proprotor aircraft in cruise flight [NASA-TN-D-7677] p0407 N74-27500
- Analytical model for tilting proprotor aircraft dynamics, including blade torsion and coupled bending modes, and conversion mode operation [NASA-TN-X-62369] p0467 N74-31498
- Takeoff and landing analysis computer program (TOLA). Part 3: Users manual [AD-781758] p0490 N74-33461
- Dynamic analysis of multi-degree-of-freedom systems using phasing matrices p0496 N74-34493
- DEICERS**
- U.S. Army helicopter icing qualification program [AIAA PAPER 74-942] p0426 A74-38715
- DEICING**
- VFW 614 de-icing p0375 A74-35360
- Ice protection investigation for advanced rotary-wing aircraft [AD-771182/3GA] p0250 N74-18693
- DEICING SYSTEMS**
- U DEICERS
- DELTA DART AIRCRAFT**
- U F-106 AIRCRAFT
- DELTA WINGS**
- Theory of hypersonic flow about a wing p0025 A74-12205
- Supersonic flow about slab delta wings and wing-body configurations p0070 A74-13152

DEMAND (ECONOMICS)

SUBJECT INDEX

- The aerodynamic characteristics of some variable geometry wing forms, derived from delta wings, gothic and mild-ogee wings
p0088 A74-15810
- Calculation method for the supersonic spanwise twisted rectangular wings
p0088 A74-15820
- A vortex entrainment model applied to slender delta wings
p0119 A74-17029
- Numerical investigation of vortex sheets issuing from a separation line near the leading edge
p0128 A74-18289
- Subsonic potential aerodynamics for complex configurations - A general theory
p0177 A74-20280
- Numerical solution of the problem of supersonic gas flow over the upper surface of a delta wing in the expansion region
p0186 A74-22283
- Extension of a vortex-lattice method to include the effects of leading-edge separation
p0204 A74-23332
- A transonic study of active flutter suppression based on an aerodynamic energy concept [AIAA PAPER 74-403]
p0266 A74-26702
- Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities
p0312 A74-29493
- Slender delta wing with conical camber
p0317 A74-30398
- Optimization of complex structures to satisfy static, dynamic and aeroelastic requirements
p0318 A74-30453
- Heat transfer effects on a delta wing in subsonic flow
p0381 A74-36240
- Flow past a triangular wing with blunted edges in the case of strong compression in the shock layer
p0384 A74-36560
- Estimation of the effect of unsteadiness in calculating flutter in aircraft with small aspect ratio wings in an incompressible flow
p0389 A74-36646
- Calculation of the surface of a minimum-drag wing with a shock-free leading edge
p0390 A74-36818
- High altitude delta wing unsteady aerodynamics [AIAA PAPER 74-817]
p0400 A74-37824
- The determination of ice deposition on slender wings: An experimental technique and simplified theory [ICAS PAPER 74-41]
p0450 A74-41342
- Effect of upper-surface blowing on static longitudinal stability of a swept wing
p0477 A74-44419
- Analysis of the low-speed flow over a slender sharp edged delta wing at angles of attack
p0098 A74-12034
- Force measurements on caret and delta wings over the incidence range 27 deg less than or equal to alpha less than or equal to 55 deg at M 12.2 [IC-AERO-71-22]
p0154 A74-14705
- Drag of lifting bodies for pilots at high altitude
p0157 A74-14731
- Analysis of the flow about delta wings with leading edge separation at supersonic speeds [NASA-CR-132358]
p0158 A74-14745
- Investigations on rolling damping of slender wings [NASA-TT-X-15729]
p0362 A74-26423
- Numerical studies of hypersonic delta wings with detached shock waves [ARC-CP-1277]
p0412 A74-28487
- Effect of spanwise blowing on leading-edge vortex bursting of a highly swept aspect ratio 1.18 delta wing [NASA-TN-X-71987]
p0441 A74-29367
- Theoretical and experimental longitudinal aerodynamic characteristics of an aspect ratio 0.25 sharp-edge delta wing at subsonic, supersonic, and hypersonic speeds [NASA-TN-D-7651]
p0463 A74-31414
- Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing [NASA-TN-X-71974]
p0466 A74-31485
- DEMAND (ECONOMICS)
Energy problems in air transportation --- options
- for demand reduction, efficiency increase and fuel alternatives
p0171 A74-19479
- DEMODULATORS
NT MODENS
DENSITY (MASS/VOLUME)
NT ATMOSPHERIC DENSITY
NT GAS DENSITY
DENSITY (NUMBER/VOLUME)
NT PARTICLE DENSITY (CONCENTRATION)
DEPENDENCE
NT TIME DEPENDENCE
DEPLOYMENT
Emergency Evacuation and Survival Equipment
Deployment for transport aircraft /ESED/
p0214 A74-23554
- DEPOSITION
NT ANODIZING
NT ELECTROPLATING
NT VAPOR DEPOSITION
Deposition and corrosion in gas turbines; Proceedings of the Conference, London, England, December 6, 7, 1972
p0080 A74-14563
- DESCENT
NT PARACHUTE DESCENT
DESCENT TRAJECTORIES
NT REENTRY TRAJECTORIES
Simulator tests of pilotage error in area navigation with vertical guidance - Effects of descent angle and display scale factor
p0081 A74-14595
The fuel crisis and the controller --- turbojet aircraft descent trajectories for fuel consumption reduction
p0173 A74-19726
- DESIGN OF EXPERIMENTS
U EXPERIMENTAL DESIGN
DESULFURIZING
Air mobility fuel cell study --- desulfurization of JP-4 fuel [AD-766757]
p0107 A74-12742
- DETECTION
NT AIRCRAFT DETECTION
NT RADAR DETECTION
NT TARGET RECOGNITION
DETECTORS
The feasibility of detecting a burner-can burn-through by means of CO, CO2, pressure, and air temperature levels in a jet engine nacelle [AD-775304]
p0475 A74-33225
- DETONABLE GAS MIXTURES
Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity
p0186 A74-22304
Reaction modes occurring at detonation of explosive gas mixture due to detached shock front from a blunt mockup at supersonic speeds [ISI-28/72]
p0067 A74-11740
- DETONATION WAVES
Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity
p0186 A74-22304
- DEWAR SYSTEMS
U CRYOGENIC EQUIPMENT
DE 106 AIRCRAFT
U COMET 4 AIRCRAFT
DHC 5 AIRCRAFT
The augmentor wing - Powered-lift STOL a proven concept
p0184 A74-21728
Summary of the air cushion landing system on the de Havilland Buffalo aircraft
p0316 A74-30142
CC-115 Buffalo aircraft engine and engine inlet duct anti-icing system evaluation trials
p0346 A74-34849
- DIABATIC PROCESSES
U HEAT TRANSFER
DIAGRAMS
NT BENDING DIAGRAMS
NT S-N DIAGRAMS
NT STRESS-STRAIN DIAGRAMS
DIAMOND WINGS
U LOW ASPECT RATIO WINGS
U SWEEP WINGS
DIAPHRAGMS (MECHANICS)
An investigation of corrugated metallic diaphragm capsules as used in aircraft instrument pressure

SUBJECT INDEX

DIGITAL SIMULATION

- elements
- p0423 A74-38403
- DIELECTRIC MATERIALS**
- U DIELECTRICS**
- DIELECTRIC PROPERTIES**
- Polyimides for advanced radomes --- heat resistant reinforced composite materials. p0082 A74-14738
- DIELECTRICS**
- NT RADOME MATERIALS**
- General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494
- Recent advances in the processing of polyimide resins for high temperature radome applications p0379 A74-35841
- The radiation from slots in truncated dielectric-covered surfaces [NASA-CR-2397] p0417 A74-28709
- DIES**
- Development of a low-cost composite die using High-Energy-Rate Forming (HERF) --- titanium alloy helicopter parts [AD-771957] p0242 A74-18145
- DIESEL ENGINES**
- Truck noise via diesel exhaust and air intake noise --- acoustic measurements for evaluation of various exhaust and intake systems [PB-222624/9] p0052 A74-10742
- DIESEL FUELS**
- Substitution of JP-5 aviation fuel for DF-2 diesel under field conditions [AD-777047] p0362 A74-26243
- DIFFERENTIAL ALGEBRA**
- U MATRICES (MATHEMATICS)**
- DIFFERENTIAL ANALYZERS**
- U ANALOG COMPUTERS**
- DIFFERENTIAL EQUATIONS**
- NT BIHARMONIC EQUATIONS**
- NT ELLIPTIC DIFFERENTIAL EQUATIONS**
- NT GAUSS EQUATION**
- NT HELMHOLTZ VORTICITY EQUATION**
- NT PARTIAL DIFFERENTIAL EQUATIONS**
- NT VORTICITY EQUATIONS**
- Solution of the non-linear differential equations for finite bending of a thin-walled tube by parameter differentiation p0279 A74-28420
- Differential game barriers and their application in air-to-air combat p0304 A74-21187
- DIFFERENTIAL OPERATORS**
- U DIFFERENTIAL EQUATIONS**
- DIFFRACITION**
- NT WAVE DIFFRACITION**
- DIFFRACITION PATTERNS**
- A technique to combine the geometrical theory of diffraction and the moment method [AD-777976] p0409 A74-27640
- DIFFUSERS**
- A semi-empirical method for predicting subsonic diffuser performance [AIAA PAPER 73-1272] p0010 A74-11285
- DIFFUSION**
- NT ATMOSPHERIC DIFFUSION**
- NT PARTICLE DIFFUSION**
- NT TURBULENT DIFFUSION**
- DIFFUSION BONDING**
- U DIFFUSION WELDING**
- DIFFUSION FLAMES**
- High sensitivity 1000F gas multiplication UV flame detector for aircraft [AD-766960] p0063 A74-11296
- DIFFUSION WELDING**
- Fabrication and repair of titanium engine components by welding p0084 A74-14768
- Diffusion welding of structural components for aeronautics and astronautics p0227 A74-25024
- Diffusion welding in aviation technology [NASA-TT-P-15568] p0328 A74-22138
- DIGITAL COMMUNICATION**
- U PULSE COMMUNICATION**
- DIGITAL COMPUTERS**
- NT MINICOMPUTERS**
- Evaluation of the operations contained in algorithms carried out by digital controller
- computers
- p0130 A74-18638
- Electronic displays and digital automatic control in advanced terminal area operations [AIAA PAPER 74-27] p0136 A74-18881
- Evaluation of aircraft departure divergence criteria with a six-degree-of-freedom digital simulation program [AIAA PAPER 74-68] p0136 A74-18882
- The use of computer technology in civil aviation --- Russian book p0215 A74-23698
- The use of desk top computers in the teaching of aircraft gas turbines [ASME PAPER 74-GT-115] p0273 A74-27484
- Digital fly-by-wire - Computers lead the way p0377 A74-35629
- Digital computing and the display requirements in modern aircraft. II - Modern display techniques p0403 A74-37923
- Design of a fault tolerant airborne digital computer. Volume 1: Architecture [NASA-CR-132252] p0240 A74-17909
- Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology [NASA-CR-132253] p0254 A74-18842
- DIGITAL DATA**
- High integrity ATC data links p0170 A74-19392
- Problems associated with the implementation of an air-ground data link p0226 A74-25360
- Microwave dielectric waveguide data bus system for aircraft interior data transfer p0424 A74-38564
- DIGITAL NAVIGATION**
- A digital fly-by-wire technology development program using an F-8C test aircraft [AIAA PAPER 74-28] p0179 A74-20755
- Digital fly-by-wire - Computers lead the way p0377 A74-35629
- DIGITAL RADAR SYSTEMS**
- Recent advances in air traffic control radars p0169 A74-19315
- A discrete address beacon system --- of development p0221 A74-23785
- surveillance radar for ATC p0373 A74-35127
- GCA radars - Their history and state p0221 A74-23785
- DIGITAL SIMULATION**
- Digital computer simulation of the dynamic response of a twin-spool turbofan with mixed exhausts p0020 A74-11617
- Simulation of the landing and take-off of a VTOL aircraft on a ship in a random sea [AIAA PAPER 74-302] p0209 A74-22803
- Air-traffic-control simulator for the training of ATC personnel p0216 A74-24052
- Real-time simulation of jet engines with digital computer [ASME PAPER 74-GT-19] p0271 A74-27418
- A digital simulation technique for crashworthy analysis of aircraft seats [SAE PAPER 740371] p0309 A74-28742
- Performance considerations for terrain following flight p0346 A74-34843
- Handling qualities evaluation of the XV-15 tilt rotor aircraft [AHS PREPRINT 840] p0385 A74-36591
- Digital computer techniques for engine/airframe simulation --- for helicopters [AHS PREPRINT 874] p0387 A74-36609
- The dynamic behavior of an aircraft encountering aircraft wake turbulence [AIAA PAPER 74-774] p0399 A74-37799
- The effect of non-symmetric flight on aircraft high angle of attack handling qualities and departure characteristics [AIAA PAPER 74-792] p0400 A74-37812
- DFW AIRTRANS transit system simulation [AIAA PAPER 74-878] p0401 A74-37863
- Generalized dynamic engine simulation techniques for the digital computer p0481 A74-45378

- Simulation study on flare control system by optimization theory
[NAL-TR-312] p0040 H74-10046
- General description of the rotorcraft flight simulation computer program (G-81)
[AD-767239] p0105 H74-12728
- A fixed-base ground simulator study of control and display requirements for VTOL instrument landings with a decelerating approach to a hover
[AD-774750] p0299 H74-20680
- DIGITAL SYSTEMS**
- NT DIGITAL NAVIGATION**
- NT DIGITAL RADAR SYSTEMS**
- Use of synthetic radar information - Operational and technical aspects
p0028 A74-12403
- Lockheed S-3A avionics - Three system digital flight guidance
p0173 A74-19751
- A new pneumatic hybrid control system --- for reduction of supply air consumption
p0174 A74-19884
- Digital adaptive flight controller development
p0176 A74-20120
- SAAB digital flight control --- for Viggen aircraft
[AIAA PAPER 74-26] p0179 A74-20754
- Digital adaptive model following control --- for lateral aircraft dynamics
p0183 A74-21338
- Air-ground communications in the upgraded third generation ATC system
p0215 A74-22684
- A synchronized Discrete Address Beacon System --- for ATC surveillance
p0221 A74-23786
- Digital system identification and its application to digital flight control
p0342 A74-33768
- AN/SPN-42 automatic carrier landing system
p0374 A74-35209
- The future of avionics --- large scale integration and digital systems
p0399 A74-37786
- Sample rate selection for aircraft digital control
[AIAA PAPER 74-885] p0401 A74-37867
- Digital adaptive model following flight control --- using fighter aircraft mathematical model-following algorithms
[AIAA PAPER 74-886] p0402 A74-37868
- Management of analytical redundancy in digital flight control systems for aircraft
[AIAA PAPER 74-887] p0422 A74-38249
- Air Force findings and recommendations on digital aircraft avionics
p0423 A74-38523
- Power plant controls - 'The system' --- digital techniques for aircraft engines
p0457 A74-43202
- Practical experience with a digital electrohydraulic actuator
[NASA-TT-P-15292] p0191 H74-15735
- The dynamic behavior of a digital electrohydraulic actuator
[NASA-TT-P-15295] p0191 H74-15736
- Microelectronic phase shifters in X and Q bands
[BLL-FO-2988-(9022.81)] p0192 H74-15906
- A conceptual definition study for a digital avionics information system: Approach 1, volume 1 --- applied to military aircraft systems
[AD-771736] p0250 H74-18691
- A conceptual definition study for a digital avionics information system: Approach 1, volume 2 --- applied to military aircraft systems
[AD-771755] p0250 H74-18692
- Flight control systems research --- optimization of F-8 aircraft control system
[NASA-CR-139595] p0463 H74-31427
- Realization and flight tests of an integrated digital flight control system
p0464 H74-31447
- Design and flight experience with a digital fly-by-wire control system in an F-8 airplane
p0464 H74-31450
- A flight investigation of a terminal area navigation and guidance concept for STOL aircraft
[NASA-TN-X-62375] p0474 H74-33114
- Digital flight control research
[NASA-CR-2433] p0489 H74-33448
- DIGITAL TECHNIQUES**
- Electronic display mechanization for monitoring aircraft parameters
[SAE PAPER 730956] p0015 A74-11555
- A self-reorganizing digital flight control system for aircraft
[AIAA PAPER 74-21] p0133 A74-18808
- Some transmission characteristics of AEROSAT-type air traffic control systems
p0174 A74-19957
- Systems integration - Avionics of tomorrow --- inclusion in aircraft design concepts
p0227 A74-25361
- Flight control system advances for near-future military aircraft
[SAE PAPER 730987] p0269 A74-27252
- A unique supersonic inlet unsteady aerodynamic cascade experiment
[AIAA PAPER 74-622] p0376 A74-35389
- Effect of the differentiability of random stationary processes on the magnitude of the mean square approximation error --- in recording aerodynamic forces on helicopter rotors
p0383 A74-36463
- Considerations in the design of a digital flight control function for a high performance aircraft
p0423 A74-38533
- The case for digital techniques applied to powerplant controls --- for aircraft
p0458 A74-43212
- Contribution to the dynamic behavior of a digital electro-hydraulic actuator --- for fly by wire control
[DLR-FB-73-106] p0490 H74-33458
- DIHEDRAL ANGLE**
- The problem of supersonic flow past intersecting wings
p0307 A74-28644
- DIHEDRAL EFFECT**
- U LATERAL STABILITY**
- DILUTION**
- Study of the effect of dilution on the lubricity of hydrotreated jet engine fuels
p0336 A74-32600
- DIMENSIONAL STABILITY**
- NT SHELL STABILITY**
- NT STRUCTURAL STABILITY**
- DIMENSIONLESS NUMBERS**
- NT MACH NUMBER**
- NT REYNOLDS NUMBER**
- DIMENSIONS**
- NT LENGTH**
- DIODES**
- NT JUNCTION DIODES**
- NT LIGHT EMITTING DIODES**
- DIPOLE ANTENNAS**
- A new ILS localizer for regional airports
p0136 A74-18901
- A wideband shallow cavity-backed sleeve dipole aircraft antenna
[AD-778930] p0418 H74-28719
- DIRECT POWER GENERATORS**
- NT FUEL CELLS**
- NT MAGNETOHYDRODYNAMIC GENERATORS**
- NT SOLAR CELLS**
- DIRECTIONAL ANTENNAS**
- NT DIPOLE ANTENNAS**
- NT HORN ANTENNAS**
- NT RADAR ANTENNAS**
- Numerical solutions to some on-aircraft antenna pattern problems --- analysis of direction finding antenna on F-4 aircraft
[AD-777977] p0409 H74-27639
- DIRECTIONAL CONTROL**
- NT THRUST VECTOR CONTROL**
- The effect of runway traction on commercial airplane stopping systems
[SAE PAPER 740500] p0349 A74-34976
- Improvements in airplane stopping performance on adverse runways
[AIAA PAPER 74-965] p0427 A74-38730
- Flight investigation of effects of a fan-in-fin yaw control concept on helicopter flying-quality characteristics
[NASA-TN-D-7452] p0249 H74-18688
- DIRECTIONAL STABILITY**
- NT GYROSCOPIC STABILITY**
- Status of design criteria for predicting departure characteristics and spin susceptibility --- of

SUBJECT INDEX

DISPLAY DEVICES

- aircraft
 [AIAA PAPER 74-791] p0399 A74-37811
 Estimates of the lateral-directional stability
 derivatives of a helicopter from flight
 measurements p0283 N74-19662
 [NRC-13882]
 Lateral-directional stability characteristics of a
 wing-fuselage configuration at angles of attack
 up to 44 deg p0463 N74-31421
 [NASA-TM-X-3087]
 The lateral/directional stability characteristics
 of a four-propeller tilt-wing V/STOL model in
 low-speed steep descent p0472 N74-32439
 [NASA-TM-X-70242]
- DIREGIBLES**
 U AIRSHIPS
DISASTERS
 Simulated aircraft accident exercises p0439 A74-40622
- DISCHARGE COEFFICIENT**
 Determination of the gas temperature in front of
 the turbine of a bypass turbofan engine p0087 A74-15721
- DISCONTINUITY**
 NT SHOCK DISCONTINUITY
DISCRETE FUNCTIONS
 Development of a method of
 discretized-distribution singularities for the
 study of compressible and incompressible flows p0119 A74-16968
- DISCRIMINATION**
 NT TACTILE DISCRIMINATION
 NT VISUAL DISCRIMINATION
DISKS (SHAPES)
 NT ROTATING DISKS
DISLOCATIONS (MATERIALS)
 NT CRYSTAL DISLOCATIONS
DISORIENTATION
 Orientation-error accidents in regular Army UH-1
 aircraft during fiscal year 1970: Relative
 incidence and cost p0144 N74-13742
 [AD-768307]
 An investigation of pattern recognition of
 aircraft attitudes indicator displays p0147 N74-14126
 [AD-768345]
- DISPERSION PRECIPITATION HARDENING**
 U PRECIPITATION HARDENING
DISPERSSIONS
 NT AEROSOLS
 NT FOG
 Lithium soap dispersions as drag-reducing
 hydraulic fluids p0027 A74-12316
 [ASLE PREPRINT 73LC-5B-2]
- DISPLAY DEVICES**
 NT ANEMOMETERS
 NT APPROACH INDICATORS
 NT GYRO HORIZONS
 NT HEAD-UP DISPLAYS
 NT HOT-WIRE ANEMOMETERS
 NT POSITION INDICATORS
 NT SPEED INDICATORS
 Electronic display mechanization for monitoring
 aircraft parameters p0015 A74-11555
 [SAE PAPER 730956]
 Introduction to advanced systems monitor --- for
 flight crew and maintenance data p0016 A74-11556
 [SAE PAPER 730953]
 Use of simulators in the design and development of
 flight control systems p0016 A74-11567
 [SAE PAPER 730933]
 Present and future radar display techniques ---
 CRT, LED and liquid crystals for ATC applications p0028 A74-12382
 Use of synthetic radar information - Operational
 and technical aspects p0028 A74-12403
 New concepts of visualization for aircraft ---
 instrument panel display integration p0029 A74-12407
 Motion relationships in aircraft attitude and
 guidance displays - A flight experiment p0081 A74-14597
 Aircraft simulator motion and the order of merit
 of flight attitude and steering guidance displays p0082 A74-14598
 Some trends in air traffic control p0091 A74-16074
 Eurocontrol evaluation of the Standard Elektrik
 Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac
- computing, navigation and display system for
 area navigation. Phase III - Flight trials
 1971-1972 p0091 A74-16075
 The impact of area navigation on flight control
 systems and displays p0122 A74-17277
 Data acquisition, processing, and control for
 advanced aircraft p0124 A74-17542
 [SAE PAPER 730957]
 Electronic displays and digital automatic control
 in advanced terminal area operations p0136 A74-18881
 [AIAA PAPER 74-27]
 Lockheed S-3A avionics - Three system digital
 flight guidance p0173 A74-19751
 VITAL II --- Virtual Image Takeoff and Landing
 system in Boeing 727 flight simulator p0177 A74-20275
 Display systems - An airborne look ahead
 p0178 A74-20595
 A direct procedure for partitioning scanning
 workload with a flight director p0183 A74-21336
 The evolution of electronic displays for civil and
 military aircraft p0184 A74-21729
 Quasi-visual flight navigation --- all-weather
 navigation with synthetic external scenes p0219 A74-22519
 The status of the F-14A airborne mission recorder
 requirements and utilization p0216 A74-22529
 Pave Spike Video Film Recorder p0218 A74-22543
 Peripheral vision - A factor for improved
 instrument design p0218 A74-23542
 Solid state vertical scale instruments --- for
 aircraft light emitting diode displays p0267 A74-26965
 Structural finite element analysis aided by
 computer graphics p0310 A74-28753
 [SAE PAPER 740389]
 MRCA systems and related equipment -
 MRCA avionics p0337 A74-32636
- Energy management display p0346 A74-34844
 Society for Information Display, International
 Symposium and Exhibition, San Diego, Calif., May
 21-23, 1974, Digest of Technical Papers p0377 A74-35559
 Advanced integrated modular instrumentation system
 --- naval aircraft cockpit display p0377 A74-35560
 Holographic multicolor moving map display p0377 A74-35563
 Integrated, universal pilot warning/collision
 avoidance display p0377 A74-35567
 Controls and displays for helicopter IFR operation
 - Pilot factor considerations p0384 A74-36584
 [AHS PREPRINT 825]
 Digital computing and the display requirements in
 modern aircraft. II - Modern display techniques p0403 A74-37923
 Acoustic backscatter radar system for tracking
 aircraft trailing vortices p0477 A74-44420
 Survey of solid state reflective/transmissive
 display media p0109 N74-12938
 [AD-767644]
 Tactile display for aircraft control p0144 N74-13741
 [AD-767763]
 Field evaluation of ARTS 2 B (TRACAB) ---
 evaluation of radar beacon for air traffic
 control applications p0151 N74-14360
 [AD-768203]
 Holographic multicolor moving map display (system
 definition) --- of performance characteristics
 in cockpits p0241 N74-18083
 [AD-772155]
 Visual elements in flight simulation --- analysis
 of visibility characteristics during flight and
 impact on aircraft control p0253 N74-18714
 [AD-772586]
 Preflight test simulation of superimposed
 integrated trajectory error displays p0286 N74-19687
 [AD-773823]

DISPLAY SYSTEMS

SUBJECT INDEX

An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 8: Army MEDRVAC avionics capability study [AD-773611] p0288 N74-20059

A fixed-base ground simulator study of control and display requirements for VTOL instrument landings with a decelerating approach to a hover [AD-774750] p0299 N74-20680

Comparison of conventional and electronic indicator instruments in a flight simulator and in a test aircraft [ESRO-TT-13] p0302 N74-21042

Comparative simulator studies with the contact analog channel display and with conventional instruments [ESRO-TT-15] p0302 N74-21044

Development of design criteria for sensor displays --- controls and man machine interfaces for fixed and rotary wing aircraft [AD-774725] p0303 N74-21049

Analytical design and simulation evaluation of an approach flight director system for a jet STOL aircraft [NASA-CR-114697] p0330 N74-22676

Design study of an electronic landing display for STOL aircraft [NASA-TT-F-15618] p0361 N74-26151

Flight evaluation of advanced control systems and displays on a general aviation airplane [NASA-TN-D-7703] p0407 N74-27499

G-load measuring and indicator apparatus --- for aircraft [NASA-CASE-ARC-10806] p0409 N74-27872

A monitor display for automatically regulated steep approaches [NASA-TT-F-15615] p0419 N74-29118

V/STOL aircraft control/display concept for maximum operational effectiveness p0464 N74-31455

Tactile display for aircraft control --- evaluation of control system as a one and two axis error display device during manual tracking experiments [AD-783690] p0498 N74-34538

Cockpit switching study: Test and validation of a design procedure for multifunction switching controls [AD-783956] p0499 N74-34554

DISPLAY SYSTEMS

U DISPLAY DEVICES

DISSIPATION

NT ENERGY DISSIPATION

DISSYMMETRY

U ASYMMETRY

DISTANCE

NT RADIO RANGE

NT RANGE AND RANGE RATE TRACKING

Motion of an airfoil with variable distance from a barrier p0405 N74-27472

DISTANCE MEASURING EQUIPMENT

NT ALTIMETERS

NT RADIO ALTIMETERS

Range-rate from DME-air data measurements --- for aircraft radial velocity estimation p0024 A74-12182

Eurocontrol evaluation of the Standard Elektrik Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac computing, navigation and display system for area navigation. Phase III - Flight trials 1971-1972 p0091 A74-16075

The Hazeltine Doppler microwave landing system - Specialized techniques and features [AIAA PAPER 74-905] p0402 A74-37886

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technical analysis and contract definition phase of the national MLS development program, Volume 3A [FAA-RD-72-150-VOL-3A] p0165 N74-15383

DISTILLATION

Supersonic fuels from medium oils produced by the thermal cracking of crude oil residues [DPVLR-SONDDR-301] p0136 A74-18925

DISTORTION

NT FLOW DISTORTION

NT SIGNAL DISTORTION

Distortions in aerial photographs due to internal refraction --- from sealed compartment

temperature and pressure effects p0218 A74-23450

DISTRIBUTION (PROPERTY)

NT ANTENNA RADIATION PATTERNS

NT CURRENT DISTRIBUTION

NT DIFFRACTION PATTERNS

NT ENERGY DISTRIBUTION

NT FLOW DISTRIBUTION

NT FORCE DISTRIBUTION

NT INTERFERENCE LIFT

NT LOAD DISTRIBUTION (FORCES)

NT PRESSURE DISTRIBUTION

NT SPATIAL DISTRIBUTION

NT SPECTRAL ENERGY DISTRIBUTION

NT STRESS CONCENTRATION

NT TEMPERATURE DISTRIBUTION

NT VELOCITY DISTRIBUTION

DISTURBANCE THEORY

U PERTURBATION THEORY

DIVERGENT NOZZLES

Jet exhaust noise suppressor [NASA-CASE-LEW-11286-1] p0406 N74-27490

DO-28 AIRCRAFT

Alpha Jet - A German-French joint venture p0274 A74-27520

DO-31 AIRCRAFT

Problems of V/STOL aircraft connected with the propulsion system as experienced on the Do 31 experimental transport aircraft p0292 N74-20430

The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments [NASA-TT-F-15532] p0297 N74-20668

Results and information obtained regarding aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development --- lift loss in hovering flight phase [NASA-TT-F-15533] p0298 N74-20669

DOCUMENTS

NT BIBLIOGRAPHIES

NT MANUALS

NT USER MANUALS (COMPUTER PROGRAMS)

DOMES (STRUCTURAL FORMS)

NT RADOMES

DOPPLER EFFECT

Effect of differences between the antennas of a Doppler velocity meter on its operational accuracy p0023 A74-11994

Two-color dual-beam backscatter laser Doppler velocimeter p0076 A74-14093

Eurocontrol evaluation of the Standard Elektrik Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac computing, navigation and display system for area navigation. Phase III - Flight trials 1971-1972 p0091 A74-16075

Turbulence measurements with a laser Doppler velocimeter [AD-766781] p0062 N74-11129

DOPPLER RADAR

New concepts in AMTI radar - Nulling effects of Doppler filter/multi-element horn array p0121 A74-17252

The Hazeltine Doppler microwave landing system - Specialized techniques and features [AIAA PAPER 74-905] p0402 A74-37886

Objective determination of the noise level in Doppler spectra [TR-32] p0044 N74-10155

DORNIER AIRCRAFT

NT DO-28 AIRCRAFT

NT DO-31 AIRCRAFT

The HUDAS-F crash recorder for the Alpha Jet p0319 A74-30601

DORNIER DO-28 AIRCRAFT

U DO-28 AIRCRAFT

DORNIER DO-31 AIRCRAFT

U DO-31 AIRCRAFT

DOSAGE

NT RADIATION DOSAGE

DOUGLAS AIRCRAFT

NT A-4 AIRCRAFT

NT C-47 AIRCRAFT

NT DC 7 AIRCRAFT

NT DC 8 AIRCRAFT

NT DC 9 AIRCRAFT

- BT DC 10 AIRCRAFT
 DOUGLAS DC-7 AIRCRAFT
 U DC 7 AIRCRAFT
 DOUGLAS DC-8 AIRCRAFT
 U DC 8 AIRCRAFT
 DOUGLAS DC-9 AIRCRAFT
 U DC 9 AIRCRAFT
 DOUGLAS MILITARY AIRCRAFT
 U MILITARY AIRCRAFT
 DOVAP
 U DOPPLER EFFECT
 DOWNWASH
 Improvement of the downflow conditions behind an integrated shrouded propeller p0124 A74-17801
 Downwash-velocity potential method for oscillating surfaces using aerodynamic elements in subsonic and supersonic flows p0281 N74-19638
 Helicopter downwash data [AD-780754] p0468 N74-31518
 DRAG
 NT AERODYNAMIC DRAG
 NT INTERFERENCE DRAG
 NT MINIMUM DRAG
 NT PRESSURE DRAG
 Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods [BVG-FBWT-73-27] p0195 N74-16705
 Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests [NASA-TM-X-71548] p0360 N74-25812
 DRAG BALANCE
 U AERODYNAMIC BALANCE
 U LIFT DRAG RATIO
 DRAG CHUTES
 T-38/P-5 improved escape system development and qualification testing --- ejection seat with rocket catapult and drogue chute p0214 A74-23557
 A variable drag drogue chute for use as the aerodynamic decelerator in sailplanes [AIAA PAPER 74-1046] p0456 A74-42058
 Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators [NASA-CASE-LAR-10776-1] p0038 N74-10034
 Launching of small inflated balloons from cargo aircraft --- using palletized modular airdrop platform [AD-766428] p0043 N74-10069
 DRAG COEFFICIENT
 U AERODYNAMIC COEFFICIENTS
 U AERODYNAMIC DRAG
 DRAG DEVICES
 NT AERODYNAMIC BRAKES
 NT BALLUTES
 NT DRAG CHUTES
 NT LEADING EDGE SLATS
 NT SPLIT FLAPS
 NT SPOILERS
 NT TRAILING-EDGE FLAPS
 NT WING FLAPS
 Performance of a ballute decelerator towed behind a jet airplane [NASA-TM-X-56019] p0160 N74-14760
 DRAG EFFECT
 U DRAG
 DRAG MEASUREMENT
 Afterbody drag flight test of the A-7E airplane [AIAA PAPER 73-1306] p0032 A74-12948
 An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1 [NRC-13673] p0155 N74-14708
 A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14711
 On some basic and new aspects about the drag problem of wings and bodies in supersonic flows p0155 N74-14713
 Measurements of the drag of some characteristic aircraft excrescences immersed in turbulent boundary layers p0156 N74-14714
 Problems of estimating the drag of a helicopter --- correlation of flight test data and scale model test data p0156 N74-14715
 Aircraft drag prediction for project appraisal and performance estimation p0156 N74-14716
 Remarks on methods for predicting viscous drag --- aerodynamic drag prediction for high angles of attack and multielement airfoils p0156 N74-14718
 Drag of supercritical airfoils in transonic flow --- comparison with conventional airfoil drag coefficients p0156 N74-14719
 Comparison of various methods for calculating profile drag from pressure measurements in the near wake at subcritical speeds p0156 N74-14721
 Drag and separation --- effects of separated flow on aerodynamic drag p0157 N74-14722
 New investigations for reducing the base drag of wings with a blunt trailing edge --- effects of splitter plates and splitter wedges on aerodynamic drag coefficients p0157 N74-14723
 Review of drag measurements from flight tests of manned aircraft with comparisons to wind-tunnel predictions p0158 N74-14735
 Use of a pitot-static probe for determining wing section drag in flight at Mach numbers from 0.5 to approximately 1.0 [NASA-TM-X-56025] p0441 N74-29370
 DRAG REDUCTION
 Possibilities for improved supersonic inlet performance [AIAA PAPER 73-1271] p0010 A74-11284
 Lithium soap dispersions as drag-reducing hydraulic fluids [ASLE PREPRINT 73LC-5B-2] p0027 A74-12316
 Trimmed drag and maximum flight efficiency of aft tail and canard configurations [AIAA PAPER 74-69] p0134 A74-18813
 A variation of the aerodynamic shape of a body which leads to a decrease in its drag p0383 A74-36499
 Lateral control and sailplane design considerations to optimize altitude gain while thermalling [AIAA PAPER 74-1004] p0454 A74-42032
 Application of sailplane and low-drag underwater vehicle technology to the long-endurance drone problem [AIAA PAPER 74-1036] p0455 A74-42050
 On some basic and new aspects about the drag problem of wings and bodies in supersonic flows p0155 N74-14713
 New investigations for reducing the base drag of wings with a blunt trailing edge --- effects of splitter plates and splitter wedges on aerodynamic drag coefficients p0157 N74-14723
 The drag of externally carried stores: Its prediction and alleviation --- drag reduction by redesign or development of new aircraft installations p0157 N74-14729
 Adaptation of drag-rise charts in T. D. memor. 71019 to the mid-semi-span portion of swept and tapered planforms [ESDU-72027] p0492 N74-34447
 DRAGULATORS
 U DRAG DEVICES
 DROGUE PARACHUTES
 U DRAG CHUTES
 DROGUES
 U TOWED BODIES
 DRONE AIRCRAFT
 NT TARGET DRONE AIRCRAFT
 Simplified navigation for unmanned aircraft p0175 A74-20098
 Application of sailplane and low-drag underwater vehicle technology to the long-endurance drone problem [AIAA PAPER 74-1036] p0455 A74-42050
 Remotely piloted vehicles for the Army p0480 A74-45307
 A low cost telemetry system --- for use in small small drone aircraft [PB-222403/8] p0044 N74-10165

DRONE HELICOPTERS

SUBJECT INDEX

DRONE HELICOPTERS

U DRONE AIRCRAFT
U HELICOPTERS
DRONE VEHICLES
NT DRONE AIRCRAFT
NT TARGET DRONE AIRCRAFT
DROF SIZE

Ground contamination by fuel jettisoned from aircraft
p0149 N74-14283

DROF TESTS

Influence of the atmosphere in the fall of bodies into water
p0070 A74-13176

Drop testing naval aircraft and the VSD landing gear dynamic test facility
[AIAA PAPER 74-343] p0263 A74-26658

Theoretical store separation analyses of a prototype store and comparison with a flight drop test
[AIAA PAPER 74-776] p0399 A74-37801

DROF WEIGHT TESTS

U DROF TESTS

DROPS (LIQUIDS)

Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium
p0312 A74-29459

Mixing and combustion processes in jet engines --- physics of interaction of droplets or solid particles with gas stream
[AD-766030] p0051 N74-10741

Ground contamination by fuel jettisoned from aircraft
p0149 N74-14283

DRY FRICTION

Servomechanisms of aircraft instruments - Dynamics of servomechanisms in the presence of dry friction and retardation --- Russian book
p0421 A74-38043

DTNB-111 GROUND EFFECT MACHINE

U GROUND EFFECT MACHINES

DTNB-430 GROUND EFFECT MACHINE

U GROUND EFFECT MACHINES

DUCTED BODIES

Noise generation by ducted combustion systems --- resonant oscillations
[AIAA PAPER 73-1024] p0026 A74-12223

DUCTED FANS

Astafan - A new concept from Turbomeca --- constant speed ducted turbofan engine
p0229 A74-24697

DUCTED FLOW

Annular slot and frontal slot flow --- turbulent flow resistance coefficients
p0001 A74-10033

Supersonic mixing and combustion studies of ducted hydrogen-air flows at an inlet air Mach number of 2.6
[AIAA PAPER 73-1320] p0012 A74-11313

Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream
[AIAA PAPER 73-1322] p0012 A74-11314

The acoustics of aircraft engine-duct systems
[AIAA PAPER 73-1153] p0025 A74-12215

Finite-amplitude waves in cylindrical lined ducts
[AIAA PAPER 74-553] p0339 A74-33145

Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct
[NASA-TN-X-62281] p0095 N74-11826

A 727 airplane center duct inlet low speed performance confirmation model test for refanned JT8D engines, phase 2
[NASA-CR-134534] p0236 N74-17755

Aircraft air intake regulator --- device for automatic control of air intake flow for aircraft engines
[AD-772021] p0243 N74-18416

Potential flow studies of lift-fan inflow interference phenomena --- numerical analysis of potential flows associated with inlet ducts
[AD-773194] p0255 N74-18949

V/STOL deflector duct profile study --- analysis of back pressure gradient in ducted flow of exhaust gases against lift fan
p0291 N74-20417

DUCTED PROPELLERS

U SHROUDED PROPELLERS

DUCTILITY

Creep fracture mechanisms in aluminum alloys
p0020 A74-11736

DUCTS

NT ACOUSTIC DUCTS

NT AIR DUCTS

Designing aerodynamic ducts according to given conditions
p0260 A74-25998

DUNGEYS WIND SHEAR MECHANISM

U WIND SHEAR

DURABILITY

Endurance tests on glasses of transport aircraft
p0209 A74-22659

Crash-resistant fuel tanks for helicopters and general aviation aircraft
[SAE PAPER 740358] p0308 A74-28735

DYADICS

The dyadic diffraction coefficient for a curved edge
[NASA-CR-2401] p0417 N74-28710

DYNAMIC CHARACTERISTICS

NT AERODYNAMIC DRAG

NT AERODYNAMIC STABILITY

NT AIRCRAFT STABILITY

NT ATTITUDE STABILITY

NT BOUNDARY LAYER STABILITY

NT COMBUSTION STABILITY

NT CONTROL STABILITY

NT DIRECTIONAL STABILITY

NT DRAG

NT DYNAMIC STABILITY

NT FLAME STABILITY

NT FLOW CHARACTERISTICS

NT FLOW DISTRIBUTION

NT FLOW STABILITY

NT FLOW VELOCITY

NT GYROSCOPIC STABILITY

NT HOVERING STABILITY

NT INTERFERENCE DRAG

NT INTERFERENCE LIFT

NT JET LIFT

NT LATERAL STABILITY

NT LIFT

NT LONGITUDINAL STABILITY

NT LOW SPEED STABILITY

NT MAGNETOHYDRODYNAMIC STABILITY

NT MINIMUM DRAG

NT MOTION STABILITY

NT PRESSURE DRAG

NT ROTARY STABILITY

NT ROTOR LIFT

NT TRANSIENT RESPONSE

A similarity parameter for scaling dynamic inlet distortion
[ASME PAPER 73-WA/AERO-3] p0071 A74-13245

Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes
p0129 A74-18291

Flight vehicle control systems --- Russian book
p0170 A74-19374

Generalized dynamic engine simulation techniques for the digital computer
p0481 A74-45378

The dynamic behavior of a digital electrohydraulic actuator
[NASA-TT-F-15295] p0191 N74-15736

Dynamic measurement of avionic antennas --- by ground radar tracks evaluations
p0469 N74-31702

Dynamic analysis of multi-degree-of-freedom systems using phasing matrices
p0496 N74-34493

DYNAMIC CONTROL

Decoupling of a class of nonlinear systems and its application to an aircraft control problem
p0127 A74-18139

Investigation of the motion of a controlled body in a resisting medium under transient conditions
p0220 A74-23076

Aircraft dynamics and automatic control --- Book
p0320 A74-31219

A generalized comparison sensitivity concept for sensitivity reduction in control system design
p0374 A74-35249

Digital adaptive model following flight control --- using fighter aircraft mathematical model-following algorithms
[AIAA PAPER 74-886] p0402 A74-37868

- Short-time parameter optimization with flight control application p0482 A74-45720
- On the application of theory of Markov processes to the evaluation of state of dynamic systems and to control of aircraft oscillations [NASA-TT-P-15817] p0472 N74-32441
- DYNAMIC LOADS**
- NT AERODYNAMIC LOADS
- NT CYCLIC LOADS
- NT GUST LOADS
- NT IMPACT LOADS
- NT LANDING LOADS
- NT TRANSIENT LOADS
- NT VIBRATORY LOADS
- NT WING LOADING
- Ball type slave bearings for rotor support in dynamic balancing machines [SAE ARP 1202] p0269 A74-27262
- The effect of cyclic feathering motions on dynamic rotor loads p0394 A74-37492
- Static and dynamic helicopter airframe analysis with NASTRAN p0153 N74-14616
- DYNAMIC MODELS**
- The experimental response of simple structures to simulated sonic booms p0021 A74-11814
- A direct method for linear dynamical problems in continuum mechanics with random loads p0070 A74-13164
- On the fuel optimality of cruise --- for aircraft p0127 A74-18142
- Helicopter modelling /18th Henson and Stringfellow Lecture/ --- exploratory, development and research models p0129 A74-18299
- Digital adaptive model following control --- for lateral aircraft dynamics p0183 A74-21338
- Simulation studies of an airport noise silencer p0184 A74-21641
- Factors in the design and fabrication of powered dynamically similar V/STOL wind tunnel models p0205 A74-22459
- Panel discussion on wind tunnel testing --- for helicopter rotor evaluation p0207 A74-22474
- Estimation of aircraft parameters in nonlinear aerodynamic models p0225 A74-24843
- Modeling dynamic stall on an oscillating airfoil p0224 A74-25329
- Holographic time-average vibration study of a structure dynamic model of an airplane fin p0340 A74-33179
- Dynamic model of a parachute and determination of its characteristics p0389 A74-36635
- Model studies of crosswind landing-gear configurations for STOL aircraft p0066 N74-11680
- Dynamic model wind tunnel tests of a variable-diameter, telescoping-blade rotor system (TRAC rotor) [AD-771037] p0237 N74-17764
- DYNAMIC PROGRAMMING**
- Technical optimization --- German book on chemical process, spacecraft and aircraft optimal control p0227 A74-25038
- DYNAMIC PROPERTIES**
- U DYNAMIC CHARACTERISTICS
- DYNAMIC RESPONSE**
- NT TRANSIENT RESPONSE
- Digital computer simulation of the dynamic response of a twin-spool turbofan with mixed exhausts p0020 A74-11617
- The behavior of a wing panel in a stream of gas under transient conditions p0088 A74-15757
- Design of crashworthy aircraft cabins based on dynamic buckling p0090 A74-15971
- Dynamic creep of titanium alloy with 1.5 wt % Nb and 3% Al in high-velocity air streams p0117 A74-16579
- Reduction of vibration and noise generated by planetary ring gears in helicopter aircraft transmissions [ASME PAPER 73-PTG-11] p0119 A74-16979
- A study of lifting rotor flapping response peak distribution in atmospheric turbulence p0210 A74-23329
- Design of optimum structures to impulse type loading [AIAA PAPER 74-345] p0263 A74-26659
- A detailed investigation of flight buffeting response at subsonic and transonic speeds [AIAA PAPER 74-358] p0264 A74-26668
- An oscillatory kernel function method for lifting surfaces in mixed transonic flow [AIAA PAPER 74-359] p0264 A74-26669
- Simulation study of transient performance matching of turbofan engine using an analogue computer to evaluate its usefulness as design tool [ASME PAPER 74-GT-50] p0272 A74-27442
- Electromechanical simulation of helicopter blade responses to random excitation during forward flight [ASME PAPER 73-DET-28] p0341 A74-33401
- Dynamic behaviour of cylinder with spring and concentrated mass collided with rigid body --- shock absorbing landing gear model p0391 A74-37049
- The identification of aircraft powerplant dynamic response from flight tests using power spectral techniques [RAE-TR-73049] p0105 N74-12725
- Determination of critical nondimensional parameters in aircraft dynamic response to random input [NASA-CR-2361] p0193 N74-16322
- The aero/acoustic response of finite chord blade rows to circumferential inlet flow distortion in an unsteady, compressible fluid p0254 N74-18904
- Dynamic response of the landing mat to aircraft landing p0369 N74-26768
- Contribution to the dynamic behavior of a digital electro-hydraulic actuator --- for fly by wire control [DLR-FB-73-106] p0490 N74-33458
- DYNAMIC STABILITY**
- NT AERODYNAMIC STABILITY
- NT AIRCRAFT STABILITY
- NT ATTITUDE STABILITY
- NT BOUNDARY LAYER STABILITY
- NT COMBUSTION STABILITY
- NT CONTROL STABILITY
- NT DIRECTIONAL STABILITY
- NT PLANE STABILITY
- NT FLOW STABILITY
- NT GYROSCOPIC STABILITY
- NT HOVERING STABILITY
- NT LATERAL STABILITY
- NT LONGITUDINAL STABILITY
- NT LOW SPEED STABILITY
- NT MAGNETOHYDRODYNAMIC STABILITY
- NT MOTION STABILITY
- NT ROTARY STABILITY
- Dynamic stability of straight airplane wings regarded as thin-walled bars p0072 A74-13362
- Designing a dynamically stable body with lifting surfaces for a follower load p0087 A74-15710
- Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces p0185 A74-22225
- On the dynamics of human pilots in marginally controllable systems p0209 A74-23203
- Dynamic stability testing of aircraft - Needs versus capabilities p0262 A74-26477
- Torsional stability analysis of a gas-turbine powered helicopter drive system [ASME PAPER 74-GT-54] p0272 A74-27447
- Derivatives of eigenvalues and eigenvectors for a general matrix p0311 A74-28967
- Digital explicit model following with unstable model dynamics [AIAA PAPER 74-888] p0402 A74-37869

- Design, fabrication, and flight test of the active
arm external load stabilization system for cargo
handling helicopters
[AD-773025] p0252 N74-18708
- DYNAMIC STRUCTURAL ANALYSIS**
Finite element analysis of supersonic panel flutter
p0069 A74-13001
- Dynamic analysis of a system of hinge-connected
rigid bodies with nonrigid appendages
p0085 A74-15003
- Calculation of the dynamic characteristics of a
helicopter structure by the method of branch modes
p0129 A74-18291
- Observable changes of load sample function due to
structural elasticity
p0321 A74-31745
- Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0394 A74-37488
- Symmetrical eigen forms of the vibrations of a
supporting surface and of an elastic fuselage
[AD-756285] p0043 N74-10067
- Structural representation in aeroelastic
calculations --- noting residual flexibility
matrices and use of normal modes
[ARC-E/N-3729] p0257 N74-19563
- On the use of branch modes for the calculation of
helicopter structural dynamic characteristics
[NASA-TT-P-15713] p0407 N74-27503
- The prediction of the variation of modes following
modification to a structure
p0419 N74-29358
- Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0496 N74-34496
- Coupled rotor/airframe vibration prediction methods
p0496 N74-34497
- Identification of structural parameters from
helicopter dynamic test data
p0497 N74-34513
- DYNAMIC TESTS**
Dynamic test of air data computers with simulated
flight profiles
p0124 A74-17736
- A review of aerodynamic and dynamic VSTOL model
testing
p0205 A74-22458
- Reduction of environmental testing and analysis
costs through simulation
p0380 A74-36037
- Identification of structural parameters from
helicopter dynamic test data
p0396 A74-37505

E**E-2 AIRCRAFT**

- Test plan report for catapult fatigue. Test of
the model E-2 A/B airplane
[AD-765708] p0042 N74-10059
- Test plan for the hook bounce condition of the
E-2A airplane arresting gear A frame
[AD-774084] p0300 N74-20692
- Hook bounce test of the E-2A airplane arresting
gear A frame
[AD-774086] p0328 N74-21903
- EARTH ATMOSPHERE**
NT LOWER ATMOSPHERE
NT TROPOPAUSE
NT TROPOSPHERE
- EARTH FIGURE**
U GEODESY
- EARTH RESOURCES**
NT CRUDE OIL
A review of precious resources and their effect on
air transport; Proceedings of the Spring
Convention, London, England, May 15, 16, 1974
p0381 A74-36316
- Metallic and other material resources --- for
aircraft construction
p0381 A74-36317
- Precious resources and air transport - An airline
view --- fuel price increase effects
p0382 A74-36322

The Federal Government and energy: R and D
historical background
p0102 N74-12687

EARTH RESOURCES INFORMATION SYSTEM

A performance and cost analysis of aircraft and
satellites for operational earth resources systems
p0085 A74-14873

EARTH RESOURCES SURVEY AIRCRAFT

An earth resources aircraft facility --- remote
sensing flying platform
p0069 A74-12974

A performance and cost analysis of aircraft and
satellites for operational earth resources systems
p0085 A74-14873

EARTH RESOURCES SURVEY PROGRAM

Remote sensing of the earth's resources -
Applications, benefits, methods
p0008 A74-11204

EARTH RESOURCES TECHNOLOGY SATELLITES

A performance and cost analysis of aircraft and
satellites for operational earth resources systems
p0085 A74-14873

EARTH SATELLITES

NT AERONAUTICAL SATELLITES
NT ATS 3
NT ATS 5
NT COMMUNICATION SATELLITES
NT EARTH RESOURCES TECHNOLOGY SATELLITES
NT ROLE SATELLITES
NT MARITIME SATELLITES
NT NAVIGATION SATELLITES
NT SYNCHRONOUS SATELLITES

EARTH SHAPE**U GEODESY****EBF****U EXTERNALLY BLOWN FLAPS****ECHO SUPPRESSORS**

Equipment for suppressing reflected secondary
radar signals --- ATC surveillance radar system
design
p0028 A74-12359

ECHOES

NT CLUTTER
NT RADAR ECHOES
NT SIGNAL REFLECTION

ECLIPSES**NT SOLAR ECLIPSES****ECONOMIC ANALYSIS**

Access to airports --- surface links to urban
centers
p0079 A74-14509

Economic consequences of airport development
p0080 A74-14515

Those Concorde economics again
p0378 A74-35668

Local service air carriers' unit costs. Volume 2:
Unit costs, computations and historical data,
year ended 30 September 1973
p0371 N74-27436

An economic assessment of STOL aircraft potential
including terminal area environmental
considerations, volume 1
[NASA-CR-2424] p0406 N74-27497

Comparison with regard to the economy of a digital
and an analog electro-hydraulic actuator ---
noting application to aircraft control
[DLR-FB-73-105] p0489 N74-33457

ECONOMIC FACTORS

The technology and economics of commercial
airplane design. I
p0001 A74-10144

The technology and economics of commercial
airplane design. II
p0001 A74-10145

Airports from 1963 to 1983 - Evolution or revolution
p0007 A74-11095

The air transport of tomorrow - Economic obstacles
to surmount
p0007 A74-11096

The case for hydrogen fueled transport aircraft
[AIAA PAPER 73-1323] p0012 A74-11315

Advantages of aircraft system maturity ---
profitability
[SAB PAPER 730907] p0018 A74-11585

U.S. aerospace industry at the crossroads ---
response to European competition
p0020 A74-11610

Research and development for future air transports
p0020 A74-11615

SUBJECT INDEX

EIGENVECTORS

A simulation approach for studying the interactions of noise, patronage, and economic viability for air transportation systems [AIAA PAPER 73-1161] p0025 A74-12216

The aeronautical satellites: Deluxe gadgets or system of the future --- economic factors p0029 A74-12448

Airports for the 80s; Proceedings of the Fourth World Airports Conference, London, England, April 3-5, 1973 p0078 A74-14501

Demands for air transport - 1980-1990 p0078 A74-14502

Short take-off and landing --- cost penalties and operational advantages p0078 A74-14505

Changes in the European air transport pattern p0079 A74-14507

Economic consequences of airport development p0080 A74-14515

The role of local planning authorities in relation to the siting and development of airports p0080 A74-14517

Transport aerospace industry contributions to modern problem solutions /W. Rupert Turnbull Lecture for 1973/ p0085 A74-15045

Some current problems and prospects for development of rotary-wing aircraft p0130 A74-18641

The implications for air transportation of energy shortage p0171 A74-19486

Future advanced-technology aircraft in the context of an integrated transport system p0171 A74-19487

Economics of air safety and long-range safety research and development; Proceedings of the Twenty-sixth Annual International Air Safety Seminar, Lisbon, Portugal, November 4-7, 1973 p0207 A74-22626

International user charges and their impact on world-wide implementation of ATC systems p0222 A74-22686

Obsolescence of commercial aircraft - When, where, how p0222 A74-23878

New frontiers of civil aeronautics p0229 A74-25352

The new constraints on military aircraft --- cost and maintainability p0226 A74-25357

The influence of engine technology advancements on aircraft economics [SAE PAPER 730960] p0269 A74-27256

Transfer of commercial technology p0316 A74-30119

Air transport in Europe - Commercial trends and prospects p0382 A74-36327

The good and bad usages of air transport p0391 A74-36941

Air transport. Volume 3 --- Russian book on passenger airline operations p0421 A74-38049

The HS146 - A new dimension in short-haul profitability p0456 A74-42725

The economic efficiency of raising the flying life and reliability of gas-turbine engines [AD-767027] p0065 N74-11601

The energy dilemma and its impact on air transportation [NASA-CR-135993] p0067 N74-11743

Energy conservation and air transportation p0068 N74-11746

Conclusions and recommendations --- for problems in energy situation, air transportation, and hydrogen fuel p0068 N74-11748

A methodology for boost-glide transport technology planning [NASA-CR-2346] p0249 N74-18681

Aircraft requirements for low/medium density markets [NASA-CR-137373] p0282 N74-19651

Sensitivity of transport aircraft performance and economics to advanced technology and cruise Mach number [NASA-TN-X-62336] p0325 N74-21654

Conceptual design studies of a V/STOL civil lift fan transport including effect of size and fan pressure ratio [NASA-CR-2426] p0406 N74-27498

Economic effects of propulsion system technology on existing and future transport aircraft [NASA-CR-134645] p0410 N74-28230

Recent experience from BAC aircraft for NATO p0465 N74-31469

ECONOMICS
 NT DEMAND (ECONOMICS)
EDDIES
 U VORTICES
EDDY CURRENTS
 Eddy current inspection - Testing of aircraft-parts p0341 A74-33471

Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics [NASA-TN-D-7483] p0099 N74-12187

EDDY DIFFUSION
 U TURBULENT DIFFUSION
EDDY VISCOSITY
 Attachment-line flow on an infinite swept wing p0177 A74-20293

EDGES
 NT LEADING EDGES
 NT SHARP LEADING EDGES
 NT TRAILING EDGES
EDUCATION
 NT GUNNERY TRAINING
 NT PILOT TRAINING
 Objectives for a course in aircraft gas turbines [ASME PAPER 74-GT-98] p0273 A74-27480

The use of desk top computers in the teaching of aircraft gas turbines [ASME PAPER 74-GT-115] p0273 A74-27484

EFFECTIVE PERCEIVED NOISE LEVELS
 It's quiet in front --- community reaction to aircraft noise [AIAA PAPER 73-1159] p0003 A74-10510

Flyover noise prediction from static data --- extrapolation from engine ground tests p0316 A74-30100

Minimum noise climbout trajectories of a VTOL aircraft p0392 A74-37284

Validity of aircraft noise data p0397 A74-37547

Radially leaned outlet guide vanes for fan source noise reduction [NASA-CR-134486] p0065 N74-11597

Use of conventional equipment to measure the effective perceived noise level of aircraft p0411 N74-28399

EFFECTIVENESS
 NT COST EFFECTIVENESS
 NT SYSTEM EFFECTIVENESS
EFFECTORS
 U CONTROL EQUIPMENT
EFFICIENCY
 NT COMBUSTION EFFICIENCY
 NT COMPRESSOR EFFICIENCY
 NT ENERGY CONVERSION EFFICIENCY
 NT PROPELLER EFFICIENCY
 NT PROPULSIVE EFFICIENCY
 NT TRANSMISSION EFFICIENCY
EIGENFUNCTIONS
 U EIGENVECTORS
EIGENSTATES
 U EIGENVECTORS
EIGENVALUES
 Derivatives of eigenvalues and eigenvectors for a general matrix p0311 A74-28967

Application of antiresonance theory to helicopters p0394 A74-37491

Kron's method: An algorithm for the eigenvalue analysis of large-scale structural systems --- aeronautical engineering [ARC-R-3733] p0257 N74-19564

EIGENVECTORS
 Derivatives of eigenvalues and eigenvectors for a general matrix p0311 A74-28967

Users manual for STICH (the Stodola in-core matrix): An in-core matrix operations computer program [AD-770999] p0240 N74-17921

EJECTION INJURIES

SUBJECT INDEX

EJECTION INJURIES

The decline in USAF ejection survival rates
p0214 A74-23556

EJECTION SEATS

The influence of operational experience on
aircraft escape system development
[AIAA PAPER 73-1340] p0013 A74-11387
Helmets and head protection in USAF ejections
1968-1972 p0210 A74-23528

Explosive canopy severance --- feasibility of
ejection through different canopy materials
p0214 A74-23531

B-1 Crew Escape System p0211 A74-23533

A new approach to the design of quick release
boxes for single point parachute harnesses
p0212 A74-23552

Recovery system for an advanced performance
ejection seat p0214 A74-23555

T-38/F-5 improved escape system development and
qualification testing --- ejection seat with
rocket catapult and drogue chute p0214 A74-23557

Lockheed S-3A Viking - The advanced stabilised
ejection seat has three sub-systems p0213 A74-23841

The new Douglas 'Minipac' ejection seat
p0321 A74-31795

Operational practicality of fly away ejection seats
--- configurations and characteristics of
several flyable ejection seat concepts p0301 A74-20763

Advanced concepts for rotary wing and V/STOL
aircraft escape systems p0301 A74-20766

Escape measures for combat helicopter crews
p0301 A74-20770

Aircrew automated escape system simulation model
[AD-783517] p0499 A74-34555

EJECTORS

Full-scale tests of an augmentor VTOL concept ---
ejector-in-wing configuration
[AIAA PAPER 73-1185] p0008 A74-11229
One-dimensional analysis of compressible ejector
flows applicable to V/STOL aircraft design
[AIAA PAPER 73-1184] p0031 A74-12921
Theoretical analysis of the noise characteristics
of an ejector jet p0070 A74-13048

Thin-airfoil theory of an ejector-flapped wing
section
[AIAA PAPER 74-187] p0134 A74-18834

Aerodynamic and acoustic performance of ejectors
for engine-under-the-wing concepts
[AIAA PAPER 74-950] p0452 A74-41655

V/STOL demonstrator vehicle for ejector thrust
augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663

Effect of ejector spacing on ejector-jet noise
characteristics p0479 A74-45032

Ejector-powered lift systems for V/STOL aircraft
p0483 A74-46237

EKMAN LAYER

U BOUNDARY LAYER TRANSITION

ELASTIC BARS

Dynamic stability of straight airplane wings
regarded as thin-walled bars p0072 A74-13362

ELASTIC BENDING

The effects of second order blade bending on the
angle of attack of hingeless rotor blades
p0022 A74-11846

Hingeless rotor frequency response with unsteady
inflow p0393 A74-37482

The effect of cyclic feathering motions on dynamic
rotor loads p0394 A74-37492

ELASTIC BODIES

An analytic approximate calculation of the
nonlinear landing impact motions and loads on
aircraft with both rigid and elastic wing
structure
[DGLR PAPER 73-078] p0120 A74-17185

Determination of the efficiency of the
longitudinal control systems of an elastic

flight vehicle

Dolphin airship with undulating propulsion -
Action of the elastic drive blades p0384 A74-36576
p0461 A74-44073

ELASTIC BUCKLING

Numerical analysis of stiffened shear webs in the
postbuckling range p0075 A74-13886

ELASTIC CONSTANTS

U ELASTIC PROPERTIES

ELASTIC DAMPING

The whirl instability of a rigid rotor in a
flexibly supported gas lubricated journal bearing
p0014 A74-11441

ELASTIC DEFORMATION

NT ELASTIC BENDING

NT ELASTIC BUCKLING

Studies of an elastic wing --- aerodynamic load
tests p0184 A74-21781

Reproduction of interactions between aerodynamic
loads and deformation in the strength analysis
of structures p0390 A74-36649

Calculation of the loads and strains on a swept
wing with mechanical analog devices p0390 A74-36804

Consideration of control elasticity in calculating
the deformation of gyroplane rotor blades
p0398 A74-37662

Study of elastoplastic deformation with friction
in hydrocarbon media --- with application to jet
engine fuels
[AD-765997] p0049 A74-10717

ELASTIC MEDIA

Exploitation of spectral density curves in the
case of wind tunnel flutter measurement
p0005 A74-11000

ELASTIC PLATES

The behavior of a wing panel in a stream of gas
under transient conditions p0088 A74-15757

ELASTIC PROPERTIES

NT AEROELASTICITY

NT AEROTHERMOELASTICITY

NT ELASTOPLASTICITY

NT THERMOELASTICITY

NT VISCOELASTICITY

Structural analysis of flexible airfield pavements
p0392 A74-37343

ELASTIC SHEETS

A method for avoiding insect roughness on aircraft
--- installation of highly elastic rubber
coverings on leading edges
[NASA-TT-F-15454] p0324 A74-21646

ELASTIC SHELLS

Concerning wave processes in a shell-gas system
p0087 A74-15573

ELASTIC STABILITY

U DAMPING

ELASTIC SYSTEMS

Random vibration with non-linear damping
p0129 A74-18297

ELASTIC WAVES

NT AERODYNAMIC NOISE

NT AIRCRAFT NOISE

NT COMPRESSION WAVES

NT DETONATION WAVES

NT ENGINE NOISE

NT JET AIRCRAFT NOISE

NT NOISE (SOUND)

NT NORMAL SHOCK WAVES

NT OBLIQUE SHOCK WAVES

NT S WAVES

NT SHOCK WAVES

NT SONIC BOOMS

NT SOUND WAVES

NT STRESS WAVES

Waves in an elastic medium generated by a point
source moving in an overlying fluid medium
p0085 A74-14928

ELASTICITY

U ELASTIC PROPERTIES

ELASTODYNAMICS

NT ELASTIC DAMPING

ELASTOPLASTICITY

Elastic, plastic behavior of a rotor. I - Analysis
of an axisymmetric rotor whose radius varies in

SUBJECT INDEX

ELECTRICALLY SUSPENDED GYROSCOPES

- axial direction p0082 A74-14620
- Composite structures --- special-purpose computer programs p0447 A74-41262
- High-performance composite materials for vehicle construction: An elastoplastic analysis of crack propagation in a unidirectional composite [AD-769867] p0201 N74-17626
- ELECTRIC APPLIANCES**
- U ELECTRIC EQUIPMENT**
- ELECTRIC ARCS**
 - A test technique for measuring lightning-induced voltages on aircraft electrical circuits [NASA-CR-2348] p0195 N74-16716
- ELECTRIC BATTERIES**
- NT NICKEL CADMIUM BATTERIES**
- ELECTRIC CHARGE**
- NT ELECTROSTATIC CHARGE**
- ELECTRIC CIRCUITS**
- U CIRCUITS**
- ELECTRIC CONDUCTORS**
 - Scattering by a conducting aerofoil --- electromagnetic radiation p0023 A74-11508
- ELECTRIC CONTACTS**
 - Interconnections in grounding and shielding devices for electronic equipment --- Russian book p0227 A74-25027
- ELECTRIC CONTROL**
 - Hydraulic muscle with electrical controls --- for Fly by Wire aircraft hydraulic systems p0321 A74-31474
 - Solid-state power controllers for B-1 flight test p0425 A74-38575
 - Symposium on the Application of Electrical Control to Aircraft Propulsion Systems, London, England, February 20, 21, 1974, Proceedings p0457 A74-43201
 - The development of electrical systems for powerplant control p0457 A74-43203
 - Practical experience with a digital electrohydraulic actuator [NASA-TT-F-15292] p0191 N74-15735
 - The dynamic behavior of a digital electrohydraulic actuator [NASA-TT-F-15295] p0191 N74-15736
- ELECTRIC CURRENT**
- NT EDDY CURRENTS**
- NT ELECTRIC ARCS**
- NT LIGHTNING**
- ELECTRIC DISCHARGES**
- NT ELECTRIC ARCS**
- NT LIGHTNING**
- ELECTRIC EQUIPMENT**
 - Requirements for explosion-proof electrical equipment in Air Force hangers [AD-767600] p0109 N74-12969
 - Analysis and calculation of lightning-induced voltages in aircraft electrical circuits [NASA-CR-2349] p0160 N74-14754
- ELECTRIC EQUIPMENT TESTS**
 - Cost effective built-in test for advanced aircraft electrical systems p0075 A74-13808
- ELECTRIC FIELDS**
 - Practical aspects of electrostatic stabilization --- of aircraft p0261 A74-26411
 - Flight test evaluation of a low cost electrostatic autopilot p0346 A74-34846
 - Study of the electrostatic field and charge distribution in a vortex seeded with dust [AD-766815] p0059 N74-10941
 - Study of the electrostatic field and charge distribution in a vortex seeded with dust p0245 N74-18643
- ELECTRIC FILTERS**
- NT RADAR FILTERS**
- ELECTRIC GENERATORS**
- NT AC GENERATORS**
- NT FUEL CELLS**
- NT MAGNETOHYDRODYNAMIC GENERATORS**
- NT SOLAR CELLS**
- NT TURBOGENERATORS**
 - Spray cooled generators and design-to-cost at Westinghouse
- [SAE PAPER 730878] p0019 A74-11605
- Equipment for aircraft and helicopter technical servicing --- Russian book p0169 A74-19370
- The technology and application of free-space power transmission by microwave beam p0170 A74-19464
- Lockheed S-3A Viking - Electrical system with integrated drive generator p0267 A74-27012
- Lockheed S-3A Viking - The integrated drive generator p0268 A74-27013
- L-1011 secondary power systems - Design and function [SAE PAPER 740466] p0351 A74-35004
- Secondary power systems --- for DC-10 [SAE PAPER 740465] p0351 A74-35005
- Product support program (ground power systems) [AD-777704] p0370 N74-27304
- ELECTRIC MOTORS**
- NT TORQUE MOTORS**
- ELECTRIC POTENTIAL**
 - Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages [NASA-CR-2350] p0189 N74-15720
 - A test technique for measuring lightning-induced voltages on aircraft electrical circuits [NASA-CR-2348] p0195 N74-16716
- ELECTRIC POWER CONVERSION**
- U ELECTRIC GENERATORS**
- ELECTRIC POWER PLANTS**
 - Method of calculation of annual overall efficiency of modern wind-power plants [NASA-TT-F-15310] p0191 N74-15748
- ELECTRIC POWER SUPPLIES**
- NT SPACECRAFT POWER SUPPLIES**
 - Power conditioning system for FAA Air Route Traffic Control Centers p0077 A74-14133
 - Lockheed S-3A Viking - Electrical system with integrated drive generator p0267 A74-27012
 - Lockheed S-3A Viking - The integrated drive generator p0268 A74-27013
 - VFW 614 electrical system p0375 A74-35363
 - Disk geometry MHD generator for high voltage high power aircraft requirements [AD-775749] p0362 N74-26255
 - Interrupt times on constant frequency ac systems --- for aircraft power supplies p0473 N74-32481
 - VSCP generators --- variable speed constant frequency generators, design, construction and performance p0474 N74-32485
 - Control aspects of aircraft type cycloconverters p0474 N74-32486
- ELECTRIC POWER TRANSMISSION**
 - The technology and application of free-space power transmission by microwave beam p0170 A74-19464
 - Contactors for improved aircraft electrical power distribution systems [RAE-TR-73157] p0417 N74-28549
- ELECTRIC RELAYS**
 - Application and design of relays for commercial aircraft --- from DC-3 to DC-10 p0344 A74-34775
- ELECTRIC SWITCHES**
 - Cockpit switching study: Test and validation of a design procedure for multifunction switching controls [AD-783956] p0499 N74-34554
- ELECTRIC WELDING**
- NT ELECTRON BEAM WELDING**
- ELECTRICAL ENGINEERING**
 - Fiber optics as applied to Advanced Aircraft Electrical Systems p0425 A74-38576
- ELECTRICAL LEADS**
- U ELECTRIC CONDUCTORS**
- ELECTRICAL PROPERTIES**
- NT DIELECTRIC PROPERTIES**
 - Aircraft applications for electroless nickel plate [SAE PAPER 740399] p0310 A74-28758
- ELECTRICALLY SUSPENDED GYROSCOPES**
- U ELECTROSTATIC GYROSCOPES**

ELECTRICITY

SUBJECT INDEX

- ELECTRICITY**
 NT ATMOSPHERIC ELECTRICITY
 NT STATIC ELECTRICITY
ELECTRO-OPTICS
 Display systems - An airborne look ahead
 p0178 A74-20595
 Airborne testing of advanced multisensor aircraft
 p0460 A74-43612
- ELECTROACOUSTIC TRANSDUCERS**
 NT MICROPHONES
 Electroacoustical performance requirements for aircraft noise certification measurements
 p0074 A74-13799
 A solid-state converter for measurement of aircraft noise and sonic boom
 p0261 A74-26345
- ELECTROCHEMICAL CELLS**
 NT FUEL CELLS
 NT NICKEL CADMIUM BATTERIES
ELECTROCHEMICAL CORROSION
 Galvanic corrosion effects associated with graphite composites/metal joints
 [LR-26088] p0254 N74-18813
- ELECTRODEPOSITION**
 NT ELECTROPLATING
ELECTRODES
 A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades
 p0131 A74-18686
- ELECTROGENERATORS**
 U ELECTRIC GENERATORS
ELECTROHYDRAULIC CONTROL
 U ELECTRIC CONTROL
 U HYDRAULIC CONTROL
- ELECTROMAGNETIC COMPATIBILITY**
 A rational basis for determining the EMC capability of a system
 p0312 A74-29371
 Electromagnetic compatibility considerations in system integration --- for aircraft installation
 p0424 A74-38554
 The F-15 air superiority fighter electromagnetic compatibility program
 p0460 A74-43913
- ELECTROMAGNETIC CONTROL**
 U REMOTE CONTROL
- ELECTROMAGNETIC FIELDS**
 NT FAR FIELDS
 Instability of rotors in MHD journal bearings
 p0014 A74-11445
- ELECTROMAGNETIC INTERACTIONS**
 Electromagnetic effects of aircraft wake-active feuillet interaction
 p0174 A74-19915
 Electromagnetic proof stressing of bonded airplane structure
 p0343 A74-34294
- ELECTROMAGNETIC INTERFERENCE**
 NT CHIRP SIGNALS
 NT ELECTROMAGNETIC NOISE
 NT RADIO FREQUENCY INTERFERENCE
 NT WHITE NOISE
 The effects of interference on monopulse performance --- characteristics of air traffic control radar beacons
 [AD-769336] p0192 N74-15876
- ELECTROMAGNETIC NOISE**
 NT WHITE NOISE
 Papers presented at the Lightning and Static Electricity Conference (1972). Structure of lightning noise - especially above HF. Triggered lightning and its application to rockets and aircraft
 [AD-771464] p0255 N74-19271
- ELECTROMAGNETIC PROPAGATION**
 U ELECTROMAGNETIC WAVE TRANSMISSION
- ELECTROMAGNETIC PROPERTIES**
 NT DIELECTRIC PROPERTIES
 NT ELECTRICAL PROPERTIES
 NT OPTICAL PROPERTIES
- ELECTROMAGNETIC PULSES**
 EMP-induced skin currents on aircraft
 [UCRL-75426] p0492 N74-33750
- ELECTROMAGNETIC RADIATION**
 NT ELECTROMAGNETIC PULSES
 NT GAMMA RAYS
 NT INFRARED RADIATION
 NT MILLIMETER WAVES
 NT NEAR INFRARED RADIATION
- The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers
 [ECAC-PR-72-045] p0098 N74-11973
- ELECTROMAGNETIC SCATTERING**
 NT LIGHT SCATTERING
 NT MICROWAVE SCATTERING
 NT RAMAN SPECTRA
 Scattering by a conducting aerofoil --- electromagnetic radiation
 p0023 A74-11908
- ELECTROMAGNETIC SPECTRA**
 NT INFRARED SPECTRA
 NT RAMAN SPECTRA
 NT ULTRAVIOLET SPECTRA
- ELECTROMAGNETIC WAVE FILTERS**
 NT BANDPASS FILTERS
 NT RADAR FILTERS
- ELECTROMAGNETIC WAVE TRANSMISSION**
 NT LIGHT SCATTERING
 NT LIGHT TRANSMISSION
 NT MICROWAVE TRANSMISSION
 NT TELEVISION TRANSMISSION
 Radomes of microwave antennas - Radio engineering design and calculation --- Russian book
 p0426 A74-38692
- ELECTROMAGNETIC WAVES**
 U ELECTROMAGNETIC RADIATION
- ELECTROMECHANICAL DEVICES**
 Pave Spike Video Film Recorder
 p0218 A74-22543
 Solid state vertical scale instruments --- for aircraft light emitting diode displays
 p0267 A74-26965
 Electromechanical simulation of helicopter blade responses to random excitation during forward flight
 [ASHE PAPER 73-DET-28] p0341 A74-33401
- ELECTRON BEAM WELDING**
 Sliding-seal electron-beam welding of titanium
 p0083 A74-14752
 Design and development support for critical helicopter applications in Ti-6Al-4V alloy
 p0115 A74-16448
 The application of electron beam welding for major titanium structures
 p0227 A74-25363
 Developing the 'backbone' of the F-14 --- Ti structures for variable sweep wing center section
 [ATAA PAPER 74-371] p0265 A74-26678
 Development of engineering data on thick-section electron beam welded titanium
 [AD-774051] p0303 N74-21151
- ELECTRON TUBES**
 NT CATHODE RAY TUBES
- ELECTRONIC CONTROL**
 A control concept combining the best of the current hydromechanical and electronic technologies
 [SAE PAPER 740380] p0309 A74-28745
 Symposium on the Application of Electrical Control to Aircraft Propulsion Systems, London, England, February 20, 21, 1974, Proceedings
 p0457 A74-43201
 Power complex - A suitable case for treatment --- aircraft engine electronic control system choice
 p0458 A74-43206
 The architecture of a turbine engine control --- hydromechanical and electronic control in multiengine aircraft
 p0458 A74-43209
 Control system considerations for helicopter gas turbines
 p0458 A74-43210
 An electronic full-authority engine fuel control system
 p0458 A74-43211
 The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices
 [AD-768199] p0146 N74-13903
 Advanced engine control program --- using computerized electronic equipment
 [AD-773660] p0293 N74-20451
- ELECTRONIC COUNTERMEASURES**
 Air Force concepts for RPV application
 p0480 A74-45308

SUBJECT INDEX

ENERGY CONSUMPTION

- Improvement of performance characteristics of a class of broadband circularly polarized antennas --- for use with tactical airborne jamming equipment [AD-766473] p0059 A74-11065
- ELECTRONIC EQUIPMENT**
- NT ELECTRONIC MODULES
- NT ELECTRONIC TRANSDUCERS
- NT JUNCTION DIODES
- NT MINIATURE ELECTRONIC EQUIPMENT
- NT PHOTOTRANSISTORS
- NT SEMICONDUCTOR DEVICES
- NT SOLID STATE DEVICES
- New concepts of visualization for aircraft --- instrument panel display integration p0029 A74-12447
- Western Electronic Show and Convention, San Francisco, Calif., September 11-14, 1973, Proceedings p0076 A74-14126
- Electronic displays and digital automatic control in advanced terminal area operations [AIAA PAPER 74-27] p0136 A74-18881
- Interconnections in grounding and shielding devices for electronic equipment --- Russian book p0227 A74-25027
- Transportability --- of military equipment [AD-765456] p0044 A74-10229
- The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers [BCAC-PR-72-045] p0098 A74-11973
- Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages [NASA-CR-2350] p0189 A74-15720
- A test technique for measuring lightning-induced voltages on aircraft electrical circuits [NASA-CR-2348] p0195 A74-16716
- ELECTRONIC EQUIPMENT TESTS**
- A compiler-compiler system for avionics test languages --- syntax and semantics inputs for target language production p0074 A74-13804
- User report on automatic test equipment --- AJ37 Viggen aircraft avionics maintenance testing p0075 A74-13813
- Computer aided test design today --- for avionics maintenance onboard aircraft carriers p0076 A74-14127
- Parameters of RF flight navigation aids and their measurement --- Russian book p0169 A74-19371
- Reliability demonstration testing using failure-free trials p0181 A74-20950
- Improving Mean-Time-Between-Maintenance-Actions - A recommended system approach --- for avionics p0424 A74-38555
- ELECTRONIC MODULES**
- Modularized instrument system for turbojet engine test facilities p0277 A74-28296
- Advanced integrated modular instrumentation system --- naval aircraft cockpit display p0377 A74-35560
- ELECTRONIC SIGNAL MEASUREMENT**
- U SIGNAL MEASUREMENT
- ELECTRONIC TRANSDUCERS**
- A solid-state converter for measurement of aircraft noise and sonic boom p0261 A74-26345
- High temperature solid state pressure transducers for military jet engine environments [AD-774753] p0303 A74-21047
- ELECTROPHYSICS**
- NT ELECTRO-OPTICS
- ELECTROPLATING**
- Thick ion-vapor-deposited aluminum coatings for irregularly shaped aircraft and spacecraft parts p0260 A74-25813
- Minimizing hydrogen pick-up during electroplating of high-strength steels p0478 A74-44530
- ELECTROSTATIC CHARGE**
- Study of wind effects on electrostatic autopilots p0317 A74-30395
- ELECTROSTATIC FIELDS**
- U ELECTRIC FIELDS
- ELECTROSTATIC GYROSCOPES**
- Study of unconventional gyroscopic apparatus. I p0029 A74-12444
- ELECTROSTATIC PROBES**
- Sensing jet engine performance and incipient failure with electrostatic probes [AD-766653] p0066 A74-11606
- ELECTROSTATIC SHIELDING**
- Interconnections in grounding and shielding devices for electronic equipment --- Russian book p0227 A74-25027
- ELECTROSTATICS**
- Practical aspects of electrostatic stabilization --- of aircraft p0261 A74-26411
- ELEVATION ANGLE**
- Location of aircraft by an acoustic method p0069 A74-13028
- The effect of interfering signals on the performance of angle of arrival estimates p0174 A74-19908
- System design and flight test results of the Bendix/Bell MLS category II/III elevation approach guidance function [AIAA PAPER 74-909] p0402 A74-37889
- ELEVATORS (CONTROL SURFACES)**
- In-flight symmetrical maneuvers of a flight vehicle p0484 A74-46697
- Design of a powered elevator control system --- powered elevator system for modified C-8A aircraft for STOL operation [NASA-CR-114727] p0188 A74-15712
- ELLIPTIC DIFFERENTIAL EQUATIONS**
- Automatic numerical generation of body-fitted curvilinear coordinate system for field containing any number of arbitrary two-dimensional bodies p0432 A74-39286
- EMERGENCIES**
- Simulated aircraft accident exercises p0439 A74-40622
- Evaluation of the structural integrity of an aircraft loading walkway under severe fuel-spill fire conditions [FAA-RD-73-144] p0104 A74-12716
- EMERGENCY LIFE SUSTAINING SYSTEMS**
- Lockheed S-3A Viking - The advanced stabilised ejection seat has three sub-systems p0213 A74-23841
- Portable chemical oxygen [SAE AS 1303] p0269 A74-27264
- In-flight escape system for heavy helicopters p0301 A74-20772
- EMISSION**
- NT X RAY FLUORESCENCE
- EMISSION SPECTRA**
- Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region [LA-UR-73-1304] p0293 A74-20527
- EMISSOGRAPHS**
- U RECORDING INSTRUMENTS
- ENERGY BUDGETS**
- Flight/propulsion control integration aspects of energy management [SAE PAPER 740480] p0349 A74-34978
- The energy dilemma and its impact on air transportation [NASA-CR-135993] p0067 A74-11743
- The air transportation/energy system p0068 A74-11745
- Energy conservation and air transportation p0068 A74-11746
- Conclusions and recommendations --- for problems in energy situation, air transportation, and hydrogen fuel p0068 A74-11748
- ENERGY CONSERVATION**
- F-14 optimum flight modes, volume 1 [AD-775246] p0326 A74-21665
- ENERGY CONSUMPTION**
- Energy management display p0346 A74-34844
- Air transportation - Energy cost-effective or not [AIAA PAPER 74-959] p0427 A74-38725
- Transportation energy use in the United States: A statistical history, 1955 - 1971

ENERGY CONVERSION

SUBJECT INDEX

[R-1391-NSF] p0244 A74-18607

ENERGY CONVERSION
Investigation in energy transfer and energy conversion for advanced power and propulsion systems
[AD-771581] p0243 A74-18417

ENERGY CONVERSION EFFICIENCY
Method of calculation of annual overall efficiency of modern wind-power plants
[NASA-TT-P-15310] p0191 A74-15748

ENERGY DISSIPATION
Attenuation of instabilities in propulsion system combustors
p0478 A74-44422

ENERGY DISTRIBUTION
NT SPECTRAL ENERGY DISTRIBUTION
Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow
p0069 A74-13041

ENERGY EXCHANGE
U ENERGY TRANSFER

ENERGY LOSSES
U ENERGY DISSIPATION

ENERGY METHODS
A transonic study of active flutter suppression based on an aerodynamic energy concept
[AIAA PAPER 74-403] p0266 A74-26702

ENERGY POLICY
Energy problems in air transportation --- options for demand reduction, efficiency increase and fuel alternatives
p0171 A74-19479

The implications for air transportation of energy shortage
p0171 A74-19486

The fuel crisis and the controller --- turbojet aircraft descent trajectories for fuel consumption reduction
p0173 A74-19726

The airship can meet the energy challenge
p0176 A74-20166

Performance versus cost tradeoffs - Initial look at alternatives --- for aircraft engine fuel cost minimization
[SAE PAPER 740494] p0350 A74-34989

Fuel state - Expensive
p0377 A74-35496

A review of precious resources and their effect on air transport; Proceedings of the Spring Convention, London, England, May 15, 16, 1974
p0381 A74-36316

The development of aircraft as influenced by the shortage of materials and fuel
p0381 A74-36319

Precious resources and air transport - An airline view --- fuel price increase effects
p0382 A74-36322

The good and bad usages of air transport
p0391 A74-36941

The energy crisis of fuel and the procedures of cruising flight
p0422 A74-38315

Air transportation - Energy cost-effective or not
[AIAA PAPER 74-959] p0427 A74-38725

Investigation in energy transfer and energy conversion for advanced power and propulsion systems
[AD-771581] p0243 A74-18417

The potential for energy conservation in commercial air transport
[R-1360-NSF] p0244 A74-18606

ENERGY REQUIREMENTS
Engine sensory requirements for energy management
p0278 A74-28311

3-D energy management for supersonic aircraft
p0432 A74-39472

A display of energy-maneuverability performance information for fighter aircraft
[AIAA PAPER 74-814] p0453 A74-41797

Investigation of a stored energy launch system for gliders
[AIAA PAPER 74-1047] p0456 A74-42059

Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses
[P-5046] p0068 A74-11791

The potential for energy conservation in commercial air transport
[R-1360-NSF] p0244 A74-18606

ENERGY SOURCES
Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses
[P-5046] p0068 A74-11791

The Federal Government and energy: R and D historical background
p0102 A74-12687

ENERGY SPECTRA
NT NEUTRON SPECTRA

ENERGY STORAGE
Investigation of a stored energy launch system for gliders
[AIAA PAPER 74-1047] p0456 A74-42059

ENERGY STORAGE DEVICES
U ENERGY STORAGE

ENERGY TECHNOLOGY
The case for hydrogen-fueled transport aircraft
p0312 A74-29452

Prospects for liquid hydrogen fueled commercial aircraft
[PR-37] p0295 A74-20647

ENERGY TRANSFER
Investigation in energy transfer and energy conversion for advanced power and propulsion systems
[AD-771581] p0243 A74-18417

ENGINE ANALYZERS
Parameter selection for multiple fault diagnostics of gas turbine engines
[ASME PAPER 74-GT-62] p0272 A74-27452

ENGINE CONTROL
NT TURBOJET ENGINE CONTROL
A simplified fuel control approach for low-cost aircraft gas turbines
[SAE PAPER 730388] p0004 A74-10802

Problem of adapting an intake to a turbojet engine for extremely high flight Mach numbers
p0122 A74-17272

Automatic control systems for flight-vehicle engines --- Russian book
p0229 A74-24995

Fuel system requirements for small gas turbine engines
[SAE PAPER 740381] p0309 A74-28746

Flight/propulsion control integration aspects of energy management
[SAE PAPER 740480] p0349 A74-34978

Integrated flight/propulsion control design techniques starting with the engine
[SAE PAPER 740481] p0351 A74-34997

Heavy-lift helicopter engine control system
[AHS PREPRINT 870] p0386 A74-36605

Turbomachine numerical control using the ASHODEB
p0431 A74-39007

Symposium on the Application of Electrical Control to Aircraft Propulsion Systems, London, England, February 20, 21, 1974, Proceedings
p0457 A74-43201

Power plant controls - 'The system' --- digital techniques for aircraft engines
p0457 A74-43202

The development of electrical systems for powerplant control
p0457 A74-43203

Aircraft approach - A degree of bias --- supersonic transports engine control problems
p0458 A74-43205

Power complex - A suitable case for treatment --- aircraft engine electronic control system choice
p0458 A74-43206

The architecture of a turbine engine control --- hydromechanical and electronic control in multiengine aircraft
p0458 A74-43209

Control system considerations for helicopter gas turbines
p0458 A74-43210

An electronic full-authority engine fuel control system
p0458 A74-43211

The case for digital techniques applied to powerplant controls --- for aircraft
p0458 A74-43212

Turbine blade pyrometer system in the control of the Concorde engine
p0458 A74-43214

SUBJECT INDEX

ENGINE DESIGN

- Development of optimal control modes for advanced technology propulsion systems --- V/STOL hover application
[AD-767425] p0112 A74-13514
- ENGINE DESIGN**
- Influence of noise requirements on STOL propulsion system designs p0001 A74-10148
- Designing small gas turbine engines for low noise and clean exhaust
[AIAA PAPER 73-1154] p0003 A74-10507
- Impact of emission regulations on gas turbine combustor design p0003 A74-10508
- Noise generation and the design of bypass lift jet engines p0005 A74-10984
- Aircraft engines - Progress made in France over ten years, and possibilities for the ten years to come p0006 A74-11093
- Design competence - The mainspring to cost reduction
[AIAA PAPER 73-1187] p0008 A74-11230
- A modular turbofan design for high availability and low life cycle cost
[AIAA PAPER 73-1189] p0009 A74-11231
- Airfoil design for high tip speed compressors --- fan technology
[AIAA PAPER 73-1248] p0009 A74-11269
- Emergency air start system for the F-14B flight test aircraft
[AIAA PAPER 73-1252] p0010 A74-11273
- F-14 inlet maneuvering capability
[AIAA PAPER 73-1273] p0010 A74-11286
- The effect of noise constraints on engine cycle optimization for long-haul transports
[AIAA PAPER 73-1292] p0011 A74-11298
- Qualitative effects of cycle variables on turbine engine performance and stability
[AIAA PAPER 73-1315] p0012 A74-11310
- An experimental investigation of techniques for reducing objectionable exhaust emissions
[AIAA PAPER 73-1324] p0012 A74-11316
- Cost - The emerging aerospace technology --- applications to gas turbine engines
[AIAA PAPER 73-1327] p0013 A74-11318
- Further development of the JT15D turbofan --- Remotely Piloted Vehicle applications
[SAE PAPER 730919] p0017 A74-11576
- The Garrett-A18Research variable-cycle TFE731 turbofan engine
[SAE PAPER 730918] p0017 A74-11577
- Lycorings LTS 101 - Low cost turbine power in the 600 hp class
[SAE PAPER 730911] p0017 A74-11582
- Low cost supersonic expendable turbine engines --- tactical missile applications
[SAE PAPER 730910] p0017 A74-11583
- AST - A fifth engine for environmental consideration
[SAE PAPER 730899] p0018 A74-11590
- Benefits of advanced propulsion technology for the advanced supersonic transport
[SAE PAPER 730896] p0018 A74-11593
- Development of parametrized computations for AST study engines
[SAE PAPER 730895] p0018 A74-11594
- Digital computer simulation of the dynamic response of a twin-spool turbofan with mixed exhausts p0020 A74-11617
- Highly noise suppressed bypass 6 engine for STOL application
[AIAA PAPER 73-1031] p0021 A74-11799
- Some design considerations for supersonic cruise mixed compression inlets
[AIAA PAPER 73-1269] p0030 A74-12496
- Cost impact of mission requirements on future engine design selection
[AIAA PAPER 73-1186] p0031 A74-12922
- The Q-Fan Demonstrator Engine --- variable pitch fan engine design and tests
[AIAA PAPER 73-1215] p0031 A74-12929
- The effect of inlet-noise suppression on propulsion system design
[AIAA PAPER 73-1294] p0032 A74-12942
- Influence of noise constraints on supersonic transport engine design p0032 A74-12943
- Modular construction - Fully optimised --- aircraft engines p0076 A74-13978
- Aerodynamic aspects of gas turbine blade corrosion p0081 A74-14567
- MBCA progress report --- multirole combat aircraft turbofan engine design p0086 A74-15151
- Computerized design of transport airplane p0086 A74-15445
- Noise and emission outlook for military engines
[AIAA PAPER 73-1156] p0120 A74-17175
- An approach toward optimizing material cost and part function in advanced powerplants
[SAE PAPER 730909] p0123 A74-17535
- The T700-GE-700 turboshaft engine program
[SAE PAPER 730917] p0123 A74-17536
- Heavy Lift Helicopter main engines
[SAE PAPER 730920] p0123 A74-17537
- The problem of optimal design of gas-turbine engines p0126 A74-18083
- The jet engine design that can drastically reduce oxides of nitrogen
[AIAA PAPER 74-160] p0133 A74-18797
- T700 aims at low combat maintenance --- turboshaft engine for military transports and helicopters p0136 A74-18998
- Aerodynamic problems of turbojet propulsion systems, repercussions on gas turbine development p0177 A74-20313
- The single-engine turboprop in the northern frontier p0185 A74-21821
- Astafan - A new concept from Turbomeca --- constant speed ducted turbofan engine p0229 A74-24697
- GE continues CF6 family growth --- high bypass ratio turbofan engine development p0261 A74-26398
- The influence of engine technology advancements on aircraft economics
[SAE PAPER 730960] p0269 A74-27256
- Aircraft engine and accessory drives and flange standards
[SAE AIR 1160 A] p0269 A74-27257
- Recent status on development of the turbofan engine in Japan
[ASME PAPER 74-GT-39] p0272 A74-27432
- Simulation study of transient performance matching of turbofan engine using an analogue computer to evaluate its usefulness as design tool
[ASME PAPER 74-GT-50] p0272 A74-27442
- A model of convex programming for turbojet main parameter selection optimization
[ASME PAPER 74-GT-79] p0272 A74-27466
- An automated interactive design system for advanced gas turbines
[ASME PAPER 74-GT-82] p0273 A74-27468
- MBPCOMP - The Navy Engine Performance Program
[ASME PAPER 74-GT-83] p0273 A74-27469
- The use of desk top computers in the teaching of aircraft gas turbines
[ASME PAPER 74-GT-115] p0273 A74-27484
- New jet engines --- presented at Paris air show p0316 A74-30346
- Reliability and maintainability of jet engines p0316 A74-30347
- 25 years after, why the Astafan --- double flow turbofan aircraft engine design p0319 A74-30690
- MBCA systems and related equipment - BB 199 powerplant p0336 A74-32631
- Impact of increasing secondary power requirements on engine and accessory system design
[SAE PAPER 740495] p0349 A74-34977
- An approach to aeroengine tradeoff factors
[SAE PAPER 740493] p0350 A74-34990
- Jet noise suppression --- for quiet aircraft design
[SAE PAPER 740492] p0350 A74-34991
- Heavy-lift helicopter power systems
[SAE PAPER 740464] p0351 A74-35006
- Reduction of JT8D powered aircraft noise by engine refanning
[SAE PAPER 740490] p0352 A74-35009
- VFW 614 powerplant p0375 A74-35365
- The impact of advanced turboshaft engine technology on T700-powered helicopter systems
[AHS PREPRINT 871] p0386 A74-36606

- Quiet engine from NASA p0422 A74-38295
- YC-14 engine installation features [AIAA PAPER 74-972] p0428 A74-38737
- Advanced supersonic transport design [AIAA PAPER 74-987] p0429 A74-38744
- Supersonic combustion ramjets p0432 A74-39372
- The Viper turbojet engines. I p0432 A74-39418
- Static noise measurement of full scale jet engines p0434 A74-39740
- The CP6-6 engine - The first million hours p0436 A74-39965
- Some aerodynamic design considerations for high bypass ratio fans p0437 A74-39989
- The design and development of an advanced annular combustor for civil application p0437 A74-40000
- The design and development of the Gem engine p0437 A74-40008
- Turbofan of the future p0439 A74-40953
- Matched propulsion for advanced vehicles --- application to aircraft turbofan engines [ICAS PAPER 74-36] p0450 A74-41337
- Small gas turbines for helicopters /Halford Memorial Lecture/ p0451 A74-41397
- YC-15 powerplant system design and development [AIAA PAPER 74-973] p0453 A74-41658
- Technology for the reduction of aircraft turbine engine pollutant emissions [ICAS PAPER 74-31] p0457 A74-43125
- Performance of an inlet for an integrated scramjet concept p0478 A74-44424
- The aircraft engine M-14V26 --- Russian book p0480 A74-45269
- Problem of the optimal design of gas-turbine engines p0481 A74-45408
- V/STOL propulsion systems --- proceedings of conference on propulsion system design and operation [AGARD-AR-64] p0256 N74-19404
- By-pass engines --- characteristics of USSR aircraft engines for jet aircraft [AD-772723] p0257 N74-19413
- Lubricating systems of gas turbine engines --- design of lubricating systems for aircraft gas turbine engines [AD-773493] p0288 N74-20161
- V/STOL propulsion systems --- conference on propulsion system design, configuration, and performance for vertical and short takeoff aircraft [AGARD-CP-135] p0289 N74-20401
- Engine cycle selection for commercial STOL aircraft --- effect of aircraft requirements and operational characteristics on engine parameters p0290 N74-20408
- Recent technology advances in thrust vectoring systems --- analysis of thrust vector control for vertical takeoff aircraft with and without afterburning in lift p0290 N74-20410
- Basic research requirements for V/STOL propulsion and drive-train components --- analysis of jet engine operating parameters for axial and radial turbines p0290 N74-20412
- The influence of the control concept for V/STOL engines on their static and dynamic performance characteristics p0290 N74-20415
- Compact thrust augmentors for V/STOL aircraft --- propulsion system configuration for V/STOL and cruise flight using one engine p0291 N74-20419
- The influence of noise requirements on STOL aircraft engine design --- analysis of acceptable noise levels for short takeoff aircraft operating in congested areas p0291 N74-20423
- The development of an integrated propulsion system for jet STOL flight research --- performance tests of augmentor-wing powered lift concept p0292 N74-20429
- Technical evaluation report on 42nd Propulsion and Energetics Panel Meeting on V/STOL Propulsion Systems. --- proposals for future developments in V/STOL aircraft and engines p0292 N74-20433
- Problem of the application of turbofan engines in air transport. Methods of increase in efficiency of turbofan engine with high bypass ratios [AD-773292] p0293 N74-20453
- Reduction of JT8D powered aircraft noise by engine refinancing [NASA-TN-X-71536] p0331 N74-23342
- Development of helicopter engine seals [NASA-CR-134647] p0410 N74-28229
- Quiet engine program flight engine design study [NASA-CR-134660] p0475 N74-33226
- ENGINE FAILURE**
- Importance of the means of engine condition surveillance p0129 A74-18598
- Failure of helicopter turbines due to the employment of a steel in a corrodible condition in combination with a design unsuited for the material p0178 A74-20498
- Aerodynamic problems of the short takeoff and landing aircraft [ONERA, TP NO. 1247] p0226 A74-25062
- Engine condition monitor system to detect foreign object damage and crack development p0279 A74-28320
- A study of the Concorde air intake in yaw [ICAS PAPER 74-50] p0451 A74-41350
- Sensing jet engine performance and incipient failure with electrostatic probes [AD-766653] p0066 N74-11606
- ENGINE INLETS**
- Development of a turbine inlet gas temperature measurement and control system using a fluidic temperature sensor [AIAA PAPER 73-1251] p0010 A74-11272
- F-14 inlet maneuvering capability [AIAA PAPER 73-1273] p0010 A74-11286
- The effect of inlet temperature and pressure distortion on turbojet performance [AIAA PAPER 73-1316] p0012 A74-11311
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [AIAA PAPER 74-91] p0133 A74-18768
- Calculation procedures for potential and viscous flow solutions for engine inlets [ASME PAPER 74-GT-3] p0271 A74-27411
- System for evaluation of F-15 inlet dynamic distortion p0277 A74-28287
- Automatic detection and suppression of inlet buzz p0278 A74-28313
- Subsonic flow into a downstream facing inlet p0317 A74-30401
- CC-115 Buffalo aircraft engine and engine inlet duct anti-icing system evaluation trials p0346 A74-34849
- Wind tunnel and flight performance of the YF-12 inlet system [AIAA PAPER 74-621] p0376 A74-35388
- Sources of unsteady flow in subsonic aircraft inlets p0398 A74-37549
- Performance of an inlet for an integrated scramjet concept p0478 A74-44424
- Comparison of predicted and measured low-speed performance of two 51 centimeter-diameter inlets at incidence angle [NASA-TN-X-2937] p0037 N74-10026
- Effect of subsonic inlet lip geometry on predicted surface and flow Mach number distributions [NASA-TN-D-7446] p0093 N74-11812
- Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines [NASA-CR-2338] p0141 N74-13724
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [NASA-TN-X-71488] p0152 N74-14384
- Assessment of the influence of inlet and aftbody/nozzle performance on total aircraft drag p0157 N74-14726

SUBJECT INDEX

ENGINE NOISE

- Aerodynamic aspects of the problems of air-intakes and exhaust for a supersonic transport aircraft
 --- design of air intake and after body of jet engine for Concorde aircraft
 [NASA-TR-194] p0159 A74-14748
- A 727 airplane center duct inlet low speed performance confirmation model test for refanned JT8D engines, phase 2
 [NASA-CR-134534] p0236 A74-17755
- Analog computer implementation of four instantaneous distortion indices
 [NASA-TN-X-2993] p0243 A74-18397
- Aircraft air intake regulator --- device for automatic control of air intake flow for aircraft engines
 [AD-772021] p0243 A74-18416
- The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines
 [NASA-CR-134609] p0296 A74-20661
- Effects of forward velocity and acoustic treatment on inlet fan noise
 [NASA-TN-X-71591] p0445 A74-30249
- Adaptive control techniques without perturbation for systems with inaccessible state variables with application to a supersonic aircraft air inlet control system
 p0499 A74-34668
- On the inlet vortex system --- preventing jet engine damage caused by debris pick-up
 [NASA-CR-140182] p0500 A74-35194
- ENGINE MONITORING INSTRUMENTS**
- Engine condition monitoring - The Alitalia approach
 p0180 A74-20825
- Influence of measurement errors on the regression relationships of engine characteristics
 p0260 A74-25979
- Parameter selection for multiple fault diagnostics of gas turbine engines
 [ASME PAPER 74-GT-62] p0272 A74-27452
- Use of laser-powered optical proximity probe in advanced turbofan engine development
 p0278 A74-28303
- Engine sensory requirements for energy management
 p0278 A74-28311
- Engine condition monitoring as a part of the propulsion management concept
 p0278 A74-28314
- A systems engineering approach to effective engine condition monitoring
 p0278 A74-28316
- Engine aids and the metrologist syndrome --- overinstrumentation in aircraft engine monitoring systems
 p0279 A74-28318
- New developments in aircraft instrumentation --- onboard instruments for flight and engine monitoring
 p0280 A74-28435
- A control concept combining the best of the current hydromechanical and electronic technologies
 [SAE PAPER 740380] p0309 A74-28745
- Adaptation of measuring and inspection instruments to the measurement of standard blades of aircraft-engine turbines and compressors
 p0460 A74-43767
- ENGINE NOISE**
- Influence of noise requirements on STOL propulsion system designs
 p0001 A74-10148
- Noise generation and the design of bypass lift jet engines
 p0005 A74-10984
- Flap noise prediction method for a powered lift system
 [AIAA PAPER 73-1028] p0006 A74-11051
- Aspects of large-scale, subsonic, wind-tunnel design for propulsion noise research
 [AIAA PAPER 73-1279] p0011 A74-11291
- Comparison of ground and flight test results using a modified F106B aircraft
 [AIAA PAPER 73-1305] p0011 A74-11304
- Jet noise suppression systems for high-speed aircraft
 [SAE PAPER 730897] p0018 A74-11592
- Highly noise suppressed bypass 6 engine for STOL application
 [AIAA PAPER 73-1031] p0021 A74-11799
- The acoustics of aircraft engine-duct systems
 [AIAA PAPER 73-1153] p0025 A74-12215
- Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine
 [AIAA PAPER 73-1217] p0030 A74-12495
- Acoustic characteristics of a gas turbine exhaust model
 [ASME PAPER 73-WA/GT-5] p0071 A74-13296
- Jet engine exhaust noise due to rough combustion and nonsteady aerodynamic sources
 p0075 A74-13958
- Test and evaluation of a quiet helicopter configuration HH-43B
 p0087 A74-15644
- Putting all our noise technology to work --- NASA Quiet Engine Program
 p0119 A74-17049
- Noise and emission outlook for military engines
 [AIAA PAPER 73-1156] p0120 A74-17175
- Some problems associated with noise attenuation at jet engine test facilities
 p0172 A74-19629
- Reduction of noise from small turbopropulsion engines
 [AIAA PAPER 74-59] p0179 A74-20760
- Noise suppressing devices --- Russian book
 p0180 A74-20904
- Simulation studies of an airport noise silencer
 p0184 A74-21641
- On the effect of quieter aircraft engines on noise and number index /NNI/ values
 p0185 A74-22244
- Quieting the JT3D powered 707
 p0221 A74-22788
- Exhaust noise field generated in the JT8D core engine - noise floor presented by the internal noise sources
 p0221 A74-23105
- Noise silencers at military test stands --- for jet engines
 p0227 A74-25322
- Noise measurements of the jet and piston engines on the Lala-1 experimental airplane
 p0270 A74-27296
- Residual stresses in gas turbine engine components from Barkhausen noise analysis
 [ASME PAPER 74-GT-51] p0272 A74-27444
- Jet aircraft ground run-up noise suppressors
 p0313 A74-29775
- Forward velocity effects on jet noise with dominant internal noise source
 p0314 A74-30077
- Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers
 p0315 A74-30098
- Sonic inlet technology development and application to STOL propulsion
 [SAE PAPER 740458] p0349 A74-34981
- Propulsion system sizing for powered lift and mechanical flap quiet aircraft
 [SAE PAPER 740455] p0349 A74-34983
- Reduction of JT8D powered aircraft noise by engine refanning
 [SAE PAPER 740490] p0352 A74-35009
- Noise attenuation in the case of the microturbine engine TRS 18
 p0379 A74-35981
- Noise - Future targets --- subsonic aircraft noise reduction
 p0381 A74-36318
- Aircraft community noise research and development - A historical overview
 p0397 A74-37545
- Development of noise-reduction concepts for 727 and 737 airplanes
 p0397 A74-37546
- Aircraft/engine jet noise control - A survey
 [AIAA PAPER 74-947] p0426 A74-38718
- Progress in core engine and turbine noise technology
 [AIAA PAPER 74-948] p0426 A74-38719
- Jet engine noise testing
 p0434 A74-39739
- Static noise measurement of full scale jet engines
 p0434 A74-39740
- The use of a rotating arm facility to study flight effects on jet noise
 p0436 A74-39970

ENGINE PARTS

SUBJECT INDEX

- Airframe noise - The next aircraft noise barrier
[AIAA PAPER 74-949] p0452 A74-41654
- Effect of ejector spacing on ejector-jet noise characteristics
p0479 A74-45032
- Noise and wake structure measurements in a subsonic tip speed fan
[NASA-CR-2323] p0036 N74-10020
- Refan program. Phase 1: Summary report
[NASA-TM-X-71456] p0040 N74-10043
- Acoustic characteristics of a large-scale augmentor wing model at forward speed
[NASA-TM-X-2940] p0041 N74-10052
- Truck noise via diesel exhaust and air intake noise --- acoustic measurements for evaluation of various exhaust and intake systems
[P222624/9] p0052 N74-10742
- V/STOL noise prediction and reduction
[LG738R0062] p0056 N74-10921
- The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200
[NASA-CR-134503] p0093 N74-11808
- Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines
[NASA-CR-2338] p0141 N74-13724
- Noise generation by cylindrical spoilers immersed in an air duct --- analysis of acoustic power output and directivity patterns of noise field
[AD-767336] p0142 N74-13730
- Military aircraft and airport noise and opportunities for reduction without inhibition of military missions
[PB-223637/0GA] p0145 N74-13752
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source
[NASA-TM-X-71488] p0152 N74-14384
- Research on noise generated by ducted air-fuel combustion systems
[AD-767337] p0152 N74-14445
- Combustion generated noise in turbopropulsion systems
[AD-768615] p0166 N74-15666
- Quiet engine program: Turbine noise suppression. Volume 2: Treatment selection, installation, and test results
[NASA-CR-134586] p0256 N74-19401
- Influence of noise requirements on STOL propulsion system designs --- analysis of acoustic properties of short takeoff aircraft
p0291 N74-20422
- The influence of noise requirements on STOL aircraft engine design --- analysis of acceptable noise levels for short takeoff aircraft operating in congested areas
p0291 N74-20423
- Q-fan propulsion for short haul transports --- application of variable thrust fans for aircraft and engine noise reduction
p0291 N74-20424
- Jet noise reduction technique for military reconnaissance/surveillance aircraft. Phase 1: Bench/wind tunnel tests
[AD-774748] p0300 N74-20691
- Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system
[NASA-TM-D-7495] p0325 N74-21652
- Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept
[NASA-TM-X-71562] p0355 N74-25568
- Helicopter rotor noise and possibilities for its reduction
[NBB-UD-118-74-0] p0368 N74-26485
- Noise generated by quiet engine fans. 2: Fan A --- measurement of power spectra and sideline perceived noise levels
[NASA-TM-X-3066] p0444 N74-30240
- ENGINE PARTS**
- A simplified approach for estimating manufacturing cost at the part level
[SAE PAPER 730908] p0017 A74-11584
- Long range view of materials research for civil transport aircraft
p0083 A74-14756
- Non-destructive inspection of titanium jet engine disks
p0116 A74-16480
- Heat-resistant titanium alloys - Introduction of the 651 A alloy
p0125 A74-17891
- Ball type slave bearings for rotor support in dynamic balancing machines
[SAE ARP 1202] p0269 A74-27262
- Residual stresses in gas turbine engine components from Barkhausen noise analysis
[ASME PAPER 74-GT-51] p0272 A74-27444
- Solving an aluminum bracket failure --- in fire damaged aircraft engine
p0313 A74-29609
- How Eastern Airlines uses nondestructive evaluation to assure quality of specific jet engine hardware
p0343 A74-34287
- Small Turbine Advanced Gas Generators for future engine requirements
[AHS PREPRINT 872] p0387 A74-36607
- Test techniques and equipment for the development of aircraft engine components resistant to bird ingestion
p0434 A74-39742
- New structural materials for jet engine components
p0460 A74-43768
- Current and future materials usage in aircraft gas turbine engines
[AD-766334] p0066 N74-11604
- ENGINE STARTERS**
- Emergency air start system for the F-14B flight test aircraft
[AIAA PAPER 73-1252] p0010 A74-11273
- ENGINE TESTS**
- WT COLD FLOW TESTS**
- Wind tunnel tests of a 20 inch diameter 1.15 pressure ratio fan engine model
[AIAA PAPER 73-1216] p0009 A74-11245
- The planar pressure pulse generator - A new dynamic distortion generator
[AIAA PAPER 73-1317] p0012 A74-11312
- Further development of the JT15D turbofan --- Remotely Piloted Vehicle applications
[SAE PAPER 730919] p0017 A74-11576
- The Garrett-AiResearch variable-cycle FPE731 turbofan engine
[SAE PAPER 730918] p0017 A74-11577
- Some aspects of inlet/engine flow compatibility
p0020 A74-11618
- Recovery characteristics of a single-shielded self-aspirating thermocouple probe at low pressure levels and subsonic speeds
p0027 A74-12280
- The Q-Fan Demonstrator Engine --- variable pitch fan engine design and tests
[AIAA PAPER 73-1215] p0031 A74-12929
- An analytical study of icing simulation for turbine engines in altitude test cells
[AIAA PAPER 73-1280] p0032 A74-12938
- A new test capability for propulsion system testing --- Aero-Propulsion Systems Test Facility design
[AIAA PAPER 73-1283] p0032 A74-12939
- Sea level side loads in high-area-ratio rocket engines
[AIAA PAPER 73-1284] p0032 A74-12940
- Turbine corrosion - Rig evaluation and engine experience
p0081 A74-14583
- Importance of the means of engine condition surveillance
p0129 A74-18598
- The case for engine flying test beds --- for aircraft
p0172 A74-19499
- Engine condition monitoring - The Alitalia approach
p0180 A74-20825
- The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft
[ASME PAPER 74-GT-52] p0272 A74-27445
- Some results from tests on a high work axial gas generator turbine
[AIAA PAPER 74-GT-81] p0273 A74-27467
- Instrumentation for airbreathing propulsion; Proceedings of the Symposium, U.S. Naval Postgraduate School, Monterey, Calif., September 19-21, 1972
p0277 A74-28283

SUBJECT INDEX

ENVIRONMENT SIMULATION

Modularized instrument system for turbojet engine test facilities p0277 A74-28296

Current state-of-the-art for airbreathing combustor measurements p0277 A74-28298

Inflight engine condition monitoring system p0278 A74-28315

A systems engineering approach to effective engine condition monitoring p0278 A74-28316

Engine condition monitor system to detect foreign object damage and crack development p0279 A74-28320

Mathematical simulation of a vibrating light aircraft piston engine and correlation with engine flight test data [SAE PAPER 740383] p0310 A74-28748

Flyover noise prediction from static data --- extrapolation from engine ground tests p0316 A74-30100

How Eastern Airlines uses nondestructive evaluation to assure quality of specific jet engine hardware p0343 A74-34287

Engine/airframe interface dynamics experience --- for helicopters p0396 A74-37506

Aircraft/engine jet noise control - A survey [AIAA PAPER 74-947] p0426 A74-38718

Hypersonic research airplane propulsion for boost and test [AIAA PAPER 74-990] p0429 A74-38747

Jet engine noise testing p0434 A74-39739

Test techniques and equipment for the development of aircraft engine components resistant to bird ingestion p0434 A74-39742

A device for generating an artificial boundary layer in a short axial distance in a supersonic flow p0452 A74-41398

The motorization of short take-off and landing aircraft p0289 N74-20405

Short haul aircraft adaptation to the use of short landing fields p0290 N74-20411

Free jet engine testing: Wind tunnel starting [AD-776318] p0360 N74-25790

ENGINEERING DEVELOPMENT

U PRODUCT DEVELOPMENT

ENGINES

NT AIR BREATHING ENGINES

NT BRISTOL-SIDDELEY BS 53 ENGINE

NT DIESEL ENGINES

NT GAS TURBINE ENGINES

NT HELICOPTER ENGINES

NT HYDRAZINE ENGINES

NT INTERNAL COMBUSTION ENGINES

NT J-2 ENGINE

NT J-57 ENGINE

NT J-79 ENGINE

NT J-85 ENGINE

NT J-93 ENGINE

NT JET ENGINES

NT PISTON ENGINES

NT PULSEJET ENGINES

NT RAMJET ENGINES

NT ROCKET ENGINES

NT SUPERSONIC COMBUSTION RAMJET ENGINES

NT TF-30 ENGINE

NT TF-34 ENGINE

NT TURBINE ENGINES

NT TURBOPAN ENGINES

NT TURBOJET ENGINES

NT TURBOPROP ENGINES

Materials for aerospace current research and development [D-MAT-194] p0303 N74-21139

ENGLISH ELECTRIC AIRCRAFT

NT CANBERRA AIRCRAFT

ENGLISH ELECTRIC CANBERRA AIRCRAFT

U CANBERRA AIRCRAFT

ENTRAINMENT

A vortex entrainment model applied to slender delta wings p0119 A74-17029

ENVIRONMENT EFFECTS

Shuttle sonic boom - Technology and predictions --- environmental impact [AIAA PAPER 73-1039] p0026 A74-12225

Erosion prediction in turbomachinery due to environmental solid particles [AIAA PAPER 74-16] p0132 A74-18732

Atmospheric ozone - Possible impact on stratospheric aviation p0175 A74-20039

Possible effects of a fleet of supersonic transports on the stratospheric ozone shield p0176 A74-20125

Urban air traffic and city planning: Case study of Los Angeles County --- Book p0179 A74-20624

Air traffic confronted with dangers inherent in the trends of evolution p0228 A74-24896

The technical aspects of supersonic civil transport aircraft p0260 A74-25800

The effects of aircraft noise in schools around London Airport p0336 A74-32591

U.S. Army helicopter icing qualification program [AIAA PAPER 74-942] p0426 A74-38715

A simple, near-optimal takeoff control policy for a heavily loaded helicopter operating from a restricted area [AIAA PAPER 74-812] p0453 A74-41796

ENVIRONMENT POLLUTION

NT AIR POLLUTION

NT WATER POLLUTION

The environment and the gas turbine p0185 A74-21874

Problems of chemical pollution by aircraft. The airport and its immediate environment p0148 N74-14281

Ground contamination by fuel jettisoned from aircraft p0149 N74-14283

Pollution levels at London (Heathrow) Airport and methods for reducing them p0149 N74-14284

ENVIRONMENT PROTECTION

Impact of emission regulations on gas turbine combustor design [AIAA PAPER 73-1155] p0003 A74-10508

Measured jet noise compared to California noise codes and health criteria p0014 A74-11424

AST - A fifth engine for environmental consideration [SAE PAPER 730899] p0018 A74-11590

Research and development for future air transports p0020 A74-11615

Advanced technology for reducing aircraft engine pollution [ASME PAPER 73-WA/AERO-2] p0071 A74-13244

The role of certification in freeing the environment from aircraft noise nuisance p0074 A74-13797

Comments concerning noise indices /results of the study of aircraft noise in Munich conducted by the German Research Community are taken into account/ [DGLR PAPER 74-014] p0271 A74-27367

Reply to criticisms by V. E. Callaway of papers MM1 and MM11 at the 86th Meeting of the ASA --- aircraft cabin noise level p0391 A74-37061

A review of air transport noise p0438 A74-40087

Review and analysis of present and planned FAA noise regulatory actions and their consequences regarding aircraft and airport operations [PB-224405/1GA] p0238 N74-17770

ENVIRONMENT SIMULATION

NT ACOUSTIC SIMULATION

NT ALTITUDE SIMULATION

NT SPACE ENVIRONMENT SIMULATION

NT THERMAL SIMULATION

A simulation approach for studying the interactions of noise, patronage, and economic viability for air transportation systems [AIAA PAPER 73-1161] p0025 A74-12216

Laboratory simulation of kinetic heating effects on the structure of Concorde aircraft --- using infrared radiation facility

ENVIRONMENTAL CONTROL

SUBJECT INDEX

p0237 N74-17760
 Acclimatized wind track for measurement of oxygen
 isotope fractionation in isolated leaves and in
 leaf models
 [JUL-949-PC] p0241 N74-17961

ENVIRONMENTAL CONTROL
 Aircraft noise relief potential at major hub
 airports
 [AIAA PAPER 73-1164] p0026 A74-12217
 Noise burden factor - New way of rating airport
 noise
 p0118 A74-16898
 Wind modification over the flight decks of
 high-speed ships
 [AIAA PAPER 74-301] p0182 A74-21291
 Confined space atmosphere purification unit ---
 aircrew module to supercede protective clothing
 p0212 A74-23550
 Anticipatory anti-blackout system --- oxygen
 operated anti-G valves for aircrew protection
 p0212 A74-23551
 NBCA systems and related equipment - Air
 conditioning
 p0336 A74-32634
 Advanced environmental control system --- for
 aircraft subsystems
 p0424 A74-38552
 Aircraft avionics environmental control analysis
 procedures for optimized life cycle cost
 p0434 A74-39741
 Evaluating and controlling erosion in aircraft
 turbine engines
 p0434 A74-39749
 Testing of commercial airplane environmental
 control systems
 [SAE ARP 217 B] p0434 A74-39768
 Cockpit air filtration requirements of the B-1 in
 a nuclear dust environment
 [AD-766711] p0042 N74-10065
 Aviation needs and public concerns --- civil
 aviation growth in Europe and environmental
 control
 p0159 N74-14749

ENVIRONMENTAL ENGINEERING
 The role of local planning authorities in relation
 to the siting and development of airports
 p0080 A74-14517
 Risk analysis - A program management tool --- for
 environmental problems and aircraft metal fatigue
 p0182 A74-20987
 New frontiers of civil aeronautics
 p0229 A74-25352
 Review and analysis of present and planned FAA
 noise regulatory actions and their consequences
 regarding aircraft and airport operations
 [PB-224405/1GA] p0238 N74-17770

ENVIRONMENTAL MONITORING
 Measured jet noise compared to California noise
 codes and health criteria
 p0014 A74-11424
 Stratospheric survey aircraft developed --- canard
 BPV for pollution monitoring in YF-12 wakes
 p0276 A74-27849

ENVIRONMENTAL TESTS
 NT COLD WEATHER TESTS
 NT CORROSION TESTS
 NT HIGH TEMPERATURE TESTS
 NT SALT SPRAY TESTS
 First results of environmental tests on board
 Concorde 001
 p0340 A74-33312
 Reduction of environmental testing and analysis
 costs through simulation
 p0380 A74-36037
 The noise environment of a school classroom due to
 the operation of utility helicopters
 p0397 A74-37541
 Operational evaluation of the SK-5 air cushion
 vehicle in Alaska
 [AD-768781] p0162 N74-14772
 Instrumentation specification for climatic
 laboratory tests --- test facilities for
 environmental tests of military helicopters and
 components
 [AD-771053] p0237 N74-17763
 Effects of helicopter external loads on sling
 properties --- analysis of environmental factors
 contributing to failure of webbing on slings
 [AD-774267] p0300 N74-20690

ENVIRONMENTS

NT CHROMOSPHERE
 NT HIGH ALTITUDE ENVIRONMENTS
 NT HIGH TEMPERATURE ENVIRONMENTS
 NT LOW TEMPERATURE ENVIRONMENTS
 NT MARINE ENVIRONMENTS
 NT PLANETARY ATMOSPHERES
 NT THERMAL ENVIRONMENTS
 SOLE SATELLITES
 The Sole balloons and air safety p0129 A74-18596

EPHL
 U EFFECTIVE PERCEIVED NOISE LEVELS
EPOCHS
 U TIME MEASUREMENT
EPOXY RESINS
 Fabrication of advanced fibrous composite structures
 [SHE PAPER EM73-716] p0075 A74-13953
 Naraco 5208/T300 - A graphite-epoxy system
 engineered for high-performance aircraft
 structures
 p0082 A74-14732
 Improved manufacturing of the F-14A composite
 horizontal stabilizer
 p0083 A74-14739
 Development of a graphite-epoxy tailboom for a
 high-performance armed helicopter
 p0083 A74-14748
 Composite to metal bonding using structural
 thermosetting adhesives
 p0085 A74-14786
 Experimental investigation of glass-plastic and
 metal-plastic joints under shear
 p0131 A74-18697
 Effects of fabrication defects on boron/epoxy
 composites
 [AIAA PAPER 74-352] p0264 A74-26664
 Advanced composite lattice structure for improved
 structural integrity
 [AIAA PAPER 74-357] p0264 A74-26667
 Development and problems of testing prepregs for
 the Czechoslovakian aircraft industry
 p0280 A74-28528
 Inspection of advance composite structures by
 nondestructive testing
 p0380 A74-36000
 Carbon fibres can be cost-competitive - An example
 p0436 A74-39902
 Low cost, fiber glass reinforced plastic fuel
 tank, volume 1 --- for A-7 aircraft application
 [AD-766361] p0057 N74-10929
 Impact resistance of composite fan blades ---
 fiber reinforced graphite and boron epoxy blades
 for STOL operating conditions
 [NASA-CR-134515] p0099 N74-12285
 Graphite composite landing gear components - side
 brace assembly and torque link for A37-B aircraft
 [AD-769041] p0163 N74-14779
 Transparent fire resistant polymeric
 structures
 [NASA-CASE-ARC-10813-1] p0193 N74-16249
 A design analysis of CH-54B main rotor hub
 fabricated from composite materials
 [AD-774270] p0300 N74-20689
 Propellers and helicopter blades of
 fiber-reinforced synthetic resin materials
 [NASA-TT-P-15859] p0467 N74-31493
 Development of a graphite horizontal stabilizer
 --- flight control surface for A-4 aircraft
 [AD-782646] p0491 N74-33473

EQUATIONS OF MOTION
 NT EULER EQUATIONS OF MOTION
 NT HELMHOLTZ VORTICITY EQUATION
 NT KINETIC EQUATIONS
 NT NAVIER-STOKES EQUATION
 Solution of the equations of motion of a
 gyrohorizon compass at finite deviation angles
 from the meridian
 p0020 A74-11685
 Flight-mechanics analysis of various flight
 conditions of conventional aircraft: VIII/2 -
 Mechanical foundations: Dynamic equations of
 motion of the control systems
 p0021 A74-11744
 Rolling motion of variable sweep aircrafts. II
 p0086 A74-15446
 The equation of flight vehicle roll motion
 p0088 A74-15728
 Dynamics of slung bodies utilizing a rotating
 wheel for stability

SUBJECT INDEX

EULER EQUATIONS OF MOTION

- Investigation of the motion of a controlled body
in a resisting medium under transient conditions
p0127 A74-18141
- High intensity sound in a lined duct
p0220 A74-23076
- Dynamic model of a parachute and determination of
its characteristics
p0336 A74-32593
- Transient processes in an aircraft stabilization
system with jet-driven flywheels
p0389 A74-36635
- User's guide for a computer program to analyze the
LRC 16 ft transonic dynamics tunnel cable mount
system
p0398 A74-37656
- [NASA-CR-132313]
p0045 N74-10297
- Nonlinear bending and torsion of rotating beams
with application to linear stability of
hingeless helicopter rotors
p0101 N74-12545
- Application of the lateral and longitudinal
(coupled) equations of motion to an
inertially-slender aircraft in unsymmetric,
rectilinear flight
[AD-774435]
p0295 N74-20645
- Study of stability of large maneuvers of airplanes
[NASA-CR-2447]
p0442 N74-29382
- Maneuver criteria evaluation program --- computer
program for solving flight path equation of
motion for helicopter without auxiliary propulsion
[AD-782209]
p0491 N74-33472
- EQUIPMENT SPECIFICATIONS**
- AEROSAT performance specifications ---
aeronautical satellite for oceanic aircraft
communication
p0024 A74-12190
- An approach to the design of integrated life
support systems for two new USAF aircraft
p0211 A74-23532
- Testing of commercial airplane environmental
control systems
[SAE ARP 217 B]
p0434 A74-39768
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 1:
Document deficiency analysis --- deficiencies in
military specifications and standards for
helicopter hydraulic systems
[AD-773022]
p0252 N74-18709
- Analysis of maneuverability effects on rotor/wing
design characteristics
[AD-776981]
p0359 N74-25609
- EJECTION**
- U CONSTRUCTION
- ERGONOMICS**
- U HUMAN FACTORS ENGINEERING
- EROSION**
- NT WATER EROSION
- Erosion prediction in turbomachinery due to
environmental solid particles
[AIAA PAPER 74-16]
p0132 A74-18732
- Solid particle erosion of graphite-epoxy composites
--- for aircraft structures
p0402 A74-37920
- Evaluating and controlling erosion in aircraft
turbine engines
p0434 A74-39749
- Airfield erosion control for C-5A aircraft
operations
[AD-774484]
p0301 N74-20904
- ERROR ANALYSIS**
- Uncertainty in gas turbine measurements --- bias
and precision error model
[AIAA PAPER 73-1230]
p0009 A74-11255
- Investigation of machining errors caused by
geometrical inaccuracies of the bench in rotary
milling of turbine blade profiles
p0091 A74-16306
- Evaluation of the influence of errors in
specifying boundary conditions on the accuracy
of the determination of temperature fields in
infinite cylinders
p0130 A74-18635
- Analysis of aided inertial navigation systems
performance on international routes
p0175 A74-20096
- On some problems related to the identification of
aircraft parameters
p0227 A74-24842
- Analysis of route widths in the domestic airspace
--- navigation system errors effect on route
confinement
p0317 A74-30360
- Validity of aircraft noise data
p0397 A74-37547
- Meteorological characteristics of a measuring
channel --- fundamental characteristics of
flight test instrumentation system
p0360 N74-25936
- ERROR CORRECTING DEVICES**
- The problem of increasing the operational
precision of electrolytic sensors
p0276 A74-27898
- ERRORS**
- NT INSTRUMENT ERRORS
- NT PILOT ERROR
- NT POSITION ERRORS
- NT ROOT-MEAN-SQUARE ERRORS
- NT TRUNCATION ERRORS
- ERTS**
- U EARTH RESOURCES TECHNOLOGY SATELLITES
- ESCAPE (ABANDONMENT)**
- The new Douglas 'Minipac' ejection seat
p0321 A74-31795
- Evaluation of the structural integrity of an
aircraft loading walkway under severe fuel-spill
fire conditions
[FAA-RD-73-144]
p0104 N74-12716
- ESCAPE CAPSULES**
- In-flight escape system for heavy helicopters
p0301 N74-20772
- ESCAPE SYSTEMS**
- The influence of operational experience on
aircraft escape system development
[AIAA PAPER 73-1340]
p0013 A74-11387
- B-1 Crew Escape System
p0211 A74-23533
- Underwater escape from helicopters --- water
actuated lap belts for crew safety
p0211 A74-23535
- Recovery system for an advanced performance
ejection seat
p0214 A74-23555
- The decline in USAF ejection survival rates
p0214 A74-23556
- T-38/P-5 improved escape system development and
qualification testing --- ejection seat with
rocket catapult and drogue chute
p0214 A74-23557
- Escape system concepts need reexamining --- cost
factors in aircraft design
p0320 A74-30824
- MRCA systems and related equipment - The MRCA
cockpit
p0336 A74-32632
- Definition of study objectives for integrated crew
module development
[AD-769065]
p0162 N74-14773
- Operational practicality of fly away ejection seats
--- configurations and characteristics of
several flyable ejection seat concepts
p0301 N74-20763
- Advanced concepts for rotary wing and V/STOL
aircraft escape systems
p0301 N74-20766
- Escape measures for combat helicopter crews
p0301 N74-20770
- In-flight escape system for heavy helicopters
p0301 N74-20772
- Aircrew automated escape system simulation model
[AD-783517]
p0499 N74-34555
- ESG (GYROSCOPES)**
- U ELECTROSTATIC GYROSCOPES
- ESTERS**
- Modified centrifuge technique for hydrolytic
stability of neopentyl polyol ester lubricants
p0259 A74-25717
- ESTIMATES**
- NT COST ESTIMATES
- EUCLIDEAN GEOMETRY**
- NT ANGLE OF ATTACK
- NT DIHEDRAL ANGLE
- NT ELEVATION ANGLE
- NT SWEEP ANGLE
- NT ZERO ANGLE OF ATTACK
- EULER EQUATIONS OF MOTION**
- Description of six degree of freedom rigid
aircraft mathematical models --- numerical

EUROPE

analysis of flight dynamics of high speed aircraft
[WSE-TN-901 (WR/D)] p0187 N74-15702

EUROPE

Aviation needs and public concerns --- civil
aviation growth in Europe and environmental
control p0159 N74-14749

EUROPEAN AIRBUS

Airbus A-300 B --- design and cost effectiveness
p0438 A74-40329

Determination of ice shapes and their effect on
the aerodynamic characteristics for the
unprotected tail of the A 300
[ICAS PAPER 74-42] p0450 A74-41343

Endurance tests on transport aircraft cockpit
window glasses --- noting European Airbus
p0197 N74-16732

Comparison of electrical generating systems based
on IDG and VSCF techniques in two types of
aircraft p0473 N74-32482

EUTECTIC ALLOYS

Strengths and failure mechanisms of a
Co-15Cr-13TaC directionally solidified eutectic
alloy p0337 A74-32812

EUTECTICS

NT EUTECTIC ALLOYS

EVANESCENCE

Diffraction of evanescent waves, with applications
to aerodynamically scattered sound and radiation
from un baffled plates p0204 A74-23104

EVAPORATIVE COOLING

NT FILM COOLING

EVASIVE ACTIONS

Differential-turning optimality criteria --- for
aircraft pursuit/evasion situations
[AIAA PAPER 74-23] p0132 A74-18737
Toward the definition of escape and capture
regions for a two aircraft pursuit-evasion game
--- considering air to air infrared missile
weapons
[AD-770281] p0201 N74-17689

EWR AIRCRAFT

NT VJ-101 AIRCRAFT

EXCITATION

NT HARMONIC EXCITATION

Optimization of a vibration generator in
conditions of external excitation p0332 N74-23519

EXCITED STATES

U EXCITATION

EXECUTIVE AIRCRAFT

U GENERAL AVIATION AIRCRAFT

U PASSENGER AIRCRAFT

EXHAUST FLOW SIMULATION

NT FLIGHT SIMULATION

Effect of exhaust deflectors on the design of lift
plus lift/cruise V/STOL aircraft
[SAE PAPER 730959] p0015 A74-11554
Wind tunnel investigation of simulated helicopter
engine exhaust interacting with windstream
[NASA-TN-X-3016] p0237 N74-17758

EXHAUST GASES

Impact of emission regulations on gas turbine
combustor design
[AIAA PAPER 73-1155] p0003 A74-10508

Designing for noise and emission control in
general aviation
[AIAA PAPER 73-1158] p0003 A74-10509

Chemical reactions calculations in turbulent flows
- Application to a CO containing turbojet plume
[ONEBA, TP NO. 1229] p0006 A74-11069

Prediction of aircraft gas turbine NO/x/ emission
dependence on engine operating parameters and
ambient conditions
[AIAA PAPER 73-1275] p0010 A74-11287

Measurement of gas turbine exhaust pollutants by
Raman spectroscopy
[AIAA PAPER 73-1276] p0010 A74-11288

Impact of emission regulations on future gas
turbine engine combustors
[AIAA PAPER 73-1277] p0010 A74-11289

Odor intensity and characterization studies of
exhaust from a turbojet engine combustor
[AIAA PAPER 73-1278] p0011 A74-11290

An experimental investigation of techniques for
reducing objectionable exhaust emissions

SUBJECT INDEX

[AIAA PAPER 73-1324] p0012 A74-11316
Simplified physical model of spray combustion in a
gas turbine engine

p0015 A74-11451
The reduction of gas turbine idle emissions by
fuel zoning for compressor bleed

[ASME PAPER 73-WA/AERO-1] p0070 A74-13243
Advanced technology for reducing aircraft engine
pollution

[ASME PAPER 73-WA/AERO-2] p0071 A74-13244
Sampling a turbine engine exhaust for average
emissions

[ASME PAPER 73-WA/GT-9] p0072 A74-13300
Noise and emission outlook for military engines
[AIAA PAPER 73-1156] p0120 A74-17175

Emission of gaseous pollutants by turbojet engines
- The Olympus case p0122 A74-17305

Particle sampling and size analysis in the
ejection zone of the Olympus jet engine at
ground level p0122 A74-17306

Ingestion and dispersion of engine exhaust
products by trailing vortices for supersonic
flight in the stratosphere

[AIAA PAPER 74-42] p0134 A74-18815
Atmospheric ozone - Possible impact on
stratospheric aviation

p0175 A74-20039
Possible effects of a fleet of supersonic
transports on the stratospheric ozone shield

p0176 A74-20125
The environment and the gas turbine

p0185 A74-21874
Jet engine soot emission measured at altitude
p0317 A74-30397

Pollution emission analysis of selected Air Force
aircraft
[ASME PAPER 74-ENAS-30] p0431 A74-39130

Some analyses of the chemistry and diffusion of
SST exhaust materials during phase 3 of the wake
period --- in lower stratosphere

[NASA-CR-132323] p0053 N74-10863
Emission measurements of a J93 turbojet engine
[AD-766648] p0066 N74-11605

Use of an air-assisted fuel nozzle to reduce idle
emissions of a JT8D engine combustor
[NASA-TN-X-2946] p0067 N74-11738

Emission calculations for a scramjet powered
hypersonic transport
[NASA-TN-X-71464] p0100 N74-12445

A preliminary sensitivity analysis of the coupled
diffusion and chemistry model --- effect of SST
operations on ambient ozone in lower stratosphere

[NASA-CR-132369] p0107 N74-12821
Air pollution from airports

[TR-595-73] p0111 N74-13318
Turbojet aircraft engine test cell pollution
abatement study

[AD-768287] p0146 N74-13957
Atmospheric Pollution by Aircraft Engines
[AGARD-CP-125] p0148 N74-14271

Reduction of NO formations by premixing
p0148 N74-14272
United States Department of Transportation

research program for high altitude pollution
p0148 N74-14273
Photo-oxidation of aircraft engine emissions at

low and high altitudes p0148 N74-14277
Effect of supersonic transport upon the ozone

layer, studied in a two-dimensional
photochemical model with transport p0148 N74-14278

Problems of chemical pollution by aircraft. The
airport and its immediate environment p0148 N74-14281

Pollution control of airport engine test facilities
p0149 N74-14285
Factors controlling pollutant emissions from gas

turbine engines p0149 N74-14292
Technology for the reduction of aircraft turbine

engine exhaust emissions p0149 N74-14300
A preliminary study on the influence of fuel

staging on nitric oxide emissions from gas
turbine combustors p0150 N74-14301

SUBJECT INDEX

EXTERNAL STORES

- Design and evaluation of combustors for reducing aircraft engine pollution p0150 N74-14302
- Aircraft gas turbine pollutant limitations oriented toward minimum effect on engine performance p0150 N74-14304
- A proposed method for calculating film-cooled wall temperatures in gas turbine combustion chambers [CRANFIELD-SME-4] p0152 N74-14440
- The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel [NASA-TM-X-2958] p0153 N74-14650
- Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel [NASA-TM-X-2959] p0154 N74-14651
- Similarity parameters and their sensitivity for transonic airframe exhaust nozzle interactions [AD-768588] p0159 N74-14746
- Technical evaluation report on AGARD Technical Meeting on Atmospheric Pollution by Aircraft Engines --- requirement to analyze contribution to air pollution near airports from various sources [AGARD-AR-63] p0164 N74-15349
- The divided combustion chamber concept and design for control of SI engine exhaust air pollutant emissions p0165 N74-15454
- Reduction of pollutants from aircraft turbine by fuel selection and prevaporization [AD-769099] p0166 N74-15468
- Effect of increased fuel temperature on emissions of oxides of nitrogen from a gas turbine combustor burning ASTM jet-A fuel [NASA-TM-X-2931] p0166 N74-15659
- United States Air Force aircraft pollution emissions [AD-769482] p0201 N74-17374
- Environmental pollution: Air pollution (exhaust gases) --- bibliography [AD-771710] p0242 N74-18312
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft [NASA-TM-X-71509] p0243 N74-18400
- Recent technology advances in thrust vectoring systems --- analysis of thrust vector control for vertical takeoff aircraft with and without afterburning in lift p0290 N74-20410
- V/STOL deflector duct profile study --- analysis of back pressure gradient in ducted flow of exhaust gases against lift fan p0291 N74-20417
- Airfield erosion control for C-5A aircraft operations [AD-774484] p0301 N74-20904
- Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system [NASA-TM-D-7495] p0325 N74-21652
- The fluid dynamics aspects of air pollution related to aircraft operations [AGARD-AR-55] p0361 N74-26104
- Abating exhaust noises in jet engines [NASA-CASE-ARC-10712-1] p0474 N74-33218
- EXHAUST JETS**
- U EXHAUST GASES**
- EXHAUST NOZZLES**
- NT CONVERGENT-DIVERGENT NOZZLES**
- NT PLUG NOZZLES**
- NT TURBINE EXHAUST NOZZLES**
- Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data [AIAA PAPER 73-1001] p0006 A74-11050
- Advanced technology thrust vectoring exhaust systems [AIAA PAPER 73-1304] p0011 A74-11303
- Comparison of ground and flight test results using a modified F106B aircraft [AIAA PAPER 73-1305] p0011 A74-11304
- Effect of exhaust deflectors on the design of lift plus lift/cruise V/STOL aircraft [SAE PAPER 730959] p0015 A74-11554
- Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine [AIAA PAPER 73-1217] p0030 A74-12495
- Jet engine exhaust noise due to rough combustion and nonsteady aerodynamic sources p0075 A74-13958
- Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept [AIAA PAPER 74-568] p0344 A74-34798
- Supercirculation effects induced by vectoring a partial-span rectangular jet --- for fighter aircraft maneuverability [AIAA PAPER 74-971] p0428 A74-38736
- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests p0481 A74-45379
- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests [NASA-TM-X-71548] p0360 N74-25812
- Exhaust flow deflector [NASA-CASE-LAR-11570-1] p0410 N74-28233
- Flight velocity effects on the jet noise of several variations of a 104-tube suppressor nozzle [NASA-TM-X-3049] p0410 N74-28240
- EXHAUST SYSTEMS**
- Designing small gas turbine engines for low noise and clean exhaust [AIAA PAPER 73-1154] p0003 A74-10507
- Exhaust noise field generated in the JT8D core engine - noise floor presented by the internal noise sources p0221 A74-23105
- Technology for the reduction of aircraft turbine engine pollutant emissions [ICAS PAPER 74-31] p0457 A74-43125
- Exhaust system interaction program --- evaluation of exhaust system installation losses and effect on aircraft performance [AD-769086] p0159 N74-14747
- EXPANDABLE STRUCTURES**
- NT BALLOONS**
- NT BALLUTES**
- NT HIGH ALTITUDE BALLOONS**
- NT INFLATABLE STRUCTURES**
- NT METEOROLOGICAL BALLOONS**
- NT TETHERED BALLOONS**
- EXPANSION**
- NT GAS EXPANSION**
- EXPANSION WAVES**
- U ELASTIC WAVES**
- EXPERIMENTAL DESIGN**
- A new jet engine-thrust measuring system - An advancement in flight test engineering p0460 A74-43613
- EXPLODING CONDUCTOR CIRCUITS**
- U CIRCUITS**
- EXPLOSIONS**
- Summary of fire and explosion manual for aircraft accident investigation p0211 A74-23543
- Fire and explosion manual for aircraft accident investigators [AD-771191/4GA] p0250 N74-18694
- EXPLOSIVE DEVICES**
- Explosive canopy severance --- feasibilities of ejection through different canopy materials p0214 A74-23531
- EXPONENTS**
- Quality exponent method for planning and interpretation of results of full-scale, low-cycle fatigue tests [SAE PAPER 740218] p0274 A74-27501
- EXPORTS**
- U INTERNATIONAL TRADE**
- EXTERNAL STORES**
- NT PODS (EXTERNAL STORES)**
- Theoretical store separation analyses of a prototype store and comparison with a flight drop test [AIAA PAPER 74-776] p0399 A74-37801
- Techniques for reducing the vibration of rocket launchers mounted on helicopters [AD-767237] p0105 N74-12729
- Production data package 267 gallon external fuel tank --- F-14 aircraft [AD-767937] p0144 N74-13745
- A pylon to decrease the effects of external stores on the stability of aircraft [AD-767913] p0145 N74-13749

- The drag of externally carried stores: Its prediction and alleviation --- drag reduction by redesign or development of new aircraft installations p0157 N74-14729
- Methods for reducing vibrations of equipment mounted on helicopter external stores stations --- damping of vertical vibrations of wing-mounted stores on AH-1G helicopter [AD-768774] p0162 N74-14771
- In-flight stabilization of externally slung helicopter loads --- design, development, and evaluation of candidate stabilizing systems [AD-769063] p0162 N74-14774
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 1 --- conference to review development of government and industry for aircraft equipment design [AD-773813] p0285 N74-19679
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 3 [AD-773815] p0285 N74-19680
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 4 [AD-773816] p0285 N74-19681
- External store effects on the stability of fighter and interceptor airplanes --- application to military aircraft mission requirements [NASA-TN-X-71935] p0296 N74-20658
- Aircraft/Stores Compatibility Symposium proceedings, volume 2 [AD-773814] p0298 N74-20676
- Effects of helicopter external loads on sling properties --- analysis of environmental factors contributing to failure of webbing on slings [AD-774267] p0300 N74-20690
- Vibration absorbers for rocket launchers mounted on helicopters: Analytical analysis and implementation techniques [AD-774845] p0328 N74-22558
- Active flutter suppression on wings with external stores p0354 N74-25555
- Automatic transitions of a tilt-rotor aircraft, part 1. Automatic control of a helicopter with a hanging load, part 2 p0363 N74-26432
- External store aerodynamics for aircraft performance prediction p0365 N74-26454
- A method of automatically stabilizing helicopter sling loads [NASA-TN-D-7593] p0413 N74-28506
- EXTERNALLY BLOWN FLAPS**
- Flap noise prediction method for a powered lift system [AIAA PAPER 73-1028] p0006 A74-11051
- External blowing flap technology on the USAF/McDonnell Douglas YC-15 /AHST/ program [SAE PAPER 730915] p0017 A74-11579
- Air Force STOL tactical aircraft investigation - Evaluation of externally blown flaps [SAE PAPER 730914] p0017 A74-11580
- Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine [AIAA PAPER 73-1217] p0030 A74-12495
- Preliminary wind tunnel noise measurements of a semi-span wing with an upper-surface blown-flap [AIAA PAPER 74-191] p0134 A74-18832
- Effect of configuration variation on externally blown flap noise [AIAA PAPER 74-190] p0180 A74-20775
- Nozzle development for the upper surface - Blown jet flap on the YC-14 airplane [SAE PAPER 740469] p0351 A74-35003
- Effects of STOL thrust reversers and powered lift on inlet flow quality [SAE PAPER 740457] p0351 A74-35007
- Externally blown flap noise research [SAE PAPER 740468] p0352 A74-35011
- Investigation of noise from full-scale high bypass engine and blown flap system [SAE PAPER 740467] p0352 A74-35012
- Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine [NASA-TN-X-71466] p0039 N74-10042
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 1: Takeoff and landing ground rules [AD-766942] p0057 N74-10928
- Noise tests on an externally blown flap with the engine in front of the wing [NASA-TN-X-2942] p0094 N74-11813
- Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration [NASA-TN-D-7399] p0096 N74-11832
- Wind tunnel investigation of a large-scale 25 deg swept-wing jet transport model with an external blowing triple-slotted flap [NASA-TN-X-62197] p0141 N74-13721
- STOL tactical aircraft investigation, externally blown flap. Volume 1: Configuration definition. Supplement 1: Aerodynamic trades of flap and roll control system [AD-767179] p0145 N74-13754
- STOL tactical aircraft investigation, externally blown flap. Volume 5, part 1: Control system mechanization trade studies [AD-767181] p0146 N74-13756
- STOL tactical aircraft investigation, externally blown flap, Volume 5, part 3: Stability and control derivative accuracy requirements and effects of augmentation system design [AD-767182] p0146 N74-13757
- Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines [NASA-TN-X-62319] p0189 N74-15719
- Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps [NASA-CR-2358] p0196 N74-16719
- STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium [AD-770110] p0199 N74-16751
- STOL tactical aircraft investigation-externally blown flap. Volume 5: Flight control technology. Part 2: Simulation studies/flight control system validation [AD-770449] p0199 N74-16752
- Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration [NASA-CR-114621] p0235 N74-17751
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 1: Static testing of augmentor noise and performance [NASA-CR-114622] p0236 N74-17752
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 2: Small-scale development testing of augmentor wing critical ducting components [NASA-CR-114623] p0236 N74-17753
- Noise characteristics of jet flap type exhaust flows --- effects of Mach number, slot nozzle aspect ratio, and flap length on radiated sound power [NASA-CR-2342] p0236 N74-17756
- STOL tactical aircraft investigation: Externally blown flap. Volume 1: Configuration definition [AD-772738] p0251 N74-18697
- STOL tactical aircraft investigation-externally blown flap. Volume 4: Analysis of wind tunnel data [AD-772774] p0251 N74-18704
- Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flap [NASA-TN-D-7526] p0283 N74-19663
- A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft [NASA-TN-D-7497] p0284 N74-19671
- Investigation of the relative merits of different power plants for STOL-aircraft with blown flap application --- analysis of design requirements for self-sustained gas supply systems p0289 N74-20406
- A theoretical and experimental investigation of the external-flow, jet-augmented flap --- development of semi-empirical method for predicting performance characteristics

SUBJECT INDEX

F-15 AIRCRAFT

p0290 N74-20407
Preliminary static tests of a simulated upper-surface blown jet-flap configuration utilizing a full-size turbofan engine [NASA-TN-X-71931] p0294 N74-20638
Acoustic loads on an externally blown flap system due to impingement of a TF-34 jet engine exhaust [NASA-TN-X-71950] p0295 N74-20651
Pressure distribution of a twin-engine upper-surface blown jet-flap model --- wind tunnel tests to determine chordwise and spanwise pressure distributions [NASA-TN-X-71937] p0296 N74-20655
Free-flight wind tunnel investigation of a four-engine sweptwing upper-surface blown transport configuration [NASA-TN-X-71932] p0296 N74-20656
Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap [NASA-TN-D-7411] p0324 N74-21649
Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane [NASA-TN-D-7463] p0326 N74-21658
Externally blown flap noise research [NASA-TN-X-71541] p0329 N74-22631
A structural design for an Externally Blown Flap (EBF) medium STOL research aircraft --- development of computer program for structural analysis [NASA-CR-112249] p0353 N74-25548
A review of the low speed aerodynamic characteristics of aircraft with powered lift systems p0364 N74-26448
Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators [NASA-TN-D-7670] p0493 N74-34461
Wind-tunnel investigation of an externally blown flap STOL transport model including and investigation of wall effects [NASA-TN-X-3009] p0493 N74-34462
EXTRAGALACTIC LIGHT
U EXTRATERRESTRIAL RADIATION
EXTRATERRESTRIAL ENVIRONMENTS
ET CHROMOSPHERE
ET PLANETARY ATMOSPHERES
EXTRATERRESTRIAL RADIATION
Measured and calculated neutron spectra and dose equivalent rates at high altitudes; relevance to SST operations and space research [NASA-TN-D-7715] p0500 N74-35219
EXTRATERRESTRIAL ROVING VEHICLES
U ROVING VEHICLES
EXTREME VALUES
A study of lifting rotor flapping response peak distribution in atmospheric turbulence p0210 A74-23329
Application of the method of extreme values to the determination of maximum operating loads p0383 A74-36455
EXTRUDING
Properties of beryllium reinforced titanium matrix composites p0379 A74-35826

F

F-4 AIRCRAFT
Theoretical store separation analyses of a prototype store and comparison with a flight drop test [AIAA PAPER 74-776] p0399 A74-37801
Sensitivity of suboptimal fixed-range flight paths --- aircraft fuel consumption dependence on atmospheric parameters [AIAA PAPER 74-813] p0400 A74-37822
A limited analysis of an F-4C aircraft with a high-gain control augmentation system and comparison with flight test data [AD-772673] p0251 N74-18698
Angle of attack computation system --- based on air data, aircraft acceleration, surface positions, and stored aerodynamic data [AD-771183/1GA] p0255 N74-19107
The effect of WIPICS on the F4-B to N conversion program [AD-777256] p0408 N74-27509

Numerical solutions to some on-aircraft antenna pattern problems --- analysis of direction finding antenna on F-4 aircraft [AD-777977] p0409 N74-27639
F-5 AIRCRAFT
Advanced composite F-5 fuselage component --- design, tooling, fabrication and assembly flexibilities p0084 A74-14763
Air Superiority Fighter wing structure design for improved cost, weight and integrity [AIAA PAPER 74-337] p0262 A74-26652
Advanced metallic structures: Air superiority fighter wing design for improved cost weight and integrity. Volume 2: Criteria sensitivity study [AD-781811] p0473 N74-32451
Advanced metallic structure: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Materials test program [AD-781812] p0490 N74-33460
F-8 AIRCRAFT
A digital fly-by-wire technology development program using an F-8C test aircraft [AIAA PAPER 74-28] p0179 A74-20755
Additional three-dimensional boundary-layer computations for a finite swept wing [NASA-CR-132335] p0038 N74-10029
Optimal controller design for high performance aircraft undergoing large disturbance angles [NASA-CR-138130] p0324 N74-21648
Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing [NASA-TN-D-7470] p0325 N74-21653
Design and flight experience with a digital fly-by-wire control system in an F-8 airplane p0464 N74-31450
F-110 AIRCRAFT
U F-4 AIRCRAFT
F-14 AIRCRAFT
Emergency air start system for the F-14B flight test aircraft [AIAA PAPER 73-1252] p0010 A74-11273
F-14 inlet maneuvering capability [AIAA PAPER 73-1273] p0010 A74-11286
Improved manufacturing of the F-14A composite horizontal stabilizer p0083 A74-14739
Putting the computer in its place --- Automated Telemetry System for aircraft flight tests p0172 A74-19497
The status of the F-14A airborne mission recorder requirements and utilization p0216 A74-22529
Developing the 'backbone' of the F-14 --- Ti structures for variable sweep wing center section [AIAA PAPER 74-371] p0265 A74-26678
Improved manufacturing of the F-14A composite horizontal stabilizer p0316 A74-30323
Data management during the Navy performance test and evaluation of the F-14A airplane p0347 A74-34857
F-14, A-6 assembly woes seen easing p0348 A74-34929
Wind tunnel and flight development of the F-14 subsonic/transonic maneuvering configuration [AIAA PAPER 74-618] p0376 A74-35386
Low-speed wind tunnel investigation of the lateral-directional characteristics of a large-scale variable wing-sweep fighter model in the high-lift configuration [NASA-TN-X-62306] p0103 N74-12714
Production data package 267 gallon external fuel tank --- F-14 aircraft [AD-767937] p0144 N74-13745
F-14 optimum flight modes, volume 1 [AD-775246] p0326 N74-21665
F-15 AIRCRAFT
Simplified assembly of F-15 stressed --- production time and labor cost reduction p0003 A74-10546
F-15 progress report. II --- with emphasis on flight test status and control characteristics p0171 A74-19489
F-15 test progress. I - F-15 offers superior maneuverability p0224 A74-24668

F-17 AIRCRAFT

SUBJECT INDEX

- F-15 performance. II - Simplicity is stressed in F-15 operations, maintenance p0259 A74-25675
- F-15 performance. III - New fighter to have ground attack role p0261 A74-26399
- System for evaluation of F-15 inlet dynamic distortion p0277 A74-28287
- F-15 Eagle flight control system p0347 A74-34854
- A digital Mark III IFF reply evaluator for the F-15 p0425 A74-38565
- NASA Flight Research Center scale F-15 remotely piloted research vehicle program p0459 A74-43603
- The F-15 air superiority fighter electromagnetic compatibility program p0460 A74-43913
- Initial results from flight testing a large, remotely piloted airplane model --- flight tests of remotely controlled scale model of F-15 aircraft [NASA-TN-X-56024] p0247 A74-18671
- The F-15 design considerations p0465 A74-31470
- F-17 AIRCRAFT**
- The light-weight high-performance YF-17 p0089 A74-15953
- Application of advances in structures and materials to the design of the YF-17 airplane [SAE PAPER 730891] p0123 A74-17534
- YF-17 evolved from previous data base --- Northrop trainer/fighter prototype p0276 A74-27848
- YF-17 design concepts [AIAA PAPER 74-936] p0452 A74-41651
- Development and flight test progress of the YF-17 [AIAA PAPER 74-941] p0452 A74-41652
- F-28 TRANSPORT AIRCRAFT**
- Evolution philosophy --- Fokker F28 aircraft p0005 A74-10936
- F28 - Development of the Mk 5000/6000. II - Development of the family p0086 A74-15152
- Flight testing the Fokker F28 with advanced wing [AIAA PAPER 74-944] p0426 A74-38717
- Netherlands Association of Aeronautical Engineers, Yearbook 1973 --- Book p0430 A74-38792
- Comparison of Fokker F28 'Pellowship' wind tunnel and flight data - A summary p0430 A74-38796
- Comparison of Fokker F-28 wind tunnel and flight data, A summary [NLB-TN-73007-U] p0368 A74-26486
- F-89 AIRCRAFT**
- Analysis and calculation of lightning-induced voltages in aircraft electrical circuits [NASA-CR-2349] p0160 A74-14754
- The F-89 hydraulic actuator combinatorial geometry representation [AD-781996] p0498 A74-34547
- F-104 AIRCRAFT**
- The Aeritalia-Lockheed agreement - The package also includes the Lancer --- G-222 and F-104 military aircraft marketing p0213 A74-23877
- An investigation of the rolling stability derivatives of a T-tail fighter configuration at high angles-of-attack p0347 A74-34852
- Service loads on nose landing gears of the F-104 airplane --- by statistical analysis [LBF-TN-103/1972] p0056 A74-10924
- Performance of a ballute decelerator towed behind a jet airplane [NASA-TN-X-56019] p0160 A74-14760
- Flight experience with a pivoting traversing boundary-layer probe [NASA-TN-X-56022] p0192 A74-16102
- Ground loads on the nose undercarriage of the F-104G aircraft [RAE-LIB-TRANS-1744] p0406 A74-27494
- F-106 AIRCRAFT**
- Preliminary measurement of the airframe noise from an F-106B delta wing aircraft at low flyover speeds --- establishment of lower limit for noise level of supersonic transport aircraft [NASA-TN-X-71527] p0284 A74-19668
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds [NASA-TN-X-3053] p0323 A74-21639
- Suppressor nozzle and airframe noise measurements during flyover of a modified F106B aircraft with underwing nacelles [NASA-TN-X-71578] p0442 A74-29379
- F-111 AIRCRAFT**
- Performance considerations for terrain following flight p0346 A74-34843
- Transonic Aircraft Technology /TACT/ program [AIAA PAPER 74-620] p0376 A74-35387
- Mod-metric tested for bias [AD-760081] p0054 A74-10904
- Optical factors in aircraft windshield design as related to pilot visual performance --- effect on pilot vision in forward direction [AD-767203] p0106 A74-12733
- Analysis of control surface augmentation in high-performance aircraft by thrust vectoring [AD-769495] p0190 A74-15726
- An analysis of the acquisition of the F-111A simulators [AD-769202] p0194 A74-16693
- Aircraft antiskid analysis verification and refinement [AD-770300] p0198 A74-16749
- Flight-test investigation of the aerodynamic characteristics and flow interference effects about the aft fuselage of the F-111A airplane [NASA-TN-D-7563] p0246 A74-18657
- Flight-measured inlet pressure transients accompanying engine compressor surges on the F-111A airplane [NASA-TN-D-7696] p0362 A74-26251
- A wideband shallow cavity-backed sleeve dipole aircraft antenna [AD-778930] p0418 A74-28719
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 2: Design data [AD-781807] p0490 A74-33462
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Stress, fatigue and fracture, cost and material data [AD-781808] p0490 A74-33463
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 4: Baseline damage tolerance evaluation [AD-781809] p0490 A74-33464
- FAB (PROGRAMMING LANGUAGE)**
- U FORTRAN**
- FABRICATION**
- Nitinol as a fastener material p0176 A74-20208
- Structural fabrication of metal-matrix composites p0379 A74-35824
- Processing of titanium tubes - An approach to helicopter blade spar manufacturing [AHS PREPRINT 853] p0386 A74-36599
- FABRICS**
- NT PARACHUTE FABRICS**
- 'Kevlar' 49 woven and nonwoven fabric composites performance and applications p0438 A74-40505
- FABRY-PEROT LASERS**
- U LASERS**
- FADING**
- NT SIGNAL FADING**
- FAIL-SAFE SYSTEMS**
- Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue p0072 A74-13365
- Power conditioning system for FAA Air Route Traffic Control Centers p0077 A74-14133
- Violations of system safety principles in the cockpit p0208 A74-22635
- Fail-safe characteristics of built-up sheet structures [ICAS PAPER 74-08] p0448 A74-41310
- Fail-safe aircraft structures, volume 1 --- conference

- [RAE-TR-73183-VOL-1] p0366 N74-26458
 Fail-safe philosophy: An introduction to the
 symposium --- design against fatigue p0366 N74-26460
 Interrelated aspects of service safety arising
 from consideration of safe life, fail-safe,
 manufacturing quality and maintenance procedures p0366 N74-26461
 The Lockheed L-1011 Tristar fatigue and fail-safe
 development program p0366 N74-26462
 Investigation of the fail-safe properties of civil
 aircraft p0366 N74-26463
 Fail-safe aircraft structures, volume 2 ---
 conference p0367 N74-26468
 [RAE-TR-73183-VOL-2] p0367 N74-26468
 Influence of the degree of fail-safe achieved,
 using the internal pressure indicator (BIM), on
 the flight safety during a specified service
 life of main rotor blades of SA 321 and SA 330
 helicopters p0367 N74-26469
 The 747 fail-safe structural verification program p0367 N74-26473
 The impact of long service on the fatigue of
 transport aircraft: Airworthiness aspects p0367 N74-26475
 Digital fly-by-wire control system with
 selfdiagnosing failure detection p0464 N74-31451
- FAILURE**
 NT BURNTHROUGH (FAILURE)
 NT ENGINE FAILURE
 NT STRUCTURAL FAILURE
 NT SYSTEM FAILURES
- FAILURE ANALYSIS**
 Theory and practice of avionics reliability p0129 A74-18537
 A self-reorganizing digital flight control system
 for aircraft p0133 A74-18808
 Equipment procured reliability and real-life
 survival --- avionics producer-military user
 communications improvement p0181 A74-20954
 Hazard function monitoring of airline components p0181 A74-20967
 DC-10 avionics parts reliability in review p0182 A74-20969
 Risk analysis - A program management tool --- for
 environmental problems and aircraft metal fatigue p0182 A74-20987
 The decline in USAF ejection survival rates p0214 A74-23556
 Buckling and failure of flat stiffened panels
 [AIAA PAPER 74-409] p0266 A74-26708
 L-1011 Iron Bird uncovers potential hydraulic
 troubles --- aircraft reliability tests p0319 A74-30625
 Failure analyses of aircraft accidents. I p0398 A74-37634
 Damage threshold determination of light walls
 --- submitted to single or repeated bangs, part 1
 [ISL-35/72-PT-1] p0053 N74-10846
 Aircraft accident reports: Brief format, US Civil
 Aviation. Issue no. 1: 1973 accidents p0056 N74-10919
 Failure analysis of helicopter external
 cargo-handling systems p0142 N74-13729
 [AD-767254]
 Engineering appraisal of Southwest Research
 Institute magnetic crack definer applied to CH47
 rotor blades p0163 N74-14778
 [AD-769068]
 Major Item Special Study (MISS), AH-1G driveshaft
 assembly, main transmission to engine p0163 N74-14780
 [AD-768763]
 Failure modes, effects and criticality analysis
 (PNECA) of category III instrument landing
 system with traveling: Wave localizer antenna
 [U1-840912-100] p0164 N74-15380
 US Army helicopter rod end bearing reliability and
 maintainability investigation p0190 N74-15724
 [AD-768843]
 Mechanical component failure prognosis study ---
 helicopter gearboxes and transmissions p0238 N74-17765
 [AD-771033]
- The effects of sand particles on small, intricate
 mechanical components --- analysis of binding
 failures caused by sand particles in helicopter
 circuit breakers p0253 N74-18718
 [AD-772977]
 Rotor burst protection program: Statistics on
 aircraft gas turbine engine rotor failures that
 occurred in US commercial aviation during 1972
 [NASA-CR-136900] p0304 N74-21396
 Examples of aircraft failure --- photographic
 examples of typical aircraft component cracking
 through in service failure p0332 N74-23415
 Major Item Special Study (MISS). CH-47A
 Synchronizer shaft assembly --- failure analysis
 to eliminate failure modes and reduce logistics
 costs p0359 N74-25606
 [AD-776418]
 Major Item Special Study (MISS), CH-47A auxiliary
 power unit (T62-T-2A) p0499 N74-34552
 [AD-782927]
- FAILURE MODES**
 Failure experience with and failure anticipation
 in titanium components p0116 A74-16476
 A fatigue failure criterion for fiber reinforced
 materials p0178 A74-20478
 An overview of US Army helicopter structures
 reliability and maintainability p0249 N74-18682
 [AGARD-R-613]
 Major Item Special Study (MISS), CH-47A hydraulic
 servocylinder --- reliability analysis of
 military helicopter hydraulic system p0327 N74-21672
 [AD-775449]
- FAIRCHILD MILITARY AIRCRAFT**
 U FAIRCHILD-HILLER AIRCRAFT
 U MILITARY AIRCRAFT
FAIRCHILD-HILLER AIRCRAFT
 NT XC-142 AIRCRAFT
 Aircraft accident report: Ozark Airlines,
 Incorporated, Fairchild Hiller FH-227B, N4215
 near the Lambert-Saint Louis International
 Airport, Saint Louis, Missouri, 23 July 1973
 [NTSB-AAR-74-5] p0413 N74-28503
- FAN IN WING AIRCRAFT**
 Crossflow-induced flow distortion and its
 influence on the performance of a vertical axis
 lifting fan p0438 A74-40303
 [NE-73-4]
 Theoretical and experimental investigation of the
 performance of a fan-in-wing VTOL configuration
 [NASA-TN-D-7498] p0094 N74-11823
 Work unit 08 (V/STOL aerodynamics) --- low speed
 aerodynamics and fan-in-wing p0232 N74-17718
 [AD-771811]
 The effect of wind tunnel wall interference on the
 performance of a fan-in-wing VTOL model
 [NASA-TN-D-7518] p0254 N74-18895
 Acoustic tests on a fan-in-wing model: Effects of
 an extended inlet p0442 N74-29376
 [NRC-13898]
- FANLIFT DEVICES**
 U LIPT FANS
- FANS**
 Investigation of the characteristics of tubular
 microphone windscreens for in-duct fan sound
 power measurements p0023 A74-12126
- FAR FIELDS**
 On the theory of jet noise and its applications
 --- Lighthill theory p0026 A74-12218
 [AIAA PAPER 73-987]
 The acoustic far-field of rigid bodies in
 arbitrary motion p0224 A74-24375
 Far-field wake-vortex characteristics of wings
 [AIAA PAPER 74-505] p0339 A74-33104
 The prediction of rotor rotational noise using
 measured fluctuating blade loads p0387 A74-36615
 [AHS PREPRINT 801]
 Near field and far field sound radiation from Do
 31 V/STOL jet transport and possibilities for
 noise abatement in future V/STOL development
 [NASA-TT-F-15534] p0324 N74-21650
- FARM CROPS**
 NT GRAINS (FOOD)
- FASTENERS**
 A corrosion inhibiting coating for structural

FATIGUE (MATERIALS)

SUBJECT INDEX

airframe fasteners
[SAE PAPER 730902] p0018 A74-11588
Improved fastener systems for fatigue and sealing
redundancy of low shear transfer joints
[SAE PAPER 730901] p0018 A74-11589
Nitinol as a fastener material p0176 A74-20208
The 747 fail-safe structural verification program p0367 A74-26473

FATIGUE (MATERIALS)

BT METAL FATIGUE
BT STRUCTURAL STRAIN
BT THERMAL FATIGUE
Fatigue concepts for concrete airport pavement
design p0392 A74-37342
Fatigue of spacecraft structures
[ESRO-CR(P)-322] p0194 A74-16597
Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for aircraft applications [AD-770350] p0201 A74-17278
Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for airframe applications [AD-772736] p0255 A74-19184
Some considerations of the influence of fatigue in
the design of strike aircraft p0282 A74-19653
Fatigue design practice p0282 A74-19654
Fatigue and fracture considerations for tactical
aircraft p0282 A74-19656
Cumulative fatigue damage theory and models
[AD-774529] p0304 A74-21569
Spectrum of loading of aircraft --- diagrams of
typical flight-load profiles for tactical and
transport aircraft p0332 A74-23414
Fail-safe philosophy: An introduction to the
symposium --- design against fatigue p0366 A74-26460
A unified technology plan for fatigue and fracture
design p0366 A74-26465
Fatigue and fracture considerations in critical
titanium components --- for aircraft structures p0367 A74-26470
Aircraft fatigue and structural integrity in the
Royal Air Force from a maintenance engineering
viewpoint p0367 A74-26474
Fatigue in carbon fibre reinforced plastic
structures: A review of the problems p0368 A74-26478
Fretting in aircraft turbine engines
[NASA-TN-X-71606] p0475 A74-33228
Advanced metallic structures: Cargo wing design
for improved cost, weight, and integrity
[AD-782258] p0497 A74-34523

FATIGUE DIAGRAMS

U S-N DIAGRAMS

FATIGUE LIFE

Improved fastener systems for fatigue and sealing
redundancy of low shear transfer joints
[SAE PAPER 730901] p0018 A74-11589
A life study of AISI M-50 and Super Nitralloy spur
gears with and without tip relief [ASME PAPER 73-LUB-38] p0027 A74-12352
Fracture toughness and ndt requirements for
aircraft design p0085 A74-15033
High cycle fatigue properties of titanium in
aircraft application p0116 A74-16513
Fretting resistant coatings for titanium alloys p0117 A74-16592
Evaluation of methods for reducing fretting
fatigue damage in 2024-T3 aluminum lap joints p0117 A74-16696
A study of the damageability of turbine blades of
aircraft gas-turbine engines after operational
running in p0126 A74-18085
Fracture mechanics /Dryden Lecture/ --- aerospace
structural design applications [AIAA PAPER 74-230] p0135 A74-18858

Influence of heat on crack propagation and
residual strength and its relation to the
supersonic aircraft fatigue problem p0229 A74-24423
Advanced structural concepts for transport
aircraft wings [AIAA PAPER 74-339] p0263 A74-26654
Adhesive bonding increases fatigue life of wing
joint [AIAA PAPER 74-382] p0265 A74-26687
Fatigue strength of an aluminum alloy in petroleum
jet fuels at various temperatures p0268 A74-27078
Sonic fatigue failure mechanisms in potential
Space Shuttle Orbiter panel designs [AIAA PAPER 74-348] p0270 A74-27267
Influence of the method of hole machining on the
fatigue strength of aircraft structural materials p0270 A74-27343
Quality exponent method for planning and
interpretation of results of full-scale,
low-cycle fatigue tests [SAE PAPER 740218] p0274 A74-27501
Consolidated presentation of fatigue data for
design applications [SAE PAPER 740277] p0274 A74-27511
Black-box philosophy in reliability of aircraft
structures --- stochastic hypothesis on fatigue
damage under random loads p0279 A74-28432
Experience gained from statistical testing of
fatigue lives of model samples p0377 A74-35666
Design of uniformly long-lived structures of
minimum weight p0381 A74-36304
Effect of prior creep on durability of AK4-1-T1
alloy p0383 A74-36510
Determination of the fatigue life of structural
elements for a biharmonic loading process p0393 A74-37385
Effect of erosive wear on the fatigue life of
cantilever blades of axial-flow compressors of
aircraft turbojet engines p0399 A74-37681
Nonlinear effects of spectrum loading on fatigue
crack growth in transport wings [AIAA PAPER 74-984] p0428 A74-38742
Fail-safe characteristics of built-up sheet
structures [ICAS PAPER 74-08] p0448 A74-41310
Differentiation of corrosion damage by the
severity of its effects upon the resistance to
fatigue and corrosion-fatigue disintegration of
aircraft skin elements p0456 A74-42792
Effects of corrosidents on the fatigue life of an
ultra-high strength steel p0478 A74-44538
An investigation of the degree of damage to gas
turbine engine turbine blades after service life p0481 A74-45410
Current loads technology for helicopter rotors ---
based on rotor loads computer program for
determining fatigue design loads p0054 A74-10910
Life of fatigue cracks on rotor blades of turbines
in gas turbine engines [AD-767947] p0152 A74-14447
Investigation of the fatigue behavior of large
propellers --- for aircraft carriers [AD-769466] p0194 A74-16603
Design against fatigue --- conference on the
fatigue life assessment of tactical aircraft [AGARD-CP-141] p0282 A74-19652
Full scale fatigue requirements for rational
fatigue life prediction p0282 A74-19657
Fail-safe aircraft structures, volume 1 ---
conference [RAE-TR-73183-VOL-1] p0366 A74-26458
Fail-safe aircraft structures, volume 2 ---
conference [RAE-TR-73183-VOL-2] p0367 A74-26468
The impact of long service on the fatigue of
transport aircraft: Airworthiness aspects p0367 A74-26475

SUBJECT INDEX

FEASIBILITY ANALYSIS

- A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft
p0367 N74-26476
- Full-scale fatigue testing. A comparison with service experience and interpretation of test results
p0367 N74-26477
- Endurance test on flexible steel wire rope for aircraft controls at various pulley rope diameter ratios
[AQD/D-14] p0416 N74-28528
- Technical evaluation report on the AGARD Specialists Meeting on Design Against Fatigue --- in fighter aircraft
[AGARD-AR-71] p0495 N74-34488
- FATIGUE TESTS**
- Fatigue of supersonic transport materials using simulated flight-by-flight loading
p0004 A74-10616
- Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue
p0072 A74-13365
- Multi-axial low cycle fatigue test rig --- for aircraft compressors and turbine disks
p0077 A74-14158
- Laminated metallic structure - An approach to fracture control
p0083 A74-14754
- A 300 B static and fatigue tests
p0117 A74-16755
- A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in
p0126 A74-18085
- Photoelastic analysis of the stress field surrounding a fatigue crack
p0169 A74-19259
- A fatigue failure criterion for fiber reinforced materials
p0178 A74-20478
- Crack growth retardation under aircraft spectrum loads
p0218 A74-22501
- Endurance tests on glasses of transport aircraft
p0209 A74-22659
- Restoration in the laboratory of the effects of kinetic heating on the structure of the Concorde aircraft
p0216 A74-22670
- Effects of compressive overloads on fatigue crack growth
[AIAA PAPER 74-365] p0264 A74-26674
- A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures
[AIAA PAPER 74-415] p0266 A74-26711
- The stress-endurance fatigue severity index concept - A method of SN data development for aluminum aircraft structures
[SAE PAPER 740386] p0310 A74-28750
- An approach to the development of meaningful design rules for fatigue-loaded CFRP components --- carbon fiber reinforced plastics
p0313 A74-29783
- Alloys for helicopter rotor-blade spars
p0343 A74-34145
- Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen
p0343 A74-34290
- Oil canning of metallic panels in thermal-acoustic environments
[AIAA PAPER 74-982] p0428 A74-38740
- Concorde and safety - Design, testing and certification
p0431 A74-39050
- An investigation of the degree of damage to gas turbine engine turbine blades after service life
p0481 A74-45410
- Test plan report for catapult fatigue. Test of the model E-2 A/B airplane
[AD-765708] p0042 N74-10059
- Dynamic test of gears manufactured by advanced forging techniques
[AD-765491] p0047 N74-10484
- A standardized load sequence for flight simulation tests on transport aircraft wing structures
[LBF-PB-106/73] p0097 N74-11841
- Review of investigations on aeronautical fatigue in the Federal Republic of Germany, May 1969 - June 1973
[LBF-S-108] p0097 N74-11843
- Fatigue-test acceleration with flight-by-flight loading and heating to simulate supersonic-transport operation
[NASA-TB-D-7380] p0099 N74-12261
- Effect of polymer coatings on fatigue strength of aluminum alloy 2024 box beams
[NASA-CR-114699] p0193 N74-16250
- Endurance tests on transport aircraft cockpit window glasses --- noting European Airbus
p0197 N74-16732
- A theoretical study of inaccuracies arising from the representation of a continuous gust spectrum by a programme of discrete loads in fatigue tests
[BR37134] p0257 N74-19567
- Structural fatigue analysis and testing for fighter aircraft
p0282 N74-19655
- The role of the major fatigue test in the acceptance, certification and safe utilisation of strike aircraft
p0283 N74-19658
- Re-assessment of fatigue performance of fighter aircraft
p0283 N74-19659
- Designers' need for general information from analysis of fatigue test results and service behavior
p0283 N74-19660
- Fatigue behaviour of hat section stringer stiffened panels compressed in the post-buckling range
[AD-773672] p0293 N74-20579
- Research reports from the Institute for Service Reliability, issue 6
p0332 N74-23491
- Catapult fatigue test of the model C-2A airplane
[AD-775615] p0358 N74-25597
- The Lockheed L-1011 Tristar fatigue and fail-safe development program
p0366 N74-26462
- Airworthiness philosophy developed from full-scale testing --- of DC 10 aircraft
p0366 N74-26464
- Effect of proof load application on fatigue test results
p0367 N74-26471
- The 747 fail-safe structural verification program
p0367 N74-26473
- Full-scale fatigue testing. A comparison with service experience and interpretation of test results
p0367 N74-26477
- Fatigue of composite structures: Experience gained in the design of CFRP structures for helicopters
p0368 N74-26479
- FAULT MECHANICS**
- U FRACTURE MECHANICS**
- FEASIBILITY ANALYSIS**
- Feasibility study of use of polysulfide sealants for corrosion protection of spot welded aluminum alloys
p0084 A74-14771
- The remote airport - A study of access feasibility
p0216 N74-23353
- Explosive canopy severance --- feasibilities of ejection through different canopy materials
p0214 A74-23531
- Application of hydrogen to commercial transports
[SAE PAPER 740451] p0349 A74-34985
- FAA aircraft retrofit feasibility program --- for jet noise reduction
[SAE PAPER 740489] p0350 A74-34992
- Aircraft noise retrofit feasibility program results and applications
p0396 A74-37534
- The spectrum of rotor noise caused by atmospheric turbulence
p0397 A74-37537
- The case for a high-speed research airplane - Results from an in-house study
[AIAA PAPER 74-988] p0429 A74-38745
- Incremental growth vehicle /IGV/ --- hypersonic research aircraft development technique

FEATHERING

[AIAA PAPER 74-989] p0429 A74-38746
The feasibility of an aircraft propelled by solar energy
[AIAA PAPER 74-1042] p0456 A74-42055

FEATHERING
The effect of cyclic feathering motions on dynamic rotor loads p0394 A74-37492

FEDERAL REPUBLIC OF GERMANY
U GERMANY

FEEDBACK
NT POSITIVE FEEDBACK
FEEDBACK CONTROL
NT CASCADE CONTROL
Feedback control of an airplane with time varying gain p0086 A74-15447
Suppression of flutter on interfering lifting surfaces by the use of active controls [AIAA PAPER 74-404] p0266 A74-26703
Aircraft dynamics and automatic control --- Book p0320 A74-31219
Cabin pressure control - An exercise in nonlinear design p0373 A74-35208
Steady state decoupling and design of linear multivariable systems p0380 A74-36115
Rotor moment control with flap-moment feedback [AHS PREPRINT 842] p0385 A74-36593
Open and closed loop stability of hingeless rotor helicopter air and ground resonance p0395 A74-37501
Closed loop analysis of manual flare and landing --- aircraft maneuvers simulation [AIAA PAPER 74-834] p0401 A74-37833
Sample rate selection for aircraft digital control [AIAA PAPER 74-885] p0401 A74-37867
A classical approach to the design of model-following control systems --- for fighter aircraft [AIAA PAPER 74-913] p0402 A74-37893
Application of modern control theory to the design of optimum aircraft controllers p0433 A74-39496
Optimal incomplete feedback control of linear stochastic systems [AD-766878] p0064 A74-11378
Analysis and testing of aeroelastic model stability augmentation systems --- for supersonic transport aircraft wing and B-52 aircraft control system [NASA-CR-132345] p0093 A74-11807
Analysis and testing of stability augmentation systems --- for supersonic transport aircraft wing and B-52 aircraft control system [NASA-CR-132349] p0093 A74-11809
Analysis of aeroelastic model stability augmentation systems --- for application to supersonic transport aircraft [NASA-CR-132354] p0095 A74-11829
An optimal control approach to airplane stability augmentation systems design p0195 A74-16712
C.S.A.S. design for good handling in turbulence --- development of design criteria for stability augmentation systems for alleviation of gust effects p0234 A74-17741

FELLOWSHIP AIRCRAFT
U F-28 TRANSPORT AIRCRAFT

FIAT AIRCRAFT
NT G-222 AIRCRAFT
FIAT G-222 AIRCRAFT
U G-222 AIRCRAFT

FIBER OPTICS
Fiber optics as applied to Advanced Aircraft Electrical Systems p0425 A74-38576
Fiber and integrated optic communication technology [AD-771402] p0240 A74-17902
Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques [AD-783269] p0498 A74-34550

FIBER ORIENTATION
Transverse compressive behaviour of unidirectional carbon fibre reinforced plastics p0313 A74-29785

SUBJECT INDEX

FIBER STRENGTH
New application potential for lower cost, heavy denier Kevlar-49 yarns p0379 A74-35837
'Kevlar' 49 woven and nonwoven fabric composites performance and applications p0438 A74-40505

FIBERGLASS
U GLASS FIBERS
FIBERS
NT CARBON FIBERS
NT GLASS FIBERS
NT METAL FIBERS
NT REINFORCING FIBERS
Nonflammable fibrous materials for aeronautical systems p0379 A74-35807

FIBROUS MATERIALS
U FIBERS

FIGHTER AIRCRAFT
NT ALPHA JET AIRCRAFT
NT F-4 AIRCRAFT
NT F-5 AIRCRAFT
NT F-8 AIRCRAFT
NT F-14 AIRCRAFT
NT F-15 AIRCRAFT
NT F-17 AIRCRAFT
NT F-89 AIRCRAFT
NT F-104 AIRCRAFT
NT F-106 AIRCRAFT
NT F-111 AIRCRAFT
NT FV-12A AIRCRAFT
NT HARRIER AIRCRAFT
NT P-1127 AIRCRAFT
NT SAAB 37 AIRCRAFT
NT VJ-101 AIRCRAFT
NT YF-12 AIRCRAFT
NT YF-16 AIRCRAFT
Integrated airframe-nozzle performance for designing twin-engine fighters [AIAA PAPER 73-1303] p0011 A74-11302
Computer-aided design and drafting /CADD/ - An advanced designer's tool [SAE PAPER 730934] p0016 A74-11566
The next step is straight up --- V/STOL fighter-attack aircraft for minicarriers p0023 A74-12129
Preliminary results of flight tests of the propulsion system of the YF-12 airplane at Mach numbers to 3.0 [AIAA PAPER 73-1314] p0033 A74-12951
Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane [ASME PAPER 73-WA/AERO-4] p0071 A74-13246
MRCA progress report --- multirole combat aircraft turbofan engine design p0086 A74-15151
Application of advances in structures and materials to the design of the YF-17 airplane [SAE PAPER 730891] p0123 A74-17534
Two numerical methods to solve realistic air-to-air combat differential games [AIAA PAPER 74-22] p0132 A74-18736
Application of damage tolerance technology to advanced metallic fighter wing structure [AIAA PAPER 74-29] p0132 A74-18738
Evaluation of aircraft departure divergence criteria with a six-degree-of-freedom digital simulation program [AIAA PAPER 74-68] p0136 A74-18882
Digital adaptive flight controller development p0176 A74-20120
Some experiences from the use of an LCC approach --- Life Cycle Cost for weapon systems acquisition p0181 A74-20944
Conceptual options for future aircraft-ship operations [AIAA PAPER 74-300] p0182 A74-21290
A new aircraft/ship mating system [AIAA PAPER 74-303] p0183 A74-21292
U.S. Navy development of a mission specific fighter helmet p0211 A74-23529
Why military airplanes cost so much and what can be done about it p0259 A74-25671
MRCA prepares for flight test --- Multi-Role Combat Aircraft

- MRCA nav-attack system --- Multi-Role Combat Aircraft p0261 A74-26416
- Royal Air Force experience of the Harrier /Second Sir Sydney Camm Lecture/ p0262 A74-26417
- Air Superiority Fighter wing structure design for improved cost, weight and integrity p0262 A74-26564
- [AIAA PAPER 74-337] p0262 A74-26652
- Air Superiority Fighter wing design for cost and weight reduction p0263 A74-26653
- [AIAA PAPER 74-338] p0263 A74-26653
- New alloys for advanced metallic fighter-wing structures p0265 A74-26679
- [AIAA PAPER 74-372] p0265 A74-26680
- Material selection and evaluation for advanced metallic aircraft structures p0265 A74-26680
- [AIAA PAPER 74-373] p0265 A74-26680
- YP-17 evolved from previous data base --- Northrop trainer/fighter prototype p0276 A74-27848
- Light hoverable combat aircraft - Wind tunnel tests p0319 A74-30600
- Air-to-air tracking techniques to evaluate aircraft handling qualities p0345 A74-34838
- Wind tunnel and flight performance of the YF-12 inlet system p0376 A74-35388
- [AIAA PAPER 74-621] p0399 A74-37810
- Estimation of nonlinear aerodynamic derivatives of a variable geometry fighter aircraft from flight data p0400 A74-37823
- [AIAA PAPER 74-790] p0402 A74-37893
- Differential-turning tactics --- air-to-air combat p0428 A74-38734
- [AIAA PAPER 74-815] p0428 A74-38735
- A classical approach to the design of model-following control systems --- for fighter aircraft p0428 A74-38736
- [AIAA PAPER 74-913] p0428 A74-38736
- Conceptual design of a lift fan plus lift/cruise fighter aircraft p0430 A74-38792
- [AIAA PAPER 74-969] p0430 A74-38793
- An analysis of the effects of internally blown jet flaps on an advanced fighter aircraft design p0435 A74-39888
- [AIAA PAPER 74-970] p0453 A74-41797
- Supercirculation effects induced by vectoring a partial-span rectangular jet --- for fighter aircraft maneuverability p0453 A74-41803
- [AIAA PAPER 74-971] p0479 A74-45100
- Netherlands Association of Aeronautical Engineers, Yearbook 1973 --- Book p0113 N74-13696
- Fighter requirements and developments p0145 N74-13749
- Fly-by-wire - What does it weigh --- fighter aircraft flight control weight reduction p0158 N74-14734
- [SAWE PAPER 1018] p0162 N74-14773
- A display of energy-maneuverability performance information for fighter aircraft p0198 N74-16743
- [AIAA PAPER 74-814] p0198 N74-16743
- An investigation of overall systems criteria for the longitudinal flying qualities of highly augmented fighter aircraft p0198 N74-16743
- [AIAA PAPER 74-833] p0198 N74-16743
- Aerodynamic design evolution of the YF-16 p0198 N74-16743
- [AIAA PAPER 74-935] p0198 N74-16743
- Differential game barriers and their application in air-to-air combat p0198 N74-16743
- [AD-766890] p0198 N74-16743
- A pylon to decrease the effects of external stores on the stability of aircraft p0198 N74-16743
- [AD-767913] p0198 N74-16743
- Development of techniques to measure in-flight drag of a US Navy fighter airplane and correlation of flight measured drag with wind tunnel data p0198 N74-16743
- Definition of study objectives for integrated crew module development p0198 N74-16743
- [AD-769065] p0198 N74-16743
- High acceleration cockpit: The maneuvering countermeasure --- cockpit design for improved pilot performance p0198 N74-16743
- [AD-770287] p0198 N74-16743
- Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 1: Experimental research --- wind tunnel tests of jet fighter aircraft scale model p0232 N74-17710
- [AD-771290] p0232 N74-17710
- Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation --- wind tunnel tests of jet fighter scale model p0232 N74-17711
- [AD-771304] p0232 N74-17711
- Improvement of maneuverability at high subsonic speeds --- application of slotted and unslotted leading edge and trailing edge flaps p0236 N74-17757
- [NASA-TT-P-15406] p0282 N74-19652
- Design against fatigue --- conference on the fatigue life assessment of tactical aircraft p0282 N74-19652
- [AGARD-CP-141] p0282 N74-19652
- Some considerations of the influence of fatigue in the design of strike aircraft p0282 N74-19653
- Fatigue design practice p0282 N74-19654
- Structural fatigue analysis and testing for fighter aircraft p0282 N74-19655
- Fatigue and fracture considerations for tactical aircraft p0282 N74-19656
- Full scale fatigue requirements for rational fatigue life prediction p0282 N74-19657
- The role of the major fatigue test in the acceptance, certification and safe utilisation of strike aircraft p0283 N74-19658
- Re-assessment of fatigue performance of fighter aircraft p0283 N74-19659
- Formulating military requirements --- effect of military requirements on technical and design considerations p0289 N74-20404
- Application of the lateral and longitudinal (coupled) equations of motion to an inertially-slender aircraft in unsymmetric, rectilinear flight p0295 N74-20645
- [AD-774435] p0304 N74-21187
- Differential game barriers and their application in air-to-air combat p0327 N74-21673
- Air-to-air fire control exposition, phase 3 (Expo 3) p0327 N74-21673
- [AD-775360] p0416 N74-28524
- Exhaust-nozzle characteristics for a twin-jet variable-wing-sweep fighter airplane model at Mach numbers to 2.2 p0463 N74-31419
- [NASA-TM-X-2947] p0463 N74-31442
- Subsonic and supersonic longitudinal stability and control characteristics of an aft tail fighter configuration with cambered and uncambered wings and uncambered fuselage p0466 N74-31479
- [NASA-TM-X-3078] p0466 N74-31483
- On the design and evaluation of flight control systems p0471 N74-32424
- Design optimization of the VAR 191B and its evaluation based on results from the hardware realisation and test data p0471 N74-32426
- Advancements in future fighter aircraft p0471 N74-32426
- Designing for maneuverability: Requirements and limitations p0471 N74-32426
- The team leader's role in design to cost preliminary design p0471 N74-32426
- Comparison of electrical generating systems based on IDG and VSCF techniques in two types of aircraft p0473 N74-32482
- A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables p0491 N74-33470
- [AD-782490] p0495 N74-34488
- Technical evaluation report on the AGARD Specialists Meeting on Design Against Fatigue --- in fighter aircraft p0495 N74-34488
- [AGARD-AR-71] p0497 N74-34517
- Fighter technology demonstrator precursor analysis and test. Volume 1: Baseline development and technology identification p0497 N74-34517
- [AD-783636] p0497 N74-34517

FILAMENT WINDING

UH-1D filament-wound tubular-reinforced rotor blade
--- development of procedures for calculating
structural characteristics
[AD-772947] p0253 N74-18713

FILAMENT WOUND CONSTRUCTION

U FILAMENT WINDING

FILM COOLING

Estimation and optimization of the film cooling
requirements in a gas turbine combustion chamber
[CRANFIELD-SME-5] p0152 N74-14439
A proposed method for calculating film-cooled wall
temperatures in gas turbine combustion chambers
[CRANFIELD-SME-4] p0152 N74-14440
Measurements of liner cooling effectiveness within
a full scale double-annular ram-induction
combustor
[NASA-TN-D-7689] p0362 N74-26389

FILTRING

U FILTRATION

FILTRATION

Filtration of aviation fuels --- Russian book
p0421 A74-38046

FINANCIAL MANAGEMENT

Aircraft life cycle profitability - The
manufacturer's challenge
[AIAA PAPER 74-280] p0180 A74-20836
Aircraft life cycle profitability - The operator's
challenge
[AIAA PAPER 74-281] p0180 A74-20837
A proposed pricing procedure for domestic airlines
p0340 A74-33298
Automation and flight management in commercial
aviation
p0433 A74-39499

FINISHES

NT LACQUERS

FINITE DIFFERENCE THEORY

Calculation of separated flows at subsonic and
transonic speeds
p0118 A74-16965
Three dimensional supersonic flow field analysis
of the F-1 airplane by a finite difference
technique and comparison with experimental data
[AIAA PAPER 74-189] p0136 A74-18877
Calculation of supersonic flow past conical bodies
p0174 A74-19935
Torsion of prismatic shell by finite difference
approach
p0314 A74-29906
An inviscid analysis of transonic, slatted airfoils
[AIAA PAPER 74-541] p0339 A74-33137
A finite difference method for the solution of the
transonic flow around harmonically oscillating
wings
[AIAA PAPER 74-543] p0339 A74-33138
Calculation of transonic gas flows past
axisymmetric bodies and lifting wing profiles
p0390 A74-36826
The numerical solution of the asymptotic equations
of trailing edge flow
p0456 A74-42797
Iterative solution of transonic flows over
airfoils and wings, including flows at Mach 1
p0459 A74-43451
Three dimensional flows around airfoils with shocks
p0480 A74-45226

FINITE ELEMENT METHOD

Finite element solution of the incompressible flow
over an airfoil in a nonuniform stream
p0014 A74-11426
Suitability of the finite element method for
analysis of unsteady flow around oscillating
airfoils
p0014 A74-11439
A thermal, thermoelastic, and wear simulation of a
high-energy sliding contact problem
[ASME PAPER 73-LUB-6] p0027 A74-12333
Finite element analysis of supersonic panel flutter
p0069 A74-13001
Lifting surface problems analysis --- by finite
element method
p0223 A74-24473
Evaluation of damage tolerance in aircraft
structures
[AIAA PAPER 74-347] p0263 A74-26661
A new method of bulkhead analysis in aircraft
structures
[SAE PAPER 740388] p0310 A74-28752

Structural finite element analysis aided by
computer graphics
[SAE PAPER 740389] p0310 A74-28753
Finite element airplane cost analysis
[SAE PAPER 740390] p0310 A74-28754
Shell instability analysis applied to a radome
p0311 A74-28963
Optimization of complex structures to satisfy
static, dynamic and aeroelastic requirements
p0318 A74-30453
Comment on 'A finite-element method for
calculating aerodynamic coefficients of a
subsonic airplane'
p0343 A74-33815
The stress concentration in a stretched plate
reinforced by a central belt and having an
aperture
p0390 A74-36816
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0394 A74-37488
Practical design of minimum weight aircraft
structures for strength and flutter requirements
[AIAA PAPER 74-986] p0429 A74-38743
Finite element technique in lifting surface problems
p0432 A74-39344
Analysis of moving body problems in aerodynamics
p0432 A74-39346
Flow through a cascade of aerofoils
p0432 A74-39355
Nonlinear crack analysis with finite elements ---
for application to airframes
[AD-766558] p0067 N74-11722
NASTRAN data generation of helicopter fuselages
using interactive graphics --- preprocessor
system for finite element analysis using IBM
computer
p0153 N74-14621
Finite element analysis of the flow through a
cascade of aerofoils
[CUED/A-TURBO/TR-45] p0255 N74-18920
Cyclic-stress analysis of notches for supersonic
transport conditions --- using finite element
method
[NASA-CR-132387] p0257 N74-19544
FINNED BODIES
Designing a dynamically stable body with lifting
surfaces for a follower load
p0087 A74-15710
Holographic time-average vibration study of a
structure dynamic model of an airplane fin
p0340 A74-33179
FINS
Asymptotic behavior of the solution of the
Navier-Stokes equations near fins
p0088 A74-15779
Deployable flexible ventral fins for use as an
emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] p0445 N74-30421
FIRE CONTROL
Air-to-air fire control exposition, phase 3 (Expo 3)
[AD-775360] p0327 N74-21673
Structural dynamic response of AH-1G wing with
IN35 weapon
[AD-781973] p0491 N74-33468
FIRE DAMAGE
Summary of fire and explosion manual for aircraft
accident investigation
p0211 A74-23543
FIRE PREVENTION
Technology forecasting - Aircraft hazard detection
p0015 A74-11499
Summary of fire and explosion manual for aircraft
accident investigation
p0211 A74-23543
Nonflammable fibrous materials for aeronautical
systems
p0379 A74-35807
Protection of civil aviation aircraft against fire
p0421 A74-38149
Fire and explosion manual for aircraft accident
investigators
[AD-771191/4GA] p0250 N74-18694
Aerospace vehicle hazards protection program:
Detectors materials fuel vulnerability
[AD-776301] p0359 N74-25603

SUBJECT INDEX

FLAT PLATES

- Bibliography on aircraft fire hazards and safety.
Volume 2: Safety. Part 1: Key numbers 1 to 524
[NASA-TN-X-71553-VOL-2-PT-1] p0406 N74-27492
- FIBERS**
An evaluation of the relative fire hazards of jet
A and jet B for commercial flight
[NASA-TN-X-71437] p0049 N74-10709
Evaluation of the structural integrity of an
aircraft loading walkway under severe fuel-spill
fire conditions
[FAA-BD-73-144] p0104 N74-12716
Development and testing of a cadmium telluride
high temperature (750 F) infrared fire detector
--- for detecting aircraft engine fires
[AD-773324] p0287 N74-19714
Bibliography on aircraft fire hazards and safety.
Volume 1: Hazards. Part 1: Key numbers 1 to 817
[NASA-TN-X-71553-VOL-1-PT-1] p0406 N74-27491
- FIREWORKS**
U PYROTECHNICS
FIXED WINGS
Fixed wing aircraft
Automatic flight controls in fixed wing aircraft -
The first 100 years p0127 A74-18176
Aircraft accident report: Air Iowa, Incorporated,
Beech B18S, N310WA, Davenport Iowa, 19 Apr. 1973
[NTSB-AAR-73-18] p0039 N74-10041
- FIXED-WING AIRCRAFT**
U AIRCRAFT CONFIGURATIONS
U FIXED WINGS
FLAME FRONTS
U FLAME PROPAGATION
FLAME INTERACTION
U CHEMICAL REACTIONS
U FLAME PROPAGATION
FLAME PROPAGATION
Swirling flow combustion - Fundamentals and
application --- hydrocarbon-air flame velocity,
turbojet afterburner application
[AIAA PAPER 73-1250] p0009 A74-11271
Noise generation by ducted combustion systems ---
resonant oscillations
[AIAA PAPER 73-1024] p0026 A74-12223
Full-scale aircraft cabin flammability tests of
improved fire-resistant materials
[NASA-TN-X-58141] p0411 N74-28423
- FLAME RETARDANTS**
Gross voided flame arresters for fuel tank
explosion protection
[AD-777898] p0409 N74-27540
- FLAME SPECTROSCOPY**
Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection
[AD-769298] p0192 N74-15830
- FLAME STABILITY**
An empirical model for calculating the critical
conditions of flame stabilization p0022 A74-11824
- FLAMES**
NT DIFFUSION FLAMES
Titanium flamecutting reduces airframe costs.
p0118 A74-16760
Ultraviolet and near-infrared spectral analysis of
a burner-can burn-through flame
[FAA-NA-73-86] p0053 N74-10866
- FLANGES**
Aircraft engine and accessory drives and flange
standards
[SAE AIR 1160 A] p0269 A74-27257
- FLAP CONTROL**
U AIRCRAFT CONTROL
U FLAPS (CONTROL SURFACES)
FLAPPING
A study of lifting rotor flapping response peak
distribution in atmospheric turbulence
p0210 A74-23329
Effect of spanwise load-correlation on rotor blade
flapping
[AIAA PAPER 74-418] p0267 A74-26714
Development and flight test of a radio controlled
ornithopter prototype
p0347 A74-34850
Some approximations to the flapping stability of
helicopter rotors
p0393 A74-37486
- Concepts for a theoretical and experimental study
of lifting rotor random loads and vibrations,
Phase 2
[NASA-CR-114708] p0160 N74-14756
Some approximations to the flapping stability of
helicopter rotors p0496 N74-34494
- FLAPPING HINGES**
Effect of steady state coning angle and damping on
whirl flutter stability p0090 A74-15967
Computer experiments on periodic systems
identification using rotor blade transient
flapping-torsion responses at high advance ratio
p0496 N74-34492
- FLAPS (CONTROL SURFACES)**
NT EXTERNALLY BLOWN FLAPS
NT JET FLAPS
NT LEADING EDGE SLATS
NT SPLIT FLAPS
NT TRAILING-EDGE FLAPS
NT WING FLAPS
New airfoil sections for general aviation aircraft
--- cruising and flap development tests
[SAE PAPER 730876] p0019 A74-11606
Fabrication of advanced fibrous composite structures
[SHE PAPER EM73-716] p0075 A74-13953
Inviscid wake-airfoil interaction on multielement
high lift systems p0127 A74-18143
Vortex-induced heating to cone flaps at Mach 6
p0223 A74-24958
A Fowler flap system for a high-performance
general aviation airfoil
[SAE PAPER 740365] p0309 A74-28739
Propulsion system sizing for powered lift and
mechanical flap quiet aircraft
[SAE PAPER 740455] p0349 A74-34983
Theoretical and experimental study of boundary
layer blowing at the hinge of a lift-augmenting
flap
[ONERA, TP NO. 1367] p0422 A74-38311
Design and fabrication of an aeroelastic flap
element for a Short TakeOff and Landing (STOL)
aircraft model
[NASA-CR-132339] p0104 N74-12717
Experimental study of a wing profile with Fowler
flaps and slats --- development of theory for
flow conditions during takeoff and landing
[NASA-TT-F-15370] p0235 N74-17747
A suggestion for improving flap effectiveness by
heat addition --- with pressure gradient
modification near trailing-edge flaps
[ABC-CP-1252] p0246 N74-18662
Low speed aerodynamic characteristics of NACA 6716
and NACA 4416 airfoils with 35 percent-chord
single-slotted flaps --- low turbulence pressure
tunnel tests to determine two dimensional lift
and pitching moment characteristics
[NASA-TN-X-2623] p0323 N74-21634
Ejector blown lift/cruise flap wind tunnel
investigation
[AD-777181] p0363 N74-26430
Analysis of the aerodynamic characteristics of
devices for increasing wing lift. 3: Influence
of ground proximity on the aerodynamic
characteristics of the flaps
[NASA-TT-F-15762] p0405 N74-27483
- FLAT PLATES**
Solution of the plane problem of the aerodynamics
of a rarefied gas on the basis of Boltzmann's
kinetic equation p0005 A74-10976
Finite element analysis of supersonic panel flutter
p0069 A74-13001
Heat transfer investigation in a high-temperature
gas flow spreading over a plane surface
p0131 A74-18684
Theoretical investigation of supersonic flow past
oscillating cascades with subsonic leading-edge
locus
[AIAA PAPER 74-14] p0135 A74-18843
Unsteady viscous flow on oscillating airfoils
[AIAA PAPER 74-182] p0179 A74-20774
Lifting surface problems analysis --- by finite
element method p0223 A74-24473
Interaction between an overexpanded gas jet and a
flat obstacle

- The mean skin friction coefficient for a rough flat plate with a turbulent two-dimensional boundary layer in compressible adiabatic flow, with application to wedges, cylinders and cones [ESDU-73016] p0391 A74-37138
- FORTRAN programs for the determination of generalised air forces on interfering lifting surfaces oscillating in subsonic flow [ABL/SN-REPT-345] p0035 N74-10008
- FLAW DETECTION p0246 N74-18655
- U NONDESTRUCTIVE TESTS
- FLAWS
- U DEFECTS
- FLEXIBILITY
- Flexural rigidity of a thin walled build-up rotor for jet engine. Measurement by static load test and vibration test and calculation by finite element method [NAL-TB-329] p0293 N74-20572
- FLEXIBLE BODIES
- Balancing of a flexible rotor. III - Universal state of balance of a flexible rotor irrespective of its bearing stiffness p0082 A74-14622
- Observable changes of load sample function due to structural elasticity p0321 A74-31745
- Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft [NASA-CASE-LAR-10753-1] p0445 N74-30421
- FLEXIBLE WINGS
- NT PARAWINGS
- Flexible lifting surfaces --- in steady inviscid compressible flow p0173 A74-19684
- Studies of an elastic wing --- aerodynamic load tests p0184 A74-21781
- Effect of spanwise load-correlation on rotor blade flapping [AIAA PAPER 74-418] p0267 A74-26714
- FLIGHT ALTITUDE
- Sonic boom analysis for high altitude flight at high Mach number [AIAA PAPER 73-1034] p0026 A74-12224
- Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point [NASA-CASE-FRC-10049-1] p0111 N74-13420
- FLIGHT CHARACTERISTICS
- Propulsion requirements for powered-lift aircraft [AIAA PAPER 73-1214] p0031 A74-12928
- Trimmed drag and maximum flight efficiency of aft tail and canard configurations [AIAA PAPER 74-69] p0134 A74-18813
- Rotor wakes - Key to performance prediction p0203 A74-22455
- STOL aircraft with blown wings p0209 A74-22785
- Problems of quality of flight of future transport aircraft in course of development p0210 A74-23396
- Piloting techniques and flying qualities of the next generation of aircraft p0212 A74-23595
- Problems concerning the flying qualities of future transport aircraft p0225 A74-24894
- Aerodynamic design approach to the stall/spin problem - The VariViggen [SAE PAPER 740391] p0310 A74-28755
- Low speed handling with prototype-Concorde p0320 A74-30819
- V/STOL flying qualities research using the X-22A p0320 A74-30825
- Flight testing today - 1973; Proceedings of the Fourth National Symposium, Las Vegas, Nev., August 21-23, 1973 p0345 A74-34837
- An experimental investigation of STOL lateral-directional flying qualities and roll control power requirements using the variable stability X-22A aircraft [AHS PREPRINT 841] p0385 A74-36592
- Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
- Consideration of control elasticity in calculating the deformation of gyroplane rotor blades p0398 A74-37662
- VFW 614 - An appraisal of Germany's new short haul jet p0438 A74-40511
- Status and future of determination of aerodynamic derivatives from flight data p0451 A74-41348
- [ICAS PAPER 74-48]
- Computation of aerodynamic loads on helicopter rotorblades in forward flight, using the method of the acceleration potential [ICAS PAPER 74-54] p0451 A74-41353
- Analysis and experimental studies of the control of hang gliders [AIAA PAPER 74-1030] p0455 A74-42045
- Investigation of a stored energy launch system for gliders [AIAA PAPER 74-1047] p0456 A74-42059
- Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73019] p0103 N74-12709
- Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73018] p0103 N74-12710
- Control Configured Vehicle Ride Control (CCV RCS). B-52 control system analysis, synthesis, and design [AD-767590] p0142 N74-13728
- Review of drag measurements from flight tests of manned aircraft with comparisons to wind-tunnel predictions p0158 N74-14735
- A linearized theory for the unsteady motions of a wing in curved flight [AD-769671] p0187 N74-15705
- C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry [NASA-CR-134184] p0189 N74-15717
- High transonic speed transport aircraft study --- aerodynamic characteristics of single-fuselage, yawed-wing configuration [NASA-CR-114658] p0235 N74-17750
- Technical evaluation report on AGARD Flight Mechanics Panel Symposium on Flight in Turbulence [AGARD-AR-67] p0294 N74-20639
- Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft --- evaluation of gust alleviating aircraft control surfaces [NASA-TM-X-71921] p0296 N74-20657
- Determination of the allowable tolerances for the asymmetries of a free rolling vehicle [TAE-185] p0323 N74-21637
- F-14 optimum flight modes, volume 1 [AD-775246] p0326 N74-21665
- A survey of AFDDL parameter estimation efforts and future plans p0355 N74-25571
- General technical information --- survey of technical data on aircraft performance prediction p0364 N74-26446
- Suppression of flutter on interfering lifting surfaces by the use of active controls p0411 N74-28473
- Study of stability of large maneuvers of airplanes [NASA-CR-2447] p0442 N74-29382
- Analysis of maneuverability effects on rotor/wing design characteristics [AD-779448] p0443 N74-29401
- Subsonic and supersonic longitudinal stability and control characteristics of an aft tail fighter configuration with cambered and uncambered wings and uncambered fuselage [NASA-TM-X-3078] p0463 N74-31419
- Performance estimates for powered parafoil systems [AD-779926] p0468 N74-31514
- Effect of artificial stability on aircraft performance [NASA-TT-F-15953] p0472 N74-32442
- Turbulence flight director analysis and preliminary simulation [NASA-CR-140487] p0488 N74-33445
- Optimal and suboptimal control technique for aircraft spin recovery [NASA-TN-D-7714] p0489 N74-33453
- Helicopter procedural innovations (unusual attitudes) --- revision of aircraft attitude

- recovery techniques for application to helicopter operations
[AD-782204] p0491 A74-33471
- An analysis of the impact of cabin floor angle restrictions on L/D for a typical supersonic transport
[NASA-CR-132508] p0494 A74-34469
- Methods studies toward simplified rotor-body dynamics, part 1
[NASA-CR-137570] p0495 A74-34483
- FLIGHT CONDITIONS**
- Analysis of passenger acceptance of commercial flights having characteristics similar to STOL
p0085 A74-15046
- Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions
[AIAA PAPER 74-41] p0132 A74-18749
- Collection of problems on airplane piloting /4th revised and enlarged edition/ --- Russian book
p0170 A74-19372
- Measurements of gusts on Concorde --- in wind tunnels and inflight
p0226 A74-25320
- Sonic boom from an aircraft flying in a quiet atmosphere
p0392 A74-37376
- FLIGHT CONTROL**
- NT AUTOMATIC FLIGHT CONTROL
- NT AUTOMATIC LANDING CONTROL
- NT FLY BY WIRE CONTROL
- NT THRUST VECTOR CONTROL
- Use of simulators in the design and development of flight control systems
[SAE PAPER 730933] p0016 A74-11567
- Motion relationships in aircraft attitude and guidance displays - A flight experiment
p0081 A74-14597
- Pilotage error and residual attention - The evaluation of a performance control system in airborne area navigation
p0087 A74-15630
- Design and hover-flight testing of a deflection control system for the Aerodyne wingless, remote-controlled experimental flight vehicle
[DGLR PAPER 73-070] p0120 A74-17179
- The impact of area navigation on flight control systems and displays
p0122 A74-17277
- Adaptive systems research in the NASA
p0175 A74-20095
- On the dynamics of human pilots in marginally controllable systems
p0209 A74-23203
- The atmosphere and flight vehicle motion control --- Russian book
p0212 A74-23693
- The CCV concept and specifications --- Control Configured Vehicles
[ONERA, TP NO. 1282] p0225 A74-25061
- MRCA nav-attack system --- Multi-Role Combat Aircraft
p0262 A74-26417
- Lockheed S-3A Viking - Combined flight control/utility system
p0268 A74-27015
- MRCA systems and related equipment - Hydraulic system and flying controls
p0336 A74-32633
- Digital system identification and its application to digital flight control
p0342 A74-33768
- Performance considerations for terrain following flight
p0346 A74-34843
- Piloted power approach simulation
p0347 A74-34853
- F-15 Eagle flight control system
p0347 A74-34854
- Flight/propulsion control integration aspects of energy management
[SAE PAPER 740480] p0349 A74-34978
- Cooperative airframe/propulsion control for supersonic cruise aircraft
[SAE PAPER 740478] p0351 A74-34998
- Adaptive and nonlinear control systems in aerospace applications
p0373 A74-35206
- VPW 614 surface control system
p0375 A74-35362
- VPW 614 avionics --- guidance, communications and radar systems
p0375 A74-35364
- A gradient method of control correction for the solution of a boundary value problem --- for aircraft trajectory optimization
p0383 A74-36505
- Determination of the efficiency of the longitudinal control systems of an elastic flight vehicle
p0384 A74-36576
- Approximate optimal control of the banking angle in the problem of hypersonic vehicle return
p0389 A74-36645
- A new concept for angular rate flight control sensors.
[AIAA PAPER 74-868] p0401 A74-37855
- Impact of new MIL-P-9490D requirements on future flight control developments
[AIAA PAPER 74-914] p0402 A74-37894
- Management of analytical redundancy in digital flight control systems for aircraft
[AIAA PAPER 74-887] p0422 A74-38249
- A digital multimode flight control system for tactical fighters
p0423 A74-38551
- Opportunities in flight/propulsion control coupling /FPCC/
[SAE PAPER 740482] p0433 A74-39649
- Fly-by-wire - What does it weigh --- fighter aircraft flight control weight reduction
[SAE PAPER 1018] p0435 A74-39888
- Problems of flight in turbulence
[ICAS PAPER 74-32] p0449 A74-41333
- An investigation of overall systems criteria for the longitudinal flying qualities of highly augmented fighter aircraft
[AIAA PAPER 74-833] p0453 A74-41803
- Short-time parameter optimization with flight control application
p0482 A74-45720
- Determinant parameters defining the principal layout and design solution of a system for automatic control of the transfer ratio in a longitudinal flight control system
p0485 A74-46708
- Simulating the system of automatic correction of aircraft coordinates on an analog computer
[AD-765991] p0042 A74-10058
- STOL tactical aircraft investigation. Volume 1: Configuration definition
[AD-766941] p0057 A74-10927
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 1: Takeoff and landing ground rules
[AD-766942] p0057 A74-10928
- Manufacturing Methods Technology (MM/T) for ballistic-tolerant flight control components
[AD-766744] p0058 A74-10933
- STOL tactical aircraft investigation. Volume 2, part 2: A lifting line analysis method for jet-flapped wings
[AD-766877] p0058 A74-10937
- Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] p0059 A74-10942
- Selected problems regarding the formation of a simulation model --- dynamic structural analysis of V/STOL flight control system
[NASA-TT-P-15173] p0060 A74-11095
- The design of an optimal adaptive lateral-directional flight control system for a high-performance aircraft
p0095 A74-11824
- Study of a control system to alleviate aircraft response to horizontal and vertical gusts --- for short takeoff aircraft with vane-controlled gust-alleviation system
[NASA-TN-D-7278] p0095 A74-11825
- STOL tactical aircraft investigation. Volume 5, part 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps --- for transport aircraft configuration
[AD-766642] p0098 A74-11847
- Control Configured Vehicle Ride Control (CCV RCS) B-52 control system analysis, synthesis, and design
[AD-767590] p0142 A74-13728

- US Army helicopter hydraulic servocylinder reliability and maintainability investigation [AD-767243] p0142 N74-13731
- STOL tactical aircraft investigation. Volume 5: Flight control technology [AD-767364] p0143 N74-13735
- Flight control of airplanes and helicopters [AD-767943] p0143 N74-13738
- A modified design concept, utilizing deck motion prediction, for the A-7E automatic carrier landing system [AD-767691] p0144 N74-13739
- Tactile display for aircraft control [AD-767763] p0144 N74-13741
- The design and flight evaluation of a performance control system --- general aviation aircraft under VFR conditions [AD-767786] p0144 N74-13746
- A computer program for aircraft optimal control problems [AD-767919] p0145 N74-13750
- Section 2: Flight mechanics, flight control p0154 N74-14669
- Calculation and analysis of aircraft motion --- various guidance methods and numerical solution of optimal control theory problems [NASA-TT-F-757] p0159 N74-14751
- HPL-10 lifting body flight control system characteristics and operational experience [NASA-TN-X-2956] p0159 N74-14753
- Fixed-base simulation study of decoupled controls during approach and landing of a STOL transport airplane [NASA-TN-D-7363] p0187 N74-15703
- An optimal control approach to airplane stability augmentation systems design p0195 N74-16712
- STOL tactical aircraft investigation-externally blown flap. Volume 5: Flight control technology. Part 2: Simulation studies/flight control system validation [AD-770449] p0199 N74-16752
- Influence of pilot and aircraft characteristics on structural loads in operational flight --- recommendations for improvements in flight instruments to reduce control problems [AGARD-R-608] p0233 N74-17728
- The effect of gusts and wind shear for automatic STOL approach and landing --- simulation and flight test of flight control system for short takeoff aircraft p0233 N74-17730
- Application of energy management concepts to flight-path control in turbulence --- strategy for control of airspeed and flight path with emphasis on landing approach p0235 N74-17744
- Implicit model decoupling approach to VTOL flight control design --- stability during specific types of maneuvers at critically low speeds [EE-469] p0245 N74-18644
- Control theory analysis of a three-axis VTOL flight director [NASA-TN-X-69960] p0248 N74-18676
- Separate surface stability augmentation design and development p0249 N74-18687
- A limited analysis of an F-4C aircraft with a high-gain control augmentation system and comparison with flight test data [AD-772673] p0251 N74-18698
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 1: Technical results [AD-774728] p0299 N74-20678
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 2: background information [AD-774729] p0299 N74-20679
- In-flight testing of a flight control multiplex system in the NC-131 H total in-flight simulator [AD-774049] p0302 N74-20907
- An investigation of separate surface stability augmentation systems for general aviation aircraft [NASA-CR-138120] p0324 N74-21647
- Optimal controller design for high performance aircraft undergoing large disturbance angles [NASA-CR-138130] p0324 N74-21648
- Redundant actuator development study --- flight control systems for supersonic transport aircraft [NASA-CR-114730] p0325 N74-21655
- Study of dynamics of X-14B VTOL aircraft [NASA-CR-138185] p0326 N74-21661
- Analysis and moving base simulation of transition configuration management aspects of a powered lift aircraft [NASA-CR-114698] p0330 N74-22671
- Effects of flight instrumentation errors on the estimation of aircraft stability and control derivatives --- including Monte Carlo analysis p0357 N74-25585
- A practical scheme for adaptive aircraft flight control systems p0357 N74-25588
- General principles of designing control systems --- analysis of systems for aircraft, missiles, and spacecraft configurations [NASA-TT-F-782] p0357 N74-25594
- Application of practical optimal control theory to the C-5A load improvement control system (LICS) [AD-776297] p0358 N74-25602
- Flight path control equipment for producing curved flight path profiles with microwave landing systems [NASA-TT-F-15608] p0361 N74-26150
- Flight control of airplanes and helicopters --- characteristics of automatic flight control to include methods of display and human factors engineering [AD-777297] p0368 N74-26488
- New methods for command and stability augmentation via optimal control [EE-472] p0370 N74-27172
- Flight evaluation of advanced control systems and displays on a general aviation airplane [NASA-TN-D-7703] p0407 N74-27499
- G-load measuring and indicator apparatus --- for aircraft [NASA-CASE-ABC-10806] p0409 N74-27872
- Suppression of flutter on interfering lifting surfaces by the use of active controls p0411 N74-28473
- The flight control system for the Concorde supersonic civil transport aircraft [RAE-LIB-TRANS-1615] p0413 N74-28502
- Suppression of flutter on interfering lifting surfaces by the use of active controls [AD-779770] p0441 N74-29372
- Design of a control system to stabilize the aft fuselage of a B-52 bomber in the presence of a random wind gust [AD-779081] p0442 N74-29392
- On the design and evaluation of flight control systems p0463 N74-31442
- Realization and flight tests of an integrated digital flight control system p0464 N74-31447
- B-52 control configured vehicles program p0464 N74-31452
- Autostabilization in VTOL aircraft: Results of flight trials with SC 1 p0465 N74-31456
- A new type of sail plane [NASA-TT-F-15920] p0472 N74-32440
- Effects of aircraft design on STOL ride quality: A simulator study [NASA-CR-140059] p0473 N74-32443
- Digital flight control research [NASA-CR-2433] p0489 N74-33448
- Optimal and suboptimal control technique for aircraft spin recovery [NASA-TN-D-7714] p0489 N74-33453
- A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables [AD-782490] p0491 N74-33470
- Tactile display for aircraft control --- evaluation of control system as a one and two axis error display device during manual tracking experiments [AD-783690] p0498 N74-34538
- The F-89 hydraulic actuator combinatorial geometry representation [AD-781996] p0498 N74-34547

SUBJECT INDEX

FLIGHT PATHS

FLIGHT CREWS

- 1. Cockpit design for crew coordination p0208 A74-22631
- B-1 Crew Escape System p0211 A74-23533
- Pilot workload-efficiency of military aircraft systems with one or two man crew p0320 A74-30820
- Aircraft response to turbulence-crew comfort assessments using power spectral density methods --- factors affecting operational efficiency of crew in low level gust environment p0233 N74-17729

FLIGHT HAZARDS

- Bird strike and the radar properties of birds --- migration patterns monitoring p0028 A74-12389
 - Lightning effects on general aviation aircraft [FAA-NA-73-32(2)] p0039 N74-10040
 - Aircraft accident reports: Brief format, US Civil Aviation. Issue no. 1: 1973 accidents [NTSB-BA-73-8] p0056 N74-10919
 - Aircraft accident reports: Brief format, supplemental issue, 1972, accidents [NTSB-BA-73-10] p0196 N74-16722
 - BOAC experience with turbulence --- performance requirements for clear air turbulence detecting sensor p0233 N74-17726
 - An airline's experience on turbulence --- avoidance of atmospheric turbulence through air traffic control, meteorological reports, and pilot experience p0233 N74-17727
 - The detection of aircraft wake vortices --- development of acoustic and wind pressure sensors for vortex detection p0233 N74-17731
 - Wake Vortex Avoidance System program (WVAS) --- design and implementation of ground based monitoring and predictive system for safety from wake vortices p0233 N74-17732
 - Aircraft accident report: Skyways International, Incorporated, Douglas DC-7C, N296 near the Miami International Airport, Dade County, Florida, 21 June 1973 [NTSB-AAR-74-2] p0249 N74-18684
 - Technical evaluation report on AGARD Flight Mechanics Panel Symposium on Flight in Turbulence [AGARD-AR-67] p0294 N74-20639
 - Falconry as a means of reducing bird-aircraft strike hazards at Whiteman Air Force Base, Missouri [AD-774568] p0299 N74-20682
 - Army autorotational accidents --- analysis of factors contributing to helicopter accidents p0301 N74-20771
 - Windshield bird strike structure design criteria [AD-779729] p0442 N74-29393
 - Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes [AD-783665] p0498 N74-34537
- FLIGHT INSTRUMENTS**
- NT APPROACH INDICATORS
 - NT ATTITUDE INDICATORS
 - NT AUTOMATIC PILOTS
 - NT FLIGHT TEST INSTRUMENTS
 - NT GYRO HORIZONS
 - NT RADIO ALTIMETERS
 - An oscillatory method for the flight calibration of sideslip and incidence sensors p0077 A74-14263
 - Art of the Stretch 8. I --- DC 8-63 flight instruments, takeoff performance, minimum control speed p0177 A74-20274
 - Display systems - An airborne look ahead p0178 A74-20595
 - A direct procedure for partitioning scanning workload with a flight director p0183 A74-21336
 - Peripheral vision - A factor for improved instrument design p0218 A74-23542
 - New developments in aircraft instrumentation --- onboard instruments for flight and engine monitoring

- Requirements for the helicopter instrument rating p0280 A74-28435
 - [AHS PREPRINT 822] p0348 A74-34880
 - Helicopter command instrument systems p0389 A74-36626
 - Instruments of flight: A guide to the pilot's flight panel of a modern airliner --- Book p0426 A74-38694
 - An exploratory simulation study of a head-up display for general aviation lightplanes [NASA-TN-D-7456] p0097 N74-11837
 - Evaluation of the modified Bendix AAU 19A/A AIMS altimeter p0164 N74-15115
 - Influence of pilot and aircraft characteristics on structural loads in operational flight --- recommendations for improvements in flight instruments to reduce control problems [AGARD-R-608] p0233 N74-17728
 - Comparison of conventional and electronic indicator instruments in a flight simulator and in a test aircraft p0302 N74-21042
 - Comparative simulator studies with the contact analog channel display and with conventional instruments [ESRO-TT-15] p0302 N74-21044
 - Cockpit switching study: Test and validation of a design procedure for multifunction switching controls [AD-783956] p0499 N74-34554
- FLIGHT MECHANICS**
- Flight-mechanics analysis of various flight conditions of conventional aircraft. VIII/2 - Mechanical foundations: Dynamic equations of motion of the control systems p0021 A74-11744
 - Analysis of the use of an auxiliary wing on a helicopter. II p0090 A74-16038
 - Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Annual Report 1972 --- German book p0126 A74-17969
 - Explanations and remarks on standards for flight mechanics p0178 A74-20522
 - Aerodynamic analysis of various flight conditions of conventional aircraft. IX - Aerodynamic foundations /General Survey/ p0186 A74-22273
 - Investigation of the economic efficiency of surplus tanking of aircraft fuel p0338 A74-33092
 - Flight mechanical analysis of various flight attitudes of conventional aircraft. X - Basic aerodynamic principles /Aerodynamics of the airfoil - Geometry of the airfoil/ p0338 A74-33097
 - Aerodynamic analysis of different flight attitudes of conventional aircraft. XI - Aerodynamic principles /Aerodynamics of the wing: Forces and moments of force of the air in the case of rectilinear flight at low Mach numbers/ p0423 A74-38498
 - Section 2: Flight mechanics, flight control p0154 N74-14669
- FLIGHT OPTIMIZATION**
- On the fuel optimality of cruise --- for aircraft p0127 A74-18142
 - Aircraft symmetric flight optimization --- gradient techniques for supersonic aircraft control p0209 A74-23091
 - Minimum time and minimum fuel flight path sensitivity p0342 A74-33811
 - S.S.T. flight-profile optimisation p0422 A74-38158
 - Aircraft range optimization using singular perturbations [NASA-CR-140519] p0493 N74-34465
- FLIGHT PATHS**
- NT GLIDE PATHS
 - Quasi-visual flight navigation --- all-weather navigation with synthetic external scenes p0219 A74-22519
 - Some air traffic control problems and trends in their resolution

FLIGHT PERFORMANCE

SUBJECT INDEX

p0228 A74-25356
Analysis of route widths in the domestic airspace
--- navigation system errors effect on route
confinement

p0317 A74-30360
Computation of minimum-noise takeoff flight paths
by varying the thrust and the inclination angle
of the flight path

p0337 A74-32902
Determining helicopter instrument flight capability
p0346 A74-34848
Sensitivity of suboptimal fixed-range flight paths
--- aircraft fuel consumption dependence on
atmospheric parameters
[AIAA PAPER 74-813] p0400 A74-37822
Optimization of air routes with a view to
minimizing the risk of collision

p0421 A74-38098
S.S.T. flight-profile optimisation

p0422 A74-38158
3-D energy management for supersonic aircraft

p0432 A74-39472
Evaluation of spoilers for light aircraft flight
path control

p0434 A74-39867
Simulation study on flare control system by
optimization theory
[NAL-TR-312] p0040 N74-10046
Measurement of turbulence inputs for V/STOL
approach paths in a simulated planetary boundary
layer
[UTIAS-189] p0066 N74-11661
Flight experience with the decelerating noise
abatement approach
[NASA-TN-X-56020] p0104 N74-12720
A linearized theory for the unsteady motions of a
wing in curved flight
[AD-769671] p0187 N74-15705
Application of energy management concepts to
flight-path control in turbulence --- strategy
for control of airspeed and flight path with
emphasis on landing approach

p0235 N74-17744
To assist the Sportsman-helicopter pilot in blind
flight
[AD-772650] p0251 N74-18699
Modification of V/STOL instrument approach
geometry as a means of compensating for
along-track wind effects
[NRC-13842] p0256 N74-19281
Longitudinal motion of an airliner during steep
approach
[NASA-TT-F-15616] p0355 N74-25564
Flight-mechanics problems during landing approach
with direct lift control, exemplified by HFB 320
Hansa
[NASA-TT-F-15614] p0355 N74-25566
Flight path control equipment for producing curved
flight path profiles with microwave landing
systems
[NASA-TT-F-15608] p0361 N74-26150
Noise reducing methods for STOL aircraft approach
and takeoff
[NASA-TT-F-15612] p0413 N74-28500
Landing transition paths which optimize fuel, time
or distance for jet-lift VTOL transport aircraft
in steep approaches
[ARC-R/M-3732] p0416 N74-28527
Helicopter procedural innovations (unusual
attitudes) --- revision of aircraft attitude
recovery techniques for application to
helicopter operations
[AD-782204] p0491 N74-33471
Maneuver criteria evaluation program --- computer
program for solving flight path equation of
motion for helicopter without auxiliary propulsion
[AD-782209] p0491 N74-33472
Flight-path and airspeed control during landing
approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 N74-34481

FLIGHT PERFORMANCE
U FLIGHT CHARACTERISTICS
FLIGHT PLANS
Some air traffic control problems and trends in
their resolution

p0228 A74-25356
What do aircraft reliability statistics prove
p0275 A74-27674

FLIGHT RECORDERS
The NUDAS-F crash recorder for the Alpha Jet
p0319 A74-30601
MRCA systems and related equipment - The MRCA
cockpit

p0336 A74-32632
Processing of operational data recorded on flight
report cards

p0377 A74-35664
Aircraft accident data recording systems: System
evaluation and data recovery --- Book

p0390 A74-36657
FLIGHT RULES
NT INSTRUMENT FLIGHT RULES
NT VISUAL FLIGHT RULES
FLIGHT SAFETY
Flight test safety analysis of the all weather
landing system /AWLS/ program

p0182 A74-20974
Economics of air safety and long-range safety
research and development; Proceedings of the
Twenty-sixth Annual International Air Safety
Seminar, Lisbon, Portugal, November 4-7, 1973

p0207 A74-22626
Flight safety work and the DFVLR --- German
aerospace research center programs

p0208 A74-22632
Accident prevention by incident analysis

p0208 A74-22634
Advanced aircraft oxygen systems --- design
flexibility cost effectiveness and applications

p0212 A74-23544
Confined space atmosphere purification unit ---
aircrew module to supercede protective clothing

p0212 A74-23550
Piloting techniques and flying qualities of the
next generation of aircraft

p0212 A74-23595
Flight-control systems for automatic
landings -
Safety by means of redundancy

p0313 A74-29828
Helicopter icing handling qualities
[AHS PREPRINT 844] p0385 A74-36595
Effect of the structural elasticity of an aircraft
on safety and comfort during flights in a
turbulent atmosphere

p0398 A74-37673
Configuration management during transition for a
powered lift STOL aircraft
[AIAA PAPER 74-836] p0401 A74-37834
Protection of civil aviation aircraft against fire
p0421 A74-38149
Considerations for STOL landing ground rules
[AIAA PAPER 74-996] p0429 A74-38750
Alcor - A high altitude pressurized sailplane /1/
p0459 A74-43470
Impact of new separation standards --- for
aircraft approach spacings

p0482 A74-45547
Airworthiness Committee tenth meeting
[DOC-9065] p0039 N74-10035
LSO/pilot interaction simulator --- for analysis
of flight hazards during approach to landing on
aircraft carrier
[AD-765686] p0041 N74-10055
Continental Land Mass Air Traffic Control (COLM ATC)
--- using three artificial satellite
configurations
[NASA-CR-132831] p0048 N74-10619
Provisional signal formats for the discrete
address beacon system --- for air traffic
control applications
[ATC-30] p0048 N74-10620
An optimum interference detector for DABS
monopulse data editing --- for application to
air traffic control
[ESD-TR-73-253] p0048 N74-10621
Meteorological information for vertical and short
take-off and land (V/STOL) operations in
built-up urban areas: An analysis
[FAA-RD-72-135] p0056 N74-10920
Some user benefits achievable from an advanced air
traffic management system
[R-1320-DOT] p0065 N74-11435
Cost comparisons of advanced air traffic
management systems
[R-1319-DOT] p0065 N74-11436
Control of air traffic by aid of satellites
p0100 N74-12354

- Air traffic control/collision avoidance system interface simulation, phase 2 --- based on high density terminal area with simultaneous approaches to parallel runways
[FAA-NA-73-40] p0100 N74-12361
- Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.2: Appendix A: System technique summary. Appendix B: Functional requirements summary. Appendix C: Detailed feasibility hardware specifications
[FAA-BD-73-166-VOL-3.2] p0111 N74-13421
- Potential conflict prediction and associated functions for oceanic air traffic control automation
[AD-767453] p0112 N74-13427
- The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps
[NASA-CR-2320] p0140 N74-13718
- Section 2: Flight mechanics, flight control
p0154 N74-14669
- Aerotechnology in aviation problems
p0154 N74-14675
- BOAC experience with turbulence --- performance requirements for clear air turbulence detecting sensor
p0233 N74-17726
- Experience with a low altitude turbulence model for autoland certification --- correlation of gust model data with statistical analysis of flight test results
p0234 N74-17738
- Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations --- effects of environment on V/STOL aircraft operation
[AD-773734] p0284 N74-19676
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 1 --- conference to review development of government and industry for aircraft equipment design
[AD-773813] p0285 N74-19679
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 3
[AD-773815] p0285 N74-19680
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 4
[AD-773816] p0285 N74-19681
- Integrated life support system: Design study medium STOL transport
[AD-773589] p0285 N74-19683
- Bibliography on safety in aircraft operations (1970-1972)
[NAL-BIBL-SER-45] p0353 N74-25547
- Longitudinal motion of an airliner during steep approach
[NASA-TT-P-15616] p0355 N74-25564
- Influence of the degree of fail-safe achieved, using the internal pressure indicator (BIM), on the flight safety during a specified service life of main rotor blades of SA 321 and SA 330 helicopters
p0367 N74-26469
- Minima for landing aircraft
[JPBS-62252] p0407 N74-27502
- National airspace system enroute stage A system engineering and analysis, investigation of system problems, capacity testing
[AD-778479] p0444 N74-30104
- V/STOL aircraft control/display concept for maximum operational effectiveness
p0464 N74-31455
- Helicopter procedural innovations (unusual attitudes) --- revision of aircraft attitude recovery techniques for application to helicopter operations
[AD-782204] p0491 N74-33471
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 1: Wake vortex predictive system study
[AD-783649] p0499 N74-34716
- FLIGHT SIMULATION**
- Fatigue of supersonic transport materials using simulated flight-by-flight loading
p0004 A74-10616
- Prospects for aerospace research
p0007 A74-11098
- Dynamic simulation of CONFLOW - A facility to provide hot-gas ground testing of air-breathing missiles under simulated flight conditions
[AIAA PAPER 73-1281] p0011 A74-11292
- A cost-effective approach for flight experiments - Application of Airborne Science aircraft experience to the Shuttle Sortie Lab
p0031 A74-12829
- A new test capability for propulsion system testing --- Aero-Propulsion Systems Test Facility design
[AIAA PAPER 73-1283] p0032 A74-12939
- Simulator tests of pilotage error in area navigation with vertical guidance - Effects of descent angle and display scale factor
p0081 A74-14595
- A 300 B static and fatigue tests
p0117 A74-16755
- Dynamic test of air data computers with simulated flight profiles
p0124 A74-17736
- Vertical take-off and landing aircraft
p0127 A74-18178
- Air traffic control scheme through simulation
p0179 A74-20663
- Prediction of stability and control characteristics of rotorcraft
p0205 A74-22452
- Ground based helicopter simulation
p0215 A74-22454
- Experimental studies of rotational noise in forward flight
p0206 A74-22471
- Some special Navy V/STOL testing problems /as related to full scale simulation/
p0207 A74-22478
- Endurance tests on glasses of transport aircraft
p0209 A74-22659
- Advanced instructional provisions and automated performance measurement
p0260 A74-25973
- Methods for analyzing fatigue crack growth rate behavior associated with flight-by-flight loading
[AIAA PAPER 74-367] p0264 A74-26675
- On scaling transonic wind tunnel data
p0319 A74-30750
- Ground testing and simulation. I - Key to efficient development of aerospace systems
p0335 A74-32321
- Ground testing and simulation. II - Aerodynamic testing and simulation: Saving lives, time, and money
p0336 A74-32322
- Safe separation in controlled flight
p0337 A74-33065
- Nonstationary atmospheric boundary layer turbulence simulation
[AIAA PAPER 74-587] p0340 A74-33166
- Electromechanical simulation of helicopter blade responses to random excitation during forward flight
[ASME PAPER 73-DET-28] p0341 A74-33401
- Simulation and flight test evaluation --- of helicopter control system
p0347 A74-34851
- Reduction of environmental testing and analysis costs through simulation
p0380 A74-36037
- Handling qualities evaluation of the XV-15 tilt rotor aircraft
[AHS PREPRINT 840] p0385 A74-36591
- Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover
[AHS PREPRINT 843] p0385 A74-36594
- The effect of non-symmetric flight on aircraft high angle of attack handling qualities and departure characteristics
[AIAA PAPER 74-792] p0400 A74-37812
- Configuration management during transition for a powered lift STOL aircraft
[AIAA PAPER 74-836] p0401 A74-37834
- Evaluation of spoilers for light aircraft flight path control
p0434 A74-39867
- Contribution to the study of noise from jet aircraft during flight
p0437 A74-39983

- Rotor system design and evaluation using a general purpose helicopter flight simulation program
p0055 N74-10913
- Views regarding the validity of results from simulation testing in comparison with the results from actual flight test
[NASA-TT-P-15172] p0056 N74-10922
- Model support roll balance and roll coupling --- design of wind tunnel model support mechanism
p0066 N74-11681
- Fatigue-test acceleration with flight-by-flight loading and heating to simulate supersonic-transport operation
[NASA-TN-D-7380] p0099 N74-12261
- Air traffic control/collision avoidance system interface simulation, phase 2 --- based on high density terminal area with simultaneous approaches to parallel runways
[FAA-NA-73-40] p0100 N74-12361
- General description of the rotorcraft flight simulation computer program (G-81)
[AD-767239] p0105 N74-12728
- Fixed-base simulation study of decoupled controls during approach and landing of a STOL transport airplane
[NASA-TN-D-7363] p0187 N74-15703
- STOL tactical aircraft investigation-externally blown flap. Volume 5: Flight control technology. Part 2: Simulation studies/flight control system validation
[AD-770449] p0199 N74-16752
- Progress in the mathematical modelling of flight in turbulence --- effects of atmospheric turbulence during approach and landing of aircraft
p0232 N74-17725
- Visual elements in flight simulation --- analysis of visibility characteristics during flight and impact on aircraft control
[AD-772586] p0253 N74-18714
- A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft
[NASA-TN-D-7497] p0284 N74-19671
- Preflight test simulation of superimposed integrated trajectory error displays
[AD-773823] p0286 N74-19687
- A review of the X-22A variable stability aircraft and research facility
[AD-774142] p0300 N74-20688
- Analysis and moving base simulation of transition configuration management aspects of a powered lift aircraft
[NASA-CR-114698] p0330 N74-22671
- A flight investigation of a terminal area navigation and guidance concept for STOL aircraft
[NASA-TN-X-62375] p0474 N74-33114
- FLIGHT SIMULATORS**
- Evaluation of V/STOL research aircraft design --- landing approaches, propulsion/control, piloted moving base simulator
[SAE PAPER 730947] p0016 A74-11557
- Use of simulators in the design and development of flight control systems
[SAE PAPER 730933] p0016 A74-11567
- Aircraft simulator motion and the order of merit of flight attitude and steering guidance displays
p0082 A74-14598
- Uses of a visual landing system in primary flight training
p0082 A74-14599
- VITAL II --- Virtual Image Takeoff and Landing system in Boeing 727 flight simulator
p0177 A74-20275
- Modern tendencies for training in piloting without visibility and in radionavigation
p0219 A74-22651
- Incremental transfer effectiveness of a ground-based general aviation trainer
p0260 A74-25969
- A study of vertical motion requirements for landing simulation
p0260 A74-25971
- L-1011 Iron Bird uncovers potential hydraulic troubles --- aircraft reliability tests
p0319 A74-30625
- Progress in the development of a versatile airborne simulator for V/STOL aircraft
p0335 A74-31895
- Comparison of simulation and flight testing at automatic STOL landing
[NASA-TT-P-15171] p0056 N74-10923
- Motion software for a synergistic six-degree-of-freedom motion base
[NASA-TN-D-7350] p0060 N74-11096
- On the effect of reliability of simulation results on the methodology of flight testing and simulation
[NASA-TT-P-15175] p0098 N74-12015
- Ames research facilities summary 1974 --- wind tunnels, shock tubes, ballistic ranges, flight simulators, research aircraft, and computers
[NASA-TN-X-69411] p0192 N74-15939
- An analysis of the acquisition of the F-111A simulators
[AD-769202] p0194 N74-16693
- Use of simulation for the development of Concorde
p0197 N74-16733
- Effect of modified seat angle on air to air weapon system performance under high acceleration
[AD-770271] p0198 N74-16747
- X-22A fixed-base ground simulator facility
[AD-769942] p0200 N74-16997
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 1: Technical results
[AD-774728] p0299 N74-20678
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 2: background information
[AD-774729] p0299 N74-20679
- A fixed-base ground simulator study of control and display requirements for VTOL instrument landings with a decelerating approach to a hover
[AD-774750] p0299 N74-20680
- Dynamics report for T-28B simplified flight simulator
[AD-774479] p0302 N74-20905
- In-flight testing of a flight control multiplex system in the NC-131 H total in-flight simulator
[AD-774049] p0302 N74-20907
- Air-to-air fire control exposition, phase 3 (Expo-3)
[AD-775360] p0327 N74-21673
- Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment
[RAE-LIB-TRANS-1740] p0407 N74-27506
- The use of an aircraft test stand for VTOL handling qualities studies --- pilot evaluation of flight controllability
[NASA-TN-X-62218] p0418 N74-28737
- FLIGHT STABILITY TESTS**
- On the use of first order rotor dynamics in multiblade coordinates --- for compound helicopter
[AHS PREPRINT 831] p0384 A74-36586
- Estimates of the stability derivatives of a helicopter from flight measurements
[ICAS PAPER 74-49] p0451 A74-41349
- Tables for flight tests --- giving reference atmospheres, calibration velocity, mach number, and sound velocity
p0190 N74-15722
- VSTOL aircraft stability and control experience from methods and results of Do 31 flight tests
[NASA-TT-P-15531] p0325 N74-21651
- AGARD flight test instrumentation services. Volume 1: Basic principles of flight test instrumentation engineering --- application to large automated systems for initial flight tests of military and civilian aircraft
[AGARDOGRAPH-160-VOL-1] p0360 N74-25933
- The users' requirements
p0360 N74-25934
- FLIGHT TEST INSTRUMENTS**
- Tracking systems for flight development of today's commercial aircraft
p0348 A74-34858
- The use of a rotating arm facility to study flight effects on jet noise
p0436 A74-39970
- A new jet engine thrust measuring system - An advancement in flight test engineering
p0460 A74-43613
- AGARD flight test instrumentation services. Volume 1: Basic principles of flight test instrumentation engineering --- application to

SUBJECT INDEX

FLIGHT TESTS

- large automated systems for initial flight tests of military and civilian aircraft [AGARDOGRAPH-160-VOL-1] p0360 A74-25933
- The users' requirements p0360 A74-25934
- An induction into the design of flight test instrumentation systems --- factors affecting the development and design of flight test instrumentation systems p0360 A74-25935
- Meteorological characteristics of a measuring channel --- fundamental characteristics of flight test instrumentation system p0360 A74-25936
- ## FLIGHT TEST VEHICLES
- Active flutter suppression - A flight test demonstration [AIAA PAPER 74-402] p0266 A74-26701
- Progress in the development of a versatile airborne simulator for V/STOL aircraft p0335 A74-31895
- ## FLIGHT TESTS
- ### NT FLIGHT STABILITY TESTS
- Comparison of ground and flight test results using a modified F106B aircraft [AIAA PAPER 73-1305] p0011 A74-11304
- Shuttle sonic boom - Technology and predictions --- environmental impact [AIAA PAPER 73-1039] p0026 A74-12225
- Afterbody drag flight test of the A-7E airplane [AIAA PAPER 73-1306] p0032 A74-12948
- Preliminary results of flight tests of the propulsion system of the YF-12 airplane at Mach numbers to 3.0 [AIAA PAPER 73-1314] p0033 A74-12951
- Eurocontrol evaluation of the Standard Elektrik Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac computing, navigation and display system for area navigation. Phase III - Flight trials 1971-1972 p0091 A74-16075
- Design and hover-flight testing of a deflection control system for the Aerodyne wingless, remote-controlled experimental flight vehicle [DGLR PAPER 73-070] p0120 A74-17179
- Vertical take-off and landing aircraft p0127 A74-18178
- A method of calculating aircraft wake velocity profiles and comparison with full-scale experimental measurements [AIAA PAPER 74-39] p0132 A74-18747
- F-15 progress report. II --- with emphasis on flight test status and control characteristics p0171 A74-19489
- Longitudinal stability for supersonic transport aircraft p0172 A74-19490
- FAA certification of the S-58T helicopter for instrument flight. I p0172 A74-19491
- FAA certification of the S-58T helicopter for instrument flight. II p0172 A74-19492
- S-3A initial operational test and evaluation p0172 A74-19496
- Putting the computer in its place --- Automated Telemetry System for aircraft flight tests p0172 A74-19497
- Vectored thrust V/STOL shipboard testing p0172 A74-19498
- The case for engine flying test beds --- for aircraft p0172 A74-19499
- BD-5 flight test program report p0172 A74-19500
- A digital fly-by-wire technology development program using an F-8C test aircraft [AIAA PAPER 74-28] p0179 A74-20755
- Flight test safety analysis of the all weather landing system /AWLS/ program p0182 A74-20974
- Flight test of the ski equipped Mohawk p0184 A74-21820
- Flight tests of gated, low-light-level television for search and rescue p0217 A74-22532
- Maximum likelihood identification of aircraft stability and control derivatives p0209 A74-23327
- Some aerodynamic problems raised by the airship [ONERA, TP NO. 1312] p0222 A74-24314
- F-15 test progress. I - F-15 offers superior maneuverability p0224 A74-24668
- Case studies in Aircraft Parameter Identification p0225 A74-24840
- Aircraft performance measurements in nonsteady flights p0225 A74-24856
- Wind-tunnel investigations aimed at devising tests of aircraft spin p0223 A74-25316
- RPEVs - The first and future flights --- Remotely Piloted Research Vehicle p0261 A74-26410
- MRCAs prepares for flight test --- Multi-Bolt Combat Aircraft p0261 A74-26416
- The development of the WG-13 --- helicopter program management, manufacture and flight testing p0262 A74-26567
- Research instrumentation requirements for flight/wind-tunnel tests of the YF-12 propulsion system and related flight experience p0277 A74-28285
- Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft p0277 A74-28286
- A simplified criterion to certify light aircraft for flight in icing conditions [SAE PAPER 740349] p0308 A74-28729
- Flight test results of a separate surface wing-leveling system [SAE PAPER 740369] p0309 A74-28740
- Mathematical simulation of a vibrating light aircraft piston engine and correlation with engine flight test data [SAE PAPER 740383] p0310 A74-28748
- Variability in aircraft noise measurements --- from short and long period jet flight tests p0314 A74-30079
- Anti-icing tests on Concorde p0319 A74-30818
- A data reduction method for landing performance tests p0320 A74-30821
- Preliminary measurements of aircraft aerodynamic noise [AIAA PAPER 74-572] p0344 A74-34332
- Flight test results for an advanced technology light airplane wing [SAE PAPER 740368] p0345 A74-34801
- Flight testing today - 1973; Proceedings of the Fourth National Symposium, Las Vegas, Nev., August 21-23, 1973 p0345 A74-34837
- Air-to-air tracking techniques to evaluate aircraft handling qualities p0345 A74-34838
- Flight evaluation of four low airspeed indicating systems p0345 A74-34839
- Inflight thrust and base pressure survey on the A-7 airplane p0345 A74-34840
- The use of a navigation platform for performance flight testing p0345 A74-34841
- Survivable flight control system Fly-by-Wire flight testing p0346 A74-34842
- Performance considerations for terrain following flight p0346 A74-34843
- Energy management display p0346 A74-34844
- Flight test evaluation of a low cost electrostatic autopilot p0346 A74-34846
- Are existing nav aids adequate for commercial STOL operations in coming STOL environments --- suggested improvements for existing systems p0346 A74-34847
- Determining helicopter instrument flight capability p0346 A74-34848
- CC-115 Buffalo aircraft engine and engine inlet duct anti-icing system evaluation trials

- Development and flight test of a radio controlled
ornithopter prototype p0346 A74-34849
- Simulation and flight test evaluation --- of
helicopter control system p0347 A74-34850
- Implementation of the uniform flight test analysis
system --- aircraft performance computer programs p0347 A74-34851
- Flight test applications and analysis of parameter
identification techniques p0347 A74-34855
- Data management during the Navy performance test
and evaluation of the F-14A airplane p0347 A74-34856
- Wind tunnel and flight development of the P-14
subsonic/transonic maneuvering configuration p0347 A74-34857
- Transonic Aircraft Technology /TACT/ program
[AIAA PAPER 74-618] p0376 A74-35386
- Wind tunnel and flight performance of the YF-12
inlet system p0376 A74-35387
- Recent developments in shipboard V/STOL testing
[AIAA PAPER 74-621] p0376 A74-35388
- Pyrotechnic pulse generators for in-flight
structural tests p0381 A74-36227
- AH-56A /AHCS/ compound helicopter vibration
reduction --- Advanced Mechanical Control System p0382 A74-36353
- Helicopter icing handling qualities
[AHS PREPRINT 834] p0385 A74-36589
- UTAS flight test - Real-time data analysis ---
helicopters in Utility Tactical Transport
Aircraft System p0385 A74-36595
- The scissors rotor --- for helicopters
[AHS PREPRINT 864] p0386 A74-36604
- Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter p0388 A74-36621
- Theoretical store separation analyses of a
prototype store and comparison with a flight
drop test p0395 A74-37503
- Estimation of nonlinear aerodynamic derivatives of
a variable geometry fighter aircraft from flight
data p0399 A74-37801
- System design and flight test results of the
Bendix/Bell MLS category II/III elevation
approach guidance function p0399 A74-37810
- Flight evaluation of a Mach 3 cruise longitudinal
autopilot p0402 A74-37889
- Solid-state power controllers for B-1 flight test
[AIAA PAPER 74-910] p0402 A74-37890
- A broad view of Navy S-3A testing p0425 A74-38575
- Flight testing the Fokker F28 with advanced wing
[AIAA PAPER 74-943] p0426 A74-38716
- Flight test investigation of the sailplane as a
post-stall research vehicle p0426 A74-38717
- NASA flight research on aircraft wake vortices and
minimization concepts p0427 A74-38720
- Flight performance of a circulation controlled STOL
[AIAA PAPER 74-953] p0427 A74-38721
- Comparison of Fokker F28 'Pellowsip' wind tunnel
and flight data - A summary p0429 A74-38749
- Development and flight test progress of the YF-17
[AIAA PAPER 74-941] p0430 A74-38796
- Direct force control for light airplanes p0452 A74-41652
- The use of gliders for airfoil section research
and development p0453 A74-41809
- An evaluation of sailplane drag coefficient
parameters from flight test results p0454 A74-42034
- Flight testing a highly instrumented sailplane
[AIAA PAPER 74-1020] p0454 A74-42041
- [AIAA PAPER 74-1023] p0454 A74-42042
- Gemini - A variable geometry sailplane
[AIAA PAPER 74-1035] p0455 A74-42049
- Advancements in flight test engineering:
Proceedings of the Fifth Annual Symposium,
Anaheim, Calif., August 7-9, 1974
- Developing STOL operational criteria p0459 A74-43601
- Airborne testing of advanced multisensor aircraft p0459 A74-43602
- US Army helicopter icing tests p0460 A74-43612
- Pyrotechnic bonkers for structural tests in flight
[ONERA, TP NO. 1389 E] p0460 A74-43623
- Reynolds number effects on boattail drag of
exhaust nozzles from wind tunnel and flight tests p0478 A74-44953
- Views regarding the validity of results from
simulation testing in comparison with the
results from actual flight test p0481 A74-45379
- Comparison of simulation and flight testing at
automatic STOL landing p0056 N74-10922
- Helicopter visual aid system p0056 N74-10923
- AEDC Fiscal Year 1974 Air Force technical
objective document --- facility improvements,
test techniques, instrumentation, gas
properties, and wind tunnel and flight test data
comparisons p0067 N74-11691
- On the effect of reliability of simulation results
on the methodology of flight testing and
simulation p0068 N74-11803
- Identification tests with optical sights and
reconnaissance aids in helicopters p0098 N74-12015
- The identification of aircraft powerplant dynamic
response from flight tests using power spectral
techniques p1010 N74-12721
- Investigation of the maneuverability of the S-67
winged helicopter p1015 N74-12725
- Aerotechnology in aviation problems p1016 N74-12735
- Problems of estimating the drag of a helicopter
--- correlation of flight test data and scale
model test data p1015 N74-14675
- Review of drag measurements from flight tests of
manned aircraft with comparisons to wind-tunnel
predictions p1016 N74-14715
- A quick look at the state-of-the-art in flight
testing of certain aerodynamic parameters
related to wind tunnel testing p1018 N74-14735
- HPL-10 lifting body flight control system
characteristics and operational experience p1018 N74-14740
- Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory p1019 N74-14753
- Comparison of the flying qualities of the A-7D
aircraft with the requirements of MIL-F-8785B ASG p1019 N74-14764
- LDF powered balloon program --- feasibility
demonstration of free balloon station keeping
capability p1019 N74-14768
- Evaluation of the modified Bendix AAU 19A/A AHS
altimeter p1019 N74-14770
- A simplified flight-test method for determining
aircraft takeoff performance that includes
effects of pilot technique p1019 N74-14771
- Flight evaluation of two segment approaches for
jet transport noise abatement p1019 N74-14772
- Initial results from flight testing a large,
remotely piloted airplane model --- flight tests
of remotely controlled scale model of F-15
aircraft p1019 N74-14773
- [NASA-TN-X-56024] p0247 N74-18671

SUBJECT INDEX

FLOW CHARACTERISTICS

AGARD flight test instrumentation series. Volume 5: Magnetic recording of flight test data --- design and performance of airborne tape transports [AGARDOGRAPH-160-VOL-5] p0254 N74-18833

Development and flight tests of a gyro-less wing leveler and directional autopilot p0256 N74-19282 [NASA-TN-D-7460]

A review of the X-22A variable stability aircraft and research facility p0300 N74-20688 [AD-774142]

In-flight testing of a flight control multiplex system in the NC-131 H total in-flight simulator [AD-774049] p0302 N74-20907

A flight investigation of the STOL characteristics of an augmented jet flap STOL research aircraft [NASA-TN-X-62334] p0329 N74-22637

Parameter estimation techniques and application in aircraft flight testing p0355 N74-25569 [NASA-TN-D-7647]

Navy participation in the development of airframe parameter identification techniques p0356 N74-25572

Helicopter derivative identification from analytic models and flight test data p0356 N74-25579

Nonlinear parameter identification: Ballistic range experience applicable to flight testing --- using Gauss-Newton method p0356 N74-25580

Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities p0359 N74-25613 [AD-776360]

Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests [NASA-TN-X-71548] p0360 N74-25812

A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft p0367 N74-26476

Comparison of Fokker F-28 wind tunnel and flight data, A summary [NLR-TR-73007-U] p0368 N74-26486

A correlation study of in-flight vibration measurements for patrol-type aircraft [AD-777668] p0369 N74-26490

Flight evaluation of advanced control systems and displays on a general aviation airplane [NASA-TN-D-7703] p0407 N74-27499

Use of a pitot-static probe for determining wing section drag in flight at Mach numbers from 0.5 to approximately 1.0 p0441 N74-29370 [NASA-TN-X-56025]

Background information and user guide for MIL-S-83691 p0490 N74-33459 [AD-780523]

Parameter estimation of powered-lift STOL aircraft characteristics including turbulence and ground effects p0493 N74-34466 [NASA-TN-X-62382]

Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter p0497 N74-34511

Fighter technology demonstrator precursor analysis and test. Volume 1: Baseline development and technology identification p0497 N74-34517 [AD-783636]

FLIGHT TIME

Minimum time and minimum fuel flight path sensitivity p0342 A74-33811

FLIGHT VEHICLES

The equation of flight vehicle roll motion p0088 A74-15728

An analytic survey of low-speed flying devices - Natural and man-made [AIAA PAPER 74-1019] p0454 A74-42040

Idealization and determination of the inertial characteristics of the structure of a flight vehicle p0484 A74-46696

In-flight symmetrical maneuvers of a flight vehicle p0484 A74-46697

The determination of non-symmetric vehicle stability parameters from response data p0139 N74-13702

FLOORS

Aircraft floor panel developments at British

Airways /1967-1973/

p0352 A74-35027

FLOQUET THEOREM

An application of Floquet theory to prediction of mechanical instability --- for helicopter with inoperative blade damper

p0395 A74-37496

FLOW

Drag and separation --- effects of separated flow on aerodynamic drag

p0157 N74-14722

FLOW CHARACTERISTICS

NT BOUNDARY LAYER STABILITY

NT FLAME STABILITY

NT FLOW DISTRIBUTION

NT FLOW STABILITY

NT FLOW VELOCITY

NT MAGNETOHYDRODYNAMIC STABILITY

Investigation of flow parameters in a turbine stage with a nonuniform inlet

p0002 A74-10255

Investigation of the characteristics of flows past plates at large angles of attack

p0070 A74-13183

Characteristics of the wake behind a cascade of airfoils

p0123 A74-17495

Improvement of the downflow conditions behind an integrated shrouded propeller

p0124 A74-17801

A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body

p0129 A74-18632

A study of the characteristics of measuring elements of pneumatic systems

p0174 A74-19852

Noise characteristics of a turbulent crosswind jet

p0177 A74-20281

Inverse transonic flow calculations using experimental pressure distributions

p0276 A74-28050

The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation

p0036 N74-10019

Some design considerations for supersonic cruise mixed compression inlets

p0037 N74-10021

Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft)

p0037 N74-10022

FORTRAN program for predicting off-design performance of centrifugal compressors

p0037 N74-10024

Comparison of predicted and measured low-speed performance of two 51 centimeter-diameter inlets at incidence angle

p0037 N74-10026

Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft)

p0037 N74-10027

Two-dimensional wind tunnel test on a variable-camber airfoil with distributed suction boundary-layer control

p0038 N74-10033

Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers

p0039 N74-10037

Analysis and design of three dimensional supersonic nozzles. Volume 3: A design technique for multiple nozzle configurations

p0061 N74-11115

Analysis and design of three dimensional supersonic nozzles. Volume 4: Similarity laws for nozzle flows

p0061 N74-11116

Effect of subsonic inlet lip geometry on predicted surface and flow Mach number distributions

p0093 N74-11812

Study of the temperature influence on induced flow effects. Part 2: Influence of ground effects on hot-air jet mixing in steady atmospheric air

p0097 N74-11845

Analysis of the low-speed flow over a slender sharp edged delta wing at angles of attack

p0098 N74-12034

- Performance of conical diffusers in incompressible flow
[ESDU-73024] p0109 N74-12986
- Exact solutions for conical mixed flow rotors.
Part 2: Cambered blades of finite thickness
[NEL-524-PT-2] p0109 N74-12989
- Dynamic stall
[NASA-CR-136473] p0139 N74-13709
- Aerodynamic Drag
[AGARD-CP-124] p0155 N74-14709
- Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods
[BMVG-FBWT-73-27] p0195 N74-16705
- Study of reverse-flow characteristics of a tip fan and an ejector --- for application to air cushion landing system
[AD-770080] p0198 N74-16744
- Investigation of nonlinear inviscid and viscous flow effects in the analysis of dynamic stall --- air flow and chordwise pressure distribution on airfoil below stall condition
[NASA-CR-2335] p0245 N74-18646
- Flight-test investigation of the aerodynamic characteristics and flow interference effects about the aft fuselage of the F-111A airplane
[NASA-TN-D-7563] p0246 N74-18657
- An experimental investigation of leading-edge vortex augmentation by blowing
[NASA-CR-132415] p0281 N74-19643
- Preliminary results of flight tests of vortex attenuating splines --- evaluation of effectiveness of wingtip vortex attenuating device
[NASA-TN-X-71928] p0294 N74-20637
- Turbulent lift. Comments on some preliminary wind tunnel tests --- characteristics of vortex on wing surface from tangential blowing on upper surface
[NASA-TT-P-15743] p0405 N74-27484
- FLOW COEFFICIENTS**
- NT DISCHARGE COEFFICIENT**
- FLOW DEFLECTION**
- Near-field trajectory of turbulent jets discharged at various inclinations into a uniform crossflow
p0003 A74-10568
- Interaction between an overexpanded gas jet and a flat obstacle
p0391 A74-37138
- V/STOL deflector duct profile study --- analysis of back pressure gradient in ducted flow of exhaust gases against lift fan
p0291 N74-20417
- Exhaust flow deflector
[NASA-CASE-LAR-11570-1] p0410 N74-28233
- FLOW DISTORTION**
- An analytical and experimental study of inlet ground vortices
[AIAA PAPER 73-1313] p0011 A74-11309
- Some aspects of inlet/engine flow compatibility
p0020 A74-11618
- A similarity parameter for scaling dynamic inlet distortion
[ASME PAPER 73-WA/AERO-3] p0071 A74-13245
- Some comments on V/STOL wind tunnel testing in the transition flight region
p0215 A74-22477
- System for evaluation of F-15 inlet dynamic distortion
p0277 A74-28287
- Experimental investigations of strongly swept turbine cascades with low speed flow
p0280 A74-28457
- Some comparisons of the flow characteristics of a turbofan compressor system with and without inlet pressure distortion
p0380 A74-36188
- Dynamic flow distortion in subsonic air inlets
p0437 A74-39987
- Crossflow-induced flow distortion and its influence on the performance of a vertical axis lifting fan
[ME-73-4] p0438 A74-40303
- The deformation of a vortex sheet behind a swept back wing - Comparison of measurements and calculations
[ICAS PAPER 74-33] p0449 A74-41334
- Analog computer implementation of four instantaneous distortion indices
- [NASA-TN-X-2993] p0243 N74-18397
- Flight-test investigation of the aerodynamic characteristics and flow interference effects about the aft fuselage of the F-111A airplane
[NASA-TN-D-7563] p0246 N74-18657
- FLOW DISTRIBUTION**
- On the flow around the leading edge of a lifting airfoil
[ONERA, TP NO. 1294] p0005 A74-10996
- Methods of visualization of the leading edge separation bubble and analysis of results
[ONERA, TP NO. 1295] p0005 A74-10997
- Measuring the radiation of a vertical gas jet
p0015 A74-11500
- Experimental investigation of sonic boom propagation through variable flow fields
p0115 A74-16385
- Three dimensional supersonic flow field analysis of the B-1 airplane by a finite difference technique and comparison with experimental data
[AIAA PAPER 74-189] p0136 A74-18877
- Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions
p0173 A74-19777
- Vortex-induced heating to cone flaps at Mach 6
p0223 A74-24958
- A two-component laser Doppler velocimeter for periodic flow fields
p0267 A74-26916
- On the flow field of a rapidly oscillating airfoil in a supersonic flow
p0267 A74-26960
- Some extensions of thin-shock-layer theory
p0279 A74-28419
- Analysis of predicted aircraft wake vortex transport and comparison with experiment
[AIAA PAPER 74-506] p0339 A74-33105
- Wind tunnel and flight performance of the YF-12 inlet system
[AIAA PAPER 74-621] p0376 A74-35388
- An analytical method valid up to the critical speed for predicting store separation characteristics from modern aircraft
[AIAA PAPER 74-775] p0399 A74-37800
- Study of unsteady flows around a pointed airfoil by conformal transformation
p0432 A74-39300
- Study of flow in axial compressors
p0457 A74-43132
- Analysis of acoustic radiation in a jet flow environment
p0461 A74-44314
- A study of methods which predict supersonic flow fields from body geometry, distance, and Mach number
[NASA-TN-D-7387] p0038 N74-10030
- Study of the electrostatic field and charge distribution in a vortex seeded with dust
[AD-766815] p0059 N74-10941
- Analysis and design of three dimensional supersonic nozzles. Volume 1: Nozzle-exhaust flow field analysis by a reference plane characteristics technique
[NASA-CR-132350] p0061 N74-11113
- Analysis and design of three dimensional supersonic nozzles. Volume 2: Numerical program for analysis of nozzle-exhaust flow fields
[NASA-CR-132351] p0061 N74-11114
- Analysis of stratified and closely spaced jets exhausting into a crossflow --- aerodynamic characteristics of lift-jet, vectored thrust, and lift fan V/STOL aircraft
[NASA-CR-132297] p0061 N74-11118
- Theoretical and experimental investigation of the performance of a fan-in-wing VTOL configuration
[NASA-TN-D-7498] p0094 N74-11823
- The flow field and pressure distribution of an isolated road wheel
[IC-AERO-72-14] p0155 N74-14706
- A study of the nonlinear aerodynamics of bodies in nonplanar motion --- numerical analysis of aerodynamic force and moment systems during large amplitude, arbitrary motions
[NASA-TR-R-421] p0158 N74-14741
- Analysis of the flow about delta wings with leading edge separation at supersonic speeds
[NASA-CR-132358] p0158 N74-14745
- Similarity parameters and their sensitivity for transonic airframe exhaust nozzle interactions

SUBJECT INDEX

FLOW VISUALIZATION

- [AD-768988] p0159 N74-14746
Theoretical and experimental investigations of
vortex lift control by spanwise blowing. Volume
1: Experimental research --- wind tunnel tests
of jet fighter aircraft scale model
[AD-771290] p0232 N74-17710
An investigation of the trailing vorticity behind
a STOL aircraft
[AD-774571] p0299 N74-20677
An analytical investigation of wing-jet interaction
[NASA-CR-138140] p0323 N74-21633
Tail rotor design guide --- aerodynamic
configurations of helicopter components for low
speed and hover flight
[AD-775391] p0327 N74-21671
Low speed wind tunnel flow field results for JT8D
refan engines on the Boeing 727-200
[NASA-CR-134630] p0353 N74-25537
An experimental and analytical investigation of
the potential flow field, boundary layers, and
drag of various helicopter fuselage configurations
[AD-777798] p0408 N74-27514
Helicopter downwash data
[AD-780754] p0468 N74-31518
Three-dimensional measurements of the velocity in
the near flow field of a full-scale hovering rotor
[AD-781547] p0470 N74-32417
- FLOW EQUATIONS**
NT HELMHOLTZ VORTICITY EQUATION
NT VORTICITY EQUATIONS
The numerical solution of the asymptotic equations
of trailing edge flow
p0456 A74-42797
Exact solutions for conical mixed flow rotors.
Part 2: Cambered blades of finite thickness
[NEL-524-PT-2] p0109 N74-12989
The determination of non-symmetric vehicle
stability parameters from response data
p0139 N74-13702
- FLOW FIELDS**
U FLOW DISTRIBUTION
FLOW GEOMETRY
A direct method for computing the steady flow at
Mach number one past a given wing airfoil
p0118 A74-16963
Analysis and design of three dimensional
supersonic nozzles. Volume 1: Nozzle-exhaust
flow field analysis by a reference plane
characteristics technique
[NASA-CR-132350] p0061 N74-11113
Analysis and design of three dimensional
supersonic nozzles. Volume 2: Numerical
program for analysis of nozzle-exhaust flow fields
[NASA-CR-132351] p0061 N74-11114
Analysis and design of three dimensional
supersonic nozzles. Volume 4: Similarity laws
for nozzle flows
[NASA-CR-132353] p0061 N74-11116
Thrust performance of podded lift-fans in crossflow
--- effect of increasing cross flow velocity on
thrust deterioration
p0291 N74-20420
- FLOW MEASUREMENT**
A relaxation method for calculating transonic
flows with detached bow shocks
p0119 A74-16970
A two-component laser Doppler velocimeter for
periodic flow fields
p0267 A74-26916
Research instrumentation requirements for
flight/wind-tunnel tests of the YP-12 propulsion
system and related flight experience
p0277 A74-28285
Axial flow measurements in trailing vortices
p0425 A74-38626
An experimental investigation of an acoustic
method for measuring gas mass flow
[AD-766419] p0046 N74-10340
Artificial development of an atmospheric boundary
layer flow model in a wind tunnel --- using wind
flow modulating devices at wind tunnel entrance
p0139 N74-13701
- FLOW PATTERNS**
U FLOW DISTRIBUTION
FLOW RATE
U FLOW VELOCITY
FLOW RESISTANCE
NT AERODYNAMIC DRAG
- Annular slot and frontal slot flow --- turbulent
flow resistance coefficients
p0001 A74-10033
The Dolphin airship with undulating propulsion
system - A new form of the evaluation factor
p0185 A74-22272
- FLOW SEPARATION**
U BOUNDARY LAYER SEPARATION
U SEPARATED FLOW
FLOW STABILITY
NT BOUNDARY LAYER STABILITY
NT PLANE STABILITY
NT MAGNETOHYDRODYNAMIC STABILITY
Experimental study of the internal noise in
injector driven wind tunnels
[ONERA, TP NO. 1315] p0128 A74-18288
Study of casing treatment effects in axial flow
compressors
[ASME PAPER 74-GT-89] p0273 A74-27472
Automatic detection and suppression of inlet buzz
p0278 A74-28313
A linear model of a finite amplitude
instability
p0335 A74-32057
The stability of a trailing line vortex. I -
Inviscid theory
p0337 A74-33049
Aircraft trailing vortex instabilities
[ICAS PAPER 74-34] p0450 A74-41335
Stability and decay of free vortices
behind a wing
[NASA-TT-F-15445] p0287 N74-19904
- FLOW THEORY**
Progress in aerospace sciences. Volume 14 --- Book
p0025 A74-12203
Theory of hypersonic flow about a wing
p0025 A74-12205
Developing large-scale wavelike eddies and the
near jet noise field
p0267 A74-26948
Throughflow theory for turbomachines
[AD-766537] p0065 N74-11602
Experimental study of a wing profile with
flaps and slats --- development of
theory for
flow conditions during takeoff and
landing
[NASA-TT-F-15370] p0235 N74-17747
- FLOW VELOCITY**
Forward velocity effects on jet noise with
dominant internal noise source
p0314 A74-30077
Investigation into and application of the high
velocity circulation control wall jet for high
lift and drag generation on STOL aircraft
[AIAA PAPER 74-502] p0338 A74-33102
Laser velocimeter measurements of the helicopter
rotor-induced flow field
[AHS PREPRINT 800] p0387 A74-36614
Instantaneous velocity measurements in the near
wake of a helicopter rotor
p0425 A74-38633
Flow through a cascade of aerofoils
p0432 A74-39355
- FLOW VISUALIZATION**
Methods of visualization of the leading edge
separation bubble and analysis of results
[ONERA, TP NO. 1295] p0005 A74-10997
Hologram study of gas flow in a ballistic wind
tunnel
p0013 A74-11414
Stability and decay of free vortices
behind a wing
p0021 A74-11805
Experimental study on the characteristics of an
isolated swept-back aerofoil with two parallel
side-walls
p0069 A74-12971
A color schlieren system
p0124 A74-17806
Wind tunnel dynamic analysis of an oscillating
airfoil
[AIAA PAPER 74-259] p0130 A74-18666
Some results of an optical study of supersonic
spatial flows
p0223 A74-24396
Experimental and theoretical study of the
transonic flow past a half-wing
p0224 A74-25321
Some experimental results of the effect of a
streamwise vortex on a two-dimensional wing
p0321 A74-31247

FLOWMETERS

SUBJECT INDEX

- Tail-rotor thrust on a 5.5-foot helicopter model
in ground effect
[ABS PREPRINT 802] p0388 A74-36616
- Flow patterns of fuselage-wing models at
supercritical angles of attack p0391 A74-37143
- The measurement of the DC-7 trailing
vortex system
using the tower fly-by technique p0104 N74-12718
[FAA-RD-73-141]
- Vortex shedding from the ram wing vehicle ---
based on flow visualization of ram wing surface
effect vehicle wake p0105 N74-12727
[AD-767234]
- Magnus characteristics of arbitrary rotating bodies
[AGARD-AG-171] p0139 N74-13710
- The stability of helical vortex filaments in the
wake of a hovering rotor p0140 N74-13713
- Theoretical and experimental investigations of
vortex lift control by spanwise blowing. Volume
1: Experimental research --- wind tunnel tests.
of jet fighter aircraft scale model p0232 N74-17710
[AD-771290]
- Theoretical and experimental investigations of
vortex lift control by spanwise blowing. Volume
2: Three-dimensional theory for vortex-lift
augmentation --- wind tunnel tests of jet
fighter scale model p0232 N74-17711
[AD-771304]
- Stability and decay of free vortices behind a wing
[NASA-TT-P-15445] p0287 N74-19904
- A preliminary towing tank study of the trailing
vortex generated by a rectangular wing,
including the effects of several tip modifications
[ARL/A-NOTE-342] p0323 N74-21636
- FLOWMETERS**
- Investigations into the possibilities of applying
the 'Aerodynamic Paradoxon' principle in fluidic
devices p0174 A74-19859
- Turbulence measurements with a laser Doppler
velocimeter p0062 N74-11129
[AD-766781]
- Aircraft fuel system tests with gelled
fuel-flowmeter calibration, fuel boost pump and
jettison tests p0095 N74-11828
[FAA-WA-73-43]
- The feasibility of a fluidic respiratory flow meter
[NASA-CR-132296] p0241 N74-18096
- FLUIDICS**
- Aerospace fluidics applications and circuit
manufacture p0019 A74-11604
[SAE PAPER 730880]
- FLUID AMPLIFIERS**
- NT JET AMPLIFIERS
- FLUID BOUNDARIES**
- NT GAS-SOLID INTERFACES
- FLUID DYNAMICS**
- NT AERODYNAMICS
- NT AEROTHERMODYNAMICS
- NT GAS DYNAMICS
- NT HYDRODYNAMICS
- NT RAREFIED GAS DYNAMICS
- NT ROTOR AERODYNAMICS
- Deutsche Forschungs- und Versuchsanstalt fuer
Luft- und Raumfahrt, Annual Report 1972 ---
German book p0126 A74-17969
- An experimentally based prediction of the static
performance in the vertical direction of an air
cushion landing system p0300 N74-20685
[AD-774387]
- The fluid dynamics aspects of air pollution
related to aircraft operations p0361 N74-26104
[AGARD-AR-55]
- FLUID FILMS**
- Dynamical pressure distribution in aerodynamic
bearing p0023 A74-11899
- VFW 614 de-icing p0375 A74-35360
- FLUID FILTERS**
- Oil filtration in modern aircraft systems p0335 A74-31894
- A test method for nondestructive testing of fuel
filtration equipment using thermography p0341 A74-33521
- The filtration of oil in modern aircraft
installations. II
- Filtration of aviation fuels --- Russian book p0421 A74-38046
p0343 A74-33820
- FLUID FLOW**
- NT AIR FLOW
- NT AIR JETS
- NT ANNULAR FLOW
- NT AXIAL FLOW
- NT AXISYMMETRIC FLOW
- NT BASE FLOW
- NT BOUNDARY LAYER FLOW
- NT BOUNDARY LAYER SEPARATION
- NT CASCADE FLOW
- NT CAVITATION FLOW
- NT CHANNEL FLOW
- NT COMBUSTIBLE FLOW
- NT COMPRESSIBLE FLOW
- NT CONICAL FLOW
- NT CONVECTIVE FLOW
- NT CORE FLOW
- NT CORNER FLOW
- NT CRITICAL FLOW
- NT CROSS FLOW
- NT DUCTED FLOW
- NT FREE FLOW
- NT FREE MOLECULAR FLOW
- NT GAS FLOW
- NT HYPERSONIC FLOW
- NT INCOMPRESSIBLE FLOW
- NT INLET FLOW
- NT INVISCID FLOW
- NT JET FLOW
- NT JET MIXING FLOW
- NT LAMINAR FLOW
- NT MASS FLOW
- NT MERIDIONAL FLOW
- NT NONEQUILIBRIUM FLOW
- NT NONUNIFORM FLOW
- NT NOZZLE FLOW
- NT OSCILLATING FLOW
- NT PIPE FLOW
- NT PLASTIC FLOW
- NT POTENTIAL FLOW
- NT RADIAL FLOW
- NT REATTACHED FLOW
- NT RECIRCULATIVE FLUID FLOW
- NT REVERSED FLOW
- NT SEPARATED FLOW
- NT SHEAR FLOW
- NT SMALL PERTURBATION FLOW
- NT SOLIDS FLOW
- NT STEADY FLOW
- NT STRATIFIED FLOW
- NT SUBCRITICAL FLOW
- NT SUBSONIC FLOW
- NT SUPERCAVITATING FLOW
- NT SUPERCRITICAL FLOW
- NT SUPERSONIC FLOW
- NT SUPERSONIC JET FLOW
- NT THREE DIMENSIONAL FLOW
- NT TRANSITION FLOW
- NT TRANSONIC FLOW
- NT TURBULENT FLOW
- NT TWO DIMENSIONAL FLOW
- NT TWO PHASE FLOW
- NT UNSTEADY FLOW
- NT VERTICAL AIR CURRENTS
- NT VISCOUS FLOW
- NT WALL FLOW
- NT WEDGE FLOW
- Unsteady flow of power-law fluids p0004 A74-10573
- Hydrodynamic forces on oscillating and
nonoscillating smooth circular cylinders in
crossflow --- for towed bodies p0062 N74-11125
[AD-767022]
- Heat transfer of a disk rotating in a casing ---
cooling fluid flow in gas turbine engines p0101 N74-12572
[NASA-TT-P-15199]
- FLUID INJECTION**
- NT WATER INJECTION
- Experimental study of the internal noise in
injector driven wind tunnels [ONERA, TP NO. 1315] p0128 A74-18288
- FLUID JET AMPLIFIERS**
- U JET AMPLIFIERS
- FLUID JETS**
- NT AIR JETS
- NT FREE JETS

- NT GAS JETS
NT HYDRAULIC JETS
FLUID MECHANICS
NT AERODYNAMICS
NT AEROTHERMODYNAMICS
NT FLUID DYNAMICS
NT GAS DYNAMICS
NT HYDRODYNAMICS
NT RAREFIED GAS DYNAMICS
NT ROTOR AERODYNAMICS
Deutsche Gesellschaft fuer Luft- und Raumfahrt,
Yearbook 1972 --- German book p0225 A74-24892
Static two dimensional performance of a cushion
fed air cushion landing system p0300 N74-20686
[AD-774394]
FLUID POWER
Realization of the power amplification effect in a
ramjet unit by applying the principle of
boundary layer separation p0175 A74-20069
Fluid power for aircraft: Modern hydraulic
technology /2nd edition/ p0214 A74-23376
Fluid power and control requirements for the U.S.
Army heavy lift helicopter
[SAE PAPER 730988] p0269 A74-27253
FLUID ROTOR GYROSCOPES
Study of unconventional gyroscopic apparatus. I
p0029 A74-12444
FLUIDIC CIRCUITS
Development of a turbine inlet gas temperature
measurement and control system using a fluidic
temperature sensor p0010 A74-11272
[AIAA PAPER 73-1251]
Aerospace fluidics applications and circuit
manufacture p0019 A74-11604
[SAE PAPER 730880]
A study of the characteristics of measuring
elements of pneumatic systems p0174 A74-19852
Aircraft cabin pressure and temperature control
through reliable fluidic circuits p0378 A74-35720
Fluidics and its application in aircraft and
spacecraft p0484 A74-46688
Fluidic emergency roll control system --- for
emergency aircraft control following failure of
primary roll control system p0040 N74-10048
[NASA-CR-114588]
The feasibility of a fluidic respiratory flow meter
[NASA-CR-132296] p0241 N74-18096
Hydraulic-to-pneumatic power supply for aircraft
fluidic systems p0417 N74-28550
[AD-778764]
FLUIDICS
NT FLUIDICS
Investigations into the possibilities of applying
the 'Aerodynamic Paradoxon' principle in fluidic
devices p0174 A74-19859
Applications of fluidics to light aircraft
instrumentation and control p0308 A74-28731
[SAE PAPER 740351]
Hydrofluidic servoactuator development
[AD-766308] p0047 N74-10491
Hydrofluidic yaw SAS analysis design
[AD-777804] p0408 N74-27510
FLUORESCENCE
NT X RAY FLUORESCENCE
FLUORINE COMPOUNDS
NT FLUORO COMPOUNDS
FLUORO COMPOUNDS
Development of thermally stable poly
(fluoroalkoxyphosphazene) transmission seals for
the UH-1 helicopter p0288 N74-20080
[AD-773652]
FLUTTER
NT PANEL FLUTTER
NT SUBSONIC FLUTTER
NT SUPERSONIC FLUTTER
NT TRANSONIC FLUTTER
Analysis and testing of stability augmentation
systems --- for supersonic transport aircraft
wing and B-52 aircraft control system p0093 N74-11809
[NASA-CR-132349]
Active control systems for load alleviation,
flutter suppression and ride control ---
conference p0353 N74-25550
[AGARDOGRAPH-175]
Status of two studies on active control of
aeroelastic response at NASA Langley Research
Center p0354 N74-25553
Active flutter suppression on wings with external
stores p0354 N74-25555
Flutter suppression and gust alleviation using
active controls p0363 N74-26424
[NASA-CR-138658]
Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter p0497 N74-34511
FLUTTER ANALYSIS
Exploitation of spectral density curves in the
case of wind tunnel flutter measurement p0005 A74-11000
Advanced flutter design techniques --- subsonic
and SST aircraft p0016 A74-11565
[SAE PAPER 730935]
Note on the aerodynamic theory of oscillating
T-tails. I - Theory of wings oscillating in yaw
and sideslip p0088 A74-15747
Effect of steady state coning angle and damping on
whirl flutter stability p0090 A74-15967
Lifting-surface theory for an oscillating T-tail
p0119 A74-17012
A direct method for calculating flutter speeds
[AIAA PAPER 74-270] p0131 A74-18675
On repetitive flutter calculations in structural
design p0133 A74-18789
[AIAA PAPER 74-141]
Theoretical investigation of supersonic flow past
oscillating cascades with subsonic leading-edge
locus p0135 A74-18843
[AIAA PAPER 74-14]
Model tests and analysis of prop-rotor dynamics
for tilt-rotor aircraft p0205 A74-22461
An oscillatory kernel function method for lifting
surfaces in mixed transonic flow p0264 A74-26669
[AIAA PAPER 74-359]
Unsteady transonic flow over oscillating
circular-arc airfoils p0264 A74-26670
[AIAA PAPER 74-360]
A wind-tunnel investigation of a B-52 model
flutter suppression system p0265 A74-26700
[AIAA PAPER 74-401]
Active flutter suppression - A flight test
demonstration p0266 A74-26701
[AIAA PAPER 74-402]
A transonic study of active flutter suppression
based on an aerodynamic energy concept p0266 A74-26702
[AIAA PAPER 74-403]
Suppression of flutter on interfering lifting
surfaces by the use of active controls p0266 A74-26703
[AIAA PAPER 74-404]
A comparison of two types of structural
optimization procedures for satisfying flutter
requirements p0266 A74-26704
[AIAA PAPER 74-405]
Some tunnel-wall effects on transonic flutter ---
from Boeing SST model tests p0266 A74-26705
[AIAA PAPER 74-406]
Aeroelastic stability of periodic systems with
application to rotor blade flutter p0267 A74-26713
[AIAA PAPER 74-417]
Lift and moment prediction for an oscillating
airfoil with a moving separation point p0272 A74-27426
[ASME PAPER 74-GT-28]
Supersonic unstalled flutter in fan rotors -
Analytical and experimental results p0272 A74-27433
[ASME PAPER 74-GT-40]
Derivatives of eigenvalues and eigenvectors for a
general matrix p0311 A74-28967
The Alpha Jet wind tunnel model for aeroelastic
investigations p0318 A74-30599
The torsional flutter characteristics of a
cantilevered airfoil cascade in a supersonic
inlet flow field with a subsonic axial component
[AIAA PAPER 74-530] p0339 A74-33127

Stall flutter of a thin aerofoil with leading edge separation p0374 A74-35269

A unique supersonic inlet unsteady aerodynamic cascade experiment [AIAA PAPER 74-622] p0376 A74-35389

Estimation of the effect of unsteadiness in calculating flutter in aircraft with small aspect ratio wings in an incompressible flow p0389 A74-36646

Method of calculating the nonstationary aerodynamic loads on a thin wing of finite aspect ratio undergoing elastic harmonic vibrations in subsonic flow p0390 A74-36815

Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter p0395 A74-37503

Bending-torsional flutter of a cantilevered wing containing a tip mass and subjected to a transverse follower force p0398 A74-37648

Practical design of minimum weight aircraft structures for strength and flutter requirements [AIAA PAPER 74-986] p0429 A74-38743

'SWEEP' - An interdisciplinary approach to a structure weight estimating program [SAE PAPER 1016] p0435 A74-39886

Calculation of wing flutter with allowance for the kinematic constraint between the bending strains in the wing and the aileron deflection p0481 A74-45472

Calculation of wing flutter with allowance for the kinematic constraint between the total strain and aileron deflection p0482 A74-45473

Effect of geometric profile and cascade parameters on the critical flutter speed of a compressor blade packet p0482 A74-45934

Determination of the critical speed for the flexural-torsional flutter of an airplane wing by a numerical method p0483 A74-46591

Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod [ONERA, TP NO. 1424] p0483 A74-46596

Some effects of center of gravity locations of added mass on transonic flutter characteristics of low aspect ratio and sweptback thin cantilever wing [NAL-TR-314] p0040 N74-10047

Unsteady gas dynamics problems and aeroelastic applications related to flight vehicles [AD-767605] p0106 N74-12734

Analysis of stall flutter of a helicopter radar blade [NASA-CR-2322] p0139 N74-13708

Effect of compressibility on three-dimensional helicopter rotor blade flutter p0140 N74-13714

Transonic single-mode flutter and buffet of a low aspect ratio wing having a subsonic airfoil shape [NASA-TN-D-7346] p0153 N74-14631

Flutter computer program and lifting surface theory with boundary layer [NASA-CR-136559] p0155 N74-14707

Changes in flutter results by stiffening some degrees of freedom --- flutter analysis of elastically connected aircraft structures with low masses [TR-195] p0188 N74-15709

Helicopter blade-tip stability in forward flight p0195 N74-16711

Studies in tilt-rotor VTOL aircraft aeroelasticity --- blade flapping and pitch change freedoms of proprotor configurations p0282 N74-19649

Suppression of flutter on interfering lifting surfaces by the use of active controls p0411 N74-28473

Application of sampled-data control techniques in the design of an aircraft flutter mode controller [AD-779078] p0442 N74-29389

Flutter analysis of swept-wing subsonic aircraft with parameter studies of composite wings [NASA-TN-D-7539] p0469 N74-32356

Survey of aircraft subcritical flight flutter testing methods [NASA-CR-132479] p0494 N74-34468

An experimental investigation on the transonic flutter characteristics of the cantilever swept-back wing with airfoil section and comparison with the thin cantilever swept-back wing [NAL-TR-361] p0495 N74-34480

FLUX (RATE)

NT HEAT FLUX

FLUX DENSITY

NT SOUND INTENSITY

FLUXMETERS

O MAGNETIC MEASUREMENT

U MEASURING INSTRUMENTS

FLY BY WIRE CONTROL

Digital adaptive flight controller development p0176 A74-20120

A digital fly-by-wire technology development program using an F-8C test aircraft [AIAA PAPER 74-28] p0179 A74-20755

Flight control system advances for near-future military aircraft [SAE PAPER 730987] p0269 A74-27252

Fluid power and control requirements for the U.S. Army heavy lift helicopter [SAE PAPER 730988] p0269 A74-27253

Hydraulic muscle with electrical controls --- for Fly by Wire aircraft hydraulic systems p0321 A74-31474

Survivable flight control system Fly-by-wire flight testing p0346 A74-34842

Digital fly-by-wire - Computers lead the way p0377 A74-35629

Fly-by-wire controls are on the way p0378 A74-35743

A new concept for angular rate flight control sensors [AIAA PAPER 74-868] p0401 A74-37855

Digital adaptive model following flight control --- using fighter aircraft mathematical model-following algorithm [AIAA PAPER 74-886] p0402 A74-37868

A classical approach to the design of model-following control systems --- for fighter aircraft [AIAA PAPER 74-913] p0402 A74-37893

Considerations in the design of a digital flight control function for a high performance aircraft p0423 A74-38533

Fly-by-wire - What does it weigh --- fighter aircraft flight control weight reduction [SAE PAPER 1018] p0435 A74-39888

Turbofan of the future p0439 A74-40953

Application of the aerospace multiprocessor to the A-7D flight control system --- development of digital fly-by-wire system [AD-768382] p0162 N74-14769

Control-by-wire actuator model development for APCAS --- characteristics of hydraulic control valves to control tandem and parallel control systems [AD-772588] p0253 N74-18715

In-flight testing of a flight control multiplex system in the HC-131 H total in-flight simulator [AD-774049] p0302 N74-20907

A fly-by-wire flight control system for decoupled manual control p0464 N74-31443

Design and flight experience with a digital fly-by-wire control system in an F-8 airplane p0464 N74-31450

Digital fly-by-wire control system with selfdiagnosing failure detection p0464 N74-31451

Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques [AD-783269] p0498 N74-34550

FLYING BEDSTEAD AIRCRAFT

U FLYING PLATFORMS

FLYING PERSONNEL

NT AIRCRAFT PILOTS

NT FLIGHT CREWS

Piloting techniques and flying qualities of the next generation of aircraft p0212 A74-23595

FLYING PLATFORM STABILITY

U AERODYNAMIC STABILITY

U FLYING PLATFORMS

FLYING PLATFORMS

An earth resources aircraft facility --- remote sensing flying platform

p0069 A74-12974

Evaluation of the helicopter as a camera platform

p0078 A74-14480

Pegase project - Advantages of a lens-shaped hull

--- for stratospheric dirigibles

[ONERA, TP NO. 1310]

p0224 A74-24312

Potential uses for the Kiebitz tethered rotor platform

p0318 A74-30596

FLYING QUALITIES

U FLIGHT CHARACTERISTICS

FLYING SPOT SCANNERS

Quarterly Bulletin of the Division of Mechanical

Engineering and the National Aeronautical

Establishment, 1 January - 31 March 1974

[DME/NAE-1974(1)]

p0332 A74-23483

FLYWHEELS

Transient processes in an aircraft stabilization

system with jet-driven flywheels

p0398 A74-37656

FOAMING

Foam and aeration characteristics of commercial

aircraft lubricants

[ASLE PREPRINT 74AM-1A-1]

p0307 A74-28676

FOG

The light-scattering matrix and types of optical

weather --- atmospheric aerosols, haze, fog,

drizzle

p0004 A74-10783

Project Foggy Cloud 4, phase 1. Evaluation of

warm fog dissipation techniques --- and stratus

cloud modification

[AD-766086]

p0047 A74-10597

Thermal warm fog dissipation: Heat requirements

and projected utilization of a system for Travis

AFB, California

[AD-766247]

p0048 A74-10605

Thermal and chemical fog dissipation: Results of

field experiments at Vandenberg AFB, California

during July 1972

[AD-768671]

p0164 A74-15367

Fog clearing using helicopter downdrafts: A

numerical model

[AD-771038]

p0242 A74-18280

FOIL BEARINGS

Gas-lubricated foil bearings for high speed

turboalternator - Construction and performance

[ASME PAPER 73-LUB-5]

p0027 A74-12332

FOKKER AIRCRAFT

NT F-28 TRANSPORT AIRCRAFT

VFW 614 - An appraisal of Germany's new short haul

jet

p0438 A74-40511

FOKKER BOND TESTERS

U ADHESION TESTS

FOKKER F 28 AIRCRAFT

U F-28 TRANSPORT AIRCRAFT

FORCE DISTRIBUTION

Specialists Meeting on Helicopter Rotor Prediction

Methods

[AGARD-CP-122]

p0054 A74-10908

Rotary wing design methodology --- based on

nonlinear aeroelastic blade loads analysis

p0054 A74-10909

The prediction of loading actions on high speed

semi-rigid helicopters

p0055 A74-10914

Integrated rotor/body loads prediction

p0055 A74-10916

FORCED OSCILLATION

U FORCED VIBRATION

FORCED VIBRATION

A method for the dynamic study of helicopter

fuselages in the design phase

p0261 A74-26025

Some problems of the multi-point excitation

technique in the experimental study of the

vibrations of elastic structures

p0390 A74-36803

Coupled rotor/airframe vibration prediction methods

[SAE PAPER 73-0884]

p0394 A74-37489

Application of antiresonance theory to helicopters

p0394 A74-37491

Multicyclic jet-flap control for alleviation of

helicopter blade stresses and fuselage vibration

p0396 A74-37504

FORCED VIBRATORY MOTION EQUATIONS

U FORCED VIBRATION

FOREBODIES

NT ROSE CONES

NT ROSES (FOREBODIES)

FORECASTING

NT PERFORMANCE PREDICTION

NT PREDICTION ANALYSIS TECHNIQUES

NT TECHNOLOGICAL FORECASTING

NT WEATHER FORECASTING

FOREIGN BODIES

Impact resistance of composite fan blades ---

fiber reinforced graphite and boron epoxy blades

for STOL operating conditions

[NASA-CR-134515]

p0099 A74-12285

FOREIGN POLICY

NT INTERNATIONAL COOPERATION

FORENSIC SCIENCES

U LAW (JURISPRUDENCE)

FORGING

Status of the latest turbine disk alloys in the U.S.

p0125 A74-17890

Forgings for jet engines - More quality at less cost

p0348 A74-34874

Dynamic test of gears manufactured by advanced

forming techniques

[AD-765491]

p0047 A74-10484

FORMING TECHNIQUES

NT CASTING

NT COLD WORKING

NT EXTRUDING

NT FORGING

NT ROLL FORMING

Manufacture and properties of titanium and

titanium alloys emphasizing their use in

aeronautics. Part 1: Manufacture and processing

--- conference

p0064 A74-11336

Manufacture of titanium and titanium alloy

semifinished products --- with application to

production of drop-forged aircraft parts

p0064 A74-11338

status and development tendencies of titanium

processing --- metallurgical techniques for

manufacture of aircraft parts

p0064 A74-11339

Development of a low-cost composite die using

High-Energy-Rate Forming (HERF) --- titanium

alloy helicopter parts

[AD-771957]

p0242 A74-18145

FORTRAN

Application to the Viggen aircraft configuration

of the polar coordinate method for unsteady

subsonic flow

[ICAS PAPER 74-03]

p0447 A74-41305

FORTRAN program for predicting off-design

performance of centrifugal compressors

[NASA-TN-D-7487]

p0037 A74-10024

FOSSIL FUELS

NT CRUDE OIL

NT NATURAL GAS

FRACTOGRAPHY

Quantitative evaluation of the effect of

mechanical processing on the effectiveness of

penetrant inspection

p0378 A74-35669

Signal-to-noise ratio in the inspection penetrant

process

p0459 A74-43457

FRACTURE MECHANICS

The application of fracture mechanics to the

design of the barrel and driver tube of a

hypersonic gun tunnel

p0002 A74-10484

Material selection procedures for advanced

transport aircraft

[SAE PAPER 730884]

p0019 A74-11602

Fracture mechanics aircraft structural design

application and related research

p0078 A74-14461

Fracture mechanics applications in materials

selection, fabrication sequencing and inspection

[AIAA PAPER 72-383]

p0090 A74-15968

Fracture mechanics / Dryden Lecture/ --- aerospace

structural design applications

[AIAA PAPER 74-230]

p0135 A74-18858

FRACTURE RESISTANCE

SUBJECT INDEX

Material selection and evaluation for advanced metallic aircraft structures
[AIAA PAPER 74-373] p0265 A74-26680

Geometrical study of the conditions of initiation of sudden cracks of quasi-brittle type
p0280 A74-28526

Solving an aluminum bracket failure --- in fire damaged aircraft engine
p0313 A74-29609

The application of fracture mechanics to the design of damage-tolerant components for the UTTAS helicopter --- Utility Tactical Transport Aircraft System
[AHS PREPRINT 882] p0387 A74-36611

Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics
[NASA-TN-D-7483] p0099 A74-12187

Development and evaluation of methods of plane stress fracture analysis. Part 1: Review and evaluation of structural residual strength prediction techniques
[AD-767614] p0110 A74-13262

Fracture mechanics of aircraft structures --- proceedings of conference on structural characteristics of aircraft components
[AGARD-AG-176] p0331 A74-23413

Examples of aircraft failure --- photographic examples of typical aircraft component cracking through in service failure
p0332 A74-23415

The application of fracture mechanics in the development of the DC-10 fuselage --- analysis of the degree of damage tolerance of fuselage pressure shell
p0332 A74-23428

FRACTURE RESISTANCE **U FRACTURE STRENGTH** **FRACTURE STRENGTH**

Creep fracture mechanisms in aluminum alloys
p0020 A74-11736

Sliding-seal electron-beam welding of titanium
p0083 A74-14752

Fracture toughness and ndt requirements for aircraft design
p0085 A74-15033

Evolution of applications of precision casting in turbojets
p0125 A74-17892

A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures
[AIAA PAPER 74-415] p0266 A74-26711

Minimizing hydrogen pick-up during electroplating of high-strength steels
p0478 A74-44530

Brazed titanium fail-safe structures
p0480 A74-45261

Fatigue crack growth and residual strength of aluminum alloy sheet at temperatures down to -75C --- in aircraft structures at temperatures down to -75C
[NLR-TR-72096-U] p0099 A74-12248

Development and evaluation of methods of plane stress fracture analysis. Part 1: Review and evaluation of structural residual strength prediction techniques
[AD-767614] p0110 A74-13262

Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for aircraft applications
[AD-770350] p0201 A74-17278

Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for airframe applications
[AD-772736] p0255 A74-19184

Typical plane strain fracture toughness of aircraft materials
p0332 A74-23443

Fatigue and fracture considerations in critical titanium components --- for aircraft structures
p0367 A74-26470

FRACTURE TOUGHNESS **U FRACTURE STRENGTH** **FRACTURES (MATERIALS)**

A unified technology plan for fatigue and fracture design
p0366 A74-26465

FRAMES

NT AIRFRAMES
NT CHASSIS
NT UNDERCARRIAGES
FRAMING CAMERAS
A low power night photo system for high speed unmanned aircraft
p0423 A74-38535

FRANCE

Aerospace activities
p0053 A74-10897

FRAUNHOFER REGION

U PAR FIELDS

FREE FLIGHT

Control of laminar flow past a wing in free flight
p0086 A74-15567

Progress in the techniques of free flight studies of catapulted models - Application to aircraft response to vertical gusts
p0223 A74-25311

Gust measurements on Concorde
[NASA-TT-P-15837] p0467 A74-31494

FREE FLIGHT TEST APPARATUS

Review of developments in test techniques using free-floating models --- of aircraft
p0223 A74-25317

FREE FLOW

A criterion for assessing wind-tunnel wall interference at Mach 1
p0090 A74-15972

The shock adjustment concept - A new method for improved supersonic air data sensing
p0346 A74-34845

Two-dimensional wind tunnel tests on a conventional wing section over a wide range of Reynolds numbers and up to high subsonic free-stream speeds
[ICAS PAPER 74-04] p0447 A74-41306

Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow
[NASA-TN-X-3060] p0487 A74-33430

FREE JETS

Free jet engine testing: Wind tunnel starting
[AD-776318] p0360 A74-25790

FREE MOLECULAR FLOW

Determination of the aerodynamic characteristics of bodies of complex shape in a free-molecular flow with allowance for shading
p0204 A74-23233

Determination of the aerodynamic characteristics of a complexly shaped body in a free molecular flow with consideration of shadowing effects
p0483 A74-46181

FREE OSCILLATIONS

U FREE VIBRATION

FREE STREAM EFFECTS

U FREE FLOW

FREE STREAMS

U FREE FLOW

FREE VIBRATION

A method for the dynamic study of helicopter fuselages in the design phase
p0261 A74-26025

Correlation of finite-element structural dynamic analysis with measured free vibration characteristics for a full-scale helicopter fuselage
p0394 A74-37488

Influence of sloshing in wing tip tanks on the vibration natural modes of an aircraft
[ICAS PAPER 74-15] p0448 A74-41317

Free vibrations of dynamically inhomogeneous airfoil cascades in potential flow
p0482 A74-45936

FREEDOM FIGHTER AIRCRAFT

U F-5 AIRCRAFT

FREEZING

ACV icing problems --- air cushion vehicles
p0091 A74-16240

FRENCH SATELLITES

NT EOLE SATELLITES

FRENCH SPACE PROGRAMS

Prospects for aerospace research
p0007 A74-11098

FRIBON

Supersonic compressor test facility
p0129 A74-18603

FREQUENCIES

NT BROADBAND
 NT HIGH FREQUENCIES
 NT MICROWAVE FREQUENCIES
 NT RESONANT FREQUENCIES
 NT SUPERHIGH FREQUENCIES
 NT ULTRAHIGH FREQUENCIES

FREQUENCY ASSIGNMENT

The role of the International Civil Aviation Organization /ICAO/ in obtaining international adoption and implementation of air traffic control, navigation and communications systems
 p0222 A74-22688

FREQUENCY CONTROL

The planar pressure pulse generator - A new dynamic distortion generator
 [AIAA PAPER 73-1317] p0012 A74-11312
 Influence of the intrinsic motion of the conveyance on the frequency selection system
 p0261 A74-26326

FREQUENCY CONVERSION

U FREQUENCY CONVERTERS

FREQUENCY CONVERTERS

NT FREQUENCY MULTIPLIERS

Interrupt times on constant frequency ac systems
 --- for aircraft power supplies
 p0473 N74-32481

Comparison of electrical generating systems based on IDG and VSCF techniques in two types of aircraft
 p0473 N74-32482

VSCF generators --- variable speed constant frequency generators, design, construction and performance
 p0474 N74-32485

Control aspects of aircraft type cycloconverters
 p0474 N74-32486

FREQUENCY DIVISION MULTIPLEXING

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contact definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation
 [FAA-RD-72-150-VOL-3] p0165 N74-15382

FREQUENCY MODULATION

A low cost telemetry system --- for use in small drone aircraft
 [PB-222403/8] p0044 N74-10165

FREQUENCY MULTIPLIERS

A device for measuring the power of an aircraft wheel brake
 p0213 A74-24027
 Multiple channel same frequency repeater flight test --- for intra-aircraft voice communications
 p0424 A74-38556

FREQUENCY RANGES

NT RADIO RANGE

FREQUENCY REGULATION

U FREQUENCY CONTROL

FREQUENCY RESPONSE

Investigation of the characteristics of tubular microphone windscreens for in-duct fan sound power measurements
 p0023 A74-12126
 Hingeless rotor frequency response with unsteady inflow
 p0393 A74-37482
 Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls
 p0497 N74-34515

FREQUENCY TRANSLATION

U FREQUENCY CONVERTERS

FRETTING

Fretting in aircraft turbine engines
 [NASA-TN-X-71606] p0475 N74-33228
 Sealing technology for aircraft gas turbine engines
 [NASA-TN-X-71607] p0475 N74-33229

FRETTING CORROSION

Failure experience with and failure anticipation in titanium components
 p0116 A74-16476
 Fretting resistant coatings for titanium alloys
 p0117 A74-16592
 Evaluation of methods for reducing fretting fatigue damage in 2024-T3 aluminum lap joints
 p0117 A74-16696
 Fretting in aircraft turbine engines
 [NASA-TN-X-71606] p0475 N74-33228

FRICTION

NT AERODYNAMIC DRAG
 NT DRY FRICTION
 NT FLOW RESISTANCE
 NT SKIN FRICTION
 NT SLIDING FRICTION

Effect of frictional heating on brake materials
 p0461 A74-44161

Study of elastoplastic deformation with friction in hydrocarbon media --- with application to jet engine fuels
 [AD-765997] p0049 N74-10717

FRICTION COEFFICIENT

U COEFFICIENT OF FRICTION

FRICTION DRAG

NT AERODYNAMIC DRAG

FRICTION FACTOR

Enhancement of durability of aircraft design elements /2nd revised and enlarged edition/ --- Russian book
 p0337 A74-32775

Information on the use of data items in the series

bodies 02.04
 [ESDU-BODIES-02.04.00-AMEND-A] p0035 N74-10011

FRICTION LOSS COEFFICIENT

U FRICTION FACTOR

FRICTION MEASUREMENT

A device for measuring the power of an aircraft wheel brake
 p0213 A74-24027

FRICTION PRESSURE DROP

U SKIN FRICTION

FRINGE PATTERNS

U DIFFRACTION PATTERNS

FROST

Low-speed aerodynamic characteristics of NACA 0012 aerofoil section. Including the effects of upper-surface roughness simulating hoar frost
 [ARC-R/M-3726] p0231 N74-17709

FUEL CELLS

Air mobility fuel cell study --- desulfurization of JP-4 fuel
 [AD-766757] p0107 N74-12742
 The 1.5-kW fuel cell powerplant
 [AD-767302] p0107 N74-12744

FUEL COMBUSTION

An experimental investigation of techniques for reducing objectionable exhaust emissions
 [AIAA PAPER 73-1324] p0012 A74-11316
 Conversion of fuel nitrogen to NOx in a compact combustor
 [ASME PAPER 73-WA/GT-2] p0071 A74-13293
 The jet engine design that can drastically reduce oxides of nitrogen
 [AIAA PAPER 74-160] p0133 A74-18797

FUEL CONSUMPTION

On the fuel optimality of cruise --- for aircraft
 p0127 A74-18142
 The implications for air transportation of energy shortage
 p0171 A74-19486

The fuel crisis and the controller --- turbojet aircraft descent trajectories for fuel consumption reduction
 p0173 A74-19726

Airline airplanes for the eighties - A response --- emphasizing system efficiency and fuel savings
 p0222 A74-23464

Lockheed S-3A Viking - With low fuel consumption over a wide power range the TF34-GE2 has high thrust to weight
 p0222 A74-23839

Minimum time and minimum fuel flight path sensitivity
 p0342 A74-33811

Application of hydrogen to commercial transports
 [SAE PAPER 740451] p0349 A74-34985

Performance versus cost tradeoffs - Initial look at alternatives --- for aircraft engine fuel cost minimization
 [SAE PAPER 740494] p0350 A74-34989

Fuel state - Expensive
 p0377 A74-35496

The economic utilisation of resources through aviation --- manhours, land and fuel
 p0381 A74-36321

Precious resources and air transport - An airline view --- fuel price increase effects
 p0382 A74-36322

FUEL CONTAMINATION

SUBJECT INDEX

- Jet transport energy management for minimum fuel consumption and noise impact in the terminal area [AIAA PAPER 74-811] p0400 A74-37821
- Sensitivity of suboptimal fixed-range flight paths --- aircraft fuel consumption dependence on atmospheric parameters [AIAA PAPER 74-813] p0400 A74-37822
- The energy crisis of fuel and the procedures of cruising flight p0422 A74-38315
- Aircraft fuel conservation: An AIAA view; Proceedings of a Workshop Conference, Reston, Va., March 13-15, 1974 p0430 A74-38898
- Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses [P-5046] p0068 A74-11791
- Energy in transportation --- energy costs of passenger and cargo transportation p0113 A74-13675
- Aeronautical fuel conservation possibilities for advanced subsonic transports --- application of aeronautical technology for drag and weight reduction [NASA-TM-X-71927] p0295 A74-20654
- Special study: US general aviation accidents involving fuel starvation, 1970 - 1972 [NTSB-AAS-74-1] p0325 A74-21657
- Lost range, fuel and time due to climb and descent: aircraft with turbo-jet and turbo-fan engines [ESDU-74018] p0493 A74-34464
- FUEL CONTAMINATION**
- Clean, bright, and dry --- jet engine fuel contamination control p0176 A74-20213
- Survey of trace metals in distillate fuels p0177 A74-20217
- Requirements on the purity of aircraft fuels p0178 A74-20524
- Adsorption resins in jet fuels p0221 A74-23517
- Filtration of aviation fuels --- Russian book p0421 A74-38006
- FUEL CONTROL**
- A simplified fuel control approach for low-cost aircraft gas turbines [SAE PAPER 730388] p0004 A74-10802
- Aerospace fluidics applications and circuit manufacture [SAE PAPER 730880] p0019 A74-11604
- Air and fuel monitoring for gas turbines p0081 A74-14565
- Models in the design of fuel systems p0118 A74-16758
- Lockheed S-3A Viking - Fuel system excludes management and control manipulation p0213 A74-23840
- Turbine blade pyrometer system in the control of the Concorde engine p0278 A74-28309
- A control concept combining the best of the current hydromechanical and electronic technologies [SAE PAPER 740380] p0309 A74-28745
- Fuel system requirements for small gas turbine engines [SAE PAPER 740381] p0309 A74-28746
- A test method for nondestructive testing of fuel filtration equipment using thermography p0341 A74-33521
- An electronic full-authority engine fuel control system p0458 A74-43211
- Hydrogen-methane fuel control systems for turbojet engines [NASA-CR-121247] p0193 A74-16493
- Experimental reel response system for high performance simplified aerial refueling store --- operational test of hose reel assembly and control system [AD-771389] p0240 A74-17799
- Turbine engine fuel control reliability and maintainability analysis [AD-771030] p0243 A74-18405
- FUEL CORROSION**
- Problems of future high-temperature corrosion research and testing p0080 A74-14564
- The assessment of hot corrosion resistance by rig testing - Philosophy and experience p0081 A74-14580
- FUEL GAGES**
- Advanced engine control program --- using computerized electronic equipment [AD-773660] p0293 A74-20451
- FUEL INJECTION**
- Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream [AIAA PAPER 73-1322] p0012 A74-11314
- Simplified physical model of spray combustion in a gas turbine engine p0015 A74-11451
- Low NOx emission combustor for automobile --- evaluation of various fuel injection methods [PB-222075/4] p0052 A74-10745
- FUEL OILS**
- Fuel state - Expensive p0377 A74-35496
- Investigation of sliding-surface bearings of screw pumps utilized on the navy distillate fuel oil conversion program [AD-771453] p0242 A74-18146
- Aviation fuel spill containment using absorbent materials [AD-776762] p0361 A74-26242
- FUEL PUMPS**
- Aviation turbine fuel and its lubricating qualities p0020 A74-11739
- Investigation of sliding-surface bearings of screw pumps utilized on the navy distillate fuel oil conversion program [AD-771453] p0242 A74-18146
- FUEL SPRAYS**
- An empirical model for calculating the critical conditions of flame stabilization p0022 A74-11824
- FUEL SYSTEMS**
- NT AIRCRAFT FUEL SYSTEMS**
- Fuel system requirements for small gas turbine engines [SAE PAPER 740381] p0309 A74-28746
- Fuel system requirements for light aircraft turbocharged reciprocating engines [SAE PAPER 740382] p0309 A74-28747
- Hydrogen-methane fuel control systems for turbojet engines [NASA-CR-121247] p0193 A74-16493
- Experimental reel response system for high performance simplified aerial refueling store --- operational test of hose reel assembly and control system [AD-771389] p0240 A74-17799
- Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524 [NASA-TM-X-71553-VOL-2-P1-1] p0406 A74-27492
- Manufacturing methods for self-sealing fuel lines --- development of braiding process for production of fuel lines for military aircraft [AD-778083] p0411 A74-28243
- FUEL TANKS**
- NT WING TANKS**
- Models in the design of fuel systems p0118 A74-16758
- Crash-resistant fuel tanks for helicopters and general aviation aircraft [SAE PAPER 740358] p0308 A74-28735
- Application of hydrogen to commercial transports [SAE PAPER 740451] p0349 A74-34985
- Aircraft fuel tank entry wall-projectile interaction studies [AD-765667] p0043 A74-10066
- Low cost, fiber glass reinforced plastic fuel tank, volume 1 --- for A-7 aircraft application [AD-766361] p0057 A74-10929
- Low cost, fiber glass reinforced plastic fuel tank, volume 2 --- development and evaluation for application to A-7 aircraft [AD-766400] p0057 A74-10931
- Production data package 267 gallon external fuel tank --- F-14 aircraft [AD-767937] p0144 A74-13745
- An experimental study of attenuation of shock waves in aircraft fuel tanks [AD-769930] p0198 A74-16750
- Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic

SUBJECT INDEX

FUSELAGES

- loading of fuel tanks impacted by bullets and projectiles
[AD-772744] p0254 N74-18719
- Evaluation of various sizes and configurations of fuel tanks
[AD-777801] p0408 N74-27516
- Gross voided flame arresters for fuel tank explosion protection
[AD-777898] p0409 N74-27540
- FUEL TESTS**
- Antivear properties of jet fuels obtained by blending nonalkalized hydrotreated with straight-run components
p0479 A74-45000
- JP-4 thermal stability survey --- analysis of physical properties of 19 JP-4 fuels
[AD-767591] p0112 N74-13501
- The chemistry of fuel deposits and their precursors
[AD-773630] p0289 N74-20399
- FUEL-AIR RATIO**
- The reduction of gas turbine idle emissions by fuel zoning for compressor bleed
[ASME PAPER 73-WA/AERO-1] p0070 A74-13243
- The effects of water, pressure, and equivalence ratio on nitric oxide production in gas turbines
[ASME PAPER 73-WA/GT-1] p0071 A74-13292
- FUELING**
- U REFUELING**
- FUELS**
- NT AIRCRAFT FUELS
- NT DIESEL FUELS
- NT FUEL OILS
- NT HYDROCARBON FUELS
- NT HYDROGEN FUELS
- NT JET ENGINE FUELS
- NT JP-4 JET FUEL
- NT JP-5 JET FUEL
- NT KEROSENE
- FULL SCALE TESTS**
- Current developments in main rotors at Bell Helicopter Company --- multibladed concepts, frequency placement
[AIAA PAPER 73-1160] p0003 A74-10511
- Full-scale tests of an augmentor VTOL concept --- ejector-in-wing configuration
[AIAA PAPER 73-1185] p0008 A74-11229
- A method of calculating aircraft wake velocity profiles and comparison with full-scale experimental measurements
[AIAA PAPER 74-39] p0132 A74-18747
- A comparison of the noise characteristics of full scale and model helicopter rotors
p0206 A74-22468
- Comments for panel discussion on full scale vs reduced-scale wind tunnel testing of V/STOL aircraft
p0207 A74-22475
- Comments on a theme - Full-scale versus small-scale wind tunnel testing of V/STOL
p0207 A74-22480
- Experience gained from a comparison of spins on wind-tunnel models and on aircraft
p0226 A74-25328
- Quality exponent method for planning and interpretation of results of full-scale, low-cycle fatigue tests
[SAE PAPER 740218] p0274 A74-27501
- Theory and comparison with tests of two full-scale propellers
p0395 A74-37497
- Hypersonic research airplane propulsion for boost and test
[AIAA PAPER 74-990] p0429 A74-38747
- Flight performance of a circulation controlled STOL
[AIAA PAPER 74-994] p0429 A74-38749
- Static noise measurement of full scale jet engines
p0434 A74-39740
- Airworthiness philosophy developed from full-scale testing --- of DC 10 aircraft
p0366 N74-26464
- Full-scale fatigue testing. A comparison with service experience and interpretation of test results
p0367 N74-26477
- FUNCTIONAL ANALYSIS**
- NT HARMONIC ANALYSIS
- NT INTEGRAL EQUATIONS
- FUNCTIONS (MATHEMATICS)**
- NT CONFORMAL MAPPING
- NT COORDINATE TRANSFORMATIONS
- NT DISCRETE FUNCTIONS
- NT KERNEL FUNCTIONS
- NT PROBABILITY DISTRIBUTION FUNCTIONS
- NT TRANSFER FUNCTIONS
- NT WEIBULL DENSITY FUNCTIONS
- Inverting the mapping function --- coefficients for circle-airfoil transformation function expansion
p0001 A74-10070
- Piecewise smooth approximation method for sensor data --- from strain gages
p0391 A74-37149
- FUNGI**
- Fungus resistance of polyvinyl acetate latex dust control material --- helicopter landing pads
[AD-767256] p0111 N74-13286
- FUSELAGE MOUNTING**
- U AIRCRAFT PRODUCTION**
- FUSELAGES**
- Advanced composite F-5 fuselage component --- design, tooling, fabrication and assembly flexibilities
p0084 A74-14763
- Torsion of conical thin-walled aircraft components
p0088 A74-15817
- Manufacturing exercise involved in the redesign of the Hawker Siddeley Trident /tri-jet/ fuselage
p0115 A74-16445
- Experimental study of metal-plastic couplings in tension
p0130 A74-18648
- Investigations concerning wing-fuselage interference in the case of subsonic velocity
p0136 A74-18897
- A method for the dynamic study of helicopter fuselages in the design phase
p0261 A74-26025
- Application of advanced structures and materials to transport aircraft fuselages
[AIAA PAPER 74-340] p0263 A74-26655
- Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft
p0382 A74-36451
- Application of advanced composites to helicopter airframe structures --- CH-53 D materials
[AHS PREPRINT 880] p0387 A74-36610
- Consideration of the effect of the fuselage of a two-rotor helicopter of the transverse or longitudinal type when determining the optimal rotor blade configuration for hovering
p0390 A74-36799
- Interference of a sweptback wing and the fuselage at transonic speeds
p0391 A74-36839
- Flow patterns of fuselage-wing models at supercritical angles of attack
p0391 A74-37143
- Correlation of finite-element structural dynamic analysis with measured free vibration characteristics for a full-scale helicopter fuselage
p0394 A74-37488
- Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration
p0396 A74-37504
- Fuselage basic shell weight prediction
[SAE PAPER 74019] p0435 A74-39889
- The effect of the Mach number on wave-drag optimized fuselages and profiles in the case of supersonic flow
p0447 A74-41032
- Optimization and design of the rear fuselage of the A 300 B aircraft structure
p0166 N74-15614
- Swept wing-body combination at subsonic speeds fuselage loads and pressure distributions for a swept wing-body combination at supersonic speeds
[ARA-34] p0245 N74-18649
- Study of advanced structural concepts for fuselage --- fiber reinforced composite materials for helicopter tail section
[AD-772708] p0250 N74-18696
- The application of fracture mechanics in the development of the DC-10 fuselage --- analysis of the degree of damage tolerance of fuselage pressure shell
p0332 N74-23428

FUSIFORM SHAPES

SUBJECT INDEX

- Helicopter/technology program: Fiscal 1973 ---
development of design methodology for helicopter
fuselages
[AD-776580] p0359 N74-25611
An experimental and analytical investigation of
the potential flow field, boundary layers, and
drag of various helicopter fuselage configurations
[AD-777798] p0408 N74-27514
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage p0496 N74-34496
Multicyclic jet-flap control for alleviation of
helicopter blade stresses and fuselage vibration
p0497 N74-34512
- FUSIFORM SHAPES**
U CONES
FUSION (WELDING)
Application of fusible temperature indicators for
measuring heat flows to models in wind tunnels
p0383 A74-36458
FUSION WELDING
NT BRAZING
NT ELECTRON BEAM WELDING
Fabrication and repair of titanium engine
components by welding p0084 A74-14768
FV-12A AIRCRAFT
XPV-12A V/STOL fighter/attack aircraft
p0320 A74-30822
F4H AIRCRAFT
U F-4 AIRCRAFT
F8U AIRCRAFT
U F-8 AIRCRAFT
- G**
- G FORCE**
U ACCELERATION (PHYSICS)
G-222 AIRCRAFT
The Aeritalia-Lockheed agreement - The package
also includes the Lancer --- G-222 and F-104
military aircraft marketing p0213 A74-23877
GAGES
U MEASURING INSTRUMENTS
GALAXY AIRCRAFT
U C-5 AIRCRAFT
GAME THEORY
Two numerical methods to solve realistic
air-to-air combat differential games
[AIAA PAPER 74-22] p0132 A74-18736
Differential-turning tactics --- air-to-air combat
[AIAA PAPER 74-815] p0400 A74-37823
Differential game barriers and their application
in air-to-air combat
[AD-766890] p0113 N74-13696
GAMMA RADIATION
U GAMMA RAYS
GAMMA RAYS
Nuclear instrument landing system
[SAN-828-2] p0288 N74-20232
GARP
U GLOBAL ATMOSPHERIC RESEARCH PROGRAM
GAS ANALYSIS
NT OZONOMETRY
Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection
[AD-769298] p0192 N74-15830
GAS BEARINGS
The whirl instability of a rigid rotor in a
flexibly supported gas lubricated journal bearing
p0014 A74-11441
Dynamical pressure distribution in aerodynamic
bearing p0023 A74-11899
The stability of flexibly supported, externally
pressurized gas journal bearings - Case of a
rigid rotor p0082 A74-14623
GAS CHROMATOGRAPHY
Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection
[AD-769298] p0192 N74-15830
GAS DENSITY
The jet density exponent issue for the noise of
heated subsonic jets p0422 A74-38393
GAS DETECTORS
An instrument for nitric oxide measurements in the
stratosphere p0341 A74-33428
Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection
[AD-769298] p0192 N74-15830
GAS DYNAMICS
NT AERODYNAMICS
NT AEROTHERMODYNAMICS
NT RAREFIED GAS DYNAMICS
NT ROTOR AERODYNAMICS
Simulation studies of an airport noise silencer
p0184 A74-21641
GAS EXPANSION
Numerical solution of the problem of supersonic
gas flow over the upper surface of a delta wing
in the expansion region p0186 A74-22283
Interaction between an overexpanded gas jet and a
flat obstacle p0391 A74-37138
GAS FLOW
NT AIR FLOW
NT FREE MOLECULAR FLOW
NT MERIDIONAL FLOW
NT NONEQUILIBRIUM FLOW
NT TRANSITION FLOW
NT VERTICAL AIR CURRENTS
Hologram study of gas flow in a ballistic wind
tunnel p0013 A74-11414
Boundary value problems of two-dimensional
isentropic gas flow p0014 A74-11430
Concerning wave processes in a shell-gas system
p0087 A74-15573
Determination of the gas temperature in front of
the turbine of a bypass turbofan engine p0087 A74-15721
Heat transfer investigation in a high-temperature
gas flow spreading over a plane surface p0131 A74-18684
Numerical solution of the problem of supersonic
gas flow over the upper surface of a delta wing
in the expansion region p0186 A74-22283
Flow of hydrogen-oxygen mixtures around blunted
bodies moving at high velocity p0186 A74-22304
A time-saving method for calculating subsonic
flows at airfoils p0384 A74-36559
Flow past a triangular wing with blunted edges in
the case of strong compression in the shock layer
p0384 A74-36560
Calculation of transonic gas flows past
axisymmetric bodies and lifting wing profiles
p0390 A74-36826
Noise tests of a high-aspect-ratio slot nozzle
with various V-gutter target thrust reversers
[NASA-TN-X-71470] p0039 N74-10037
An experimental investigation of an acoustic
method for measuring gas mass flow
[AD-766419] p0046 N74-10340
AEDC Fiscal Year 1974 Air Force technical
objective document --- facility improvements,
test techniques, instrumentation, gas
properties, and wind tunnel and flight test data
comparisons [AD-766719] p0068 N74-11803
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] p0410 N74-28233
Sealing technology for aircraft gas turbine engines
[NASA-TN-X-71607] p0475 N74-33229
GAS GENERATOR ENGINES
U ENGINES
U GAS GENERATORS
GAS GENERATORS
Gas generator design for a wide variety of APU
applications
[AIAA PAPER 73-1169] p0031 A74-12916
Some results from tests on a high work axial gas
generator turbine [ASME PAPER 74-GT-81] p0273 A74-27467

- Small Turbine Advanced Gas Generators for future engine requirements
[ABS PREPRINT 872] p0387 A74-36607
- Fluidic emergency roll control system --- for emergency aircraft control following failure of primary roll control system
[NASA-CR-114588] p0040 A74-10048
- Investigation of the relative merits of different power plants for STOL-aircraft with blown flap application --- analysis of design requirements for self-sustained gas supply systems
p0289 A74-20406
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds
[NASA-TN-X-3053] p0323 A74-21639
- GAS JETS**
Measuring the radiation of a vertical gas jet
p0015 A74-11500
- GAS LASERS**
NT CARBON DIOXIDE LASERS
- GAS LUBRICANTS**
Gas-lubricated foil bearings for high speed turboalternator - Construction and performance
[ASME PAPER 73-LUB-5] p0027 A74-12332
- GAS LUBRICATED BEARINGS**
- GAS BEARINGS**
- GAS MIXTURES**
NT AIR
NT COMPRESSED AIR
NT DETONABLE GAS MIXTURES
- GAS SPECTROSCOPY**
NT FLAME SPECTROSCOPY
- GAS STREAMS**
Mixing and combustion processes in jet engines --- physics of interaction of droplets or solid particles with gas stream
[AD-766030] p0051 A74-10741
- GAS TEMPERATURE**
Determination of the gas temperature in front of the turbine of a bypass turbofan engine
p0087 A74-15721
- Turbine inlet gas temperature sensor for engine control --- nuclear radiation system
[AD-765193] p0046 A74-10461
- GAS TURBINE ENGINES**
NT BRISTOL-SIDDELEY BS 53 ENGINE
NT J-57 ENGINE
NT J-79 ENGINE
NT J-85 ENGINE
NT J-93 ENGINE
NT JET ENGINES
NT PULSEJET ENGINES
NT RAMJET ENGINES
NT SUPERSONIC COMBUSTION RAMJET ENGINES
NT TF-30 ENGINE
NT TURBOFAN ENGINES
NT TURBOJET ENGINES
NT TURBOPROP ENGINES
- Designing small gas turbine engines for low noise and clean exhaust
[AIAA PAPER 73-1154] p0003 A74-10507
- Impact of emission regulations on gas turbine combustor design
[AIAA PAPER 73-1155] p0003 A74-10508
- Uncertainty in gas turbine measurements --- bias and precision error model
[AIAA PAPER 73-1230] p0009 A74-11255
- Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors
[AIAA PAPER 73-1249] p0009 A74-11270
- Development of a turbine inlet gas temperature measurement and control system using a fluidic temperature sensor
[AIAA PAPER 73-1251] p0010 A74-11272
- Prediction of aircraft gas turbine NO_x/ emission dependence on engine operating parameters and ambient conditions
[AIAA PAPER 73-1275] p0010 A74-11287
- Measurement of gas turbine exhaust pollutants by Raman spectroscopy
[AIAA PAPER 73-1276] p0010 A74-11288
- Impact of emission regulations on future gas turbine engine combustors
[AIAA PAPER 73-1277] p0010 A74-11289
- Qualitative effects of cycle variables on turbine engine performance and stability
[AIAA PAPER 73-1315] p0012 A74-11310
- Cost - The emerging aerospace technology --- applications to gas turbine engines
- [AIAA PAPER 73-1327] p0013 A74-11318
- Modeling of gas turbine combustors
p0014 A74-11434
- Simplified physical model of spray combustion in a gas turbine engine
p0015 A74-11451
- Some aspects of inlet/engine flow compatibility
p0020 A74-11618
- Experimental investigation of the vibrations of a gas-turbine engine rotor
p0023 A74-12012
- Gas turbine engine mainshaft roller bearing-system analysis
[ASME PAPER 73-LUB-J] p0030 A74-12710
- The reduction of gas turbine idle emissions by fuel zoning for compressor bleed
[ASME PAPER 73-WA/AERO-1] p0070 A74-13243
- Advanced technology for reducing aircraft engine pollution
[ASME PAPER 73-WA/AERO-2] p0071 A74-13244
- Acoustic characteristics of a gas turbine exhaust model
[ASME PAPER 73-WA/GT-5] p0071 A74-13296
- Status of state air emission regulations affecting gas turbines
[ASME PAPER 73-WA/GT-8] p0072 A74-13299
- Sampling a turbine engine exhaust for average emissions
[ASME PAPER 73-WA/GT-9] p0072 A74-13300
- Problems of future high-temperature corrosion research and testing
p0080 A74-14564
- Turbine corrosion - Rig evaluation and engine experience
p0081 A74-14583
- Application of powder metallurgy in gas turbine aircraft engines
p0084 A74-14765
- Influence of the compressor characteristic on gas-turbine engine operation under variable pressure conditions at the exit section of the propelling nozzle
p0088 A74-15733
- Hot-salt stress-corrosion of titanium alloys as related to turbine engine operation
p0117 A74-16600
- An approach toward optimizing material cost and part function in advanced powerplants
[SAE PAPER 730909] p0123 A74-17535
- The T700-GE-700 turboshaft engine program
[SAE PAPER 730917] p0123 A74-17536
- The problem of optimal design of gas-turbine engines
p0126 A74-18083
- A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in
p0126 A74-18085
- Suitability of using titanium pipelines in the hydraulic systems of turbine engines
p0126 A74-18090
- A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades
p0131 A74-18686
- Clean, bright, and dry --- jet engine fuel contamination control
p0176 A74-20213
- The environment and the gas turbine
p0185 A74-21874
- Coupled vibrations in turbomachines and gas-turbine engines --- Russian book
p0221 A74-22665
- Additives for lubrication oils used with foreign gas-turbine aviation engines - Survey of patents
p0219 A74-23518
- Residual stresses in gas turbine engine components from Barkhausen noise analysis
[ASME PAPER 74-GT-51] p0272 A74-27444
- Torsional stability analysis of a gas-turbine powered helicopter drive system
[ASME PAPER 74-GT-54] p0272 A74-27447
- Parameter selection for multiple fault diagnostics of gas turbine engines
[ASME PAPER 74-GT-62] p0272 A74-27452
- An automated interactive design system for advanced gas turbines
[ASME PAPER 74-GT-82] p0273 A74-27468
- Study of casing treatment effects in axial flow compressors
[ASME PAPER 74-GT-89] p0273 A74-27472

- Objectives for a course in aircraft gas turbines
[ASME PAPER 74-GT-98] p0273 A74-27480
- The use of desk top computers in the teaching of
aircraft gas turbines
[ASME PAPER 74-GT-115] p0273 A74-27484
- Engine condition monitoring as a part of the
propulsion management concept p0278 A74-28314
- A systems engineering approach to effective engine
condition monitoring p0278 A74-28316
- Current state of development of lubricating oils
for aircraft turbine engines p0280 A74-28434
- Fuel system requirements for small gas turbine
engines p0309 A74-28746
[SAE PAPER 740381]
- The impact of advanced turboshaft engine
technology on T700-powered helicopter systems
[AHS PREPRINT 871] p0386 A74-36606
- Small Turbine Advanced Gas Generators for future
engine requirements p0387 A74-36607
[AHS PREPRINT 872]
- Turbomachine numerical control using the ASMODEE
01 prototype --- airborne computer p0431 A74-39007
- A study of high temperature fuels and lubricants
on supersonic aircraft/engine system performance
[SAE PAPER 740473] p0433 A74-39648
- The design and development of the Gem engine
p0437 A74-40008
- Theoretical and experimental studies of a high
pressure ratio centrifugal compressor at reduced
rotating speed p0450 A74-41338
[ICAS PAPER 74-37]
- Small gas turbines for helicopters /Halford
Memorial Lecture/ p0451 A74-41397
- Study of flow in axial compressors p0457 A74-43132
- Control system considerations for helicopter gas
turbines p0458 A74-43210
- An electronic full-authority engine fuel control
system p0458 A74-43211
- Problem of the optimal design of gas-turbine engines
p0481 A74-45408
- An investigation of the degree of damage to gas
turbine engine turbine blades after service life
p0481 A74-45410
- High temperature cooled gas turbines (analysis and
design) p0051 N74-10740
[AD-766031]
- Low NOx emission combustor for automobile ---
evaluation of various fuel injection methods
[PB-222075/4] p0052 N74-10745
- Low NOx emission combustor for automobile gas
turbine engines --- design and tests of two
research combustors p0052 N74-10746
[PB-222340/2]
- The economic efficiency of raising the flying life
and reliability of gas-turbine engines
[AD-767027] p0065 N74-11601
- Current and future materials usage in aircraft gas
turbine engines p0066 N74-11604
[AD-766334]
- Heat transfer of a disk rotating in a casing ---
cooling fluid flow in gas turbine engines
[NASA-TT-F-15199] p0101 N74-12572
- Non dimensional methods for the measurement of
hover performance of turbine engine helicopters
[ESDU-73027] p0103 N74-12711
- Introduction to nondimensional methods for the
measurement of performance of turbine-engined
helicopters p0103 N74-12712
[ESDU-73026]
- A numerical solution for the heat transfer between
an axi-symmetric air jet and a heated plate ---
applied to performance of gas turbine engines
[AD-767266] p0112 N74-13510
- Parameters controlling nitric oxide emissions from
gas turbine combustors p0149 N74-14291
- Factors controlling pollutant emissions from gas
turbine engines p0149 N74-14292
- Estimation and optimization of the film cooling
requirements in a gas turbine combustion chamber
- [CRANFIELD-SME-5] p0152 N74-14439
- A proposed method for calculating film-cooled wall
temperatures in gas turbine combustion chambers
[CRANFIELD-SME-4] p0152 N74-14440
- Blade dynamics analysis using NASTRAN --- effects
of blade geometry, temperature gradients, and
rotational speed p0153 N74-14599
- Pneumomechanical critical speed control for gas
turbine engine shafts p0256 N74-19407
[AD-772823]
- Rotor burst protection program: Statistics on
aircraft gas turbine engine rotor failures that
occurred in US commercial aviation during 1972
[NASA-CR-136900] p0304 N74-21396
- Major Item Special Study (NISS), AH-1G gas turbine
engine (T53-L-13B) --- cost savings through
quality and design improvements p0370 N74-27300
[AD-776939]
- Product support program (ground power systems)
[AD-777704] p0370 N74-27304
- The power plants of vertical takeoff and landing
aircraft p0419 N74-29225
[AD-778791]
- Fretting in aircraft turbine engines p0475 N74-33228
[NASA-TM-X-71606]
- Sealing technology for aircraft gas turbine engines
[NASA-TM-X-71607] p0475 N74-33229
- Advanced ceramic seal program, phase 1
[AD-781004] p0492 N74-34076
- GAS TURBINES**
- A simplified fuel control approach for low-cost
aircraft gas turbines p0004 A74-10802
[SAE PAPER 730388]
- A simplified approach for estimating manufacturing
cost at the part level p0017 A74-11584
[SAE PAPER 730908]
- The effects of water, pressure, and equivalence
ratio on nitric oxide production in gas turbines
[ASME PAPER 73-WA/GT-1] p0071 A74-13292
- Deposition and corrosion in gas turbines;
Proceedings of the Conference, London, England,
December 6, 7, 1972 p0080 A74-14563
- Air and fuel monitoring for gas turbines p0081 A74-14565
- Aerodynamic aspects of gas turbine blade corrosion
p0081 A74-14567
- The assessment of hot corrosion resistance by rig
testing - Philosophy and experience p0081 A74-14580
- Velocity characteristics of a turbine with
adjustable nozzle diaphragms p0087 A74-15719
- Some specific characteristics of small gas
turbines and the modeling problems of their wind
tunnel testing p0131 A74-18682
- Survey of trace metals in distillate fuels
p0177 A74-20217
- Turbine inlet gas temperature sensor for engine
control --- nuclear radiation system p0046 N74-10461
[AD-765193]
- Aviation gas turbine engines (selected portions)
[AD-756810] p0052 N74-10751
- Experimental investigation of the effects of tip
clearance and end losses on axial compressor
performance p0112 N74-13511
[AD-767656]
- Improved silicone fluids as candidate gas turbine
engine oils for minus 40 F to 465 F temperature
range p0148 N74-14246
[AD-767898]
- A preliminary study on the influence of fuel
staging on nitric oxide emissions from gas
turbine combustors p0150 N74-14301
- Aircraft gas turbine pollutant limitations
oriented toward minimum effect on engine
performance p0150 N74-14304
- Modeling a high pressure ratio centrifugal
compressor using a low speed of sound gas
[AD-767241] p0152 N74-14444
- Effect of increased fuel temperature on emissions
of oxides of nitrogen from a gas turbine
combustor burning ASTM Jet-A fuel
[NASA-TM-X-2931] p0166 N74-15659

SUBJECT INDEX

GENERAL AVIATION AIRCRAFT

- Cold-air study of the effect on turbine stator blade aerodynamic performance of coolant ejection from various trailing-edge slot geometries. 1: Experimental results [NASA-TN-X-3000] p0231 N74-17699
- Lubricating systems of gas turbine engines --- design of lubricating systems for aircraft gas turbine engines [AD-773493] p0288 N74-20161
- GAS VALVES**
Contribution of computer simulation to the development of aeronautical equipment or systems p0213 A74-22662
- Anticipatory anti-blackout system --- oxygen operated anti-G valves for aircrew protection p0212 A74-23551
- GAS WELDING**
NT BRAZING
GAS-SOLID INTERFACES
Waves in an elastic medium generated by a point source moving in an overlying fluid medium p0085 A74-14928
- GASEOUS CAVITATION**
U CAVITATION FLOW
U GAS FLOW
GASES
NT AIR
NT CARBON MONOXIDE
NT COMPRESSED AIR
NT DETONABLE GAS MIXTURES
NT EXHAUST GASES
NT GAS STREAMS
NT HIGH TEMPERATURE AIR
NT HIGH TEMPERATURE GASES
NT LIQUEFIED GASES
NT LIQUID HYDROGEN
NT LIQUID OXYGEN
NT NATURAL GAS
NT NITROGEN
NT OZONE
GAUSS EQUATION
Nonlinear parameter identification: Ballistic range experience applicable to flight testing --- using Gauss-Newton method p0356 N74-25580
- GAUSS FUNCTION**
U GAUSS EQUATION
GAUSSIAN NOISE
U RANDOM NOISE
GAUSSMETERS
U MAGNETOMETERS
GC-130 AIRCRAFT
U C-130 AIRCRAFT
GEAR TEETH
A life study of AISI M-50 and Super Nitralloy spur gears with and without tip relief [ASME PAPER 73-LUB-38] p0027 A74-12352
- GEARS**
Reduction of vibration and noise generated by planetary ring gears in helicopter aircraft transmissions [ASME PAPER 73-PTG-11] p0119 A74-16979
- Gearbox noise reduction - Prediction and measurement of mesh-frequency vibrations within an operating helicopter rotor-drive gearbox [ASME PAPER 73-DET-31] p0341 A74-33404
- Dynamic test of gears manufactured by advanced forging techniques [AD-765491] p0047 N74-10484
- Improved circumferential shaft seal for aircraft gear transmissions [NASA-TN-D-7130] p0147 N74-14138
- Mechanical component failure prognosis study --- helicopter gearboxes and transmissions [AD-771033] p0238 N74-17765
- CH-54 B main gearbox thermal mapping program [AD-772664] p0253 N74-18712
- Prediction of gear-mesh-induced high-frequency vibration spectra in geared power trains [AD-777496] p0369 N74-26493
- Characterization of carburized Vasco X-2 steel [AD-782362] p0500 N74-34952
- GEIGER COUNTERS**
High sensitivity 1000F gas multiplication UV flame detector for aircraft [AD-766960] p0063 N74-11296
- GEIGER-MUELLER TUBES**
U GEIGER COUNTERS
- GELS**
Aircraft fuel system tests with gelled fuel-flowmeter calibration, fuel boost pump and jettison tests [FAA-NA-73-43] p0095 N74-11828
- GENERAL AVIATION AIRCRAFT**
NT BEECHCRAFT 18 AIRCRAFT
NT CESSNA 172 AIRCRAFT
NT DO-28 AIRCRAFT
Designing for noise and emission control in general aviation [AIAA PAPER 73-1158] p0003 A74-10509
- Application of military human factors techniques to general aviation accident prevention p0004 A74-10880
- New airfoil sections for general aviation aircraft --- cruising and flap development tests [SAE PAPER 730876] p0019 A74-11606
- Some trends in air traffic control p0091 A74-16074
- BD-5 flight test program report p0172 A74-19500
- Incremental transfer effectiveness of a ground-based general aviation trainer p0260 A74-25969
- Aeronautical aspects of the employment of Omega and Loran C in general aviation p0268 A74-27098
- Simulation and flight evaluation of a heads-up display for general aviation [SAE PAPER 740347] p0308 A74-28727
- NASA general aviation research overview [SAE PAPER 740352] p0308 A74-28732
- Crash-resistant fuel tanks for helicopters and general aviation aircraft [SAE PAPER 740358] p0308 A74-28735
- A quiet propeller for commuter and general aviation aircraft [SAE PAPER 740359] p0308 A74-28736
- A Fowler flap system for a high-performance general aviation airfoil [SAE PAPER 740365] p0309 A74-28739
- The design of crashworthy general aviation aircraft [SAE PAPER 740376] p0309 A74-28744
- Fuel system requirements for small gas turbine engines [SAE PAPER 740381] p0309 A74-28746
- General avionics progress p0318 A74-30592
- System integration in business aircraft avionics --- for automatic flight control [SAE PAPER 740346] p0345 A74-34799
- A passive gust alleviation system for light aircraft [AIAA PAPER 74-773] p0399 A74-37798
- Lightning effects on general aviation aircraft [FAA-NA-73-32(2)] p0039 N74-10040
- Small V/STOL aircraft analysis. Volume 2: Appendices --- to determine current and future general aviation missions and performance requirements [NASA-CR-114629] p0040 N74-10045
- Study of small turbofan engines applicable to general-aviation aircraft [NASA-CR-114630] p0049 N74-10725
- Low speed aerodynamic characteristics of a 17 percent thick airfoil section designed for general aviation applications [NASA-TN-D-7428] p0094 N74-11821
- An exploratory simulation study of a head-up display for general aviation lightplanes [NASA-TN-D-7456] p0097 N74-11837
- Lightning effects on general aviation aircraft [FAA-RD-73-99] p0099 N74-12167
- General aviation air traffic pattern safety analysis [NASA-TN-X-69455] p0111 N74-13422
- Q-FANSTM for general aviation aircraft [NASA-CR-114665] p0142 N74-13726
- Noise source abatement technology and cost analysis including retrofitting --- noise control for commercial and general aviation aircraft [PB-224422/66A] p0238 N74-17771
- General aviation cost impact study. Volume 1: Executive summary [AD-771603] p0239 N74-17779
- General aviation cost impact study. Volume 2: Research methodology [AD-771606] p0239 N74-17780

- General aviation cost impact study. Volume 3:
Planning guide [AD-771759] p0239 N74-17781
- A proposal for the future of flight service stations. Volume 1: Summary --- systems analysis of automated air traffic control for general aviation aircraft [PB-225052/0GA] p0242 N74-18315
- A proposal for the future of flight service stations. Volume 2: Cost analysis of the present flight service station system --- system analysis of automated air traffic control for general aviation aircraft [PB-225053/8GA] p0242 N74-18316
- A proposal for the future of flight service stations. Volume 3: Functional analysis of the FSS system --- functions of automated air traffic control for general aviation aircraft [PB-225054/6GA] p0242 N74-18317
- A proposal for the future of flight service stations. Volume 4: Proposed automated FSS system concept --- requirements for system sizing and configuration of automated air traffic control for general aviation aircraft [PB-225055/3GA] p0243 N74-18318
- A proposal for the future of flight service stations. Volume 5: Implementation concept for the proposed system --- and schedule for automated air traffic control of general aviation aircraft [PB-225056/1GA] p0243 N74-18319
- In-flight performance of civilian pilots using moving-aircraft and moving-horizon attitude indicators [AD-773450] p0287 N74-20054
- An investigation of separate surface stability augmentation systems for general aviation aircraft [NASA-CR-138120] p0324 N74-21647
- Special study: US general aviation accidents involving fuel starvation, 1970 - 1972 [NTSB-AAS-74-1] p0325 N74-21657
- Flight evaluation of advanced control systems and displays on a general aviation airplane [NASA-TN-D-7703] p0407 N74-27499
- Small V/STOL aircraft analysis, volume 1 [NASA-CR-2425] p0413 N74-28504
- Aircraft design studies: B67 tilt-wing executive aircraft --- with vertical takeoff and landing capability [CRANFIELD-AERO-23] p0467 N74-31490
- Preliminary design of civil and military aircraft at Avions Marcel Dassault-Breguet Aviation p0471 N74-32422
- GENERAL DYNAMICS AIRCRAFT**
NT C-131 AIRCRAFT
NT CL-84 AIRCRAFT
NT F-106 AIRCRAFT
NT F-111 AIRCRAFT
YF-16 stresses advanced technology --- design of lightweight fighter p0118 A74-16793
- GENERAL DYNAMICS MILITARY AIRCRAFT**
U GENERAL DYNAMICS AIRCRAFT
U MILITARY AIRCRAFT
- GEODESY**
Geodetic analysis of Skylab altimetry preliminary data - SL/2 EREP pass 9 --- time series analysis of geoidal heights [E74-10086] p0062 N74-11197
- GEODES**
Geodetic analysis of Skylab altimetry preliminary data - SL/2 EREP pass 9 --- time series analysis of geoidal heights [E74-10086] p0062 N74-11197
- GEOMETRY**
NT ANGLE OF ATTACK
NT DIHEDRAL ANGLE
NT ELEVATION ANGLE
NT FLOW GEOMETRY
NT NOZZLE GEOMETRY
NT SWEEP ANGLE
NT ZERO ANGLE OF ATTACK
Antenna modeling of the KC-135 [AD-769913] p0200 N74-16960
Calculation of certain geometric parameters of complex surfaces on Ural-4 computer --- computer design and reproduction of external shapes of aircraft [AD-772040] p0240 N74-17926
- GEOSTATIONARY SATELLITES**
U SYNCHRONOUS SATELLITES
GERDIN ARC HEATERS
U HEATING EQUIPMENT
GERMANY
Visual landings in regional and local airports [NASA-TT-F-15177] p0060 N74-11093
Review of investigations on aeronautical fatigue in the Federal Republic of Germany, May 1969 - June 1973 [LBF-S-108] p0097 N74-11843
Annual report, 1972 --- aerospace research projects in Germany [NASA-CR-132419] p0244 N74-18611
- GIMBALS**
Investigation of application of two-degree-of-freedom dry tuned-gimbal gyroscopes to strapdown navigation systems --- for use in V70L aircraft [NASA-CR-132419] p0304 N74-21289
- GLASS**
NT GLASS FIBERS
Endurance tests on glasses of transport aircraft p0209 A74-22659
Glass windshields for wide bodied aircraft p0348 A74-34884
Endurance tests on transport aircraft cockpit window glasses --- noting European Airbus p0197 N74-16732
Report on the Conference on Transparent Aircraft Enclosures [AD-769372] p0199 N74-16755
- GLASS FIBER REINFORCED PLASTICS**
Military aircraft --- structural design with fiber reinforced composite materials p0002 A74-10496
Effective methods for fabrication of large polyimide-matrix aircraft components p0084 A74-14780
A sailplane wing constructed of foam core and polyester fiberglass skin [AIAA PAPER 74-258] p0130 A74-18665
Experimental investigation of glass-plastic and metal-plastic joints under shear p0131 A74-18697
Advanced composite materials - Solution to problems of structure weight reduction [ONERA, TP NO. 1313] p0228 A74-24315
Recent advances in the processing of polyimide resins for high temperature radome applications p0379 A74-35841
- GLASS FIBERS**
Development of manufacturing methods for ballistically tolerant fiberglass tubular bellcranks --- for the CH-47 helicopter [AD-775818] p0331 N74-22701
- GLAUERT COEFFICIENT**
U AERODYNAMIC FORCES
U MACH NUMBER
GLIDE ANGLES
U GLIDE PATHS
GLIDE PATHS
Required flight-path variometer - The quiet revolution in gliding p0336 A74-32482
The 'Materik' instrument landing system --- for course and glide path determination p0338 A74-33091
Aircraft incident report: Eastern Air Lines, Incorporated, Boeing 727-225, N8843E, Toledo, Ohio, 10 April 1973 [NTSB-AAR-73-17] p0040 N74-10050
A feasibility study and preliminary evaluation of the use of a biased glide slope technique for noise abatement approach [FAA-BD-73-153] p0048 N74-10618
Evaluation of ILS localizer signal specification during ground rollout [AD-765761] p0049 N74-10623
Simplified Visual Approach Slope Indicator (VASI) --- operation test and evaluation [AD-767901] p0151 N74-14362
Color perception in the transitional zones of tricolor Glide-Slope Indicators (GSI's) [AD-771422] p0237 N74-17762
Flight investigation of approach and flare from simulated breakout altitude of a subsonic jet transport and comparison with analytical models [NASA-TN-D-7645] p0284 N74-19672

SUBJECT INDEX

GRAPHITE

Prediction of optical landing guidance system performance in Cat. 3-a minimum weather
[AD-773830] p0289 N74-20237

Minima for landing aircraft
[JPBS-62252] p0407 N74-27502

A flight investigation with a STOL airplane flying curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 N74-33452

GLIDE SLOPES
U GLIDE PATHS

GLIDERS
NT BOOSTGLIDE VEHICLES
NT HL-10 REENTRY VEHICLE
NT PARAWINGS

A sailplane wing constructed of foam core and polyester fiberglass skin
[AIAA PAPER 74-258] p0130 A74-18665

Two surprises for the Hanover exposition: Thrust gondola SG 85, Fanliner - Porsche of the air
p0279 A74-28351

Observable changes of load sample function due to structural elasticity
p0321 A74-31745

Required flight-path variometer - The quiet revolution in gliding
p0336 A74-32482

Flight test investigation of the sailplane as a post-stall research vehicle
[AIAA PAPER 74-951] p0427 A74-38720

Netherlands Association of Aeronautical Engineers, Yearbook 1973 --- Book
p0430 A74-38792

International airworthiness requirements for sailplanes
p0430 A74-38794

Lateral control and sailplane design considerations to optimize altitude gain while thermalling
[AIAA PAPER 74-1004] p0454 A74-42032

The use of gliders for airfoil section research and development
[AIAA PAPER 74-1008] p0454 A74-42034

An evaluation of sailplane drag coefficient parameters from flight test results
[AIAA PAPER 74-1020] p0454 A74-42041

Flight testing a highly instrumented sailplane
[AIAA PAPER 74-1023] p0454 A74-42042

The technological prospects for oscillating-wing propulsion of ultralight gliders
[AIAA PAPER 74-1028] p0455 A74-42044

Analysis and experimental studies of the control of hang gliders
[AIAA PAPER 74-1030] p0455 A74-42045

New trends and developments in hang gliders
[AIAA PAPER 74-1031] p0455 A74-42046

MSU Monoplane - A testbed for ultralight vehicle development
[AIAA PAPER 74-1033] p0455 A74-42047

Some opportunities for progress in ultra-light aeronautics --- for aircraft with low wing loading
[AIAA PAPER 74-1034] p0455 A74-42048

Gemini - A variable geometry sailplane
[AIAA PAPER 74-1035] p0455 A74-42049

Application of sailplane and low-drag underwater vehicle technology to the long-endurance drone problem
[AIAA PAPER 74-1036] p0455 A74-42050

A variable drag drogue chute for use as the aerodynamic decelerator in sailplanes
[AIAA PAPER 74-1046] p0456 A74-42058

Investigation of a stored energy launch system for gliders
[AIAA PAPER 74-1047] p0456 A74-42059

Alcor - A high altitude pressurized sailplane /1/
p0459 A74-43470

Alcor - A high altitude pressurized sailplane /2/
p0459 A74-43471

Motorless flight research, 1972 --- glider design, airframes, and soaring flight developments
[NASA-CR-2315] p0041 N74-10051

A preliminary design of a remotely-controlled glider for a long-line operation
[AD-767879] p0144 N74-13744

A new type of sail plane
[NASA-TT-P-15920] p0472 N74-32440

GLOBAL ATMOSPHERIC RESEARCH PROGRAM
Automation of measurements and of data processing for experiments in an IL-18 aircraft laboratory
p0276 A74-27884

GONDOLAS

Two surprises for the Hanover exposition: Thrust gondola SG 85, Fanliner - Porsche of the air
p0279 A74-28351

GOVERNMENT PROCUREMENT

The influence of design to cost and prototyping on the A-10 aircraft
[SAE PAPER 730890] p0019 A74-11598

Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter
[SAE PAPER 730888] p0019 A74-11600

An analysis of the acquisition of the F-111A simulators
[AD-769202] p0194 A74-16693

Comparisons of Soviet and US technology --- research and development and procurement of military equipment
[AD-771004] p0244 A74-18627

Problems in managing the development of aircraft engines, Department of Defense
[B-179166] p0329 N74-22632

GOVERNMENT/INDUSTRY RELATIONS

Status of state air emission regulations affecting gas turbines
[ASME PAPER 73-WA/GT-8] p0072 A74-13299

Make no mistake about it - Air transport productivity demands a total and dedicated 'team effort' --- Boeing 747 modification program
p0076 A74-13977

Equipment procured reliability and real-life survival --- avionics producer-military user communications improvement
p0181 A74-20954

Air transportation of hazardous materials
p0209 A74-22640

International user charges and their impact on world-wide implementation of ATC systems
p0222 A74-22686

State versus federal regulation of commercial aeronautics
p0307 A74-28572

A proposed pricing procedure for domestic airlines
p0340 A74-33298

FAA aircraft retrofit feasibility program --- for jet noise reduction
[SAE PAPER 740489] p0350 A74-34992

Aircraft noise retrofit feasibility program results and applications
p0396 A74-37534

Aerotechnology in aviation problems
p0154 N74-14675

GOVERNORS

U SPEED REGULATORS

GRADIENTS

NT PRESSURE GRADIENTS

NT TEMPERATURE GRADIENTS

Aircraft symmetric flight optimization --- gradient techniques for supersonic aircraft control
p0209 A74-23091

GRADIOMETERS

U MAGNETOMETERS

GRAIN BOUNDARIES

Creep fracture mechanisms in aluminum alloys
p0020 A74-11736

GRAINS (FOOD)

A device for spreading small grain bait lure --- airborne spraying device for rodent control
[AD-772053] p0255 N74-19144

GRAPHITE

Fabrication of advanced fibrous composite structures
[SME PAPER EN73-716] p0075 A74-13953

Impact resistance of composite fan blades --- fiber reinforced graphite and boron epoxy blades for STOL operating conditions
[NASA-CR-134515] p0099 N74-12285

Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft
[AD-769041] p0163 N74-14779

Development of a graphite horizontal stabilizer --- structural analysis of static ultimate load and simulated fatigue spectrum loading
[AD-768869] p0164 N74-14783

Galvanic corrosion effects associated with graphite composites/metal joints
[LR-26088] p0254 N74-18813

Graphite-polyimide composite for application to aircraft engines

GRAPHS (CHARTS)

SUBJECT INDEX

[NASA-TN-D-7698] p0370 N74-27412
GRAPHS (CHARTS)
 Transport vehicles - weights and loads --- commercial aircraft p0029 A74-12442
GRAVITY GRADIENT SATELLITES
 BT ATS 3
 BT ATS 5
GREASES
 Implementation of grease lubrication into U.S. Army helicopter tail rotor gearboxes - Preliminary results p0391 A74-36906
GRIDS
 Investigation of the effect of grids on the characteristics of a turbulent flow --- for wind tunnel applications [AD-765999] p0046 N74-10328
GROUND BASED CONTROL
 BT AIR TRAFFIC CONTROL
 BT RADAR APPROACH CONTROL
 Future air traffic control - Ground, cockpit, or space --- system functions transfer to aircraft or satellites [AIAA PAPER 74-262] p0131 A74-18669
 Plans for intermittent positive control improved beacon and other features of the upgraded third generation system p0219 A74-22678
 The use of computer technology in civil aviation --- Russian book p0215 A74-23698
 Experimental system for future remotely piloted vehicles p0318 A74-30598
 GCA radars - Their history and state of development p0373 A74-35127
 System for guiding fixed- or rotary-wing aircraft in approach and landing zones [ONEBA, TP NO. 1342] p0422 A74-38310
 Naval Air Test Center adopts real-time telemetry processing p0478 A74-44729
 A synchronized discrete-address beacon system --- for air traffic control improvement [FAA-EM-74-3] p0049 N74-10622
 Some user benefits achievable from an advanced air traffic management system [R-1320-DOT] p0065 N74-11435
 Cost comparisons of advanced air traffic management systems [R-1319-DOT] p0065 N74-11436
GROUND CREWS
 Air mobile technical maintenance unit [AD-771786] p0239 N74-17778
GROUND EFFECT
 The jet-flapped wing in ground proximity with special allowance for large angle of attack and large jet flap angle p0121 A74-17221
 Nonlinear airfoil theory with allowance for ground effects --- for aerodynamic interference problems solution p0121 A74-17270
 Response of a light airplane to ground induced vibration environment p0314 A74-29903
 Minimum induced drag of semi-elliptic ground effect wing p0335 A74-32297
 Stability and control of hingeless rotor helicopter ground resonance p0343 A74-33813
 ACLS for a commercial transport --- Air Cushion Landing System [SAE PAPER 74-0452] p0349 A74-34984
 Tail-rotor thrust on a 5.5-foot helicopter model in ground effect [AHS PREPRINT 802] p0388 A74-36616
 Open and closed loop stability of hingeless rotor helicopter air and ground resonance p0395 A74-37501
 Study of the temperature influence on induced flow effects. Part 1: Test equipment for ground effect investigations using circular hot air jets [IPD-8/71-PT-1] p0097 N74-11844
 Study of the temperature influence on induced flow effects. Part 2: Influence of ground effects on hot-air jet mixing in steady atmospheric air

[IPD-9/71-PT-2] p0097 N74-11845
 STOL tactical aircraft investigation. Volume 8: Analysis of wind tunnel data: Vectors thrust/mechanical flaps and internally blown jet flaps --- for transport aircraft configuration [AD-766641] p0098 N74-11846
 STOL tactical aircraft investigation. Volume 6: Air cushion and ground mobility study [AD-767300] p0143 N74-13736
 Ground operation tests of flying test bed for VTOL aircraft at National Aerospace Laboratory [NAL-TR-319] p0161 N74-14764
 Simplified aircraft performance methods: Power required for single and tandem rotor helicopters in hover and forward flight [AD-768769] p0163 N74-14777
 The minimum induced drag of the hemi-elliptic ground effect wing --- numerical analysis of aerodynamic drag characteristics p0231 N74-17700
 Calculation of the geometrical propagation of the sonic boom along the flight path on the ground under real atmospheric conditions with wind --- examining longitudinal focalization and extinction points [ISL-37/72] p0298 N74-20673
 An investigation of the trailing vorticity behind a STOL aircraft [AD-774571] p0299 N74-20677
 Air cushion landing system performance on a tenth-scale model Jindivik BPV [AD-774389] p0299 N74-20683
 Motion of vehicle with lifting airfoils over rippled water surface [JPBS-62337] p0405 N74-27478
 Analysis of the aerodynamic characteristics of devices for increasing wing lift. 3: Influence of ground proximity on the aerodynamic characteristics of the flaps [NASA-TT-F-15762] p0405 N74-27483
 Effect of ground proximity on the longitudinal aerodynamic characteristics of an aspect-ratio-1 wing with and without wing-tip blowing [NASA-TN-X-3048] p0412 N74-28475
 Investigation of the static lift capability of a low-aspect-ratio wing operating in a powered ground-effect mode [NASA-TN-X-3031] p0412 N74-28483
GROUND EFFECT MACHINES
 ACV icing problems --- air cushion vehicles p0091 A74-16240
 Some results of an experimental study of the Aerodyne concept by Dornier System GmbH [DGLR PAPER 73-069] p0120 A74-17178
 The design application of aircraft securing and traversing systems to the surface effect ship [AIAA PAPER 74-304] p0183 A74-21293
 Minimum induced drag of non-planar ground effect wings with small tip clearance p0279 A74-28421
 Summary of the air cushion landing system on the de Havilland Buffalo aircraft p0316 A74-30142
 Suction braking --- in air cushion landing system aircraft [AIAA PAPER 74-968] p0428 A74-38733
 New heavy-haul freight aviation p0439 A74-40647
 Study of heaving motion in air cushion vehicles [NASA-TT-F-15106] p0039 N74-10038
 Some performance characteristics of the Bell 100 ton surface effect ship --- based on computerized simulation [AD-765689] p0042 N74-10062
 STOL tactical aircraft investigation. Volume 6: Air cushion landing system study [AD-766644] p0058 N74-10940
 Vortex shedding from the ram wing vehicle --- based on flow visualization of ram wing surface effect vehicle wake [AD-767234] p0105 N74-12727
 Turning characteristics of the Bell 100 ton surface effect ship [AD-767680] p0145 N74-13753
 Operational evaluation of the SK-5 air cushion vehicle in Alaska [AD-768781] p0162 N74-14772
 Two dimensional air cushion landing system peripheral jet configuration study

- [AD-769494] p0191 N74-15729
Drop and static tests on a tenth-scale model of an
Air Cushion Landing System (ACLS)
- [AD-770026] p0198 N74-16742
Study of reverse-flow characteristics of a tip fan
and an ejector --- for application to air
cushion landing system
- [AD-770080] p0198 N74-16744
STOL tactical aircraft investigation-externally
blown flap. Volume 6: Air cushion landing
system trade study
- [AD-770448] p0199 N74-16753
Two dimensional air cushion landing system
peripheral jet confirmation study
- [AD-771616] p0237 N74-17761
An experimentally based prediction of the static
performance in the vertical direction of an air
cushion landing system
- [AD-774387] p0300 N74-20685
Static two dimensional performance of a cushion
fed air cushion landing system
- [AD-774394] p0300 N74-20686
- GROUND HANDLING**
- Dynamic Manchester air transport region ---
passenger and cargo handling facilities, runway
modifications
- p0089 A74-15863
UH-1 ground handling wheel adapter bars for OH-58
helicopters. Prototype design, fabrication, and
user test
- [AD-778199] p0443 N74-29616
- GROUND SPEED**
- Correlational ground speed meters and drift
indicators of flight vehicles --- Russian book
- p0180 A74-20900
- GROUND STATIONS**
- Wind tunnel and field investigations of shapes for
balloon shelters
- [NCAR-TN/EDD-82] p0036 N74-10016
Power conditioning system for FAA air route
traffic control centers
- p0102 N74-12636
Software definition study for the Aeronautical
Satellite Communications Center. Volume 1:
Definition specifications. Part 1: General
presentation of the Aeronautical Satellite
Communications Center and its software
- [EX-5102/27-73/309] p0107 N74-12864
Software definition study for the Aeronautical
Satellite Communications Center. Volume 1:
Definition specifications. Part 2: Description
of operational and simulation functions
- [EX-5102/27-73/305] p0107 N74-12865
Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 1: Software
organization and general description
- [EX-5102/27-73/296] p0108 N74-12866
Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 2:
Description of operational functions
- [EX-5102/27-73/308] p0108 N74-12867
Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 3: Description
of simulation function
- [EX-5102/27-73/299] p0108 N74-12868
Software definition study for the Aeronautical
Satellite Communications Center. Volume 3:
Definition of the means --- noting computer
memory requirements and program execution time
- [EX-5102/27-73/311] p0108 N74-12869
Software definition study for the Aeronautical
Satellite Communications Center. Volume 4:
Planning --- for Aerosta program
- [EX-5102/27-73/315] p0108 N74-12870
- GROUND SUPPORT EQUIPMENT**
- AEROSAT ground environment and test plan ---
aeronautical satellites for ATC
- p0024 A74-12191
Equipment for aircraft and helicopter technical
servicing --- Russian book
- p0169 A74-19370
Pollution in the ground support environment --- at
Naval air facilities
- [AD-764854] p0048 N74-10602
Trends in transport aircraft avionics
- [NASA-TN-X-62322] p0104 N74-12715
- Evaluation of the structural integrity of an
aircraft loading walkway under severe fuel-spill
fire conditions
- [FAA-RD-73-144] p0104 N74-12716
Pollution control of airport engine test facilities
- p0149 N74-14285
HLH Ground Support Equipment (GSE) preliminary
investigation
- [AD-768842] p0190 N74-15725
Advanced tracking and data relay experiments
study: Multinode transponder experiment equipment
- [NASA-CR-132930] p0200 N74-16887
X-22A fixed-base ground simulator facility
- [AD-769942] p0200 N74-16997
Air mobile technical maintenance unit
- [AD-771786] p0239 N74-17778
Product support program (ground power systems)
- [AD-777704] p0370 N74-27304
Design of a powered wheel kit for UH/AH helicopters
- [AD-779387] p0443 N74-29627
- GROUND SUPPORT SYSTEMS**
- Aircraft servicing and the network technique. II
--- graphically represented sequential/ground
support routines.
- p0338 A74-33094
- GROUND TESTS**
- NT COLD FLOW TESTS**
- Dynamic simulation of CONFLOW - A facility to
provide hot-gas ground testing of air-breathing
missiles under simulated flight conditions
- [AIAA PAPER 73-1281] p0011 A74-11292
Comparison of ground and flight test results using
a modified F106B aircraft
- [AIAA PAPER 73-1305] p0011 A74-11304
Instrumentation for airbreathing propulsion;
Proceedings of the Symposium, U.S. Naval
Postgraduate School, Monterey, Calif., September
19-21, 1972
- p0277 A74-28283
Flyover noise prediction from static data ---
extrapolation from engine ground tests
- p0316 A74-30100
Ground testing and simulation. I - Key to
efficient development of aerospace systems
- p0335 A74-32321
Ground testing and simulation. II - Aerodynamic
testing and simulation: Saving lives, time, and
money
- p0336 A74-32322
YC-15 powerplant system design and development
- [AIAA PAPER 74-973] p0453 A74-41658
- GROUND TRACKS**
- Antennas for avionics --- conference on
application of avionic antennas in Aerosat systems
- [AGARD-CP-139] p0468 N74-31667
- GROUND WIND**
- An analytical and experimental study of inlet
ground vortices
- [AIAA PAPER 73-1313] p0011 A74-11309
- GROUND-AIR-GROUND COMMUNICATIONS**
- Civil air navigation equipment, on the ground and
in the air
- p0007 A74-11094
Air-ground communications in the upgraded third
generation ATC system
- p0215 A74-22684
Universal air-ground data link system --- for
automated ATC communications
- p0215 A74-23830
Problems associated with the implementation of an
air-ground data link
- p0226 A74-25360
Software definition study for the Aeronautical
Satellite Communications Center. Volume 1:
Definition specifications. Part 1: General
presentation of the Aeronautical Satellite
Communications Center and its software
- [EX-5102/27-73/309] p0107 N74-12864
Software definition study for the Aeronautical
Satellite Communications Center. Volume 1:
Definition specifications. Part 2: Description
of operational and simulation functions
- [EX-5102/27-73/305] p0107 N74-12865
Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 1: Software
organization and general description
- [EX-5102/27-73/296] p0108 N74-12866

- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 2: Description of operational functions [EX-5102/27-73/308] p0108 N74-12867
- Software definition study for the Aeronautical Satellite Communications Center. Volume 2: Programming specifications. Part 3: Description of simulation function [EX-5102/27-73/299] p0108 N74-12868
- Software definition study for the Aeronautical Satellite Communications Center. Volume 3: Definition of the means --- noting computer memory requirements and program execution time [EX-5102/27-73/311] p0108 N74-12869
- Software definition study for the Aeronautical Satellite Communications Center. Volume 4: Planning --- for Aerosta program [EX-5102/27-73/315] p0108 N74-12870
- GRUMMAN AIRCRAFT**
- NT A-6 AIRCRAFT
- NT C-1A AIRCRAFT
- NT C-2 AIRCRAFT
- NT E-2 AIRCRAFT
- NT F-14 AIRCRAFT
- NT F-111 AIRCRAFT
- NT OV-1 AIRCRAFT
- GRUMMAN OV-1C AIRCRAFT**
- U OV-1 AIRCRAFT
- GUIDANCE (MOTION)**
- NT AIRCRAFT GUIDANCE
- NT STRAPDOWN INERTIAL GUIDANCE
- NT TERMINAL GUIDANCE
- GUIDE VANES**
- Radially leaned outlet guide vanes for fan source noise reduction [NASA-CR-134486] p0065 N74-11597
- The spectrum of turbomachine rotor noise caused by inlet guide vane wakes and atmospheric turbulence p0151 N74-14379
- Characteristics of cascades of slotted sections of adjustable guide vanes of axial-flow turbines [AD-773900] p0293 N74-20452
- GUNNERY TRAINING**
- Air-to-air fire control exposition, phase 3 (Expo 3) [AD-775360] p0327 N74-21673
- GUNS (ORDNANCE)**
- Structural dynamic response of AH-1G wing with XM35 weapon [AD-781973] p0491 N74-33468
- GUST ALLEVIATORS**
- A passive gust alleviation system for light aircraft [AIAA PAPER 74-773] p0399 A74-37798
- On-line two-level gust alleviation control system for aircraft in an unknown environment p0433 A74-39495
- Study of a control system to alleviate aircraft response to horizontal and vertical gusts --- for short takeoff aircraft with vane-controlled gust-alleviation system [NASA-TN-D-7278] p0095 N74-11825
- C.S.A.S. design for good handling in turbulence --- development of design criteria for stability augmentation systems for alleviation of gust effects p0234 N74-17741
- A new approach to gust alleviation of a flexible aircraft using an open loop device --- application to control system of SE-210 aircraft p0235 N74-17745
- Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft --- evaluation of gust alleviating aircraft control surfaces [NASA-TN-X-71921] p0296 N74-20657
- Flutter suppression and gust alleviation using active controls [NASA-CR-138658] p0363 N74-26424
- An experimental study of a vane controlled jet flap gust alleviation system --- reduction in wing rotation angle in turbulent gust conditions [AD-777987] p0405 N74-27488
- GUST LOADS**
- Unsteady lift forces on highly cambered airfoils moving through a gust [AIAA PAPER 74-88] p0133 A74-18807
- An investigation of impulsive rotor noise using a model rotor p0206 A74-22467
- Effect of transient phenomena on the responses of aircraft to gusts and comparison between calculations and experiments p0223 A74-25308
- Progress in the techniques of free flight studies of catapulted models - Application to aircraft response to vertical gusts p0223 A74-25311
- Review of developments in test techniques using free-floating models --- of aircraft p0223 A74-25317
- Measurements of gusts on Concorde --- in wind tunnels and inflight p0226 A74-25320
- Helicopter gust response characteristics including unsteady aerodynamic stall effects p0394 A74-37490
- Prediction of unsteady airloads for oblique blade-gust interaction in compressible flow p0477 A74-44406
- Study of a control system to alleviate aircraft response to horizontal and vertical gusts --- for short takeoff aircraft with vane-controlled gust-alleviation system [NASA-TN-D-7278] p0095 N74-11825
- Gust velocities encountered by a 720-B type airplane and derived by means of a model for continuous turbulence [LBP-FB-105/73] p0097 N74-11840
- Survey on effect of surface winds on aircraft design and operation and recommendations for needed wind research [NASA-CR-2360] p0099 N74-12317
- The effects of an autopilot on airplane responses to turbulence with emphasis on tail loads [NASA-TN-D-7231] p0104 N74-12719
- On the nature of large clear air gusts near storm tops [ARC-CP-1248] p0111 N74-13402
- An improved exceedance theory for combined random stresses with application to aircraft gust response p0152 N74-14569
- Flight in turbulence --- proceedings of conference on atmospheric turbulence and effects on aircraft operation [AGARD-CP-140] p0232 N74-17720
- Structural loads and gust criteria --- comparison of gust load analysis methods for application to aircraft design p0234 N74-17739
- A new approach to gust alleviation of a flexible aircraft using an open loop device --- application to control system of SE-210 aircraft p0235 N74-17745
- Gust loads on Comet aircraft --- noting gust frequencies and cloud collision radar effect [ARC-CP-1247] p0250 N74-18689
- A theoretical study of inaccuracies arising from the representation of a continuous gust spectrum by a programme of discrete loads in fatigue tests [BR37134] p0257 N74-19567
- Design and development of the gust wind tunnel at the National Aerospace Laboratory [NAL-TR-335] p0287 N74-19891
- Validation of new gust design procedures for military transports [AD-775385] p0324 N74-21641
- Dynamic responses of the structural model with built-up wings and a fuselage (1) [NAL-TR-350] p0330 N74-22673
- Effect of yaw damper on lateral gust loads in design of the L-1011 transport p0353 N74-25551
- The passage of an infinite swept airfoil through an oblique gust --- approximate solution for aerodynamic response [NASA-CR-2395] p0363 N74-26425
- Shear and moment response of the airplane wing to nonstationary turbulence p0364 N74-26440
- An experimental study of a vane controlled jet flap gust alleviation system --- reduction in wing rotation angle in turbulent gust conditions [AD-777987] p0405 N74-27488
- Updated gust design values for use with AFFDL-70-106 [AD-778821] p0412 N74-28493
- A digital calculation of the response of a piloted subsonic jet-transport airplane to severe

- vertical gusts
 Design of a control system to stabilize the aft fuselage of a B-52 bomber in the presence of a random wind gust
 [AD-779081] p0412 N74-28498
 Comparison of the influence of horizontal and vertical gust interferences on aircraft longitudinal motion
 [NASA-TT-P-15801] p0442 N74-29392
 Gust measurements on Concorde
 [NASA-TT-P-15837] p0445 N74-30425
 Methods studies toward simplified rotor-body dynamics, part 1
 [NASA-CR-137570] p0467 N74-31494
 [NASA-CR-137570] p0495 N74-34483
- GUSTS**
 Feedback control of an airplane with time varying gain
 p0086 A74-15447
 Compressibility effects in unsteady thin-airfoil theory
 p0177 A74-20298
 A simulator of wind gust disturbances
 p0213 A74-24024
- GYRATION**
 NT AUTOROTATION
 NT PRECESSION
 NT ROTATION
- GYRO HORIZONS**
 The application of the vertical gyroscope for the artificial horizon --- low visibility air navigation
 p0004 A74-10825
 Solution of the equations of motion of a gyrohorizon compass at finite deviation angles from the meridian
 p0020 A74-11685
- GYROCOMPASSES**
 Solution of the equations of motion of a gyrohorizon compass at finite deviation angles from the meridian
 p0020 A74-11685
- GYROPLANES**
 U HELICOPTERS
- GYROS**
 U GYROSCOPES
- GYROSCOPES**
 NT ELECTROSTATIC GYROSCOPES
 NT FLUID ROTOR GYROSCOPES
 NT GYRO HORIZONS
 NT GYROCOMPASSES
 NT GYROSTABILIZERS
 NT ROTARY GYROSCOPES
 The application of the vertical gyroscope for the artificial horizon --- low visibility air navigation
 p0004 A74-10825
 Investigation of application of two-degree-of-freedom dry tuned-gimbal gyroscopes to strapdown navigation systems --- for use in VTOL aircraft
 [NASA-CR-132419] p0304 N74-21289
- GYROSCOPIC DRIFT**
 U GYROSCOPES
 U GYROSCOPIC STABILITY
- GYROSCOPIC STABILITY**
 The effect of gyroscopic moment and distributed mass on the vibration of a rotating shaft with a rotor
 p0082 A74-14621
- GYROSTABILIZERS**
 A new system for recording aircraft attitude --- airborne gyro stabilized opto-electronic sensing
 p0091 A74-16246
 Controllability and stability of systems with restricted resources --- Russian book
 p0380 A74-36154
 Identification tests with optical sights and reconnaissance aids in helicopters
 [POA-2-C-2533-D8/E1/M6] p0104 N74-12721
- GYROSTATS**
 U GYROSCOPES
- B-53 HELICOPTER**
 Processing of titanium tubes - An approach to helicopter blade spar manufacturing
 [AHS PREPRINT 853] p0386 A74-36599
- CH-53 A flexible frame vibration analysis/test correlation**
 [AD-772569] p0252 N74-18711
 Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier
 [AD-774898] p0327 N74-21669
 Fatigue and fracture considerations in critical titanium components --- for aircraft structures
 p0367 N74-26470
- B-56 HELICOPTER**
 AH-56A /AMCS/ compound helicopter vibration reduction --- Advanced Mechanical Control System
 [AHS PREPRINT 834] p0385 A74-36589
- HALOGEN COMPOUNDS**
 NT FLUORO COMPOUNDS
- HAMBURGER AIRCRAFT**
 NT HFB-320 AIRCRAFT
 HAMBURGER HFB-320 AIRCRAFT
 U HFB-320 AIRCRAFT
- HANDBOOKS**
 NT USER MANUALS (COMPUTER PROGRAMS)
- HANDLING EQUIPMENT**
 NT CRANES
- HANDLING QUALITIES**
 U CONTROLLABILITY
- HANGARS**
 Wind tunnel and field investigations of shapes for balloon shelters
 [NCAR-TN/EDD-82] p0036 N74-10016
 Requirements for explosion-proof electrical equipment in Air Force hangers
 [AD-767600] p0109 N74-12969
 Research and design of a seventy-six (76) foot span aircraft maintenance hanger with quarter shell endwalls
 [AD-770299] p0200 N74-17001
- HARDENING (MATERIALS)**
 NT PRECIPITATION HARDENING
 NT STRAIN HARDENING
 NT WORK HARDENING
 Deep hardenable titanium alloys for large airframe elements
 p0117 A74-16559
- HARDNESS TESTS**
 Characterization of carburized Vasco X-2 steel
 [AD-782362] p0500 N74-34952
- HARMONIC ANALYSIS**
 Frankfurt's scheduled traffic mathematically analyzed
 p0275 A74-27776
- HARMONIC EXCITATION**
 Determination of the fatigue life of structural elements for a biharmonic loading process
 p0393 A74-37385
- HARMONIC OSCILLATION**
 Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow
 [DFVLR-SOHDDE-335] p0073 A74-13549
 Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces
 p0185 A74-22225
 Modeling dynamic stall on an oscillating airfoil
 p0224 A74-25329
 A finite difference method for the solution of the transonic flow around harmonically oscillating wings
 [AIAA PAPER 74-543] p0339 A74-33138
 Method of calculating the nonstationary aerodynamic loads on a thin wing of finite aspect ratio undergoing elastic harmonic vibrations in subsonic flow
 p0390 A74-36815
 Aerodynamic interference in a system of two harmonically oscillating airfoils in an incompressible flow
 p0447 A74-41041
- FORTAN programs for the determination of generalized air forces on interfering lifting surfaces oscillating in subsonic flow**
 [AHL/SH-REPT-345] p0246 N74-18655
- HARMONICS**
 NT HARMONIC EXCITATION
 NT HARMONIC OSCILLATION
- HARNESSES**
 A new approach to the design of quick release boxes for single point parachute harnesses
 p0212 A74-23552

HARRIER AIRCRAFT

SUBJECT INDEX

- Paratroop harness TOTAL, PARAQUICK canopy release
and EPA-36 chronobarometric parachute opener
p0212 A74-23553
- HARRIER AIRCRAFT**
Royal Air Force experience of the Harrier /Second
Sir Sydney Camm Lecture/
p0262 A74-26564
- Shipboard operations of Harrier
p0320 A74-30823
- Recent developments in shipboard V/STOL testing
p0381 A74-36227
- Pegasus engine operating experience in the Harrier
Aircraft --- analysis of requirements for
aircraft engine for V/STOL close combat
application
p0292 N74-20431
- HAWKER P-1127 AIRCRAFT**
U P-1127 AIRCRAFT
HAWKER SIDDELEY AIRCRAFT
NT COMET 4 AIRCRAFT
NT HARRIER AIRCRAFT
NT P-1127 AIRCRAFT
HS-146 --- short haul passenger aircraft
p0013 A74-11329
- Manufacturing exercise involved in the redesign of
the Hawker Siddeley Trident /tri-jet/ fuselage
p0115 A74-16445
- The HS-146 - A four-jet feeder-liner
p0184 A74-21727
- HS-146 progress report
p0274 A74-27634
- Hawker's new Hawk --- light training aircraft
p0335 A74-31878
- The HS146 - A new dimension in short-haul
profitability
p0456 A74-42725
- HAWKEYE AIRCRAFT**
U E-2 AIRCRAFT
HAZARDS
NT AIRCRAFT HAZARDS
NT FLIGHT HAZARDS
NT OPERATIONAL HAZARDS
NT RADIATION HAZARDS
Air transportation of hazardous materials
p0209 A74-22640
- Requirements for explosion-proof electrical
equipment in Air Force hangers
[AD-767600]
p0109 N74-12969
- HAZE**
The light-scattering matrix and types of optical
weather --- atmospheric aerosols, haze, fog,
drizzle
p0004 A74-10783
- HC-1 HELICOPTER**
U CH-47 HELICOPTER
HEAD-UP DISPLAYS
Simulation and flight evaluation of a heads-up
display for general aviation
[SAE PAPER 740347]
p0308 A74-28727
- MECA systems and related equipment - The MECA
cockpit
p0336 A74-32632
- A head-up display for all-weather approach and
landing of tilt-wing V/STOL aircraft
[AIAA PAPER 74-952]
p0452 A74-41656
- A display of energy-maneuverability performance
information for fighter aircraft
[AIAA PAPER 74-814]
p0453 A74-41797
- An exploratory simulation study of a head-up
display for general aviation lightplanes
[NASA-TN-D-7456]
p0097 N74-11837
- HEARING**
NT ACOUSTIC FATIGUE
HEAT BALANCE
Determination of the gas temperature in front of
the turbine of a bypass turbofan engine
p0087 A74-15721
- HEAT EFFECTS**
U TEMPERATURE EFFECTS
HEAT EQUATIONS
U THERMODYNAMICS
HEAT EXCHANGERS
The friction and wear characteristics of
plasma-sprayed NiO-CaF₂ in rubbing contact with
a ceramic matrix
[ASLE PREPRINT 73LC-1B-3]
p0027 A74-12306
- HEAT FLUX**
A simplified method for studying the aerodynamic
heating of axisymmetric bodies at an angle of
attack
p0029 A74-12441
- The heat flux to a waverider of simple
configuration and its L/D ratio
p0384 A74-36571
- HEAT GAIN**
U HEATING
HEAT GENERATION
Transmission thermal mapping (UH-1 main rotor
transmission) --- determination of heat
generating areas
[AD-777803]
p0408 N74-27515
- HEAT MEASUREMENT**
Turbulent heat transfer measurements in a Mach 15
flow
[EUROMECH PREPRINT 73-2]
p0089 A74-15949
- HEAT REGULATION**
U TEMPERATURE CONTROL
HEAT RESISTANCE
U THERMAL RESISTANCE
HEAT RESISTANT ALLOYS
NT NIMONIC ALLOYS
NT NIOBIUM ALLOYS
Effect of several metallurgical variables on the
thermal fatigue behavior of superalloys
p0004 A74-10622
- Status of the latest turbine disk alloys in the U.S.
p0125 A74-17890
- Heat-resistant titanium alloys - Introduction of
the 651 A alloy
p0125 A74-17891
- Heat-resistant titanium alloys - Introduction of
the UT651A alloy
p0219 A74-23963
- New materials in the aerospace industries ---
emphasizing heat resistant and light alloys
p0342 A74-33682
- The heat-resistant deformable aluminum alloy D21
p0439 A74-40767
- HEAT TESTS**
U HIGH TEMPERATURE TESTS
HEAT TRANSFER
NT AERODYNAMIC HEAT TRANSFER
NT HYPERSONIC HEAT TRANSFER
NT LAMINAR HEAT TRANSFER
NT SUPERSONIC HEAT TRANSFER
NT TURBULENT HEAT TRANSFER
Deck heating effects due to VTOL jet exhaust
impingement
[AIAA PAPER 73-1182]
p0008 A74-11227
- Ablation --- heat and mass transfer in hypersonic
flight
p0119 A74-17103
- Heat transfer effects on a delta wing in subsonic
flow
p0381 A74-36240
- Heat transfer modeling for curing process of
composite rotor blade
[AHS PREPRINT 852]
p0386 A74-36598
- Heat transfer of a disk rotating in a casing ---
cooling fluid flow in gas turbine engines
[NASA-TT-F-15199]
p0101 N74-12572
- A numerical solution for the heat transfer between
an axi-symmetric air jet and a heated plate ---
applied to performance of gas turbine engines
[AD-767266]
p0112 N74-13510
- Heat and mass transfer in aircraft propulsion
[HTS/73/55]
p0305 N74-21591
- The flow over a porous body: A singular
perturbation problem with two parameters ---
development of method for predicting skin
friction and heat transfer characteristics of
aircraft surfaces
[AD-775072]
p0324 N74-21644
- Water table tests of proposed heat transfer
tunnels for small turbine vanes
[NASA-TN-X-3073]
p0353 N74-25536
- HEAT TRANSFER COEFFICIENTS**
Evaluation of the influence of errors in
specifying boundary conditions on the accuracy
of the determination of temperature fields in
infinite cylinders
p0130 A74-18635
- Heat transfer investigation in a high-temperature
gas flow spreading over a plane surface
p0131 A74-18684
- HEAT TRANSMISSION**
NT AERODYNAMIC HEAT TRANSFER
NT HEAT TRANSFER

SUBJECT INDEX

HELICOPTER DESIGN

NT HYPERSONIC HEAT TRANSFER
 NT LAMINAR HEAT TRANSFER
 NT SUPERSONIC HEAT TRANSFER
 NT TURBULENT HEAT TRANSFER
 HEATING
 NT AERODYNAMIC HEATING
 NT KINETIC HEATING
 NT SHOCK HEATING
 Effect of frictional heating on brake materials
 p0461 A74-44161
 HEATING EQUIPMENT
 Anti-icing tests on Concorde
 p0319 A74-30818
 HEAVY LIFT HELICOPTERS
 Heavy Lift Helicopter main engines
 [SAE PAPER 730920] p0123 A74-17537
 Automatic Flight Control System development for
 U.S. Army heavy lift helicopter
 [AIAA PAPER 74-25] p0135 A74-18865
 Acoustical modeling of the heavy lift helicopter
 p0206 A74-22466
 Fluid power and control requirements for the U.S.
 Army heavy lift helicopter
 [SAE PAPER 730988] p0269 A74-27253
 Heavy-lift helicopter power systems
 [SAE PAPER 740464] p0351 A74-35006
 Application of acrylic based room temperature
 curing adhesives to structural helicopter
 bondments
 p0380 A74-35994
 Heavy-lift helicopter engine control system
 [AHS PREPRINT 870] p0386 A74-36605
 Design to cost at work for helicopter systems ---
 Boeing Vertol programs
 [AHS PREPRINT 810] p0388 A74-36619
 Hybrid aircraft for heavy lift --- combined
 helicopter and lighter-than-air elements
 [AHS PREPRINT 814] p0389 A74-36623
 HLB Ground Support Equipment (GSE) preliminary
 investigation
 [AD-768842] p0190 A74-15725
 HELICOPTER ATTITUDE INDICATORS
 U ATTITUDE INDICATORS
 U HELICOPTERS
 HELICOPTER CONTROL
 Control of helicopter vibration using the dynamic
 antiresonant vibration isolator
 [SAE PAPER 730892] p0019 A74-11597
 Rotary-wing aircraft
 p0127 A74-18177
 Automatic Flight Control System development for
 U.S. Army heavy lift helicopter
 [AIAA PAPER 74-25] p0135 A74-18865
 FAA certification of the S-58T helicopter for
 instrument flight. I
 p0172 A74-19491
 The design application of aircraft securing and
 traversing systems to the surface effect ship
 [AIAA PAPER 74-304] p0183 A74-21293
 Aircraft/ship interface problems - The U.S. Navy's
 program
 [AIAA PAPER 74-305] p0183 A74-21294
 Prediction of stability and control
 characteristics of rotorcraft
 p0205 A74-22452
 Ground based helicopter simulation
 p0215 A74-22454
 Studies of a large-scale jet-flap rotor in the 40-
 by 80-foot wind tunnel
 p0206 A74-22464
 Automatic approach of helicopters and STOL aircraft
 p0229 A74-25362
 Fluid power and control requirements for the U.S.
 Army heavy lift helicopter
 [SAE PAPER 730988] p0269 A74-27253
 Stability and control of hingeless rotor
 helicopter ground resonance
 p0343 A74-33813
 Determining helicopter instrument flight capability
 p0346 A74-34848
 Simulation and flight test evaluation --- of
 helicopter control system
 p0347 A74-34851
 Controls and displays for helicopter IFR operation
 - Pilot factor considerations
 [AHS PREPRINT 825] p0384 A74-36584
 On the use of first order rotor dynamics in
 multiblade coordinates --- for compound helicopter
 [AHS PREPRINT 831] p0384 A74-36586

AH-56A /ANCS/ compound helicopter vibration
 reduction --- Advanced Mechanical Control System
 [AHS PREPRINT 834] p0385 A74-36589
 Handling qualities evaluation of the XV-15 tilt
 rotor aircraft
 [AHS PREPRINT 840] p0385 A74-36591
 Rotor moment control with flap-moment feedback
 [AHS PREPRINT 842] p0385 A74-36593
 Heavy-lift helicopter engine control system
 [AHS PREPRINT 870] p0386 A74-36605
 Tail-rotor thrust on a 5.5-foot helicopter model
 in ground effect
 [AHS PREPRINT 802] p0388 A74-36616
 Helicopter command instrument systems
 [AHS PREPRINT 822] p0389 A74-36626
 A simple, near-optimal takeoff control policy for
 a heavily loaded helicopter operating from a
 restricted area
 [AIAA PAPER 74-812] p0453 A74-41796
 Automatic control of a helicopter with a hanging
 load --- development and evaluation of automatic
 pilot for use with S-61 helicopter
 [NASA-CR-136504] p0140 A74-13715
 Analytical study to define a helicopter stability
 derivative extraction method, volume 1
 [NASA-CR-132371] p0248 A74-18674
 Analytical study to define a helicopter stability
 derivative extraction method, volume 2
 [NASA-CR-132372] p0248 A74-18675
 Flight investigation of effects of a fan-in-fin
 yaw control concept on helicopter flying-quality
 characteristics
 [NASA-TN-D-7452] p0249 A74-18688
 Major item special study (MISS), OH-6 A tail rotor
 assembly
 [AD-778166] p0408 A74-27512
 Rotor aeroelastic stability coupled with
 helicopter body motion
 p0496 A74-34503
 Hingeless rotor theory and experiment on vibration
 reduction by periodic variation of conventional
 controls
 p0497 A74-34515
 HELICOPTER DESIGN
 Helicopter rotor blades --- design with fiber
 reinforced epoxy resin bonded composite materials
 p0002 A74-10498
 Current developments in main rotors at Bell
 Helicopter Company --- multibladed concepts,
 frequency placement
 [AIAA PAPER 73-1160] p0003 A74-10511
 Progress in France in the last ten years in the
 field of helicopters - Prospects for the ten
 years to come
 p0007 A74-11097
 The main rotor bifilar absorber and its effect on
 helicopter reliability/maintainability
 [SAE PAPER 730894] p0019 A74-11595
 Modalization applied to helicopters --- vibration
 isolation
 [SAE PAPER 730893] p0019 A74-11596
 Torsion-flap-lag coupling on helicopter rotor blades
 p0022 A74-11843
 Some conclusions regarding the aeroelastic
 stability of hingeless helicopter blades in
 hover and in forward flight
 p0022 A74-11844
 An investigation of the vibratory and acoustic
 benefits obtainable by the elimination of the
 blade tip vortex
 p0022 A74-11845
 Development of a graphite-epoxy tailboom for a
 high-performance armed helicopter
 p0083 A74-14748
 Cost effective composite structures --- fiber
 reinforced helicopter rotor blade design and
 fabrication
 p0084 A74-14778
 Test and evaluation of a quiet helicopter
 configuration HH-43B
 p0087 A74-15644
 Analysis of the use of an auxiliary wing on a
 helicopter. II
 p0090 A74-16038
 Design and development support for critical
 helicopter applications in Ti-6Al-4V alloy
 p0115 A74-16448
 Reduction of vibration and noise generated by
 planetary ring gears in helicopter aircraft

- transmissions
[ASME PAPER 73-PTG-11] p0119 A74-16979
- Heavy Lift Helicopter main engines
[SAE PAPER 730920] p0123 A74-17537
- Vehicle crashworthiness --- rotary wing, fixed wing light and transport aircraft p0124 A74-17776
- Rotary-wing aircraft p0127 A74-18177
- Vertical take-off and landing aircraft p0127 A74-18178
- Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes p0129 A74-18291
- Helicopter modelling /18th Henson and Stringfellow Lecture/ --- exploratory, development and research models p0129 A74-18299
- Some current problems and prospects for development of rotary-wing aircraft p0130 A74-18641
- Determination of the basic parameters of light helicopters on the basis of the treatment and analysis of statistical data p0131 A74-18694
- Isolated airfoil - TIP vortex interaction noise [AIAA PAPER 74-194] p0134 A74-18831
- Reliability and choosing number of prototypes --- in helicopter development program p0181 A74-20938
- Acoustical modeling of the heavy lift helicopter p0206 A74-22466
- Parameterization of helicopter rotor broadband noise from experimental data p0206 A74-22469
- Crashworthy Army helicopter crew and troop seating systems p0211 A74-23534
- Underwater escape from helicopters --- water actuated lap belts for crew safety p0211 A74-23535
- Helicopter safety --- design for catastrophic failure prevention and safe emergency landing p0211 A74-23541
- The development and prospects of helicopters p0213 A74-23837
- Automatic flight control systems and their analytic design --- Russian book p0228 A74-24325
- A method for the dynamic study of helicopter fuselages in the design phase p0261 A74-26025
- The concept of the WG-13 --- small twin engined helicopter for light tactical support p0262 A74-26565
- The design of the WG-13 --- small tactical multipurpose twin engined helicopter p0262 A74-26566
- The development of the WG-13 --- helicopter program management, manufacture and flight testing p0262 A74-26567
- Aeroelastic stability of periodic systems with application to rotor blade flutter [AIAA PAPER 74-417] p0267 A74-26713
- A unique approach to the development of a light helicopter automatic flight control system [SAE PAPER 740348] p0308 A74-28728
- Future of the light turbine helicopter p0313 A74-29572
- The new Douglas 'Minipac' ejection seat p0321 A74-31795
- Alloys for helicopter rotor-blade spars p0343 A74-34145
- Westland design philosophy on the Lynx for instrument and all-weather flying p0348 A74-34878
- Heavy-lift helicopter power systems [SAE PAPER 740464] p0351 A74-35006
- Helicopter vibration reduction with pendulum absorbers [AHS PREPRINT 830] p0384 A74-36585
- Effect of blade design parameters on helicopter stall boundaries [AHS PREPRINT 833] p0384 A74-36588
- Handling qualities evaluation of the XV-15 tilt rotor aircraft [AHS PREPRINT 840] p0385 A74-36591
- Fabrication of boron-hybrid swashplates [AHS PREPRINT 850] p0386 A74-36596
- Application of advanced composites to helicopter airframe structures --- CH-53 D materials [AHS PREPRINT 880] p0387 A74-36610
- The application of fracture mechanics to the design of damage-tolerant components for the UTTAS helicopter --- Utility Tactical Transport Aircraft System [AHS PREPRINT 882] p0387 A74-36611
- Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability [AHS PREPRINT 884] p0387 A74-36613
- The prediction of rotor rotational noise using measured fluctuating blade loads [AHS PREPRINT 801] p0387 A74-36615
- Can helicopter rotors be designed for low noise and high performance [AHS PREPRINT 803] p0388 A74-36617
- Design to cost at work for helicopter systems --- Boeing Vertol programs [AHS PREPRINT 810] p0388 A74-36619
- Improved cost effectiveness of helicopters through a two-point design criterion [AHS PREPRINT 811] p0388 A74-36620
- Hingeless circulation control rotor blade design [AHS PREPRINT 813] p0388 A74-36622
- Effect of the body of a helicopter of single-prop or coaxial design on the optimal configuration of the main-rotor blades for hover-flight conditions p0389 A74-36631
- Consideration of the effect of the fuselage of a two-rotor helicopter of the transverse or longitudinal type when determining the optimal rotor blade configuration for hovering p0390 A74-36799
- Specialists Meeting on Rotorcraft Dynamics, Moffett Field, Calif., February 13-15, 1974, Proceedings p0393 A74-37481
- Dynamic stall modeling and correlation with experimental data on airfoils and rotors p0393 A74-37483
- Some approximations to the flapping stability of helicopter rotors p0393 A74-37486
- Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0393 A74-37487
- Correlation of finite-element structural dynamic analysis with measured free vibration characteristics for a full-scale helicopter fuselage p0394 A74-37488
- Coupled rotor/airframe vibration prediction methods p0394 A74-37489
- Helicopter gust response characteristics including unsteady aerodynamic stall effects p0394 A74-37490
- Application of antiresonance theory to helicopters p0394 A74-37491
- The effect of cyclic feathering motions on dynamic rotor loads p0394 A74-37492
- Control load envelope shaping by live twist --- in helicopter rotors p0394 A74-37493
- Rotor aeroelastic stability coupled with helicopter body motion p0394 A74-37495
- An application of Floquet theory to prediction of mechanical instability --- for helicopter with inoperative blade damper p0395 A74-37496
- Comparison of flight data and analysis for hingeless rotor regressive inplane mode stability p0395 A74-37499
- Hub moment springs on two-bladed teetering rotors p0395 A74-37500
- Open and closed loop stability of hingeless rotor helicopter air and ground resonance p0395 A74-37501
- Vertical-plane pendulum absorbers for minimizing helicopter vibratory loads p0395 A74-37502
- Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter p0395 A74-37503

SUBJECT INDEX

HELICOPTER PERFORMANCE

Identification of structural parameters from helicopter dynamic test data p0396 A74-37505

The Ka-26 helicopter --- Russian book p0421 A74-38042

Aircraft structures designed to cost [AIAA PAPER 74-962] p0427 A74-38727

An analysis of vibration diagnostics for helicopter power trains p0432 A74-39198

Application of carbon fibers to helicopters p0436 A74-39910

MBB BO 105 - Concept and worldwide use of a modern helicopter. I --- development and design p0479 A74-45098

Specialists Meeting on Helicopter Rotor Prediction Methods [AGARD-CP-122] p0054 A74-10908

Rotary wing design methodology --- based on nonlinear aeroelastic blade loads analysis p0054 A74-10909

Current loads technology for helicopter rotors --- based on rotor loads computer program for determining fatigue design loads p0054 A74-10910

Prediction of helicopter rotor loads --- based on alternating aerodynamic loads imposed on rotary wing and rotor hub p0055 A74-10911

Helicopter rotor loads predictions --- assumptions and techniques for numerical analysis of aerodynamic loads p0055 A74-10912

Rotor system design and evaluation using a general purpose helicopter flight simulation program p0055 A74-10913

The prediction of loading actions on high speed semi-rigid helicopters p0055 A74-10914

Loads prediction methods for hingeless rotor helicopters p0055 A74-10915

Integrated rotor/body loads prediction p0055 A74-10916

NASTRAN data generation of helicopter fuselages using interactive graphics --- preprocessor system for finite element analysis using IBM computer p0153 A74-14621

Similarity requirements for aeroelastic models of helicopter rotors [ARC-CP-1245] p0161 A74-14767

Helicopter inspection design requirements [AD-769061] p0163 A74-14781

Influence of turbulence on helicopter design and operation --- analysis of structural loads, pilot workload, and passenger comfort affected by atmospheric turbulence p0234 A74-17736

CH-47A design and operational flight loads study --- development of structural design criteria for cargo and transport type helicopters [AD-772949] p0251 A74-18700

CH 54A design and operational flight loads study --- comparison of design mission profile with operational mission profiles [AD-773551] p0286 A74-19686

Research in the area of the aerodynamics of rotors and propellers [AROD-T-3-23-E] p0286 A74-19688

Tail rotor design guide --- aerodynamic configurations of helicopter components for low speed and hover flight [AD-775391] p0327 A74-21671

Helicopter/technology program: Fiscal 1973 --- development of design methodology for helicopter fuselages [AD-776580] p0359 A74-25611

Fatigue of composite structures: Experience gained in the design of CFRP structures for helicopters p0368 A74-26479

New technologies and maintenance of helicopters p0466 A74-3147

HELICOPTER ENGINES

Progress in France in the last ten years in the field of helicopters - Prospects for the ten years to come p0007 A74-11097

Design competence - The mainspring to cost reduction [AIAA PAPER 73-1187] p0008 A74-11230

Lycomings LTS 101 - Low cost turbine power in the 600 hp class [SAE PAPER 730911] p0017 A74-11582

The T700-GE-700 turboshaft engine program [SAE PAPER 730917] p0123 A74-17536

Heavy Lift Helicopter main engines [SAE PAPER 730920] p0123 A74-17537

Failure of helicopter turbines due to the employment of a steel in a corrodible condition in combination with a design unsuited for the material p0178 A74-20498

The design of the WG-13 --- small tactical multipurpose twin engined helicopter p0262 A74-26566

Future of the light turbine helicopter p0313 A74-29572

Heavy-lift helicopter engine control system [AHS PREPRINT 870] p0386 A74-36605

The impact of advanced turboshaft engine technology on T700-powered helicopter systems [AHS PREPRINT 871] p0386 A74-36606

Digital computer techniques for engine/airframe simulation --- for helicopters [AHS PREPRINT 874] p0387 A74-36609

Implementation of grease lubrication into U.S. Army helicopter tail rotor gearboxes - Preliminary results p0391 A74-36906

Engine/airframe interface dynamics experience --- for helicopters p0396 A74-37506

The design and development of the Gem engine p0437 A74-40008

Small gas turbines for helicopters /Halford Memorial Lecture/ p0451 A74-41397

Control system considerations for helicopter gas turbines p0458 A74-43210

The aircraft engine M-14V26 --- Russian book p0480 A74-45269

Spring overriding aircraft clutch --- for multiengine helicopters [AD-766309] p0044 A74-10073

Major Item Special Study (MISS). CH-54A turbine engine [AD-766228] p0051 A74-10738

Simplified aircraft performance methods: Power required for single and tandem rotor helicopters in hover and forward flight [AD-768769] p0163 A74-14777

Wind tunnel investigation of simulated helicopter engine exhaust interacting with windstream [NASA-TM-X-3016] p0237 A74-17758

Major item special study (MISS), CH-47A engine --- cost reduction by eliminating high failure rate equipment on CH-47 helicopter [AD-772978] p0253 A74-18717

Simplified life-cycle cost comparison of various engines for small helicopter use [NASA-TM-X-71517] p0256 A74-19405

Investigation and analysis of reliability and maintainability problems associated with Army aircraft engines [AD-772950] p0256 A74-19411

Water table tests of proposed heat transfer tunnels for small turbine vanes [NASA-TM-X-3073] p0353 A74-25536

Exhaust flow deflector [NASA-CASE-LAR-11570-1] p0410 A74-28233

Engine/airframe interface dynamics experience p0497 A74-34514

HELICOPTER PERFORMANCE

Can helicopters be good neighbors --- noise generation and effects p0073 A74-13795

FAA certification of the S-58T helicopter for instrument flight. II p0172 A74-19492

Failure of helicopter turbines due to the employment of a steel in a corrodible condition in combination with a design unsuited for the material p0178 A74-20498

Ground based helicopter simulation p0215 A74-22454

- Rotor wakes - Key to performance prediction
p0203 A74-22455
- Aerodynamic problems in the calculation of
helicopter airloads
p0203 A74-22456
- Rotor aerodynamics and acoustics - The next phase
--- helicopter noise at supersonic blade tip
speeds
p0203 A74-22465
- An investigation of impulsive rotor noise using a
model rotor
p0206 A74-22467
- The concept of the WG-13 --- small twin engined
helicopter for light tactical support
p0262 A74-26565
- The design of the WG-13 --- small tactical
multipurpose twin engined helicopter
p0262 A74-26566
- Helicopter and V/STOL aircraft noise measurement
problems
[SAB AIR 1286]
p0269 A74-27259
- Certification of helicopters for flight in
instrument meteorological conditions
p0348 A74-34877
- The operation of the Bell 212 under instrument
flight rules
p0348 A74-34879
- Requirements for the helicopter instrument rating
p0348 A74-34880
- A simplified approach to helicopter ground resonance
p0348 A74-34881
- Analysis, simulation, and piloted performance of
advanced tandem-rotor helicopters in hover
[AHS PREPRINT 843]
p0385 A74-36594
- Helicopter icing handling qualities
[AHS PREPRINT 844]
p0385 A74-36595
- 0-0-1% - Q. A. by objectives --- helicopter
primary part Quality Assurance by audit scheme
[AHS PREPRINT 851]
p0386 A74-36597
- Helicopter reliability testing
[AHS PREPRINT 860]
p0386 A74-36600
- UTAS flight test - Real-time data analysis ---
helicopters in Utility Tactical Transport
Aircraft System
[AHS PREPRINT 864]
p0386 A74-36604
- Can helicopter rotors be designed for low noise
and high performance
[AHS PREPRINT 803]
p0388 A74-36617
- A systematic study of helicopter rotor stall using
model rotors
[AHS PREPRINT 804]
p0388 A74-36618
- The scissors rotor --- for helicopters
[AHS PREPRINT 812]
p0388 A74-36621
- Optimal configuration of the rotor blades of a
single-rotor helicopter during horizontal flight
p0391 A74-36864
- Failure analyses of aircraft accidents. I
p0398 A74-37634
- Consideration of control elasticity in calculating
the deformation of gyroplane rotor blades
p0398 A74-37662
- Manual of the aviation engineer --- Russian book
p0403 A74-37999
- U.S. Army helicopter icing qualification program
[AIAA PAPER 74-942]
p0426 A74-38715
- Vibrations and stability of a helicopter with a
two-blade main rotor
p0438 A74-40406
- Estimates of the stability derivatives of a
helicopter from flight measurements
[ICAS PAPER 74-49]
p0451 A74-41349
- A helicopter flight performance system using an
LSI microprocessor --- for calculating gross
weight
[AD-765680]
p0041 A74-10054
- Research on aircraft dynamics for subsonic flight
[AD-765657]
p0042 A74-10061
- Non dimensional methods for the measurement of
hover performance of turbine engined helicopters
[ESDU-73027]
p0103 A74-12711
- Introduction to nondimensional methods for the
measurement of performance of turbine-engined
helicopters
[ESDU-73026]
p0103 A74-12712
- Investigation of the maneuverability of the S-67
winged helicopter
[AD-767559]
p0106 A74-12735
- A mathematical model of unsteady aerodynamics and
radial flow for application to helicopter rotors
[AD-767240]
p0106 A74-12738
- Dynamic stall
[NASA-CR-136473]
p0139 A74-13709
- Automatic control of a helicopter with a hanging
load --- development and evaluation of automatic
pilot for use with S-61 helicopter
[NASA-CR-136504]
p0140 A74-13715
- New technologies and profitability of helicopters
--- application of helicopters to commercial
operations
[NASA-TT-F-15195]
p0140 A74-13717
- Simplified aircraft performance methods: Power
required for single and tandem rotor helicopters
in hover and forward flight
[AD-768769]
p0163 A74-14777
- Influence of turbulence on helicopter design and
operation --- analysis of structural loads,
pilot workload, and passenger comfort affected
by atmospheric turbulence
p0234 A74-17736
- Experimental investigation of model
variable-geometry and ogee tip rotors ---
aerodynamic characteristics of variable geometry
rotary wings
[NASA-CR-2275]
p0245 A74-18645
- Aerodynamic characteristics of NPL 9626 and NPL
9627, further aerofoils designed for helicopter
rotor use
[ARC-CP-1262]
p0247 A74-18666
- Analytical study to define a helicopter stability
derivative extraction method, volume 1
[NASA-CR-132371]
p0248 A74-18674
- Analytical study to define a helicopter stability
derivative extraction method, volume 2
[NASA-CR-132372]
p0248 A74-18675
- Flight investigation of effects of a fan-in-fin
yaw control concept on helicopter flying-quality
characteristics
[NASA-TN-D-7452]
p0249 A74-18688
- CH 54A design and operational flight loads study
--- comparison of design mission profile with
operational mission profiles
[AD-773551]
p0286 A74-19686
- Noise levels of operational helicopters of the
OH-6 type designed to meet the LOH mission ---
acoustic properties for various helicopter
configurations
[NASA-CR-114760]
p0297 A74-20663
- OH-6A design and operational flight loads study
[AD-775832]
p0331 A74-22690
- Engineering flight test: AH-1G helicopter with
model 212 tail rotor. Part 2: Performance and
handling qualities
[AD-776360]
p0359 A74-25613
- A theoretical study of the application of jet flap
circulation control for reduction of rotor
vibratory forces
[NASA-CR-137515]
p0416 A74-28525
- Analysis of maneuverability effects on rotor/wing
design characteristics
[AD-779448]
p0443 A74-29401
- A summary of helicopter vorticity and wake
turbulence publications with an annotated
bibliography
[AD-780053]
p0472 A74-32435
- Nonlinear helicopter rotor lifting surface theory,
part 1
[AD-781885]
p0473 A74-32453
- Helicopter procedural innovations (unusual
attitudes) --- revision of aircraft attitude
recovery techniques for application to
helicopter operations
[AD-782204]
p0491 A74-33471
- Maneuver criteria evaluation program --- computer
program for solving flight path equation of
motion for helicopter without auxiliary propulsion
[AD-782209]
p0491 A74-33472
- HELICOPTER PROPELLER DRIVE**
- A two-component laser Doppler velocimeter for
periodic flow fields
p0267 A74-26916
- Noise phenomena in the case of helicopter rotors
and possibilities for noise reduction
[DGLR PAPER 74-024]
p0270 A74-27364
- Torsional stability analysis of a gas-turbine
powered helicopter drive system
[ASME PAPER 74-GT-54]
p0272 A74-27447
- Gearbox noise reduction - Prediction and
measurement of mesh-frequency vibrations within

SUBJECT INDEX

HELICOPTERS

- an operating helicopter rotor-drive gearbox
[ASHE PAPER 73-DET-31] p0341 A74-33404
- Low-weight, impact-resistant helicopter drive shafts
p0348 A74-34919
- Digital computer techniques for engine/airframe
simulation --- for helicopters p0387 A74-36609
[AHS PREPRINT 874]
- Engine/airframe interface dynamics experience ---
for helicopters p0396 A74-37506
- The design and development of the Gem engine
p0437 A74-40008
- Major Item Special Study (MISS). CH-54A clutch
assembly (APP) p0041 N74-10057
[AD-766226] --- for
- Spring overriding aircraft clutch --- for
multiengine helicopters p0044 N74-10073
[AD-766309]
- Major Item Special Study (MISS), AH-1G 90 degree
gearbox --- analysis of helicopter gear box
maintenance and reliability p0106 N74-12731
[AD-767540]
- Recommended design modifications to the CH-47
forward rotor drive gearbox p0162 N74-14775
[AD-769062]
- Major Item Special Study (MISS), AH-1G driveshaft
assembly, main transmission to engine p0163 N74-14780
[AD-768763]
- Major Item Special Study (MISS), AH-1G driveshaft
assy, main transmission to engine --- cost
savings from product improvement in quality and
design p0198 N74-16746
[AD-770498]
- Advanced torque measurement system --- design,
fabrication, and testing for helicopter
powerplant diagnostic purposes p0252 N74-18706
[AD-773021]
- Analysis of criteria for on-condition maintenance
for helicopter transmissions --- numerical
analysis of relationship between component
operating time and component hazard rate p0252 N74-18707
[AD-773024]
- Helicopter drive system load analysis
[AD-775858] p0331 N74-22697
- Vibration signal analysis techniques --- for
detecting condition of gears and bearings in
helicopter power train p0359 N74-25604
[AD-776397]
- Prediction of gear-mesh-induced high-frequency
vibration spectra in geared power trains p0369 N74-26493
[AD-777496]
- Major item special study (MISS), OH-6 A tail rotor
assembly p0408 N74-27512
[AD-778166]
- HELICOPTER ROTORS**
- U ROTARY WINGS**
- HELICOPTER WAKES**
- An unsteady wake model for a hingeless rotor
p0127 A74-18140
- Rotor wakes - Key to performance prediction
p0203 A74-22455
- Aerodynamic problems in the calculation of
helicopter airloads p0203 A74-22456
- A schlieren technique applied to rotor wake studies
p0203 A74-22462
- Laser velocimeter measurements of the helicopter
rotor-induced flow field p0387 A74-36614
[AHS PREPRINT 800]
- Can helicopter rotors be designed for low noise
and high performance p0388 A74-36617
[AHS PREPRINT 803]
- Instantaneous velocity measurements in the near
wake of a helicopter rotor p0425 A74-38633
- Study of the electrostatic field and charge
distribution in a vortex seeded with dust p0059 N74-10941
[AD-766815]
- Wake induced loads on helicopter rotor blades
p0103 N74-12708
- The stability of helical vortex filaments in the
wake of a hovering rotor p0140 N74-13713
- Fog clearing using helicopter downdrafts: A
numerical model p0242 N74-18280
[AD-771038]
- Study of the electrostatic field and charge
distribution in a vortex seeded with dust p0245 N74-18643
- Analytical investigation of the aerodynamic
stability of helical vortices shed from a
hovering rotor p0252 N74-18705
[AD-773026]
- HELICOPTERS**
- NT ALOUETTE HELICOPTERS
- NT CH-3 HELICOPTER
- NT CH-47 HELICOPTER
- NT CH-54 HELICOPTER
- NT COMPOUND HELICOPTERS
- NT H-53 HELICOPTER
- NT H-56 HELICOPTER
- NT HEAVY LIFT HELICOPTERS
- NT HH-43 HELICOPTER
- NT MILITARY HELICOPTERS
- NT OH-6 HELICOPTER
- NT RIGID ROTOR HELICOPTERS
- NT S-58 HELICOPTER
- NT S-61 HELICOPTER
- NT SA-330 HELICOPTER
- NT SE-3160 HELICOPTER
- NT SH-3 HELICOPTER
- NT TANDEM ROTOR HELICOPTERS
- NT UR-1 HELICOPTER
- The Dolphin airship with undulating propulsion
system - On-test-stand comparison with a
helicopter --- payload capacity and engine
performance p0021 A74-11743
- Evaluation of the helicopter as a camera platform
p0078 A74-14480
- Equipment for aircraft and helicopter technical
servicing --- Russian book p0169 A74-19370
- Urban air traffic and city planning: Case study of
Los Angeles County --- Book p0179 A74-20624
- The cost of noise reduction in intercity
commercial helicopters p0210 A74-23328
- Utilization of titanium and its alloys in the
manufacture of helicopters and airplane frames p0218 A74-23967
- Crash-resistant fuel tanks for helicopters and
general aviation aircraft p0308 A74-28735
[SAE PAPER 740358]
- USAF evaluating helicopter IFR aids p0319 A74-30749
- The noise environment of a school classroom due to
the operation of utility helicopters p0397 A74-37541
- Helicopter noise - Can it be adequately rated ---
inadequacy of existing measurement techniques p0438 A74-40092
- Evaluation of the adhesive bonding processes used
in helicopter manufacture. Part 4:
Nondestructive inspection of adhesive bonds
using holographic techniques p0047 N74-10480
[AD-765455]
- Technical evaluation report on Fluid Dynamics
Panel Specialists' Meeting on Aerodynamic Drag p0054 N74-10905
[AGARD-AR-58]
- Manufacturing Methods Technology (MM/T) for
ballistic-tolerant flight control components p0058 N74-10933
[AD-766744]
- Study of the electrostatic field and charge
distribution in a vortex seeded with dust p0059 N74-10941
[AD-766815]
- Helicopter visual aid system p0067 N74-11691
- Effect of sweep angle on the pressure
distributions and effectiveness of the ogee tip
in diffusing a line vortex p0094 N74-11822
[NASA-CR-132355]
- Nonlinear bending and torsion of rotating beams
with application to linear stability of
hingeless helicopter rotors p0101 N74-12545
- Wake induced loads on helicopter rotor blades p0103 N74-12708
- Identification tests with optical sights and
reconnaissance aids in helicopters p0104 N74-12721
[FOA-2-C-2533-D8/E1/H6]
- Helicopter noise --- in relation to increased
horsepower p0105 N74-12722
[FOA-3-C-3685-E4]
- General description of the rotorcraft flight
simulation computer program (G-81) p0105 N74-12728
[AD-767239]

- Techniques for reducing the vibration of rocket launchers mounted on helicopters
[AD-767237] p0105 N74-12729
- Analysis of stall flutter of a helicopter radar blade
[NASA-CR-2322] p0139 N74-13708
- Failure analysis of helicopter external cargo-handling systems
[AD-767254] p0142 N74-13729
- Transmission thermal mapping (CH-47C forward rotor transmission)
[AD-767875] p0143 N74-13732
- Flight control of airplanes and helicopters
[AD-767543] p0143 N74-13738
- Orientation-error accidents in regular Army UH-1 aircraft during fiscal year 1970: Relative incidence and cost
[AD-768307] p0144 N74-13742
- Static and dynamic helicopter airframe analysis with NASTRAN
p0153 N74-14616
- Problems of estimating the drag of a helicopter --- correlation of flight test data and scale model test data
p0156 N74-14715
- Studies in low speed flight --- model helicopter hovering flight test facility
[AD-768858] p0190 N74-15728
- Research on aircraft dynamics for subsonic flight
[AD-770540] p0197 N74-16738
- Report on the Conference on Transparent Aircraft Enclosures
[AD-769372] p0199 N74-16755
- Further studies on speech intelligibility with frequency-modulation communication systems under fading conditions --- helicopter-satellite link
[REPT-5-73] p0200 N74-16903
- Vortex modification by mass injection and by tip geometry variation
[AD-771966] p0232 N74-17715
- Mechanical component failure prognosis study --- helicopter gearboxes and transmissions
[AD-771033] p0238 N74-17765
- Air mobile technical maintenance unit
[AD-771786] p0239 N74-17778
- Helicopter weight, size, and performance program --- computer aided analysis
[AD-771140] p0240 N74-17783
- Further measurements on satellite-link fading at low altitudes above irregular terrain --- helicopter flight experiments
[REPT-4/73] p0240 N74-17893
- Major Item Special Study (NISS), AH-1G main transmission assy, universal
[AD-772983] p0250 N74-18695
- Study of advanced structural concepts for fuselage --- fiber reinforced composite materials for helicopter tail section
[AD-772708] p0250 N74-18696
- To assist the Sportsman-helicopter pilot in blind flight
[AD-772650] p0251 N74-18699
- Parachute escape from helicopters --- vertical and horizontal separation of parachutist from autorotating helicopter
[AD-772970] p0251 N74-18702
- Open and closed loop stability of hingeless rotor helicopter air and ground resonance --- effects of blade tuning, virtual hinge locations, and blade hysteresis damping
[AD-772826] p0251 N74-18703
- Advanced torque measurement system --- design, fabrication, and testing for helicopter powerplant diagnostic purposes
[AD-773021] p0252 N74-18706
- Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters
[AD-773025] p0252 N74-18708
- Estimates of the lateral-directional stability derivatives of a helicopter from flight measurements
[NRC-13882] p0283 N74-19662
- Civil aviation in the USSR (the fiftieth anniversary of its formation)
-[NASA-TT-F-806] p0283 N74-19666
- Research on helicopter noise
[AD-773385] p0285 N74-19677
- A design study to standardize collective-stick controls in US Army helicopters: A Human Factors Engineering (HFE) evaluation
-[AD-773688] p0286 N74-19689
- Major Item Special Study (NISS), CH-47A alternating generator --- product quality control and cost savings
[AD-773720] p0286 N74-19712
- High frequency radio emission and reception by forest trees and by helicopter using hybrid electromagnetic antenna couplers
[AD-773909] p0287 N74-19822
- An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 8: Army MEDEVAC avionics capability study
[AD-773611] p0288 N74-20059
- Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UH-1 helicopter
[AD-773652] p0288 N74-20080
- The noise environment of a school classroom due to the operation of utility helicopters --- acoustic measurements of helicopter noise during flight over building
[NASA-TN-X-71957] p0296 N74-20659
- Advanced concepts for rotary wing and V/STOL aircraft escape systems
p0301 N74-20766
- Escape measures for combat helicopter crews
p0301 N74-20770
- Army autorotational accidents --- analysis of factors contributing to helicopter accidents
p0301 N74-20771
- In-flight escape system for heavy helicopters
p0301 N74-20772
- Engineering feasibility study of ultrasonic applications for aircraft manufacture
[AD-774305] p0303 N74-21084
- Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system
[NASA-TN-D-7495] p0325 N74-21652
- Circulation control: A bibliography of NSRDC research and selected outside references
[AD-775284] p0327 N74-21666
- AH-1G design and operational flight loads study
[AD-775838] p0331 N74-22700
- Evaluation of the Teledyne Ryan model 622 terrain-following radar system installed on OH-58A helicopter
[AD-775806] p0331 N74-22837
- Investigation of the effect of torsional natural frequency on stall-induced dynamic loading
[AD-776415] p0353 N74-25544
- Civil helicopter noise assessment study
Boeing-Vertol model 347 --- recommendations for reduction of helicopter noise levels
[NASA-CR-132420] p0354 N74-25563
- Community acceptance of helicopter noise: Criteria and application
[NASA-CR-132430] p0355 N74-25567
- Helicopter derivative identification from analytic models and flight test data
p0356 N74-25579
- Aerodynamic damping of vibrating helicopter rotors
[AD-775929] p0358 N74-25598
- Qualification test methods for helicopter cargo handling systems
[AD-776991] p0358 N74-25599
- Analysis of maneuverability effects on rotor/wing design characteristics
[AD-776981] p0359 N74-25609
- Non-linear helicopter rotor lifting surface theory
p0363 N74-26431
- Flight control of airplanes and helicopters --- characteristics of automatic flight control to include methods of display and human factors engineering
[AD-777297] p0368 N74-26488
- Development of cargo slings with nondestructive checkout systems
[AD-777497] p0369 N74-26492
- Analytical study of stresses recorded in the DH 2011 rotor blades
[NASA-CR-137527] p0407 N74-27501
- On the use of branch modes for the calculation of helicopter structural dynamic characteristics
[NASA-TT-F-15713] p0407 N74-27503

- Noise levels in the CH-113A and CUH-1H helicopter [DCIRM-73-R-993] p0407 H74-27504
 Hydrofluidic yaw SAS analysis design and development [AD-777804] p0408 H74-27510
 An experimental and analytical investigation of the potential flow field, boundary layers, and drag of various helicopter fuselage configurations [AD-777798] p0408 H74-27514
 Transmission thermal mapping (UH-1 main rotor transmission) --- determination of heat generating areas [AD-777803] p0408 H74-27515
 Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings [NASA-TN-D-7524] p0410 H74-28102
 Development of helicopter engine seals [NASA-CR-134647] p0410 H74-28229
 Propeller tests in the large sonic wind tunnel of Mondane-Avrieux [NASA-TT-F-15704] p0413 H74-28501
 A method of automatically stabilizing helicopter sling loads [NASA-TN-D-7593] p0413 H74-28506
 A theoretical study of the application of jet flap circulation control for reduction of rotor vibratory forces [NASA-CR-137515] p0416 H74-28525
 Analysis of maneuverability effects on rotor/wing design characteristics [AD-779448] p0443 H74-29401
 Application of an interdisciplinary rotary wing aircraft analysis to the prediction of helicopter maneuver loads [AD-779449] p0443 H74-29402
 UH-1 ground handling wheel adapter bars for OH-58 helicopters. Prototype design, fabrication, and user test [AD-778199] p0443 H74-29616
 Design of a powered wheel kit for UH/AH helicopters [AD-779387] p0443 H74-29627
 Propellers and helicopter blades of fiber-reinforced synthetic resin materials [NASA-TT-F-15859] p0467 H74-31493
 Problems of long linear arrays in helicopter blades --- considering beams scanned by rotating blades p0468 H74-31684
 Hingeless helicopter rotor with improved stability [NASA-CASE-ARC-10807-1] p0494 H74-34475
 Identification of structural parameters from helicopter dynamic test data p0497 H74-34513
 Characterization of carburized Vasco I-2 steel [AD-782362] p0500 H74-34952
- HELMETS**
 Helmets and head protection in USAF ejections 1968-1972 p0210 A74-23528
 U.S. Navy development of a mission specific fighter helmet p0211 A74-23529
- HELMHOLTZ VORTICITY EQUATION**
 Analysis of three-dimensional unsteady flow around oscillating wings [AIAA PAPER 74-184] p0135 A74-18838
 A linear model of a finite amplitude Helmholtz instability p0335 A74-32057
- HERCULES AIRCRAFT**
 U C-130 AIRCRAFT
- HEURISTIC METHODS**
 Branch-and-bound and heuristic approaches to a sequencing problem with team-size requirements [P-5152] p0288 H74-20176
- HFB-320 AIRCRAFT**
 Flight-mechanics problems during landing approach with direct lift control, exemplified by HFB 320 Hansa [NASA-TT-F-15614] p0355 H74-25566
 Digital fly-by-wire control system with selfdiagnosing failure detection p0464 H74-31451
- HH-43B HELICOPTER**
 U HH-43 HELICOPTER
 HH-43 HELICOPTER
 Test and evaluation of a quiet helicopter configuration HH-43B p0087 A74-15644
- HBI HELICOPTER**
 U H-53 HELICOPTER
- HIERARCHIES**
 Identification of aircraft stability and control parameters using hierarchical state estimation p0260 A74-25759
 Identification of aircraft stability and control parameters using multilevel, hierarchical estimation p0356 H74-25581
- HIGH ALTITUDE**
 Sonic boom analysis for high altitude flight at high Mach number [AIAA PAPER 73-1034] p0026 A74-12224
 Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions [AIAA PAPER 74-41] p0132 A74-18749
 Forecast of jet engine exhaust emissions for future high altitude commercial aircraft p0275 A74-27773
- HIGH ALTITUDE BALLOONS**
 The Eole balloons and air safety p0129 A74-18596
- HIGH ALTITUDE ENVIRONMENTS**
 Alcor - A high altitude pressurized sailplane /2/ p0459 A74-43471
- HIGH ALTITUDE FLIGHT**
 U HIGH ALTITUDE
- HIGH ASPECT RATIO**
 Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers p0315 A74-30098
- HIGH ASPECT RATIO WINGS**
 U SLENDER WINGS
- HIGH FREQUENCIES**
 Papers presented at the Lightning and Static Electricity Conference (1972). Structure of lightning noise - especially above HF. Triggered lightning and its application to rockets and aircraft [AD-771464] p0255 H74-19271
- HIGH SPEED CAMERAS**
 NT FRAMING CAMERAS
 Experimental and data analysis techniques for deducing collision-induced forces from photographic histories of engine rotor fragment impact/interaction with a containment ring [NASA-CR-134548] p0243 H74-18399
- HIGH SPEED TRANSPORTATION**
 U RAPID TRANSIT SYSTEMS
- HIGH STRENGTH**
 Narmco 5208/T300 - A graphite-epoxy system engineered for high-performance aircraft structures p0082 A74-14732
- HIGH STRENGTH ALLOYS**
 NT HIGH STRENGTH STEELS
 The use of ultra high strength titanium alloys in a V/STOL military aircraft application - The H. S. A. Barrier p0115 A74-16446
 Applications of the high strength alloy Ti-4Al-4Mo-2Sn-0.5Si in European aircraft projects p0116 A74-16450
 Materials for the new generation of aircraft p0122 A74-17374
 Utilization of titanium and its alloys in the manufacture of helicopters and airplane frames p0218 A74-23967
 Properties of high-strength aluminum P/H products p0227 A74-24225
- HIGH STRENGTH STEELS**
 A life study of AISI M-50 and Super Nitralloy spur gears with and without tip relief [ASME PAPER 73-LUB-38] p0027 A74-12352
 Failure of helicopter turbines due to the employment of a steel in a corrodible condition in combination with a design unsuited for the material p0178 A74-20498
 Minimizing hydrogen pick-up during electroplating of high-strength steels p0478 A74-44530
 Effects of corrodents on the fatigue life of an ultra-high strength steel p0478 A74-44538
- HIGH TEMPERATURE AIR**
 Study of the temperature influence on induced flow effects. Part 1: Test equipment for ground effect investigations using circular hot air jets [IPD-8/71-PT-1] p0097 H74-11844

HIGH TEMPERATURE ALLOYS

SUBJECT INDEX

- Study of the temperature influence on induced flow effects. Part 2: Influence of ground effects on hot-air jet mixing in steady atmospheric air [IPD-9/71-PT-2] p0097 N74-11845
- HIGH TEMPERATURE ALLOYS**
U HEAT RESISTANT ALLOYS
HIGH TEMPERATURE ENVIRONMENTS
 High temperature cooled gas turbines (analysis and design) [AD-766031] p0051 N74-16740
- HIGH TEMPERATURE FLUIDS**
 HT HIGH TEMPERATURE AIR
 NT HIGH TEMPERATURE GASES
- HIGH TEMPERATURE GASES**
 NT HIGH TEMPERATURE AIR
 Problems of future high-temperature corrosion research and testing p0080 A74-14564
- Heat transfer investigation in a high-temperature gas flow spreading over a plane surface p0131 A74-18684
- Turbine blade temperature measurement system: Operation manual [SOLAR-P/N-106751] p0241 N74-18097
- HIGH TEMPERATURE LUBRICANTS**
 A study of high temperature fuels and lubricants on supersonic aircraft/engine system performance [SAE PAPER 740473] p0433 A74-39648
- Microfog lubricant application system for advanced turbine engine components, phase 3 --- wetting characteristics and deposit forming tendencies of lubricants [NASA-CR-121271] p0050 N74-10730
- HIGH TEMPERATURE PROPELLANTS**
 A study of high temperature fuels and lubricants on supersonic aircraft/engine system performance [SAE PAPER 740473] p0433 A74-39648
- HIGH TEMPERATURE TESTS**
 The assessment of hot corrosion resistance by rig testing - Philosophy and experience p0081 A74-14580
- Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy p0337 A74-32812
- HILLER MILITARY AIRCRAFT**
U MILITARY AIRCRAFT
- HINGE MOMENTS**
U TORQUE
- HINGED ROTOR BLADES**
U HINGES
U ROTARY WINGS
- HINGLESS ROTORS**
U RIGID ROTORS
- HINGES**
 NT FLAPPING HINGES
 Dynamic analysis of a system of hinge-connected rigid bodies with nonrigid appendages p0085 A74-15003
- HISTORIES**
 Progress in aircraft design since 1903 [NASA-TN-X-70319] p0467 N74-31499
- HL-10 REENTRY VEHICLE**
 Results of a feasibility study using the Newton-Raphson digital computer program to identify lifting body derivatives from flight data [NASA-TN-X-56017] p0094 N74-11814
- HPL-10 lifting body flight control system characteristics and operational experience [NASA-TN-X-2956] p0159 N74-14753
- HO-6 HELICOPTER**
U OH-6 HELICOPTER
- HODOGRAPHS**
 Transonic shock-free aerofoil design by an analytic hodograph method [AIAA PAPER 74-539] p0339 A74-33136
- Designing transonic turbine blades by the hodograph method p0437 A74-40002
- HOLLAND**
U NETHERLANDS
- HOLOGRAPHIC INTERFEROMETRY**
 Hologram study of gas flow in a ballistic wind tunnel p0013 A74-11414
- Holographic studies of shock waves within transonic fan rotors [ASME PAPER 74-GT-46] p0272 A74-27439
- Holographic time-average vibration study of a structure dynamic model of an airplane fin p0340 A74-33179
- Composite materials inspection --- ultrasonic vibration holographic NDT p0457 A74-43164
- In situ non-destructive testing of aircraft structures by holographic interferometry [RAE-TR-72218] p0197 N74-16734
- Nondestructive holographic techniques for structures inspection --- in large aircraft [AD-774758] p0303 N74-21105
- HOLOGRAPHY**
 Evaluation of the adhesive bonding processes used in helicopter manufacture. Part 4: Nondestructive inspection of adhesive bonds using holographic techniques [AD-765455] p0047 N74-10480
- Holographic multicolor moving map display (system definition) --- of performance characteristics in cockpits [AD-772155] p0241 N74-18083
- HOMING DEVICES**
 Lasers - Ranger and marked target seeker p0118 A74-16756
- HONEYCOMB CORES**
 RohrBond --- liquid interface diffusion bonding for Ti honeycomb core sandwich p0083 A74-14741
- Technology of production of sandwich panels with aluminum honeycomb cores p0178 A74-20523
- Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615
- HONEYCOMB STRUCTURES**
NT HONEYCOMB CORES
 Continuous seam diffusion bond titanium spar evaluation [AD-780029] p0468 N74-31515
- Advanced metallic structure: Cargo fuselage design for improved cost, weight, and integrity [AD-781814] p0473 N74-32456
- HORIZONTAL FLIGHT**
 Optimal configuration of the rotor blades of a single-rotor helicopter during horizontal flight p0391 A74-36864
- Acoustical properties of a model rotor in nonaxial flight --- wind tunnel model noise measurements [NASA-CR-114749] p0248 N74-18678
- HORIZONTAL STABILIZERS**
U STABILIZERS (FLUID DYNAMICS)
- HORIZONTAL TAIL SURFACES**
 Improved manufacturing of the F-14A composite horizontal stabilizer p0316 A74-30323
- Measurements of rolling moments acting on the stabilizer of T-tails oscillating in yaw [NAL-TR-324] p0158 N74-14744
- Development of a graphite horizontal stabilizer --- structural analysis of static ultimate load and simulated fatigue spectrum loading [AD-768869] p0164 N74-14783
- Development of a graphite horizontal stabilizer --- flight control surface for A-4 aircraft [AD-782646] p0491 N74-33473
- HORN ANTENNAS**
 New concepts in AMTI radar - Nulling effects of Doppler filter/multi-element horn array p0121 A74-17252
- Improvement of performance characteristics of a class of broadband circularly polarized antennas --- for use with tactical airborne jamming equipment [AD-766473] p0059 N74-11065
- HORSEPOWER**
 Helicopter noise --- in relation to increased horsepower [FOA-3-C-3685-E4] p0105 N74-12722
- HOT AIR**
U HIGH TEMPERATURE AIR
- HOT EXTRUDING**
U EXTRUDING
- HOT GAS SYSTEMS**
U HIGH TEMPERATURE GASES
- HOT GASES**
U HIGH TEMPERATURE GASES

- HOT JET EXHAUST**
 U HIGH TEMPERATURE GASES
 U JET EXHAUST
HOT JETS
 U JET FLOW
HOT-WIRE ANEMOMETERS
 Hot-wire anemometry for in-flight measurement of aircraft wake vortices
 p0460 A74-43621
- HOUSINGS**
 HT RADONES
HOVERCRAFT
 U GROUND EFFECT MACHINES
HOVERING
 Light hoverable combat aircraft - Wind tunnel tests
 p0319 A74-30600
 Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover
 [AHS PREPRINT 843] p0385 A74-36594
 Effect of the body of a helicopter of single-prop or coaxial design on the optimal configuration of the main-rotor blades for hover-flight conditions
 p0389 A74-36631
 Consideration of the effect of the fuselage of a two-rotor helicopter of the transverse or longitudinal type when determining the optimal rotor blade configuration for hovering
 p0390 A74-36799
 The stability of helical vortex filaments in the wake of a hovering rotor
 p0140 A74-13713
 Simplified aircraft performance methods: Power required for single and tandem rotor helicopters in hover and forward flight
 [AD-768769] p0163 A74-14777
 Studies in low speed flight --- model helicopter hovering flight test facility
 [AD-768858] p0190 A74-15728
 Drop and static tests on a tenth-scale model of an Air Cushion Landing System (ACLS)
 [AD-770026] p0198 A74-16742
 Acoustical properties of a model rotor in nonaxial flight --- wind tunnel model noise measurements
 [NASA-CR-114749] p0248 A74-18678
 Potential flow studies of lift-fan inflow interference phenomena --- numerical analysis of potential flows associated with inlet ducts
 [AD-773194] p0255 A74-18949
 Research in the area of the aerodynamics of rotors and propellers
 [AROD-T-3-23-E] p0286 A74-19688
 Results and information obtained regarding aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development --- lift loss in hovering flight phase
 [NASA-TT-P-15533] p0298 A74-20669
 VSTOL aircraft stability and control experience from methods and results of Do 31 flight tests
 [NASA-TT-P-15531] p0325 A74-21651
 Study of dynamics of X-14B VTOL aircraft
 [NASA-CR-138185] p0326 A74-21661
 Predicting lateral hover, flying qualities with paper pilot --- simulation of pilot performance in VTOL aircraft
 [AD-775704] p0353 A74-25543
- HOVERING STABILITY**
 Some conclusions regarding the aeroelastic stability of hingeless helicopter blades in hover and in forward flight
 p0022 A74-11844
 Some results of an experimental study of the Aerodyne concept by Dornier System GmbH
 [DGLR PAPER 73-069] p0120 A74-17178
 Design and hover-flight testing of a deflection control system for the Aerodyne wingless, remote-controlled experimental flight vehicle
 [DGLR PAPER 73-070] p0120 A74-17179
 Rotor wakes - Key to performance prediction
 p0203 A74-22455
 A schlieren technique applied to rotor wake studies
 p0203 A74-22462
 The effect of velocity-dependent pitching moments on longitudinal stability --- of STOL and VTOL aircraft
 p0261 A74-26047
 Non dimensional methods for the measurement of hover performance of turbine engine helicopters
- [ESDU-73027] p0103 A74-12711
 Analysis of stall flutter of a helicopter radar blade
 [NASA-CR-2322] p0139 A74-13708
 Analytical investigation of the aerodynamic stability of helical vortices shed from a hovering rotor
 [AD-773026] p0252 A74-18705
 Three-dimensional measurements of the velocity in the near flow field of a full-scale hovering rotor
 [AD-781547] p0470 A74-32417
 Nonlinear helicopter rotor lifting surface theory, part 1
 [AD-781885] p0473 A74-32453
- HSS-2 HELICOPTER**
 U SH-3 HELICOPTER
HU-1 HELICOPTER
 U OH-1 HELICOPTER
HUBS
 An application of Floquet theory to prediction of mechanical instability --- for helicopter with inoperative blade damper
 p0395 A74-37496
 Hub moment springs on two-bladed teetering rotors
 p0395 A74-37500
 Composite-material helicopter rotor hubs
 [AD-771973] p0238 A74-17772
 A design analysis of CH-54B main rotor hub fabricated from composite materials
 [AD-774270] p0300 A74-20689
- HUGHES AIRCRAFT**
 HT OH-6 HELICOPTER
HUGHES MILITARY AIRCRAFT
 U MILITARY AIRCRAFT
HULLS (STRUCTURES)
 Pegase project - Advantages of a lens-shaped hull --- for stratospheric dirigibles
 [OBERA, TP NO. 1310] p0224 A74-24312
- HUMAN ENGINEERING**
 U HUMAN FACTORS ENGINEERING
HUMAN FACTORS ENGINEERING
 Application of military human factors techniques to general aviation accident prevention
 p0004 A74-10880
 Forgotten airport aesthetics --- architectural critique of terminal facilities
 p0089 A74-15864
 Cockpit design for crew coordination
 p0208 A74-22631
 U.S. Navy development of a mission specific fighter helmet
 p0211 A74-23529
 Peripheral vision - A factor for improved instrument design
 p0218 A74-23542
 New frontiers of civil aeronautics
 p0229 A74-25352
 Pilot workload-efficiency of military aircraft systems with one or two man crew
 p0320 A74-30820
 Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept
 [AIAA PAPER 74-568] p0344 A74-34798
 VFW 614 cockpit
 p0375 A74-35358
 Controls and displays for helicopter IFR operation
 - Pilot factor considerations
 [AHS PREPRINT 825] p0384 A74-36584
 Helicopter command instrument systems
 [AHS PREPRINT 822] p0389 A74-36626
 Definition of study objectives for integrated crew module development
 [AD-769065] p0162 A74-14773
 High acceleration cockpit: The maneuvering countermeasure --- cockpit design for improved pilot performance
 [AD-770287] p0198 A74-16743
 Effect of modified seat angle on air to air weapon system performance under high acceleration
 [AD-770271] p0198 A74-16747
 Aircraft response to turbulence-crew comfort assessments using power spectral density methods --- factors affecting operational efficiency of crew in low level gust environment
 p0233 A74-17729
 A design study to standardize collective-stick controls in US Army helicopters: A Human Factors Engineering (HFE) evaluation
 [AD-773688] p0286 A74-19689

- Development of design criteria for sensor displays
--- controls and man machine interfaces for
fixed and rotary wing aircraft
[AD-774725] p0303 N74-21049
- Effects of new approach procedures on cockpit
design and chances for realization
[NASA-TT-P-15613] p0355 N74-25565
- Effects of aircraft design on STOL ride quality:
A simulator study
[NASA-CR-140059] p0473 N74-32443
- Tactile display for aircraft control ---
evaluation of control system as a one and two
axis error display device during manual tracking
experiments
[AD-783690] p0498 N74-34538
- HUMAN PERFORMANCE**
- PILOT PERFORMANCE**
- Pilotage error and residual attention - The
evaluation of a performance control system in
airborne area navigation
p0087 A74-15630
- Speech intelligibility testing with the modified
rhyme test in aviation type noise
[AD-765470] p0044 N74-10159
- HUMAN REACTIONS**
- Analysis of passenger acceptance of commercial
flights having characteristics similar to STOL
p0085 A74-15046
- The effects of aircraft noise in schools around
London Airport
p0336 A74-32591
- Effects of aircraft design on STOL ride quality:
A simulator study
[NASA-CR-140059] p0473 N74-32443
- HUMAN TOLERANCES**
- Can helicopters be good neighbors --- noise
generation and effects
p0073 A74-13795
- Problems and organization in the case of
aerial-survey flights at intermediate and high
altitudes
p0086 A74-15082
- On the dynamics of human pilots in marginally
controllable systems
p0209 A74-23203
- Aircraft noise and sound suppression --- for
propeller driven aircraft
p0224 A74-24671
- Effects of discontinuation of nocturnal aircraft
noise
p0315 A74-30084
- Noise levels in the CH-113A and CUH-1H helicopter
[DCIEM-73-R-993] p0407 N74-27504
- HUSKIE HELICOPTER**
- U HH-43 HELICOPTER**
- HYBRID NAVIGATION SYSTEMS**
- EASCON '73: Electronics and Aerospace Systems
Convention, Washington, D.C., September 17-19,
1973, Record
p0023 A74-12176
- Reduced order filtering with applications in
hybrid navigation --- minimum variance Kalman
filter algorithm
p0023 A74-12177
- Tactical hybrid navigation scheme for mixed
community coordination --- integrated
communication and global interface capabilities
p0024 A74-12179
- Application to zone navigation /B/Nav/ of hybrid
navigation systems
p0029 A74-12446
- Analysis of aided inertial navigation systems
performance on international routes
p0175 A74-20096
- HYBRID PROPULSION**
- Propulsion integration for a hybrid
propulsive-lift system
[SAE PAPER 740471] p0351 A74-35002
- HYDRAULIC ACTUATORS**
- U ACTUATORS**
- U HYDRAULIC EQUIPMENT**
- HYDRAULIC ANALOGIES**
- Boundary value problems of two-dimensional
isentropic gas flow
p0014 A74-11430
- HYDRAULIC CONTROL**
- VFW 614 hydraulics
p0375 A74-35359
- The architecture of a turbine engine control ---
hydromechanical and electronic control in
multiengine aircraft
p0458 A74-43209
- Practical experience with a digital
electrohydraulic actuator
[NASA-TT-P-15292] p0191 N74-15735
- The dynamic behavior of a digital electrohydraulic
actuator
[NASA-TT-P-15295] p0191 N74-15736
- Comparison with regard to the economy of a digital
and an analog electro-hydraulic actuator ---
noting application to aircraft control
[DLR-FB-73-105] p0489 N74-33457
- Contribution to the dynamic behavior of a digital
electro-hydraulic actuator --- for fly by wire
control
[DLR-FB-73-106] p0490 N74-33458
- HYDRAULIC EQUIPMENT**
- NT AIRCRAFT HYDRAULIC SYSTEMS**
- Suitability of using titanium pipelines in the
hydraulic systems of turbine engines
p0126 A74-18090
- The filtration of oil in modern aircraft
installations. II
p0343 A74-33820
- US Army helicopter hydraulic servocylinder
reliability and maintainability investigation
[AD-767243] p0142 N74-13731
- HPL-10 lifting body flight control system
characteristics and operational experience
[NASA-TN-X-2956] p0159 N74-14753
- Role of computerized simulation in the perfecting
aeronautical equipments or systems --- applied
to hydraulic pump and air intake design
p0199 N74-16811
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 1:
Document deficiency analysis --- deficiencies in
military specifications and standards for
helicopter hydraulic systems
[AD-773022] p0252 N74-18709
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 2:
Supplemental design guide --- design
requirements related to environmental
conditions, reliability, and maintainability
programs
[AD-773023] p0252 N74-18710
- Control-by-wire actuator model development for AFCAS
--- characteristics of hydraulic control valves
to control tandem and parallel control systems
[AD-772588] p0253 N74-18715
- Major Item Special Study (MISS), CH-47A hydraulic
servocylinder --- reliability analysis of
military helicopter hydraulic system
[AD-775449] p0327 N74-21672
- Hydrofluidic yaw SAS analysis design and development
[AD-777804] p0408 N74-27510
- HYDRAULIC FLUIDS**
- Lithium soap dispersions as drag-reducing
hydraulic fluids
[ASLE PREPRINT 73LC-5B-2] p0027 A74-12316
- World-wide Navy program controls aircraft
contamination --- hydraulic fluids
p0069 A74-13017
- Fluid power for aircraft: Modern hydraulic
technology /2nd edition/
p0214 A74-23376
- Modified centrifuge technique for hydrolytic
stability of neopentyl polyol ester lubricants
p0259 A74-25717
- Oil filtration in modern aircraft systems
p0335 A74-31894
- Hydrofluidic servoactuator development
[AD-766308] p0047 N74-10491
- Bibliography on aircraft fire hazards and safety.
Volume 1: Hazards. Part 1: Key numbers 1 to 817
[NASA-TN-X-71553-VOL-1-PT-1] p0406 N74-27491
- Hydraulic-to-pneumatic power supply for aircraft
fluidic systems
[AD-778764] p0417 N74-28550
- HYDRAULIC HEATING SOURCES**
- U HYDRAULIC EQUIPMENT**
- HYDRAULIC JETS**
- Realization of the power amplification effect in a
ramjet unit by applying the principle of
boundary layer separation
p0175 A74-20069

- HYDRAULIC PUMPS**
 U HYDRAULIC EQUIPMENT
 U PUMPS
- HYDRAULIC SYSTEMS**
 U HYDRAULIC EQUIPMENT
HYDRAULIC TEST TUNNELS
 The need for a large transonic wind tunnel in Europe - A summary of the report of an A.G.A.R.D. working group /LaWs/
 [AIAA PAPER 74-630] p0376 A74-35394
 Water table tests of proposed heat transfer tunnels for small turbine vanes
 [NASA-TN-X-3073] p0353 N74-25536
- HYDRAULIC VALVES**
 U HYDRAULIC EQUIPMENT
- HYDRAZINE ENGINES**
 Pyrogenic ignition system for afterburners
 p0437 A74-40001
- HYDRIDES**
 NT METAL HYDRIDES
HYDROAEROMECHANICS
 U AERODYNAMICS
- HYDROCARBON COMBUSTION**
 Swirling flow combustion - Fundamentals and application --- hydrocarbon-air flame velocity, turbojet afterburner application
 [AIAA PAPER 73-1250] p0009 A74-11271
 Modeling of gas turbine combustors
 p0014 A74-11434
 A shock tube study of the formation of carbon particles during the pyrolysis of hydrocarbons
 p0229 A74-25213
- HYDROCARBON FUELS**
 NT DIESEL FUELS
 NT JET ENGINE FUELS
 NT JP-4 JET FUEL
 NT JP-5 JET FUEL
 Supersonic fuels from medium oils produced by the thermal cracking of crude oil residues
 [DPVLR-SONDDR-301] p0136 A74-18925
 Adsorption resins in jet fuels
 p0221 A74-23517
 Study of the effect of dilution on the lubricity of hydrotreated jet engine fuels
 p0336 A74-32600
 Study of elastoplastic deformation with friction in hydrocarbon media --- with application to jet engine fuels
 [AD-765997] p0049 N74-10717
 Composition and chemical stability of motor fuels
 [AD-770538] p0199 N74-16870
- HYDROCARBONS**
 NT METHANE
 NT NATURAL GAS
- HYDRODYNAMIC EQUATIONS**
 NT HELMHOLTZ VORTICITY EQUATION
- HYDRODYNAMIC STABILITY**
 U FLOW STABILITY
- HYDRODYNAMIC TUNNELS**
 U PLASMA JET WIND TUNNELS
- HYDRODYNAMICS**
 Hydrodynamic forces on oscillating and nonoscillating smooth circular cylinders in crossflow --- for towed bodies
 [AD-767022] p0062 N74-11125
 Quarterly Bulletin of the Division of Mechanical Engineering and the National Aeronautical Establishment, 1 January - 31 March 1974
 [DNE/NAE-1974 (1)] p0332 N74-23483
 Motion of an airfoil with variable distance from a barrier
 p0405 N74-27472
- HYDROFOIL BOATS**
 U BOATS
 U HYDROFOIL CRAFT
- HYDROFOIL CRAFT**
 Control failure simulations of the PHM hydrofoil craft using a 1/20-scale dynamic model with automatic control
 [AD-766098] p0046 N74-10338
- HYDROGEN**
 NT LIQUID HYDROGEN
HYDROGEN COMPOUNDS
 NT METAL HYDRIDES
HYDROGEN EMBRITTLEMENT
 Nondestructive detection of hydrides and alpha-case in titanium alloys
 p0116 A74-16482
- Minimizing hydrogen pick-up during electroplating of high-strength steels
 p0478 A74-44530
- HYDROGEN FUELS**
 Supersonic mixing and combustion studies of ducted hydrogen-air flows at an inlet air Mach number of 2.6
 [AIAA PAPER 73-1320] p0012 A74-11313
 Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream
 [AIAA PAPER 73-1322] p0012 A74-11314
 The case for hydrogen fueled transport aircraft
 [AIAA PAPER 73-1323] p0012 A74-11315
 The hydrogen fuel economy and aircraft propulsion
 [AIAA PAPER 73-1319] p0125 A74-17905
 The jet engine design that can drastically reduce oxides of nitrogen
 [AIAA PAPER 74-160] p0133 A74-18797
 Hydrogen - Make-sense fuel for an American supersonic transport
 [AIAA PAPER 74-163] p0169 A74-19353
 The case for hydrogen-fueled transport aircraft
 p0312 A74-29452
 Application of hydrogen to commercial transports
 [SAE PAPER 740451] p0349 A74-34985
 An initial step: A demonstration project --- promoting subsonic, hydrogen-fueled aircraft
 p0068 N74-11747
 Conclusions and recommendations --- for problems in energy situation, air transportation, and hydrogen fuel
 p0068 N74-11748
 Preliminary performance appraisal of Navy V/STOL transport and search-type airplanes using hydrogen fuel
 [NASA-TN-X-71550] p0363 N74-26435
- HYDROGEN OXIGEN ENGINES**
 NT J-2 ENGINE
- HYDROGENATION**
 The refining of turbine fuels by modern hydrotreating
 [AIAA PAPER 74-162] p0133 A74-18798
 Supersonic fuels from medium oils produced by the thermal cracking of crude oil residues
 [DPVLR-SONDDR-301] p0136 A74-18925
 Antiwear properties of jet fuels obtained by blending nonalkalized hydrorefined with straight-run components
 p0479 A74-45000
- HYDROLYSIS**
 Modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants
 p0259 A74-25717
- HYDROMAGNETIC STABILITY**
 U MAGNETOHYDRODYNAMIC STABILITY
- HYDROMECHANICS**
 NT HYDRODYNAMICS
- HYPERBOLIC NAVIGATION**
 NT LORAN
 NT LORAN C
 NT LORAN D
 Aircraft inertial system testing and evaluation in the United Kingdom
 p0151 N74-14352
- HYPERSONIC AIRCRAFT**
 Investigations concerning yawed caret wings in the hypersonic domain
 p0072 A74-13548
 The heat flux to a waverider of simple configuration and its L/D ratio
 p0384 A74-36571
 The case for a high-speed research airplane - Results from an in-house study
 [AIAA PAPER 74-988] p0429 A74-38745
 Incremental growth vehicle /IGV/ --- hypersonic research aircraft development technique
 [AIAA PAPER 74-989] p0429 A74-38746
 Hypersonic research airplane propulsion for boost and test
 [AIAA PAPER 74-990] p0429 A74-38747
 Multistage aerospace craft --- perspective drawings of conceptual design
 [NASA-CASE-XMP-02263] p0054 N74-10907
 Optimal capabilities of hypersonic passenger aircraft on kerosene fuel
 [AD-767887] p0143 N74-13737
 Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing

HYPERSONIC BOUNDARY LAYER

SUBJECT INDEX

- [NASA-TN-X-71974] p0466 N74-31485
- HYPERSONIC BOUNDARY LAYER**
- Nonuniqueness of the solution to the problem of viscous interaction on an axisymmetric body --- hypersonic boundary layer equations p0070 A74-13179
- HYPERSONIC FLIGHT**
- Ablation --- heat and mass transfer in hypersonic flight p0119 A74-17103
- Investigation of new wing shapes for hypersonic flight p0311 A74-29035
- Supersonic combustion ramjets p0432 A74-39372
- An empirical equation for prediction of transition location on cones in super-or hypersonic flight [AD-765692] p0038 N74-10032
- HYPERSONIC FLOW**
- Theory of hypersonic flow about a wing p0025 A74-12205
- Turbulent heat transfer measurements in a Mach 15 flow [EUROMECH PREPRINT 73-2] p0089 A74-15949
- An approximate method for the calculation of the pressure distribution on a wing-cone configuration p0175 A74-20046
- Shock wave shape associated with a nonsymmetric hypersonic flow around a circular cone p0222 A74-24393
- Hypersonic flow past a lifting wing p0312 A74-29437
- Flow past a triangular wing with blunted edges in the case of strong compression in the shock layer p0384 A74-36560
- Analysis and design of three dimensional supersonic nozzles. Volume 3: A design technique for multiple nozzle configurations [NASA-CR-132352] p0061 N74-11115
- Analysis and design of three dimensional supersonic nozzles. Volume 4: Similarity laws for nozzle flows [NASA-CR-132353] p0061 N74-11116
- Off-center-line shock interference heating patterns on basic shapes in hypersonic flows [NASA-TN-X-2866] p0098 N74-12091
- Hypersonic aerodynamic characteristics of a family of power-law, wing body configurations [NASA-TN-D-7427] p0102 N74-12705
- The effects of hypersonic viscous interaction on static stability of slender bodies in simulated non-equilibrium flows p0154 N74-14704
- Aerodynamic Drag**
- [AGARD-CP-124] p0155 N74-14709
- Drag in hypersonic rarefied flow --- effects of cold pressure drag and friction drag p0157 N74-14730
- Review of drag measurements from flight tests of manned aircraft with comparisons to wind-tunnel predictions p0158 N74-14735
- HYPERSONIC HEAT TRANSFER**
- Vortex-induced heating to cone flaps at Mach 6 p0223 A74-24958
- Laminar heat transfer on sharp and blunt ten-degree cones in conical and parallel low-density flow --- measurements in hypersonic wind tunnels [AD-765546] p0053 N74-10869
- HYPERSONIC SPEED**
- Effect of geometry variations on lee-surface vortex-induced heating for flat-bottom three-dimensional bodies at Mach 6 [NASA-TN-D-7447] p0045 N74-10318
- Turbulent boundary layer growth at hypersonic speeds --- noting dependence on wall temperature ratio, pressure gradients, and viscous interaction parameter [IC-AERO-73-04] p0061 N74-11112
- Hypersonic aerodynamic characteristics of an all-body research aircraft configuration [NASA-TN-D-7358] p0096 N74-11831
- HYPERSONIC VEHICLES**
- NT HYPERSONIC AIRCRAFT**
- Approximate optimal control of the banking angle in the problem of hypersonic vehicle return p0389 A74-36645
- Emission calculations for a scramjet powered hypersonic transport [NASA-TN-X-71464] p0100 N74-12445
- HYPERSONIC WAKES**
- Hypersonic flow past a lifting wing p0312 A74-29437
- HYPERSONIC WIND TUNNELS**
- NT PLASMA JET WIND TUNNELS**
- NT SHOCK TUNNELS**
- HYPERVELOCITY CRATERING**
- U HYPERVELOCITY PROJECTILES**
- HYPERVELOCITY PROJECTILES**
- External burning assisted projectile - Theory and experiment [AIAA PAPER 73-1193] p0009 A74-11234
- HYPERVELOCITY WIND TUNNELS**
- NT PLASMA JET WIND TUNNELS**
- NT SHOCK TUNNELS**
- The application of fracture mechanics to the design of the barrel and driver tube of a hypersonic gun tunnel p0002 A74-10484
- HYPOTHESES**
- NT VORTICITY TRANSPORT HYPOTHESIS**
- ICE**
- NT SEA ICE**
- Ice and landing surface demoulding: Replica fabrication [PFA-MEMO-90] p0047 N74-10541
- ICE FORMATION**
- An analytical study of icing simulation for turbine engines in altitude test cells [AIAA PAPER 73-1280] p0032 A74-12938
- ACV icing problems --- air cushion vehicles p0091 A74-16240
- On the modes of icing of symmetrical lifting surfaces p0136 A74-18987
- Helicopter icing handling qualities [AHS PREPRINT 844] p0385 A74-36595
- U.S. Army helicopter icing qualification program [AIAA PAPER 74-942] p0426 A74-38715
- The determination of ice deposition on slender wings An experimental technique and simplified theory [ICAS PAPER 74-41] p0450 A74-41342
- Determination of ice shapes and their effect on the aerodynamic characteristics for the unprotected tail of the A 300 [ICAS PAPER 74-42] p0450 A74-41343
- US Army helicopter icing tests p0460 A74-43623
- Ice protection investigation for advanced rotary-wing aircraft [AD-771182/3GA] p0250 N74-18693
- Helicopter icing spray system qualification [AD-775803] p0330 N74-22688
- ICE MAPPING**
- Airborne profiling of ice thickness using a short pulse radar [NASA-TN-X-71481] p0063 N74-11204
- ICE OBSERVATION**
- U ICE REPORTING**
- ICE PACKS**
- U SEA ICE**
- ICE PREVENTION**
- A simplified criterion to certify light aircraft for flight in icing conditions [SAE PAPER 740349] p0308 A74-28729
- Anti-icing tests on Concorde p0319 A74-30818
- CC-115 Buffalo aircraft engine and engine inlet duct anti-icing system evaluation trials p0346 A74-34849
- VFW 614 de-icing p0375 A74-35360
- Ice protection investigation for advanced rotary-wing aircraft [AD-771182/3GA] p0250 N74-18693
- Helicopter icing spray system qualification [AD-775803] p0330 N74-22688
- ICE REPORTING**
- Airborne profiling of ice thickness using a short pulse radar p0124 A74-17810

SUBJECT INDEX

IN-FLIGHT MONITORING

- ICING
 - U ICE FORMATION
- IDEAL FLUIDS
 - A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body
 - p0129 A74-18632
- IDENTIFYING
 - On some problems related to the identification of aircraft parameters
 - p0227 A74-24842
 - Input design for parameter identification. I - A new formulation and a practical solution
 - p0374 A74-35252
- IPR (RULES)
 - U INSTRUMENT FLIGHT RULES
- IGNITION LIMITS
 - Supersonic combustion and burning in ramjet combustors
 - [AD-770061] p0201 N74-17648
- IGNITION SYSTEMS
 - Pyrogenic ignition system for afterburners
 - p0437 A74-40001
- IL-62 AIRCRAFT
 - Calculation and observance of landing parameters for the aircraft IL-62 and their effect on the safety factor
 - p0185 A74-22270
- ILS (LANDING SYSTEMS)
 - U INSTRUMENT LANDING SYSTEMS
- ILYUSHIN AIRCRAFT
 - U IL-62 AIRCRAFT
- ILYUSHIN IL-62 AIRCRAFT
 - Automation of measurements and of data processing for experiments in an IL-18 aircraft laboratory
 - p0276 A74-27884
- IMAGE MOTION COMPENSATION
 - A compact derotator design --- for aircraft periscope image rotation prevention
 - p0218 A74-23718
- IMAGERY
 - NT AERIAL PHOTOGRAPHY
 - NT COLOR PHOTOGRAPHY
 - NT HOLOGRAPHY
 - NT INFRARED IMAGERY
 - NT INFRARED PHOTOGRAPHY
 - NT PHOTORECONNAISSANCE
 - NT RADAR IMAGERY
 - NT SCHLIEREN PHOTOGRAPHY
 - NT SHADOWGRAPH PHOTOGRAPHY
- IMAGING TECHNIQUES
 - NT RADAR IMAGERY
- IMPACT DAMAGE
 - NT RAIN IMPACT DAMAGE
 - Solid particle erosion of graphite-epoxy composites --- for aircraft structures
 - p0402 A74-37920
 - Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic loading of fuel tanks impacted by bullets and projectiles
 - [AD-772744] p0254 A74-18719
 - Falconry as a means of reducing bird-aircraft strike hazards at Whiteman Air Force Base, Missouri
 - [AD-774568] p0299 A74-20682
- IMPACT LOADS
 - Design of optimum structures to impulse type loading
 - [AIAA PAPER 74-345] p0263 A74-26659
 - Dynamic behaviour of cylinder with spring and concentrated mass collided with rigid body --- shock absorbing landing gear model
 - p0391 A74-37049
 - Model study of C-5A landings on AM2 landing mat
 - [AD-767231] p0109 A74-12970
 - Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic loading of fuel tanks impacted by bullets and projectiles
 - [AD-772744] p0254 A74-18719
- IMPACT PRESSURES
 - U IMPACT LOADS
- IMPACT RESISTANCE
 - U.S. Navy development of a mission specific fighter helmet
 - p0211 A74-23529
 - Crashworthy Army helicopter crew and troop seating systems
 - p0211 A74-23534
- Low-weight, impact-resistant helicopter drive shafts
 - p0348 A74-34919
- Impact resistance of fiber composite blades used in aircraft turbine engines
 - [NASA-CR-134502] p0049 A74-10726
- Impact resistance of composite fan blades --- fiber reinforced graphite and boron epoxy blades for STOL operating conditions
 - [NASA-CR-134515] p0099 A74-12285
- Effect of adhesive on the impact resistance of laminated plastics for windshield applications
 - [AD-769735] p0193 A74-16259
- Impact resistance of current design composite fan blades tested under short-haul operating conditions
 - [NASA-CR-134533] p0247 A74-18672
- Evaluation of various sizes and configurations of fuel tanks
 - [AD-777801] p0408 A74-27516
- IMPACT SENSITIVITY
 - U IMPACT RESISTANCE
- IMPACT TESTS
 - NASA, Langley Impact Dynamics Facility
 - [SAE PAPER 740374] p0309 A74-28743
 - Glass windshields for wide bodied aircraft
 - p0348 A74-34884
 - Impact testing on composite fan blades
 - p0438 A74-40502
 - Aircraft fuel tank entry wall-projectile interaction studies
 - [AD-765667] p0043 A74-10066
- IMPEDANCE
 - NT ACOUSTIC IMPEDANCE
- IMPELLER BLADES
 - U ROTOR BLADES (TURBOMACHINERY)
- IMPELLERS
 - Method for calculating the impellers of centrifugal superchargers with allowance for the deformation of the cover plate
 - p0089 A74-15933
- IMPERFECTIONS
 - U DEFECTS
- IMPINGEMENT
 - NT JET IMPINGEMENT
- IN-FLIGHT MONITORING
 - Introduction to advanced systems monitor --- for flight crew and maintenance data
 - [SAE PAPER 730953] p0016 A74-11556
 - Avionics design for maintainability - Are we gaining or losing
 - [SAE PAPER 730882] p0123 A74-17531
 - Data acquisition, processing, and control for advanced aircraft
 - [SAE PAPER 730957] p0124 A74-17542
 - Advance airborne system for maintenance monitoring
 - [SAE PAPER 730955] p0269 A74-27255
 - Instrumentation for airbreathing propulsion; Proceedings of the Symposium, U.S. Naval Postgraduate School, Monterey, Calif., September 19-21, 1972
 - p0277 A74-28283
 - Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft
 - p0277 A74-28286
 - Engine condition monitoring as a part of the propulsion management concept
 - p0278 A74-28314
 - Inflight engine condition monitoring system
 - p0278 A74-28315
 - A systems engineering approach to effective engine condition monitoring
 - p0278 A74-28316
 - Engine condition monitor system to detect foreign object damage and crack development
 - p0279 A74-28320
 - The use of magnetic recording in measurement systems for in-flight measurements
 - p0279 A74-28433
 - New developments in aircraft instrumentation --- onboard instruments for flight and engine monitoring
 - p0280 A74-28435
 - Surveillance in flight of aircraft systems
 - p0431 A74-39004
 - The use of a rotating arm facility to study flight effects on jet noise
 - p0436 A74-39970

INCLINATION

SUBJECT INDEX

- Hot-wire anemometry for in-flight measurement of aircraft wake vortices p0460 A74-43621
- Development of an independent altitude monitor concept [AD-775454] p0474 A74-33116
- INCLINATION**
- Hingeless helicopter rotor with improved stability [NASA-CASE-ARC-10807-1] p0494 A74-34475
- INCOMPRESSIBLE BOUNDARY LAYER**
- Attachment-line flow on an infinite swept wing p0177 A74-20293
- The three-dimensional boundary layer in the vicinity of the stagnation line of a swept wing in the case of nonuniform suction p0382 A74-36452
- INCOMPRESSIBLE FLOW**
- Finite element solution of the incompressible flow over an airfoil in a nonuniform stream p0014 A74-11426
- Exact method of designing airfoils with given velocity distribution in incompressible flow p0090 A74-15965
- Development of a method of discretized-distribution singularities for the study of compressible and incompressible flows p0119 A74-16968
- A model of two-dimensional, incompressible flow through a cascade of airfoils with allowance for the viscous displacement effect [ASME PAPER 74-GT-126] p0271 A74-27422
- Estimation of the effect of unsteadiness in calculating flutter in aircraft with small aspect ratio wings in an incompressible flow p0389 A74-36646
- Calculation of initial vortex roll-up in aircraft wakes p0392 A74-37283
- Finite element technique in lifting surface problems p0432 A74-39344
- Flow through a cascade of aerofoils p0432 A74-39355
- Aerodynamic interference in a system of two harmonically oscillating airfoils in an incompressible flow p0447 A74-41041
- Analysis of viscous flow over swept wings [ICAS PAPER 74-20] p0449 A74-41322
- Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade p0482 A74-45927
- Aerodynamic centre in two dimensional flow [ESDU-AIRCRAFT-08.01.05-AMEND-A] p0035 A74-10010
- Computation of vortex models for wings at high angle of attack in incompressible flow [PPA-AU-653] p0036 A74-10013
- Throughflow theory for turbomachines [AD-766537] p0065 A74-11602
- Performance of conical diffusers in incompressible flow [ESDU-73024] p0109 A74-12986
- A numerical method for the determination of the vortex sheet location behind a wing in incompressible flow p0294 A74-20642
- A modified Theodorsen epsilon-function airfoil design procedure [NASA-TN-D-7741] p0487 A74-33428
- The vortex lattice method for the rotor-vortex interaction problem [NASA-CR-2421] p0488 A74-33433
- Method for predicting the pressure distribution on swept wings with subsonic attached flow [ESDU-73012] p0492 A74-34446
- INCOMPRESSIBLE FLUIDS**
- Unsteady aerodynamic characteristics of cascades of arbitrary profiles vibrating in the potential flow of an incompressible fluid p0222 A74-24378
- Random movement of a wing of finite span in an incompressible liquid p0312 A74-29497
- INDEPENDENT VARIABLES**
- Nonlinear parameter identification: Ballistic range experience applicable to flight testing --- using Gauss-Newton method p0356 A74-25580
- A unified approach to aircraft parameter identification --- considering algorithm,
- control input, and instrumentation system p0357 A74-25584
- INDEXES (RATIOS)**
- On the effect of quieter aircraft engines on noise and number index /NHI/ values p0185 A74-22244
- INDICATING INSTRUMENTS**
- NT ANEMOMETERS
- NT APPROACH INDICATORS
- NT ATTITUDE INDICATORS
- NT GYRO HORIZONS
- NT GYROCOMPASSES
- NT HOT-WIRE ANEMOMETERS
- NT POSITION INDICATORS
- NT SPEED INDICATORS
- Collision avoidance systems --- proximity warning indicator for ATC p0220 A74-22682
- INDUCED FLUID FLOW**
- U FLUID FLOW
- INDUCTION SYSTEMS**
- U INTAKE SYSTEMS
- INDUSTRIAL MANAGEMENT**
- NT INVENTORY CONTROLS
- NT INVENTORY MANAGEMENT
- NT PERSONNEL MANAGEMENT
- Transfer of commercial technology p0316 A74-30119
- Reliability efforts in large European programs for military and commercial aircraft development p0483 A74-46292
- Organization and planning of production at aircraft engine-building plants [AD-775780] p0362 A74-26421
- INDUSTRIES**
- NT AEROSPACE INDUSTRY
- NT AIRCRAFT INDUSTRY
- NT DEFENSE INDUSTRY
- INELASTIC BODIES**
- U RIGID STRUCTURES
- INERTIA WHEELS**
- U REACTION WHEELS
- INERTIAL GUIDANCE**
- NT STRAPDOWN INERTIAL GUIDANCE
- INERTIAL MEASURING UNITS**
- U INERTIAL PLATFORMS
- INERTIAL NAVIGATION**
- Civil air navigation equipment, on the ground and in the air p0007 A74-11094
- Lasers - Ranger and marked target seeker p0118 A74-16756
- Analysis of aided inertial navigation systems performance on international routes p0175 A74-20096
- The aeronautical aspects of an employment of Ioran C and Omega --- in conjunction with inertial navigation p0268 A74-27097
- The use of a navigation platform for performance flight testing p0345 A74-34841
- Instruments of flight: A guide to the pilot's flight panel of a modern airliner --- Book p0426 A74-38694
- Aircraft inertial system testing and evaluation in the United Kingdom p0151 A74-14352
- INERTIAL PLATFORMS**
- The use of a navigation platform for performance flight testing p0345 A74-34841
- INFINITE SPAN WINGS**
- Attachment-line flow on an infinite swept wing p0177 A74-20293
- INFLATABLE DEVICES**
- U INFLATABLE STRUCTURES
- INFLATABLE STRUCTURES**
- NT BALLOONS
- NT BALLUTES
- NT HIGH ALTITUDE BALLOONS
- NT METEOROLOGICAL BALLOONS
- NT TETHERED BALLOONS
- Sea trials on inflatable flotation and survival gear p0211 A74-23536
- Two dimensional air cushion landing system peripheral jet configuration study [AD-769494] p0191 A74-15729

INFORMATION SYSTEMS

NT EARTH RESOURCES INFORMATION SYSTEM

New concepts of visualization for aircraft ---
instrument panel display integration

p0029 A74-12447

Society for Information Display, International
Symposium and Exhibition, San Diego, Calif., May
21-23, 1974, Digest of Technical Papers

p0377 A74-35559

A conceptual definition study for a digital
avionics information system: Approach 1, volume 1
--- applied to military aircraft systems

[AD-771736] p0250 N74-18691

A conceptual definition study for a digital
avionics information system: Approach 1, volume 2
--- applied to military aircraft systems

[AD-771755] p0250 N74-18692

INFORMATION TRANSMISSION

U DATA TRANSMISSION

INFRARED DETECTORS

Development and testing of a cadmium telluride
high temperature (750 F) infrared fire detector
--- for detecting aircraft engine fires

[AD-773324] p0287 N74-19714

INFRARED HORIZON SCANNERS

U INFRARED SCANNERS

INFRARED IMAGERY

A test method for nondestructive testing of fuel
filtration equipment using thermography

p0341 A74-33521

INFRARED INSTRUMENTS

NT INFRARED DETECTORS

NT INFRARED SCANNERS

Development of MDT/I for integral wing fuel tank

structures using infrared thermography
[AD-773466] p0288 N74-20060

INFRARED PHOTOGRAPHY

A low power night photo system for high speed
unmanned aircraft

p0423 A74-38535

INFRARED RADIATION

NT NEAR INFRARED RADIATION

Infrared inspection of electrical equipment

[C-208-2] p0110 N74-13198
Laboratory simulation of kinetic heating effects
on the structure of Concorde aircraft --- using
infrared radiation facility

p0237 N74-17760

INFRARED SCANNERS

Netherlands Association of Aeronautical Engineers,
Yearbook 1973 --- Book

p0430 A74-38792

INFRARED SPECTRA

Representation of hot jet turbulence by means of
its infrared emission
[NASA-TT-P-15233] p0151 N74-14383

INFRARED SPECTROSCOPY

Dosage of minority stratospheric constituents, of
the order of 1 ppb, by absorption spectrometry

p0340 A74-33313

INGESTION (ENGINES)

Ingestion and dispersion of engine exhaust
products by trailing vortices for supersonic
flight in the stratosphere

[AIAA PAPER 74-42] p0134 A74-18815

Test techniques and equipment for the development
of aircraft engine components resistant to bird
ingestion

p0434 A74-39742

On the inlet vortex system --- preventing jet

engine damage caused by debris pick-up
[NASA-CR-140182] p0500 N74-35194

Effect of inlet ingestion of a wing tip vortex on
turbojet stall margin

[NASA-TN-X-71610] p0500 N74-35201

INHIBITORS

NT WEAR INHIBITORS

INITIAL VALUE PROBLEMS

U BOUNDARY VALUE PROBLEMS

INJECTION

NT FLUID INJECTION

NT FUEL INJECTION

NT WATER INJECTION

INJECTION CARBURATORS

U FUEL INJECTION

INJURIES

NT CRASH INJURIES

NT EJECTION INJURIES

INLET FLOW

An analytical and experimental study of inlet
ground vortices

[AIAA PAPER 73-1313] p0011 A74-11309

Some aspects of inlet/engine flow compatibility

p0020 A74-11618

The effect of inlet-noise suppression on

propulsion system design
[AIAA PAPER 73-1294] p0032 A74-12942

Turbine engine exhaust nozzle performance ---

inlet flow conditions effects
[AIAA PAPER 73-1302] p0032 A74-12947

Problem of adapting an intake to a turbojet engine

for extremely high flight Mach numbers
p0122 A74-17272

The effect of inlet distortion on the performance

and stability of the low-speed spool of a
turbofan engine

[AIAA PAPER 74-234] p0135 A74-18855

Automatic detection and suppression of inlet buzz

p0278 A74-28313

Effects of STOL thrust reversers and powered lift

on inlet flow quality
[SAE PAPER 740457] p0351 A74-35007

Wind tunnel and flight performance of the YF-12

inlet system
[AIAA PAPER 74-621] p0376 A74-35388

A unique supersonic inlet unsteady aerodynamic

cascade experiment
[AIAA PAPER 74-622] p0376 A74-35389

Effects of non-uniform inflow on fan noise

p0397 A74-37542

Sources of unsteady flow in subsonic aircraft inlets

p0398 A74-37549

Three-dimensional wave interactions in supersonic

intakes
p0436 A74-39980

Performance of an inlet for an integrated scramjet

concept
p0478 A74-44424

Subsonic performance data for NACA type submerged

air intakes
[ESDU-66029] p0036 N74-10012

Some design considerations for supersonic cruise

mixed compression inlets
[NASA-TN-X-71460] p0037 N74-10021

Comparison of predicted and measured low-speed

performance of two 51 centimeter-diameter inlets

at incidence angle
[NASA-TN-X-2937] p0037 N74-10026

Turbine inlet gas temperature sensor for engine

control --- nuclear radiation system
[AD-765193] p0046 N74-10461

Effect of subsonic inlet lip geometry on predicted

surface and flow Mach number distributions
[NASA-TN-D-7446] p0093 N74-11812

The spectrum of turbomachine rotor noise caused by

inlet guide vane wakes and atmospheric turbulence
p0151 N74-14379

Assessment of the influence of inlet and

afterbody/nozzle performance on total aircraft drag
p0157 N74-14726

A 727 airplane center duct inlet low speed

performance confirmation model test for refanned
JT8D engines, phase 2
[NASA-CR-134534] p0236 N74-17755

Aircraft air intake regulator --- device for

automatic control of air intake flow for
aircraft engines
[AD-772021] p0243 N74-18416

The aero/acoustic response of finite chord blade

rows to circumferential inlet flow distortion in
an unsteady, compressible fluid
p0254 N74-18904

Potential flow studies of lift-fan inflow

interference phenomena --- numerical analysis of
potential flows associated with inlet ducts
[AD-773194] p0255 N74-18949

Airflow control system for supersonic inlets

[NASA-CASE-LEW-11188-1] p0295 N74-20646

On the inlet vortex system --- preventing jet

engine damage caused by debris pick-up
[NASA-CR-140182] p0500 N74-35194

INLET NOZZLES

Investigation of flow parameters in a turbine

stage with a nonuniform inlet
p0002 A74-10255

Method of calculating the air tightness of the

vacuum system in a turbine with a water - jet

INLET PRESSURE

SUBJECT INDEX

- ejector
[BLL-CE-TRANS-5646-(9022.09)] p0110 N74-13136
Assessment of the influence of inlet and
aftbody/nozzle performance on total aircraft drag
p0157 N74-14726
- INLET PRESSURE**
A similarity parameter for scaling dynamic inlet
distortion
[ASME PAPER 73-WA/AERO-3] p0071 A74-13245
Some comparisons of the flow characteristics of a
turbofan compressor system with and without
inlet pressure distortion p0380 A74-36188
Dynamic flow distortion in subsonic air inlets
p0437 A74-39987
A 727 airplane center duct inlet low speed
performance confirmation model test for refanned
JT8D engines, phase 2
[NASA-CR-134534] p0236 N74-17755
Flight-measured inlet pressure transients
accompanying engine compressor surges on the
F-111A airplane
[NASA-TN-D-7696] p0362 N74-26251
- INLETS (DEVICES)**
U INTAKE SYSTEMS
INORGANIC COATINGS
HT ANODIC COATINGS
INORGANIC SULFIDES
HT POLYSULFIDES
INPUT/OUTPUT ROUTINES
Lockheed S-3A avionics - Transmitting data by
multiprocessor computer p0173 A74-19754
- INSECTS**
A method for avoiding insect roughness on aircraft
--- installation of highly elastic rubber
coverings on leading edges
[NASA-TT-F-15454] p0324 N74-21646
- INSPECTION**
Helicopter inspection design requirements
[AD-769061] p0163 N74-14781
An analysis of the phased inspection system for
B-52H aircraft --- analysis of cost reduction by
increasing flying hours between inspections
[AD-769154] p0194 N74-16695
- INSTRUCTIONS**
U EDUCATION
INSTRUMENT APPROACH
Aircraft incident report: Eastern Air Lines,
Incorporated, Boeing 727-225, N8843E, Toledo,
Ohio, 10 April 1973
[NTSB-AAR-73-17] p0040 N74-10050
Modification of V/STOL instrument approach
geometry as a means of compensating for
along-track wind effects
[NRC-13842] p0256 N74-19281
Aircraft accident report: World Airways,
Incorporated, DC-8-63P, N802WA, King Cove,
Alaska, 8 September 1973
[NTSB-AAR-74-6] p0364 N74-26438
Aircraft accident report: Piedmont Airlines,
Boeing 737, N75IN, Greensboro, North Carolina,
28 October 1973
[NTSB-AAR-74-7] p0364 N74-26439
- INSTRUMENT COMPENSATION**
HT TEMPERATURE COMPENSATION
INSTRUMENT ERRORS
Uncertainty in gas turbine measurements --- bias
and precision error model
[AIAA PAPER 73-1230] p0009 A74-11255
The Type 3B altitude measurement system
p0122 A74-17276
Analysis of aided inertial navigation systems
performance on international routes
p0175 A74-20096
Navigation improvements - To what end --- ATC
system design with emphasis on VORTAC
p0219 A74-22679
Influence of measurement errors on the regression
relationships of engine characteristics
p0260 A74-25979
The problem of increasing the operational
precision of electrolytic sensors
p0276 A74-27898
Protection of an optical sensor against vibration
of the flight vehicle
p0276 A74-27899
System for evaluation of F-15 inlet dynamic
distortion
- Effect of the differentiability of random
stationary processes on the magnitude of the
mean square approximation error --- in recording
aerodynamic forces on helicopter rotors
p0277 A74-28287
p0383 A74-36463
Effects of flight instrumentation errors on the
estimation of aircraft stability and control
derivatives --- including Monte Carlo analysis
p0357 N74-25585
Tactile display for aircraft control ---
evaluation of control system as a one and two
axis error display device during manual tracking
experiments
[AD-783690] p0498 N74-34538
- INSTRUMENT FLIGHT RULES**
FAA certification of the S-58T helicopter for
instrument flight. I p0172 A74-19491
FAA certification of the S-58T helicopter for
instrument flight. II p0172 A74-19492
Modern tendencies for training in piloting without
visibility and in radionavigation p0219 A74-22651
The Instrument Landing System for category I, II,
and III operation p0268 A74-27210
USAF evaluating helicopter IFR aids p0319 A74-30749
Certification of helicopters for flight in
instrument meteorological conditions p0348 A74-34877
The operation of the Bell 212 under instrument
flight rules p0348 A74-34879
Requirements for the helicopter instrument rating
p0348 A74-34880
Controls and displays for helicopter IFR operation
- Pilot factor considerations p0384 A74-36584
[AHS PREPRINT 825]
A new type of electronic landing system for
regional airports --- based on IFR
[DGLR-PAPER-73-020] p0112 N74-13424
To assist the Sportsman-helicopter pilot in blind
flight
[AD-772650] p0251 N74-18699
Flight investigation of the VFR and IFR landing
approach characteristics and terminal area
airspace requirements for a light STOL airplane
[NASA-TN-X-3008] p0354 N74-25562
- INSTRUMENT LANDING SYSTEMS**
HT ALL-WEATHER LANDING SYSTEMS
HT AUTOMATIC LANDING CONTROL
Blind landing --- automatic systems
p0015 A74-11552
MLS program - Phase II --- equipment and technique
selection for Microwave Landing System
p0076 A74-14132
A new ILS localizer for regional airports
p0136 A74-18901
The national Microwave Landing System
p0169 A74-19317
Flight test safety analysis of the all weather
landing system /AWLS/ program
p0182 A74-20974
Navigation in the upgraded third generation system
--- MLS, ILS, VORTAC, area navigation, etc
p0220 A74-22680
Objectives for interim military landing systems
p0220 A74-22689
FAA progress report on MLS Phase II --- Microwave
Landing System feasibility
p0220 A74-22690
The automatic approach of helicopters and STOL
airplanes
p0210 A74-23398
The Instrument Landing System for category I, II,
and III operation
p0268 A74-27210
The 'Materik' instrument landing system --- for
course and glide path determination
p0338 A74-33091
Jet transport energy management for minimum fuel
consumption and noise impact in the terminal area
[AIAA PAPER 74-811] p0400 A74-37821
A feasibility study and preliminary evaluation of
the use of a biased glide slope technique for
noise abatement approach

SUBJECT INDEX

INTELLIGIBILITY

[FAA-BD-73-153] p0048 N74-10618
 Evaluation of ILS localizer signal specification during ground rollout [AD-765761] p0049 N74-10623
 Preliminary assessment of the microwave landing system requirements for STOL operations [NASA-TN-X-62310] p0064 N74-11431
 Modern beaconing in airports for bad weather flights [NASA-TT-F-15178] p0065 N74-11433
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.2: Appendix A: System technique summary. Appendix B: Functional requirements summary. Appendix C: Detailed feasibility hardware specifications [FAA-BD-73-166-VOL-3.2] p0111 N74-13421
 A new type of electronic landing system for regional airports --- based on IPR [DGLR-PAPER-73-020] p0112 N74-13424
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.1: Technique analysis program [FAA-BD-73-166-VOL-1.1] p0150 N74-14340
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 1: Post TACD development plan [FAA-BD-73-166-VOL-1.2-BK-1] p0150 N74-14341
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 2: Post TACD development plan [FAA-BD-73-166-VOL-1.2-BK-2] p0150 N74-14342
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.1, Book 1: Compilation of critical technical area reports [FAA-BD-73-166-VOL-3.1-BK-1] p0150 N74-14343
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.1, Book 2: Compilation of critical technical area reports [FAA-BD-73-166-VOL-3.1-BK-2] p0151 N74-14344
 User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system [AD-768049] p0151 N74-14361
 Failure modes, effects and criticality analysis (FMECA) of category III instrument landing system with traveling: Wave localizer antenna [U1-840912-100] p0164 N74-15380
 Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 1: Executive summary [FAA-BD-72-150-VOL-1] p0165 N74-15381
 Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation [FAA-BD-72-150-VOL-3] p0165 N74-15382
 Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program, Volume 3A [FAA-BD-72-150-VOL-3A] p0165 N74-15383
 Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 4: System considerations 1.1.2 through 1.1.5 [FAA-BD-72-150-VOL-4] p0165 N74-15384
 Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance [FAA-BD-72-150-VOL-5] p0165 N74-15385

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 6: Supporting studies, appendices D through H [FAA-BD-150-VOL-6] p0165 N74-15386
 Predictions of interference-reflection zones for scanning beam instrument landing systems [AD-773822] p0289 N74-20235
 Prediction of optical landing guidance system performance in Cat. 3-a minimum weather [AD-773830] p0289 N74-20237
 Flight investigation of the VPR and IPR landing approach characteristics and terminal area airspace requirements for a light STOL airplane [NASA-TN-X-3008] p0354 N74-25562
 Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings [NASA-TN-D-7524] p0410 N74-28102
 Optimal control aircraft landing analysis p0412 N74-28497
 A monitor display for automatically regulated steep approaches [NASA-TT-F-15615] p0419 N74-29118
 Propeller modulation effects on a scanning beam microwave landing system [NASA-TN-X-62368] p0468 N74-31617
 A flight investigation with a STOL airplane flying curved, descending instrument approach paths [NASA-TN-D-7669] p0489 N74-33452
 Flight operations and guide beam systems [NASA-TT-F-15962] p0492 N74-34154
INSTRUMENTAL ANALYSIS
 U AUTOMATION
INSTRUMENTATION
 U INSTRUMENTS
INSTRUMENTS
 Instrumentation specification for climatic laboratory tests --- test facilities for environmental tests of military helicopters and components [AD-771053] p0237 N74-17763
INTAKE SYSTEMS
 NT AIR INTAKES
 NT ENGINE INLETS
 NT SUPERSONIC INLETS
 F-14 inlet maneuvering capability [AIAA PAPER 73-1273] p0010 A74-11286
 Sonic inlet technology development and application to STOL propulsion [SAE PAPER 740458] p0349 A74-34981
 Some design considerations for supersonic cruise mixed compression inlets [NASA-TN-X-71460] p0037 N74-10021
 Comparison of predicted and measured low-speed performance of two 51 centimeter-diameter inlets at incidence angle [NASA-TN-X-2937] p0037 N74-10026
 Effect of subsonic inlet lip geometry on predicted surface and flow Mach number distributions [NASA-TN-D-7446] p0093 N74-11812
 Determination of propulsion-system-induced forces and moments of a Mach 3 cruise aircraft p0357 N74-25591
INTEGRAL EQUATIONS
 Scattering by a conducting aerofoil --- electromagnetic radiation p0023 A74-11908
 Integral equation method for calculation of subsonic flow past airfoils in a ventilated wind tunnel - Comparison with NAE high Reynolds number measurements [AIAA PAPER 74-83] p0133 A74-18764
 A simple integral method for the calculation of thick axisymmetric turbulent boundary layers p0279 A74-28423
 Finite element technique in lifting surface problems p0432 A74-39344
INTEGRATED CIRCUITS
 NT LARGE SCALE INTEGRATION
 A helicopter flight performance system using an LSI microprocessor --- for calculating gross weight [AD-765680] p0041 N74-10054
INTEGRODIFFERENTIAL EQUATIONS
 U DIFFERENTIAL EQUATIONS
 U INTEGRAL EQUATIONS
INTELLIGIBILITY
 NT SPEECH RECOGNITION

INTERCEPTION

SUBJECT INDEX

INTERCEPTION

Flexibility in computer-assisted radar -
Controlled interceptions --- software in air
defense p0028 A74-12406

INTERCEPTOR AIRCRAFT

U FIGHTER AIRCRAFT

INTERFACES

NT GAS-SOLID INTERFACES

INTERFERENCE

The effect of interfering signals on the
performance of angle of arrival estimates
p0174 A74-19908

INTERFERENCE DRAG

The improvement in Mach number distribution and
reduction of pressure fluctuations in the
transonic working section of wind tunnel S.1
[WRE-TN-925] p0045 N74-10303
The drag of externally carried stores: Its
prediction and alleviation --- drag reduction by
redesign or development of new aircraft
installations p0157 N74-14729

Flight-test investigation of the aerodynamic
characteristics and flow interference effects
about the aft fuselage of the F-111A airplane
[NASA-TN-D-7563] p0246 N74-18657
Aerodynamic interference between fuselage and
lifting jets emerging from its lower part ---
effect of two high velocity lifting jets on
induced lift and pitching moments p0290 N74-20413

INTERFERENCE LIFT

Interfering lifting surfaces in unsteady subsonic
flow: Comparison between theory and experiment
[AGARD-R-614] p0246 N74-18654
FORTRAN programs for the determination of
generalised air forces on interfering lifting
surfaces oscillating in subsonic flow
[ARL/SM-REPT-345] p0246 N74-18655
An analytical study of the effects of jets located
more than one jet diameter above a wing at
subsonic speeds
[NASA-TN-X-71965] p0353 N74-25533

INTERFEROMETERS

NT MACH-ZEHNDER INTERFEROMETERS

NT PHASE SWITCHING INTERFEROMETERS

INTERFEROMETRY

NT HOLOGRAPHIC INTERFEROMETRY

INTERGRANULAR CORROSION

Airframe maintenance and corrosion protection
p0337 A74-32672

INTERMONTANE FLOORS

U VALLEYS

INTERNAL COMBUSTION ENGINES

NT BRISTOL-SIDDELEY BS 53 ENGINE

NT DIESEL ENGINES

NT GAS TURBINE ENGINES

NT HELICOPTER ENGINES

NT J-57 ENGINE

NT J-79 ENGINE

NT J-85 ENGINE

NT J-93 ENGINE

NT JET ENGINES

NT PULSEJET ENGINES

NT RAMJET ENGINES

NT SUPERSONIC COMBUSTION RAMJET ENGINES

NT TP-30 ENGINE

NT TURBOFAN ENGINES

NT TURBOJET ENGINES

NT TURBOPROP ENGINES

Substitution of JP-5 aviation fuel for DP-2 diesel
under field conditions
[AD-777047] p0362 N74-26243

INTERNAL STRESS

U RESIDUAL STRESS

INTERNATIONAL COOPERATION

Air and space hi-jacking --- criminal aspects
p0031 A74-12878

International user charges and their impact on
world-wide implementation of ATC systems
p0222 A74-22686

The role of the International Civil Aviation
Organization /ICAO/ in obtaining international
adoption and implementation of air traffic
control, navigation and communications systems
p0222 A74-22688

The Aeritalia-Lockheed agreement - The package
also includes the Lancer --- G-222 and F-104

military aircraft marketing

Alpha Jet - A German-French joint venture p0213 A74-23877

Anglo-French collaboration - Concorde and
supersonic transport /26th Louis Bleriot Lecture/
p0274 A74-27520

ICA0 and the future landing system ---
International Civil Aviation Organization
p0311 A74-29252

Technical regulation and direction --- European
Civil Aviation Conference regulations for member
states p0382 A74-36329

Reliability efforts in large European programs for
military and commercial aircraft development
p0483 A74-46292

INTERNATIONAL LAW

NT SPACE LAW

Air traffic confronted with dangers inherent in
the trends of evolution p0228 A74-24896

INTERNATIONAL RELATIONS

NT INTERNATIONAL COOPERATION

INTERNATIONAL SYSTEM OF UNITS

The impact of conversion to the metric measurement
system on aircraft maintenance at base level
[AD-769186] p0191 N74-15733

INTERNATIONAL TRADE

International airline views on the United States'
plans for the upgraded third generation system
--- ATC technology assessment p0220 A74-22685

Visit report on the flying and space Equipment
Exhibition in Paris 1971

[FOI-2-C-2494-M6] p0113 N74-13690

INTERPLANETARY PROPULSION

U ROCKET ENGINES

INTERPLANETARY SPACECRAFT

NT MARS PROBES

INTERROGATION

A cylindrical phased-array antenna for ATC
interrogation p0001 A74-10018

INTRUDER AIRCRAFT

U A-6 AIRCRAFT

INVENTORY CONTROLS

The effect of WIPICS on the F4-B to N conversion
program
[AD-777256] p0408 N74-27509

INVENTORY MANAGEMENT

NT INVENTORY CONTROLS

Aircraft force projection model. Volume 1: Users
guide to APPM --- computer program to determine
aircraft inventory and operating requirements
[AD-767946] p0145 N74-13751

INVERTEBRATES

NT INSECTS

INVESTIGATION

NT AIRCRAFT ACCIDENT INVESTIGATION

INVISCID FLOW

Nonuniqueness of the solution to the problem of
viscous interaction on an axisymmetric body ---
hypersonic boundary layer equations p0070 A74-13179

Inviscid wake-airfoil interaction on multielement
high lift systems p0127 A74-18143

Flexible lifting surfaces --- in steady inviscid
compressible flow p0173 A74-19684

Theoretical solution of high subsonic flow past
two-dimensional cascades of airfoils
[ASME PAPER 74-GT-91] p0273 A74-27474

The stability of a trailing line vortex. I -
Inviscid theory p0337 A74-33049

An inviscid analysis of transonic, slatted airfoils
[AIAA PAPER 74-541] p0339 A74-33137

Transonic laminar viscous-inviscid interaction
over airfoils p0340 A74-33177

Laminar viscous-inviscid interactions at transonic
speeds p0425 A74-38622

The numerical solution of the asymptotic equations
of trailing edge flow p0456 A74-42797

- Investigation of nonlinear inviscid and viscous flow effects in the analysis of dynamic stall
 --- air flow and chordwise pressure distribution on airfoil below stall condition
 [NASA-CR-2335] p0245 N74-18646
- Input description for Jameson's three-dimensional transonic airfoil analysis program
 [NASA-TN-X-71919] p0281 N74-19640
- An analytical investigation of wing-jet interaction
 [NASA-CR-138140] p0323 N74-21633
- An analytical investigation of wing-jet interaction
 [NASA-CR-138140] p0488 N74-33436
- INVISIBILITY
- U VISIBILITY
- ION SOURCES
- Functional tests of a cryo-cooled mass spectrometer ion source in a supersonic wind tunnel
 p0080 A74-14548
- IONIZATION CHAMBERS
- NT GEIGER COUNTERS
- IONIZING RADIATION
- NT GAMMA RAYS
- IONOSPHERIC DISTURBANCES
- NT TRAVELING IONOSPHERIC DISTURBANCES
- IONOSPHERIC SOUNDING
- Design considerations for the calculator, altitude
 ML-646 (X-1/UH)
 [AD-766699] p0063 N74-11295
- IP (IMPACT PREDICTION)
- U COMPUTERIZED SIMULATION
- IRON ALLOYS
- NT CARBON STEELS
- NT HIGH STRENGTH STEELS
- NT MARTENSITIC STAINLESS STEELS
- NT NICKEL STEELS
- NT STEELS
- IRAGOIS HELICOPTER
- U UH-1 HELICOPTER
- IRROTATIONAL FLOW
- U POTENTIAL FLOW
- ISENTROPIC PROCESSES
- Boundary value problems of two-dimensional isentropic gas flow
 p0014 A74-11430
- ISING MODEL
- U MATHEMATICAL MODELS
- ISOLATORS
- NT VIBRATION ISOLATORS
- ISOTOPES
- NT OXYGEN 18
- ISOTROPIC TURBULENCE
- Problems of flight in turbulence
 [ICAS PAPER 74-32] p0449 A74-41333
- ITALY
- Forty years of civil aviation, 1931 - 1971 --- for Italy
 p0159 N74-14750
- ITERATION
- NT ITERATIVE SOLUTION
- ITERATIVE SOLUTION
- Numerical investigation of vortex sheets issuing from a separation line near the leading edge
 p0128 A74-18289
- On repetitive flutter calculations in structural design
 [AIAA PAPER 74-141] p0133 A74-18789
- Numerical computations of wake vortices behind lifting surfaces
 [ICAS PAPER 74-28] p0449 A74-41330
- The deformation of a vortex sheet behind a swept back wing - Comparison of measurements and calculations
 [ICAS PAPER 74-??] p0449 A74-41334
- Iterative solution of transonic flows over airfoils and wings, including flows at Mach 1
 p0459 A74-43451
- Numerical studies of hypersonic delta wings with detached shock waves
 [ARC-CP-1277] p0412 N74-28487
- IZSAK ELLIPSOID
- U GEODESY
- J
- J-2 ENGINE
- Sea level side loads in high-area-ratio rocket engines
 [AIAA PAPER 73-1284] p0032 A74-12940
- J-57 ENGINE
- The influence of engine-ducted by-pass air on a burner-can burn-through flame --- with j-57
 [FAA-NA-73-87] p0101 N74-12574
- The feasibility of detecting a burner-can burn-through by means of CO, CO2, pressure, and air temperature levels in a jet engine nacelle
 [AD-775304] p0475 N74-33225
- J-79 ENGINE
- Evaluation of MIL-L-23699 lubrication oil performance in the J79 engine
 [AD-776535] p0361 N74-26073
- J-85 ENGINE
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source
 [AIAA PAPER 74-91] p0133 A74-18768
- Hydrogen-methane fuel control systems for turbojet engines
 [NASA-CR-121247] p0193 N74-16493
- J-93 ENGINE
- Emission measurements of a J93 turbojet engine
 [AD-766648] p0066 N74-11605
- JARRING
- U MECHANICAL SHOCK
- JC-130 AIRCRAFT
- U C-130 AIRCRAFT
- JET AIRCRAFT
- NT A-4 AIRCRAFT
- NT A-6 AIRCRAFT
- NT A-7 AIRCRAFT
- NT A-300 AIRCRAFT
- NT ALPHA JET AIRCRAFT
- NT B-52 AIRCRAFT
- NT B-57 AIRCRAFT
- NT BAC 111 AIRCRAFT
- NT BOEING 707 AIRCRAFT
- NT BOEING 720 AIRCRAFT
- NT BOEING 727 AIRCRAFT
- NT BOEING 737 AIRCRAFT
- NT BOEING 747 AIRCRAFT
- NT BOEING 2707 AIRCRAFT
- NT C-2 AIRCRAFT
- NT C-5 AIRCRAFT
- NT C-135 AIRCRAFT
- NT C-141 AIRCRAFT
- NT CANBERRA AIRCRAFT
- NT CL-84 AIRCRAFT
- NT COMET 4 AIRCRAFT
- NT CONCORDE AIRCRAFT
- NT DC 8 AIRCRAFT
- NT DC 9 AIRCRAFT
- NT DC 10 AIRCRAFT
- NT DHC 5 AIRCRAFT
- NT DO-31 AIRCRAFT
- NT F-4 AIRCRAFT
- NT F-5 AIRCRAFT
- NT F-8 AIRCRAFT
- NT F-14 AIRCRAFT
- NT F-15 AIRCRAFT
- NT F-28 TRANSPORT AIRCRAFT
- NT F-89 AIRCRAFT
- NT F-104 AIRCRAFT
- NT F-106 AIRCRAFT
- NT F-111 AIRCRAFT
- NT G-222 AIRCRAFT
- NT HPB-320 AIRCRAFT
- NT IL-62 AIRCRAFT
- NT L-1011 AIRCRAFT
- NT OV-1 AIRCRAFT
- NT P-1127 AIRCRAFT
- NT SAAB 37 AIRCRAFT
- NT SC-1 AIRCRAFT
- NT SE-210 AIRCRAFT
- NT T-2 AIRCRAFT
- NT T-38 AIRCRAFT
- NT TU-134 AIRCRAFT
- NT TU-144 AIRCRAFT
- NT TURBOFAN AIRCRAFT
- NT TURBOPROP AIRCRAFT
- NT VJ-101 AIRCRAFT
- NT X-14 AIRCRAFT
- NT XC-142 AIRCRAFT
- Electronic display mechanization for monitoring aircraft parameters
 [SAE PAPER 730956] p0015 A74-11555
- Maintainability concepts used in the design and operation of Douglas commercial jet aircraft
 [SAE PAPER 730881] p0019 A74-11603

- What keeps wide body jets down on the ground --- mechanical/operational breakdown problems p0075 A74-13974
- The cost of a quality product --- jet aircraft hardware and systems p0076 A74-13975
- Improving aircraft productivity - We all have a part of the action --- wide body jet production management p0076 A74-13976
- Some results of an experimental study of the Aerodyne concept by Dornier System GmbH [DGLR PAPER 73-069] p0120 A74-17178
- Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions [AIAA PAPER 74-41] p0132 A74-18749
- The Alpha Jet programme p0136 A74-18902
- Collection of problems on airplane piloting /4th revised and enlarged edition/ --- Russian book p0170 A74-19372
- Flight test safety analysis of the all weather landing system /AWLS/ program p0182 A74-20974
- A direct procedure for partitioning, scanning workload with a flight director p0183 A74-21336
- Airplane nacelle composite structure technology p0185 A74-22102
- Pilot error accidents in airline jet aircraft - 1958-1970 p0208 A74-22629
- The growing procedural problems of washing mammoth aircraft [AIAA PAPER 74-376] p0265 A74-26683
- HS.146 progress report p0274 A74-27634
- The MUDAS-F crash recorder for the Alpha Jet p0319 A74-30601
- Impact of runway traction on possible approaches to certification and operation of jet transport aircraft [SAE PAPER 740497] p0350 A74-34987
- Influence of runway traction on operation of jet transport aircraft [AIAA PAPER 74-958] p0427 A74-38724
- Noise of advanced subsonic air transport systems p0438 A74-40090
- VPW 614 - An appraisal of Germany's new short haul jet p0438 A74-40511
- A contribution to the determination of a short takeoff p0485 A74-46710
- Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73019] p0103 A74-12709
- Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73018] p0103 A74-12710
- Differential game barriers and their application in air-to-air combat [AD-766890] p0113 A74-13696
- Wind tunnel investigation of a large-scale 25 deg swept-wing jet transport model with an external blowing triple-slotted flap [NASA-TN-X-62197] p0141 A74-13721
- Toward the definition of escape and capture regions for a two aircraft pursuit-evasion game --- considering air to air infrared missile weapons [AD-770281] p0201 A74-17689
- Flight investigation of approach and flare from simulated breakout altitude of a subsonic jet transport and comparison with analytical models [NASA-TN-D-7645] p0284 A74-19672
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 1 --- conference to review development of government and industry for aircraft equipment design [AD-773813] p0285 A74-19679
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 3 [AD-773815] p0285 A74-19680
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 4 [AD-773816] p0285 A74-19681
- Development of NDT/I for integral wing fuel tank structures using infrared thermography [AD-773466] p0288 A74-20060
- Aircraft/Stores Compatibility Symposium proceedings, volume 2 [AD-773814] p0298 A74-20676
- A numerical study of the effects of aircraft manoeuvres on the focusing of sonic booms [AD-775095] p0326 A74-21664
- Analytical design and simulation evaluation of an approach flight director system for a jet STOL aircraft [NASA-CR-114697] p0330 A74-22676
- The fluid dynamics aspects of air pollution related to aircraft operations [AGARD-AR-55] p0361 A74-26104
- Gross voided flame arresters for fuel tank explosion protection [AD-777898] p0409 A74-27540
- A digital calculation of the response of a piloted subsonic jet-transport airplane to severe vertical gusts p0412 A74-28498
- Suppression of flutter on interfering lifting surfaces by the use of active controls [AD-779770] p0441 A74-29372
- Application of sampled-data control techniques in the design of an aircraft flutter mode controller [AD-779078] p0442 A74-29389
- A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables [AD-782490] p0491 A74-33470
- The F-89 hydraulic actuator combinatorial geometry representation [AD-781996] p0498 A74-34547
- JET AIRCRAFT NOISE**
- An experimental study of subsonic jet noise and comparison with theory p0002 A74-10271
- Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data [AIAA PAPER 73-1001] p0006 A74-11050
- The effect of noise constraints on engine cycle optimization for long-haul transports [AIAA PAPER 73-1292] p0011 A74-11298
- Measured jet noise compared to California noise codes and health criteria p0014 A74-11424
- AST - A fifth engine for environmental consideration [SAE PAPER 730899] p0018 A74-11590
- Propulsion technology advances needed for a quiet supersonic transport [SAE PAPER 730898] p0018 A74-11591
- Jet noise suppression systems for high-speed aircraft [SAE PAPER 730897] p0018 A74-11592
- Highly noise suppressed bypass 6 engine for STOL application [AIAA PAPER 73-1031] p0021 A74-11799
- On the theory of jet noise and its applications --- Lighthill theory [AIAA PAPER 73-987] p0026 A74-12218
- A positive approach to the problems of aircraft noise [AIAA PAPER 73-1157] p0026 A74-12227
- The Q-Fan Demonstrator Engine --- variable pitch fan engine design and tests [AIAA PAPER 73-1215] p0031 A74-12929
- Military aircraft noise --- abatement program [AIAA PAPER 73-1291] p0032 A74-12941
- Influence of noise constraints on supersonic transport engine design [AIAA PAPER 73-1295] p0032 A74-12943
- Theoretical analysis of the noise characteristics of an ejector jet p0070 A74-13048
- Turbine noise generation and suppression --- prediction method linking acoustic modes with aerodynamics [ASME PAPER 73-WA/GT-7] p0071 A74-13298
- Application of finite difference techniques to noise propagation in jet engine ducts [ASME PAPER 73-WA/GT-10] p0072 A74-13301
- Performance and noise aspects of supersonic transport p0074 A74-13798

SUBJECT INDEX

JET AIRCRAFT NOISE CONTD

- Jet engine exhaust noise due to rough combustion
and nonsteady aerodynamic sources p0075 A74-13958
- New jumbo jets must speak in whispers - Certifying
the Lockheed 1011 p0125 A74-17856
- Noise from nonuniform turbulent flows
[AIAA PAPER 74-2] p0131 A74-18722
- Some problems associated with noise attenuation at
jet engine test facilities p0172 A74-19629
- Simulation studies of an airport noise silencer
p0184 A74-21641
- Quieting the JT3D powered 707 p0221 A74-22788
- Jet noise - The state-of-the-art p0221 A74-22789
- Exhaust noise field generated in the JT8D core
engine - noise floor presented by the internal
noise sources p0221 A74-23105
- Fluctuating forces appropriate for the calculation
of discrete frequency noise generation in
subsonic turbomachines p0204 A74-23108
- Technology for low noise aircraft - The NASA Quiet
Engines p0221 A74-23599
- Noise silencers at military test stands --- for
jet engines p0227 A74-25322
- A solid-state converter for measurement of
aircraft noise and sonic boom p0261 A74-26345
- Developing large-scale wavelike eddies and the
near jet noise field p0267 A74-26948
- Systematic investigations in the field of noise
shielding p0271 A74-27365
- [DGLR PAPER 74-021] p0271 A74-27365
- Evaluation of aircraft internal noise --- from
aerodynamic sources, jet exhaust and internal
equipment p0309 A74-28737
- [SAE PAPER 740360] p0309 A74-28737
- Jet aircraft ground run-up noise suppressors
p0313 A74-29775
- Forward velocity effects on jet noise with
dominant internal noise source p0314 A74-30077
- Variability in aircraft noise measurements ---
from short and long period jet flight tests p0314 A74-30079
- The design of sound absorptive materials to meet
special requirements p0315 A74-30091
- A new anechoic facility for supersonic hot jet
noise research at Lockheed-Georgia p0315 A74-30092
- Flyover noise prediction from static data ---
extrapolation from engine ground tests p0316 A74-30100
- Acoustical model investigations of two versions of
an airport noise suppressor p0340 A74-33274
- Nonlinear generation of secondary waves in fluids
p0344 A74-34352
- Geometry considerations for jet noise shielding
with CTOL engine-over-the-wing concept p0344 A74-34798
- [AIAA PAPER 74-568] p0344 A74-34798
- Jet noise suppression --- for quiet aircraft design
[SAE PAPER 740492] p0350 A74-34991
- FAA aircraft retrofit feasibility program --- for
jet noise reduction p0350 A74-34992
- [SAE PAPER 740489] p0350 A74-34992
- Reduction of JT8D powered aircraft noise by engine
refanning p0352 A74-35009
- [SAE PAPER 740490] p0352 A74-35009
- Externally blown flap noise research p0352 A74-35011
- [SAE PAPER 740468] p0352 A74-35011
- Investigation of noise from full-scale high bypass
engine and blown flap system p0352 A74-35012
- [SAE PAPER 740467] p0352 A74-35012
- Noise attenuation in the case of the microturbine
engine TRS 18 p0379 A74-35981
- Reply to criticisms by V. E. Callaway of papers
MM1 and MM11 at the 86th Meeting of the ASA ---
aircraft cabin noise level p0391 A74-37061
- Development of noise-reduction concepts for the
707 airplane p0396 A74-37533
- Aircraft noise retrofit feasibility program
results and applications p0396 A74-37534
- Aircraft noise retrofit feasibility program
objectives and scope p0396 A74-37535
- Jet propulsion for quiet aircraft --- nozzle
configurations p0396 A74-37536
- The spectrum of rotor noise caused by atmospheric
turbulence p0397 A74-37537
- Effects of non-uniform inflow on fan noise
p0397 A74-37542
- Development of noise-reduction concepts for 727
and 737 airplanes p0397 A74-37546
- Noise reduction programs for DC-8 and DC-9 airplanes
p0397 A74-37548
- Jet transport energy management for minimum fuel
consumption and noise impact in the terminal area
[AIAA PAPER 74-811] p0400 A74-37821
- The jet density exponent issue for the noise of
heated subsonic jets p0422 A74-38393
- VFW 614, quiet short haul airliner
[AIAA PAPER 74-937] p0426 A74-38713
- Aircraft/engine jet noise control - A survey
[AIAA PAPER 74-947] p0426 A74-38718
- Progress in core engine and turbine noise technology
[AIAA PAPER 74-948] p0426 A74-38719
- Static noise measurement of full scale jet engines
p0434 A74-39740
- The use of a rotating arm facility to study flight
effects on jet noise p0436 A74-39970
- Contribution to the study of noise from jet
aircraft during flight p0437 A74-39983
- Noise shielding aircraft configurations - A
comparison between predicted and experimental
results p0451 A74-41357
- [ICAS PAPER 74-58] p0451 A74-41357
- Effect of ejector spacing on ejector-jet noise
characteristics p0479 A74-45032
- Sonic boom research at UTIAS p0483 A74-46239
- DC-9/JT8D refan, Phase 1 --- technical and
economic feasibility of retrofitting DC-9
aircraft with refan engine to achieve desired
acoustic levels p0050 N74-10729
- [NASA-CR-121252] p0050 N74-10729
- Noise tests on an externally blown flap with the
engine in front of the wing p0094 N74-11813
- [NASA-TN-X-2942] p0094 N74-11813
- Noise generation by cylindrical spoilers immersed
in an air duct --- analysis of acoustic power
output and directivity patterns of noise field
[AD-767336] p0142 N74-13730
- Research on noise generated by ducted air-fuel
combustion systems p0152 N74-14445
- [AD-767337] p0152 N74-14445
- Flight velocity effects on jet noise of several
variations of a twelve-chute suppressor
installed on a plug nozzle p0166 N74-15466
- [NASA-TN-X-2918] p0166 N74-15466
- Combustion generated noise in turbopropulsion
systems p0166 N74-15666
- [AD-768615] p0166 N74-15666
- Flight evaluation of two segment approaches for
jet transport noise abatement p0200 N74-16995
- [NASA-CR-114735] p0200 N74-16995
- Jet noise reduction technique for military
reconnaissance/surveillance aircraft. Phase 1:
Bench/wind tunnel tests p0300 N74-20691
- [AD-774748] p0300 N74-20691
- Impulsive sources of aerodynamic sound: Oral
script of the introductory review lecture ---
aircraft noise at supersonic speeds p0329 N74-22643
- Use of cross-correlation measurements to
investigate noise generating regions of a real
jet engine and a model jet p0329 N74-22650

- On the noise from jets --- mathematical model
based on modification of Lighthill theory
p0329 N74-22655
- On the generation of jet noise --- by large scale
vortex ring structures interacting with each other
p0329 N74-22663
- Reduction of JT8D powered aircraft noise by engine
refanning
[NASA-TM-X-71536] p0331 N74-23342
- Geometry considerations for jet noise shielding
with CTOL engine-over-the-wing concept
[NASA-TM-X-71562] p0355 N74-25568
- Systematic sound insulation investigations
[NBS-UN-06-74-0] p0368 N74-26483
- Flight velocity effects on the jet noise of
several variations of a 104-tube suppressor nozzle
[NASA-TM-X-3049] p0410 N74-28240
- Noise suppressor --- for turbofan engine by
incorporating annular acoustically porous
elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] p0470 N74-32418
- Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] p0474 N74-33218
- JET AMPLIFIERS**
Realization of the power amplification effect in a
ramjet unit by applying the principle of
boundary layer separation
p0175 A74-20069
- JET AUGMENTED WING FLAPS**
U JET FLAPS
U WING FLAPS
- JET BLAST EFFECTS**
Airfield erosion control for C-5A aircraft
operations
[AD-774484] p0301 N74-20904
- JET DAMPING**
U DAMPING
- JET DRIVE**
U JET PROPULSION
- JET ENGINE FUELS**
NT JP-4 JET FUEL
NT JP-5 JET FUEL
- The case for hydrogen fueled transport aircraft
[AIAA PAPER 73-1323] p0012 A74-11315
- The refining of turbine fuels by modern
hydrotreating
[AIAA PAPER 74-162] p0133 A74-18798
- Supersonic fuels from medium oils produced by the
thermal cracking of crude oil residues
[DFVLR-SONDDR-301] p0136 A74-18925
- Clean, bright, and dry --- jet engine fuel
contamination control
p0176 A74-20213
- Requirements on the purity of aircraft fuels
p0178 A74-20524
- Adsorption resins in jet fuels
p0221 A74-23517
- Fatigue strength of an aluminum alloy in petroleum
jet fuels at various temperatures
p0268 A74-27078
- The case for hydrogen-fueled transport aircraft
p0312 A74-29452
- Study of the effect of dilution on the lubricity
of hydrotreated jet engine fuels
p0336 A74-32600
- Filtration of aviation fuels --- Russian book
p0421 A74-38046
- Antiwear properties of jet fuels obtained by
blending nonalkalized hydrorefined with
straight-run components
p0479 A74-45000
- An evaluation of the relative fire hazards of jet
A and jet B for commercial flight
[NASA-TM-X-71437] p0049 N74-10709
- Aviation turbine fuels, 1972
p0065 N74-11592
- Spontaneous ignition in afterburner segment tests
at an inlet temperature of 1240 K and a pressure
of 1 atmosphere with ASTM jet-A fuel
[NASA-TM-X-2952] p0101 N74-12571
- Thermodynamic and transport properties of air and
its products of combustion with ASTM-A-1 fuel
and natural gas at 20, 30, and 40 atmospheres
[NASA-TM-D-7488] p0101 N74-12575
- Optimal capabilities of hypersonic passenger
aircraft on kerosene fuel
[AD-767887] p0143 N74-13737
- Problems of chemical pollution by aircraft. The
airport and its immediate environment
p0148 N74-14281
- Ground contamination by fuel jettisoned from
aircraft
p0149 N74-14283
- Effect of increased fuel temperature on emissions
of oxides of nitrogen from a gas turbine
combustor burning ASTM jet-A fuel
[NASA-TM-X-2931] p0166 N74-15659
- The chemistry of fuel deposits and their precursors
[AD-773630] p0289 N74-20399
- Aerospace vehicle hazards protection program:
Detectors materials fuel vulnerability
[AD-776301] p0359 N74-25603
- Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- JET ENGINES**
NT BRISTOL-SIDDELEY BS 53 ENGINE
NT J-57 ENGINE
NT J-79 ENGINE
NT J-85 ENGINE
NT J-93 ENGINE
NT PULSEJET ENGINES
NT RAMJET ENGINES
NT SUPERSONIC COMBUSTION RAMJET ENGINES
NT TF-30 ENGINE
NT TURBOPAN ENGINES
NT TURBOJET ENGINES
NT TURBOPROP ENGINES
- An analytical and experimental study of inlet
ground vortices
[AIAA PAPER 73-1313] p0011 A74-11309
- An empirical model for calculating the critical
conditions of flame stabilization
p0022 A74-11824
- Cost impact of mission requirements on future
engine design selection
[AIAA PAPER 73-1186] p0031 A74-12922
- Non-destructive inspection of titanium jet engine
disks
p0116 A74-16480
- Noise measurements of the jet and piston engines
on the Lala-1 experimental airplane
p0270 A74-27296
- Real-time simulation of jet engines with digital
computer
[ASME PAPER 74-GT-19] p0271 A74-27418
- Engine condition monitor system to detect foreign
object damage and crack development
p0279 A74-28320
- New jet engines --- presented at Paris air show
p0316 A74-30346
- Reliability and maintainability of jet engines
p0316 A74-30347
- Jet engine soot emission measured at altitude
p0317 A74-30397
- How Eastern Airlines uses nondestructive
evaluation to assure quality of specific jet
engine hardware
p0343 A74-34287
- Forgings for jet engines - More quality at less cost
p0348 A74-34874
- Index of the relative technical perfection level
of long-range aircraft jet engines
p0390 A74-36791
- Reliability and maintainability of aircraft jet
engines. I
p0431 A74-38908
- Jet engine noise testing
p0434 A74-39739
- Static noise measurement of full scale jet engines
p0434 A74-39740
- New structural materials for jet engine components
p0460 A74-43768
- Unsteady aerodynamic forces induced by the
aeroelastic vibrations of a jet engine in a pod
[ONERA, TP NO. 1424] p0483 A74-46596
- Mixing and combustion processes in jet engines ---
physics of interaction of droplets or solid
particles with gas stream
[AD-766030] p0051 N74-10741
- Sensing jet engine performance and incipient
failure with electrostatic probes
[AD-766653] p0066 N74-11606
- The problem of installing a modern high bypass
engine on a twin jet transport aircraft
p0157 N74-14727
- Aerodynamic aspects of the problems of air-intakes
and exhaust for a supersonic transport aircraft
--- design of air intake and after body of jet

- engine for Concorde aircraft
[NAL-TR-194] p0159 N74-14748
- The testing of jet engines, chapters 5 and 6 ---
test stand structure p0166 N74-15467
- Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection p0192 N74-15830
- [AD-769298]
- Some considerations on the performance of the fan
jet engine p0193 N74-16486
- [NAL-TR-317]
- The results of a high-speed wind tunnel test to
investigate the effects of the NASA refan JT8D
engine nacelles on the stability and control
characteristics of the Boeing 727 airplane
[NASA-CR-134545] p0196 N74-16726
- Forecast of jet engine exhaust emissions for
future high altitude commercial aircraft
[NASA-TN-X-71509] p0243 N74-18400
- Cruise drag results from high speed wind tunnel
tests of NASA Refan JT8D engine nacelles on the
Boeing 727-200 p0247 N74-18673
- [NASA-CR-134546]
- Quiet engine program: Turbine noise suppression.
Volume 2: Treatment selection, installation,
and test results p0256 N74-19401
- [NASA-CR-134586]
- A simplified life-cycle cost comparison of various
engines for small helicopter use p0256 N74-19405
- [NASA-TN-X-71517]
- Comparative appraisal of propulsion systems for
VTOL-aircraft --- functional description and
classification of aircraft jet propulsion systems
p0289 N74-20402
- Basic research requirements for V/STOL propulsion
and drive-train components --- analysis of jet
engine operating parameters for axial and radial
turbines p0290 N74-20412
- Mixing of gas and air jets in jet engines
[AD-773908] p0293 N74-20450
- Flexural rigidity of a thin walled build-up rotor
for jet engine. Measurement by static load test
and vibration test and calculation by finite
element method p0293 N74-20572
- [NAL-TR-329]
- High temperature solid state pressure transducers
for military jet engine environments p0303 N74-21047
- [AD-774753]
- Use of cross-correlation measurements to
investigate noise generating regions of a real
jet engine and a model jet p0329 N74-22650
- Modification of convective clouds by jets
[AD-776730] p0361 N74-26130
- Calculating procedure of sea-level static
performance of two-spool afterburning bypass jet
engine p0362 N74-26258
- [AD-776547]
- Measurements of liner cooling effectiveness within
a full scale double-annular ram-induction
combustor p0362 N74-26389
- [NASA-TN-D-7689]
- Calculating method for multi-stage axial
compressors with impulse bladings and constant
tip diameter --- computerized simulation of
compressor performance p0419 N74-29228
- [AD-778808]
- Investigation of the possibility of use of
vibroacoustical signals for purposes of
diagnostics in aeronautical engineering
p0444 N74-29875
- On the inlet vortex system --- preventing jet
engine damage caused by debris pick-up
[NASA-CR-140182] p0500 N74-35194
- JET EXHAUST**
- Deck heating effects due to VTOL jet exhaust
impingement p0008 A74-11227
- [AIAA PAPER 73-1182]
- Jet engine emissions --- commercial aviation air
pollution near airports p0073 A74-13730
- Dispersion and dilution of jet aircraft exhaust at
high-altitude flight conditions p0132 A74-18749
- [AIAA PAPER 74-41]
- Forecast of jet engine exhaust emissions for
future high altitude commercial aircraft
p0275 A74-27773
- Aerodynamic and acoustic performance of ejectors
for engine-under-the-wing concepts
[AIAA PAPER 74-950] p0452 A74-41655
- Analysis, design and test of thrust reverser and
thrust vectoring systems for STOL transport
aircraft p0456 A74-42849
- [AIAA PAPER 73-1218]
- Exploratory investigation at Mach numbers from
0.40 to 0.95 of the effects of jets blown over a
wing p0036 N74-10014
- [NASA-TN-D-7367]
- Analysis of stratified and closely spaced jets
exhausting into a crossflow --- aerodynamic
characteristics of lift-jet, vectored thrust,
and lift fan V/STOL aircraft p0061 N74-11118
- [NASA-CR-132297]
- Noise generation by cylindrical spoilers immersed
in an air duct --- analysis of acoustic power
output and directivity patterns of noise field
[AD-767336] p0142 N74-13730
- Jet engine exhaust emissions of high altitude
commercial aircraft projected to 1990 p0294 N74-20591
- [NASA-TN-X-3007]
- An analytical study of the effects of jets located
more than one jet diameter above a wing at
subsonic speeds p0353 N74-25533
- [NASA-TN-X-71965]
- Evaluation of the automatic JBD (Jet
Blast Deflector) system p0358 N74-25595
- [AD-775665]
- Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] p0406 N74-27490
- JET FLAPS**
- U FLAMES**
- U JET FLOW**
- JET FLAPS**
- NT EXTERNALLY BLOWN FLAPS**
- The jet-flapped wing in ground proximity with
special allowance for large angle of attack and
large jet flap angle p0121 A74-17221
- Methods for the design and analysis of jet-flapped
airfoils p0134 A74-18833
- [AIAA PAPER 74-188]
- The augmentor wing - Powered-lift STOL a proven
concept p0184 A74-21728
- Studies of a large-scale jet-flap rotor in the 40-
by 80-foot wind tunnel p0206 A74-22464
- XFV-12A V/STOL fighter/attack aircraft p0320 A74-30822
- Nozzle development for the upper surface - Blown
jet flap on the XC-14 airplane p0351 A74-35003
- [SAE PAPER 740469]
- Multicyclic jet-flap control for alleviation of
helicopter blade stresses and fuselage vibration
p0396 A74-37504
- An analysis of the effects of internally blown jet
flaps on an advanced fighter aircraft design
[AIAA PAPER 74-970] p0428 A74-38735
- [AIAA PAPER 74-992]
- A review of some Air Force STOL aircraft
aerodynamic prediction methods p0429 A74-38748
- [AIAA PAPER 74-993]
- Evaluation of a new jet flap propulsive-lift
system for turbofan-powered STOL transports
p0453 A74-41662
- [AIAA PAPER 74-993]
- Application of boundary layer control by
tangential blowing of a jet over trailing edge
flaps p0484 A74-46691
- STOL tactical aircraft investigation. Volume 2,
part 2: A lifting line analysis method for
jet-flapped wings p0058 N74-10937
- [AD-766877]
- Aerodynamic characteristics of a large-scale model
with a swept wing and a jet flap having an
expandable duct p0095 N74-11826
- [NASA-TN-X-62281]
- Wind tunnel investigation of an upper surface
blown jet-flap powered-lift configuration
[NASA-TN-D-7399] p0096 N74-11832
- STOL tactical aircraft investigation. Volume 4:
Analysis of wind tunnel data: Vectored
thrust/mechanical flaps and internally blown jet
flaps --- for transport aircraft configuration
[AD-766641] p0098 N74-11846
- STOL tactical aircraft investigation. Volume 5,
part 1: Flight control technology: System

- analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps --- for transport aircraft configuration [AD-766642] p0098 N74-11847
- March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1 [NASA-CR-114693] p0141 N74-13722
- March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 2 [NASA-CR-114694] p0141 N74-13723
- STOL tactical aircraft investigation. Volume 2: Design compendium [AD-767561] p0143 N74-13733
- Transonic drag due to lift of planar jet-flapped airfoils p0156 N74-14720
- Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps [NASA-CR-2358] p0196 N74-16719
- STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium [AD-770110] p0199 N74-16751
- A theoretical method for calculating the aerodynamic characteristics of arbitrary jet-flapped wings. Volume 1: The elementary vortex distribution jet-wing lifting surface theory [AD-773939] p0281 N74-19646
- Preliminary static tests of a simulated upper-surface blown jet-flap configuration utilizing a full-size turbofan engine [NASA-TM-X-71931] p0294 N74-20638
- Pressure distribution of a twin-engine upper-surface blown jet-flap model --- wind tunnel tests to determine chordwise and spanwise pressure distributions [NASA-TM-X-71937] p0296 N74-20655
- An experimental study of the effect of a low speed external flow on a coanda effect flap [AD-774393] p0300 N74-20684
- A flight investigation of the STOL characteristics of an augmented jet flap STOL research aircraft [NASA-TM-X-62334] p0329 N74-22637
- An experimental study of a vane controlled jet flap gust alleviation system --- reduction in wing rotation angle in turbulent gust conditions [AD-777987] p0405 N74-27488
- A theoretical study of the application of jet flap circulation control for reduction of rotor vibratory forces [NASA-CR-137515] p0416 N74-28525
- Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration p0497 N74-34512
- JET FLIGHT**
U JET AIRCRAFT
JET FLOW
NT AIR JETS
NT SUPERSONIC JET FLOW
 Near-field trajectory of turbulent jets discharged at various inclinations into a uniform crossflow p0003 A74-10568
- Noise generation by ducted combustion systems --- resonant oscillations [AIAA PAPER 73-1024] p0026 A74-12223
- Calculation of aerodynamic characteristics of bodies with relatively large trailing sections p0087 A74-15575
- A study of the characteristics of measuring elements of pneumatic systems p0174 A74-19852
- Analysis of acoustic radiation in a jet flow environment p0461 A74-44314
- Exploratory investigation at Mach numbers from 0.40 to 0.95 of the effects of jets blown over a wing [NASA-TN-D-7367] p0036 N74-10014
- Study of the temperature influence on induced flow effects. Part 1: Test equipment for ground effect investigations using circular hot air jets [IPD-8/71-PT-1] p0097 N74-11844
- Aerodynamic interference between fuselage and lifting jets emerging from its lower part --- effect of two high velocity lifting jets on induced lift and pitching moments p0290 N74-20413
- Results and information obtained regarding aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development --- lift loss in hovering flight phase [NASA-TT-F-15533] p0298 N74-20669
- An analytical investigation of wing-jet interaction [NASA-CR-138140] p0323 N74-21633
- Noise mechanisms --- AGARD conference on propagation and reduction of jet noise [AGARD-CP-131] p0329 N74-22640
- An analytical investigation of wing-jet interaction [NASA-CR-138140] p0488 N74-33436
- JET FUELS**
U JET ENGINE FUELS
JET IMPINGEMENT
 Deck heating effects due to VTOL jet exhaust impingement [AIAA PAPER 73-1182] p0008 A74-11227
- VTOL recirculation and impingement model testing --- flow fields in ground effect test [AIAA PAPER 73-1183] p0008 A74-11228
- A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153
- JET LIFT**
 VTOL recirculation and impingement model testing --- flow fields in ground effect test [AIAA PAPER 73-1183] p0008 A74-11228
- Lift-induced wing-tip vortex attenuation [AIAA PAPER 74-38] p0135 A74-18852
- Evaluation of a new jet flap propulsive-lift system for turbofan-powered STOL transports [AIAA PAPER 74-993] p0453 A74-41662
- Aerodynamic interference between fuselage and lifting jets emerging from its lower part --- effect of two high velocity lifting jets on induced lift and pitching moments p0290 N74-20413
- JET MIXING FLOW**
 Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270
- Supersonic mixing and combustion studies of ducted hydrogen-air flows at an inlet air Mach number of 2.6 [AIAA PAPER 73-1320] p0012 A74-11313
- Study of the temperature influence on induced flow effects. Part 2: Influence of ground effects on hot-air jet mixing in steady atmospheric air [IPD-9/71-PT-2] p0097 N74-11845
- Mixing of gas and air jets in jet engines [AD-773908] p0293 N74-20450
- JET NOISE**
U JET AIRCRAFT NOISE
JET NOZZLES
 Jet noise modeling - Experimental study and models for the noise and turbulence fields [AIAA PAPER 74-3] p0131 A74-18723
- JET PILOTS**
U AIRCRAFT PILOTS
JET PROPULSION
 The technical evolution of aircraft p0006 A74-11092
- Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane [ASME PAPER 73-WA/AERO-4] p0071 A74-13246
- JET THRUST**
 Supercirculation effects induced by vectoring a partial-span rectangular jet --- for fighter aircraft maneuverability [AIAA PAPER 74-971] p0428 A74-38736
- JETAVATORS**
U GUIDE VANES
JETTISONING
 Ground contamination by fuel jettisoned from aircraft p0149 N74-14283
- JITTER**
U VIBRATION
JOINTS (JUNCTIONS)
NT LAP JOINTS
NT METAL JOINTS
NT SPOT WELDS
 Improved fastener systems for fatigue and sealing redundancy of low shear transfer joints [SAE PAPER 730901] p0018 A74-11589

SUBJECT INDEX

LABELING (MARKING)

Experimental investigation of glass-plastic and metal-plastic joints under shear p0131 A74-18697

Adhesive bonding increases fatigue life of wing joint [AIAA PAPER 74-382] p0265 A74-26687

Applications of advanced composites in aircraft structures p0479 A74-45045

Keyed joint performance under heavy load aircraft [AD-766706] p0061 N74-11101

Non-classical adhesive-bonded joints in practical aerospace construction [NASA-CR-112238] p0101 N74-12555

Peculiarities in operation of the orienting system for a T-airborne magnetometer p0302 N74-21026

JOURNAL BEARINGS

The whirl instability of a rigid rotor in a flexibly supported gas lubricated journal bearing p0014 A74-11441

Instability of rotors in MHD journal bearings p0014 A74-11445

Dynamical pressure distribution in aerodynamic bearing p0023 A74-11899

The stability of flexibly supported, externally pressurized gas journal bearings - Case of a rigid rotor p0082 A74-14623

JOURNALS (SHAFTS)

U SHAFTS (MACHINE ELEMENTS)

JP-4 JET FUEL

Air mobility fuel cell study --- desulfurization of JP-4 fuel [AD-766757] p0107 N74-12742

The 1.5-kw fuel cell powerplant [AD-767302] p0107 N74-12744

JP-4 thermal stability survey --- analysis of physical properties of 19 JP-4 fuels [AD-767591] p0112 N74-13501

JP-5 JET FUEL

Substitution of JP-5 aviation fuel for DF-2 diesel under field conditions p0362 N74-26243

Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment [NASA-CR-137531] p0418 N74-29016

JUNCTION DIODES

A low cost p-i-n diode phase shifter for airborne phased-array antennas p0321 A74-31611

J93-NJ252H ENGINE

U J-93 ENGINE

J93-NJ280G ENGINE

U J-93 ENGINE

K

KALMAN FILTERS

Reduced order filtering with applications in hybrid navigation --- minimum variance Kalman filter algorithms p0023 A74-12177

Range-rate from DME-air data measurements --- for aircraft radial velocity estimation p0024 A74-12182

A self-reorganizing digital flight control system for aircraft [AIAA PAPER 74-21] p0133 A74-18808

Simplified navigation for unmanned aircraft p0175 A74-20098

Digital system identification and its application to digital flight control p0342 A74-33768

En route position and time control of aircraft using Kalman filtering of radio aid data [NASA-TN-D-7509] p0100 N74-12360

Application of a Kalman filter identification technique to flight data from the X-22A variable stability V/STOL aircraft p0356 N74-25578

KANAN AIRCRAFT

BT HH-43 HELICOPTER

KANSAS

The National Aeronautics and Space Administration interdisciplinary studies in space technology at the University of Kansas [NASA-CR-140623] p0501 N74-35250

KC-130 AIRCRAFT

U C-130 AIRCRAFT

KC-135 AIRCRAFT

U C-135 AIRCRAFT

KERNEL FUNCTIONS

Derivation of aerodynamic kernel functions p0004 A74-10572

An oscillatory kernel function method for lifting surfaces in mixed transonic flow [AIAA PAPER 74-359] p0264 A74-26669

Improvements to the kernel function method of steady, subsonic lifting surface theory [NASA-TN-X-62327] p0487 N74-33429

KEROSENE

Conversion of fuel nitrogen to NOx in a compact combustor [ASME PAPER 73-WA/GT-2] p0071 A74-13293

Optimal capabilities of hypersonic passenger aircraft on kerosene fuel [AD-767887] p0143 N74-13737

KESTREL AIRCRAFT

U P-1127 AIRCRAFT

KEYING

NT PHASE SHIFT KEYING

KINEMATICS

NT BODY KINEMATICS

KINETIC ENERGY

Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow p0069 A74-13041

KINETIC EQUATIONS

NT HELMHOLTZ VORTICITY EQUATION

Solution of the plane problem of the aerodynamics of a rarefied gas on the basis of Boltzmann's kinetic equation p0005 A74-10976

KINETIC FRICTION

NT SLIDING FRICTION

KINETIC HEATING

NT AERODYNAMIC HEATING

NT SHOCK HEATING

Restoration in the laboratory of the effects of kinetic heating on the structure of the Concorde aircraft p0216 A74-22670

Laboratory simulation of kinetic heating effects on the structure of Concorde aircraft --- using infrared radiation facility p0237 N74-17760

KINETICS

NT KINETIC ENERGY

NT REACTION KINETICS

NT VARIABLE MASS SYSTEMS

KIRCHHOFF-HELMHOLTZ FLOW

U PIPE FLOW

KIRCHHOFF-HUYGENS PRINCIPLE

U WAVE PROPAGATION

KITE BALLOONS

U TETHERED BALLOONS

KU BAND

U SUPERHIGH FREQUENCIES

L

L BAND

U ULTRAHIGH FREQUENCIES

L-1011 AIRCRAFT

Conventional take-off and landing --- Tristar aircraft operations and traffic trends p0078 A74-14503

L-1011 upkeep [SAE PAPER 730883] p0123 A74-17532

New jumbo jets must speak in whispers - Certifying the Lockheed 1011 p0125 A74-17856

L-1011 Iron Bird uncovers potential hydraulic troubles --- aircraft reliability tests p0319 A74-30625

L-1011 secondary power systems - Design and function [SAE PAPER 740466] p0351 A74-35004

Effect of yaw damper on lateral gust loads in design of the L-1011 transport p0353 N74-25551

The Lockheed L-1011 Tristar fatigue and fail-safe development program p0366 N74-26462

LABELING (MARKING)

U MARKING

LACQUERS

LACQUERS

The response of aircraft camouflage lacquers to thermal radiation. Part 2; 6000 degrees K radiator and 800 ft/sec air flow [AD-776884] p0361 N74-26078

LAMINAR BOUNDARY LAYER
Nonlinear stability theory of the boundary layer p0007 A74-11155
Prevention of transition over a backward step by suction --- laminar boundary layer control p0013 A74-11339
Investigation of heat transfer at the surface of a two-step wedge in supersonic flow p0070 A74-13188
Control of laminar flow past a wing in free flight p0086 A74-15567
Transonic laminar viscous-inviscid interaction over airfoils p0340 A74-33177
[AIAA PAPER 74-600]
Laminar viscous-inviscid interactions at transonic speeds p0425 A74-38622
Laminar stall prediction and estimation of the maximum lift coefficient p0477 A74-44418
Control of supersonic wind-tunnel noise by laminarization of nozzle-wall boundary layer [NASA-TN-X-2879] p0062 N74-11119

LAMINAR BOUNDARY LAYER SEPARATION
U LAMINAR BOUNDARY LAYER

LAMINAR FLAMES
U FLAMES
U LAMINAR FLOW

LAMINAR FLOW
NT STRATIFIED FLOW
Control of laminar flow past a wing in free flight p0086 A74-15567
Drag of streamline solids of revolution (transition at nose) [ESDU-EODIES-02.04.01-AMEND-A] p0045 N74-10311
A streamline curvature method for design of supercritical and subcritical airfoils [NASA-TN-D-7770] p0470 N74-32416

LAMINAR FLOW CONTROL
U BOUNDARY LAYER CONTROL
U LAMINAR BOUNDARY LAYER

LAMINAR HEAT TRANSFER
A simplified method for studying the aerodynamic heating of axisymmetric bodies at an angle of attack p0029 A74-12441
Laminar heat transfer on sharp and blunt ten-degree cones in conical and parallel low-density flow --- measurements in hypersonic wind tunnels [AD-765546] p0053 N74-10869

LAMINAR JETS
U JET FLOW
U LAMINAR FLOW

LAMINAR WAKES
Inviscid wake-airfoil interaction on multielement high lift systems p0127 A74-18143

LAMINATED MATERIALS
U LAMINATES

LAMINATES
The state of application of composite materials in aeronautics p0072 A74-13364
Laminated metallic structure - An approach to fracture control p0083 A74-14754
Effective methods for fabrication of large polyimide-matrix aircraft components p0084 A74-14780
Experimental and theoretical investigation of BT-S/EMB-PI composites for application to advanced aircraft engines --- High-Tip-Speed/Polymerization of Monomeric Reactant p0228 A74-24868
Adhesively bonded laminated metal structure [SAE PAPER 740259] p0274 A74-27510
Glass windshields for wide bodied aircraft p0348 A74-34884
Titanium structural brazing p0480 A74-45260
Brazed titanium fail-safe structures p0480 A74-45261

SUBJECT INDEX

Design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-767242] p0107 N74-12739
Transparent fire resistant polymeric structures [NASA-CASE-ARC-10813-1] p0193 N74-16249
Effect of adhesive on the impact resistance of laminated plastics for windshield applications [AD-769735] p0193 N74-16259
Report on the Conference on Transparent Aircraft Enclosures [AD-769372] p0199 N74-16755
A design analysis of CH-54B main rotor hub fabricated from composite materials [AD-774270] p0300 N74-20689
Graphite-polyimide composite for application to aircraft engines [NASA-TN-D-7698] p0370 N74-27412
Development of a graphite horizontal stabilizer --- flight control surface for A-4 aircraft [AD-782646] p0491 N74-33473

LAMINATIONS
U LAMINATES

LAND USE
Maplin - Planning aspects and their influence on airport design p0079 A74-14510
Criteria for the siting of major airports p0080 A74-14516
The role of local planning authorities in relation to the siting and development of airports p0080 A74-14517
An innovative approach to airport planning p0127 A74-18099
The economic utilisation of resources through aviation --- manhours, land and fuel p0381 A74-36321

LANDFORMS
NT MOUNTAINS
NT SIERRA NEVADA MOUNTAINS (CA)

LANDING
NT AIRCRAFT LANDING
NT BLIND LANDING
NT CRASH LANDING
NT TOUCHDOWN
NT VERTICAL LANDING

LANDING AIDS
NT AIRPORT BEACONS
NT AIRPORT LIGHTS
NT ALL-WEATHER LANDING SYSTEMS
NT APPROACH INDICATORS
NT ARRESTING GEAR
NT AUTOMATIC LANDING CONTROL
NT INSTRUMENT LANDING SYSTEMS
NT LANDING INSTRUMENTS
NT MICROWAVE LANDING SYSTEMS
NT RUNWAY LIGHTS
The national Microwave Landing System p0169 A74-19317
Recent development in aircraft safety air traffic control and navigation p0208 A74-22628
The national microwave landing system /MLS/ [SAE PAPER 740345] p0307 A74-28726
Simulation and flight evaluation of a heads-up display for general aviation [SAE PAPER 740347] p0308 A74-28727
ICAO and the future landing system --- International Civil Aviation Organization p0311 A74-29252
Recommended design procedure for VASI-2 systems --- Visual Approach Slope Indicator as landing aid p0392 A74-37341
An operational look at the two-segment approach --- for aircraft noise reduction [AIAA PAPER 74-979] p0428 A74-38738
Analysis and design of a capsule landing system and surface vehicle control system for Mars exploration [NASA-CR-136069] p0059 N74-11077
Ground lighting equipment --- landing aids [NASA-TT-F-15176] p0060 N74-11092
Visual landings in regional and local airports [NASA-TT-F-15177] p0060 N74-11093
Preliminary assessment of the microwave landing system requirements for STOL operations [NASA-TN-X-62310] p0064 N74-11431
MLS program: Phase 2 p0102 N74-12631

SUBJECT INDEX

LANDING GEAR

The simulation and analysis of carrier landings using a nonlinear pilot model
[AD-767679] p0145 N74-13747

Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.1: Technique analysis program
[FAA-RD-73-166-VOL-1.1] p0150 N74-14340

Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 2: Post TACD development plan
[FAA-RD-73-166-VOL-1.2-BK-2] p0150 N74-14342

Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.1, Book 1: Compilation of critical technical area reports
[FAA-RD-73-166-VOL-3.1-BK-1] p0150 N74-14343

Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.1, Book 2: Compilation of critical technical area reports
[FAA-RD-73-166-VOL-3.1-BK-2] p0151 N74-14344

User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system
[AD-768049] p0151 N74-14361

Simplified Visual Approach Slope Indicator (VASI) --- operation test and evaluation
[AD-767901] p0151 N74-14362

Drop and static tests on a tenth-scale model of an Air Cushion Landing System (ACLS)
[AD-770026] p0198 N74-16742

Study of reverse-flow characteristics of a tip fan and an ejector --- for application to air cushion landing system
[AD-770080] p0198 N74-16744

Two dimensional air cushion landing system peripheral jet confirmation study
[AD-771616] p0237 N74-17761

Nuclear instrument landing system
[SAN-828-2] p0288 N74-20232

Microwave landing system (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation
[AD-773223] p0288 N74-20233

An experimentally based prediction of the static performance in the vertical direction of an air cushion landing system
[AD-774387] p0300 N74-20685

Static two dimensional performance of a cushion fed air cushion landing system
[AD-774394] p0300 N74-20686

Landing rates for mixed STOL and CTOL traffic
[NASA-TN-D-7666] p0304 N74-21290

Display requirements for the final approach and landing phase of an EPV mission
[NASA-TN-X-62346] p0354 N74-25561

Evaluation of the lidar technique of determining slant range visibility for aircraft landings operations
[AD-776054] p0358 N74-25596

Optimal control aircraft landing analysis
[AD-776316] p0358 N74-25601

Microwave landing system integration study. Volume 1: Summary report
[AD-775703] p0361 N74-26149

Flight path control equipment for producing curved flight path profiles with microwave landing systems
[NASA-TT-F-15608] p0361 N74-26150

Microwave landing system integration study. Volume 3: Appendices
[AD-775724] p0361 N74-26155

Automation of the landing control of aircraft --- radio equipment for establishing landing approach
[AD-777174] p0369 N74-26491

Optimal control aircraft landing analysis
p0412 N74-28497

A STOL terminal area navigation system
[NASA-TN-X-62348] p0444 N74-30095

LANDING GEAR

Various mechanisms applied to the Concorde main landing gear p0178 A74-20548

Flight test of the ski equipped Mohawk p0184 A74-21820

Fluid power for aircraft: Modern hydraulic technology /2nd edition/ p0214 A74-23376

Response speed of a correlator in an extremal system for aircraft wheel braking p0213 A74-24022

Drop testing naval aircraft and the VSD landing gear dynamic test facility [AIAA PAPER 74-343] p0263 A74-26658

Summary of the air cushion landing system on the de Havilland Buffalo aircraft p0316 A74-30142

Random vibration of aircraft undercarriages with nonlinear characteristics p0321 A74-31705

Modern landing gear for aircraft --- including combat, STOL, executive and transport aircraft p0335 A74-31892

MRCAs systems and related equipment - Landing gear p0337 A74-32635

ACLS for a commercial transport --- Air Cushion Landing System [SAE PAPER 740452] p0349 A74-34984

VPW 614 hydraulics p0375 A74-35359

Suction braking --- in air cushion landing system aircraft [AIAA PAPER 74-968] p0428 A74-38733

Crashworthy landing gear study --- to establish energy-absorbing design criteria applicable to rotary wing aircraft [AD-765489] p0042 N74-10060

Lateral distribution of aircraft traffic --- application to pavement design criteria for aircraft with complex landing gear [AD-765435] p0045 N74-10304

Service loads on nose landing gears of the F-104 airplane --- by statistical analysis [LBF-TB-103/1972] p0056 N74-10924

STOL tactical aircraft investigation. Volume 6: Air cushion landing system study [AD-766644] p0058 N74-10940

Model studies of crosswind landing-gear configurations for STOL aircraft p0066 N74-11680

STOL tactical aircraft investigation. Volume 6: Air cushion and ground mobility study [AD-767300] p0143 N74-13736

Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft [AD-769041] p0163 N74-14779

Two dimensional air cushion landing system peripheral jet configuration study [AD-769494] p0191 N74-15729

Aircraft antiskid analysis verification and refinement [AD-770300] p0198 N74-16749

STOL tactical aircraft investigation-externally blown flap. Volume 6: Air cushion landing system trade study [AD-770448] p0199 N74-16753

Aircraft accident report: Overseas National Airways, Inc., McDonnell Douglas, DC-8-63, N863F, Bangor, Maine, 20 June 1973 --- takeoff accident caused by failure of right main landing gear tire [NTSB-AAR-74-1] p0235 N74-17748

Determination of the forces in the kinematic pairs of a landing gear mechanism [AD-773877] p0285 N74-19678

Prediction of aircraft ground performance by evaluation of ground vehicle rut depths [AD-775744] p0330 N74-22689

Ground loads on the nose undercarriage of the F-104G aircraft [RAE-LIB-TRANS-1744] p0406 N74-27494

Brake control system modification, augmentor wing Jet STOL Research Airplane (AWJSRA) [NASA-CR-137530] p0441 N74-29374

Bonded composite to metal scarf joint performance in an aircraft landing gear drag strut --- for Boeing 747 aircraft [NASA-TN-X-71995] p0467 N74-31504

LANDING INSTRUMENTS

LANDING INSTRUMENTS

NT APPROACH INDICATORS

Uses of a visual landing system in primary flight training

p0082 A74-14599

Safety during automatic landing with poor visibility

p0178 A74-20422

Objectives for interim military landing systems

p0220 A74-22689

Use of methods based on compound control theory in landing-phase control of an aircraft

p0221 A74-24017

The Instrument Landing System for category I, II, and III operation

p0268 A74-27210

The 'Materik' instrument landing system --- for course and glide path determination

p0338 A74-33091

An exploratory simulation study of a head-up display for general aviation lightplanes

p0097 A74-11837

LANDING LOADS

An analytic approximate calculation of the nonlinear landing impact motions and loads on aircraft with both rigid and elastic wing structure

p0120 A74-17185

Calculation and observance of landing parameters for the aircraft IL-62 and their effect on the safety factor

p0185 A74-22270

Design of optimum structures to impulse type loading

p0263 A74-26659

Shipboard operations of Harrier

p0320 A74-30823

Service loads on nose landing gears of the F-104 airplane --- by statistical analysis

p0056 A74-10924

LANDING SIMULATION

Evaluation of V/STOL research aircraft design --- landing approaches, propulsion/control, piloted moving base simulator

p0016 A74-11557

Simulation of the landing and take-off of a VTOL aircraft on a ship in a random sea

p0209 A74-22803

A simulator of wind gust disturbances

p0213 A74-24024

A study of vertical motion requirements for landing simulation

p0260 A74-25971

Piloted power approach simulation

p0347 A74-34853

Closed loop analysis of manual flare and landing --- aircraft maneuvers simulation

p0401 A74-37833

[AIAA PAPER 74-834]

Microwave landing system requirements for STOL operations

p0430 A74-38751

Proposal for a visual system of simulating a landing --- pilot training with televised display of simulated landing environment

p0111 A74-13423

[FOA-2-C-2509-E4]

LANDING SITES

Model study of C-5A landings on AM2 landing mat

p0109 A74-12970

Selection of landing fields --- for group disposition aircraft and helicopters

p0287 A74-19894

Airfield erosion control for C-5A aircraft operations

p0301 A74-20904

C-130 landing on XM-18B landing mat, Oak Grove Auxiliary Air Field, North Carolina

p0328 A74-21910

A wind model for an elevated STOL-port configuration

p0418 A74-28734

[NASA-CR-2450]

LANDING SPEED

A data reduction method for landing performance tests

p0320 A74-30821

Another look at landing and stopping criteria

p0427 A74-38722

Considerations for STOL landing ground rules

p0429 A74-38750

[AIAA PAPER 74-996]

LANDING SYSTEMS

U LANDING AIDS

LANDSCAPE

U TOPOGRAPHY

SUBJECT INDEX

LANGHUIR PROBES

U ELECTROSTATIC PROBES

LANGUAGES

NT FORTRAN

NT PROGRAMMING LANGUAGES

LAP JOINTS

Evaluation of methods for reducing fretting fatigue damage in 2024-T3 aluminum lap joints

p0117 A74-16696

LARGE SCALE INTEGRATION

The future of avionics --- large scale integration and digital systems

p0399 A74-37786

LASER COMMUNICATION

U OPTICAL COMMUNICATION

LASER DOPPLER VELOCIMETERS

A two-component laser Doppler velocimeter for periodic flow fields

p0267 A74-26916

Laser velocimeter measurements of the helicopter rotor-induced flow field

p0387 A74-36614

[AHS PREPRINT 800]

Axial flow measurements in trailing vortices

p0425 A74-38626

Turbulence measurements with a laser Doppler velocimeter

p0062 A74-11129

[AD-766781]

LASER OUTPUTS

Two-color dual-beam backscatter laser Doppler velocimeter

p0076 A74-14093

LASER RADAR

U OPTICAL RADAR

LASER RANGER/TRACKER

Lasers - Ranger and marked target seeker

p0118 A74-16756

LASERS

NT ARGON LASERS

NT CARBON DIOXIDE LASERS

Use of laser-powered optical proximity probe in advanced turbofan engine development

p0278 A74-28303

LASV

U F-111 AIRCRAFT

LATERAL CONTROL

F-15 progress report. II --- with emphasis on flight test status and control characteristics

p0171 A74-19489

Digital adaptive model following control --- for lateral aircraft dynamics

p0183 A74-21338

Optimally fast-acting control of aircraft roll in the presence of constraints on the angle of

p0389 A74-36634

aileron deflection and the deflection rate

Spoilers for roll control of light airplanes

p0401 A74-37850

[AIAA PAPER 74-861]

Performance bound of an aircraft lateral control system using the microwave scanning beam landing

p0433 A74-39485

system

On-line two-level gust alleviation control system for aircraft in an unknown environment

p0433 A74-39495

Lateral control and sailplane design

considerations to optimize altitude gain while thermalling

p0454 A74-42032

[AIAA PAPER 74-1004]

Analysis and experimental studies of the control of hang gliders

p0455 A74-42045

[AIAA PAPER 74-1030]

Fluidic emergency roll control system --- for emergency aircraft control following failure of

p0040 A74-10048

primary roll control system

Model support roll balance and roll coupling --- design of wind tunnel model support mechanism

p0066 A74-11681

The design of an optimal adaptive lateral-directional flight control system for a

p0095 A74-11824

high-performance aircraft

Study and stabilization of lateral motion of modern transport aircraft --- by damping in yaw

p0330 A74-22684

control

LATERAL OSCILLATION

Note on the aerodynamic theory of oscillating T-tails. II

LATERAL STABILITY

p0204 A74-24058

Multi-surface system for the CCV B-52 --- Control Configured Vehicles
[AIAA PAPER 74-126] p0135 A74-18851

An investigation of the rolling stability derivatives of a T-tail fighter configuration at high angles-of-attack p0347 A74-34852

An experimental investigation of STOL lateral-directional flying qualities and roll control power requirements using the variable stability X-22A aircraft
[AHS PREPRINT 841] p0385 A74-36592

Status of design criteria for predicting departure characteristics and spin susceptibility --- of aircraft
[AIAA PAPER 74-791] p0399 A74-37811

Stability derivative. Contribution of full-span dihedral to rolling moment due to sideslip
[ESSU-AIRCRAFT-06.01.03-AMEND-A-] p0093 N74-11805

Estimates of the lateral-directional stability derivatives of a helicopter from flight measurements
[NRC-13882] p0283 N74-19662

Effect of trailing-edge flap deflection on the lateral and longitudinal stability characteristics of a supersonic transport model having a highly-swept arrow wing
[NASA-TN-X-71936] p0295 N74-20652

Lateral static and dynamic aerodynamic parameters of the Kestrel aircraft (XV-6A) extracted from flight data
[NASA-TN-D-7455] p0297 N74-20666

Lateral-directional stability characteristics of a wing-fuselage configuration at angles of attack up to 44 deg
[NASA-TN-X-3087] p0463 N74-31421

The lateral/directional stability characteristics of a four-propeller tilt-wing V/STOL model in low-speed steep descent
[NASA-TN-X-70242] p0472 N74-32439

LATERALITY

U LATERAL STABILITY

LATERALIZATION

U LATERAL CONTROL

LATTICES (MATHEMATICS)

Extension of a vortex-lattice method to include the effects of leading-edge separation
p0204 A74-23332

LAUNCHERS

NT AIRCRAFT LAUNCHING DEVICES

NT CATAPULTS

NT ROCKET CATAPULTS

NT ROCKET LAUNCHERS

LAW (JURISPRUDENCE)

NT INTERNATIONAL LAW

NT LEGAL LIABILITY

NT SPACE LAW

The German law for protection against the noise of aircraft p0128 A74-18265

Noise limit values in the case of aircraft --- under German law
[DGLR PAPER 74-015] p0270 A74-27363

State versus federal regulation of commercial aeronautics p0307 A74-28572

Noise limit values of aircraft
[DGLR-PAPER-74-015] p0368 N74-26482

LAWS

NT SCALING LAWS

NT SIMILITUDE LAW

LEADING EDGE SLATS

An inviscid analysis of transonic, slatted airfoils
[AIAA PAPER 74-541] p0339 A74-33137

Flight testing the Fokker F28 with advanced wing
[AIAA PAPER 74-944] p0426 A74-38717

Process and device for adaptation of sharp leading edge airfoils to any speed, subsonic or supersonic
[NASA-TT-P-15569] p0323 N74-21631

LEADING EDGES

NT SHARP LEADING EDGES

On the flow around the leading edge of a lifting airfoil
[ONERA, TP NO. 1294] p0005 A74-10996

Numerical investigation of vortex sheets issuing from a separation line near the leading edge
p0128 A74-18289

Extension of a vortex-lattice method to include the effects of leading-edge separation
p0204 A74-23332

Stall flutter of a thin aerofoil with leading edge separation p0374 A74-35269

Calculation of the surface of a minimum-drag wing with a shock-free leading edge p0390 A74-36818

The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation
[NASA-CR-2344] p0036 N74-10019

Effects of increased leading-edge thickness on performance of a transonic rotor blade --- in single stage transonic compressor
[NASA-TN-D-7489] p0037 N74-10025

Quasi homogeneous approximations for the calculation of wings with curved subsonic leading edges flying at supersonic speeds
[VTH-173] p0195 N74-16708

Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 1: Experimental research --- wind tunnel tests of jet fighter aircraft scale model
[AD-771290] p0232 N74-17710

Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation --- wind tunnel tests of jet fighter scale model
[AD-771304] p0232 N74-17711

A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges
[AD-772952] p0251 N74-18701

Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot
[NASA-TN-D-7474] p0283 N74-19665

The power profile - a new type of airfoil --- airfoil with blunt leading edge and two wall jets near the trailing edge
[AD-773655] p0286 N74-19690

A method for avoiding insect roughness on aircraft --- installation of highly elastic rubber coverings on leading edges
[NASA-TT-P-15454] p0324 N74-21646

Longitudinal static stability of vehicles with two lifting wings p0405 N74-27473

Effect of spanwise blowing on leading-edge vortex bursting of a highly swept aspect ratio 1.18 delta wing
[NASA-TN-X-71987] p0441 N74-29367

Additional studies, variable camber wing, phase 1
[AD-779041] p0443 N74-29396

Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds
[NASA-TN-R-428] p0493 N74-34459

LEAKAGE

Method of calculating the air tightness of the vacuum system in a turbine with a water - jet ejector
[BLL-CE-TRANS-5646-(9022.09)] p0110 N74-13136

Sealing technology for aircraft gas turbine engines
[NASA-TN-X-71607] p0475 N74-33229

LEARNING

NT TRANSFER OF TRAINING

LEAST SQUARES METHOD

A two-component statistical model for processing data from a rarefied-gas experiment p0204 A74-23572

On some problems related to the identification of aircraft parameters p0227 A74-24842

LED (DIODES)

U LIGHT EMITTING DIODES

LEGAL LIABILITY

Vortex cases - At a turbulent crossroads --- aircraft wakes and legal liability for accidents
p0126 A74-18097

Government responsibility for damages in airplane crash cases when weather is a factor p0126 A74-18098

The aftermath of a hijacking - Passenger claims and insurance

LEGENDRE CODE

SUBJECT INDEX

The expanding liability of air traffic controllers
p0127 A74-18101
p0307 A74-28573

LEGENDRE CODE U COMPUTER PROGRAMMING

LENGTS
Short haul aircraft adaptation to the use of short
landing fields
p0290 N74-20411

LEVEL (QUANTITY) NT EFFECTIVE PERCEIVED NOISE LEVELS

LIABILITIES NT LEGAL LIABILITY

LIDAR U OPTICAL RADAR LIFE (DURABILITY) NT FATIGUE LIFE NT SERVICE LIFE NT STORAGE STABILITY

LIFE BAPTS
Sea trials on inflatable flotation and survival gear
p0211 A74-23536

LIFE SUPPORT SYSTEMS

NT EMERGENCY LIFE SUSTAINING SYSTEMS
An approach to the design of integrated life
support systems for two new USAF aircraft
p0211 A74-23532
Confined space atmosphere purification unit ---
aircrew module to supercede protective clothing
p0212 A74-23550
Cockpit air filtration requirements of the B-1 in
a nuclear dust environment
[AD-766711] p0042 N74-10065
Integrated life support system: Design study
medium STOL transport
[AD-773589] p0285 N74-19683

LIFT

NT INTERFERENCE LIFT
NT JET LIFT
NT ROTOR LIFT
On the inviscid rolled-up structure of
lift-generated vortices
p0090 A74-15964
Exact method of designing airfoils with given
velocity distribution in incompressible flow
p0090 A74-15965
Minimum induced drag of a hemi-circular ground
effect wing
p0090 A74-15966
Aerodynamics of rotating disks --- drag and lift
in annular water tank
p0091 A74-16039
A method of designing supercritical lift profiles
[DGLR PAPER 73-081] p0120 A74-17187
Unsteady lift forces on highly cambered airfoils
moving through a gust
[AIAA PAPER 74-88] p0133 A74-18807
Compressibility effects in unsteady thin-airfoil
theory
p0177 A74-20298
Lift and moment for arbitrary power-law upwash in
oscillating subsonic unsteady thin-airfoil theory
p0204 A74-23227
Minimum induced drag of wings with given lift and
root-bending moment
p0259 A74-25747
Lift and moment prediction for an oscillating
airfoil with a moving separation point
[ASME PAPER 74-GT-28] p0272 A74-27426
Dolphin airship with undulatory-flow propulsion -
dynamic lift
p0338 A74-33096
A contribution to the nonlinear lift and pitching
moment properties of slender wing-body
combinations
p0373 A74-35098
Uniform asymptotic solutions for the
two-dimensional potential field about a slender
body
p0392 A74-37268
Computation of aerodynamic loads on helicopter
rotorblades in forward flight, using the method
of the acceleration potential
[ICAS PAPER 74-54] p0451 A74-41353
High lift characteristics of an airfoil placed in
a narrow channel
p0457 A74-43143
Unsteady lift and radiated sound from a wake
cutting airfoil

Prediction of unsteady airloads for oblique
blade-gust interaction in compressible flow
p0477 A74-44405
Laminar stall prediction and estimation of the
maximum lift coefficient
p0477 A74-44406
Optimization of lift and propulsion systems by the
method of singularities
p0477 A74-44418
Extremal centering and loading of horizontal tail
surfaces --- aircraft center of gravity position
relationship to lift
p0480 A74-45203
Conversion factor for profile drag increment for
part-span flaps
[ESDU-FLAPS-02.01.07-AMEND-A] p0035 N74-10002
Normal loads program for aerodynamic lifting
surface theory --- evaluation of spanwise and
chordwise loading distributions
[NASA-TM-X-62326] p0231 N74-17702
An alternative formulation of the lifting line
wing equation and its solution
[AD-771981] p0232 N74-17719
An experimental analysis and buffet investigation
of the shockless lifting airfoil no. 1 ---
aerodynamic characteristics of off-design
configurations at several Mach numbers
[AD-772727] p0247 N74-18668
Potential flow studies of lift-fan inflow
interference phenomena --- numerical analysis of
potential flows associated with inlet ducts
[AD-773194] p0255 N74-18949
Aerodynamic interference between fuselage and
lifting jets emerging from its lower part ---
effect of two high velocity lifting jets on
induced lift and pitching moments
p0290 N74-20413
Aerodynamics of channel and ring wings ---
development of deflected streamtube theory and
lifting arc theory for channel wings
p0295 N74-20648
Low speed aerodynamic characteristics of NACA 6716
and NACA 4416 airfoils with 35 percent-chord
single-slotted flaps --- low turbulence pressure
tunnel tests to determine two dimensional lift
and pitching moment characteristics
[NASA-TM-X-2623] p0323 N74-21634
On the use of thick-airfoil theory to design
airfoil families in which thickness and lift are
varied independently
[NASA-TM-D-7579] p0323 N74-21635
Aircraft lift and drag prediction and measurement
p0364 N74-26449
Investigation of the static lift capability of a
low-aspect-ratio wing operating in a powered
ground-effect mode
[NASA-TM-X-3031] p0412 N74-28483
Effect of cut-out on lift-curve slope --- on wings
and tailplanes
[ESDU-WINGS-01.01.04-AMEND-A] p0487 N74-33425
Improvements to the kernel function method of
steady, subsonic lifting surface theory
[NASA-TM-X-62327] p0487 N74-33429
LIFT AUGMENTATION
Noise generation and the design of bypass lift jet
engines
p0005 A74-10984
Theoretical and experimental study of boundary
layer blowing at the hinge of a lift-augmenting
flap
[ONERA, TP NO. 1367] p0422 A74-38311
High-lift aerodynamics /37th Wright Brothers
Lecture/ --- lift limits and economics
[AIAA PAPER 74-939] p0426 A74-38714
Powered lift for longer field lengths and longer
missions --- for aircraft
[SAE PAPER 740502] p0433 A74-39650
Transonic lift augmentation of two-dimensional
supercritical aerofoils by means of aft camber,
slot blowing and jet flaps, in high Reynolds
number flow
[ICAS PAPER 74-11] p0448 A74-41313
YC-15 powerplant system design and development
[AIAA PAPER 74-973] p0453 A74-41658
The quest for high-lift --- airfoil design
[AIAA PAPER 74-1018] p0454 A74-42039
A quasi-vortex-lattice method in thin wing theory
p0477 A74-44417

SUBJECT INDEX

LIFT DEVICES

- Ejector-powered lift systems for V/STOL aircraft
p0483 A74-46237
- Application of boundary layer control by
tangential blowing of a jet over trailing edge
flaps
p0484 A74-46691
- Use of the Magnus effect for large augmentation of
wing lift on modern aircraft during takeoff and
landing
p0485 A74-46715
- Lift coefficient increment due to full-span split
flap: Flap chord 0.15c
[ESDU-FLAPS-01.01.05-AMEND-A] p0035 N74-10003
- Exploratory investigation at Mach numbers from
0.40 to 0.95 of the effects of jets blown over a
wing
[NASA-TN-D-7367] p0036 N74-10014
- Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine
[NASA-TN-X-71466] p0039 N74-10042
- Acoustic characteristics of a large-scale
augmentor wing model at forward speed
[NASA-TN-X-2940] p0041 N74-10052
- Noise tests on an externally blown flap with the
engine in front of the wing
[NASA-TN-X-2942] p0094 N74-11813
- STOL tactical aircraft investigation. Volume 4:
Analysis of wind tunnel data: Vectored
thrust/mechanical flaps and internally blown jet
flaps --- for transport aircraft configuration
[AD-766641] p0098 N74-11846
- STOL tactical aircraft investigation, externally
blown flap. Volume 1: Configuration
definition. Supplement 1: Aerodynamic trades of
flap and roll control system
[AD-767179] p0145 N74-13754
- STOL tactical aircraft investigation, externally
blown flap. Volume 3: Performance methods and
landing rules
[AD-767180] p0146 N74-13755
- STOL tactical aircraft investigation, externally
blown flap. Volume 5, part 1: Control system
mechanization trade studies
[AD-767181] p0146 N74-13756
- STOL tactical aircraft investigation, externally
blown flap, Volume 5, part 3: Stability and
control derivative accuracy requirements and
effects of augmentation system design
[AD-767182] p0146 N74-13757
- Acoustic characteristics of a large-scale wind
tunnel model of an upper-surface blown flap
transport having two engines
[NASA-TN-X-62319] p0189 N74-15719
- Theoretical and experimental investigations of
vortex lift control by spanwise blowing. Volume
1: Experimental research --- wind tunnel tests
of jet fighter aircraft scale model
[AD-771290] p0232 N74-17710
- Theoretical and experimental investigations of
vortex lift control by spanwise blowing. Volume
2: Three-dimensional theory for vortex-lift
augmentation --- wind tunnel tests of jet
fighter scale model
[AD-771304] p0232 N74-17711
- Experimental study of a wing profile with Fowler
flaps and slats --- development of theory for
flow conditions during takeoff and landing
[NASA-TT-P-15370] p0235 N74-17747
- Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 1: Static
testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752
- Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 2:
Small-scale development testing of augmentor
wing critical ducting components
[NASA-CR-114623] p0236 N74-17753
- STOL tactical aircraft investigation: Externally
blown flap. Volume 1: Configuration definition
[AD-772738] p0251 N74-18697
- Wind tunnel investigation of a large-scale
semispan model with an unswept wing and an
upper-surface blown jet flat
[NASA-TN-D-7526] p0283 N74-19663
- Investigation of the relative merits of different
power plants for STOL-aircraft with blown flap
application --- analysis of design requirements
for self-sustained gas supply systems
p0289 N74-20406
- A theoretical and experimental investigation of
the external-flow, jet-augmented flap ---
development of semi-empirical method for
predicting performance characteristics
p0290 N74-20407
- The development of an integrated propulsion system
for jet STOL flight research --- performance
tests of augmentor-wing powered lift concept
p0292 N74-20429
- Preliminary static tests of a simulated
upper-surface blown jet-flap configuration
utilizing a full-size turbofan engine
[NASA-TN-X-71931] p0294 N74-20638
- Acoustic loads on an externally blown flap system
due to impingement of a TF-34 jet engine exhaust
[NASA-TN-X-71950] p0295 N74-20651
- Pressure distribution of a twin-engine
upper-surface blown jet-flap model --- wind
tunnel tests to determine chordwise and spanwise
pressure distributions
[NASA-TN-X-71937] p0296 N74-20655
- Free-flight wind tunnel investigation of a
four-engine sweptwing upper-surface blown
transport configuration
[NASA-TN-X-71932] p0296 N74-20656
- Ejector blown lift/cruise flap wind tunnel
investigation
[AD-777181] p0363 N74-26430
- A review of the low speed aerodynamic
characteristics of aircraft with powered lift
systems
p0364 N74-26448
- Effect of ground proximity on the longitudinal
aerodynamic characteristics of an aspect-ratio-1
wing with and without wing-tip blowing
[NASA-TN-X-3048] p0412 N74-28475
- Static noise tests on augmentor wing jet STOL
research aircraft (C8A Buffalo)
[NASA-CR-137520] p0489 N74-33455
- Flight-path and airspeed control during landing
approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 N74-34481
- LIFT COEFFICIENTS**
U AERODYNAMIC COEFFICIENTS
U LIFT
- LIFT DEVICES**
Derivation of aerodynamic kernel functions
p0004 A74-10572
- Flap noise prediction method for a powered lift
system
[AIAA PAPER 73-1028] p0006 A74-11051
- Reynolds number effects at low speeds on the
maximum lift of two-dimensional aerofoil
sections equipped with mechanical high lift
devices
p0075 A74-13842
- Transonic flow past lifting airfoils
p0085 A74-14989
- On the modes of icing of symmetrical lifting
surfaces
p0136 A74-18987
- Flexible lifting surfaces --- in steady inviscid
compressible flow
p0173 A74-19684
- Aerodynamic problems of the short takeoff and
landing aircraft
[ONERA, TP NO. 1247] p0226 A74-25062
- Hypersonic flow past a lifting wing
p0312 A74-29437
- Low-speed aerodynamic characteristics of a
13.1-percent-thick, high-lift airfoil
[SAE PAPER 740366] p0345 A74-34800
- Propulsion system sizing for powered lift and
mechanical flap quiet aircraft
[SAE PAPER 740455] p0349 A74-34983
- Propulsion integration for a hybrid
propulsive-lift system
[SAE PAPER 740471] p0351 A74-35002
- High lift testing in closed wind tunnels
[AIAA PAPER 74-641] p0376 A74-35405
- Effects of Reynolds number on swept-wing-body
configurations with high lift devices at
transonic speeds
[ICAS PAPER 74-05] p0447 A74-41307

LIFT DISTRIBUTION

SUBJECT INDEX

- Experimental study of viscous flow on multiple element airfoils
[ICAS PAPER 74-46] p0451 A74-41346
- The quest for high-lift --- airfoil design
[AIAA PAPER 74-1018] p0454 A74-42039
- A buoyant tornado-probe concept incorporating an inverted lifting device --- and balloon combination
[NASA-TN-D-7335] p0047 A74-10584
- Geometry program for aerodynamic lifting surface theory
[NASA-TN-X-62309] p0093 A74-11810
- Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices
p0113 A74-13674
- STOL tactical aircraft investigation, externally blown flap. Volume 3: Performance methods and landing rules
[AD-767180] p0146 A74-13755
- Work unit 08 (V/STOL aerodynamics) --- low speed aerodynamics and fan-in-wing
[AD-771811] p0232 A74-17718
- A numerical vortex box technique for calculations in lifting surface theory
p0244 A74-18642
- Interfering lifting surfaces in unsteady subsonic flow: Comparison between theory and experiment
[AGARD-R-614] p0246 A74-18654
- Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap
[NASA-CR-114758] p0412 A74-28479
- Static noise tests on augmentor wing jet STOL research aircraft (C8A Buffalo)
[NASA-CR-137520] p0489 A74-33455
- LIFT DISTRIBUTION**
U FORCE DISTRIBUTION
U LIFT
- LIFT DRAG RATIO**
Theory of hypersonic flow about a wing
p0025 A74-12205
- Trimmed drag and maximum flight efficiency of aft tail and canard configurations
[AIAA PAPER 74-69] p0134 A74-18813
- The heat flux to a waverider of simple configuration and its L/D ratio
p0384 A74-36571
- The quest for high-lift --- airfoil design
[AIAA PAPER 74-1018] p0454 A74-42039
- An evaluation of sailplane drag coefficient parameters from flight test results
[AIAA PAPER 74-1020] p0454 A74-42041
- An analysis of the impact of cabin floor angle restrictions on L/D for a typical supersonic transport
[NASA-CR-132508] p0494 A74-34469
- LIFT FANS**
Integrated propulsion systems for V/STOL transports
[ASME PAPER 74-GT-118] p0273 A74-27486
- Conceptual design of a lift fan plus lift/cruise fighter aircraft
[AIAA PAPER 74-969] p0428 A74-38734
- Crossflow-induced flow distortion and its influence on the performance of a vertical axis lifting fan
[ME-73-4] p0438 A74-40303
- Remote lift fan study program, volume 4
[NASA-CR-121277] p0040 A74-10049
- Q-FANSTM for general aviation aircraft
[NASA-CR-114665] p0142 A74-13726
- Integrated propulsion/energy transfer control systems for lift-fan V/STOL aircraft --- reduction of total propulsion system and control system installation requirements
p0291 A74-20416
- Thrust performance of podded lift-fans in crossflow --- effect of increasing cross flow velocity on thrust deterioration
p0291 A74-20420
- Acoustic tests on a fan-in-wing model: Effects of an extended inlet
[NRC-13898] p0442 A74-29376
- Conceptual design studies of lift/cruise fans for military transports
[NASA-CR-134636] p0444 A74-30239
- V/STOL lift fan commercial short haul transports: Continuing conceptual design study
- [NASA-CR-2437] p0467 A74-31495
- LIFT FORCES**
U LIFT
- LIFTING BODIES**
NT HL-10 REENTRY VEHICLE
The lifting surface theory applied to fixed wings and propellers.
[ONERA, TP NO. 1298] p0005 A74-10999
- Structure of Betz vortex cores
p0090 A74-15970
- Relaxation methods for transonic flow about wing-cylinder combinations and lifting swept wings
p0118 A74-16951
- Lifting-surface theory for an oscillating T-tail
p0119 A74-17012
- Nonlinear airfoil theory with allowance for ground effects --- for aerodynamic interference problems solution
p0121 A74-17270
- Transonic flow about lifting wing-body combinations
[AIAA PAPER 74-185] p0133 A74-18812
- On the modes of icing of symmetrical lifting surfaces
p0136 A74-18987
- Flexible lifting surfaces --- in steady inviscid compressible flow
p0173 A74-19684
- Subsonic potential aerodynamics for complex configurations - A general theory
p0177 A74-20280
- Maximum likelihood identification of aircraft stability and control derivatives
p0209 A74-23327
- A method of obtaining transonic shock-free flow around lifting aerofoils
p0205 A74-24061
- Lifting surface problems analysis --- by finite element method
p0223 A74-24473
- Case studies in Aircraft Parameter Identification
p0225 A74-24840
- An oscillatory kernel function method for lifting surfaces in mixed transonic flow
[AIAA PAPER 74-359] p0264 A74-26669
- Suppression of flutter on interfering lifting surfaces by the use of active controls
[AIAA PAPER 74-404] p0266 A74-26703
- On calculation of induced drag and conditions downstream of a lifting wing
p0275 A74-27846
- Application of unsteady lifting surface theory to propellers in forward flight
[AIAA PAPER 74-419] p0276 A74-28169
- Some extensions of thin-shock-layer theory
p0279 A74-28419
- Minimum induced drag of non-planar ground effect wings with small tip clearance
p0279 A74-28421
- Investigation into and application of the high velocity circulation control wall jet for high lift and drag generation on STOL aircraft
[AIAA PAPER 74-502] p0338 A74-33102
- Nonlinear prediction of the aerodynamic loads on lifting surfaces
[AIAA PAPER 74-503] p0338 A74-33103
- Calculation of transonic gas flows past axisymmetric bodies and lifting wing profiles
p0390 A74-36826
- Application to rotary wings of a simplified aerodynamic lifting surface theory for unsteady compressible flow
p0394 A74-37494
- Hybrid heavy-lift vehicle under study --- airship-lifting body-conventional wing combination
p0421 A74-38140
- Finite element technique in lifting surface problems
p0432 A74-39344
- On lifting wings with parabolic tips
p0478 A74-44930
- Hypersonic aerodynamic characteristics of an all-body research aircraft configuration
[NASA-TN-D-7358] p0096 A74-11831
- Flutter computer program and lifting surface theory with boundary layer
[NASA-CR-136559] p0155 A74-14707
- Drag of lifting bodies for pilots at high altitude
p0157 A74-14731
- A numerical vortex box technique for calculations in lifting surface theory

SUBJECT INDEX

LIGHTING EQUIPMENT

- LIFTING REENTRY VEHICLES**
NT HL-10 REENTRY VEHICLE
LIFTING ROTORS
 A study of lifting rotor flapping response peak distribution in atmospheric turbulence p0210 A74-23329
 Effect of spanwise load-correlation on rotor blade flapping [AIAA PAPER 74-418] p0267 A74-26714
 Hingeless circulation control rotor blade design [AHS PREPRINT 813] p0388 A74-36622
 Theoretical studies of tone noise from a fan rotor [NASA-CR-2354] p0051 A74-10735
 Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 1 [NASA-CR-114707] p0160 A74-14755
 Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (identification of lifting rotor system parameters from transient response data), Phase 7-B [NASA-CR-114710] p0160 A74-14758
 Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (further experiments with progressing/regressing rotor flapping modes), Phase 7-C [NASA-CR-114711] p0160 A74-14759
 Control theory analysis of a three-axis VTOL flight director [NASA-TN-X-69960] p0248 A74-18676
- LIFTING SURFACES**
 U LIFT DEVICES
 U LIFTING BODIES
 U SURFACES
- LIGHT AIRCRAFT**
NT BEECHCRAFT 18 AIRCRAFT
NT CESSNA 172 AIRCRAFT
NT DO-28 AIRCRAFT
NT OH-6 HELICOPTER
NT PIPER AIRCRAFT
 Vehicle crashworthiness --- rotary wing, fixed wing light and transport aircraft p0124 A74-17776
 Structural analysis of light aircraft using NASTRAN [AIAA PAPER 74-257] p0130 A74-18664
 BD-5 flight test program report p0172 A74-19500
 The single-engine turboprop in the northern frontier p0185 A74-21821
 Quieter propellers for general aviation - Present situation, future outlook [DGLR PAPER 74-023] p0271 A74-27366
 A simplified criterion to certify light aircraft for flight in icing conditions [SAE PAPER 740349] p0308 A74-28729
 A study of light airplane pilot landing performance [SAE PAPER 740350] p0308 A74-28730
 Applications of fluidics to light aircraft instrumentation and control [SAE PAPER 740351] p0308 A74-28731
 Light aircraft crash safety program [SAE PAPER 740353] p0308 A74-28733
 The background to propeller airplane noise regulations [SAE PAPER 740361] p0309 A74-28738
 NASA, Langley Impact Dynamics Facility [SAE PAPER 740374] p0309 A74-28743
 Fuel system requirements for light aircraft turbocharged reciprocating engines [SAE PAPER 740382] p0309 A74-28747
 Response of a light airplane to ground induced vibration environment p0314 A74-29903
 General avionics progress p0318 A74-30592
 Hawker's new Hawk --- light training aircraft p0335 A74-31878
 Flight test results for an advanced technology light airplane wing [SAE PAPER 740368] p0345 A74-34801
 Failure analyses of aircraft accidents. I p0398 A74-37634
 A passive gust alleviation system for light aircraft [AIAA PAPER 74-773] p0399 A74-37798
 Spoilers for roll control of light airplanes [AIAA PAPER 74-861] p0401 A74-37850
- Evaluation of spoilers for light aircraft flight path control** p0434 A74-39867
Direct force control for light airplanes [AIAA PAPER 74-862] p0453 A74-41809
MSU Monoplane - A testbed for ultralight vehicle development [AIAA PAPER 74-1033] p0455 A74-42047
Investigation of the suction system and boundary-layer characteristics on a high-lift, BLC L-19 test aircraft [AD-766305] p0042 A74-10063
Methods and costs associated with outfitting light aircraft for remote sensing applications [NASA-TN-X-69938] p0236 A74-17754
Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot [NASA-TN-D-7474] p0283 A74-19665
Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft --- evaluation of gust alleviating aircraft control surfaces [NASA-TN-X-71921] p0296 A74-20657
Development of computer programs to determine the aerodynamic characteristics of complete light aircraft [NASA-CR-139690] p0487 A74-33426
- LIGHT ALLOYS**
NT ALUMINUM ALLOYS
NT BERYLLIUM ALLOYS
NT MAGNESIUM ALLOYS
 Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys p0228 A74-24297
 The use of chromium anodic protection /the BP 4 process/ for the detection of metallurgical anomalies in light alloys p0227 A74-25351
 New materials in the aerospace industries --- emphasizing heat resistant and light alloys p0342 A74-33682
- LIGHT COMMUNICATION**
U OPTICAL COMMUNICATION
LIGHT EMISSION
NT X RAY FLUORESCENCE
LIGHT EMITTING DIODES
 Present and future radar display techniques --- CRT, LED and liquid crystals for ATC applications p0028 A74-12382
 Solid state vertical scale instruments --- for aircraft light emitting diode displays p0267 A74-26965
- LIGHT SCATTERING**
 The light-scattering matrix and types of optical weather --- atmospheric aerosols, haze, fog, drizzle p0004 A74-10783
 Study of condensation phenomena in the ISL laser wind tunnel using light diffusion [ISL-RT-19/72] p0060 A74-11099
- LIGHT TRANSMISSION**
NT LIGHT SCATTERING
 Optical factors in aircraft windshield design as related to pilot visual performance --- effect on pilot vision in forward direction [AD-767203] p0106 A74-12733
- LIGHTHILL GAS MODEL**
 Introduction to aerodynamic noise theory p0025 A74-12207
- LIGHTHILL METHOD**
 On the theory of jet noise and its applications --- Lighthill theory [AIAA PAPER 73-987] p0026 A74-12218
 Jet noise - The state-of-the-art p0221 A74-22789
 On the flow field of a rapidly oscillating airfoil in a supersonic flow p0267 A74-26960
 Unified approach to aerodynamic sound generation in the presence of solid boundaries p0452 A74-41411
 On the noise from jets --- mathematical model based on modification of Lighthill theory p0329 A74-22655
- LIGHTING EQUIPMENT**
NT AIRPORT LIGHTS
NT RUNWAY LIGHTS

LIGHTNING

SUBJECT INDEX

- Ground lighting equipment --- landing aids
[NASA-TT-F-15176] p0060 N74-11092
- LIGHTNING**
- Lightning effects on general aviation aircraft
[FAA-SA-73-32(2)] p0039 N74-10040
- Lightning effects on general aviation aircraft
[FAA-BD-73-99] p0099 N74-12167
- Analysis and calculation of lightning-induced voltages in aircraft electrical circuits
[NASA-CR-2349] p0160 N74-14754
- Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages
[NASA-CR-2350] p0189 N74-15720
- A test technique for measuring lightning-induced voltages on aircraft electrical circuits
[NASA-CR-2348] p0195 N74-16716
- Papers presented at the Lightning and Static Electricity Conference (1972). Structure of lightning noise - especially above HF. Triggered lightning and its application to rockets and aircraft
[AD-771464] p0255 N74-19271
- LINEAR ARRAYS**
- Problems of long linear arrays in helicopter blades --- considering beams scanned by rotating blades
p0468 N74-31684
- A linear array of blade antennas as an aircraft antenna for satellite communication
p0469 N74-31686
- LINEAR EQUATIONS**
- A direct method for linear dynamical problems in continuum mechanics with random loads
p0070 A74-13164
- LINEAR FILTERS**
- BT KALMAN FILTERS**
- LINEAR SYSTEMS**
- Digital system identification and its application to digital flight control
p0342 A74-33768
- Steady state decoupling and design of linear multivariable systems
p0380 A74-36115
- Steady-state decoupling and design of linear multivariable systems
[NASA-CR-138815] p0409 N74-27715
- LINEARIZATION**
- Transonic flow past lifting airfoils
p0085 A74-14989
- LING-TRESCO-VOUGHT AIRCRAFT**
- NT A-7 AIRCRAFT
- NT F-8 AIRCRAFT
- NT IC-142 AIRCRAFT
- LININGS**
- NT ROCKET LININGS**
- Nonlinear acoustic phenomena in the presence of absorptive liners in circular ducts
p0315 A74-30090
- Finite-amplitude waves in cylindrical lined ducts
[AIAA PAPER 74-553] p0339 A74-33145
- Measurements of liner cooling effectiveness within a full scale double-annular ram-induction combustor
[NASA-TN-D-7689] p0362 N74-26389
- LIQUEFIED GASES**
- NT LIQUID HYDROGEN**
- NT LIQUID OXYGEN**
- Hydrogen-methane fuel control systems for turbojet engines
[NASA-CR-121247] p0193 N74-16493
- LIQUID COOLING**
- NT FILM COOLING**
- Heat transfer of a disk rotating in a casing --- cooling fluid flow in gas turbine engines
[NASA-TT-F-15199] p0101 N74-12572
- LIQUID CRYSTALS**
- Present and future radar display techniques --- CRT, LED and liquid crystals for ATC applications
p0028 A74-12382
- LIQUID DROPS**
- U DROPS (LIQUIDS)**
- LIQUID HYDROGEN**
- The case for hydrogen fueled transport aircraft
[AIAA PAPER 73-1323] p0012 A74-11315
- Hydrogen - Make-sense fuel for an American supersonic transport
[AIAA PAPER 74-163] p0169 A74-19353
- The case for hydrogen-fueled transport aircraft
p0312 A74-29452
- Fuel state - Expensive
p0377 A74-35496
- Prospects for liquid hydrogen fueled aircraft
[PR-37] p0295 N74-20647
- Preliminary performance appraisal of Navy V/STOL transport and search-type airplanes using hydrogen fuel
[NASA-TN-X-71550] p0363 N74-26435
- LIQUID INJECTION**
- NT WATER INJECTION**
- LIQUID METALS**
- RohrBond --- liquid interface diffusion bonding for Ti honeycomb core sandwich
p0083 A74-14741
- LIQUID OXYGEN**
- Test of LOI compatibility for asphalt and concrete runway materials
[NASA-TN-X-64086] p0059 N74-11091
- LIQUID PROPELLANT ROCKET ENGINES**
- NT HYDRAZINE ENGINES**
- NT J-2 ENGINE**
- LIQUID SLOSHING**
- Influence of sloshing in wing tip tanks on the vibration natural modes of an aircraft
[ICAS PAPER 74-15] p0448 A74-41317
- LIQUID SURFACES**
- Influence of the atmosphere in the fall of bodies into water
p0070 A74-13176
- Motion of vehicle with lifting airfoils over rippled water surface
[JPBS-62337] p0405 N74-27478
- LIQUID-GAS MIXTURES**
- NT AEROSOLS**
- NT FOG**
- LIQUIDS**
- NT HYDRAULIC FLUIDS**
- NT LIQUEFIED GASES**
- NT LIQUID HYDROGEN**
- NT LIQUID METALS**
- NT LIQUID OXYGEN**
- LITHIUM COMPOUNDS**
- Lithium soap dispersions as drag-reducing hydraulic fluids
[ASLE PREPRINT 73LC-5B-2] p0027 A74-12316
- LOAD DISTRIBUTION (FORCES)**
- Crack growth retardation under aircraft spectrum loads
p0218 A74-22501
- Dynamic model of a parachute and determination of its characteristics
p0389 A74-36635
- Preliminary weight estimation of canard configured aircraft
[SAWE PAPER 1015] p0435 A74-39885
- In-flight symmetrical maneuvers of a flight vehicle
p0484 A74-46697
- Calculation of the induced velocity field on and off the wing plane for a swept wing with given load distribution
[ARC-R-3725] p0161 N74-14766
- LOAD FACTORS**
- U LOADS (FORCES)**
- LOAD TESTING MACHINES**
- Installation for the investigation of the buckling characteristics of thin-walled structural components
p0311 A74-29105
- Reproduction of interactions between aerodynamic loads and deformation in the strength analysis of structures
p0390 A74-36649
- LOAD TESTS**
- The application of fracture mechanics to the design of the barrel and driver tube of a hypersonic gun tunnel
p0002 A74-10484
- Studies of an elastic wing --- aerodynamic load tests
p0184 A74-21781
- An experimental study of box beam wing structures subjected to torsion
p0378 A74-35719
- Nonlinear effects of spectrum loading on fatigue crack growth in transport wings
[AIAA PAPER 74-984] p0428 A74-38742
- Fatigue of spacecraft structures
[ESRO-CR(P)-322] p0194 N74-16597

SUBJECT INDEX

LONGITUDINAL STABILITY

- Full-scale fatigue testing. A comparison with service experience and interpretation of test results
p0367 N74-26477
- LOADING FORCES**
U LOADS (FORCES)
- LOADING MOMENTS**
Helicopter drive system load analysis
[AD-775858] p0331 N74-22697
- LOADING WAVES**
U ELASTIC WAVES
U LOADS (FORCES)
- LOADS (FORCES)**
NT AERODYNAMIC LOADS
NT AXIAL COMPRESSION LOADS
NT COMPRESSION LOADS
NT CRITICAL LOADING
NT CYCLIC LOADS
NT DYNAMIC LOADS
NT GUST LOADS
NT IMPACT LOADS
NT LANDING LOADS
NT RANDOM LOADS
NT STATIC LOADS
NT TRANSIENT LOADS
NT VIBRATORY LOADS
NT WING LOADING
Design and evaluation of aircraft pavements - 1971
p0022 A74-11874
The behavior of flexible airfield pavements under loads: Theory and experiments
[AD-766480] p0061 N74-11102
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] p0110 N74-13129
The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments
[NASA-TT-P-15532] p0297 N74-20668
The prediction of fatigue crack propagation under service load-time histories
[NLR-MP-73016-U] p0366 N74-26467
Effect of proof load application on fatigue test results
p0367 N74-26471
A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft
p0367 N74-26476
Ground loads on the nose undercarriage of the F-104G aircraft
[RAE-LIB-TRANS-1744] p0406 N74-27494
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] p0409 N74-27872
- LOCALIZATION**
U POSITION (LOCATION)
- LOCATION**
U POSITION (LOCATION)
- LOCKHEED AIRCRAFT**
NT C-5 AIRCRAFT
NT C-130 AIRCRAFT
NT C-141 AIRCRAFT
NT F-104 AIRCRAFT
NT L-1011 AIRCRAFT
AH-56A /AMCS/ compound helicopter vibration reduction --- Advanced Mechanical Control System
[AHS PREPRINT 834] p0385 A74-36589
- LOCKHEED C-5 AIRCRAFT**
U C-5 AIRCRAFT
- LOGIC CIRCUITS**
Cockpit switching study: Test and validation of a design procedure for multifunction switching controls
[AD-783956] p0499 N74-34554
- LOGIC NETWORKS**
U LOGIC CIRCUITS
- LOGISTICS**
High level container --- for aerial resupply of military units
[AD-766306] p0054 N74-10899
- LOGISTICS MANAGEMENT**
NT INVENTORY CONTROLS
NT INVENTORY MANAGEMENT
Integrated logistics support and acquisition management /ILS-AM/ panel for aviation-crew systems equipment changes
p0222 A74-23549
A comparative economic analysis of a lighter-than-air logistics system
- [AD-769205] p0194 N74-16694
Major Item Special Study (MISS), CH-47A rotary wing head FWD
[AD-773718] p0286 N74-19691
Major Item Special Study (MISS), CH-47A alternating generator --- product quality control and cost savings
[AD-773720] p0286 N74-19712
Major Item Special Study (MISS). CH-47A rotary wing blade
[AD-776419] p0359 N74-25605
Substitution of JP-5 aviation fuel for DF-2 diesel under field conditions
[AD-777047] p0362 N74-26243
Major Item Special Study (MISS), AH-1G gas turbine engine (T53-L-13B) --- cost savings through quality and design improvements
[AD-776939] p0370 N74-27300
Major Item Special Study (MISS), OH-6A main rotor hub
[AD-781507] p0473 N74-32457
Major Item Special Study (MISS), OH-6A tail rotor transmission assembly
[AD-782926] p0498 N74-34526
- LOH HELICOPTER**
U OH-6 HELICOPTER
- LONG RANGE NAVIGATION**
U LORAN
U LORAN D
- LONGERONS**
Determination of the shear stresses in spar walls in the design of a wing on the basis of a plate analogy
p0260 A74-25984
- LONGITUDINAL CONTROL**
F-15 Eagle flight control system
p0347 A74-34854
Determination of the efficiency of the longitudinal control systems of an elastic flight vehicle
p0384 A74-36576
Evaluation of spoilers for light aircraft flight path control
p0434 A74-39867
An investigation of overall systems criteria for the longitudinal flying qualities of highly augmented fighter aircraft
[AIAA PAPER 74-833] p0453 A74-41803
Analysis and experimental studies of the control of hang gliders
[AIAA PAPER 74-1030] p0455 A74-42045
Determinant parameters defining the principal layout and design solution of a system for automatic control of the transfer ratio in a longitudinal flight control system
p0485 A74-46708
The effect of a program for automatic gear ratio change system operation and stabilizer 'deflection' on the main aerodynamic parameters of the longitudinal controllability of an aircraft
p0485 A74-46709
Investigation and application of two methods of determining co-efficients of transfer functions of longitudinal motion of aircraft from measured input and output data --- equations of motion and response curve fitting
[ESRO-TT-2] p0041 N74-10053
Analysis of the longitudinal disturbed motion of a surface skimmer --- like common aircraft
[AD-765992] p0046 N74-10326
Some observations on manoeuvre stability and longitudinal control
[ARC-R/E-3730] p0250 N74-18690
Subsonic and supersonic longitudinal stability and control characteristics of an aft tail fighter configuration with cambered and uncambered wings and uncambered fuselage
[NASA-TN-X-3078] p0463 N74-31419
- LONGITUDINAL STABILITY**
Longitudinal response of an aircraft due to a trailing vortex pair
p0013 A74-11343
Automatic balancing of an aircraft
p0124 A74-17804
Longitudinal stability for supersonic transport aircraft
p0172 A74-19490
Effect of transient phenomena on the responses of aircraft to gusts and comparison between

calculations and experiments p0223 A74-25308

The effect of velocity-dependent pitching moments on longitudinal stability --- of STOL and VTOL aircraft p0261 A74-26047

Control of an elastic aircraft p0314 A74-30073

Effect of upper-surface blowing on static longitudinal stability of a swept wing p0477 A74-44419

Analysis of the longitudinal disturbed motion of a surface skimmer --- like common aircraft [AD-765992] p0046 A74-10326

Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps [NASA-CR-2358] p0196 A74-16719

Influence of pilot and aircraft characteristics on structural loads in operational flight --- recommendations for improvements in flight instruments to reduce control problems [AGARD-R-608] p0233 A74-17728

Effect of trailing-edge flap deflection on the lateral and longitudinal stability characteristics of a supersonic transport model having a highly-swept arrow wing [NASA-TN-X-71936] p0295 A74-20652

Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment [ESBO-TT-8] p0298 A74-20675

An analysis of the longitudinal dynamics of a STOL transport in landing approach [AD-774434] p0301 A74-20696

Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing [NASA-TN-D-7470] p0325 A74-21653

Estimation of longitudinal aerodynamic coefficients and comparison with wind-tunnel values p0356 A74-25577

Longitudinal static stability of vehicles with two lifting wings p0405 A74-27473

Subsonic and supersonic longitudinal stability and control characteristics of an aft tail fighter configuration with cambered and uncambered wings and uncambered fuselage [NASA-TN-X-3078] p0463 A74-31419

Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators [NASA-TN-D-7670] p0493 A74-34461

Parameter estimation of powered-lift STOL aircraft characteristics including turbulence and ground effects [NASA-TN-X-62382] p0493 A74-34466

LOHAN

NT LOHAN C

NT LOHAN D

Error model identification and performance predictions for airborne direct ranging Loran p0024 A74-12178

LOHAN C

The Loran C procedure p0268 A74-27095

The aeronautical aspects of an employment of Loran C and Omega --- in conjunction with inertial navigation p0268 A74-27097

Aeronautical aspects of the employment of Omega and Loran C in general aviation p0268 A74-27098

Fully automatic LORAN C for commercial airlines p0316 A74-30356

LOHAN D

Current developments in Loran-D --- solid state helicopter transportable transmitting stations p0317 A74-30359

LOW ALLOY STEELS

U HIGH STRENGTH STEELS

LOW ALTITUDE

Calculation of the aerodynamic characteristics of a wing system moving at subsonic speed near land or smooth water surface p0131 A74-18681

LOW ASPECT RATIO

Use of two-dimensional unsteady flow theory with low aspect-ratio blades [ARL/R/R-17] p0241 A74-17983

Investigation of the static lift capability of a low-aspect-ratio wing operating in a powered ground-effect mode [NASA-TN-X-3031] p0412 A74-28483

LOW ASPECT RATIO WINGS

NT DELTA WINGS

NT TRAPEZOIDAL WINGS

A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body p0129 A74-18632

Estimation of the effect of unsteadiness in calculating flutter in aircraft with small aspect ratio wings in an incompressible flow p0389 A74-36646

Determining the scale of rigidity and estimating the degree of nonsimilarity of elastic models of wings with a low aspect ratio p0390 A74-36805

LOW COST

Flight test evaluation of a low cost electrostatic autopilot p0346 A74-34846

LOW LEVEL TURBULENCE

A simulator of wind gust disturbances p0213 A74-24024

LOW NOISE

Can helicopter rotors be designed for low noise and high performance [AHS PREPRINT 803] p0388 A74-36617

LOW PRESSURE

Recovery characteristics of a single-shielded self-aspirating thermocouple probe at low pressure levels and subsonic speeds p0027 A74-12280

LOW SPEED

Low speed turbine gear box p0291 A74-20418

Investigations on rolling damping of slender wings [NASA-TT-F-15729] p0362 A74-26423

Aerodynamic prediction methods for aircraft at low speeds with mechanical high lift devices p0364 A74-26447

Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport [NASA-TN-X-71960] p0365 A74-26457

LOW SPEED STABILITY

Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices p0075 A74-13842

Some aspects of airfoil stall in low-speed flow p0275 A74-27844

Low speed handling with prototype-Concorde p0320 A74-30819

An improved-performance control system for low-speed flight [AIAA PAPER 74-1039] p0455 A74-42052

C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry [NASA-CR-134184] p0189 A74-15717

LOW SPEED WIND TUNNELS

NT SUBSONIC WIND TUNNELS

Panel prepared comments for the AHS mid-east region symposium --- on low speed wind tunnel costs and V/STOL models p0204 A74-22473

Comments for panel discussion on full scale vs reduced-scale wind tunnel testing of V/STOL aircraft p0207 A74-22475

Low-speed aerodynamic characteristics of a 13.1-percent-thick, high-lift airfoil [SAB PAPER 740366] p0345 A74-34800

High lift testing in closed wind tunnels [AIAA PAPER 74-641] p0376 A74-35405

An experimental investigation of the aerodynamic characteristics of stepped-wedge airfoils at low speeds [AIAA PAPER 74-1015] p0454 A74-42037

Modeling a high pressure ratio centrifugal compressor using a low speed of sound gas [AD-767241] p0152 A74-14444

SUBJECT INDEX

MACHINING

Low speed wind tunnel flow field results for JT8D
refan engines on the Boeing 727-200
[NASA-CR-134630] p0353 N74-25537

Low speed wind tunnel measurements on a
two-dimensional flapped wing model using tunnel
wall boundary layer control at the wing-wall
junctions
[NLR-TR-70050-U] p0488 N74-33440

The results of a low-speed wind tunnel test to
investigate the effects of the Refan JT8D engine
target thrust reverser on the stability and
control characteristics of the Boeing 727-200
airplane
[NASA-CR-134699] p0494 N74-34467

LOW TEMPERATURE
Fatigue crack growth and residual strength of
aluminum alloy sheet at temperatures down to -75C
--- in aircraft structures at temperatures down
to -75C
[NLR-TR-72096-U] p0099 N74-12248

LOW TEMPERATURE ENVIRONMENTS
U.S. Army helicopter icing qualification program
[AIAA PAPER 74-942] p0426 A74-38715

LOW THRUST PROPULSION
NT MAN OPERATED PROPULSION SYSTEMS
Two surprises for the Hanover exposition: Thrust
gondola SG 85, Fanliner - Porsche of the air
p0279 A74-28351

LOW VELOCITY
U LOW SPEED

LOW VISIBILITY
The application of the vertical gyroscope for the
artificial horizon --- low visibility air
navigation
p0004 A74-10825

Safety during automatic landing with
poor visibility
p0178 A74-20422

LOWER ATMOSPHERE
The atmosphere and flight vehicle motion control
--- Russian book
p0212 A74-23693

LOWER BODY NEGATIVE PRESSURE (LBNP)
U ACCELERATION STRESSES (PHYSIOLOGY)

LOX (OXYGEN)
U LIQUID OXYGEN

LSI
U LARGE SCALE INTEGRATION

LUBRICANT TESTS
Foam and aeration characteristics of commercial
aircraft lubricants
[ASLE PREPRINT 74AM-1A-1] p0307 A74-28676

Study of the effect of dilution on the lubricity
of hydrotreated jet engine fuels
p0336 A74-32600

LUBRICANTS
NT GAS LUBRICANTS
NT HIGH TEMPERATURE LUBRICANTS
NT LUBRICATING OILS
NT SOLID LUBRICANTS
Aviation fuels and lubricants
p0128 A74-18180

LUBRICATING OILS
Additives for lubrication oils used with foreign
gas-turbine aviation engines - Survey of patents
p0219 A74-23518

Modified centrifuge technique for hydrolytic
stability of neopentyl polyol ester lubricants
p0259 A74-25717

Current state of development of lubricating oils
for aircraft turbine engines
p0280 A74-28434

Foam and aeration characteristics of commercial
aircraft lubricants
[ASLE PREPRINT 74AM-1A-1] p0307 A74-28676

Aviation turbine oils - Research objectives and
results
[DFVLR-SONDDR-344] p0481 A74-45427

Evaluation of the friction power in nonisothermal
flows of lubricants in clearings of aircraft
ball bearings and of their thermal behavior
p0481 A74-45467

A unique method for monitoring cabin air pollution
from engine oil in the EB-57 D aircraft
[AD-766701] p0057 N74-10932

Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection
[AD-769298] p0192 N74-15830

Spectroscopic analysis of wear metals based on the
examination of oil from aircraft engines
[ESRO-TT-23] p0303 N74-21080

Evaluation of MIL-L-23699 lubrication oil
performance in the J79 engine
[AD-776535] p0361 N74-26073

LUBRICATION
Aviation turbine fuel and its lubricating qualities
p0020 A74-11739

LUBRICATION SYSTEMS
Gas turbine engine mainshaft roller bearing-system
analysis
[ASME PAPER 73-LUB-J] p0030 A74-12710

Implementation of grease lubrication into U.S.
Army helicopter tail rotor gearboxes -
Preliminary results
p0391 A74-36906

Microfog lubricant application system for advanced
turbine engine components, phase 3 --- wetting
characteristics and deposit forming tendencies
of lubricants
[NASA-CR-121271] p0050 N74-10730

Lubricating systems of gas turbine engines ---
design of lubricating systems for aircraft gas
turbine engines
[AD-773493] p0288 N74-20161

LUDER BANDS
U PLASTIC DEFORMATION

LUMINAIRES
NT AIRPORT LIGHTS
NT RUNWAY LIGHTS

LUMINESCENCE
NT X RAY FLUORESCENCE

LUNAR OCCULTATION
NT SOLAR ECLIPSES

M

M WINGS
U VARIABLE SWEEP WINGS

MACH NUMBER
Sonic boom analysis for high altitude flight at
high Mach number
[AIAA PAPER 73-1034] p0026 A74-12224

A direct method for computing the steady flow at
Mach number one past a given wing airfoil
p0118 A74-16963

Problem of adapting an intake to a turbojet engine
for extremely high flight Mach numbers
p0122 A74-17272

Flight evaluation of a Mach 3 cruise longitudinal
autopilot
[AIAA PAPER 74-910] p0402 A74-37890

The effect of the Mach number on wave-drag
optimized fuselages and profiles in the case of
supersonic flow
p0447 A74-41032

MACH-ZEHNDER INTERFEROMETERS
Experimental and theoretical study of the
transonic flow past a half-wing
p0224 A74-25321

MACHINE LIFE
U SERVICE LIFE

MACHINE STORAGE
U COMPUTER STORAGE DEVICES

MACHINE TOOLS
NT MILLING MACHINES
Selection of cutting conditions in the machining
axial-flow compressor blades on an assembled rotor
p0029 A74-12424

Advanced tooling techniques using a thermoplastic
compound
p0436 A74-39898

The impact of conversion to the metric measurement
system on aircraft maintenance at base level
[AD-769186] p0191 N74-15733

MACHINING
NT MILLING (MACHINING)
Selection of cutting conditions in the machining
axial-flow compressor blades on an assembled rotor
p0029 A74-12424

Influence of the method of hole machining on the
fatigue strength of aircraft structural materials
p0270 A74-27343

Quantitative evaluation of the effect of
mechanical processing on the effectiveness of
penetrant inspection
p0378 A74-35669

MAGNESIUM ALLOYS

SUBJECT INDEX

- MAGNESIUM ALLOYS**
Magnesium-yttrium alloys, scale-up and evaluation
[AD-771039] p0242 N74-18183
- MAGNETIC DISKS**
A truly airworthy video disc recorder/reproducer
results in unique capabilities --- for aerial
reconnaissance and surveillance p0218 A74-22553
- MAGNETIC FIELDS**
Magnetometers --- including rubidium, towed,
quantum, and T-airborne designs
[JPBS-61636] p0302 N74-21022
- MAGNETIC MEASUREMENT**
Magnetometers --- including rubidium, towed,
quantum, and T-airborne designs
[JPBS-61636] p0302 N74-21022
Peculiarities in operation of the orienting system
for a T-airborne magnetometer p0302 N74-21026
- MAGNETIC METALS**
U METALS
- MAGNETIC PROPERTIES**
NT MAGNETIC SUSPENSION
- MAGNETIC RECORDING**
A truly airworthy video disc recorder/reproducer
results in unique capabilities --- for aerial
reconnaissance and surveillance p0218 A74-22553
The use of magnetic recording in measurement
systems for in-flight measurements p0279 A74-28433
AGARD flight test instrumentation series. Volume
5: Magnetic recording of flight test data ---
design and performance of airborne tape transports
[AGARDOGRAPH-160-VOL-5] p0254 N74-18833
- MAGNETIC STORAGE**
NT MAGNETIC DISKS
- MAGNETIC SUSPENSION**
Magnetic balance and suspension systems for use
with wind tunnels p0025 A74-12204
- MAGNETIC TAPE RECORDERS**
U MAGNETIC RECORDING
U TAPE RECORDERS
- MAGNETIC TAPES**
Compact video tape recorders of exceptional
performance and reliability p0217 A74-22534
- MAGNETOHYDRODYNAMIC GENERATORS**
Disk geometry MHD generator for high voltage high
power aircraft requirements
[AD-775749] p0362 N74-26255
- MAGNETOHYDRODYNAMIC STABILITY**
Instability of rotors in MHD journal bearings
p0014 A74-11445
- MAGNETOMETERS**
NT VARIOMETERS
Magnetometers --- including rubidium, towed,
quantum, and T-airborne designs
[JPBS-61636] p0302 N74-21022
Peculiarities in operation of the orienting system
for a T-airborne magnetometer p0302 N74-21026
Construction of differentiating devices for an
airborne magnetometer p0302 N74-21027
Determining the accuracy in registry by highly
sensitive airborne magnetometers p0302 N74-21028
- MAGNETOMETRY**
U MAGNETIC MEASUREMENT
- MAGNETOVARIOGRAPHS**
U VARIOMETERS
- MAGNUS EFFECT**
Use of the Magnus effect for large augmentation of
wing lift on modern aircraft during takeoff and
landing p0485 A74-46715
Magnus characteristics of arbitrary rotating bodies
[AGARD-AG-171] p0139 N74-13710
- MAINTAINABILITY**
The main rotor bifilar absorber and its effect on
helicopter reliability/maintainability
[SAE PAPER 730894] p0019 A74-11595
Maintainability concepts used in the design and
operation of Douglas commercial jet aircraft
[SAE PAPER 730881] p0019 A74-11603
Automatic support systems for advanced
maintainability; International Symposium,
Arlington, Tex., November 5-7, 1973, Record
p0074 A74-13802
- Avionics design for maintainability - Are we
gaining or losing**
[SAE PAPER 730882] p0123 A74-17531
L-1011 upkeep
[SAE PAPER 730883] p0123 A74-17532
- MAINTENANCE**
NT AIRCRAFT MAINTENANCE
Improved methods for construction and maintenance
of runway pavement surfaces
[SAE PAPER 740498] p0350 A74-34986
An overview of US Army helicopter structures
reliability and maintainability
[AGARD-R-613] p0249 N74-18682
Reference manual on aviation materials
[AD-783739] p0498 N74-34534
- HALFUNCTIONS**
Investigation of the possibility of use of
vibroacoustical signals for purposes of
diagnostics in aeronautical engineering
p0444 N74-29875
- MANUALS**
NT RODENTS
- MAN MACHINE SYSTEMS**
Evaluation of advanced air vehicle designs in the
USAF
[SAE PAPER 730945] p0016 A74-11558
A primary radar automatic track extractor --- for
air defense systems p0028 A74-12402
The impact of area navigation on flight control
systems and displays p0122 A74-17277
Innovations in ATC communication systems --- since
1920's p0126 A74-17984
B-1 Crew Escape System p0211 A74-23533
The expanding liability of air traffic controllers
p0307 A74-28573
Computer-aided design; Proceedings of the
Conference, Eindhoven, Netherlands, October
16-18, 1972 p0341 A74-33446
Computer-aided design in aircraft industry
p0341 A74-33450
Interactive computer graphics application of the
bi-cubic parametric surface to engineering
design problems p0344 A74-34761
Development of design criteria for sensor displays
--- controls and man machine interfaces for
fixed and rotary wing aircraft
[AD-774725] p0303 N74-21049
- MAN OPERATED PROPULSION SYSTEMS**
Man-powered flight - The oscillating wing machine
p0077 A74-14262
The technological prospects for oscillating-wing
propulsion of ultralight gliders
[AIAA PAPER 74-1028] p0455 A74-42044
- MANAGEMENT**
NT CONFIGURATION MANAGEMENT
NT CONTRACT MANAGEMENT
NT DATA MANAGEMENT
NT FINANCIAL MANAGEMENT
NT INDUSTRIAL MANAGEMENT
NT INVENTORY CONTROLS
NT INVENTORY MANAGEMENT
NT LOGISTICS MANAGEMENT
NT PERSONNEL MANAGEMENT
NT PROCUREMENT MANAGEMENT
NT PRODUCTION MANAGEMENT
NT PROJECT MANAGEMENT
NT RESEARCH MANAGEMENT
NT RESOURCES MANAGEMENT
NT SAFETY MANAGEMENT
- MANAGEMENT METHODS**
Improving aircraft productivity - We all have a
part of the action --- wide body jet production
management p0076 A74-13976
Maplin - Management aspects --- automation and
passenger service p0079 A74-14512
Transport aerospace industry contributions to
modern problem solutions /W. Rupert Turnbull
Lecture for 1973/ p0085 A74-15045

SUBJECT INDEX

MARS PROBES

- Data management during the Navy performance test and evaluation of the F-14A airplane p0347 A74-34857
- F-14, A-6 assembly woes seen easing p0348 A74-34929
- MANAGEMENT PLANNING**
- NT PRODUCTION PLANNING
- NT PROJECT PLANNING
- Cost - The emerging aerospace technology --- applications to gas turbine engines [AIAA PAPER 73-1327] p0013 A74-11318
- Maplin - Management aspects --- automation and passenger service p0079 A74-14512
- Development of requirements for, and evaluation of, manufacturer advanced design aircraft [SAE PAPER 730948] p0124 A74-17541
- Helicopter reliability testing [AHS PREPRINT 860] p0386 A74-36600
- SRDS technical program document, fiscal year 1974. Engineering and development programs p0113 A74-13682
- Aircraft force projection model. Volume 1: Users guide to AFPM --- computer program to determine aircraft inventory and operating requirements [AD-767946] p0145 A74-13751
- General aviation cost impact study. Volume 1: Executive summary [AD-771603] p0239 A74-17779
- General aviation cost impact study. Research methodology [AD-771606] p0239 A74-17780
- General aviation cost impact study. Volume 3: Planning guide [AD-771759] p0239 A74-17781
- Legal and institutional analysis of aircraft and airport noise and apportionment of authority between Federal, State, and local governments [PB-225149/4GA] p0287 A74-19898
- A Dassault Dossier: Aircraft acquisition in France [AD-774598] p0299 A74-20681
- MANEUVERABILITY**
- Nonlinear aerodynamics of aircraft in high-angle-of-attack maneuvers [AIAA PAPER 74-85] p0133 A74-18765
- F-15 test progress. I - F-15 offers superior maneuverability p0224 A74-24668
- A unique approach to the development of a light helicopter automatic flight control system [SAE PAPER 740348] p0308 A74-28728
- Flight testing a highly instrumented sailplane [AIAA PAPER 74-1023] p0454 A74-42042
- Analysis of maneuverability effects on rotor/wing design characteristics [AD-776981] p0359 A74-25609
- MANEUVERABLE SPACECRAFT**
- NT AEROSPACEPLANES
- NT HL-10 REENTRY VEHICLE
- MANEUVERS**
- NT AIRCRAFT MANEUVERS
- NT EVASIVE ACTIONS
- NT SIDESLIP
- MANNED SPACECRAFT**
- NT AEROSPACEPLANES
- NT SPACE SHUTTLES
- MANPOWER**
- The economic utilisation of resources through aviation --- manhours, land and fuel p0381 A74-36321
- MANUAL CONTROL**
- NT VISUAL CONTROL
- Man-powered flight - The oscillating wing machine p0077 A74-14262
- Collection of problems on airplane piloting /4th revised and enlarged edition/ --- Russian book p0170 A74-19372
- Closed loop analysis of manual flare and landing --- aircraft maneuvers simulation [AIAA PAPER 74-834] p0401 A74-37833
- Solid state controller three axes controller [NASA-CASE-MSC-12394-1] p0059 A74-10942
- MANUALS**
- NT USER MANUALS (COMPUTER PROGRAMS)
- Fire and explosion manual for aircraft accident investigators [AD-771191/4GA] p0250 A74-18694
- Reference manual on aviation materials [AD-783739] p0498 A74-34534
- MANUFACTURING**
- A simplified approach for estimating manufacturing cost at the part level [SAE PAPER 730908] p0017 A74-11584
- Improved manufacturing of the F-14A composite horizontal stabilizer p0083 A74-14739
- Manufacturing exercise involved in the redesign of the Hawker Siddeley Trident /tri-jet/ fuselage p0115 A74-16445
- Manufacture and properties of titanium and titanium alloys emphasizing their use in aeronautics. Part 1: Manufacture and processing --- conference p0064 A74-11336
- Manufacture of titanium and titanium alloy semifinished products --- with application to production of drop-forged aircraft parts p0064 A74-11338
- Development of manufacturing methods for ballistically tolerant fiberglass tubular bellcranks --- for the CH-47 helicopter [AD-775818] p0331 A74-22701
- MAPPING**
- NT ICE MAPPING
- NT PHOTOMAPPING
- MARINE ENVIRONMENTS**
- ACV icing problems --- air cushion vehicles p0091 A74-16240
- Nasa remote sensing of sea ice in AIDJEX p0063 A74-11223
- MARINE NAVIGATION**
- U SURFACE NAVIGATION
- MARINE PROPULSION**
- Some performance characteristics of the Bell 100 ton surface effect ship --- based on computerized simulation [AD-765689] p0042 A74-10062
- Turning characteristics of the Bell 100 ton surface effect ship [AD-767680] p0145 A74-13753
- Investigation of the fatigue behavior of large propellers --- for aircraft carriers [AD-769466] p0194 A74-16603
- MARINE TECHNOLOGY**
- Some performance characteristics of the Bell 100 ton surface effect ship --- based on computerized simulation [AD-765689] p0042 A74-10062
- Turning characteristics of the Bell 100 ton surface effect ship [AD-767680] p0145 A74-13753
- MARITIME SATELLITES**
- Navy's Fleet Satellite and GAPPILLER Satellite Communications programs p0268 A74-27137
- MARKET RESEARCH**
- U.S. aerospace industry at the crossroads --- response to European competition p0020 A74-11610
- Development of requirements for, and evaluation of, manufacturer advanced design aircraft [SAE PAPER 730948] p0124 A74-17541
- Concorde - Testing the market --- passenger utilization prognosis p0377 A74-35632
- MARKETING**
- The Aeritalia-Lockheed agreement - The package also includes the Lancer --- G-222 and F-104 military aircraft marketing p0213 A74-23877
- Those Concorde economics again p0378 A74-35668
- MARKING**
- Markings for propeller conspicuity [AGARD-AR-56] p0103 A74-12713
- MAROV PROCESSES**
- Semi-Markovian models in problems of designing flight-vehicle control systems --- Russian book p0228 A74-24324
- On the application of theory of Markov processes to the evaluation of state of dynamic systems and to control of aircraft oscillations [NASA-TT-F-15817] p0472 A74-32441
- MARS PROBES**
- Analysis and design of a capsule landing system and surface vehicle control system for Mars exploration [NASA-CR-136069] p0059 A74-11077

MARTENSITIC STAINLESS STEELS

Evaluation of APC 77 martensitic stainless steel for airframe structural applications
[AD-767597] p0110 N74-13263

MARTIN AIRCRAFT

NT B-57 AIRCRAFT

MASS FILTERS

U FLUID FILTERS

MASS FLOW

Calculation of the characteristics of multistage axial turbomachines --- mathematical model for temperature, pressure and flow parameters
p0001 A74-10029

MASS FLOW FACTORS

Subsonic annular wing theory with application to flow about nacelles
[NASA-TN-D-7630] p0470 N74-32414

MASS RATIOS

NT PAYLOAD MASS RATIO

MASS SPECTROMETERS

Functional tests of a cryo-cooled mass spectrometer ion source in a supersonic wind tunnel
p0080 A74-14548

MASS TRANSFER

Ablation --- heat and mass transfer in hypersonic flight
p0119 A74-17103
Heat and mass transfer in aircraft propulsion
[HTS/73/55] p0305 N74-21591

MATERIAL REMOVAL (MACHINING)

U MACHINING

MATERIALS

Research reports from the Institute for Service Reliability, issue 6
p0332 N74-23491

MATERIALS HANDLING

NT GROUND HANDLING

The quality of the fuel --- aviation fuel purity maintenance during transport and storage
p0021 A74-11741
Refrigerated containerized transport for 'Jumbo' jets
p0119 A74-17007

Air transportation of hazardous materials
p0209 A74-22640

Use of containers and pallets in air cargo transport
p0270 A74-27295

High level container --- for aerial resupply of military units
[AD-766306] p0054 N74-10899

Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses
[P-5046] p0068 N74-11791

Failure analysis of helicopter external cargo-handling systems
[AD-767254] p0142 N74-13729

Qualification test methods for helicopter cargo handling systems
[AD-776991] p0358 N74-25599

Development of cargo slings with nondestructive checkout systems
[AD-777497] p0369 N74-26492

A method of automatically stabilizing helicopter sling loads
[NASA-TN-D-7593] p0413 N74-28506

A new aviation for heavy transport
[NASA-TT-F-15935] p0489 N74-33446

MATERIALS SCIENCE

Material selection procedures for advanced transport aircraft
[SAE PAPER 730884] p0019 A74-11602

Materials for the new generation of aircraft
p0122 A74-17374

MATERIALS TESTS

Fatigue of supersonic transport materials using simulated flight-by-flight loading
p0004 A74-10616

Ultrasonic inspection of titanium airframe components
p0116 A74-16479

Carbon fibres can be cost-competitive - An example
p0436 A74-39902

Effect of frictional heating on brake materials
p0461 A74-44161

Composites - Standards, testing and design; Proceedings of the Conference, Teddington, Middx., England, April 8, 9, 1974

Research toward development feasibility of an advanced technology V/STOL propeller system --- development and evaluation of boron-aluminum compound for propeller blades
p0479 A74-45039

Effects of helicopter external loads on sling properties --- analysis of environmental factors contributing to failure of webbing on slings
[AD-774267] p0290 N74-20414

Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524
[NASA-TN-X-71553-VOL-2-P1-1] p0300 N74-20690

Nonscratching windshield wiper blade
[AD-778759] p0406 N74-27492

p0416 N74-28532

MATHEMATICAL LOGIC

NT ALGORITHMS

NT LATTICES (MATHEMATICS)

MATHEMATICAL MODELS

NT ANALOG SIMULATION

NT DIGITAL SIMULATION

Calculation of the characteristics of multistage axial turbomachines --- mathematical model for temperature, pressure and flow parameters
p0001 A74-10029

Effect of anisotropic turbulence on aerodynamic noise --- Lighthill theory mathematical model for axisymmetric turbulence
p0004 A74-10798

Uncertainty in gas turbine measurements --- bias and precision error model
[AIAA PAPER 73-1230] p0009 A74-11255

Modeling of gas turbine combustors
p0014 A74-11434

Technology forecasting - Aircraft hazard detection
p0015 A74-11499

Investigation of the characteristics of tubular microphone windscreens for in-duct fan sound power measurements
p0023 A74-12126

The influence of a high velocity fluid environment on the static and dynamic stability of thin cylindrical shell structures
p0072 A74-13321

Calculation of aerodynamic characteristics of bodies with relatively large trailing sections
p0087 A74-15575

A vortex entrainment model applied to slender delta wings
p0119 A74-17029

Stratosphere contamination by aircraft and mathematical models
p0122 A74-17312

An unsteady wake model for a hingeless rotor
p0127 A74-18140

Structural analysis of light aircraft using NASTRAN
[AIAA PAPER 74-257] p0130 A74-18664

Jet noise modeling - Experimental study and models for the noise and turbulence fields
[AIAA PAPER 74-3] p0131 A74-18723

Two numerical methods to solve realistic air-to-air combat differential games
[AIAA PAPER 74-22] p0132 A74-18736

Reliability and choosing number of prototypes --- in helicopter development program
p0181 A74-20938

An attempt at describing the steady-state performance characteristic of a turbojet engine by a formulated relationship
p0184 A74-21784

Status of testing and modeling techniques for V/STOL aircraft; Proceedings of the Midwest Region Symposium, Essington, Pa., October 26-28, 1972
p0205 A74-22451

Prediction of stability and control characteristics of rotorcraft
p0205 A74-22452

An interdisciplinary approach to integrated rotor/body mathematical modeling
p0205 A74-22453

A two-component statistical model for processing data from a rarefied-gas experiment
p0204 A74-23572

Semi-Markovian models in problems of designing flight-vehicle control systems --- Russian book
p0228 A74-24324

Identification of aircraft stability and control parameters using hierarchical state estimation

SUBJECT INDEX

MEASURING INSTRUMENTS

- Analysis of crack propagation under variable amplitude loading using the Willenborg retardation model [AIAA PAPER 74-369] p0260 A74-25759
- Developing large-scale wavelike eddies and the near jet noise field p0265 A74-26677
- A model of convex programming for turbojet main parameter selection optimization [ASME PAPER 74-GT-79] p0267 A74-26948
- Frankfurt's scheduled traffic mathematically analyzed p0272 A74-27466
- Mathematical simulation of a vibrating light aircraft piston engine and correlation with engine flight test data [SAE PAPER 740383] p0275 A74-27776
- Heat transfer modeling for curing process of composite rotor blade [AHS PREPRINT 852] p0310 A74-28748
- Digital computer techniques for engine/airframe simulation --- for helicopters [AHS PREPRINT 874] p0386 A74-36598
- Improved cost effectiveness of helicopters through a two-point design criterion [AHS PREPRINT 811] p0387 A74-36609
- Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0388 A74-36620
- Dynamic stall modeling and correlation with experimental data on airfoils and rotors p0393 A74-37393
- Application to rotary wings of a simplified aerodynamic lifting surface theory for unsteady compressible flow p0393 A74-37483
- Rotor aeroelastic stability coupled with helicopter body motion p0394 A74-37494
- Theory and comparison with tests of two full-scale propellers p0394 A74-37495
- Comparison of flight data and analysis for hingeless rotor regressive inplane mode stability p0395 A74-37497
- Identification of structural parameters from helicopter dynamic test data p0395 A74-37499
- Differential-turning tactics --- air-to-air combat [AIAA PAPER 74-815] p0396 A74-37505
- Digital adaptive model following flight control --- using fighter aircraft mathematical model-following algorithm [AIAA PAPER 74-886] p0400 A74-37823
- Digital explicit model following with unstable model dynamics [AIAA PAPER 74-888] p0402 A74-37868
- A classical approach to the design of model-following control systems --- for fighter aircraft [AIAA PAPER 74-913] p0402 A74-37869
- Problems of flight in turbulence [ICAS PAPER 74-32] p0402 A74-37893
- A simple, near-optimal takeoff control policy for a heavily loaded helicopter operating from a restricted area [AIAA PAPER 74-812] p0449 A74-41333
- A mathematical model of unsteady aerodynamics and radial flow for application to helicopter rotors [AD-767240] p0453 A74-41796
- A preliminary sensitivity analysis of the coupled diffusion and chemistry model --- effect of SST operations on ambient ozone in lower stratosphere [NASA-CR-132369] p0106 A74-12738
- Antenna modeling of the KC-135 [AD-769913] p0107 A74-12821
- Cumulative fatigue damage theory and models [AD-774529] p0200 A74-16960
- On the noise from jets --- mathematical model based on modification of Lighthill theory p0304 A74-21569
- Predicting lateral hover, flying qualities with paper pilot --- simulation of pilot performance in VTCL aircraft [AD-775704] p0329 A74-22655
- Helicopter derivative identification from analytic models and flight test data p0353 A74-25543
- Parameter estimation using an a posteriori criterion p0357 A74-25582
- New methods for command and stability augmentation via optimal control [RE-472] p0370 A74-27172
- MATRICES (MATHEMATICS)
 NT EIGENVALUES
 NT EIGENVECTORS
 NT STIFFNESS MATRIX
 Dynamic analysis of multi-degree-of-freedom systems using phasing matrices p0496 A74-34493
- MATRIX ANALYSIS
 U MATRICES (MATHEMATICS)
 MATRIX THEORY
 Derivatives of eigenvalues and eigenvectors for a general matrix p0311 A74-28967
- MAXIMUM LIKELIHOOD ESTIMATES
 The effect of interfering signals on the performance of angle of arrival estimates p0174 A74-19908
- Maximum likelihood identification of aircraft stability and control derivatives p0209 A74-23327
- Case studies in Aircraft Parameter Identification p0225 A74-24840
- On some problems related to the identification of aircraft parameters p0227 A74-24842
- Estimation of aircraft parameters in nonlinear aerodynamic models p0225 A74-24843
- Aircraft performance measurements in nonsteady flights p0225 A74-24856
- Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft p0342 A74-33778
- Flight test applications and analysis of parameter identification techniques p0347 A74-34856
- Estimation of nonlinear aerodynamic derivatives of a variable geometry fighter aircraft from flight data [AIAA PAPER 74-790] p0399 A74-37810
- Parameter estimation techniques and application in aircraft flight testing [NASA-TN-D-7647] p0355 A74-25569
- Estimation of elastic aircraft parameters using the maximum likelihood method p0357 A74-25589
- MAXIMUM PRINCIPLE
 Reachable sets for tracking --- all possible aircraft positions p0321 A74-31643
- MCDONNELL AIRCRAFT
 NT DC 10 AIRCRAFT
 NT F-4 AIRCRAFT
 MCDONNELL DOUGLAS AIRCRAFT
 External blowing flap technology on the USAF/McDonnell Douglas YC-15 /AMST/ program [SAE PAPER 730915] p0017 A74-11579
- A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas Aircraft [NASA-CR-114677] p0188 A74-15714
- MEAN TIME BETWEEN FAILURES
 U MTBF
- MEASURE AND INTEGRATION
 NT RUNGE-KUTTA METHOD
- MEASURING INSTRUMENTS
 NT ACCELEROMETERS
 NT ALTIMETERS
 NT ANEMOMETERS
 NT APPROACH INDICATORS
 NT ATTITUDE INDICATORS
 NT BAROMETERS
 NT CHRONOMETERS
 NT DISTANCE MEASURING EQUIPMENT
 NT ELECTROSTATIC PROBES
 NT ENGINE ANALYZERS
 NT ENGINE MONITORING INSTRUMENTS
 NT FLIGHT RECORDERS
 NT FLOWMETERS
 NT FUEL GAGES
 NT GEIGER COUNTERS
 NT GYRO HORIZONS

MECHANICAL DEVICES

SUBJECT INDEX

- NT GYROCOMPASSES
 NT HOT-WIRE ANEMOMETERS
 NT INDICATING INSTRUMENTS
 NT INFRARED DETECTORS
 NT INFRARED INSTRUMENTS
 NT INFRARED SCANNERS
 NT LASER DOPPLER VELOCIMETERS
 NT MACH-ZEHNDER INTERFEROMETERS
 NT MAGNETOMETERS
 NT MASS SPECTROMETERS
 NT NOISE METERS
 NT OMEGA NAVIGATION SYSTEM
 NT OPTICAL MEASURING INSTRUMENTS
 NT PHASE SWITCHING INTERFEROMETERS
 NT PHOTOMETERS
 NT PIEZOELECTRIC GAGES
 NT POSITION INDICATORS
 NT PYROMETERS
 NT RADIATION DETECTORS
 NT RADIATION MEASURING INSTRUMENTS
 NT RADIATION PYROMETERS
 NT RADIO ALTIMETERS
 NT REFLECTOMETERS
 NT RESPIROMETERS
 NT SPEED INDICATORS
 NT STRAIN GAGES
 NT TEMPERATURE MEASURING INSTRUMENTS
 NT TENSOMETERS
 NT TORQUEMETERS
 NT VARIOMETERS
 NT VOLTMETERS
 An oscillatory method for the flight calibration of sideslip and incidence sensors p0077 A74-14263
 Instrumentation for airbreathing propulsion; Proceedings of the Symposium, U.S. Naval Postgraduate School, Monterey, Calif., September 19-21, 1972 p0277 A74-28283
 Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft p0277 A74-28286
 Emission measurements of a J93 turbojet engine [AD-766648] p0066 A74-11605
 Study of the temperature influence on induced flow effects. Part 1: Test equipment for ground effect investigations using circular hot air jets [IPD-8/71-PT-1] p0097 A74-11844
 Three-axis adjustable loading structure [NASA-CASE-FRC-10051-1] p0110 A74-13129
MECHANICAL DEVICES
 An automated tape layout system /ATLAS/ --- for composite aircraft structures fabrication p0379 A74-35838
MECHANICAL DRIVES
 NT HELICOPTER PROPELLER DRIVE
 NT PROPELLER DRIVE
 A photo-electric position-following mechanism p0176 A74-20129
 Influence of measurement errors on the regression relationships of engine characteristics p0260 A74-25979
 Lockheed S-3A Viking - The integrated drive generator p0268 A74-27013
 Aircraft engine and accessory drives and flange standards [SAE AIR 1160 A] p0269 A74-27257
 Implementation of grease lubrication into U.S. Army helicopter tail rotor gearboxes - Preliminary results p0391 A74-36906
 The effect of a program for automatic gear ratio change system operation and stabilizer 'deflection' on the main aerodynamic parameters of the longitudinal controllability of an aircraft p0485 A74-46709
 Spring overriding aircraft clutch --- for multiengine helicopters [AD-766309] p0044 A74-10073
 Transmission thermal mapping (CH-47C forward rotor transmission) [AD-767875] p0143 A74-13732
 Mechanical component failure prognosis study --- helicopter gearboxes and transmissions [AD-771033] p0238 A74-17765
 Major Item Special Study (MISS), AH-1G main transmission assy, universal
 [AD-772983] p0250 A74-18695
 CH-54 B main gearbox thermal mapping program [AD-772664] p0253 A74-18712
 Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the OH-1 helicopter [AD-773652] p0288 A74-20080
 Low speed turbine gear box p0291 A74-20418
 Transmission thermal mapping (OH-1 main rotor transmission) --- determination of heat generating areas [AD-777803] p0408 A74-27515
 Engine/airframe interface dynamics experience p0497 A74-34514
MECHANICAL ENGINEERING
 Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Annual Report 1972 --- German book p0126 A74-17969
 Quarterly Bulletin of the Division of Mechanical Engineering and the National Aeronautical Establishment, 1 January - 31 March 1974 [DME/NAE-1974 (1)] p0332 A74-23483
MECHANICAL MEASUREMENT
 NT DRAG MEASUREMENT
 NT FLOW MEASUREMENT
 NT FRICTION MEASUREMENT
 NT PRESSURE MEASUREMENTS
 NT STRESS MEASUREMENT
 NT THRUST MEASUREMENT
 NT VELOCITY MEASUREMENT
 NT VIBRATION MEASUREMENT
 NT WIND MEASUREMENT
MECHANICAL OSCILLATORS
 NT PENDULUMS
 Investigations into the possibilities of applying the 'Aerodynamic Paradoxon' principle in fluidic devices p0174 A74-19859
MECHANICAL PROPERTIES
 NT AEROELASTICITY
 NT AEROTHERMOELASTICITY
 NT COMPRESSIVE STRENGTH
 NT CREEP PROPERTIES
 NT CREEP RUPTURE STRENGTH
 NT CREEP STRENGTH
 NT DUCTILITY
 NT ELASTIC PROPERTIES
 NT ELASTOPLASTICITY
 NT FATIGUE LIFE
 NT FIBER STRENGTH
 NT FLEXIBILITY
 NT FRACTURE STRENGTH
 NT HIGH STRENGTH
 NT SHEAR PROPERTIES
 NT SHEAR STRENGTH
 NT SHELL STABILITY
 NT STIFFNESS
 NT STRESS CYCLES
 NT STRESS RATIO
 NT STRUCTURAL STABILITY
 NT TENSILE STRENGTH
 NT THERMAL RESISTANCE
 NT THERMOELASTICITY
 NT VISCOELASTICITY
 NT YIELD STRENGTH
 Material selection procedures for advanced transport aircraft [SAE PAPER 730884] p0019 A74-11602
 Flat rolled beta titanium alloys for airframe application p0116 A74-16449
 Applications of the high strength alloy Ti-4Al-4Mo-2Sn-0.5Si in European aircraft projects p0116 A74-16450
 Deep hardenable titanium alloys for large airframe elements p0117 A74-16559
 Status of the latest turbine disk alloys in the U.S. p0125 A74-17890
 Heat-resistant titanium alloys - Introduction of the 651 A alloy p0125 A74-17891
 Nitinol as a fastener material p0176 A74-20208
 Advances in aerospace materials-processing technology p0218 A74-23255

SUBJECT INDEX

METAL FIBERS

Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962

Heat-resistant titanium alloys - Introduction of the UT651A alloy p0219 A74-23963

Properties of high-strength aluminum P/M products p0227 A74-24225

Potential use of work hardening aluminum alloy X5090 sheet in civil aircraft [SAE PAPER 740398] p0310 A74-28757

The development of thermomechanical processes for advanced dispersion strengthened alloys p0342 A74-33622

Metal matrix composite blade fabrication methods p0379 A74-35823

Properties of beryllium reinforced titanium matrix composites p0379 A74-35826

Resolution of a conflict between weight and component resistance in an aircraft p0398 A74-37652

Application of carbon fibers to helicopters p0436 A74-39910

'Kevlar' 49 woven and nonwoven fabric composites performance and applications p0438 A74-40505

The heat-resistant deformable aluminum alloy D21 p0439 A74-40767

Aerospace sandwich materials. I --- technology, design and performance review p0479 A74-44989

Applications of advanced composites in aircraft structures p0479 A74-45045

Typical plane strain fracture toughness of aircraft materials p0332 A74-23443

MECHANICAL RESONANCE
U RESONANT VIBRATION

MECHANICAL SHOCK
Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic loading of fuel tanks impacted by bullets and projectiles [AD-772744] p0254 A74-18719

MEDIA
NT ELASTIC MEDIA

MEDICAL SERVICES
S-61 helicopter as a mobile intensive care unit p0456 A74-42922

MEETINGS
U CONFERENCES

MELTING
NT FUSION (MELTING)
NT VACUUM MELTING

MEMBRANE ANALOGY
U STRUCTURAL ANALYSIS

MEMBRANE STRUCTURES
NT SKIN (STRUCTURAL MEMBER)

MEMBRANE THEORY
U STRUCTURAL ANALYSIS

MEMBRANES
NT SKIN (STRUCTURAL MEMBER)

MERIDIONAL FLOW
Experimental investigations of strongly swept turbine cascades with low speed flow p0280 A74-28457

METAL BONDING
NT METAL-METAL BONDING

RohrBond --- liquid interface diffusion bonding for Ti honeycomb core sandwich p0083 A74-14741

Fabrication and repair of titanium engine components by welding p0084 A74-14768

Composite to metal bonding using structural thermosetting adhesives p0085 A74-14786

Technology of production of sandwich panels with aluminum honeycomb cores p0178 A74-20523

Titanium structural brazing p0480 A74-45260

Bonded composite to metal scarf joint performance in an aircraft landing gear drag strut --- for Boeing 747 aircraft [NASA-TN-X-71995] p0467 A74-31504

METAL COATINGS
NT ALUMINUM COATINGS

Sodium sulphate induced rapid oxidation of a chromium-titanium-silicon coating on niobium alloy B-66 p0015 A74-11459

The use of chromium anodic protection /the BF 4 process/ for the detection of metallurgical anomalies in light alloys p0227 A74-25351

Aircraft applications for electroless nickel plate [SAE PAPER 740399] p0310 A74-28758

METAL COMBUSTION
Failure experience with and failure anticipation in titanium components p0116 A74-16476

METAL COMPOUNDS
Typical plane strain fracture toughness of aircraft materials p0332 A74-23443

METAL CORROSION
U CORROSION

METAL CUTTING
Selection of cutting conditions in the machining axial-flow compressor blades on an assembled rotor p0029 A74-12424

Titanium flamecutting reduces airframe costs p0118 A74-16760

METAL FATIGUE
A life study of AISI M-50 and Super Nitralloy spur gears with and without tip relief [ASME PAPER 73-LOB-38] p0027 A74-12352

Failure experience with and failure anticipation in titanium components p0116 A74-16476

High cycle fatigue properties of titanium in aircraft application p0116 A74-16513

Risk analysis - A program management tool --- for environmental problems and aircraft metal fatigue p0182 A74-20987

Crack growth retardation under aircraft spectrum loads p0218 A74-22501

Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys p0228 A74-24297

Influence of heat on crack propagation and residual strength and its relation to the supersonic aircraft fatigue problem p0229 A74-24423

Methods for analyzing fatigue crack growth rate behavior associated with flight-by-flight loading [AIAA PAPER 74-367] p0264 A74-26675

A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures [AIAA PAPER 74-415] p0266 A74-26711

Fatigue strength of an aluminum alloy in petroleum jet fuels at various temperatures p0268 A74-27078

Influence of the method of hole machining on the fatigue strength of aircraft structural materials p0270 A74-27343

Geometrical study of the conditions of initiation of sudden cracks of quasi-brittle type p0280 A74-28526

Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy [ONERA, TP NO. 1373] p0318 A74-30513

Effect of prior creep on durability of AK4-1-T1 alloy p0383 A74-36510

Determination of the fatigue life of structural elements for a biharmonic loading process p0393 A74-37385

New materials and structures --- for aircraft [ICAS PAPER 74-21] p0449 A74-41323

Differentiation of corrosion damage by the severity of its effects upon the resistance to fatigue and corrosion-fatigue disintegration of aircraft skin elements p0456 A74-42792

The prediction of fatigue crack propagation under service load-time histories [NLR-MP-73016-U] p0366 A74-26467

METAL FIBERS
Advanced composite materials --- Solution to problems of structure weight reduction

METAL FILES

SUBJECT INDEX

[ONERA, TP NO. 1313] p0228 A74-24315
The real and imaginary parts of the complex viscoelastic modulus for boron fiber reinforced plastics /BFRP/ p0315 A74-30095

METAL FILES
A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades p0131 A74-18686

METAL FORGING
U FORGING

METAL FORMING
U FORMING TECHNIQUES
U METAL WORKING

METAL HARDENING
U HARDENING (MATERIALS)

METAL HYDRIDES
Nondestructive detection of hydrides and alpha-case in titanium alloys p0116 A74-16482

METAL IONS
Thick ion-vapor-deposited aluminum coatings for irregularly shaped aircraft and spacecraft parts p0260 A74-25813

METAL JOINTS
NT SPOT WELDS
Galvanic corrosion effects associated with graphite composites/metal joints [LR-26088] p0254 A74-18813

METAL MATRIX COMPOSITES
The state of application of composite materials in aeronautics p0072 A74-13364
Design and fabrication of a mixed composite wing box p0083 A74-14749
Composite to metal bonding using structural thermosetting adhesives p0085 A74-14786
Titanium - The bridge to composites --- for light weight/high performance aircraft p0116 A74-16451
Structural materials of aeronautics and astronautics p0128 A74-18190
Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy p0337 A74-32812
Metal matrix composite blade fabrication methods p0379 A74-35823
Structural fabrication of metal-matrix composites p0379 A74-35824
Properties of beryllium reinforced titanium matrix composites p0379 A74-35826
Design and fabrication of a boron/aluminum composite wing box test specimen [AD-770203] p0197 A74-16741

METAL PARTICLES
NT POWDERED ALUMINUM
Survey of trace metals in distillate fuels p0177 A74-20217
Spectroscopic analysis of wear metals based on the examination of oil from aircraft engines [ESRO-TT-23] p0303 A74-21080

METAL PLATES
Advanced Metallic Air Vehicle Structure Program [AIAA PAPER 74-336] p0262 A74-26651
Material selection and evaluation for advanced metallic aircraft structures [AIAA PAPER 74-373] p0265 A74-26680
Fabrication of boron-hybrid swashplates [AHS PREPRINT 850] p0386 A74-36596
Oil canning of metallic panels in thermal-acoustic environments [AIAA PAPER 74-982] p0428 A74-38740

METAL POWDER
NT POWDERED ALUMINUM

METAL SHEETS
Material thickness control through process refinement [AIAA PAPER 74-375] p0265 A74-26682
Potential use of work hardening aluminum alloy X5090 sheet in civil aircraft [SAE PAPER 740398] p0310 A74-28757

METAL STRIPS
Flat rolled beta titanium alloys for airframe application p0116 A74-16449

METAL SURFACES

Quantitative evaluation of the effect of mechanical processing on the effectiveness of penetrant inspection p0378 A74-35669

METAL WORKING
NT FORGING
Deep hardenable titanium alloys for large airframe elements p0117 A74-16559
Advances in aerospace materials-processing technology p0218 A74-23255
Material thickness control through process refinement [AIAA PAPER 74-375] p0265 A74-26682

METAL-METAL BONDING
Adhesively bonded laminated metal structure [SAE PAPER 740259] p0274 A74-27510

METALLOIDS
NT BORON

METALLURGY
Metallurgical analysis of wear particles and wearing surfaces [AD-778340] p0409 A74-27920

METALS
NT ALUMINUM
NT ALUMINUM COATINGS
NT BERYLLIUM
NT CHROMIUM
NT LIQUID METALS
NT METAL COATINGS
NT METAL FILMS
NT METAL MATRIX COMPOSITES
NT POWDERED ALUMINUM
NT SODIUM
NT TITANIUM
Hot corrosion of metals, alloys and ceramics [AD-769340] p0191 A74-15829

METEORITE COMPRESSION TESTS
U COMPRESSION TESTS
U MECHANICAL PROPERTIES

METEOROLOGICAL BALLOONS
Design considerations for the calculator, altitude M-646 (XE-1/UM) [AD-766699] p0063 A74-11295

METEOROLOGICAL FLIGHT
The Eole balloons and air safety p0129 A74-18596
Turbulence studies on a high-altitude sounding aircraft p0392 A74-37234

METEOROLOGICAL INSTRUMENTS
NT BAROMETERS

METEOROLOGICAL PARAMETERS
Dynamic test of air data computers with simulated flight profiles p0124 A74-17736
Automation of measurements and of data processing for experiments in an IL-18 aircraft laboratory p0276 A74-27884
Sonic boom from an aircraft flying in a quiet atmosphere p0392 A74-37376
Sensitivity of suboptimal fixed-range flight paths --- aircraft fuel consumption dependence on atmospheric parameters [AIAA PAPER 74-813] p0400 A74-37822
Thermal parameters as a predictor of precipitation type for Kincheloe AFB, Michigan [AD-754927] p0048 A74-10611
Meteorological information for vertical and short take-off and land (V/STOL) operations in built-up urban areas: An analysis. [FAA-RD-72-135] p0056 A74-10920
An airline's experience on turbulence --- avoidance of atmospheric turbulence through air traffic control, meteorological reports, and pilot experience p0233 A74-17727
Calculation of the geometrical propagation of the sonic boom along the flight path on the ground under real atmospheric conditions with wind --- examining longitudinal focalization and extinction points [ISL-37/72] p0298 A74-20673

METEOROLOGICAL RADAR
Instruments of flight: A guide to the pilot's flight panel of a modern airliner --- Book

SUBJECT INDEX

MICROWAVE FREQUENCIES

- METEOROLOGICAL SATELLITES** p0426 A74-38694
BT ROLE SATELLITES
METEOROLOGICAL SERVICES
 Government responsibility for damages in airplane crash cases when weather is a factor p0126 A74-18098
- METEOROLOGICAL STATIONS**
U WEATHER STATIONS
METEOROLOGY
BT SYNOPTIC METEOROLOGY
BT WEATHER FORECASTING
 Interest and feasibility study of atmospheric turbulence and thermal gradients simulation --- application to air pollution and meteorology p0064 H74-11380
 Fifth session of Commission for Aeronautical Meteorology --- conference proposals for personnel training, terminal forecasting, SST operations, and application of satellite data [WMO-322] p0100 H74-12330
- METERS**
U MEASURING INSTRUMENTS
METHACRYLATE RESINS
U ACRYLIC RESINS
METHANE
 Gas-phase nitrogen and methane chemistry in the atmosphere p0015 A74-11513
 Hydrogen-methane fuel control systems for turbojet engines [NASA-CR-121247] p0193 H74-16493
 Gas-phase nitrogen and methane chemistry in the atmosphere [AP-10] p0255 H74-19053
- METRIC SYSTEM**
U INTERNATIONAL SYSTEM OF UNITS
METROLOGY
 Engine aids and the metrologist syndrome --- overinstrumentation in aircraft engine monitoring systems p0279 A74-28318
 Meteorological characteristics of a measuring channel --- fundamental characteristics of flight test instrumentation system p0360 H74-25936
- METROPOLITAN AREAS**
U CITIES
MICHIGAN
 Thermal parameters as a predictor of precipitation type for Kinceloe AFB, Michigan [AD-754927] p0048 H74-10611
- MICROCIRCUITS**
U MICROELECTRONICS
MICROELECTRONICS
BT LARGE SCALE INTEGRATION
 Microelectronic phase shifters in X and Q bands [BLL-PO-2988-(9022.81)] p0192 H74-15906
- MICROMINIATURIZATION**
BT LARGE SCALE INTEGRATION
MICROPHONES
 Investigation of the characteristics of tubular microphone windscreens for in-duct fan sound power measurements p0023 A74-12126
 Microphone requirements for airport noise monitoring p0315 A74-30096
- MICROPHOTOMETERS**
U PHOTOMETERS
MICROSTRUCTURE
 The development of thermomechanical processes for advanced dispersion strengthened alloys p0342 A74-33622
- MICROWAVE ANTENNAS**
BT HORN ANTENNAS
 Roll-plane analysis of on-aircraft antennas p0169 A74-19228
 The technology and application of free-space power transmission by microwave beam p0170 A74-19464
 Problems of long linear arrays in helicopter blades --- considering beams scanned by rotating blades p0468 H74-31684
- MICROWAVE CIRCUITS**
 A low cost p-i-n diode phase shifter for airborne phased-array antennas p0321 A74-31611
 Evolution and new functions of airborne radars p0378 A74-35744
- MICROWAVE COUPLING**
BT COUPLING CIRCUITS
MICROWAVE EQUIPMENT
BT HORN ANTENNAS
BT MICROWAVE ANTENNAS
 A first generation of L-Band avionics for AEROSAT --- experimentation and evaluation phase of aeronautical satellites p0024 A74-12192
 Western Electronic Show and Convention, San Francisco, Calif., September 11-14, 1973, Proceedings p0076 A74-14126
 MLS program - Phase II --- equipment and technique selection for Microwave Landing System p0076 A74-14132
 Recent development in aircraft safety air traffic control and navigation p0208 A74-22628
 Navigation in the upgraded third generation system --- MLS, ILS, VORTAC, area navigation, etc p0220 A74-22680
 Objectives for interim military landing systems p0220 A74-22689
 FAA progress report on MLS Phase II --- Microwave Landing System feasibility p0220 A74-22690
 The national microwave landing system /MLS/ [SAR PAPER 740345] p0307 A74-28726
 Airborne Ka band satellite communications terminal development p0424 A74-38560
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.1: Technique analysis program p0150 H74-14340
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 1: Post TACD development plan [FAA-RD-73-166-VOL-1.2-BK-1] p0150 H74-14341
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 2: Post TACD development plan [FAA-RD-73-166-VOL-1.2-BK-2] p0150 H74-14342
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.1, Book 1: Compilation of critical technical area reports [FAA-RD-73-166-VOL-3.1-BK-1] p0150 H74-14343
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.1, Book 2: Compilation of critical technical area reports [FAA-RD-73-166-VOL-3.1-BK-2] p0151 H74-14344
 Microwave landing system (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1 performance validation p0288 H74-20233
 Predictions of interference-reflection zones for scanning beam instrument landing systems [AD-773822] p0289 H74-20235
 Optimal control aircraft landing analysis [AD-776316] p0358 H74-25601
 Optimal control aircraft landing analysis p0412 H74-28497
 A STOL terminal area navigation system [NASA-TN-X-62348] p0444 H74-30095
- MICROWAVE FREQUENCIES**
BT SUPERHIGH FREQUENCIES
 MLS program: Phase 2 p0102 H74-12631
 Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national MLS development program. Part 3.0, Volume 3.2: Appendix A: System technique summary. Appendix B: Functional requirements summary. Appendix C:

MICROWAVE LANDING SYSTEMS

SUBJECT INDEX

- Detailed feasibility hardware specifications
[FAA-RD-73-166-VOL-3.2] p0111 N74-13421
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 1: Executive summary
[FAA-RD-72-150-VOL-1] p0165 N74-15381
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation
[FAA-RD-72-150-VOL-3] p0165 N74-15382
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technical analysis and contract definition phase of the national MLS development program. Volume 3A
[FAA-RD-72-150-VOL-3A] p0165 N74-15383
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 4: System considerations 1.1.2 through 1.1.5
[FAA-RD-72-150-VOL-4] p0165 N74-15384
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance
[FAA-RD-72-150-VOL-5] p0165 N74-15385
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 6: Supporting studies, appendices D through N
[FAA-RD-150-VOL-6] p0165 N74-15386
- MICROWAVE LANDING SYSTEMS**
- The national Microwave Landing System
p0169 A74-19317
- Impact of microwave landing system on safety
p0219 A74-22639
- ICAO and the future landing system ---
International Civil Aviation Organization
p0311 A74-29252
- New design and operating techniques for improved terminal area compatibility
[SAE PAPER 740454] p0349 A74-34982
- Application of modern control theory to the analysis of aircraft autoland performance using a scanning beam guidance system
p0374 A74-35236
- U.S. Navy VTOL automatic landing system development program
[AHS PREPRINT 823] p0389 A74-36627
- The Hazeltine Doppler microwave landing system - Specialized techniques and features
[AIAA PAPER 74-905] p0402 A74-37886
- System design and flight test results of the Bendix/Bell MLS category II/III elevation approach guidance function
[AIAA PAPER 74-909] p0402 A74-37889
- Microwave landing system requirements for STOL operations
[AIAA PAPER 74-997] p0430 A74-38751
- Performance bound of an aircraft lateral control system using the microwave scanning beam landing system
p0433 A74-39485
- Automatisms in supersonic transport
p0433 A74-39520
- Preliminary assessment of the microwave landing system requirements for STOL operations
[NASA-TM-X-62310] p0064 N74-11431
- Microwave landing system integration study. Volume 1: Summary report
[AD-775703] p0361 N74-26149
- Flight path control equipment for producing curved flight path profiles with microwave landing systems
[NASA-TT-P-15608] p0361 N74-26150
- Microwave landing system integration study. Volume 3: Appendices
[AD-775724] p0361 N74-26155
- MICROWAVE SCATTERING**
- Predictions of interference-reflection zones for scanning beam instrument landing systems
[AD-773822] p0289 N74-20235
- Propeller modulation effects on a scanning beam microwave landing system
[NASA-TM-X-62368] p0468 N74-31617
- MICROWAVE TRANSMISSION**
- The technology and application of free-space power transmission by microwave beam
p0170 A74-19464
- U.S. Navy Fleet Satellite Communications
[AIAA PAPER 74-458] p0307 A74-28606
- Microwave dielectric waveguide data bus system for aircraft interior data transfer
p0424 A74-38564
- Propeller modulation effects on a scanning beam microwave landing system
[NASA-TM-X-62368] p0468 N74-31617
- MICROWAVES**
- MT MILLIMETER WAVES**
- MIDAIR COLLISIONS**
- Collision avoidance and the future of air traffic control
p0007 A74-11101
- The Hole balloons and air safety
p0129 A74-18596
- The automatic aircraft guidance law for mid-air collision avoidance
p0183 A74-21340
- Pilot error accidents in airline jet aircraft - 1958-1970
p0208 A74-22629
- Criticism of FAA handling of collision avoidance systems
p0220 A74-22681
- Radar techniques for Air Force applications in avoidance of bird-aircraft collisions and improvement of flight safety
[AD-754981] p0043 N74-10068
- MIGRATION**
- Bird strike and the radar properties of birds --- migration patterns monitoring
p0028 A74-12389
- MILITARY AIR FACILITIES**
- Military aircraft noise --- abatement program
[AIAA PAPER 73-1291] p0032 A74-12941
- Aircraft/ship interface problems - The U.S. Navy's program
[AIAA PAPER 74-305] p0183 A74-21294
- Lateral distribution of aircraft traffic --- application to pavement design criteria for aircraft with complex landing gear
[AD-765435] p0045 N74-10304
- Pollution in the ground support environment --- at Naval air facilities
[AD-764854] p0048 N74-10602
- Thermal warn fog dissipation: Heat requirements and projected utilization of a system for Travis AFB, California
[AD-766247] p0048 N74-10605
- Thermal parameters as a predictor of precipitation type for Kinceloe AFB, Michigan
[AD-754927] p0048 N74-10611
- Requirements for explosion-proof electrical equipment in Air Force hangers
[AD-767600] p0109 N74-12969
- Fungus resistance of polyvinyl acetate latex dust control material --- helicopter landing pads
[AD-767256] p0111 N74-13286
- Evaluation of runway skid-resistance characteristics at Minot Air Force Base, North Dakota
[AD-773403] p0328 N74-21904
- MILITARY AIRCRAFT**
- Military aircraft --- structural design with fiber reinforced composite materials
p0002 A74-10496
- Evaluation of advanced air vehicle designs in the USAF
[SAE PAPER 730945] p0016 A74-11558
- External blowing flap technology on the USAF/McDonnell Douglas YC-15 /AMST/ program
[SAE PAPER 730915] p0017 A74-11579
- Air Force STOL tactical aircraft investigation - Evaluation of externally blown flaps
[SAE PAPER 730914] p0017 A74-11580
- STOL tactical aircraft investigation --- transports configuration sizing and design
[SAE PAPER 730913] p0017 A74-11581
- AMST - The approach to the STOL transport of the US
p0021 A74-11776

- System evaluation as an objective for a research institute --- VTOL weapons systems p0021 A74-11806
- Cost impact of mission requirements on future engine design selection p0031 A74-12922
[AIAA PAPER 73-1186]
- Propulsion requirements for powered-lift aircraft p0031 A74-12928
[AIAA PAPER 73-1214]
- Military aircraft noise --- abatement program p0032 A74-12941
[AIAA PAPER 73-1291]
- Computer aided test design today --- for avionics maintenance onboard aircraft carriers p0076 A74-14127
- Remotely piloted vehicles - Necessity, wishful thinking, or plaything p0077 A74-14362
- The use of ultra high strength titanium alloys in a V/STOL military aircraft application - The H. S. A. Harrier p0115 A74-16446
- Noise and emission outlook for military engines p0120 A74-17175
[AIAA PAPER 73-1156]
- Fixed wing aircraft p0127 A74-18176
- The new Advanced Airborne Command Post p0130 A74-18654
[AIAA PAPER 74-240]
- The Alpha Jet programme p0136 A74-18902
- Conceptual options for future aircraft-ship operations p0182 A74-21290
[AIAA PAPER 74-300]
- What we do and what we need --- military airborne video tape recorder requirements and applications p0216 A74-22528
- Commercial quality video recorders for airborne military applications p0217 A74-22530
- Gunship video recording system - First high quality battle damage assessment capability p0217 A74-22531
- Helmets and head protection in USAF ejections 1968-1972 p0210 A74-23528
- An approach to the design of integrated life support systems for two new USAF aircraft p0211 A74-23532
- Crashworthy Army helicopter crew and troop seating systems p0211 A74-23534
- The new constraints on military aircraft --- cost and maintainability p0226 A74-25357
- Why military airplanes cost so much and what can be done about it p0259 A74-25671
- Drop testing naval aircraft and the VSD landing gear dynamic test facility p0263 A74-26658
[AIAA PAPER 74-343]
- Confidence assessment of military airframe cost predictions --- for cost overrun elimination p0267 A74-26874
- Flight control system advances for near-future military aircraft p0269 A74-27252
[SAE PAPER 730987]
- Engine sensory requirements for energy management p0278 A74-28311
- Critical analyses and laboratory research work at the stage of aircraft preliminary design p0312 A74-29467
[ONERA, TP NO. 1291]
- Pilot workload-efficiency of military aircraft systems with one or two man crew p0320 A74-30820
- Advanced integrated modular instrumentation system --- naval aircraft cockpit display p0377 A74-35560
- Air Force findings and recommendations on digital aircraft avionics p0423 A74-38523
- Pollution emission analysis of selected Air Force aircraft p0431 A74-39130
[ASME PAPER 74-ENAS-30]
- Reliability efforts in large European programs for military and commercial aircraft development p0483 A74-46292
- Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost p0057 N74-10930
[AD-767028]
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 2: Takeoff and landing digital computer program p0058 N74-10936
[AD-766943]
- STOL tactical aircraft investigation. Volume 2, part 2: A lifting line analysis method for jet-flapped wings p0058 N74-10937
[AD-766877]
- STOL tactical aircraft investigation. Volume 3: Takeoff and landing performance ground rules for powered lift STOL transport aircraft p0058 N74-10938
[AD-766640]
- STOL tactical aircraft investigation. Volume 5, part 2: Flight control technology: Piloted simulation of a medium STOL transport with vectored thrust mechanical flaps p0058 N74-10939
[AD-766643]
- STOL tactical aircraft investigation. Volume 6: Air cushion landing system study p0058 N74-10940
[AD-766644]
- A simulation study of the force mix problem in close air support operations p0102 N74-12699
[AD-766879]
- Statistical review of counting accelerometer data for Navy and Marine fleet aircraft from 1 January 1962 to July 1973 p0106 N74-12736
[AD-767648]
- STOL tactical aircraft investigation. Volume 2: Design compendium p0143 N74-13733
[AD-767561]
- STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis p0143 N74-13734
[AD-767363]
- STOL tactical aircraft investigation. Volume 5: Flight control technology p0143 N74-13735
[AD-767364]
- STOL tactical aircraft investigation. Volume 6: Air cushion and ground mobility study p0143 N74-13736
[AD-767300]
- Orientation-error accidents in regular Army UH-1 aircraft during fiscal year 1970: Relative incidence and cost p0144 N74-13742
[AD-768307]
- Aircraft force projection model. Volume 1: Users guide to AFPM --- computer program to determine aircraft inventory and operating requirements p0145 N74-13751
[AD-767946]
- Military aircraft and airport noise and opportunities for reduction without inhibition of military missions p0145 N74-13752
[PB-223637/OGA]
- STOL tactical aircraft investigation, externally blown flap. Volume 1: Configuration definition. Supplement 1: Aerodynamic trades of flap and roll control system p0145 N74-13754
[AD-767179]
- STOL tactical aircraft investigation, externally blown flap. Volume 3: Performance methods and landing rules p0146 N74-13755
[AD-767180]
- STOL tactical aircraft investigation, externally blown flap. Volume 5, part 1: Control system mechanization trade studies p0146 N74-13756
[AD-767181]
- STOL tactical aircraft investigation, externally blown flap. Volume 5, part 3: Stability and control derivative accuracy requirements and effects of augmentation system design p0146 N74-13757
[AD-767182]
- Development of techniques to measure in-flight drag of a US Navy fighter airplane and correlation of flight measured drag with wind tunnel data p0158 N74-14734
[AD-770517]
- Evaluation of voice recorders for aircraft p0200 N74-16906
[AD-771071]
- Forward air controller: Tactical air command pilot communication orientation p0244 N74-18637
[AD-771945]
- Concept for a multiple personnel airdrop system p0244 N74-18640
[AD-771945]
- A conceptual definition study for a digital avionics information system: Approach 1, volume 1 --- applied to military aircraft systems p0250 N74-18691
[AD-771736]
- A conceptual definition study for a digital avionics information system: Approach 1, volume 2 --- applied to military aircraft systems p0250 N74-18692
[AD-771755]

- STOL tactical aircraft investigation: Externally blown flap. Volume 1: Configuration definition [AD-772738] p0251 N74-18697
- Control-by-wire actuator model development for APCAS --- characteristics of hydraulic control valves to control tandem and parallel control systems [AD-772588] p0253 N74-18715
- Investigation and analysis of reliability and maintainability problems associated with Army aircraft engines [AD-772950] p0256 N74-19411
- Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations --- effects of environment on V/STOL aircraft operation [AD-773734] p0284 N74-19676
- A design study to standardize collective-stick controls in US Army helicopters: A Human Factors Engineering (HFE) evaluation [AD-773688] p0286 N74-19689
- Optimum engines for military V/STOL aircraft --- effect of military operational requirements on propulsion system configurations p0289 N74-20403
- External store effects on the stability of fighter and interceptor airplanes --- application to military aircraft mission requirements [NASA-TN-X-71935] p0296 N74-20658
- Falconry as a means of reducing bird-aircraft strike hazards at Whiteman Air Force Base, Missouri [AD-774568] p0299 N74-20682
- High temperature solid state pressure transducers for military jet engine environments [AD-774753] p0303 N74-21047
- The reduction of airframe costs with particular reference to combat aircraft p0305 N74-21615
- Validation of new gust design procedures for military transports [AD-775385] p0324 N74-21641
- Application of interactive graphics to the avionics evaluation program [AD-775372] p0328 N74-21847
- Prediction of aircraft ground performance by evaluation of ground vehicle rut depths [AD-775744] p0330 N74-22689
- Spectrum of loading of aircraft --- diagrams of typical flight-load profiles for tactical and transport aircraft p0332 N74-23414
- Manufacturing methods for self-sealing fuel lines --- development of braiding process for production of fuel lines for military aircraft [AD-778083] p0411 N74-28243
- Statistical review of counting accelerometer data for Navy and Marine fleet aircraft [AD-778645] p0416 N74-28531
- A computer model for economic analysis of army aircraft RAM improvement proposals [AD-778751] p0442 N74-29390
- Additional studies, variable camber wing, phase 1 [AD-779041] p0443 N74-29396
- Recent experience from BAC aircraft for NATO p0465 N74-31469
- Initial-design optimisation on civil and military aircraft p0465 N74-31477
- Preliminary aircraft design --- procedures for determining aircraft configurations for accomplishing specific military requirements [AGARD-LS-65] p0470 N74-32420
- Introduction to preliminary aircraft design p0470 N74-32421
- Preliminary design of civil and military aircraft at Avions Marcel Dassault-Breguet Aviation p0471 N74-32422
- Background information and user guide for MIL-S-83691 [AD-780523] p0490 N74-33459
- Survey of aircraft subcritical flight flutter testing methods [NASA-CR-132479] p0494 N74-34468
- MILITARY AVIATION**
- Objectives for interim military landing systems p0220 A74-22689
- The decline in USAF ejection survival rates p0214 A74-23556
- Recent Air Force electronic systems corrosion problems [NACE PAPER 24] p0375 A74-35279
- MILITARY HELICOPTERS**
- NT CH-3 HELICOPTER
- NT CH-47 HELICOPTER
- NT CH-54 HELICOPTER
- NT H-53 HELICOPTER
- NT H-56 HELICOPTER
- NT HEAVY LIFT HELICOPTERS
- NT HH-43 HELICOPTER
- NT OH-6 HELICOPTER
- NT S-58 HELICOPTER
- NT S-61 HELICOPTER
- NT S-67 HELICOPTER
- NT SA-330 HELICOPTER
- NT UH-1 HELICOPTER
- Design competence - The mainspring to cost reduction [AIAA PAPER 73-1187] p0008 A74-11230
- The T700-GE-700 turboshaft engine program [SAE PAPER 730917] p0123 A74-17536
- Rotary-wing aircraft p0127 A74-18177
- T700 aims at low combat maintenance --- turboshaft engine for military transports and helicopters p0136 A74-18998
- Helicopter applications at sea p0173 A74-19690
- Aircraft/ship interface problems - The U.S. Navy's program [AIAA PAPER 74-305] p0183 A74-21294
- The concept of the WG-13 --- small twin engined helicopter for light tactical support p0262 A74-26565
- The design of the WG-13 --- small tactical multipurpose twin engined helicopter p0262 A74-26566
- The development of the WG-13 --- helicopter program management, manufacture and flight testing p0262 A74-26567
- Fluid power and control requirements for the U.S. Army heavy lift helicopter [SAE PAPER 730988] p0269 A74-27253
- UTTAS flight test - Real-time data analysis --- helicopters in Utility Tactical Transport Aircraft System [AHS PREPRINT 864] p0386 A74-36604
- The application of fracture mechanics to the design of damage-tolerant components for the UTTAS helicopter --- Utility Tactical Transport Aircraft System [AHS PREPRINT 882] p0387 A74-36611
- Design to cost at work for helicopter systems --- Boeing Vertol programs [AHS PREPRINT 810] p0388 A74-36619
- US Army helicopter icing tests p0460 A74-43623
- Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040) -Class destroyers [AD-766450] p0043 N74-10072
- Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost [AD-767028] p0057 N74-10930
- Design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-767242] p0107 N74-12739
- US Army helicopter hydraulic servocylinder reliability and maintainability investigation [AD-767243] p0142 N74-13731
- Methods for reducing vibrations of equipment mounted on helicopter external stores stations --- damping of vertical vibrations of wing-mounted stores on AH-1G helicopter [AD-768774] p0162 N74-14771
- In-flight stabilization of externally slung helicopter loads --- design, development, and evaluation of candidate stabilizing systems [AD-769063] p0162 N74-14774
- Major Item Special Study (HISS), AH-1G driveshaft assembly, main transmission to engine [AD-768763] p0163 N74-14780
- US Army helicopter rod end bearing reliability and maintainability investigation [AD-768843] p0190 N74-15724
- HLH Ground Support Equipment (GSR) preliminary investigation [AD-768842] p0190 N74-15725

SUBJECT INDEX

MISSILE CONTROL

- Maintainability analysis of major helicopter components --- analysis of man-hour costs for maintaining military helicopters [AD-769941] p0197 N74-16740
- Major Item Special Study (MISS) AH-1G driveshaft assy, main transmission to engine --- cost savings from product improvement in quality and design [AD-770498] p0198 N74-16746
- Instrumentation specification for climatic laboratory tests --- test facilities for environmental tests of military helicopters and components [AD-771053] p0237 N74-17763
- An overview of US Army helicopter structures reliability and maintainability [AGARD-R-613] p0249 N74-18682
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 1: Document deficiency analysis --- deficiencies in military specifications and standards for helicopter hydraulic systems [AD-773022] p0252 N74-18709
- US Army helicopter hydraulic system reliability and maintainability investigation. Volume 2: Supplemental design guide --- design requirements related to environmental conditions, reliability, and maintainability programs [AD-773023] p0252 N74-18710
- Cold-weather flight tests of an OH-58 helicopter equipped with an elastomeric-bearing main rotor [AD-772935] p0253 N74-18716
- The effects of sand particles on small, intricate mechanical components --- analysis of binding failures caused by sand particles in helicopter circuit breakers [AD-772977] p0253 N74-18718
- Development of design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-772936] p0284 N74-19675
- Effects of helicopter external loads on sling properties --- analysis of environmental factors contributing to failure of webbing on slings [AD-774267] p0300 N74-20690
- The hingeless rotor: A concept to increase mission effectiveness at reduced costs p0305 N74-21616
- Ship-helicopter system analysis [AD-774764] p0305 N74-21629
- Vibration absorbers for rocket launchers mounted on helicopters: Analytical analysis and implementation techniques [AD-774845] p0328 N74-22558
- Cobra window design analysis and no glare canopy design [AD-778165] p0408 N74-27508
- Nonscratching windshield wiper blade [AD-778759] p0416 N74-28532
- Structural dynamic response of AH-1G wing with XM35 weapon [AD-781973] p0491 N74-33468
- Maneuver criteria evaluation program --- computer program for solving flight path equation of motion for helicopter without auxiliary propulsion [AD-782209] p0491 N74-33472
- MILITARY OPERATIONS**
- NT COMBAT**
- A simulation study of the force mix problem in close air support operations [AD-766879] p0102 N74-12699
- MILITARY TECHNOLOGY**
- Application of military human factors techniques to general aviation accident prevention p0004 A74-10880
- Computer-aided design and drafting /CADD/ - An advanced designer's tool [SAE PAPER 730934] p0016 A74-11566
- The S-3A - A new dimension in airborne sea control [AIAA PAPER 74-239] p0137 A74-19205
- Military airborne video recording: Requirements, utilization and techniques; Proceedings of the Seminar, Dayton, Ohio, April 3-5, 1973 p0216 A74-22526
- A small high-performance videotape recorder for military airborne applications p0217 A74-22535
- Noise silencers at military test stands --- for jet engines p0227 A74-25322
- USAF evaluating helicopter IFR aids p0319 A74-30749
- Impact of new MIL-F-9490D requirements on future flight control developments [AIAA PAPER 74-914] p0402 A74-37894
- Procedures for recovering flight vehicles --- unmanned rocket vehicles [DGLR PAPER 74-038] p0456 A74-42872
- Advancements in the test and evaluation of naval weapon systems p0459 A74-43604
- Transportability --- of military equipment [AD-765456] p0044 A74-10229
- High level container --- for aerial resupply of military units [AD-766306] p0054 N74-10899
- Comparisons of Soviet and US technology --- research and development and procurement of military equipment [AD-771004] p0244 N74-18627
- MILLIMETER WAVES**
- Airborne Ka band satellite communications terminal development p0424 A74-38560
- MILLING (MACHINING)**
- Investigation of machining errors caused by geometrical inaccuracies of the bench in rotary milling of turbine blade profiles p0091 A74-16306
- Material thickness control through process refinement [AIAA PAPER 74-375] p0265 A74-26682
- Advanced tooling techniques using a thermoplastic compound p0436 A74-39898
- MILLING MACHINES**
- Investigation of machining errors caused by geometrical inaccuracies of the bench in rotary milling of turbine blade profiles p0091 A74-16306
- MINER RULE**
- U PALMGREN-MINER RULE
- MINERALS**
- NT GRAPHITE
- MINIATURE ELECTRONIC EQUIPMENT**
- Application and design of relays for commercial aircraft --- from DC-3 to DC-10 p0344 A74-34775
- MINICOMPUTERS**
- Modularized instrument system for turbojet engine test facilities p0277 A74-28296
- MINIMIZATION**
- U OPTIMIZATION
- MINIMUM DRAG**
- Minimum induced drag of wings with given lift and root-bending moment p0259 A74-25747
- Minimum induced drag of non-planar ground effect wings with small tip clearance p0279 A74-28421
- Minimum induced drag of semi-elliptic ground effect wing p0335 A74-32297
- Calculation of the surface of a minimum-drag wing with a shock-free leading edge p0390 A74-36818
- The effect of the Mach number on wave-drag optimized fuselages and profiles in the case of supersonic flow p0447 A74-41032
- MINOR CIRCLE TURNING FLIGHT**
- Optimal trajectories of high thrust aircraft p0374 A74-35234
- MIRRORS**
- NT ROTATING MIRRORS
- MISSILE CONFIGURATIONS**
- General principles of designing control systems --- analysis of systems for aircraft, missiles, and spacecraft configurations [NASA-TT-F-782] p0357 N74-25594
- MISSILE CONSTRUCTION**
- U MISSILE STRUCTURES
- MISSILE CONTROL**
- An application of some aspects of optimal control --- for missile autopilot design

MISSILE DESIGN

SUBJECT INDEX

Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing [NASA-TN-1-3070] p0215 A74-23598

Low cost supersonic expendable turbine engines --- tactical missile applications [SAR PAPER 730910] p0487 A74-33432

Remotely piloted vehicles - Necessity, wishful thinking, or plaything p0017 A74-11583

Comparative study of various flight vehicle propulsion systems, using an air-to-air missile as an example [DGLR PAPER 73-068] p0077 A74-14362

Advanced composites --- in aerospace structural design [AIAA PAPER 74-242] p0120 A74-17177

Dynamic simulation of CONFLOW - A facility to provide hot-gas ground testing of air-breathing missiles under simulated flight conditions [AIAA PAPER 73-1281] p0180 A74-20834

Determination of the allowable tolerances for the asymmetries of a free rolling vehicle [TAE-185] p0011 A74-11292

Development of parametricized computations for AST study engines [SAE PAPER 730895] p0323 A74-21637

The prediction of the variation of modes following modification to a structure p0018 A74-11594

Implementation considerations with PSK modulation --- variable rate and secure voice modems p0419 A74-29358

Modular construction - Fully optimised --- aircraft engines p0424 A74-38558

MOHAWK AIRCRAFT

U OV-1 AIRCRAFT

MOIRE CIRCLES

U FRACTURE MECHANICS

MOIRE EFFECTS

Study of Moire measuring techniques for wind tunnel model deformation [AD-766892] p0076 A74-13978

MOISTURE

NT SOIL MOISTURE

MOISTURE CONTENT

NT ATMOSPHERIC MOISTURE

HOLDING MATERIALS

Ice and landing surface demoulding: Replica fabrication [FFA-MEMO-90] p0063 A74-11298

MOLECULAR ELECTRONICS

NT LARGE SCALE INTEGRATION

MOLECULAR FLOW

NT TRANSITION FLOW

MOLECULAR SIEVES

U ABSORBENTS

MOLECULAR SPECTRA

NT RAMAN SPECTRA

MOLIERE FORMULA

U SPATIAL DISTRIBUTION

MOMENTS

NT BENDING MOMENTS

NT LOADING MOMENTS

NT PITCHING MOMENTS

NT ROLLING MOMENTS

NT STABILITY DERIVATIVES

NT TORQUE

NT YAWING MOMENTS

Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory p0204 A74-23227

MOMENTUM ENERGY

U KINETIC ENERGY

MOMENTUM THEORY

An unsteady wake model for a hingeless rotor p0127 A74-18140

MONITORS

Airport noise monitoring systems --- automatic computerized system p0074 A74-13800

Flight study of a vehicle operational status and monitoring system --- applied to systems on YF-12 aircraft [NASA-TN-D-7546] p0141 A74-13725

MONOLITHIC CIRCUITS

U INTEGRATED CIRCUITS

MONOMERS

Experimental and theoretical investigation of HT-S/PMR-PI composites for application to advanced aircraft engines --- High-Tip-Speed/Polymerization of Monomeric Reactant p0228 A74-24868

MONOPLANES

NT A-4 AIRCRAFT

NT A-6 AIRCRAFT

NT A-7 AIRCRAFT

NT A-37 AIRCRAFT

NT B-52 AIRCRAFT

NT B-57 AIRCRAFT

NT BAC 111 AIRCRAFT

NT BEECHCRAFT 18 AIRCRAFT

NT BOEING 707 AIRCRAFT

NT BOEING 720 AIRCRAFT

NT BOEING 737 AIRCRAFT

NT C-2 AIRCRAFT

NT C-47 AIRCRAFT

NT C-130 AIRCRAFT

NT C-131 AIRCRAFT

NT C-135 AIRCRAFT

NT C-141 AIRCRAFT

NT CANBERRA AIRCRAFT

NT CESSNA 172 AIRCRAFT

NT COMET 4 AIRCRAFT

NT DC 7 AIRCRAFT

NT DC 8 AIRCRAFT

NT DHC 5 AIRCRAFT

NT DO-28 AIRCRAFT

NT DO-31 AIRCRAFT

NT F-5 AIRCRAFT

NT F-8 AIRCRAFT

NT F-28 TRANSPORT AIRCRAFT

- NT F-89 AIRCRAFT
 NT F-104 AIRCRAFT
 NT F-106 AIRCRAFT
 NT G-222 AIRCRAFT
 NT HFB-320 AIRCRAFT
 NT IL-62 AIRCRAFT
 NT OV-1 AIRCRAFT
 NT P-1127 AIRCRAFT
 NT SC-1 AIRCRAFT
 NT SE-210 AIRCRAFT
 NT T-2 AIRCRAFT
 NT T-28 AIRCRAFT
 NT T-38 AIRCRAFT
 NT TU-134 AIRCRAFT
 NT VJ-101 AIRCRAFT
 NT X-14 AIRCRAFT
 NT XC-142 AIRCRAFT
 BD-5 flight test program report p0172 A74-19500
- MSU Monoplane - A testbed for ultralight vehicle development
 [AIAA PAPER 74-1033] p0455 A74-42047
- MONOPOLE ANTENNAS
 Roll-plane analysis of on-aircraft antennas p0169 A74-19228
 A study of KC-135 aircraft antenna patterns [NASA-CR-138585] p0369 A74-26663
- MONOPULSE RADAR
 The effects of interference on monopulse performance --- characteristics of air traffic control radar beacons [AD-769336] p0192 A74-15876
- MONTE CARLO METHOD
 Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
 Estimation of an aeronautical equipment mission reliability [AD-766886] p0058 A74-10935
 Application of Monte Carlo methods to estimation of collision risks associated with ATC separation standards [RAE-TR-73104] p0256 A74-19283
- MOTPS (PROPULSION SYSTEMS)
 U MAN OPERATED PROPULSION SYSTEMS
- MOTION EQUATIONS
 U EQUATIONS OF MOTION
- MOTION SIMULATORS
 Rotor aeroelastic stability coupled with helicopter body motion p0496 A74-34503
- MOTION STABILITY
 NT AERODYNAMIC STABILITY
 NT AIRCRAFT STABILITY
 NT ATTITUDE STABILITY
 NT BOUNDARY LAYER STABILITY
 NT DIRECTIONAL STABILITY
 NT FLAME STABILITY
 NT FLOW STABILITY
 NT GYROSCOPIC STABILITY
 NT HOVERING STABILITY
 NT LATERAL STABILITY
 NT LONGITUDINAL STABILITY
 NT LOW SPEED STABILITY
 NT MAGNETOHYDRODYNAMIC STABILITY
 NT ROTARY STABILITY
 Investigation of the motion of a controlled body in a resisting medium under transient conditions p0220 A74-23076
 The scissors rotor --- for helicopters [AHS PREPRINT 812] p0388 A74-36621
 A linearized theory for the unsteady motions of a wing in curved flight [AD-769671] p0187 A74-15705
 Motion of an airfoil with variable distance from a barrier p0405 A74-27472
- MOTORS
 NT TORQUE MOTORS
- MOUNTAINS
 NT SIERRA NEVADA MOUNTAINS (CA)
 Turbulence near the tropopause in the presence of mountain waves [AD-766577] p0063 A74-11274
- MOUNTING
 The model mounting arrangements in the high speed wind-tunnel testing p0478 A74-44635
- MOUNTS
 U SUPPORTS
- MOVING TARGET INDICATORS
 New concepts in ANTI radar - Nulling effects of Doppler filter/multi-element horn array p0121 A74-17252
 Recent advances in air traffic control radars p0169 A74-19315
- MRCA AIRCRAFT
 MRCA prepares for flight test --- Multi-Role Combat Aircraft p0261 A74-26416
 MRCA nav-attack system --- Multi-Role Combat Aircraft p0262 A74-26417
 MRCA systems and related equipment - powerplant RB 199 p0336 A74-32631
 MRCA systems and related equipment - The MRCA cockpit p0336 A74-32632
 MRCA systems and related equipment - Hydraulic system and flying controls p0336 A74-32633
 MRCA systems and related equipment - Air conditioning p0336 A74-32634
 MRCA systems and related equipment - Landing gear p0337 A74-32635
 MRCA systems and related equipment - MRCA avionics p0337 A74-32636
- MTBF
 Reliability demonstration testing using failure-free trials p0181 A74-20950
 Improving Mean-Time-Between-Maintenance-Actions - A recommended system approach --- for avionics p0424 A74-38555
- MTI RADAR
 U MOVING TARGET INDICATORS
- MUFFLERS
 Simulation studies of an airport noise silencer p0184 A74-21641
 Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system [NASA-TN-D-7495] p0325 A74-21652
- MULTICHANNEL COMMUNICATION
 Access control techniques for satellite mobile communications systems [AIAA PAPER 74-441] p0275 A74-27811
 Multiple channel same frequency repeater flight test --- for intra-aircraft voice communications p0424 A74-38556
- MULTILAYER STRUCTURES
 U LAMINATES
- MULTILoop SYSTEMS
 U CASCADE CONTROL
- MULTIPHASE FLOW
 NT TWO PHASE FLOW
- MULTIPLEX TRANSMISSION
 U MULTIPLEXING
- MULTIPLEXERS
 U MULTIPLEXING
- MULTIPLEXING
 NT FREQUENCY DIVISION MULTIPLEXING
 NT TIME DIVISION MULTIPLEXING
 Satellite communications systems --- multiplexing for communication lines, equipment of earth stations, and onboard receiver transmitter and antennas [JPRS-54505] p0044 A74-10153
 Predictions of interference-reflection zones for scanning beam instrument landing systems [AD-773822] p0289 A74-20235
- MULTISPECTRAL PHOTOGRAPHY
 NT INFRARED PHOTOGRAPHY
 Radar backscattering as a means for measuring ocean surface parameters using S193 altimetry and S1908 photography [E74-10092] p0063 A74-11202
- MULTISTAGE COMPRESSORS
 U TURBOCOMPRESSORS
- MULTIVARIATE STATISTICAL ANALYSIS
 NT DISCRETE FUNCTIONS
 NT REGRESSION ANALYSIS

N

B-156 AIRCRAFT
U F-5 AIRCRAFT
NACELLES

A positive approach to the problems of aircraft noise
[AIAA PAPER 73-1157] p0026 A74-12227

Airplane nacelle composite structure technology
p0185 A74-22102

Aerodynamic/structural interactions in the design of the Concorde nacelle
p0226 A74-25364

Calculation procedures for potential and viscous flow solutions for engine inlets
[ASME PAPER 74-GT-3] p0271 A74-27411

FAA aircraft retrofit feasibility program --- for jet noise reduction
[SAE PAPER 740489] p0350 A74-34992

Reduction of JT8D powered aircraft noise by engine refinancing
[SAE PAPER 740490] p0352 A74-35009

Development of noise-reduction concepts for the 707 airplane
p0396 A74-37533

Aircraft noise retrofit feasibility program objectives and scope
p0396 A74-37535

YC-14 engine installation features
[AIAA PAPER 74-972] p0428 A74-38737

The results of a high-speed wind tunnel test to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727 airplane
[NASA-CR-134545] p0196 N74-16726

Cruise drag results from high speed wind tunnel tests of NASA Refan JT8D engine nacelles on the Boeing 727-200
[NASA-CR-134546] p0247 N74-18673

The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines
[NASA-CR-134609] p0296 N74-20661

The 727/JT8D refan side nacelle airloads
[NASA-CR-134547] p0363 N74-26436

The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary
[AD-768850] p0471 N74-32429

FAA JT3D quiet nacelle retrofit feasibility program. Volume I-1: Lower goal design, fabrication and ground testing
[AD-775453] p0471 N74-32430

DC-9 noise retrofit feasibility. Volume 1: Lower goal noise, performance and cost evaluation
[AD-776127] p0472 N74-32437

The feasibility of detecting a burner-can burn-through by means of CO, CO₂, pressure, and air temperature levels in a jet engine nacelle
[AD-775304] p0475 N74-33225

NASA PROGRAMS

NT EARTH RESOURCES SURVEY PROGRAM

NT GLOBAL ATMOSPHERIC RESEARCH PROGRAM

NT QUIET ENGINE PROGRAM

NT TACT PROGRAM

NT TILT ROTOR RESEARCH AIRCRAFT PROGRAM

Putting all our noise technology to work --- NASA Quiet Engine Program
p0119 A74-17049

Military and aerospace --- cost effective technology utilization for ATC, NASA programs and defense projects
p0126 A74-18050

Adaptive systems research in the NASA
p0175 A74-20095

NASA general aviation research overview
[SAE PAPER 740352] p0308 A74-28732

NASA, Langley Impact Dynamics Facility
[SAE PAPER 740374] p0309 A74-28743

NASA flight research on aircraft wake vortices and minimization concepts
[AIAA PAPER 74-953] p0427 A74-38721

Review of NASA supercritical airfoils
[ICAS PAPER 74-10] p0448 A74-41312

NASA Flight Research Center scale F-15 remotely piloted research vehicle program
p0459 A74-43603

The National Aeronautics and Space Administration interdisciplinary studies in space technology at the University of Kansas

[NASA-CR-140623] p0501 N74-35250

NATIONAL AIRSPACE UTILIZATION SYSTEM
Universal air-ground data link system --- for automated ATC communications
p0215 A74-23830

NATURAL FREQUENCIES
U RESONANT FREQUENCIES

NATURAL GAS
Thermodynamic and transport properties of air and its products of combustion with ASTRA-A-1 fuel and natural gas at 20, 30, and 40 atmospheres
[NASA-TN-D-7488] p0101 N74-12575

NAVIER-STOKES EQUATION
Asymptotic behavior of the solution of the Navier-Stokes equations near fins
p0088 A74-15779

Analysis of three-dimensional unsteady flow around oscillating wings
[AIAA PAPER 74-184] p0135 A74-18838

NAVIGATION

NT AIR NAVIGATION

NT ALL-WEATHER AIR NAVIGATION

NT AREA NAVIGATION

NT DIGITAL NAVIGATION

NT HYBRID NAVIGATION SYSTEMS

NT HYPERBOLIC NAVIGATION

NT INERTIAL NAVIGATION

NT LORAN

NT LORAN C

NT LORAN D

NT OMEGA NAVIGATION SYSTEM

NT RADAR NAVIGATION

NT RADIO NAVIGATION

NT SURFACE NAVIGATION

NT TACAN

NT VHF OMNIRANGE NAVIGATION

NAVIGATION AIDS

NT AIRPORT BEACONS

NT GYROCOMPASSES

NT NAVIGATION INSTRUMENTS

NT RADAR BEACONS

NT RADIO BEACONS

The application of the vertical gyroscope for the artificial horizon --- low visibility air navigation
p0004 A74-10825

Parameters of RF flight navigation aids and their measurement --- Russian book
p0169 A74-19371

Collection of problems on airplane piloting /4th revised and enlarged edition/ --- Russian book
p0170 A74-19372

Simplified navigation for unmanned aircraft
p0175 A74-20098

The loran C procedure
p0268 A74-27095

Automated piloting of heavy aircraft book
p0276 A74-28075

Simulation and flight evaluation of a heads-up display for general aviation
[SAE PAPER 740347] p0308 A74-28727

Are existing nav aids adequate for commercial STOL operations in coming STOL environments --- suggested improvements for existing systems
p0346 A74-34847

New radars for ATC
p0482 A74-45545

Visual landings in regional and local airports
[NASA-TT-F-15177] p0060 N74-11093

Aircraft inertial system testing and evaluation in the United Kingdom
p0151 N74-14352

NAVIGATION INSTRUMENTS

NT ATTITUDE INDICATORS

NT GYRO HORIZONS

NT GYROCOMPASSES

NT RADIO ALTIMETERS

Integrated navigation in the air and on the sea --- automatic systems
p0029 A74-12449

Reliability of aircraft navigation computers --- Russian book
p0180 A74-20905

Aeronautical aspects of the employment of Omega and loran C in general aviation
p0268 A74-27098

NAVIGATION SATELLITES
The advanced OPLE for search and rescue --- OMEGA

SUBJECT INDEX

NOISE GENERATORS

- Position Location Experiment for global applications
Aerosat and Marsat: Satellites for mobile services p0221 A74-23787
p0059 N74-11018
- NAVY**
Conceptual options for future aircraft-ship operations [AIAA PAPER 74-300] p0182 A74-21290
Aircraft/ship interface problems - The U.S. Navy's program [AIAA PAPER 74-305] p0183 A74-21294
Advancements in the test and evaluation of naval weapon systems p0459 A74-43604
- NC-130 AIRCRAFT**
U C-130 AIRCRAFT
- NEAR INFRARED RADIATION**
Ultraviolet and near-infrared spectral analysis of a burner-can burn-through flame [FAA-NA-73-86] p0053 N74-10866
- NEAR WAKES**
Instantaneous velocity measurements in the near wake of a helicopter rotor p0425 A74-38633
On the calculation of non-linear aerodynamic characteristics and the near vortex wake [ICAS PAPER 74-27] p0449 A74-41329
- NETHERLANDS**
Stichting National Aerospace Laboratory, review for the year 1972 p0053 N74-10891
- NEUTRON SPECTRA**
Measured and calculated neutron spectra and dose equivalent rates at high altitudes; relevance to SST operations and space research [NASA-TN-D-7715] p0500 N74-35219
- NEVADA**
Terrain properties and topography from Skylab altimetry --- Oregon, Utah, Texas, and Nevada [E74-10043] p0062 N74-11164
- NEWTON-RAPHSON METHOD**
Results of a feasibility study using the Newton-Raphson digital computer program to identify lifting body derivatives from flight data [NASA-TN-X-56017] p0094 N74-11814
- NICKEL ALLOYS**
NT NITINOL ALLOYS
A life study of AISI M-50 and Super Nitralloy spur gears with and without tip relief [ASME PAPER 73-LUB-38] p0027 A74-12352
Application of powder metallurgy in gas turbine aircraft engines p0084 A74-14765
Evolution of applications of precision casting in turbojets p0125 A74-17892
The development of thermomechanical processes for advanced dispersion strengthened alloys p0342 A74-33622
Forgings for jet engines - More quality at less cost p0348 A74-34874
- NICKEL CADMIUM BATTERIES**
Nickel cadmium aircraft battery run-a-way p0337 A74-32671
- NICKEL PLATE**
Aircraft applications for electroless nickel plate [SAE PAPER 740399] p0310 A74-28758
- NICKEL STEELS**
Evaluation of damage tolerance in aircraft structures [AIAA PAPER 74-347] p0263 A74-26661
- NIOBIUM ALLOYS**
Life enhancement of turbine blades p0436 A74-39971
- NIMPH (ENGINE)**
U HYDRAZINE ENGINES
- NIOBUM ALLOYS**
Sodium sulphate induced rapid oxidation of a chromium-titanium-silicon coating on niobium alloy B-66 p0015 A74-11459
- NITINOL ALLOYS**
Nitinol as a fastener material p0176 A74-20208
- NITRIC OXIDE**
Gas-phase nitrogen and methane chemistry in the atmosphere p0015 A74-11513
- The effects of water, pressure, and equivalence ratio on nitric oxide production in gas turbines [ASME PAPER 73-WA/GT-1] p0071 A74-13292
An instrument for nitric oxide measurements in the stratosphere p0341 A74-33428
NO and O3 measurements in the lower stratosphere from a U-2 aircraft p0373 A74-35121
Parameters controlling nitric oxide emissions from gas turbine combustors p0149 N74-14291
A preliminary study on the influence of fuel staging on nitric oxide emissions from gas turbine combustors p0150 N74-14301
The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel [NASA-TN-X-2958] p0153 N74-14650
- NITRIDES**
NT SILICON NITRIDES
NITROGEN
Gas-phase nitrogen and methane chemistry in the atmosphere p0015 A74-11513
- NITROGEN COMPOUNDS**
NT NITRIC OXIDE
NT NITROGEN DIOXIDE
NT NITROGEN OXIDES
NT POLYIMIDES
NT SILICON NITRIDES
NITROGEN DIOXIDE
Gas-phase nitrogen and methane chemistry in the atmosphere p0015 A74-11513
- NITROGEN OXIDES**
NT NITRIC OXIDE
NT NITROGEN DIOXIDE
Prediction of aircraft gas turbine NO_x emission dependence on engine operating parameters and ambient conditions [AIAA PAPER 73-1275] p0010 A74-11287
Conversion of fuel nitrogen to NO_x in a compact combustor [ASME PAPER 73-WA/GT-2] p0071 A74-13293
The jet engine design that can drastically reduce oxides of nitrogen [AIAA PAPER 74-160] p0133 A74-18797
Dosage of minority stratospheric constituents, of the order of 1 ppb, by absorption spectrometry p0340 A74-33313
Reduction of NO formations by premixing p0148 N74-14272
Effect of increased fuel temperature on emissions of oxides of nitrogen from a gas turbine combustor burning ASTM jet-A fuel [NASA-TN-X-2931] p0166 N74-15659
Gas-phase nitrogen and methane chemistry in the atmosphere [AP-10] p0255 N74-19053
- NODES (STANDING WAVES)**
Modalization applied to helicopters --- vibration isolation [SAE PAPER 730893] p0019 A74-11596
- NOISE (SOUND)**
NT AERODYNAMIC NOISE
NT AIRCRAFT NOISE
NT ENGINE NOISE
NT JET AIRCRAFT NOISE
NT SONIC BOOMS
Transportation noise - It's measurement and evaluation p0008 A74-11198
Determination of the effects of mass and stiffness on the vibration response of ribbed panels subjected to random acoustic noise [AD-774436] p0304 N74-21568
Parameter estimation using an a posteriori criterion p0357 N74-25582
- NOISE ATTENUATION**
U NOISE REDUCTION
NOISE ELIMINATION
U NOISE REDUCTION
NOISE GENERATORS
Flow noise spectra from cylinders and aerofoils p0023 A74-12127
Introduction to aerodynamic noise theory p0025 A74-12207

NOISE HAZARDS

SUBJECT INDEX

Fluctuating forces appropriate for the calculation of discrete frequency noise generation in subsonic turbomachines p0204 A74-23108

Jet noise suppression --- for quiet aircraft design [SAE PAPER 740492] p0350 A74-34991

Discrete tones of isolated airfoils p0391 A74-37053

Theoretical studies of tone noise from a fan rotor [NASA-CR-2354] p0051 A74-10735

The unsteady circulation distribution in rotors and its application to noise studies p0152 A74-14437

A prediction model for wake related sound generation by single airfoils and subsonic rotors p0187 A74-15700

NOISE HAZARDS

U HAZARDS

U NOISE (SOUND)

NOISE INTENSITY

It's quiet in front --- community reaction to aircraft noise [AIAA PAPER 73-1159] p0003 A74-10510

Statistical analysis of aircraft noise levels p0173 A74-19638

Exhaust noise field generated in the JT8D core engine - noise floor presented by the internal noise sources p0221 A74-23105

Experimental study of the aerodynamic noise of airfoils p0224 A74-25327

Considerations regarding the regulation of aircraft noise p0226 A74-25358

Comments concerning noise indices /results of the study of aircraft noise in Munich conducted by the German Research Community are taken into account/ [DGLR PAPER 74-014] p0271 A74-27367

Evaluation of aircraft internal noise --- from aerodynamic sources, jet exhaust and internal equipment [SAE PAPER 740360] p0309 A74-28737

A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153

Reply to criticisms by V. E. Callaway of papers MM1 and MM11 at the 86th Meeting of the ASA --- aircraft cabin noise level p0391 A74-37061

Jet engine noise testing p0434 A74-39739

Helicopter noise - Can it be adequately rated --- inadequacy of existing measurement techniques p0438 A74-40092

Objective determination of the noise level in Doppler spectra [TR-32] p0044 A74-10155

Aircraft noise reduction technology --- to show impact on individuals and communities, component noise sources, and operational procedures to reduce impact [NASA-TN-X-68241] p0055 A74-10917

Results of the flight noise measurement program using a standard and modified SH-3A helicopter [NASA-TN-D-7330] p0096 A74-11836

Helicopter noise --- in relation to increased horsepower [FOA-3-C-3685-E4] p0105 A74-12722

The effect of helicopter noise on communication and hearing [AD-767222] p0112 A74-13450

The spectrum of turbomachine rotor noise caused by inlet guide vane wakes and atmospheric turbulence p0151 A74-14379

Reduction of aircraft noise in the vicinity of airports [NASA-TT-F-15237] p0189 A74-15718

Concerning the performance data of a reverberation chamber --- test facility for determining physiological effects of aircraft noise [NASA-TT-F-15371] p0240 A74-17958

Legal and institutional analysis of aircraft and airport noise and apportionment of authority between Federal, State, and local governments [PB-225149/4GA] p0287 A74-19898

The noise environment of a school classroom due to the operation of utility helicopters ---

acoustic measurements of helicopter noise during flight over building [NASA-TN-X-71957] p0296 A74-20659

Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport --- development of noise exposure forecast contours for projected traffic volume and aircraft types [NASA-TN-X-71953] p0296 A74-20660

The effect of engine component noise on V/STOL aircraft noise contours [NASA-CR-114687] p0297 A74-20667

Civil helicopter noise assessment study Boeing-Vertol model 347 --- recommendations for reduction of helicopter noise levels [NASA-CR-132420] p0354 A74-25563

Community acceptance of helicopter noise: Criteria and application [NASA-CR-132430] p0355 A74-25567

NOISE MEASUREMENT

Noise measurements of the jet and piston engines on the Lala-1 experimental airplane p0270 A74-27296

NOISE METERS

Airport noise monitoring systems --- automatic computerized system p0074 A74-13800

NOISE POLLUTION

Transportation noise - It's measurement and evaluation p0008 A74-11198

Noise burden factor - New way of rating airport noise p0118 A74-16898

Model study of the propagation of sound from V/STOL aircraft into urban environs p0315 A74-30093

Microphone requirements for airport noise monitoring p0315 A74-30096

The effects of aircraft noise in schools around London Airport p0336 A74-32591

Reply to criticisms by V. E. Callaway of papers MM1 and MM11 at the 86th Meeting of the ASA --- aircraft cabin noise level p0391 A74-37061

The noise environment of a school classroom due to the operation of utility helicopters p0397 A74-37541

Aircraft community noise research and development - A historical overview p0397 A74-37545

Military aircraft and airport noise and opportunities for reduction without inhibition of military missions [PB-223637/0GA] p0145 A74-13752

Legal and institutional analysis of aircraft and airport noise and apportionment of authority between Federal, State, and local governments [PB-225149/4GA] p0287 A74-19898

Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport --- development of noise exposure forecast contours for projected traffic volume and aircraft types [NASA-TN-X-71953] p0296 A74-20660

Effects of a traffic noise background on judgements of aircraft noise [NASA-TN-X-71938] p0304 A74-21308

NOISE PROPAGATION

Transmission of sound through a two-dimensional shielding jet [AIAA PAPER 73-1002] p0026 A74-12221

Application of finite difference techniques to noise propagation in jet engine ducts [ASME PAPER 73-WA/GT-10] p0072 A74-13301

Noise - The social impact --- airport operations p0080 A74-14514

Noise from nonuniform turbulent flows [AIAA PAPER 74-2] p0131 A74-18722

Progress in core engine and turbine noise technology [AIAA PAPER 74-948] p0426 A74-38719

Research on noise generated by ducted air-fuel combustion systems [AD-767337] p0152 A74-14445

Noise mechanisms --- AGARD conference on propagation and reduction of jet noise [AGARD-CP-131] p0329 A74-22640

SUBJECT INDEX

NOISE REDUCTION

- Current structural vibration problems associated with noise p0330 A74-22668
- Investigation of the large scale coherent structure in a jet and its relevance to jet noise [NASA-CR-138908] p0407 A74-27505
- NOISE REDUCTION**
- Air transportation noise technology overview [AIAA PAPER 73-1152] p0003 A74-10506
- Designing small gas turbine engines for low noise and clean exhaust [AIAA PAPER 73-1154] p0003 A74-10507
- Designing for noise and emission control in general aviation [AIAA PAPER 73-1158] p0003 A74-10509
- Noise, an urgent problem with a slow solution --- aircraft noise reduction in airport vicinity p0005 A74-11001
- Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data [AIAA PAPER 73-1001] p0006 A74-11050
- Progress in France in the last ten years in the field of helicopters - Prospects for the ten years to come p0007 A74-11097
- Aircraft noise reduction - Alternatives versus cost p0008 A74-11199
- The effect of noise constraints on engine cycle optimization for long-haul transports [AIAA PAPER 73-1292] p0011 A74-11298
- AST - A fifth engine for environmental consideration [SAE PAPER 730899] p0018 A74-11590
- Propulsion technology advances needed for a quiet supersonic transport [SAE PAPER 730898] p0018 A74-11591
- Jet noise suppression systems for high-speed aircraft [SAE PAPER 730897] p0018 A74-11592
- Highly noise suppressed bypass 6 engine for STOL application [AIAA PAPER 73-1031] p0021 A74-11799
- Noise design goals for the next generation of aircraft --- community of STOL aircraft p0022 A74-11816
- An investigation of the vibratory and acoustic benefits obtainable by the elimination of the blade tip vortex p0022 A74-11845
- Aircraft noise relief potential at major hub airports [AIAA PAPER 73-1164] p0026 A74-12217
- A positive approach to the problems of aircraft noise [AIAA PAPER 73-1157] p0026 A74-12227
- Military aircraft noise --- abatement program [AIAA PAPER 73-1291] p0032 A74-12941
- The effect of inlet-noise suppression on propulsion system design [AIAA PAPER 73-1294] p0032 A74-12942
- Influence of noise constraints on supersonic transport engine design [AIAA PAPER 73-1295] p0032 A74-12943
- Theoretical analysis of the noise characteristics of an ejector jet p0070 A74-13048
- Turbine noise generation and suppression --- prediction method linking acoustic modes with aerodynamics [ASME PAPER 73-WA/GT-7] p0071 A74-13298
- INTER-NOISE 73; Proceedings of the International Conference on Noise Control Engineering, Copenhagen, Denmark, August 22-24, 1973 p0073 A74-13789
- Aerodynamic noise from porous propeller fans p0073 A74-13793
- Can helicopters be good neighbors --- noise generation and effects p0073 A74-13795
- Non-engine aerodynamic noise - The limit to aircraft noise reduction p0074 A74-13796
- The role of certification in freeing the environment from aircraft noise nuisance p0074 A74-13797
- Noise - The technical aspects --- aircraft operations near airports p0079 A74-14513
- Noise - The social impact --- airport operations p0080 A74-14514
- Criteria for the siting of major airports p0080 A74-14516
- Test and evaluation of a quiet helicopter configuration HH-43B p0087 A74-15644
- QTOL and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations p0089 A74-15862
- Flight noise reduction in propeller-driven aircraft p0089 A74-15962
- Reduction of vibration and noise generated by planetary ring gears in helicopter aircraft transmissions [ASME PAPER 73-PTG-11] p0119 A74-16979
- Putting all our noise technology to work --- NASA Quiet Engine Program p0119 A74-17049
- New jumbo jets must speak in whispers - Certifying the Lockheed 1011 p0125 A74-17856
- Propulsion system installations --- for aircraft p0127 A74-18179
- The German law for protection against the noise of aircraft p0128 A74-18265
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [AIAA PAPER 74-91] p0133 A74-18768
- Noise problems in airport design and in civil aircraft operation p0171 A74-19476
- Future advanced-technology aircraft in the context of an integrated transport system p0171 A74-19487
- Some problems associated with noise attenuation at jet engine test facilities p0172 A74-19629
- Reduction of noise from small turbopropulsion engines [AIAA PAPER 74-59] p0179 A74-20760
- Noise suppressing devices, --- Russian book p0180 A74-20904
- Simulation studies of an airport noise silencer p0184 A74-21641
- Some noise requirements for large subsonic wind-tunnels p0216 A74-22479
- Quieting the JT3D powered 707 p0221 A74-22788
- Jet noise - The state-of-the-art p0221 A74-22789
- The cost of noise reduction in intercity commercial helicopters p0210 A74-23328
- Technology for low noise aircraft - The NASA Quiet Engines p0221 A74-23599
- Aircraft noise and sound suppression --- for propeller driven aircraft p0224 A74-24671
- Aircraft acoustics --- Russian book on noise sources and abatement methods p0225 A74-24998
- Noise silencers at military test stands --- for jet engines p0227 A74-25322
- New frontiers of civil aeronautics p0229 A74-25352
- Considerations regarding the regulation of aircraft noise p0226 A74-25358
- Noise phenomena in the case of helicopter rotors and possibilities for noise reduction [DGLR PAPER 74-024] p0270 A74-27364
- Systematic investigations in the field of noise shielding [DGLR PAPER 74-021] p0271 A74-27365
- Quieter propellers for general aviation - Present situation, future outlook [DGLR PAPER 74-023] p0271 A74-27366
- Two surprises for the Hanover exposition: Thrust gondola SG 85, Fanliner - Porsche of the air p0279 A74-28351
- The background to propeller airplane noise regulations [SAE PAPER 740361] p0309 A74-28738

- Jet aircraft ground run-up noise suppressors p0313 A74-29775
- Nozzle geometry and forward velocity effects on noise for CTOL engine-over-the-wing concept p0314 A74-30076
- Nonlinear acoustic phenomena in the presence of absorptive liners in circular ducts p0315 A74-30090
- The design of sound absorptive materials to meet special requirements p0315 A74-30091
- Investigation of acoustic effects of leading-edge serrations on airfoils p0317 A74-30392
- Computation of minimum-noise takeoff flight paths by varying the thrust and the inclination angle of the flight path p0337 A74-32902
- Aerodynamic design of a rotor blade for minimum noise radiation [AIAA PAPER 74-571] p0340 A74-33155
- Acoustical model investigations of two versions of an airport noise suppressor p0340 A74-33274
- Gearbox noise reduction - Prediction and measurement of mesh-frequency vibrations within an operating helicopter rotor-drive gearbox [ASME PAPER 73-DET-31] p0341 A74-33404
- Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept [AIAA PAPER 74-568] p0344 A74-34798
- Sonic inlet technology development and application to STOL propulsion [SAE PAPER 740458] p0349 A74-34981
- Propulsion system sizing for powered lift and mechanical flap quiet aircraft [SAE PAPER 740455] p0349 A74-34983
- Jet noise suppression --- for quiet aircraft design [SAE PAPER 740492] p0350 A74-34991
- FAA aircraft retrofit feasibility program --- for jet noise reduction [SAE PAPER 740489] p0350 A74-34992
- Reduction of JT8D powered aircraft noise by engine refanning [SAE PAPER 740490] p0352 A74-35009
- Externally blown flap noise research [SAE PAPER 740468] p0352 A74-35011
- Investigation of noise from full-scale high bypass engine and blown flap system [SAE PAPER 740467] p0352 A74-35012
- Noise attenuation in the case of the microturbine engine TRS 18 p0379 A74-35981
- Noise - Future targets --- subsonic aircraft noise reduction p0381 A74-36318
- Minimum noise climbout trajectories of a VTOL aircraft p0392 A74-37284
- Development of noise-reduction concepts for the 707 airplane p0396 A74-37533
- Aircraft noise retrofit feasibility program results and applications p0396 A74-37534
- Aircraft noise retrofit feasibility program objectives and scope p0396 A74-37535
- Jet propulsion for quiet aircraft --- nozzle configurations p0396 A74-37536
- The spectrum of rotor noise caused by atmospheric turbulence p0397 A74-37537
- Aircraft community noise research and development - A historical overview p0397 A74-37545
- Development of noise-reduction concepts for 727 and 737 airplanes p0397 A74-37546
- Noise reduction programs for DC-8 and DC-9 airplanes p0397 A74-37548
- Jet transport energy management for minimum fuel consumption and noise impact in the terminal area [AIAA PAPER 74-811] p0400 A74-37821
- VPW 614, quiet short haul airliner [AIAA PAPER 74-937] p0426 A74-38713
- Aircraft/engine jet noise control - A survey [AIAA PAPER 74-947] p0426 A74-38718
- An operational look at the two-segment approach --- for aircraft noise reduction [AIAA PAPER 74-979] p0428 A74-38738
- Weight estimates for Quiet/STOL aircraft [SAE PAPER 1001] p0434 A74-39876
- Contribution to the study of noise from jet aircraft during flight p0437 A74-39983
- A review of air transport noise p0438 A74-40087
- Noise sources and their control in V/STOL aircraft p0438 A74-40089
- Noise of advanced subsonic air transport systems p0438 A74-40090
- Noise shielding aircraft configurations - A comparison between predicted and experimental results [ICAS PAPER 74-58] p0451 A74-41357
- Recent developments at the ultimate noise barrier --- aerodynamic noise [ICAS PAPER 74-59] p0451 A74-41358
- Airframe noise - The next aircraft noise barrier [AIAA PAPER 74-949] p0452 A74-41654
- Aerodynamic and acoustic performance of ejectors for engine-under-the-wing concepts [AIAA PAPER 74-950] p0452 A74-41655
- Effect of ejector spacing on ejector-jet noise characteristics p0479 A74-45032
- Aircraft design for flight below the sonic boom speed limit p0483 A74-46240
- Refan program. Phase 1: Summary report [NASA-TM-X-71456] p0040 N74-10043
- A feasibility study and preliminary evaluation of the use of a biased glide slope technique for noise abatement approach [FAA-RD-73-153] p0048 N74-10618
- Theoretical studies of tone noise from a fan rotor [NASA-CR-2354] p0051 N74-10735
- Aircraft noise reduction technology --- to show impact on individuals and communities, component noise sources, and operational procedures to reduce impact [NASA-TM-X-68241] p0055 N74-10917
- V/STOL noise prediction and reduction [LG73ER0062] p0056 N74-10921
- Control of supersonic wind-tunnel noise by laminarization of nozzle-wall boundary layer [NASA-TM-X-2879] p0062 N74-11119
- Radially leaned outlet guide vanes for fan source noise reduction [NASA-CR-134486] p0065 N74-11597
- The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200 [NASA-CR-134503] p0093 N74-11808
- Flight experience with the decelerating noise abatement approach [NASA-TM-X-56020] p0104 N74-12720
- Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines [NASA-CR-2338] p0141 N74-13724
- Flight velocity effects on jet noise of several variations of a 48-tube suppressor installed on a plug nozzle [NASA-TM-X-2919] p0165 N74-15465
- Flight velocity effects on jet noise of several variations of a twelve-chute suppressor installed on a plug nozzle [NASA-TM-X-2918] p0166 N74-15466
- A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas Aircraft [NASA-CR-114677] p0188 N74-15714
- Reduction of aircraft noise in the vicinity of airports [NASA-TT-P-15237] p0189 N74-15718
- Flight evaluation of two segment approaches for jet transport noise abatement [NASA-CR-114735] p0200 N74-16995
- Applicability of NASA (ARC) two-segment approach procedures to Boeing Aircraft [NASA-CR-114678] p0235 N74-17749
- Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System

SUBJECT INDEX

NONDESTRUCTIVE TESTS

- design and test integration
[NASA-CR-114621] p0235 N74-17751
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 1: Static testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752
- Review and analysis of present and planned FAA noise regulatory actions and their consequences regarding aircraft and airport operations
[PB-224405/16A] p0238 N74-17770
- Noise source abatement technology and cost analysis including retrofitting --- noise control for commercial and general aviation aircraft
[PB-224422/6GA] p0238 N74-17771
- An experimental study of the validity of the heat-field concept for sonic-boom alleviation
[NASA-CR-2381] p0245 N74-18648
- Noise measurements taken at LAX during operational evaluation of two-segment approaches in a 727-200 aircraft
[NASA-CR-114690] p0249 N74-18686
- Some engine and aircraft design considerations affecting noise --- application to conventional short range aircraft for operation from short and medium length runways
p0291 N74-20421
- The influence of noise requirements on STOL aircraft engine design --- analysis of acceptable noise levels for short takeoff aircraft operating in congested areas
p0291 N74-20423
- Q-fan propulsion for short haul transports --- application of variable thrust fans for aircraft and engine noise reduction
p0291 N74-20424
- Jet noise reduction technique for military reconnaissance/surveillance aircraft. Phase 1: Bench/wind tunnel tests
[AD-774748] p0300 N74-20691
- Near field and far field sound radiation from Do 31 V/STOL jet transport and possibilities for noise abatement in future V/STOL development
[NASA-TT-F-15534] p0324 N74-21650
- Comparison of acoustic performance of five muffler configurations on a small helicopter --- acoustic properties of modified helicopter exhaust system
[NASA-TN-D-7495] p0325 N74-21652
- Noise mechanisms --- AGARD conference on propagation and reduction of jet noise
[AGARD-CP-131] p0329 N74-22640
- Reduction of JT8D powered aircraft noise by engine refanning
[NASA-TN-X-71536] p0331 N74-23342
- Civil helicopter noise assessment study Boeing-Vertol model 347 --- recommendations for reduction of helicopter noise levels
[NASA-CR-132420] p0354 N74-25563
- Flight-mechanics problems during landing approach with direct lift control, exemplified by HPB 320 Hansa
[NASA-TT-F-15614] p0355 N74-25566
- Supplementary contribution on aircraft performance considerations for noise reduction
p0365 N74-26455
- Systematic sound insulation investigations
[HBB-UH-06-74-0] p0368 N74-26483
- Helicopter rotor noise and possibilities for its reduction
[HBB-UD-118-74-0] p0368 N74-26485
- Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] p0406 N74-27490
- Noise reducing methods for STOL aircraft approach and takeoff
[NASA-TT-F-15612] p0413 N74-28500
- Low noise propeller technology demonstration --- application to quiet aircraft development
[AD-779773] p0443 N74-29395
- Effects of forward velocity and acoustic treatment on inlet fan noise
[NASA-TN-X-71591] p0445 N74-30249
- Noise suppressor --- for turboprop engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] p0470 N74-32418
- The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary
p0471 N74-32429
- FAA JT3D quiet nacelle retrofit feasibility program. Volume I-1: Lower goal design, fabrication and ground testing
[AD-775453] p0471 N74-32430
- DC-9 noise retrofit feasibility. Volume 1: Lower goal noise, performance and cost evaluation
[AD-776127] p0472 N74-32437
- Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] p0474 N74-33218
- Test of acoustic tone source and propulsion performance of C8A Buffalo suppressor nozzle
[NASA-CR-137521] p0489 N74-33456
- NOISE SPECTRA**
An experimental study of subsonic jet noise and comparison with theory
p0002 A74-10271
- Flow noise spectra from cylinders and aerofolls
p0023 A74-12127
- On the theory of jet noise and its applications --- Lighthill theory
[AIAA PAPER 73-987] p0026 A74-12218
- Acoustic characteristics of a gas turbine exhaust model
[ASME PAPER 73-WA/GT-5] p0071 A74-13296
- Tip load modulation as a source of discrete tone fan noise
p0073 A74-13791
- Effect of unsteady loading on rotor noise
p0073 A74-13792
- An investigation of impulsive rotor noise using a model rotor
p0206 A74-22467
- A comparison of the noise characteristics of full scale and model helicopter rotors
p0206 A74-22468
- Parameterization of helicopter rotor noise from experimental data
p0206 A74-22469
- Rotating-blade vortex noise
p0203 A74-22470
- Experimental studies of rotational noise in forward flight
p0206 A74-22471
- Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers
p0315 A74-30098
- Discrete tones of isolated airfoils
p0391 A74-37053
- Spectrum of rotor noise caused by atmospheric turbulence
p0430 A74-38854
- Analysis of acoustic radiation in a jet flow environment
p0461 A74-44314
- Laboratory for automatic processing of analog signals
p0419 N74-29361
- NOISE SUPPRESSORS**
U NOISE REDUCTION
NOISE THRESHOLD
Noise limit values of aircraft
[DGLR-PAPER-74-015] p0368 N74-26482
- NOISE TOLERANCE**
Measured jet noise compared to California noise codes and health criteria
p0014 A74-11424
- Effects of discontinuation of nocturnal aircraft noise
p0315 A74-30084
- NONENCLATURES**
Nonenclature and abbreviations, flight deck area
[SAE AS 425 B] p0269 A74-27263
- NOMINAL VALUES**
U APPROXIMATION
- NONDESTRUCTIVE TESTS**
Fracture toughness and ndt requirements for aircraft design
p0085 A74-15033
- Ultrasonic inspection of titanium airframe components
p0116 A74-16479
- Non-destructive inspection of titanium jet engine disks
p0116 A74-16480
- Nondestructive detection of hydrides and alpha-case in titanium alloys
p0116 A74-16482

NON-EQUILIBRIUM FLOW

SUBJECT INDEX

Effects of fabrication defects on boron/epoxy composites [AIAA PAPER 74-352] p0264 A74-26664

Residual stresses in gas turbine engine components from Barkhausen noise analysis [ASME PAPER 74-GT-51] p0272 A74-27444

Parameter selection for multiple fault diagnostics of gas turbine engines [ASME PAPER 74-GT-62] p0272 A74-27452

Eddy current inspection - Testing of aircraft-parts p0341 A74-33471

A test method for nondestructive testing of fuel filtration equipment using thermography p0341 A74-33521

How Eastern Airlines uses nondestructive evaluation to assure quality of specific jet engine hardware p0343 A74-34287

Nondestructive testing of aircraft wheels at Eastern Airlines p0343 A74-34288

Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen p0343 A74-34290

Electromagnetic proof stressing of bonded airplane structure p0343 A74-34294

Quantitative evaluation of the effect of mechanical processing on the effectiveness of penetrant inspection p0378 A74-35669

Inspection of advance composite structures by nondestructive testing p0380 A74-36000

Composite materials inspection --- ultrasonic vibration holographic NDT p0457 A74-43164

Signal-to-noise ratio in the inspection penetrant process p0459 A74-43457

Acoustic-emission detection system p0478 A74-44928

Evaluation of the adhesive bonding processes used in helicopter manufacture. Part 4: Nondestructive inspection of adhesive bonds using holographic techniques [AD-765455] p0047 N74-10480

Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics [NASA-TN-D-7483] p0099 N74-12187

Engineering appraisal of Southwest Research Institute magnetic crack definer applied to CH47 rotor blades [AD-769068] p0163 N74-14778

Helicopter inspection design requirements [AD-769061] p0163 N74-14781

In situ non-destructive testing of aircraft structures by holographic interferometry [RAE-TR-72218] p0197 N74-16734

Development of NDT/I for integral wing fuel tank structures using infrared thermography [AD-773466] p0288 N74-20060

Nondestructive holographic techniques for structures inspection --- in large aircraft [AD-774758] p0303 N74-21105

NON-EQUILIBRIUM FLOW

The effects of hypersonic viscous interaction on static stability of slender bodies in simulated non-equilibrium flows p0154 N74-14704

NONISOTROPY

U ANISOTROPY

NONLINEAR EQUATIONS

Solution of the non-linear differential equations for finite bending of a thin-walled tube by parameter differentiation p0279 A74-28420

High intensity sound in a lined duct p0336 A74-32593

Nonlinear bending and torsion of rotating beams with application to linear stability of hingeless helicopter rotors p0101 N74-12545

NONLINEAR PROGRAMMING

An application of some aspects of optimal control --- for missile autopilot design p0215 A74-23598

A model of convex programming for turbojet main parameter selection optimization [ASME PAPER 74-GT-79] p0272 A74-27466

NONLINEAR SYSTEMS

Decoupling of a class of nonlinear systems and its application to an aircraft control problem p0127 A74-18139

Random vibration with non-linear damping p0129 A74-18297

Estimation of aircraft parameters in nonlinear aerodynamic models p0225 A74-24843

Random vibration of aircraft undercarriages with nonlinear characteristics p0321 A74-31705

Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft p0342 A74-33778

Nonlinear and adaptive control techniques; Proceedings of the First Annual Advanced Control Conference, Purdue University, Lafayette, Ind., April 29-May 1, 1974 p0373 A74-35204

Adaptive and nonlinear control systems in aerospace applications p0373 A74-35206

Cabin pressure control - An exercise in nonlinear design p0373 A74-35208

Input design for parameter identification. I - A new formulation and a practical solution p0374 A74-35252

Management of analytical redundancy in digital flight control systems for aircraft [AIAA PAPER 74-887] p0422 A74-38249

Nonlinear parameter identification: Ballistic range experience applicable to flight testing --- using Gauss-Newton method p0356 N74-25580

NONRIGIDITY

U FLEXIBILITY

NONUNIFORM FLOW

Investigation of flow parameters in a turbine stage with a nonuniform inlet p0002 A74-10255

Finite element solution of the incompressible flow over an airfoil in a nonuniform stream p0014 A74-11426

Experimental investigation of sonic boom propagation through variable flow fields p0115 A74-16385

Noise from nonuniform turbulent flows [AIAA PAPER 74-2] p0131 A74-18722

Effects of non-uniform inflow on fan noise p0397 A74-37542

A study of the nonlinear aerodynamics of bodies in nonplanar motion --- numerical analysis of aerodynamic force and moment systems during large amplitude, arbitrary motions [NASA-TR-R-421] p0158 N74-14741

Blade-rate force fluctuations of a propeller in non-uniform flow --- using FORTRAN program [ARL/R/P-33A] p0247 N74-18667

NONVISCOUS FLOW

U TURBULENT FLOW

NORMAL FORCE DISTRIBUTION

U FORCE DISTRIBUTION

NORMAL SHOCK WAVES

Prediction of airfoil shock location in transonic flow p0013 A74-11342

The shock adjustment concept - A new method for improved supersonic air data sensing p0346 A74-34845

NORTH AMERICAN AIRCRAFT

NT B-1 AIRCRAFT

NT T-2 AIRCRAFT

NT T-28 AIRCRAFT

NORTH ATLANTIC TREATY ORGANIZATION (NATO)

Highlights, spring 1973 --- of progress of AGARD panels p0332 N74-23500

NORTHERN HEMISPHERE

NT ARCTIC REGIONS

NORTHROP AIRCRAFT

NT F-5 AIRCRAFT

NT F-89 AIRCRAFT

NT T-38 AIRCRAFT

SUBJECT INDEX

NOZZLE THRUST COEFFICIENTS

The light-weight high-performance YF-17
 p0089 A74-15953
 YF-17 evolved from previous data base --- Northrop
 trainer/fighter prototype
 p0276 A74-27848

NOISE CAPS
U NOISE CONES
NOISE CONES
 Prediction of unsteady airloads for the solution
 of the panel flutter problem of nosecones and
 conical shell structures
 p0031 A74-12804

Supersonic flow past sharp- and blunt-nosed
 conical bodies at angles of attack from 0 to 45
 deg
 [DGLR PAPER 73-080]
 p0120 A74-17186

NOISES (FOREBODIES)
NT NOISE CONES
 Experimental investigation of optimal fuselage
 nose parts for supersonic passenger aircraft
 p0382 A74-36451

NOTATION
U CODING
NOTCH TESTS
 Effect of prior creep on durability of AK4-1-T1
 alloy
 p0383 A74-36510

Cyclic-stress analysis of notches for supersonic
 transport conditions --- using finite element
 method
 [NASA-CR-132387]
 p0257 N74-19544

NOTCHED METALS
U NOTCH TESTS
NOZZLE COEFFICIENT
U NOZZLE FLOW
NOZZLE DESIGN
 V/STOL deflector aerodynamic design criteria ---
 geometric variations effects
 [AIAA PAPER 73-1181]
 p0008 A74-11226

Integrated airframe-nozzle performance for
 designing twin-engine fighters
 [AIAA PAPER 73-1303]
 p0011 A74-11302

Advanced technology thrust vectoring exhaust systems
 [AIAA PAPER 73-1304]
 p0011 A74-11303

Simplified physical model of spray combustion in a
 gas turbine engine
 p0015 A74-11451

Noise tests of a high-aspect-ratio slot nozzle
 with various V-gutter target thrust reversers
 [NASA-TM-X-71470]
 p0039 N74-10037

Analysis and design of three dimensional
 supersonic nozzles. Volume 1: Nozzle-exhaust
 flow field analysis by a reference plane.
 characteristics technique
 [NASA-CR-132350]
 p0061 N74-11113

Analysis and design of three dimensional
 supersonic nozzles. Volume 2: Numerical
 program for analysis of nozzle-exhaust flow fields
 [NASA-CR-132351]
 p0061 N74-11114

Analysis and design of three dimensional
 supersonic nozzles. Volume 3: A design
 technique for multiple nozzle configurations
 [NASA-CR-132352]
 p0061 N74-11115

Cold-flow performance of several variations of a
 ram-air-cooled plug nozzle for supersonic-cruise
 aircraft
 [NASA-TM-X-3110]
 p0500 N74-35203

NOZZLE FLOW
 Determination of the gas temperature in front of
 the turbine of a bypass turbofan engine
 p0087 A74-15721

Subsonic blocking in double-flow nozzles
 p0311 A74-29310

Noise tests of a high-aspect-ratio slot nozzle
 with various V-gutter target thrust reversers
 p0315 A74-30098

Acoustical model investigations of two versions of
 an airport noise suppressor
 p0340 A74-33274

Interaction between an overexpanded gas jet and a
 flat obstacle
 p0391 A74-37138

Noise due to jet motion caused by internal
 unsteadiness --- subsonic nozzle flow
 p0398 A74-37550

Noise tests of a high-aspect-ratio slot nozzle
 with various V-gutter target thrust reversers
 [NASA-TM-X-71470]
 p0039 N74-10037

Fluidic emergency roll control system --- for
 emergency aircraft control following failure of
 primary roll control system
 [NASA-CR-114588]
 p0040 N74-10048

Analysis and design of three dimensional
 supersonic nozzles. Volume 1: Nozzle-exhaust
 flow field analysis by a reference plane
 characteristics technique
 [NASA-CR-132350]
 p0061 N74-11113

Analysis and design of three dimensional
 supersonic nozzles. Volume 2: Numerical
 program for analysis of nozzle-exhaust flow fields
 [NASA-CR-132351]
 p0061 N74-11114

Analysis and design of three dimensional
 supersonic nozzles. Volume 3: A design
 technique for multiple nozzle configurations
 [NASA-CR-132352]
 p0061 N74-11115

Analysis and design of three dimensional
 supersonic nozzles. Volume 4: Similarity laws
 for nozzle flows
 [NASA-CR-132353]
 p0061 N74-11116

Assessment of the influence of inlet and
 aftbody/nozzle performance on total aircraft drag
 p0157 N74-14726

Similarity parameters and their sensitivity for
 transonic airframe exhaust nozzle interactions
 [AD-768988]
 p0159 N74-14746

Design integration and noise studies for jet STOL
 aircraft. Task 7A: Augmentor wing cruise
 blowing valveless system. Volume 1: System
 design and test integration
 [NASA-CR-114621]
 p0235 N74-17751

Design integration and noise studies for jet STOL
 aircraft. Task 7C: Augmentor wing cruise
 blowing valveless system. Volume 1: Static
 testing of augmentor noise and performance
 [NASA-CR-114622]
 p0236 N74-17752

Design integration and noise studies for jet STOL
 aircraft. Task 7C: Augmentor wing cruise
 blowing valveless system. Volume 2:
 Small-scale development testing of augmentor
 wing critical ducting components
 [NASA-CR-114623]
 p0236 N74-17753

Noise characteristics of jet flap type exhaust flows
 --- effects of Mach number, slot nozzle aspect
 ratio, and flap length on radiated sound power
 [NASA-CR-2342]
 p0236 N74-17756

Flight Reynolds number effects on a contoured
 boattail nozzle at subsonic speeds
 [NASA-TM-X-3053]
 p0323 N74-21639

Exhaust flow deflector
 [NASA-CASE-LAR-11570-1]
 p0410 N74-28233

Flight velocity effects on the jet noise of
 several variations of a 104-tube suppressor nozzle
 [NASA-TM-X-3049]
 p0410 N74-28240

Exhaust-nozzle characteristics for a twin-jet
 variable-wing-sweep fighter airplane model at
 Mach numbers to 2.2
 [NASA-TM-X-2947]
 p0416 N74-28524

Test of acoustic tone source and propulsion
 performance of C8A Buffalo suppressor nozzle
 [NASA-CR-137521]
 p0489 N74-33456

NOZZLE GEOMETRY
 V/STOL deflector aerodynamic design criteria ---
 geometric variations effects
 [AIAA PAPER 73-1181]
 p0008 A74-11226

Effect of exhaust nozzle configuration on
 aerodynamic and acoustic performance of an
 externally blown flap system with a quiet 6:1
 bypass ratio engine
 [AIAA PAPER 73-1217]
 p0030 A74-12495

Turbine engine exhaust nozzle performance ---
 inlet flow conditions effects
 [AIAA PAPER 73-1302]
 p0032 A74-12947

Velocity characteristics of a turbine with
 adjustable nozzle diaphragms
 p0087 A74-15719

Nozzle geometry and forward velocity effects on
 noise for CTOL engine-over-the-wing concept
 p0314 A74-30076

Nozzle development for the upper surface - Blown
 jet flap on the YC-14 airplane
 [SAE PAPER 740469]
 p0351 A74-35003

Cold-flow performance of several variations of a
 ram-air-cooled plug nozzle for supersonic-cruise
 aircraft
 [NASA-TM-X-3110]
 p0500 N74-35203

NOZZLE THRUST COEFFICIENTS
 Turbine engine exhaust nozzle performance ---

NUCLEAR PROPELLED AIRCRAFT

SUBJECT INDEX

inlet flow conditions effects
[AIAA PAPER 73-1302] p0032 A74-12947

NUCLEAR PROPELLED AIRCRAFT
The airship can meet the energy challenge p0176 A74-20166

NUCLEAR RADIATION
NT GAMMA RAYS
Nuclear instrument landing system
[SAM-828-2] p0288 A74-20232

NUCLEAR SHIELDING
U RADIATION SHIELDING

NUCLEATION
NT CLOUD SEEDING

NUCLIDES
NT OXYGEN 18

NUMBER THEORY
NT EXPONENTS

NUMERICAL ANALYSIS
NT APPROXIMATION
NT ERROR ANALYSIS
NT FINITE DIFFERENCE THEORY
NT FINITE ELEMENT METHOD
NT ITERATIVE SOLUTION
NT LEAST SQUARES METHOD
NT MONTE CARLO METHOD
NT NEWTON-RAPHSON METHOD
NT RAYLEIGH-RITZ METHOD
NT RELAXATION METHOD (MATHEMATICS)
NT RUNGE-KUTTA METHOD
NT TRUNCATION ERRORS
Sonic boom analysis for high altitude flight at
high Mach number
[AIAA PAPER 73-1034] p0026 A74-12224
Buckling of orthotropic circular plates p0085 A74-14972
Numerical solution of the problem of supersonic
gas flow over the upper surface of a delta wing
in the expansion region p0186 A74-22283
Numerical method of calculating the aerodynamic
characteristics of cambered and uncambered wings
in supersonic flow p0391 A74-36827
Automatic numerical generation of body-fitted
curvilinear coordinate system for field
containing any number of arbitrary
two-dimensional bodies p0432 A74-39286
Study of unsteady flows around a pointed airfoil
by conformal transformation p0432 A74-39300
The minimum induced drag of the hemi-elliptic
ground effect wing --- numerical analysis of
aerodynamic drag characteristics p0231 A74-17700
Hingeless rotor theory and experiment on vibration
reduction by periodic variation of conventional
controls p0497 A74-34515

NUMERICAL CONTROL
Evaluation of the operations contained in
algorithms carried out by digital controller
computers p0130 A74-18638
Digital adaptive flight controller development
p0176 A74-20120
The use of computer technology in civil aviation
--- Russian book p0215 A74-23698
Use of methods based on compound control theory in
landing-phase control of an aircraft p0221 A74-24017
Adaptive and nonlinear control systems in
aerospace applications p0373 A74-35206
An automated tape layup system /ATLAS/ --- for
composite aircraft structures fabrication p0379 A74-35838
Sample rate selection for aircraft digital control
[AIAA PAPER 74-885] p0401 A74-37867
Digital explicit model following with unstable
model dynamics [AIAA PAPER 74-888] p0402 A74-37869
A classical approach to the design of
model-following control systems --- for fighter
aircraft [AIAA PAPER 74-913] p0402 A74-37893
Considerations in the design of a digital flight
control function for a high performance aircraft

p0423 A74-38533
A digital multimode flight control system for
tactical fighters p0423 A74-38551
A digital Mark XII IPF reply evaluator for the F-15
p0425 A74-38565
Turbomachine numerical control using the ASHODEB
01 prototype --- airborne computer p0431 A74-39007
Power plant controls - 'The system' --- digital
techniques for aircraft engines p0457 A74-43202
The case for digital techniques applied to
powerplant controls --- for aircraft p0458 A74-43212
Design and flight experience with a digital
fly-by-wire control system in an F-8 airplane
p0464 A74-31450

NUMERICAL INTEGRATION
NT RUNGE-KUTTA METHOD

0

OBLIQUE SHOCK WAVES
Flowfield analysis for successive oblique shock
wave-turbulent boundary-layer interactions
p0173 A74-19777
Some extensions of thin-shock-layer theory
p0279 A74-28419
Three dimensional flows around airfoils with shocks
p0480 A74-45226

OBLIQUE WINGS
Optimal aeroelastic design of an oblique wing
structure
[AIAA PAPER 74-349] p0277 A74-28173
Influence of static aeroelasticity on oblique
winged aircraft p0317 A74-30399

OBSERVATION
NT SATELLITE OBSERVATION

OBSERVATION AIRCRAFT
NT CL-84 AIRCRAFT
NT E-2 AIRCRAFT
NT F-5 AIRCRAFT
NT OH-6 HELICOPTER
NT OV-1 AIRCRAFT
NT P-1127 AIRCRAFT

OBSTACLES
U BARRIERS

OCULTATION
NT SOLAR ECLIPSES

OCEAN SURFACE
Radar backscattering as a means for measuring
ocean surface parameters using S193 altimetry
and S190B photography p0063 A74-11202
[E74-10092]
Turning characteristics of the Bell 100 ton
surface effect ship p0145 A74-13753
[AD-767680]

ODORS
Odor intensity and characterization studies of
exhaust from a turbojet engine combustor
[AIAA PAPER 73-1278] p0011 A74-11290

OGIVE WINGS
U VARIABLE SWEEP WINGS

OGIVES
Supersonic and transonic wind tunnel tests on a
slender ogive-cylinder body single and in
combination with cruciform wings and tails of
different sizes p0231 A74-17704
[FFA-AU-772]
Supersonic and transonic wind tunnel tests on
slender ogive-cylinder body single and in
combination with cruciform wings and tails of
different sizes p0231 A74-17705
[FFA-AU-772-SUPPL]

OH-6 HELICOPTER
Vertical-plane pendulum absorbers for minimizing
helicopter vibratory loads p0395 A74-37502
Component noise variables of a light observation
helicopter p0297 A74-20662
[NASA-CR-114761]
Noise levels of operational helicopters of the
OH-6 type designed to meet the LOH mission ---
acoustic properties for various helicopter
configurations p0297 A74-20663
[NASA-CR-114760]

SUBJECT INDEX

OPTICAL PROPERTIES

OH-6A design and operational flight loads study
 [AD-775832] p0331 N74-22690
 Helicopter drive system load analysis
 [AD-775858] p0331 N74-22697
 Major item special study (MISS), OH-6A tail rotor
 assembly
 [AD-778166] p0408 N74-27512
 Major Item Special Study (MISS), OH-6A main rotor
 hub
 [AD-781507] p0473 N74-32457
 Major Item Special Study (MISS), OH-6A tail rotor
 transmission assembly
 [AD-782926] p0498 N74-34526

OIL ADDITIVES
 Additives for lubrication oils used with foreign
 gas-turbine aviation engines - Survey of patents
 p0219 A74-23518

OIL SLICKS
 Helicopter tow tests of the US Coast Guard's air
 delivery container for oil spill containment
 barrier
 [AD-774898] p0327 N74-21669

OILS
 NT CRUDE OIL
 NT FUEL OILS
 NT LUBRICATING OILS
 The filtration of oil in modern aircraft
 installations. II
 p0343 A74-33820
 Improved silicone fluids as candidate gas turbine
 engine oils for minus 40 F to 465 F temperature
 range
 [AD-767898] p0148 N74-14246

OLFACTORY PERCEPTION
 Odor intensity and characterization studies of
 exhaust from a turbojet engine combustor
 [AIAA PAPER 73-1278] p0011 A74-11290

OMEGA NAVIGATION SYSTEM
 The advanced OPLE for search and rescue --- OMEGA
 Position Location Experiment for global
 applications
 p0221 A74-23787
 The aeronautical aspects of an employment of loran
 C and Omega --- in conjunction with inertial
 navigation
 p0268 A74-27097
 Aeronautical aspects of the employment of Omega
 and loran C in general aviation
 p0268 A74-27098

OMNIDIRECTIONAL ANTENNAS
 NT MONOPOLE ANTENNAS
OMNIRANGE NAVIGATION
 U VHF OMNIRANGE NAVIGATION
ON-LINE PROGRAMMING
 Reciprocal-action computational systems for
 complex calculations in aeromechanics
 p0393 A74-37394

ONBOARD COMPUTERS
 U AIRBORNE/SPACEBORNE COMPUTERS
ONBOARD EQUIPMENT
 NT AIRBORNE EQUIPMENT
 NT AIRBORNE/SPACEBORNE COMPUTERS
 NT AIRCRAFT EQUIPMENT
 NT BOMBING EQUIPMENT
 Civil air navigation equipment, on the ground and
 in the air
 p0007 A74-11094
 Evolution and new functions of airborne radars
 p0378 A74-35744
 Flight study of a vehicle operational status and
 monitoring system --- applied to systems on
 YF-12 aircraft
 [NASA-TN-D-7546] p0141 N74-13725

ONISOTROPY
 U ANISOTROPY
OPENINGS
 Effect of cut-out on lift-curve slope --- on wings
 and tailplanes
 [ESDU-WINGS-01.01.04-AMEND-A] p0487 N74-33425

OPERATIONAL HAZARDS
 US Army helicopter icing tests
 p0460 A74-43623

OPERATIONAL PROBLEMS
 Advantages of aircraft system maturity ---
 profitability
 [SAE PAPER 730907] p0018 A74-11585
 Operational problems with the aircraft type Tu-134
 in the case of a use of the aircraft turbine
 fuel TS-1

RB 211 - The first eighteen months operating
 experience /Sholto Douglas Memorial Lecture/
 p0020 A74-11740
 What keeps wide body jets down on the ground ---
 mechanical/operational breakdown problems
 p0027 A74-12300
 Problems in data management for earth monitoring
 missions
 [DGLR PAPER 73-109] p0121 A74-17205
 Some current problems and prospects for
 development of rotary-wing aircraft
 p0075 A74-13974
 Zeppelins - Not again --- airship operational
 hazards
 p0130 A74-18641
 Wind modification over the flight decks of
 high-speed ships
 [AIAA PAPER 74-301] p0182 A74-21291
 Civil aviation research and development
 p0378 A74-35718
 Aircraft approach - A degree of bias ---
 supersonic transports engine control problems
 p0458 A74-43205

OPERATIONS RESEARCH
 Conceptual options for future aircraft-ship
 operations
 [AIAA PAPER 74-300] p0182 A74-21290
 Failure modes, effects and criticality analysis
 (FMECA) of category III instrument landing
 system with traveling: Wave localizer antenna
 [U-840912-100] p0164 N74-15380
 A numerical vortex box technique for calculations
 in lifting surface theory
 p0244 A74-18642
 Recent experience from BAC aircraft for NATO
 p0465 N74-31469

OPERATORS (PERSONNEL)
 NT AIRCRAFT PILOTS
OPTICAL ABSORPTION
U LIGHT TRANSMISSION
OPTICAL COMMUNICATION
 Fiber and integrated optic communication technology
 [AD-771402] p0240 N74-17902

OPTICAL EQUIPMENT
 NT FRAMING CAMERAS
 NT HIGH SPEED CAMERAS
 NT LASER DOPPLER VELOCIMETERS
 NT OPTICAL MEASURING INSTRUMENTS
 NT OPTICAL RADAR
 NT PERISCOPES
 NT PHOTOMETERS
 NT PRISMS
 NT REFLECTOMETERS
 NT TELEVISION CAMERAS
 The future of avionics --- large scale integration
 and digital systems
 p0399 A74-37786

OPTICAL MEASUREMENT
 Experimental study of shock-wave reflection upon
 boundary layer transition
 [ONERA, TP NO. 1284] p0006 A74-11072
 Measuring the radiation of a vertical gas jet
 p0015 A74-11500
 Two-color dual-beam backscatter laser Doppler
 velocimeter
 p0076 A74-14093
 Use of laser-powered optical proximity probe in
 advanced turbofan engine development
 p0278 A74-28303

OPTICAL MEASURING INSTRUMENTS
 NT PHOTOMETERS
 NT REFLECTOMETERS
 Reflection-measuring aircraft instruments. II -
 Spectral albedometer
 p0276 A74-27894
 Protection of an optical sensor against vibration
 of the flight vehicle
 p0276 A74-27899

OPTICAL PROPERTIES
 NT SPECTRAL REFLECTANCE
 Differential method for testing the optical
 standards of cockpit windshields
 p0005 A74-10937
 Optical factors in aircraft windshield design as
 related to pilot visual performance --- effect
 on pilot vision in forward direction
 [AD-767203] p0106 N74-12733

OPTICAL RADAR

Design, test, and acceptance criteria for Army helicopter transparent enclosures
[AD-767242] p0107 N74-12739
Conference on Transparent Aircraft Enclosures --- development and design concepts for vision areas of crew enclosures
[AD-769344] p0190 N74-15727
Report on the Conference on Transparent Aircraft Enclosures
[AD-769372] p0199 N74-16755
Cobra window design analysis and no glare canopy design
[AD-778165] p0408 N74-27508

OPTICAL RADAR

Evaluation of the lidar technique of determining slant range visibility for aircraft landings operations
[AD-776054] p0358 N74-25596

OPTICAL SCANNERS

NT FLYING SPOT SCANNERS

OPTICAL SENSORS

U OPTICAL MEASURING INSTRUMENTS

OPTICAL SIGNALS

U OPTICAL COMMUNICATION

OPTICAL TRACKING

Tracking systems for flight development of today's commercial aircraft
p0348 A74-34858

OPTIMAL CONTROL

NT TIME OPTIMAL CONTROL

Two numerical methods to solve realistic air-to-air combat differential games
[AIAA PAPER 74-22] p0132 A74-18736
Differential-turning optimality criteria --- for aircraft pursuit/evasion situations
[AIAA PAPER 74-23] p0132 A74-18737
Aircraft symmetric flight optimization --- gradient techniques for supersonic aircraft control
p0209 A74-23091

An application of some aspects of optimal control --- for missile autopilot design
p0215 A74-23598

Semi-Markovian models in problems of designing flight-vehicle control systems --- Russian book
p0228 A74-24324

Case studies in Aircraft Parameter Identification
p0225 A74-24840

Technical optimization --- German book on chemical process, spacecraft and aircraft optimal control
p0227 A74-25038

Integrated flight/propulsion control design techniques starting with the engine
[SAE PAPER 740481] p0351 A74-34997

Optimal trajectories of high thrust aircraft
p0374 A74-35234

Application of modern control theory to the analysis of aircraft autoland performance using a scanning beam guidance system
p0374 A74-35236

A gradient method of control correction for the solution of a boundary value problem --- for aircraft trajectory optimization
p0383 A74-36505

Approximate optimal control of the banking angle in the problem of hypersonic vehicle return
p0389 A74-36645

Synthesis of an optimal system for stabilizing aircraft center of gravity paths
p0392 A74-37383

Application of parameter optimization methods to trajectory optimization
[AIAA PAPER 74-825] p0400 A74-37829

Digital explicit model following with unstable model dynamics
[AIAA PAPER 74-888] p0402 A74-37869

Management of analytical redundancy in digital flight control systems for aircraft
[AIAA PAPER 74-887] p0422 A74-38249

Application of modern control theory to the design of optimum aircraft controllers
p0433 A74-39496

A simple, near-optimal takeoff control policy for a heavily loaded helicopter operating from a restricted area
[AIAA PAPER 74-812] p0453 A74-41796

Short-time parameter optimization with flight control application
p0482 A74-45720

SUBJECT INDEX

Development of optimal control modes for advanced technology propulsion systems --- V/STOL hover application
[AD-767425] p0112 N74-13514

An optimal control approach to airplane stability augmentation systems design
p0195 N74-16712

Optimal control aircraft landing analysis
[AD-776316] p0358 N74-25601

Application of practical optimal control theory to the C-5A load improvement control system (LICS)
[AD-776297] p0358 N74-25602

New methods for command and stability augmentation via optimal control
[RE-472] p0370 N74-27172

Specified finite series control for three-dimensional, multi-phase, optimal reentry
[AD-777266] p0370 N74-27359

OPTIMIZATION

NT FLIGHT OPTIMIZATION

NT OPTIMAL CONTROL

NT TIME OPTIMAL CONTROL

NT TRAJECTORY OPTIMIZATION

The use of fully stressed iteration and structural index in automated structural optimization
p0124 A74-17739

The problem of optimal design of gas-turbine engines
p0126 A74-18083

Analytical design of optimal monolithic panels
p0130 A74-18642

Design of optimum structures to impulse type loading
[AIAA PAPER 74-345] p0263 A74-26659

A comparison of two types of structural optimization procedures for satisfying flutter requirements
[AIAA PAPER 74-405] p0266 A74-26704

A model of convex programming for turbojet main parameter selection optimization
[ASME PAPER 74-GT-79] p0272 A74-27466

Optimal aeroelastic design of an oblique wing structure
[AIAA PAPER 74-349] p0277 A74-28173

Optimization of complex structures to satisfy static, dynamic and aeroelastic requirements
p0318 A74-30453

Resolution of a conflict between weight and component resistance in an aircraft
p0398 A74-37652

Optimization of lift and propulsion systems by the method of singularities
p0480 A74-45203

Problem of the optimal design of gas-turbine engines
p0481 A74-45408

Multi-input, multi-output regulator design for constant disturbances and non-zero set points with application to automatic landing in a crosswind
[NASA-CR-136618] p0164 N74-15378

OPTIMUM CONTROL

U OPTIMAL CONTROL

ORBITING SATELLITES

U ARTIFICIAL SATELLITES

ORDNANCE

Aircraft/Stores Compatibility Symposium proceedings, volume 2
[AD-773814] p0298 N74-20676

OREGON

Terrain properties and topography from Skylab altimetry --- Oregon, Utah, Texas, and Nevada
[E74-10043] p0062 N74-11164

ORGANIZATIONS

NT NORTH ATLANTIC TREATY ORGANIZATION (NATO)

ORNIHOPTER AIRCRAFT

U RESEARCH AIRCRAFT

ORTHOTROPIC PLATES

Buckling of orthotropic, curved, sandwich panels in shear and axial compression
p0013 A74-11340

Buckling of orthotropic circular plates
p0085 A74-14972

OSCILLATING CYLINDERS

Hydrodynamic forces on oscillating and nonoscillating smooth circular cylinders in crossflow --- for towed bodies
[AD-767022] p0062 N74-11125

OSCILLATING FLOW

Dynamic relaxation solution of three dimensional subsonic compressible oscillatory flow
p0014 A74-11428

- Unsteady viscous flow on oscillating airfoils
[AIAA PAPER 74-182] p0179 A74-20774
A two-dimensional aerofoil with a control surface
oscillating at low frequency in high subsonic flow
p0456 A74-42694
Concepts for a theoretical and experimental study
of lifting rotor random loads and vibrations,
Phase 2
[NASA-CR-114708] p0160 N74-14756
A nonlinear relay model for post stall oscillations
[AD-769405] p0187 N74-15706
Numerical calculations of velocity and pressure
distribution around oscillating airfoils
[NASA-CR-2368] p0194 N74-16704
- OSCILLATIONS**
NT HARMONIC OSCILLATION
NT PRESSURE OSCILLATIONS
NT STABLE OSCILLATIONS
NT UNDAMPED OSCILLATIONS
NT WING OSCILLATIONS
- OSCILLATORS**
NT CATHODE RAY TUBES
NT MECHANICAL OSCILLATORS
NT PENDULUMS
- OUTPUT**
NT LASER OUTPUTS
- OV-1 AIRCRAFT**
Flight test of the ski equipped Mohawk
p0184 A74-21820
- OVERPRESSURE**
Shuttle sonic boom - Technology and predictions
--- environmental impact
[AIAA PAPER 73-1039] p0026 A74-12225
- OXIDATION**
NT PHOTOOXIDATION
Sodium sulphate induced rapid oxidation of a
chromium-titanium-silicon coating on niobium
alloy B-66
p0015 A74-11459
Hot corrosion of metals, alloys and ceramics
[AD-769340] p0191 N74-15829
- OXIDATION RESISTANCE**
Sodium sulphate induced rapid oxidation of a
chromium-titanium-silicon coating on niobium
alloy B-66
p0015 A74-11459
- OXIDES**
NT CARBON MONOXIDE
NT NITRIC OXIDE
NT NITROGEN DIOXIDE
NT NITROGEN OXIDES
- OXIDIZERS**
NT LIQUID OXYGEN
- OXYGEN**
NT LIQUID OXYGEN
NT OXYGEN 18
NT OZONE
- OXYGEN ISOTOPES**
NT OXYGEN 18
- OXYGEN SUPPLY EQUIPMENT**
Advanced aircraft oxygen systems --- design
flexibility cost effectiveness and applications
p0212 A74-23544
Portable chemical oxygen
[SAE AS 1303] p0269 A74-27264
VFW 614 oxygen system
p0375 A74-35361
- OXYGEN SYSTEMS**
U OXYGEN SUPPLY EQUIPMENT
- OXYGEN 18**
Acclimatized wind track for measurement of oxygen
isotope fractionation in isolated leaves and in
leaf models
[JUL-949-PC] p0241 N74-17961
- OZONE**
Gas-phase nitrogen and methane chemistry in the
atmosphere
p0015 A74-11513
Atmospheric ozone - Possible impact on
stratospheric aviation
p0175 A74-20039
Possible effects of a fleet of supersonic
transports on the stratospheric ozone shield
p0176 A74-20125
NO and O3 measurements in the lower stratosphere
from a U-2 aircraft
p0373 A74-35121
- CZONOMETRY**
Possibility of investigating the spatial
distribution of atmospheric ozone with the aid
of an ozonometer installed in the cockpit of an
aircraft
p0311 A74-28847
- P**
- P-I-N DIODES**
U P-I-N JUNCTIONS
- P-I-N JUNCTIONS**
A low cost p-i-n diode phase shifter for airborne
phased-array antennas
p0321 A74-31611
- P-1127 AIRCRAFT**
Lateral static and dynamic aerodynamic parameters
of the Kestrel aircraft (XV-6A) extracted from
flight data
[NASA-TN-D-7455] p0297 N74-20666
- PACKAGING**
A new approach to the design of quick release
boxes for single point parachute harnesses
p0212 A74-23552
Evaluation and redesign of FAA altimeter pack
[AD-769540] p0192 N74-16164
- PACKINGS (SEALS)**
Sealing technology for aircraft gas turbine engines
[NASA-TN-X-71607] p0475 N74-33229
Advanced ceramic seal program, phase 1
[AD-781004] p0492 N74-34076
- PAINTS**
An aircraft exterior coating system and surface
pretreatment
p0125 A74-17862
- PALNGREN-MINER RULE**
A standardized flight-by-flight test program for
the fatigue life evaluation of wing components
of transport aircraft
p0367 N74-26476
- PANAVIA MILITARY AIRCRAFT**
MRCA progress report --- multirole combat aircraft
turbofan engine design
p0086 A74-15151
A status summary of the MRCA project ---
Multi-Role Combat Aircraft
p0212 A74-23596
MRCA prepares for flight test --- Multi-Role
Combat Aircraft
p0261 A74-26416
- PANEL FLUTTER**
Prediction of unsteady airloads for the solution
of the panel flutter problem of nosecones and
conical shell structures
p0031 A74-12804
Finite element analysis of supersonic panel flutter
p0069 A74-13001
Role of aerodynamic damping in problems of the
flutter of sandwich panels and circular
cylindrical shells
p0088 A74-15784
Theoretical investigation of supersonic flow past
oscillating cascades with subsonic leading-edge
locus
[AIAA PAPER 74-14] p0135 A74-18843
Theoretical and experimental research on
vibrations of thin walled stiffened structures
[ICAS PAPER 74-16] p0448 A74-41318
- PANELS**
NT CURVED PANELS
NT WING PANELS
Analytical design of optimal monolithic panels
p0130 A74-18642
Technology of production of sandwich panels with
aluminum honeycomb cores
p0178 A74-20523
Aircraft floor panel developments at British
Airways /1967-1973/
p0352 A74-35027
Fatigue behaviour of hat section stringer
stiffened panels compressed in the post-buckling
range
[AD-773672] p0293 N74-20579
Determination of the effects of mass and stiffness
on the vibration response of ribbed panels
subjected to random acoustic noise
[AD-774436] p0304 N74-21568
Investigation of the reactions of skin panels in
relation to duration of acoustical loading
p0443 N74-29800

PARACHUTE DESCENT

SUBJECT INDEX

PARACHUTE DESCENT

A new approach to the design of quick release boxes for single point parachute harnesses
p0212 A74-23552

Dynamic model of a parachute and determination of its characteristics
p0389 A74-36635

Launching of small inflated balloons from cargo aircraft --- using palletized modular airdrop platform
[AD-766428] p0043 N74-10069

High level container --- for aerial resupply of military units
[AD-766306] p0054 N74-10899

Concept for a multiple personnel airdrop system
[AD-771945] p0244 N74-18640

Parachute escape from helicopters --- vertical and horizontal separation of parachutist from autorotating helicopter
[AD-772970] p0251 N74-18702

PARACHUTE FABRICS

Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] p0038 N74-10034

Engineering evaluation of age life extension, T-10 harnesses, risers and T-10 troop chest reserve parachute canopies. Supplement 1: 1964 - 1965 year classes
[AD-767711] p0144 N74-13743

PARACHUTES

NT DRAG CHUTES

NT RECOVERY PARACHUTES

Paratroop harness TOTAL, PARAQUICK canopy release and EPA-36 chronobarometric parachute opener
p0212 A74-23553

Engineering evaluation of age life extension, T-10 harnesses, risers and T-10 troop chest reserve parachute canopies. Supplement 1: 1964 - 1965 year classes
[AD-767711] p0144 N74-13743

Performance estimates for powered parafoil systems
[AD-779926] p0468 N74-31514

Aircrew automated escape system simulation model
[AD-783517] p0499 N74-34555

PARACHUTING

U PARACHUTE DESCENT

PARAGLIDERS

NT FLEXIBLE WINGS

NT PARAWINGS

PARALLEL FLOW

NT PIPE FLOW

NT THREE DIMENSIONAL FLOW

PARAMETERIZATION

Determination of the basic parameters of light helicopters on the basis of the treatment and analysis of statistical data
p0131 A74-18694

Parameter estimation techniques and application in aircraft flight testing
[NASA-TN-D-7647] p0355 N74-25569

A survey of APPDL parameter estimation efforts and future plans
p0355 N74-25571

Navy participation in the development of airframe parameter identification techniques
p0356 N74-25572

Identification of aircraft stability and control parameters using multilevel, hierarchical estimation
p0356 N74-25581

Parameter estimation using an a posteriori criterion
p0357 N74-25582

PARAMETERS

U INDEPENDENT VARIABLES

PARAWINGS

Performance estimates for powered parafoil systems
[AD-779926] p0468 N74-31514

PARTIAL DIFFERENTIAL EQUATIONS

NT BIHARMONIC EQUATIONS

NT ELLIPTIC DIFFERENTIAL EQUATIONS

NT GAUSS EQUATION

NT HELMHOLTZ VORTICITY EQUATION

A direct method for linear dynamical problems in continuum mechanics with random loads
p0070 A74-13164

PARTICLE DENSITY (CONCENTRATION)

Particle sampling and size analysis in the ejection zone of the Olympus jet engine at ground level

p0122 A74-17306

PARTICLE DIFFUSION

Study of the electrostatic field and charge distribution in a vortex seeded with dust
p0245 N74-18643

PARTICLE SIZE DISTRIBUTION

Particle sampling and size analysis in the ejection zone of the Olympus jet engine at ground level
p0122 A74-17306

Erosion prediction in turbomachinery due to environmental solid particles
[AIAA PAPER 74-16] p0132 A74-18732

PARTICLES

NT AEROSOLS

NT DROPS (LIQUIDS)

NT FOG

NT METAL IONS

NT METAL PARTICLES

NT POWDERED ALUMINUM

NT SOOT

PARTICULATE FILTERS

U FLUID FILTERS

PARTICULATE SAMPLING

Particle sampling and size analysis in the ejection zone of the Olympus jet engine at ground level
p0122 A74-17306

PASSAGEWAYS

NT TRANSFER TUNNELS

PASSENGER AIRCRAFT

NT A-300 AIRCRAFT

NT BAC 111 AIRCRAFT

NT BOEING 707 AIRCRAFT

NT BOEING 720 AIRCRAFT

NT BOEING 727 AIRCRAFT

NT BOEING 737 AIRCRAFT

NT BOEING 747 AIRCRAFT

NT BOEING 7707 AIRCRAFT

NT CESSNA 172 AIRCRAFT

NT CH-3 HELICOPTER

NT CH-47 HELICOPTER

NT CH-54 HELICOPTER

NT COMET 4 AIRCRAFT

NT DC 8 AIRCRAFT

NT DC 10 AIRCRAFT

NT DO-28 AIRCRAFT

NT EUROPEAN AIRBUS

NT F-28 TRANSPORT AIRCRAFT

NT G-222 AIRCRAFT

NT H-53 HELICOPTER

NT H-56 HELICOPTER

NT HPB-320 AIRCRAFT

NT IL-62 AIRCRAFT

NT L-1011 AIRCRAFT

NT SE-210 AIRCRAFT

NT TU-134 AIRCRAFT

NT TU-144 AIRCRAFT

Evolution philosophy --- Fokker F28 aircraft
p0005 A74-10936

HS.146 --- short haul passenger aircraft
p0013 A74-11329

Research and development for future air transports
p0020 A74-11615

What's wrong with airline earnings --- operating costs vs consumer spending habits
p0075 A74-13973

Changes in the European air transport pattern
p0079 A74-14507

An approach to optimal design of passenger aircraft
p0088 A74-15731

Skyjacking and airport security
p0127 A74-18100

Emergency Evacuation and Survival Equipment
Deployment for transport aircraft /EESD/
p0214 A74-23554

HS.146 progress report
p0274 A74-27634

New German-Swiss aircraft project - Master-Porter
PD-01 p0314 A74-29830

A proposed pricing procedure for domestic airlines
p0340 A74-33298

Concorde - Testing the market --- passenger utilization prognosis
p0377 A74-35632

Air transport in Europe - Commercial trends and prospects
p0382 A74-36327

SUBJECT INDEX

PERFORMANCE PREDICTION

- Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft p0382 A74-36451
- Air transport. Volume 3 --- Russian book on passenger airline operations p0421 A74-38049
- Air transportation - Energy cost-effective or not [AIAA PAPER 74-959] p0427 A74-38725
- Costs and benefits of composite material applications to a civil STOL aircraft [AIAA PAPER 74-964] p0427 A74-38729
- A study to determine the feasibility of a low sonic boom supersonic transport [NASA-CR-2332] p0188 A74-15713
- Aircraft requirements for low/medium density markets [NASA-CR-137373] p0282 A74-19651
- Fuel for supersonic passenger aircraft [AD-778801] p0419 A74-29207
- Aircraft design studies: B67 tilt-wing executive aircraft --- with vertical takeoff and landing capability [CRANFIELD-AERO-23] p0467 A74-31490
- PASSENGERS
 - Airport terminal planning p0079 A74-14508
 - Maplin - Management aspects --- automation and passenger service p0079 A74-14512
 - Analysis of passenger acceptance of commercial flights having characteristics similar to STOL p0085 A74-15046
 - The aftermath of a hijacking - Passenger claims and insurance p0127 A74-18101
 - Technology of passenger clearance in air transportation using various clearance methods p0269 A74-27211
- PATENTS
 - Additives for lubrication oils used with foreign gas-turbine aviation engines - Survey of patents p0219 A74-23518
- PATTERN RECOGNITION
 - An investigation of pattern recognition of aircraft attitudes indicator displays [AD-768345] p0147 A74-14126
- PATTERN REGISTRATION
 - Information content of different runway lighting patterns --- visual pattern discrimination of landing displays [NASA-TT-F-15179] p0060 A74-11094
- PAVEMENTS
 - Design and evaluation of aircraft pavements - 1971 p0022 A74-11874
 - Concrete or black top --- airport runway pavement requirements p0089 A74-15866
 - Improved methods for construction and maintenance of runway pavement surfaces [SAE PAPER 740498] p0350 A74-34986
 - Fatigue concepts for concrete airport pavement design p0392 A74-37342
 - Structural analysis of flexible airfield pavements p0392 A74-37343
 - Lateral distribution of aircraft traffic --- application to pavement design criteria for aircraft with complex landing gear [AD-765435] p0045 A74-10304
 - Effects of strain amplitude on the shear modulus of soils [AD-757516] p0046 A74-10404
 - Keyed joint performance under heavy load aircraft [AD-766706] p0061 A74-11101
 - The behavior of flexible airfield pavements under loads: Theory and experiments [AD-766480] p0061 A74-11102
 - Development of minimum pipe-cover requirements for C-5A and other aircraft loadings --- structural requirements for buried pipe under flexible and rigid runways [AD-771174] p0241 A74-17963
- PAYLOAD MASS RATIO
 - Hybrid aircraft for heavy lift --- combined helicopter and lighter-than-air elements [AHS PREPRINT 814] p0389 A74-36623
- PAYLOADS
 - The Dolphin airship with undulating propulsion system - On-test-stand comparison with a helicopter --- payload capacity and engine performance p0021 A74-11743
- performance
 - Transport vehicles - Weights and loads --- commercial aircraft p0029 A74-12442
 - The low technology airship --- design for medium-range heavy payload transport p0423 A74-38499
 - Stability and dynamic behavior of two tethered balloon systems [AD-766439] p0043 A74-10070
- PCM TELEMETRY
 - The use of magnetic recording in measurement systems for in-flight measurements p0279 A74-28433
- PEGASUS ENGINE
 - U BRISTOL-SIDDELEY BS 53 ENGINE
- PENDULUMS
 - Helicopter vibration reduction with pendulum absorbers [AHS PREPRINT 830] p0384 A74-36585
 - Vertical-plane pendulum absorbers for minimizing helicopter vibratory loads p0395 A74-37502
- PENETRANTS
 - Quantitative evaluation of the effect of mechanical processing on the effectiveness of penetrant inspection p0378 A74-35669
 - Signal-to-noise ratio in the inspection penetrant process p0459 A74-43457
- PENETRATION BALLISTICS
 - U TERMINAL BALLISTICS
- PERCEPTION
 - NT AUDITORY PERCEPTION
 - NT OLFACTORY PERCEPTION
 - NT TACTILE DISCRIMINATION
 - NT TOUCH
 - NT VISUAL DISCRIMINATION
 - NT VISUAL PERCEPTION
- PERCEPTORS
 - U SELF ORGANIZING SYSTEMS
- PERCUSSION
 - Pyrotechnic bonkers for structural tests in flight [ONERA, TP NO. 1389 E] p0478 A74-44953
 - Impact characterization of noise including implications of identifying and achieving levels of cumulative noise exposure [PB-224408/5GA] p0238 A74-17769
- PERFORATED PLATES
 - The stress concentration in a stretched plate reinforced by a central belt and having an aperture p0390 A74-36816
- PERFORATED SHELLS
 - Manufacture of hollow airfoils for elastic fluid turbines - Rokor [ASME PAPER 73-WA/GT-12] p0072 A74-13303
- PERFORMANCE
 - Fiber and integrated optic communication technology [AD-771402] p0240 A74-17902
 - Microwave landing system (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation [AD-773223] p0288 A74-20233
- PERFORMANCE PREDICTION
 - NT PREDICTION ANALYSIS TECHNIQUES
 - A semi-empirical method for predicting subsonic diffuser performance [AIAA PAPER 73-1272] p0010 A74-11285
 - Integrated airframe-nozzle performance for designing twin-engine fighters [AIAA PAPER 73-1303] p0011 A74-11302
 - Error model identification and performance predictions for airborne direct ranging Loran p0024 A74-12178
 - Afterbody drag flight test of the A-7E airplane [AIAA PAPER 73-1306] p0032 A74-12948
 - Rotor wakes - Key to performance prediction p0203 A74-22455
 - Implementation of the uniform flight test analysis system --- aircraft performance computer programs p0347 A74-34855
 - The prediction of rotor rotational noise using measured fluctuating blade loads [AHS PREPRINT 801] p0387 A74-36615

PERFORMANCE TESTS

SUBJECT INDEX

- A digital multimode flight control system for tactical fighters p0423 A74-38551
- A review of some Air Force STOL aircraft aerodynamic prediction methods [AIAA PAPER 74-992] p0429 A74-38748
- Methodologies for predicting avionic system capability and weight in CTOL and VTOL fighter/attack aircraft 1975 to 1995 [SAE PAPER 1002] p0435 A74-39877
- Laminar stall prediction and estimation of the maximum lift coefficient p0477 A74-44418
- Prediction and measurement of propulsion system performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
- Sensing jet engine performance and incipient failure with electrostatic probes [AD-766653] p0066 N74-11606
- Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73019] p0103 N74-12709
- Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73018] p0103 N74-12710
- Computer programs for estimating aircraft takeoff and landing performance --- applied to conventional, vectored lift, and powered-lift concept aircraft [NASA-TM-X-62333] p0196 N74-16720
- Helicopter weight, size, and performance program --- computer aided analysis [AD-771140] p0240 N74-17783
- On the prediction of aerodynamic loads on oscillating wings in transonic flow [AGARD-R-612] p0246 N74-18653
- Full scale fatigue requirements for rational fatigue life prediction p0282 N74-19657
- Prediction methods for aircraft aerodynamic characteristics --- proceedings of conference on methods for predicting aircraft performance [AGARD-LS-67] p0364 N74-26445
- General technical information --- survey of technical data on aircraft performance prediction p0364 N74-26446
- Aerodynamic prediction methods for aircraft at low speeds with mechanical high lift devices p0364 N74-26447
- A review of the low speed aerodynamic characteristics of aircraft with powered lift systems p0364 N74-26448
- Aircraft lift and drag prediction and measurement p0364 N74-26449
- Prediction of supersonic aircraft aerodynamic characteristics p0365 N74-26450
- Appraisal of wing aerodynamic design methods for subsonic flight speed p0365 N74-26451
- External store aerodynamics for aircraft performance prediction p0365 N74-26454
- Conceptual design studies of lift/cruise fans for military transports [NASA-CR-134636] p0444 N74-30239
- Development of computer programs to determine the aerodynamic characteristics of complete light aircraft [NASA-CR-139690] p0487 N74-33426
- PERFORMANCE TESTS**
- Possibilities for improved supersonic inlet performance [AIAA PAPER 73-1271] p0010 A74-11284
- Operational problems with the aircraft type Tu-134 in the case of a use of the aircraft turbine fuel TS-1 p0020 A74-11740
- AEROSAT ground environment and test plan --- aeronautical satellites for ATC p0024 A74-12191
- Heavy Lift Helicopter main engines [SAE PAPER 730920] p0123 A74-17537
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [AIAA PAPER 74-91] p0133 A74-18768
- S-3A initial operational test and evaluation p0172 A74-19496
- Compact video tape recorders of exceptional performance and reliability p0217 A74-22534
- A small high-performance videotape recorder for military airborne applications p0217 A74-22535
- Sea trials on inflatable flotation and survival gear p0211 A74-23536
- Survival radio performance tests p0215 A74-23538
- Aircraft performance measurements in nonsteady flights p0225 A74-24856
- Data management during the Navy performance test and evaluation of the F-14A airplane p0347 A74-34857
- Recent developments in shipboard V/STOL testing p0381 A74-36227
- Helicopter reliability testing [AHS PREPRINT 860] p0386 A74-36600
- U.S. Army helicopter icing qualification program [AIAA PAPER 74-942] p0426 A74-38715
- Testing of commercial airplane environmental control systems [SAE ARP 217 B] p0434 A74-39768
- Advancements in flight test engineering; Proceedings of the Fifth Annual Symposium, Anaheim, Calif., August 7-9, 1974 p0459 A74-43601
- The aircraft engine M-14V26 --- Russian book p0480 A74-45269
- Prediction and measurement of propulsion system performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
- Test of a supersonic compressor cascade, volume 1 [AD-756870] p0052 N74-10749
- Test characteristics of a welded rotor in a 36,000-rpm Lundell alternator [NASA-TM-X-2944] p0064 N74-11304
- Single-stage experimental evaluation of tandem-airfoil rotor stator blading for compressors. Part 6: Data and performance for stage D [NASA-CR-134511] p0100 N74-12449
- Operational evaluation of the SK-5 air cushion vehicle in Alaska [AD-768781] p0162 N74-14772
- Failure modes, effects and criticality analysis (FMECA) of category III instrument landing system with traveling: Wave localizer antenna [U1-840912-100] p0164 N74-15380
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance [FAA-RD-72-150-VOL-5] p0165 N74-15385
- Some considerations on the performance of the fan jet engine [NAL-TR-317] p0193 N74-16486
- Tupolev 144 and Concorde: The official performances are compared for the first time [NASA-TT-P-15446] p0283 N74-19661
- Air cushion landing system performance on a tenth-scale model Jindivik RPV [AD-774389] p0299 N74-20683
- Prediction of aircraft ground performance by evaluation of ground vehicle rut depths [AD-775744] p0330 N74-22689
- Evaluation of the automatic JBD (Jet Blast Deflector) system [AD-775665] p0358 N74-25595
- Qualification test methods for helicopter cargo handling systems [AD-776991] p0358 N74-25599
- Performance of a model cascade thrust reverser for short-haul applications [NASA-TM-X-71614] p0500 N74-35202
- PERIODIC VARIATIONS**
- Bingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0396 A74-37507
- PERIODICITY**
- U PERIODIC VARIATIONS**
- PERIPHERAL VISION**
- Peripheral vision - A factor for improved

SUBJECT INDEX

PIEZORESISTIVE TRANSDUCERS

- instrument design p0218 A74-23542
- PERISCOPES**
 A compact derotator design --- for aircraft
 periscope image rotation prevention p0218 A74-23718
 Identification tests with optical sights and
 reconnaissance aids in helicopters
 [FOA-2-C-2533-D8/E1/M6] p0104 N74-12721
- PERSONNEL**
 NT AIRCRAFT PILOTS
 NT FLIGHT CREWS
 NT FLYING PERSONNEL
 NT GROUND CREWS
 Concept for a multiple personnel airdrop system
 [AD-771945] p0244 N74-18640
- PERSONNEL MANAGEMENT**
 Economic consequences of airport development
 p0080 A74-14515
- PERTURBATION THEORY**
 Aircraft range optimization using singular
 perturbations
 [NASA-CR-140519] p0493 N74-34465
- PETROLEUM**
 U CRUDE OIL
PHANTOM AIRCRAFT
 NT F-4 AIRCRAFT
PHASE ANGLE
 U PHASE SHIFT
PHASE LOCKED SYSTEMS
 low speed phaselock speed control system --- for
 brushless dc motor
 [NASA-CASE-GSC-11127-1] p0044 N74-10202
- PHASE MODULATION**
 NT PHASE SHIFT KEYING
PHASE SHIFT
 Microelectronic phase shifters in X and Q bands
 [BLL-EO-2986-(9022.81)] p0192 N74-15906
- PHASE SHIFT CIRCUITS**
 A low cost p-i-n diode phase shifter for airborne
 phased-array antennas
 p0321 A74-31611
- PHASE SHIFT KEYING**
 Implementation considerations with PSK modulation
 --- variable rate and secure voice modems
 p0424 A74-38558
 Bandwidth filtering effects on PSK modulation
 p0424 A74-38559
- PHASE SWITCHING INTERFEROMETERS**
 Determination of the movement of the apparent
 phase centers of aircraft antennas for
 calibrating the ZDBS interferometer --- coherent
 wave front simulations for slot antennas and
 spiral antennas
 p0469 N74-31704
- PHASE TRANSFORMATIONS**
 NT FREEZING
 NT FUSION (MELTING)
 NT VACUUM MELTING
 Nitinol as a fastener material
 p0176 A74-20208
- PHASED ARRAYS**
 A cylindrical phased-array antenna for ATC
 interrogation
 p0001 A74-10018
 A low cost p-i-n diode phase shifter for airborne
 phased-array antennas
 p0321 A74-31611
- PHENOLIC RESINS**
 Specifications for composites - Phenolic and
 silicone resins
 p0313 A74-29787
- PHOTOCELLS**
 U PHOTOELECTRIC CELLS
PHOTOCHEMICAL REACTIONS
 Photo-oxidation of aircraft engine emissions at
 low and high altitudes
 p0148 N74-14277
 Effect of supersonic transport upon the ozone
 layer, studied in a two-dimensional
 photochemical model with transport
 p0148 N74-14278
- PHOTOCHEMISTRY**
 U PHOTOCHEMICAL REACTIONS
PHOTOELASTIC ANALYSIS
 Photoelastic analysis of the stress field
 surrounding a fatigue crack
 p0169 A74-19259
- PHOTOELASTIC STRESS MEASUREMENT**
 U PHOTOELASTIC ANALYSIS
PHOTOELECTRIC CELLS
 The problem of increasing the operational
 precision of electrolytic sensors
 p0276 A74-27898
- PHOTOELECTROMAGNETIC DETECTORS**
 U RADIATION MEASURING INSTRUMENTS
PHOTOGRAPHIC EQUIPMENT
 NT FRAMING CAMERAS
 NT HIGH SPEED CAMERAS
 NT TELEVISION CAMERAS
PHOTOGRAPHIC FILM
 Pave Spike Video Film Recorder
 p0218 A74-22543
- PHOTOGRAPHIC MEASUREMENT**
 Photographic pyrometry in an aeroballistic range
 --- aerodynamic model surface temperature
 measurement
 p0030 A74-12752
- PHOTOGRAPHIC RECORDING**
 Development of teledyne video recording systems -
 Progression of state of the art in film recording
 p0217 A74-22540
 Pave Spike Video Film Recorder
 p0218 A74-22543
- PHOTOGRAPHY**
 NT AERIAL PHOTOGRAPHY
 NT COLOR PHOTOGRAPHY
 NT FRACTOGRAPHY
 NT HOLOGRAPHY
 NT INFRARED IMAGERY
 NT INFRARED PHOTOGRAPHY
 NT MULTISPECTRAL PHOTOGRAPHY
 NT SCHLIEREN PHOTOGRAPHY
 NT SHADOWGRAPH PHOTOGRAPHY
PHOTOLUMINESCENCE
 NT X RAY FLUORESCENCE
PHOTOMAPPING
 Holographic multicolor moving map display
 p0377 A74-35563
- PHOTOMETERS**
 Development and testing of a cadmium telluride
 high temperature (750 F) infrared fire detector
 --- for detecting aircraft engine fires
 [AD-773324] p0287 N74-19714
- PHOTOOXIDATION**
 Photo-oxidation of aircraft engine emissions at
 low and high altitudes
 p0148 N74-14277
- PHOTORECONNAISSANCE**
 A low power night photo system for high speed
 unmanned aircraft
 p0423 A74-38535
- PHOTOSENSORS**
 U RADIATION MEASURING INSTRUMENTS
PHOTOTHERMOTROPISM
 U ANISOTROPY
 U TEMPERATURE EFFECTS
PHOTOTRANSISTORS
 A photo-electric position-following mechanism
 p0176 A74-20129
- PHUGOID OSCILLATIONS**
 U PITCH (INCLINATION)
PHYSIOLOGICAL EFFECTS
 Studies of the effects of sonic boom on birds
 [FAA-RD-73-148] p0039 N74-10039
 Atmospheric Pollution by Aircraft Engines
 [AGARD-CP-125] p0148 N74-14271
 Pollution levels at London (Heathrow) Airport and
 methods for reducing them
 p0149 N74-14284
 Concerning the performance data of a reverberation
 chamber --- test facility for determining
 physiological effects of aircraft noise
 [NASA-TT-F-15371] p0240 N74-17958
- PHYSIOLOGICAL FACTORS**
 Alcor - A high altitude pressurized sailplane /2/
 p0459 A74-43471
- PHYSIOLOGY**
 NT RESPIRATORY PHYSIOLOGY
PIEZOELECTRIC GAGES
 Aircraft on-board equipment for dynamic
 measurements with piezoelectric sensors
 p0270 A74-27293
- PIEZOELECTRIC TRANSDUCERS**
 NT PIEZOELECTRIC GAGES
PIEZORESISTIVE TRANSDUCERS
 NT PIEZOELECTRIC GAGES

PIGGYBACK SYSTEMS

Carrier designs for space shuttle orbiter being refined --- piggyback mode transportation competition between C-5 and Boeing 747 p0311 A74-28791

C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry [NASA-CR-134184] p0189 A74-15717

PILOT ERROR

Simulator tests of pilotage error in area navigation with vertical guidance - Effects of descent angle and display scale factor p0081 A74-14595

Pilotage error and residual attention - The evaluation of a performance control system in airborne area navigation p0087 A74-15630

Pilot error accidents in airline jet aircraft - 1958-1970 p0208 A74-22629

Violations of system safety principles in the cockpit p0208 A74-22635

Aircraft accident report: Loftleidir Icelandic Airlines, Incorporated, Douglas DC-8-61, John F. Kennedy International Airport, Jamaica, New York, 23 June 1973 [NTSB-AAR-73-20] p0249 A74-18683

PILOT PERFORMANCE

Control authority with a flight performance controller p0081 A74-14596

Motion relationships in aircraft attitude and guidance displays - A flight experiment p0081 A74-14597

A direct procedure for partitioning scanning workload with a flight director p0183 A74-21336

Cockpit design for crew coordination p0208 A74-22631

On the dynamics of human pilots in marginally controllable systems p0209 A74-23203

Piloting techniques and flying qualities of the next generation of aircraft p0212 A74-23595

Advanced instructional provisions and automated performance measurement p0260 A74-25973

A study of light airplane pilot landing performance [SAE PAPER 740350] p0308 A74-28730

Pilot workload-efficiency of military aircraft systems with one or two man crew p0320 A74-30820

A data reduction method for landing performance tests p0320 A74-30821

Piloted power approach simulation p0347 A74-34853

Controls and displays for helicopter IFR operation - Pilot factor considerations [AHS PREPRINT 825] p0384 A74-36584

Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover [AHS PREPRINT 843] p0385 A74-36594

LSO/pilot interaction simulator --- for analysis of flight hazards during approach to landing on aircraft carrier [AD-765686] p0041 A74-10055

Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost [AD-767028] p0057 A74-10930

Information content of different runway lighting patterns --- visual pattern discrimination of landing displays [NASA-TT-P-15179] p0060 A74-11094

Annotated bibliography of reports --- concerning aviation medicine [AD-766458] p0102 A74-12701

Optical factors in aircraft windshield design as related to pilot visual performance --- effect on pilot vision in forward direction [AD-767203] p0106 A74-12733

The simulation and analysis of carrier landings using a nonlinear pilot model [AD-767679] p0145 A74-13747

A simplified flight-test method for determining aircraft takeoff performance that includes

effects of pilot technique [NASA-TN-D-7603] p0195 A74-16717

High acceleration cockpit: The maneuvering countermeasure --- cockpit design for improved pilot performance [AD-770287] p0198 A74-16743

Forward air controller: Tactical air command pilot communication orientation [AD-771071] p0244 A74-18637

In-flight performance of civilian pilots using moving-aircraft and moving-horizon attitude indicators [AD-773450] p0287 A74-20054

Problems of pilot-automatic control interactions in flight control --- applied to blind CTOL landing and VTOL stabilization [ILR-4-1973] p0326 A74-21663

PILOT TRAINING

Uses of a visual landing system in primary flight training p0082 A74-14599

Modern tendencies for training in piloting without visibility and in radionavigation p0219 A74-22651

Incremental transfer effectiveness of a ground-based general aviation trainer p0260 A74-25969

A study of vertical motion requirements for landing simulation p0260 A74-25971

Advanced instructional provisions and automated performance measurement p0260 A74-25973

Requirements for the helicopter instrument rating p0348 A74-34880

PILOTLESS AIRCRAFT

NT DRONE AIRCRAFT

NT TARGET DRONE AIRCRAFT

Some results of an experimental study of the Aerodyne concept by Dornier System GmbH [DGLR PAPER 73-069] p0120 A74-17178

American programs for reconnaissance vehicles and remotely piloted airplanes p0210 A74-23392

PILOTS (PERSONNEL)

NT AIRCRAFT PILOTS

PIPE FLOW

Turbulent flow in flexible pipes and ramjet engines [JPBS-60785] p0192 A74-15962

PIPELINES

Suitability of using titanium pipelines in the hydraulic systems of turbine engines p0126 A74-18090

PIPER AIRCRAFT

Static radar cross section of light aircraft. Volume 2: Cherokee 140 at L-, S-, and C-bands [AD-781791] p0492 A74-33652

Static radar cross section of light aircraft. Volume 3: Piper PA-18 super cub at L-, S-, and C-bands [AD-781792] p0492 A74-33653

PIPES (TUBES)

Design guide for the use of structural shapes in aircraft applications. Part 1: Selection criteria for structural shapes and tubing. Part 2: Manufacturing methods for structural shapes and tubing [AD-769042] p0190 A74-15723

Development of minimum pipe-cover requirements for C-5A and other aircraft loadings --- structural requirements for buried pipe under flexible and rigid runways [AD-771174] p0241 A74-17963

Manufacturing methods for self-sealing fuel lines --- development of braiding process for production of fuel lines for military aircraft [AD-778083] p0411 A74-28243

PISTON ENGINES

NT DIESEL ENGINES

Noise measurements of the jet and piston engines on the Lala-1 experimental airplane p0270 A74-27296

Fuel system requirements for light aircraft turbocharged reciprocating engines [SAE PAPER 740382] p0309 A74-28747

Mathematical simulation of a vibrating light aircraft piston engine and correlation with engine flight test data [SAE PAPER 740383] p0310 A74-28748

SUBJECT INDEX

PLASTIC YIELDING

A simplified life-cycle cost comparison of various engines for small helicopter use
[NASA-TM-X-71517] p0256 N74-19405

PISTONS
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] p0295 N74-20646

PITCH (INCLINATION)
The effects of second order blade bending on the angle of attack of hingeless rotor blades
p0022 A74-11846
Measurement of dynamic cross-derivatives due to pitching and yawing
[AIAA PAPER 74-611] p0380 A74-36044
Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers
[AD-766450] p0043 N74-10072

PITCH ANGLES
U PITCH (INCLINATION)
PITCH ATTITUDE CONTROL
U LONGITUDINAL CONTROL
PITCHING MOMENTS
Analysis of flow-reversal delay for a pitching airfoil
[AIAA PAPER 74-183] p0134 A74-18835
The effect of velocity-dependent pitching moments on longitudinal stability --- of STOL and VTOL aircraft
p0261 A74-26047
Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack
p0312 A74-29496
A contribution to the nonlinear lift and pitching moment properties of slender wing-body combinations
p0373 A74-35098
Exploratory investigation at Mach numbers from 0.40 to 0.95 of the effects of jets blown over a wing
[NASA-TM-D-7367] p0036 N74-10014
Aerodynamic interference between fuselage and lifting jets emerging from its lower part --- effect of two high velocity lifting jets on induced lift and pitching moments
p0290 N74-20413
Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps --- low turbulence pressure tunnel tests to determine two dimensional lift and pitching moment characteristics
[NASA-TM-X-2623] p0323 N74-21634

PITOT TUBES
Use of a pitot-static probe for determining wing section drag in flight at Mach numbers from 0.5 to approximately 1.0
[NASA-TM-X-56025] p0441 N74-29370

PIVOTED WING AIRCRAFT
U TILT WING AIRCRAFT
PLANETARY ATMOSPHERES
Developing a technology base in planetary entry aerothermodynamics
p0030 A74-12799

PLANETARY ENTRY
U ATMOSPHERIC ENTRY
PLANETARY ENVIRONMENTS
U PLANETARY ATMOSPHERES
PLANFORMS
U ARROW WINGS
U CARET WINGS
U DELTA WINGS
U INFINITE SPAN WINGS
U RECTANGULAR PLANFORMS
U RECTANGULAR WINGS
U SWEEPBACK WINGS
U TRAPEZOIDAL WINGS
U VARIABLE SWEEP WINGS
U WING PLANFORMS

PLANNING
U AIRPORT PLANNING
U MANAGEMENT PLANNING
U MISSION PLANNING
U PRODUCTION PLANNING
U PROJECT PLANNING
U REGIONAL PLANNING
U URBAN PLANNING
PLANTS (BOTANY)
U FUNGI
U TREES (PLANTS)

PLASMA JET WIND TUNNELS

The ablation performance of foams in a low heat flux
--- plasma arc tests on polyurethane-based foams
p0045 N74-10263

PLASMA PROBES

U ELECTROSTATIC PROBES

PLASMA STABILITY

U MAGNETOHYDRODYNAMIC STABILITY

PLASTIC AIRCRAFT STRUCTURES

Improved manufacturing of the F-14A composite horizontal stabilizer
p0083 A74-14739

Development of a graphite-epoxy tailboom for a high-performance armed helicopter
p0083 A74-14748

Design and fabrication of a mixed composite wing box
p0083 A74-14749

Effective methods for fabrication of large polyimide-matrix aircraft components
p0084 A74-14780

Designing with plastic resin matrix composite materials --- for aircraft structures
[DGLR PAPER 73-086] p0121 A74-17192

Experimental study of metal-plastic couplings in tension
p0130 A74-18648

Experimental investigation of glass-plastic and metal-plastic joints under shear
p0131 A74-18697

Effects of fabrication defects on boron/epoxy composites
[AIAA PAPER 74-352] p0264 A74-26664

Advanced composite lattice structure for improved structural integrity
[AIAA PAPER 74-357] p0264 A74-26667

Development and problems of testing prepreps for the Czechoslovakian aircraft industry
p0280 A74-28528

An approach to the development of meaningful design rules for fatigue-loaded CFRP components
--- carbon fiber reinforced plastics
p0313 A74-29783

'Kevlar' 49 woven and nonwoven fabric composites performance and applications
p0438 A74-40505

Applications of advanced composites in aircraft structures
p0479 A74-45045

PLASTIC ANISOTROPY

A mathematical theory of plasticity for strain hardening materials exhibiting initial anisotropy
[NLR-TR-72117-U] p0067 N74-11719

PLASTIC COATINGS

An aircraft exterior coating system and surface pretreatment
p0125 A74-17862

Effect of polymer coatings on fatigue strength of aluminum alloy 2024 box beams
[NASA-CR-114699] p0193 N74-16250

PLASTIC DEFORMATION

Elastic, plastic behavior of a rotor. I - Analysis of an axisymmetric rotor whose radius varies in axial direction
p0082 A74-14620

Accelerating test stand for rotating elements of turbomachines
p0089 A74-15930

The heat-resistant deformable aluminum alloy D21
p0439 A74-40767

Study of elastoplastic deformation with friction in hydrocarbon media --- with application to jet engine fuels
[AD-765997] p0049 N74-10717

PLASTIC FILMS

U POLYMERIC FILMS

PLASTIC FLOW

Geometrical study of the conditions of initiation of sudden cracks of quasi-brittle type
p0280 A74-28526

PLASTIC PROPELLANTS

Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates
p0316 A74-30313

PLASTIC PROPERTIES

U ELASTOPLASTICITY

PLASTIC YIELDING

U PLASTIC DEFORMATION

PLASTICS

SUBJECT INDEX

PLASTICS

NT ACRYLIC RESINS
 NT CARBON FIBER REINFORCED PLASTICS
 NT EPOXY RESINS
 NT PHENOLIC RESINS
 NT POLYBUTADIENE
 NT REINFORCED PLASTICS
 NT THERMOPLASTIC RESINS
 NT THERMOSETTING RESINS
PLATE (METAL)
 U METAL PLATES
PLATE THEORY
 Determination of the shear stresses in spar walls in the design of a wing on the basis of a plate analogy
 p0260 A74-25984
PLATES (STRUCTURAL MEMBERS)
 NT CIRCULAR PLATES
 NT ELASTIC PLATES
 NT ORTHOTROPIC PLATES
 NT PERFORATED PLATES
 NT REINFORCED PLATES
 Diffraction of evanescent waves, with applications to aerodynamically scattered sound and radiation from un baffled plates
 p0204 A74-23104
 Diffusion welding of structural components for aeronautics and astronautics
 p0227 A74-25024
 Structure of solutions to basic bending and vibration problems for plates of complex shape
 p0482 A74-45592
 Integral equation solutions for simply supported polygonal plates
 p0483 A74-46071
PLATING
 NT ELECTROPLATING
 NT NICKEL PLATE
PLAYBACKS
 A truly airworthy video disc recorder/reproducer results in unique capabilities --- for aerial reconnaissance and surveillance
 p0218 A74-22553
PLSS
 U PORTABLE LIFE SUPPORT SYSTEMS
PLUG NOZZLES
 Flight velocity effects on jet noise of several variations of a 48-tube suppressor installed on a plug nozzle
 [NASA-TM-X-2919]
 p0165 N74-15465
 Flight velocity effects on jet noise of several variations of a twelve-chute suppressor installed on a plug nozzle
 [NASA-TM-X-2918]
 p0166 N74-15466
 Cold-flow performance of several variations of a ram-air-cooled plug nozzle for supersonic-cruise aircraft
 [NASA-TM-X-3110]
 p0500 N74-35203
PLUMBANE
 U METAL HYDRIDES
PLUMES
 Chemical reactions calculations in turbulent flows - Application to a CO containing turbojet plume
 [ONERA, TP NO. 1229]
 p0006 A74-11069
 Aerodynamic forces and moments on a slender body with a jet plume for angles of attack up to 180 degrees
 [AIAA PAPER 74-110]
 p0133 A74-18776
PLUVIOGRAPHS
 U RECORDING INSTRUMENTS
PNEUMATIC CONTROL
 Aerospace fluidics applications and circuit manufacture
 [SAE PAPER 730380]
 p0019 A74-11604
 A study of the characteristics of measuring elements of pneumatic systems
 p0174 A74-19852
 A new pneumatic hybrid control system --- for reduction of supply air consumption
 p0174 A74-19884
 Cabin pressure control - An exercise in nonlinear design
 p0373 A74-35208
 Aircraft cabin pressure and temperature control through reliable fluidic circuits
 p0378 A74-35720
 Hingeless circulation control rotor blade design
 [AHS PREPRINT 813]
 p0388 A74-36622

Fluidics and its application in aircraft and spacecraft
 p0484 A74-46688
PNEUMATIC EQUIPMENT
 NT GAS VALVES
 L-1011 secondary power systems - Design and function
 [SAE PAPER 740466]
 p0351 A74-35004
 Secondary power systems --- for DC-10
 [SAE PAPER 740465]
 p0351 A74-35005
PNEUMATIC RESET
 U PNEUMATIC CONTROL
PODS (EXTERNAL STORES)
 An analytical method valid up to the critical speed for predicting store separation characteristics from modern aircraft
 [AIAA PAPER 74-775]
 p0399 A74-37800
 Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod
 [ONERA, TP NO. 1424]
 p0483 A74-46596
 Technical and operational aspects of externally-mounted aircraft equipment
 p0305 N74-21614
POINT MATCHING METHOD (MATHEMATICS)
 U BOUNDARY VALUE PROBLEMS
POINT SOURCES
 Waves in an elastic medium generated by a point source moving in an overlying fluid medium
 p0085 A74-14928
POISEUILLE FLOW
 U LAMINAR FLOW
POISONS
 A device for spreading small grain bait lure --- airborne spraying device for rodent control
 [AD-772053]
 p0255 N74-19144
POISSON PROCESS
 U STOCHASTIC PROCESSES
POLAR COORDINATES
 Application to the Viggen aircraft configuration of the polar coordinate method for unsteady subsonic flow
 [ICAS PAPER 74-03]
 p0447 A74-41305
POLAR REGIONS
 NT ARCTIC REGIONS
POLARIZATION (WAVES)
 NT CIRCULAR POLARIZATION
POLARIZATION CHARTS
 U GRAPHS (CHARTS)
POLICIES
 NT ENERGY POLICY
 NT PROCUREMENT POLICY
POLLUTION
 NT AIR POLLUTION
 NT ENVIRONMENT POLLUTION
 NT NOISE POLLUTION
 NT WATER POLLUTION
POLLUTION CONTROL
 Forecast of jet engine exhaust emissions for future high altitude commercial aircraft
 p0275 A74-27773
 Development of pollution controls for Rolls-Royce RB 211 and Olympus 593 engines
 [SAE PAPER 740483]
 p0351 A74-34996
 Technology for the reduction of aircraft turbine engine pollutant emissions
 [ICAS PAPER 74-31]
 p0457 A74-43125
 Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier
 [AD-774898]
 p0327 N74-21669
 Aviation fuel spill containment using absorbent materials
 [AD-776762]
 p0361 N74-26242
POLLUTION MONITORING
 Pollution emission analysis of selected Air Force aircraft
 [ASME PAPER 74-ENAS-30]
 p0431 A74-39130
POLYACRYLATES
 U ACRYLIC RESINS
POLYBUTADIENE
 Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates
 p0316 A74-30313
POLYIMIDE RESINS
 Polyimides for advanced radomes --- heat resistant reinforced composite materials
 p0082 A74-14738
 Effective methods for fabrication of large polyimide-matrix aircraft components

SUBJECT INDEX

POWDER (PARTICLES)

- Recent advances in the processing of polyimide resins for high temperature radome applications p0084 A74-14780
p0379 A74-35841
- POLYIMIDES**
Graphite-polyimide composite for application to aircraft engines [NASA-TN-D-7698] p0370 A74-27412
- POLYMERIC FILMS**
Effect of polymer coatings on fatigue strength of aluminum alloy 2024 box beams [NASA-CR-114699] p0193 A74-16250
- POLYMERIZATION**
Experimental and theoretical investigation of HT-S/PMR-PI composites for application to advanced aircraft engines --- High-Tip-Speed/Polymerization of Monomeric Reactant p0228 A74-24868
- POLYMERS**
Nonflammable fibrous materials for aeronautical systems p0379 A74-35807
- POLYSULFIDES**
Feasibility study of use of polysulfide sealants for corrosion protection of spot welded aluminum alloys p0084 A74-14771
- POLYURETHANE FOAM**
A sailplane wing constructed of foam core and polyester fiberglass skin [AIAA PAPER 74-258] p0130 A74-18665
The ablation performance of foams in a low heat flux --- plasma arc tests on polyurethane-based foams p0045 A74-10263
- POLYURETHANE RESINS**
An aircraft exterior coating system and surface pretreatment p0125 A74-17862
- PONTREYAGIN PRINCIPLE**
Reachable sets for tracking --- all possible aircraft positions p0321 A74-31643
- POROUS MATERIALS**
Optimization of wave cancellation in variable porosity transonic wind tunnel flows [NASA-TN-D-7432] p0060 A74-11097
The flow over a porous body: A singular perturbation problem with two parameters --- development of method for predicting skin friction and heat transfer characteristics of aircraft surfaces [AD-775072] p0324 A74-21644
- POROUS WALLS**
Aerodynamic noise from porous propeller fans p0073 A74-13793
Some tunnel-wall effects on transonic flutter --- from Boeing SST model tests [AIAA PAPER 74-406] p0266 A74-26705
- PORTABLE EQUIPMENT**
Portable chemical oxygen [SAE AS 1303] p0269 A74-27264
- PORTABLE LIFE SUPPORT SYSTEMS**
VFW 614 oxygen system p0375 A74-35361
- POSITION (LOCATION)**
Criteria for the siting of major airports p0080 A74-14516
A photo-electric position-following mechanism p0176 A74-20129
Vanguard/PLACE experiment system design and test plan p0216 A74-23788
Provisional signal formats for the discrete address beacon system --- for air traffic control applications [ATC-30] p0048 A74-10620
An optimum interference detector for DABS monopulse data editing --- for application to air traffic control [ESD-TR-73-253] p0048 A74-10621
- POSITION ERRORS**
Error model identification and performance predictions for airborne direct ranging Loran p0024 A74-12178
Secondary surveillance radar in ATC --- operational problems p0027 A74-12357
- The problem of increasing the operational precision of electrolytic sensors p0276 A74-27898
- Determining helicopter instrument flight capability p0346 A74-34848
- POSITION INDICATORS**
A study of the characteristics of measuring elements of pneumatic systems p0174 A74-19852
- Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen p0343 A74-34290
- Evaluation of ILS localizer signal specification during ground rollout [AD-765761] p0049 A74-10623
- POSITIONING DEVICES (MACHINERY)**
NT BOOMS (EQUIPMENT)
- POSITIVE FEEDBACK**
Discrete tones of isolated airfoils p0391 A74-37053
- POSTFLIGHT ANALYSIS**
Gunship video recording system - First high quality battle damage assessment capability p0217 A74-22531
- POTENTIAL ENERGY**
NT ELECTRIC POTENTIAL
- POTENTIAL FIELDS**
Uniform asymptotic solutions for the two-dimensional potential field about a slender body p0392 A74-37268
- POTENTIAL FLOW**
Derivation of aerodynamic kernel functions p0004 A74-10572
Comparison of surface-vorticity method with surface-source method and with an exact solution for two-dimensional potential flow around two adjacent lifting airfoils p0086 A74-15047
A problem of designing the optimal external contours of an aircraft p0087 A74-15709
Structure of Betz vortex cores p0090 A74-15970
Development of a method of discretized-distribution singularities for the study of compressible and incompressible flows p0119 A74-16968
Methods for the design and analysis of jet-flapped airfoils [AIAA PAPER 74-188] p0134 A74-18833
Application of an improved unified subsonic-supersonic potential flow method for the aerodynamic analysis of aircraft configurations [AIAA PAPER 74-186] p0135 A74-18841
Subsonic potential aerodynamics for complex configurations - A general theory p0177 A74-20280
A study of compressible potential and asymptotic viscous flows for corner region p0204 A74-23205
Unsteady aerodynamic characteristics of cascades of arbitrary profiles vibrating in the potential flow of an incompressible fluid p0222 A74-24378
Calculation procedures for potential and viscous flow solutions for engine inlets [ASME PAPER 74-GT-3] p0271 A74-27411
High attitude delta wing unsteady aerodynamics [AIAA PAPER 74-817] p0400 A74-37824
Free vibrations of dynamically inhomogeneous airfoil cascades in potential flow p0482 A74-45936
Calculation of potential flow about axially symmetric fuselages, annular profiles and engine inlets [NASA-TT-F-15213] p0139 A74-13707
- POTENTIAL THEORY**
The behavior of axial compressor cascades in the case of deviations from purely cylindrical flow p0001 A74-10030
The lifting surface theory applied to fixed wings and propellers [ONERA, TP NO. 1298] p0005 A74-10999
- POWDER (PARTICLES)**
NT POWDERED ALUMINUM

POWDER METALLURGY

SUBJECT INDEX

POWDER METALLURGY

Application of powder metallurgy in gas turbine aircraft engines p0084 A74-14765
 Status of the latest turbine disk alloys in the U.S. p0125 A74-17890
 Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962
 Properties of high-strength aluminum P/M products p0227 A74-24225

POWDERED ALUMINUM

Properties of high-strength aluminum P/M products p0227 A74-24225

POWER CONDITIONING

Power conditioning system for FAA Air Route Traffic Control Centers p0077 A74-14133
 Power conditioning system for FAA air route traffic control centers p0102 A74-12636

POWER GAIN

A commutation on antenna systems covering standard aircraft and balloons p0469 A74-31685
 Dynamic measurement of avionic antennas --- by ground radar tracks evaluations p0463 A74-31702

POWER GENERATORS

U ELECTRIC GENERATORS

POWER PLANTS

YC-15 powerplant system design and development [AIAA PAPER 74-973] p0453 A74-47658
 The 1.5-kW fuel cell powerplant [AD-767302] p0107 A74-12744

POWER SPECTRA

The influence of non-linear longitudinal aerodynamic characteristics on the power spectral response of aircraft to atmospheric turbulence p0182 A74-21105
 The identification of aircraft powerplant dynamic response from flight tests using power spectral techniques [RAE-TR-73049] p0105 A74-12725
 Rational calculation of design gust loads in relation to present and proposed airworthiness requirements --- effects of atmospheric turbulence on aerodynamic configuration of short haul aircraft p0234 A74-17740

Computed lateral power spectral density response of conventional and STOL airplanes to random atmospheric turbulence [NASA-TN-D-7444] p0237 A74-17759
 Noise generated by quiet engine fans. 2: Fan A --- measurement of power spectra and sideline perceived noise levels [NASA-TN-X-3066] p0444 A74-30240

POWER SUPPLIES

Man-powered flight - The oscillating wing machine p0077 A74-14262
 Hydraulic-to-pneumatic power supply for aircraft fluidic systems [AD-778764] p0417 A74-28550

POWER SUPPLY CIRCUITS

Solid-state power controllers for B-1 flight test p0425 A74-38575
 The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices [AD-768199] p0146 A74-13903

POWER TRANSMISSION

An analysis of vibration diagnostics for helicopter power trains p0432 A74-39198

PRECAUTIONS

U ACCIDENT PREVENTION

PRECSSION

Solution of the equations of motion of a gyrohorizon compass at finite deviation angles from the meridian p0020 A74-11685

PRECIPITATION (METEOROLOGY)

NT RAIN

Thermal parameters as a predictor of precipitation type for Kincheloe AFB, Michigan [AD-754927] p0048 A74-10611

PRECIPITATION HARDENING

Creep fracture mechanisms in aluminum alloys p0020 A74-11736
 The development of thermomechanical processes for advanced dispersion strengthened alloys p0342 A74-33622

PREDICTION ANALYSIS TECHNIQUES

Computer prediction of aircraft noise p0137 A74-19051
 Analysis of crack propagation under variable amplitude loading using the Willenborg retardation model [AIAA PAPER 74-369] p0265 A74-26677
 Confidence assessment of military airframe cost predictions --- for cost overrun elimination p0267 A74-26874
 An analytical method valid up to the critical speed for predicting store separation characteristics from modern aircraft [AIAA PAPER 74-775] p0399 A74-37800
 A parametric analysis of transport aircraft system weights and costs [SAWE PAPER 1024] p0436 A74-39891
 Sonic boom research at UTIAS p0483 A74-46239

Specialists Meeting on Helicopter Rotor Prediction Methods [AGARD-CP-122] p0054 A74-10908
 Prediction of helicopter rotor loads --- based on alternating aerodynamic loads imposed on rotary wing and rotor hub p0055 A74-10911

Helicopter rotor loads predictions --- assumptions and techniques for numerical analysis of aerodynamic loads p0055 A74-10912

Rotor system design and evaluation using a general purpose helicopter flight simulation program p0055 A74-10913

Integrated rotor/body loads prediction p0055 A74-10916

Aircraft force projection model. Volume 1: Users guide to AFPM --- computer program to determine aircraft inventory and operating requirements [AD-767946] p0145 A74-13751

Microwave Landing System (MLS) development plan as proposed by ALL during the technique analysis and contract definition phase of the national MLS development program. Part 1.0, Volume 1.2, Book 1: Post TACD development plan [FAA-RD-73-166-VOL-1.2-BK-1] p0150 A74-14341

A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 A74-14711

On some basic and new aspects about the drag problem of wings and bodies in supersonic flows p0155 A74-14713

Aircraft drag prediction for project appraisal and performance estimation p0156 A74-14716

Appendix: A data item service for aircraft drag estimation --- collection, dissemination, and development of aerodynamic drag prediction data p0156 A74-14717

Remarks on methods for predicting viscous drag --- aerodynamic drag prediction for high angles of attack and multielement airfoils p0156 A74-14718

PREDICTIONS

NT PERFORMANCE PREDICTION

PREFLIGHT ANALYSIS

Preflight test simulation of superimposed integrated trajectory error displays [AD-773823] p0286 A74-19687

PREHEATERS

U HEATING EQUIPMENT

PREHEATING

U HEATING

PREIMPREGNATION

Development and problems of testing prepregs for the Czechoslovakian aircraft industry p0280 A74-28528

PRESSURE

NT ATMOSPHERIC PRESSURE

NT BASE PRESSURE

NT IMPACT LOADS

NT INLET PRESSURE

NT LOW PRESSURE

NT OVERPRESSURE

SUBJECT INDEX

PRESSURE EFFECTS

NT SOUND PRESSURE
NT STATIC PRESSURE
NT TRANSIENT PRESSURES
NT WALL PRESSURE
PRESSURE CABINS
O PRESSURIZED CABINS
PRESSURE DISTRIBUTION

Calculation of the characteristics of multistage axial turbomachines --- mathematical model for temperature, pressure and flow parameters p0001 A74-10029
The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041
The effect of inlet temperature and pressure distortion on turbojet performance [AIAA PAPER 73-1316] p0012 A74-11311
Dynamical pressure distribution in aerodynamic bearing p0023 A74-11899
Experimental study on the characteristics of an isolated swept-back aerofoil with two parallel side-walls p0069 A74-12971
Investigations concerning yawed caret wings in the hypersonic domain p0072 A74-13548
Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow [DFVLR-SOHDDB-335] p0073 A74-13549
Transonic flow past lifting airfoils p0085 A74-14989
Application of an improved unified subsonic-supersonic potential flow method for the aerodynamic analysis of aircraft configurations [AIAA PAPER 74-186] p0135 A74-18841
Analysis of axisymmetric turbulence relevant to jet noise p0172 A74-19631
An approximate method for the calculation of the pressure distribution on a wing-cone configuration p0175 A74-20046
Inverse transonic flow calculations using experimental pressure distributions p0276 A74-28050
A rapid computer aided transonic airfoil design method [AIAA PAPER 74-501] p0338 A74-33101
Effects of yaw on a Gothic wing at supersonic speeds p0342 A74-33733
Nonlinear generation of secondary waves in fluids p0344 A74-34352
High lift testing in closed wind tunnels [AIAA PAPER 74-641] p0376 A74-35405
Contribution to the theory of the sonic flow past a profile p0389 A74-36630
Calculation of the loads and strains on a swept wing with mechanical analog devices p0390 A74-36804
Experimental studies of turbulent aircraft wake p0392 A74-37257
High-lift aerodynamics /37th Wright Brothers Lecture/ --- lift limits and economics [AIAA PAPER 74-939] p0426 A74-38714
Research on the transonic aerofoil sections at the National Aerospace Laboratory, Japan [ICAS PAPER 74-12] p0448 A74-41314
Investigations concerning the interference between annular wing and hub body in the case of annular wing/hub body configurations p0452 A74-41444
High lift characteristics of an airfoil placed in a narrow channel p0457 A74-43143
Prediction of unsteady airloads for oblique blade-gust interaction in compressible flow p0477 A74-44406
On lifting wings with parabolic tips p0478 A74-44930
Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds [NASA-TN-D-7331] p0036 N74-10015
Calculation of instationary pressure distributions and generalized aerodynamic forces with the

doublet-lattice method --- on thin wings oscillating harmonically in subsonic flow [NLR-TR-72037-U] p0054 N74-10906
Aerofoils having a specified form of upper-surface pressure distributions: Details and comments on design [ESDU-71020] p0102 N74-12703
The flow field and pressure distribution of an isolated road wheel [IC-AERO-72-14] p0155 N74-14706
Drag in hypersonic rarefied flow --- effects of cold pressure drag and friction drag p0157 N74-14730
Numerical calculations of velocity and pressure distribution around oscillating airfoils [NASA-CR-2368] p0194 N74-16704
Measurement of pressure on an oscillating aileron in transonic flow --- under plane-parallel flow conditions [AD-769982] p0197 N74-16739
Reciprocal influence of a body of finite length and a wing at mid-wing position at subsonic speed [BMVG-FBWT-73-33] p0231 N74-17707
An experimental study of the validity of the heat-field concept for sonic-boom alleviation [NASA-CR-2381] p0245 N74-18648
Swept wing-body combination at subsonic speeds fuselage loads and pressure distributions for a swept wing-body combination at supersonic speeds [ARA-34] p0245 N74-18649
NPL 9615 and NACA 0012: A comparison of aerodynamic data --- from two airfoils [ARC-CP-1261] p0247 N74-18665
A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges [AD-772952] p0251 N74-18701
Direct calculation of airfoils from pressure distribution [NASA-TT-P-15417] p0281 N74-19641
V/STOL deflector duct profile study --- analysis of back pressure gradient in ducted flow of exhaust gases against lift fan p0291 N74-20417
Pressure distribution of a twin-engine upper-surface blown jet-flap model --- wind tunnel tests to determine chordwise and spanwise pressure distributions [NASA-TN-X-71937] p0296 N74-20655
Addition of an arbitrary body analysis capability to the Boeing TEA 236 finite element computer program [AD-774430] p0301 N74-20694
On the use of thick-airfoil theory to design airfoil families in which thickness and lift are varied independently [NASA-TN-D-7579] p0323 N74-21635
Non-linear helicopter rotor lifting surface theory p0363 N74-26431
Method for predicting the pressure distribution on swept wings with subsonic attached flow [ESDU-73012] p0492 N74-34446
PRESSURE DRAG
NT INTERFERENCE DRAG
A variation of the aerodynamic shape of a body which leads to a decrease in its drag p0383 A74-36499
Prediction and measurement of propulsion system performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
PRESSURE EFFECTS
Derivation of aerodynamic kernel functions p0004 A74-10572
Problems and organization in the case of aerial-survey flights at intermediate and high altitudes p0086 A74-15082
Influence of the compressor characteristic on gas-turbine engine operation under variable pressure conditions at the exit section of the propelling nozzle p0088 A74-15733
Inviscid wake-airfoil interaction on multielement high lift systems p0127 A74-18143
Distortions in aerial photographs due to internal refraction --- from sealed compartment temperature and pressure effects

PRESSURE FIELDS

SUBJECT INDEX

- p0218 A74-23450
An approximate solution of unsteady transonic flow problems --- unsteady pressures on thin two-dimensional airfoil pitching and plunging [AD-783621] p0500 N74-34718
- PRESSURE FIELDS**
U PRESSURE DISTRIBUTION
PRESSURE GAGES
NT BAROMETERS
NT PIEZOELECTRIC GAGES
PRESSURE GRADIENTS
A suggestion for improving flap effectiveness by heat addition --- with pressure gradient modification near trailing-edge flaps [ARC-CP-1252] p0246 N74-18662
V/STOL deflector duct profile study --- analysis of back pressure gradient in ducted flow of exhaust gases against lift fan p0291 N74-20417
Wingtip vortex dissipator for aircraft [NASA-CASE-LAR-11645-1] p0365 N74-26456
- PRESSURE MEASUREMENTS**
Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow [DPVLR-SOHDOR-335] p0073 A74-13549
The use of gliders for airfoil section research and development p0454 A74-42034
Calculating pressure in combustion chamber of pulsejet engine during filling process [AD-766045] p0051 N74-10737
Comparison of various methods for calculating profile drag from pressure measurements in the near wake at subcritical speeds p0156 N74-14721
- PRESSURE OSCILLATIONS**
The planar pressure pulse generator - A new dynamic distortion generator [AIAA PAPER 73-1317] p0012 A74-11312
Results of measurements of the slight atmospheric pressure increase on the earth surface under an overflying aircraft p0312 A74-29484
The improvement in Mach number distribution and reduction of pressure fluctuations in the transonic working section of wind tunnel S.1 [WRR-TN-925] p0045 N74-10303
- PRESSURE PROBES**
U PRESSURE SENSORS
PRESSURE RECOVERY
Some design considerations for supersonic cruise mixed compression inlets [AIAA PAPER 73-1269] p0030 A74-12496
Subsonic flow into a downstream facing inlet p0317 A74-30401
Performance of conical diffusers in incompressible flow [ESDU-73024] p0109 N74-12986
- PRESSURE REGULATORS**
Anticipatory anti-blackout system --- oxygen operated anti-G valves for aircrew protection p0212 A74-23551
- PRESSURE SENSORS**
A review of aircraft measurement techniques --- data on digital voltmeters, pressure standards and onboard transducer equipment p0280 A74-28436
The shock adjustment concept - A new method for improved supersonic air data sensing p0346 A74-34845
Wind tunnel instrumentation considerations for buffet predictions [AIAA PAPER 74-629] p0376 A74-35393
An investigation of corrugated metallic diaphragm capsules as used in aircraft instrument pressure elements p0423 A74-38403
High temperature solid state pressure transducers for military jet engine environments [AD-774753] p0303 N74-21047
Influence of the degree of fail-safe achieved, using the internal pressure indicator (BIM), on the flight safety during a specified service life of main rotor blades of SA 321 and SA 330 helicopters p0367 N74-26469
- PRESSURE TRANSDUCERS**
U PRESSURE SENSORS
- PRESSURE WAVES**
U ELASTIC WAVES
PRESSURE WELDING
NT DIFFUSION WELDING
NT ULTRASONIC WELDING
PRESSURIZED CABINS
Lockheed S-3A Viking - Air conditioning and pressurisation systems p0268 A74-27016
Cabin pressure control - An exercise in nonlinear design p0373 A74-35208
Aircraft cabin pressure and temperature control through reliable fluidic circuits p0378 A74-35720
- PRESTON TUBES**
U PITOT TUBES
U SPEED INDICATORS
PREVENTION
NT ACCIDENT PREVENTION
NT CORROSION PREVENTION
NT FIRE PREVENTION
NT ICE PREVENTION
PRINTED CIRCUITS
NT LARGE SCALE INTEGRATION
PRISMS
A compact derotator design --- for aircraft periscope image rotation prevention p0218 A74-23718
- PRIVATE AIRCRAFT**
U GENERAL AVIATION AIRCRAFT
PROBABILITY
U PROBABILITY THEORY
PROBABILITY DENSITY FUNCTIONS
NT WEIBULL DENSITY FUNCTIONS
PROBABILITY DISTRIBUTION FUNCTIONS
A rational basis for determining the EMC capability of a system p0312 A74-29371
Application of the method of extreme values to the determination of maximum operating loads p0383 A74-36455
Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
- PROBABILITY THEORY**
The development and evaluation of weight-estimation formulas for aircraft design with the aid of methods of mathematical statistics and probability calculus --- German book p0175 A74-20049
- PROBLEM SOLVING**
NT ASYMPTOTIC METHODS
NT ITERATIVE SOLUTION
PROCEDURES
NT FINITE ELEMENT METHOD
PROCUREMENT
NT GOVERNMENT PROCUREMENT
PROCUREMENT MANAGEMENT
Equipment procured reliability and real-life survival --- avionics producer-military user communications improvement p0181 A74-20954
Integrated logistics support and acquisition management /ILS-AM/ panel for aviation-crew systems equipment changes p0222 A74-23549
Design to cost during the requirements, development and test phases of systems acquisition --- for weapon systems p0479 A74-45003
Problems in managing the development of aircraft engines, Department of Defense [B-179166] p0329 N74-22632
- PROCUREMENT POLICY**
Problems in managing the development of aircraft engines, Department of Defense [B-179166] p0329 N74-22632
- PRODUCT DEVELOPMENT**
NT WEAPONS DEVELOPMENT
Technological change through product improvement in aircraft turbine engines [AD-769911] p0201 N74-17519
Organization and planning of production at aircraft engine-building plants [AD-775780] p0362 N74-26421
- PRODUCTION ENGINEERING**
NT PRODUCTION PLANNING

SUBJECT INDEX

PROPELLER EFFICIENCY

- The technology and economics of commercial airplane design. II p0001 A74-10145
- F-14, A-6 assembly woes seen easing p0348 A74-34929
- Inside the 747 --- aircraft design and operational criteria p0432 A74-39381
- Current and future materials usage in aircraft gas turbine engines [AD-766334] p0066 A74-11604
- The 1.5-kW fuel cell powerplant [AD-767302] p0107 A74-12744
- Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance [FAA-RD-72-150-VOL-5] p0165 A74-15385
- Preliminary design aspects of design-to-cost for the YF-16 prototype fighter p0465 A74-31460
- PRODUCTION MANAGEMENT**
- Improving aircraft productivity - We all have a part of the action --- wide body jet production management p0076 A74-13976
- Alpha Jet - A German-French joint venture p0274 A74-27520
- A Dassault Dossier: Aircraft acquisition in France [AD-774598] p0299 A74-20681
- PRODUCTION METHODS**
- U PRODUCTION ENGINEERING**
- PRODUCTION PLANNING**
- The Aeritalia-Lockheed agreement - The package also includes the Lancer --- G-222 and F-104 military aircraft marketing p0213 A74-23877
- Organization and planning of production at aircraft engine-building plants [AD-775780] p0362 A74-26421
- PROGRAM MANAGEMENT**
- U PROJECT MANAGEMENT**
- PROGRAMMING LANGUAGES**
- NT FORTRAN**
- A compiler-compiler system for avionic test languages --- syntax and semantics inputs for target language production p0074 A74-13804
- CTL - A programming language for automatic testing --- COMPASS Test Language p0075 A74-13815
- PROGRAMS**
- NT DEFENSE PROGRAM**
- NT EARTH RESOURCES SURVEY PROGRAM**
- NT FRENCH SPACE PROGRAMS**
- NT GLOBAL ATMOSPHERIC RESEARCH PROGRAM**
- NT NASA PROGRAMS**
- NT QUIET ENGINE PROGRAM**
- NT TACT PROGRAM**
- NT TILT ROTOR RESEARCH AIRCRAFT PROGRAM**
- NT UNIVERSITY PROGRAM**
- PROJECT MANAGEMENT**
- Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter [SAE PAPER 730888] p0019 A74-11600
- An innovative approach to airport planning p0127 A74-18099
- Risk analysis - A program management tool --- for environmental problems and aircraft metal fatigue p0182 A74-20987
- A status summary of the MRCA project --- Multi-Role Combat Aircraft p0212 A74-23596
- The development of the WG-13 --- helicopter program management, manufacture and flight testing p0262 A74-26567
- Critical analyses and laboratory research work at the stage of aircraft preliminary design [ONERA, TP NO. 1291] p0312 A74-29467
- A broad view of Navy S-3A testing [AIAA PAPER 74-943] p0426 A74-38716
- Inside the 747 --- aircraft design and operational criteria p0432 A74-39381
- Design to cost during the requirements, development and test phases of systems acquisition --- for weapon systems
- The team leader's role in design to cost preliminary design p0471 A74-32426
- PROJECT PLANNING**
- Air transportation noise technology overview [AIAA PAPER 73-1152] p0003 A74-10506
- Air traffic control --- long term planning in Germany p0128 A74-18182
- PROJECTILE PENETRATION**
- U TERMINAL BALLISTICS**
- PROJECTILES**
- NT HYPERVELOCITY PROJECTILES**
- Aircraft fuel tank entry wall-projectile interaction studies [AD-765667] p0043 A74-10066
- PROPAGATION (EXTENSION)**
- NT CRACK PROPAGATION**
- NT FLAME PROPAGATION**
- PROPAGATION VELOCITY**
- Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys p0228 A74-24297
- Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy [ONERA, TP NO. 1373] p0318 A74-30513
- PROPELLANT TESTS**
- Hypersonic research airplane propulsion for boost and test [AIAA PAPER 74-990] p0429 A74-38747
- PROPELLANTS**
- NT CASE BONDED PROPELLANTS**
- NT HIGH TEMPERATURE PROPELLANTS**
- NT PLASTIC PROPELLANTS**
- NT SOLID PROPELLANTS**
- PROPELLER BLADES**
- The lifting surface theory applied to fixed wings and propellers [ONERA, TP NO. 1298] p0005 A74-10999
- Flight noise reduction in propeller-driven aircraft p0089 A74-15962
- The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft [ASME PAPER 74-GT-52] p0272 A74-27445
- Application of unsteady lifting surface theory to propellers in forward flight [AIAA PAPER 74-419] p0276 A74-28169
- Markings for propeller conspicuity [AGARD-AR-56] p0103 A74-12713
- Use of two-dimensional unsteady flow theory with low aspect-ratio blades [ARL/M/N-17] p0241 A74-17983
- Blade-rate force fluctuations of a propeller in non-uniform flow --- using FORTRAN program [ARL/M/P-33A] p0247 A74-18667
- Research toward development feasibility of an advanced technology V/STOL propeller system --- development and evaluation of boron-aluminum compound for propeller blades p0290 A74-20414
- Summary of propeller design procedures and data. Volume 3: Hub, actuator, and control designs --- propellers for conventional and vertical takeoff aircraft [AD-776998] p0360 A74-25614
- Low noise propeller technology demonstration --- application to quiet aircraft development [AD-779773] p0443 A74-29395
- Problems of long linear arrays in helicopter blades --- considering beams scanned by rotating blades p0468 A74-31684
- PROPELLER DRIVE**
- NT HELICOPTER PROPELLER DRIVE**
- Flight noise reduction in propeller-driven aircraft p0089 A74-15962
- Model tests and analysis of prop-rotor dynamics for tilt-rotor aircraft p0205 A74-22461
- Aircraft noise and sound suppression --- for propeller driven aircraft p0224 A74-24671
- Propellers at present and in the future p0270 A74-27297
- The background to propeller airplane noise regulations [SAE PAPER 740361] p0309 A74-28738
- PROPELLER EFFICIENCY**
- Quieter propellers for general aviation - Present

PROPELLER FANS

SUBJECT INDEX

- situation, future outlook [DGLR PAPER 74-023] p0271 A74-27366
- A quiet propeller for commuter and general aviation aircraft [SAE PAPER 740359] p0308 A74-28736
- PROPELLER FANS**
- Wind tunnel tests of a 20 inch diameter 1.15 pressure ratio fan engine model [AIAA PAPER 73-1216] p0009 A74-11245
- Aerodynamic noise from porous propeller fans p0073 A74-13793
- Q-FANSTM for general aviation aircraft [NASA-CR-114665] p0142 N74-13726
- Q-fan propulsion for short haul transports --- application of variable thrust fans for aircraft and engine noise reduction p0291 N74-20424
- PROPELLER SLIPSTREAMS**
- STOL aircraft with blown wings p0209 A74-22785
- PROPELLERS**
- NT PROPELLER FANS
- NT SHROUDED PROPELLERS
- NT VARIABLE PITCH PROPELLERS
- Investigation of the fatigue behavior of large propellers --- for aircraft carriers [AD-769466] p0194 N74-16603
- Summary of propeller design procedures and data. Volume 1: Aerodynamic design and installation [AD-774831] p0327 N74-21667
- Summary of propeller design procedures and data. Volume 2: Structural analysis and blade design [AD-774836] p0327 N74-21668
- Summary of propeller design procedures and data. Volume 3: Hub, actuator, and control designs --- propellers for conventional and vertical takeoff aircraft [AD-776998] p0360 N74-25614
- Propeller tests in the large sonic wind tunnel of Mondane-Avrieux [NASA-TT-F-15704] p0413 N74-28501
- Propellers and helicopter blades of fiber-reinforced synthetic resin materials [NASA-TT-F-15859] p0467 N74-31493
- Propeller modulation effects on a scanning beam microwave landing system [NASA-TN-X-62368] p0468 N74-31617
- PROPULSION**
- NT HYBRID PROPULSION
- NT JET PROPULSION
- NT LOW THRUST PROPULSION
- NT MAN OPERATED PROPULSION SYSTEMS
- NT MARINE PROPULSION
- NT SPACECRAFT PROPULSION
- PROPULSION SYSTEM CONFIGURATIONS**
- Influence of noise requirements on STOL propulsion system designs p0001 A74-10148
- Comparative study of various flight vehicle propulsion systems, using an air-to-air missile as an example [DGLR PAPER 73-068] p0120 A74-17177
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Annual Report 1972 --- German book p0126 A74-17969
- Vertical take-off and landing aircraft p0127 A74-18178
- Propulsion system installations --- for aircraft p0127 A74-18179
- The Dolphin airship with undulating propulsion system - A new form of the evaluation factor p0185 A74-22272
- NEPCOMP - The Navy Engine Performance Program [ASME PAPER 74-GT-83] p0273 A74-27469
- Integrated propulsion systems for V/STOL transports [ASME PAPER 74-GT-118] p0273 A74-27486
- 25 years after, why the Astafan --- double flow turbofan aircraft engine design p0319 A74-30690
- MECA systems and related equipment - powerplant RB 199 p0336 A74-32631
- Sonic inlet technology development and application to STOL propulsion [SAE PAPER 740458] p0349 A74-34981
- Propulsion system sizing for powered lift and mechanical flap quiet aircraft [SAE PAPER 740455] p0349 A74-34983
- Integrated flight/propulsion control design techniques starting with the engine [SAE PAPER 740481] p0351 A74-34997
- Propulsion integration for a hybrid propulsive-lift system [SAE PAPER 740471] p0351 A74-35002
- The Dolphin airship with an undulating propulsion system and its many uses as crane and operational aircraft p0423 A74-38497
- Conceptual design of a lift fan plus lift/cruise fighter aircraft [AIAA PAPER 74-969] p0428 A74-38734
- YC-14 engine installation features [AIAA PAPER 74-972] p0428 A74-38737
- Opportunities in flight/propulsion control coupling /PPCC/ [SAE PAPER 740482] p0433 A74-39649
- Powered lift for longer field lengths and longer missions --- for aircraft [SAE PAPER 740502] p0433 A74-39650
- Performance problems related to installation of future engines in both subsonic and supersonic transport aircraft p0436 A74-39967
- The technological prospects for oscillating-wing propulsion of ultralight gliders [AIAA PAPER 74-1028] p0455 A74-42044
- Control system considerations for helicopter gas turbines p0458 A74-43210
- Dolphin airship with undulating propulsion --- Action of the elastic drive blades p0461 A74-44073
- MBB BO 105 - Concept and worldwide use of a modern helicopter. I --- development and design p0479 A74-45098
- Q-FANSTM for general aviation aircraft [NASA-CR-114665] p0142 N74-13726
- LDF powered balloon program --- feasibility demonstration of free balloon station keeping capability [AD-768673] p0162 N74-14770
- V/STOL propulsion systems --- proceedings of conference on propulsion system design and operation [AGARD-AR-64] p0256 N74-19404
- By-pass engines --- characteristics of USSR aircraft engines for jet aircraft [AD-772723] p0257 N74-19413
- V/STOL propulsion systems --- conference on propulsion system design, configuration, and performance for vertical and short takeoff aircraft [AGARD-CP-135] p0289 N74-20401
- Comparative appraisal of propulsion systems for VTOL-aircraft --- functional description and classification of aircraft jet propulsion systems p0289 N74-20402
- Optimum engines for military V/STOL aircraft --- effect of military operational requirements on propulsion system configurations p0289 N74-20403
- Integrated propulsion/energy transfer control systems for lift-fan V/STOL aircraft --- reduction of total propulsion system and control system installation requirements p0291 N74-20416
- Low speed turbine gear box p0291 N74-20418
- Compact thrust augmentors for V/STOL aircraft --- propulsion system configuration for V/STOL and cruise flight using one engine p0291 N74-20419
- Cost of ownership for propulsion system of powered lift aircraft --- effects of development, acquisition, operation, and maintenance on aircraft engine cost factors p0292 N74-20427
- Propulsion system of the VJ 101 C VTOL aircraft: Philosophy and practical experience --- optimization of vertical takeoff aircraft airframe and engine p0292 N74-20428
- The development of an integrated propulsion system for jet STOL flight research --- performance tests of augmentor-wing powered lift concept p0292 N74-20429

SUBJECT INDEX

PROPULSIVE EFFICIENCY

- Problems of V/STOL aircraft connected with the propulsion system as experienced on the Do 31 experimental transport aircraft
p0292 A74-20430
- Pegasus engine operating experience in the Harrier Aircraft --- analysis of requirements for aircraft engine for V/STOL close combat application
p0292 A74-20431
- The development and flight testing of the propulsion system of the VAK 191 B V/STOL strike and reconnaissance aircraft
p0292 A74-20432
- Problem of the application of turbofan engines in air transport. Methods of increase in efficiency of turbofan engine with high bypass ratios
[AD-773292] p0293 A74-20453
- Engine installation aerodynamics --- design and optimization of aircraft engine installations for subsonic and supersonic aircraft
p0365 A74-26453
- V/STOL lift fan commercial short haul transports: Continuing conceptual design study
[NASA-CR-2437] p0467 A74-31495
- Propulsion/aircraft design matching experience
p0471 A74-32423
- PROPULSION SYSTEM PERFORMANCE**
- Noise generation and the design of bypass lift jet engines
p0005 A74-10984
- Aspects of large-scale, subsonic, wind-tunnel design for propulsion noise research
[AIAA PAPER 73-1279] p0011 A74-11291
- Qualitative effects of cycle variables on turbine engine performance and stability
[AIAA PAPER 73-1315] p0012 A74-11310
- The effect of inlet temperature and pressure distortion on turbojet performance
[AIAA PAPER 73-1316] p0012 A74-11311
- Propulsion technology advances needed for a quiet supersonic transport
[SAE PAPER 730898] p0018 A74-11591
- Benefits of advanced propulsion technology for the advanced supersonic transport
[SAE PAPER 730896] p0018 A74-11593
- Some aspects of inlet/engine flow compatibility
p0020 A74-11618
- BB 211 - The first eighteen months operating experience /Sholto Douglas Memorial Lecture/
p0027 A74-12300
- Propulsion requirements for powered-lift aircraft
[AIAA PAPER 73-1214] p0031 A74-12928
- A new test capability for propulsion system testing --- Aero-Propulsion Systems Test Facility design
[AIAA PAPER 73-1283] p0032 A74-12939
- The effect of inlet-noise suppression on propulsion system design
[AIAA PAPER 73-1294] p0032 A74-12942
- Afterbody drag flight test of the A-7E airplane
[AIAA PAPER 73-1306] p0032 A74-12948
- Aerodynamic problems of turbojet propulsion systems, repercussions on gas turbine development
p0177 A74-20313
- GE continues CP6 family growth --- high bypass ratio turbofan engine development
p0261 A74-26398
- Complete mechanical energy utilization in aeronautical propulsion systems
p0274 A74-27611
- Research instrumentation requirements for flight/wind-tunnel tests of the YF-12 propulsion system and related flight experience
p0277 A74-28285
- Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft
p0277 A74-28286
- Engine condition monitoring as a part of the propulsion management concept
p0278 A74-28314
- Flight/propulsion control integration aspects of energy management
[SAE PAPER 740480] p0349 A74-34978
- Performance versus cost tradeoffs - Initial look at alternatives --- for aircraft engine fuel cost minimization
[SAE PAPER 740494] p0350 A74-34989
- Cooperative airframe/propulsion control for supersonic cruise aircraft
[SAE PAPER 740478] p0351 A74-34998
- Heavy-lift helicopter power systems
[SAE PAPER 740464] p0351 A74-35006
- The impact of advanced turboshaft engine technology on T700-powered helicopter systems
[AHS PREPRINT 871] p0386 A74-36606
- Index of the relative technical perfection level of long-range aircraft jet engines
p0390 A74-36791
- The energy crisis of fuel and the procedures of cruising flight
p0422 A74-38315
- Hypersonic research airplane propulsion for boost and test
[AIAA PAPER 74-990] p0429 A74-38747
- Supersonic combustion ramjets
p0432 A74-39372
- The Viper turbojet engines. I
p0432 A74-39418
- The CP6-6 engine - The first million hours
p0436 A74-39965
- Matched propulsion for advanced vehicles --- application to aircraft turbofan engines
[ICAS PAPER 74-36] p0450 A74-41337
- Overall safety objectives for integrated propulsion system
p0457 A74-43204
- Attenuation of instabilities in propulsion system combustors
p0478 A74-44422
- Optimization of lift and propulsion systems by the method of singularities
p0480 A74-45203
- Prediction and measurement of propulsion system performance
[ASME PAPER 73-WA/AERO-5] p0481 A74-45366
- Exhaust system interaction program --- evaluation of exhaust system installation losses and effect on aircraft performance
[AD-769086] p0159 A74-14747
- Investigation in energy transfer and energy conversion for advanced power and propulsion systems
[AD-771581] p0243 A74-18417
- A simplified life-cycle cost comparison of various engines for small helicopter use
[NASA-TM-X-71517] p0256 A74-19405
- Recent technology advances in thrust vectoring systems --- analysis of thrust vector control for vertical takeoff aircraft with and without afterburning in lift
p0290 A74-20410
- Basic research requirements for V/STOL propulsion and drive-train components --- analysis of jet engine operating parameters for axial and radial turbines
p0290 A74-20412
- The influence of the control concept for V/STOL engines on their static and dynamic performance characteristics
p0290 A74-20415
- Problems of V/STOL aircraft connected with the propulsion system as experienced on the Do 31 experimental transport aircraft
p0292 A74-20430
- The performance behaviour of a bypass engine in multiparameter control
p0292 A74-20445
- Determination of propulsion-system-induced forces and moments of a Mach 3 cruise aircraft
p0357 A74-25591
- Economic effects of propulsion system technology on existing and future transport aircraft
[NASA-CR-134645] p0410 A74-28230
- The power plants of vertical takeoff and landing aircraft
[AD-778791] p0419 A74-29225
- Propulsion/aircraft design matching experience
p0471 A74-32423
- PROPULSIVE EFFICIENCY**
- WT PROPELLER EFFICIENCY**
- Performance and noise aspects of supersonic transport
p0074 A74-13798
- Influence of the compressor characteristic on gas-turbine engine operation under variable pressure conditions at the exit section of the

PROTECTION

SUBJECT INDEX

- propelling nozzle p0088 A74-15733
- Energy problems in air transportation --- options for demand reduction, efficiency increase and fuel alternatives p0171 A74-19479
- The Dolphin airship with undulating propulsion system - A new form of the evaluation factor p0185 A74-22272
- Some results from tests on a high work axial gas generator turbine [ASME PAPER 74-GT-81] p0273 A74-27467
- Complete mechanical energy utilization in aeronautical propulsion systems p0274 A74-27611
- Dolphin airship with undulatory-flow propulsion - Dynamic lift p0338 A74-33096
- Cruise performance of an isolated 1.15 pressure ratio turbofan propulsion system simulator at Mach numbers from 0.6 to 0.85 [NASA-TM-X-3064] p0411 N74-28241
- PROTECTION**
- NT ACCELERATION PROTECTION
- NT CIRCUIT PROTECTION
- NT CORROSION PREVENTION
- NT ENVIRONMENT PROTECTION
- NT RADIATION SHIELDING
- NT THERMAL PROTECTION
- PROTECTIVE CLOTHING**
- NT HELMETS
- Helmets and head protection in USAF ejections 1968-1972 p0210 A74-23528
- PROTECTIVE COATINGS**
- NT ANODIC COATINGS
- Sodium sulphate induced rapid oxidation of a chromium-titanium-silicon coating on niobium alloy B-66 p0015 A74-11459
- A corrosion inhibiting coating for structural airframe fasteners [SAE PAPER 730902] p0018 A74-11588
- Turbine corrosion - Rig evaluation and engine experience p0081 A74-14583
- Feasibility study of use of polysulfide sealants for corrosion protection of spot welded aluminum alloys p0084 A74-14771
- Pretting resistant coatings for titanium alloys p0117 A74-16592
- PROTOTYPES**
- The influence of design to cost and prototyping on the A-10 aircraft [SAE PAPER 730890] p0019 A74-11598
- Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter [SAE PAPER 730888] p0019 A74-11600
- Reliability and choosing number of prototypes --- in helicopter development program p0181 A74-20938
- YF-17 evolved from previous data base --- Northrop trainer/fighter prototype p0276 A74-27848
- Development and flight test progress of the YF-17 [AIAA PAPER 74-941] p0452 A74-41652
- PSYCHOACOUSTICS**
- Effects of discontinuation of nocturnal aircraft noise p0315 A74-30084
- PSYCHOLOGY**
- NT PSYCHOACOUSTICS
- PSYCHOPHYSICS**
- NT PSYCHOACOUSTICS
- PUBLIC RELATIONS**
- It's quiet in front --- community reaction to aircraft noise [AIAA PAPER 73-1159] p0003 A74-10510
- Government responsibility for damages in airplane crash cases when weather is a factor p0126 A74-18098
- PULLEYS**
- Endurance test on flexible steel wire rope for aircraft controls at various pulley rope diameter ratios [AQD/D-14] p0416 N74-28528
- PULSATING FLOW**
- U UNSTEADY FLOW
- PULSE COMMUNICATION**
- Universal air-ground data link system --- for automated ATC communications p0215 A74-23830
- PULSE COMPRESSION**
- Application of dispersive networks in data-transmission receivers p0311 A74-29353
- PULSE DOPPLER RADAR**
- NT MONOPULSE RADAR
- NT PULSE RADAR
- PULSE GENERATORS**
- The planar pressure pulse generator - A new dynamic distortion generator [AIAA PAPER 73-1317] p0012 A74-11312
- Pyrotechnic pulse generators for in-flight structural tests p0382 A74-36353
- Pyrotechnic bonkers for structural tests in flight [ONERA, TP NO. 1389 E] p0478 A74-44953
- PULSE RADAR**
- NT MONOPULSE RADAR
- Airborne profiling of ice thickness using a short pulse radar p0124 A74-17810
- Recent advances in air traffic control radars p0169 A74-19315
- Airborne profiling of ice thickness using a short pulse radar [NASA-TM-X-71481] p0063 N74-11204
- PULSED RADIATION**
- NT ELECTROMAGNETIC PULSES
- PULSEJET ENGINES**
- Calculating pressure in combustion chamber of pulsejet engine during filling process [AD-766045] p0051 N74-10737
- PULSES**
- NT ELECTROMAGNETIC PULSES
- PUMPS**
- NT AXIAL FLOW PUMPS
- NT CENTRIFUGAL PUMPS
- NT FUEL PUMPS
- NT VACUUM PUMPS
- Contribution of computer simulation to the development of aeronautical equipment or systems p0213 A74-22662
- Role of computerized simulation in the perfecting aeronautical equipments or systems --- applied to hydraulic pump and air intake design p0199 N74-16811
- PURIFICATION**
- NT AIR PURIFICATION
- PURSUIT TRACKING**
- Differential-turning optimality criteria --- for aircraft pursuit/evasion situations [AIAA PAPER 74-23] p0132 A74-18737
- Toward the definition of escape and capture regions for a two aircraft pursuit-evasion game --- considering air to air infrared missile weapons [AD-770281] p0201 N74-17689
- PYLONS**
- A pylon to decrease the effects of external stores on the stability of aircraft [AD-767913] p0145 N74-13749
- PYROGRAPHALLOY**
- U COMPOSITE MATERIALS
- PYROLYSIS**
- A shock tube study of the formation of carbon particles during the pyrolysis of hydrocarbons p0229 A74-25213
- PYROMETERS**
- NT RADIATION PYROMETERS
- Turbine blade pyrometer system in the control of the Concorde engine p0458 A74-43214
- PYROMETRY**
- U TEMPERATURE MEASUREMENT
- PYROTECHNICS**
- Pyrotechnic pulse generators for in-flight structural tests p0382 A74-36353
- Pyrotechnic bonkers for structural tests in flight [ONERA, TP NO. 1389 E] p0478 A74-44953

Q

QUALITY CONTROL

The quality of the fuel --- aviation fuel purity maintenance during transport and storage p0021 A74-11741

Advanced composite F-5 fuselage component --- design, tooling, fabrication and assembly flexibilities p0084 A74-14763

Clean, bright, and dry --- jet engine fuel contamination control p0176 A74-20213

Requirements on the purity of aircraft fuels p0178 A74-20524

Reliability demonstration testing using failure-free trials p0181 A74-20950

DC-10 avionics parts reliability in review p0182 A74-20969

Effects of fabrication defects on boron/epoxy composites [AIAA PAPER 74-352] p0264 A74-26664

Prelude to airworthiness - An outline of quality assurance in aircraft construction p0318 A74-30593

How Eastern Airlines uses nondestructive evaluation to assure quality of specific jet engine hardware p0343 A74-34287

O-0-1% - Q. A. by objectives --- helicopter primary part Quality Assurance by audit scheme [AHS PREPRINT 851] p0386 A74-36597

Major Item Special Study (MISS). CH-54A T/R blade [AD-766227] p0041 A74-10056

Major Item Special Study (MISS). CH-54A clutch assembly (APP) [AD-766226] p0041 A74-10057

Major Item Special Study (MISS). CH-54A turbine engine [AD-766228] p0051 A74-10738

Major Item Special Study (MISS) AH-1G driveshaft assy, main transmission to engine --- cost savings from product improvement in quality and design [AD-770498] p0198 A74-16746

Major item special study (MISS), CH-47A engine --- cost reduction by eliminating high failure rate equipment on CH-47 helicopter [AD-772978] p0253 A74-18717

QUATERNIONS

Application of quaternions to rigid body rotation problems [NASA-TT-F-15414] p0418 A74-29040

QUEUEING THEORY

Semi-Markovian models in problems of designing flight-vehicle control systems --- Russian book p0228 A74-24324

QUIET ENGINE PROGRAM

Propulsion technology advances needed for a quiet supersonic transport [SAE PAPER 730898] p0018 A74-11591

Control of helicopter vibration using the dynamic antiresonant vibration isolator [SAE PAPER 730892] p0019 A74-11597

QTO and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations p0089 A74-15862

Putting all our noise technology to work --- NASA Quiet Engine Program p0119 A74-17049

On the effect of quieter aircraft engines on noise and number index /NNI/ values p0185 A74-22244

Technology for low noise aircraft - The NASA Quiet Engines p0221 A74-23599

Jet noise suppression --- for quiet aircraft design [SAE PAPER 740492] p0350 A74-34991

Quiet engine from NASA p0422 A74-38295

NASA/GE quiet engine A acoustic test results [NASA-CR-121175] p0050 A74-10732

Study of quiet turboprop STOL aircraft for short haul transportation [NASA-CR-2355] p0096 A74-11835

Study of quiet turboprop STOL aircraft for short-haul transportation. Volume 1: Summary [NASA-CR-2353] p0196 A74-16718

Quiet engine program: Turbine noise suppression. Volume 2: Treatment selection, installation, and test results [NASA-CR-134586] p0256 A74-19401

Noise generated by quiet engine fans. 2: Fan A --- measurement of power spectra and sideline perceived noise levels [NASA-TN-X-3066] p0444 A74-30240

R

RADAR BEACONS

U RADAR BEACONS

RADAR

NT DOPPLER RADAR

NT METEOROLOGICAL RADAR

NT MONOPULSE RADAR

NT MOVING TARGET INDICATORS

NT OPTICAL RADAR

NT PULSE RADAR

NT RADAR MEASUREMENT

NT RANGE AND RANGE RATE TRACKING

NT SEARCH RADAR

NT SECONDARY RADAR

NT SURVEILLANCE RADAR

NT TRACKING RADAR

Evaluation of the Teledyne Ryan model 622 terrain-following radar system installed on OH-58A helicopter [AD-775806] p0331 A74-22837

RADAR ALTIMETERS

U RADIO ALTIMETERS

RADAR ANTENNAS

Radar - Present and future; Proceedings of the International Conference, London, England, October 23-25, 1973

A discrete address beacon system --- digital surveillance radar for ATC p0027 A74-12355

Adaptive arrays --- radar receiving antennas for sidelobe reduction and adaptive filtering p0221 A74-23785

p0316 A74-30319

The effects of relative source strength and signal-to-noise ratio on angular resolution of antennas p0373 A74-35132

General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494

Evaluation of lateral displacement of SLS antennas --- SideLobe Suppression p0382 A74-36427

Radomes of microwave antennas - Radio engineering design and calculation --- Russian book p0426 A74-38692

RADAR APPROACH CONTROL

GCA radars - Their history and state of development p0373 A74-35127

RADAR BEACONS

Use of ARTS-III in aircraft accident investigation --- Automated Radar Terminal System p0208 A74-22637

Automation Radar Terminal System - ARTS III p0214 A74-22638

Plans for intermittent positive control improved beacon and other features of the upgraded third generation system p0219 A74-22678

The discrete address beacon system - Development, transition, and introduction p0220 A74-22683

A discrete address beacon system --- digital surveillance radar for ATC p0221 A74-23785

A synchronized Discrete Address Beacon System --- for ATC surveillance p0221 A74-23786

Evaluation of lateral displacement of SLS antennas --- SideLobe Suppression p0382 A74-36427

Provisional signal formats for the discrete address beacon system --- for air traffic control applications [ATC-30] p0048 A74-10620

RADAR CROSS SECTIONS

SUBJECT INDEX

- An optimum interference detector for DABS
monopulse data editing --- for application to
air traffic control
[ESD-TR-73-253] p0048 N74-10621
- A synchronized discrete-address beacon system ---
for air traffic control improvement
[FAA-EH-74-3] p0049 N74-10622
- Interrogation scheduling algorithms for a discrete
address beacon system --- for air traffic
control applications
[ATC-19] p0065 N74-11432
- ATC surveillance/communication analysis and planning
--- research projects for application of
electronics technology to air traffic control
[FAA-RD-73-161] p0100 N74-12356
- Development of a discrete address beacon system
[FAA-RD-73-165] p0100 N74-12362
- Field evaluation of ARTS 2 B (TRACAB) ---
evaluation of radar beacon for air traffic
control applications
[AD-768203] p0151 N74-14360
- Empirical assessment of ATCRBS --- performance of
air traffic control digital processing system
[ATC-16] p0164 N74-15379
- The effects of interference on monopulse performance
--- characteristics of air traffic control radar
beacons
[AD-769336] p0192 N74-15876
- RADAR CROSS SECTIONS**
Static radar cross section of light aircraft.
Volume 1: Cessna 150 L at L-, S-, and C-bands
[AD-781825] p0491 N74-33648
- Static radar cross section of light aircraft.
Volume 2: Cherokee 140 at L-, S-, and C-bands
[AD-781791] p0492 N74-33652
- Static radar cross section of light aircraft.
Volume 3: Piper PA-18 super cub at L-, S-, and
C-bands
[AD-781792] p0492 N74-33653
- RADAR DETECTION**
Advanced enroute air traffic control radar system
/ARSR-3/ --- small aircraft detection
p0025 A74-12198
- Secondary surveillance radar in ATC ---
operational problems
p0027 A74-12357
- A primary radar automatic track extractor --- for
air defense systems
p0028 A74-12402
- RADAR ECHOES**
NT CLUTTER
Influence of the intrinsic motion of the
conveyance on the frequency selection system
p0261 A74-26326
- Aircraft velocity measurement through
radar-altimeter echo: A theoretical investigation
[SLA-73-669] p0147 N74-14119
- RADAR EQUIPMENT**
NT RADAR ANTENNAS
NT RADAR BEACONS
NT RADAR FILTERS
NT RADAR RECEIVERS
Radar - Present and future; Proceedings of the
International Conference, London, England,
October 23-25, 1973
p0027 A74-12355
- Present and future radar display techniques ---
CRT, LEE and liquid crystals for ATC applications
p0028 A74-12382
- Air traffic control --- long term planning in
Germany
p0128 A74-18182
- Applications of surface wave devices --- in radar,
ATC and communications
p0170 A74-19388
- A look at the British ATC scene. II --- primary
and secondary radar systems development
p0173 A74-19727
- Evolution and new functions of airborne radars
p0378 A74-35744
- New radars for ATC
p0482 A74-45545
- Field evaluation of ARTS 2 B (TRACAB) ---
evaluation of radar beacon for air traffic
control applications
[AD-768203] p0151 N74-14360
- RADAR FILTERS**
New concepts in AMTI radar - Nulling effects of
Doppler filter/multi-element horn array
p0121 A74-17252
- Recent advances in air traffic control radars
p0169 A74-19315
- RADAR IMAGERY**
BOAC experience with turbulence --- performance
requirements for clear air turbulence detecting
sensor
p0233 N74-17726
- RADAR MAPS**
NT RADAR IMAGERY
RADAR MEASUREMENT
Airborne profiling of ice thickness using a short
pulse radar
p0124 A74-17810
- RADAR NAVIGATION**
Use of ARTS III in aircraft accident investigation
--- Automated Radar Terminal System
p0482 A74-45544
- New radars for ATC
p0482 A74-45545
- RADAR OBSERVATION**
U RADAR TRACKING
RADAR RECEIVERS
The improvement in performance of an S-band
surveillance radar operating in conditions of
rain clutter
p0028 A74-12396
- RADAR REFLECTIONS**
U RADAR ECHOES
RADAR RESOLUTION
Recent advances in air traffic control radars
p0169 A74-19315
- RADAR SCATTERING**
Bilinear surface representation of radar
scattering for aircraft --- methods for target
classification
[AD-766320] p0044 N74-10169
- Radar backscattering as a means for measuring
ocean surface parameters using S193 altimetry
and S190B photography
[E74-10092] p0063 N74-11202
- RADAR TARGETS**
Bilinear surface representation of radar
scattering for aircraft --- methods for target
classification
[AD-766320] p0044 N74-10169
- Empirical assessment of ATCRBS --- performance of
air traffic control digital processing system
[ATC-16] p0164 N74-15379
- RADAR TRACKING**
Bird strike and the radar properties of birds ---
migration patterns monitoring
p0028 A74-12389
- A primary radar automatic track extractor --- for
air defense systems
p0028 A74-12402
- Use of synthetic radar information - Operational
and technical aspects
p0028 A74-12403
- Flexibility in computer-assisted radar -
Controlled interceptions --- software in air
defense
p0028 A74-12406
- Use of ARTS-III in aircraft accident investigation
--- Automated Radar Terminal System
p0208 A74-22637
- Automation Radar Terminal System - ARTS III
p0214 A74-22638
- The new radar control stations of the French
airspace
p0311 A74-29251
- Reachable sets for tracking --- all possible
aircraft positions
p0321 A74-31643
- Acoustic backscatter radar system for tracking
aircraft trailing vortices
p0477 A74-44420
- Radar techniques for Air Force applications in
avoidance of bird-aircraft collisions and
improvement of flight safety
[AD-754981] p0043 N74-10068
- National airspace system enroute stage A system
engineering and analysis, investigation of
system problems, capacity testing
[AD-778479] p0444 N74-30104
- Static radar cross section of light aircraft.
Volume 1: Cessna 150 L at L-, S-, and C-bands
[AD-781825] p0491 N74-33648

SUBJECT INDEX

RADIO NAVIGATION

- Static radar cross section of light aircraft.
Volume 2: Cherokee 140 at L-, S-, and C-bands
[AD-781791] p0492 N74-33652
- RADIAL FLOW**
The behavior of axial compressor cascades in the
case of deviations from purely cylindrical flow
p0001 A74-10030
Supersonic compressor test facility
p0129 A74-18603
- RADIAL VELOCITY**
Range-rate from DME-air data measurements --- for
aircraft radial velocity estimation
p0024 A74-12182
- RADIANT ENERGY**
- U RADIATION**
- RADIATION**
The radiation from slots in truncated
dielectric-covered surfaces
[NASA-CR-2397] p0417 N74-28709
- RADIATION COUNTERS**
NT GEIGER COUNTERS
- RADIATION DETECTORS**
High sensitivity 1000F gas multiplication UV flame
detector for aircraft
[AD-766960] p0063 N74-11296
- RADIATION DISTRIBUTION**
NT ANTENNA RADIATION PATTERNS
NT DIFFRACTION PATTERNS
- RADIATION DOSAGE**
Measured and calculated neutron spectra and dose
equivalent rates at high altitudes; relevance to
SST operations and space research
[NASA-TN-D-7715] p0500 N74-35219
- RADIATION EMISSION**
U RADIATION
- RADIATION EXPOSURE**
U RADIATION DOSAGE
- RADIATION HAZARDS**
Cockpit air filtration requirements of the B-1 in
a nuclear dust environment
[AD-766711] p0042 N74-10065
- RADIATION MEASUREMENT**
Measuring the radiation of a vertical gas jet
p0015 A74-11500
Automation of measurements and of data processing
for experiments in an IL-18 aircraft laboratory
p0276 A74-27884
- RADIATION MEASURING INSTRUMENTS**
NT ELECTROSTATIC PROBES
NT GEIGER COUNTERS
NT INFRARED DETECTORS
NT INFRARED INSTRUMENTS
NT INFRARED SCANNERS
NT PHOTOMETERS
NT RADIATION DETECTORS
Turbine inlet gas temperature sensor for engine
control --- nuclear radiation system
[AD-765193] p0046 N74-10461
- RADIATION METERS**
U RADIATION MEASURING INSTRUMENTS
- RADIATION NOISE**
U ELECTROMAGNETIC NOISE
- RADIATION PRESSURE**
NT SOUND PRESSURE
- RADIATION PROTECTION**
NT RADIATION SHIELDING
- RADIATION PYROMETERS**
Turbine blade pyrometer system in the control of
the Concorde engine
p0278 A74-28309
- RADIATION SHIELDING**
Integrated life support system: Design study
medium STOL transport
[AD-773589] p0285 N74-19683
- RADIATION SOURCES**
NT POINT SOURCES
- RADIATION SPECTRA**
NT EMISSION SPECTRA
NT INFRARED SPECTRA
NT RAMAN SPECTRA
NT ULTRAVIOLET SPECTRA
- RADIO ALTIMETERS**
Aircraft velocity measurement through
radar-altimeter echo: A theoretical investigation
[SLA-73-669] p0147 N74-14119
Automation of the landing control of aircraft ---
radio equipment for establishing landing approach
[AD-777174] p0369 N74-26491
- RADIO ANTENNAS**
NT MICROWAVE ANTENNAS
- RADIO BEACONS**
Blind landing --- automatic systems
p0015 A74-11552
Application to zone navigation /B/Nav/ of hybrid
navigation systems
p0029 A74-12446
Quasi-visual flight navigation --- all-weather
navigation with synthetic external scenes
p0219 A74-22519
Automation of the landing control of aircraft ---
radio equipment for establishing landing approach
[AD-777174] p0369 N74-26491
- RADIO COMMUNICATION**
NT RADIO RELAY SYSTEMS
NT RADIO TELEMETRY
Tactical hybrid navigation scheme for mixed
community coordination --- integrated
communication and global interface capabilities
p0024 A74-12179
Implementation considerations with PSK modulation
--- variable rate and secure voice modems
p0424 A74-38558
- RADIO CONTROL**
Lockheed S-3A avionics - Tactical voice and data
communication
p0173 A74-19753
Impact of microwave landing system on safety
p0219 A74-22639
Automatic approach of helicopters and STOL aircraft
p0229 A74-25362
Development and flight test of a radio controlled
ornithopter prototype
p0347 A74-34850
A roll-pitch interaction simulator and a control
position command encoder for remote piloting of
spin-entry research models
[NASA-TN-D-7361] p0059 N74-11059
- RADIO EQUIPMENT**
NT RADIO BEACONS
NT RADIO RECEIVERS
NT RADIO TRANSMITTERS
NT RECEPTION DIVERSITY
NT SPACECRAFT ANTENNAS
NT TRANSMITTER RECEIVERS
NT TRANSPONDERS
Survival radio performance tests
p0215 A74-23538
- RADIO FREQUENCIES**
NT HIGH FREQUENCIES
NT MICROWAVE FREQUENCIES
NT SUPERHIGH FREQUENCIES
NT ULTRAHIGH FREQUENCIES
- RADIO FREQUENCY INTERFERENCE**
NT CHIRP SIGNALS
NT ELECTROMAGNETIC NOISE
NT WHITE NOISE
Acquisition signal design for satellite-aircraft
communications
[AIAA PAPER 74-437] p0275 A74-27807
Bandwidth filtering effects on PSK modulation
p0424 A74-38559
Objective determination of the noise level in
Doppler spectra
[TR-32] p0044 N74-10155
The electromagnetic compatibility of aeronautical
communication and navigation systems with radio
frequency dielectric heaters and
superregenerative receivers
[ECAC-PR-72-045] p0098 N74-11973
Advanced tracking and data relay experiments
study: Multimode transponder experiment equipment
[NASA-CR-132930] p0200 N74-16887
- RADIO FREQUENCY NOISE**
U ELECTROMAGNETIC NOISE
- RADIO INTERFERENCE**
U RADIO FREQUENCY INTERFERENCE
- RADIO NAVIGATION**
NT HYPERBOLIC NAVIGATION
NT LORAN
NT LORAN C
NT LORAN D
NT TACAN
NT VHF OMNIRANGE NAVIGATION
Tactical hybrid navigation scheme for mixed
community coordination --- integrated
communication and global interface capabilities
p0024 A74-12179

RADIO RANGE

SUBJECT INDEX

- Parameters of RF flight navigation aids and their measurement --- Russian book p0169 A74-19371
- Modern tendencies for training in piloting without visibility and in radionavigation p0219 A74-22651
- CONUS aeronautical radionavigation by satellite [AIAA PAPER 74-439] p0275 A74-27809
- Analysis of route widths in the domestic airspace --- navigation system errors effect on route confinement p0317 A74-30360
- The Soviet radio navigation procedure RSBM --- for aircraft landing control p0461 A74-44071
- En route position and time control of aircraft using Kalman filtering of radio aid data [NASA-TN-D-7509] p0100 N74-12360
- RADIO RANGE**
- Survival radio performance tests p0215 A74-23538
- RADIO RANGES**
- U RADIO BEACONS
- RADIO RECEIVERS**
- NT TRANSMITTER RECEIVERS
- The loran C procedure p0268 A74-27095
- Application of dispersive networks in data-transmission receivers p0311 A74-29353
- The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers [ECAC-PR-72-045] p0098 N74-11973
- RADIO RELAY SYSTEMS**
- Pegase project - Advantages of a lens-shaped hull --- for stratospheric dirigibles [ONERA, TP NO. 1310] p0224 A74-24312
- Multiple channel same frequency repeater flight test --- for intra-aircraft voice communications p0424 A74-38556
- A simple antenna system approach for mobile SATCOM terminals p0424 A74-38557
- Conference on Satellite Systems for Mobile Communications and Surveillance [AD-767369] p0109 N74-12884
- RADIO TELEMETRY**
- International Telemetry Conference, Washington, D.C., October 9-11, 1973, Proceedings p0215 A74-23784
- Naval Air Test Center adopts real-time telemetry processing p0478 A74-44729
- A low cost telemetry system --- for use in small small drone aircraft [PB-222403/8] p0044 N74-10165
- RADIO TRANSMISSION**
- NT MICROWAVE TRANSMISSION
- RADIO TRANSMITTERS**
- NT RADIO BEACONS
- NT TRANSMITTER RECEIVERS
- Air traffic control --- long term planning in Germany p0128 A74-18182
- Current developments in Loran-D --- solid state helicopter transportable transmitting stations p0317 A74-30359
- RADIO WAVES**
- NT MILLIMETER WAVES
- RADIOMETERS**
- NT INFRARED DETECTORS
- NT INFRARED SCANNERS
- RADOME MATERIALS**
- Polyimides for advanced radomes --- heat resistant reinforced composite materials p0082 A74-14738
- Recent advances in the processing of polyimide resins for high temperature radome applications p0379 A74-35841
- RADOMES**
- Shell instability analysis applied to a radome p0311 A74-28963
- General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494
- Radomes of microwave antennas - Radio engineering design and calculation --- Russian book p0426 A74-38692
- RAFTS**
- NT LIPE RAFTS
- RAIL TRANSPORTATION**
- Haplin - Planning aspects and their influence on airport design p0079 A74-14510
- DPW AIRTRANS transit system simulation [AIAA PAPER 74-878] p0401 A74-37863
- Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses [P-5046] p0068 N74-11791
- RAILROADS**
- U RAIL TRANSPORTATION
- RAIN**
- The improvement in performance of an S-band surveillance radar operating in conditions of rain clutter p0028 A74-12396
- RAIN IMPACT DAMAGE**
- On the problem of rain erosion on a moving body flying at supersonic speed [DPVLR-SONDDR-349] p0117 A74-16727
- RAMAN EFFECT**
- U RAMAN SPECTRA
- RAMAN SCATTERING**
- U RAMAN SPECTRA
- RAMAN SPECTRA**
- Measurement of gas turbine exhaust pollutants by Raman spectroscopy [AIAA PAPER 73-1276] p0010 A74-11288
- RAMJET ENGINES**
- NT PULSEJET ENGINES
- NT SUPERSONIC COMBUSTION RAMJET ENGINES
- Realization of the power amplification effect in a ramjet unit by applying the principle of boundary layer separation p0175 A74-20069
- Complete mechanical energy utilization in aeronautical propulsion systems p0274 A74-27611
- Attenuation of instabilities in propulsion system combustors p0478 A74-44422
- Turbulent flow in flexible pipes and ramjet engines [JPBS-60785] p0192 N74-15962
- RANDOM LOADS**
- NT GUST LOADS
- A direct method for linear dynamical problems in continuum mechanics with random loads p0070 A74-13164
- Black-box philosophy in reliability of aircraft structures --- stochastic hypothesis on fatigue damage under random loads p0279 A74-28432
- Geometrical study of the conditions of initiation of sudden cracks of quasi-brittle type p0280 A74-28526
- Electromechanical simulation of helicopter blade responses to random excitation during forward flight [ASME PAPER 73-DET-28] p0341 A74-33401
- Application of the method of extreme values to the determination of maximum operating loads p0383 A74-36455
- Effect of the differentiability of random stationary processes on the magnitude of the mean square approximation error --- in recording aerodynamic forces on helicopter rotors p0383 A74-36463
- Determination of critical nondimensional parameters in aircraft dynamic response to random input [NASA-CR-2361] p0193 N74-16322
- RANDOM NOISE**
- Nonlinear generation of secondary waves in fluids p0344 A74-34352
- Implementation considerations with PSK modulation --- variable rate and secure voice modems p0424 A74-38558
- RANDOM PROCESSES**
- Random movement of a wing of finite span in an incompressible liquid p0312 A74-29497
- RANDOM VIBRATION**
- Random vibration with non-linear damping

SUBJECT INDEX

RECONNAISSANCE AIRCRAFT

- Protection of an optical sensor against vibration of the flight vehicle p0129 A74-18297
- Response of a light airplane to ground induced vibration environment p0276 A74-27899
- Random vibration of aircraft undercarriages with nonlinear characteristics p0314 A74-29903
- RANGE (EXTREMES)
NT RADIO RANGE
RANGE AND RANGE RATE TRACKING
Reduced order filtering with applications in hybrid navigation --- minimum variance Kalman filter algorithm p0023 A74-12177
- Range-rate from DME-air data measurements --- for aircraft radial velocity estimation p0024 A74-12182
- RANGE MEASUREMENT
U RANGEFINDING
RANGEFINDING
Error model identification and performance predictions for airborne direct ranging Loran p0024 A74-12178
- Evaluation of the lidar technique of determining slant range visibility for aircraft landings operations [AD-776054] p0358 N74-25596
- RANGES (FACILITIES)
NT BALLISTIC RANGES
RANGING
U RANGEFINDING
RAPCON (CONTROL)
U RADAR APPROACH CONTROL
RAPID TRANSIT SYSTEMS
DPW AIRTRANS transit system simulation [AIAA PAPER 74-878] p0401 A74-37863
- RAREFACTION WAVES
U ELASTIC WAVES
RAREFIED GAS DYNAMICS
Solution of the plane problem of the aerodynamics of a rarefied gas on the basis of Boltzmann's kinetic equation p0005 A74-10976
- A two-component statistical model for processing data from a rarefied-gas experiment p0204 A74-23572
- Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data p0204 A74-23573
- Drag in hypersonic rarefied flow --- effects of cold pressure drag and friction drag p0157 N74-14730
- RATE METERS
U MEASURING INSTRUMENTS
RATES (PER TIME)
NT ACCELERATION (PHYSICS)
NT ACOUSTIC VELOCITY
NT AIRSPEED
NT ANGULAR VELOCITY
NT CRITICAL VELOCITY
NT DECAY RATES
NT FLOW VELOCITY
NT GROUND SPEED
NT HEAT FLUX
NT HYPERSONIC SPEED
NT LANDING SPEED
NT LOW SPEED
NT PROPAGATION VELOCITY
NT RADIAL VELOCITY
NT ROTOR SPEED
NT SOUND INTENSITY
NT STRAIN RATE
NT SUBSONIC SPEED
NT SUPERSONIC SPEEDS
NT TIP SPEED
NT TRANSONIC SPEED
NT WIND VELOCITY
RATIOS
NT ASPECT RATIO
NT FUEL-AIR RATIO
NT HIGH ASPECT RATIO
NT INDEXES (RATIOS)
NT LIFT DRAG RATIO
NT LOW ASPECT RATIO
NT MACH NUMBER
- NT PAYLOAD MASS RATIO
NT REYNOLDS NUMBER
NT SIGNAL TO NOISE RATIOS
NT STRESS RATIO
RAYLEIGH-RITZ METHOD
A direct method for calculating flutter speeds [AIAA PAPER 74-270] p0131 A74-18675
- RB-57 AIRCRAFT
U B-57 AIRCRAFT
REACTION CONTROL
The evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter [AD-771962] p0238 N74-17773
- REACTION JETS
U JET FLOW
U JET THRUST
REACTION KINETICS
A preliminary sensitivity analysis of the coupled diffusion and chemistry model --- effect of SST operations on ambient ozone in lower stratosphere [NASA-CR-132369] p0107 N74-12821
- REACTION WHEELS
Dynamics of slung bodies utilizing a rotating wheel for stability p0127 A74-18141
- REAL TIME OPERATION
Real-time simulation of jet engines with digital computer [ASME PAPER 74-GT-19] p0271 A74-27418
- Naval Air Test Center adopts real-time telemetry processing p0478 A74-44729
- REAL VARIABLES
NT ASYMPTOTIC SERIES
NT BIHARMONIC EQUATIONS
NT CALCULUS OF VARIATIONS
NT DIFFERENTIAL EQUATIONS
NT ELLIPTIC DIFFERENTIAL EQUATIONS
NT EXTREMUM VALUES
NT GAUSS EQUATION
NT HELMHOLTZ VORTICITY EQUATION
NT KERNEL FUNCTIONS
NT LINEAR EQUATIONS
NT NONLINEAR EQUATIONS
NT PARTIAL DIFFERENTIAL EQUATIONS
NT RUNGE-KUTTA METHOD
NT SERIES (MATHEMATICS)
REATTACHED FLOW
Calculation of the displacement effect in two-dimensional subsonic attached flow around aerofoils. Examples of calculations using measured displacement thicknesses [NLR-TR-72116-U] p0195 N74-16707
- Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds [NASA-TR-R-428] p0493 N74-34459
- RECEIVERS
NT RADAR RECEIVERS
NT RADIO RECEIVERS
RECEPTACLES (CONTAINERS)
U CONTAINERS
RECEPTION DIVERSITY
Correlational ground speed meters and drift indicators of flight vehicles --- Russian book p0180 A74-20900
- RECIPROCATING ENGINES
U PISTON ENGINES
RECIRCULATIVE FLUID FLOW
VTOL recirculation and impingement model testing --- flow fields in ground effect test [AIAA PAPER 73-1183] p0008 A74-11228
- RECOGNITION
NT PATTERN RECOGNITION
NT SPEECH RECOGNITION
NT TARGET RECOGNITION
RECONNAISSANCE
NT AERIAL RECONNAISSANCE
NT PHOTORECONNAISSANCE
Potential uses for the Kiebitz tethered rotor platform p0318 A74-30596
- RECONNAISSANCE AIRCRAFT
NT CL-84 AIRCRAFT
NT EARTH RESOURCES SURVEY AIRCRAFT
NT F-5 AIRCRAFT
NT P-1127 AIRCRAFT

RECONSTRUCTION

SUBJECT INDEX

- The S-3A - A new dimension in airborne sea control
[AIAA PAPER 74-239] p0137 A74-19205
- Reduction of noise from small turbopropulsion engines
[AIAA PAPER 74-59] p0179 A74-20760
- American programs for reconnaissance vehicles and remotely piloted airplanes p0210 A74-23392
- Dornier/Dassault-Breguet Alpha Jet --- multipurpose combat aircraft p0313 A74-29829
- The effects of relative source strength and signal-to-noise ratio on angular resolution of antennas p0373 A74-35132
- Reduction of environmental testing and analysis costs through simulation p0380 A74-36037
- A low power night photo system for high speed unmanned aircraft p0423 A74-38535
- Remotely piloted vehicles for the Army p0480 A74-45307
- Air Force concepts for RPV application p0480 A74-45308
- RPV potential for naval applications p0481 A74-45309
- Determination of propulsion-system-induced forces and moments of a Mach 3 cruise aircraft p0357 A74-25591
- A correlation study of in-flight vibration measurements for patrol-type aircraft [AD-777668] p0369 A74-26490
- RECONSTRUCTION**
- NT WAVE FRONT RECONSTRUCTION**
- RECORDING**
- NT DATA RECORDING**
- NT DATA SMOOTHING**
- NT MAGNETIC RECORDING**
- NT PHOTOGRAPHIC RECORDING**
- RECORDING INSTRUMENTS**
- NT FLIGHT RECORDERS**
- A new system for recording aircraft attitude --- airborne gyro-stabilized opto-electronic sensing p0091 A74-16246
- Evaluation of voice recorders for aircraft [AD-770517] p0200 A74-16906
- AGARD flight test instrumentation series. Volume 5: Magnetic recording of flight test data --- design and performance of airborne tape transports [AGARDOGRAPH-160-VOL-5] p0254 A74-18833
- RECOVERABLE SATELLITES**
- U RECOVERABLE SPACECRAFT**
- RECOVERABLE SPACECRAFT**
- NT AEROSPACEPLANES**
- NT SPACE SHUTTLES**
- Procedures for recovering flight vehicles --- unmanned rocket vehicles [DGLR PAPER 74-038] p0456 A74-42872
- RECOVERY PARACHUTES**
- Recovery system for an advanced performance ejection seat p0214 A74-23555
- Stall/spin research status report --- of general aviation aircraft [SAE PAPER 740354] p0308 A74-28734
- Procedures for recovering flight vehicles --- unmanned rocket vehicles [DGLR PAPER 74-038] p0456 A74-42872
- RECTANGULAR BEAMS**
- Torsion of prismatic shell by finite difference approach p0314 A74-29906
- RECTANGULAR PLANOFORMS**
- NT RECTANGULAR WINGS**
- An experimental investigation of the aerodynamic characteristics of stepped-wedge airfoils at low speeds [AIAA PAPER 74-1015] p0454 A74-42037
- RECTANGULAR WINGS**
- Stability and decay of free vortices behind a wing p0021 A74-11805
- Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow [DFVLR-SONDDR-335] p0073 A74-13549
- Calculation method for the supersonic spanwise twisted rectangular wings p0088 A74-15820
- A direct method for calculating flutter speeds [AIAA PAPER 74-270] p0131 A74-18675
- Calculation of the aerodynamic characteristics of a wing system moving at subsonic speed near land or smooth water surface p0131 A74-18681
- Flexible lifting surfaces --- in steady inviscid compressible flow p0173 A74-19684
- Subsonic potential aerodynamics for complex configurations - A general theory p0177 A74-20280
- Lifting surface problems analysis --- by finite element method p0223 A74-24473
- Computation of transonic flow about lifting wing-cylinder combinations p0318 A74-30403
- Experimental studies of turbulent aircraft wake p0392 A74-37257
- Presentation and aerodynamic characteristics of aircraft models derived from an optimal disposition of rectangular biplane wings according to studies of Toussaint, Nenadovic, and Denis p0484 A74-46675
- Computation of the aerodynamic characteristics of a rectangular wing with plates moving at low subsonic speed near a screen [JPBS-60353] p0039 A74-10036
- Stability and decay of free vortices behind a wing [NASA-TT-P-15445] p0287 A74-19904
- A numerical method for the determination of the vortex sheet location behind a wing in incompressible flow [NLR-TR-72091-U] p0294 A74-20642
- A preliminary towing tank study of the trailing vortex generated by a rectangular wing, including the effects of several tip modifications [ARL/A-NOTE-342] p0323 A74-21636
- Turbulent lift. Comments on some preliminary wind tunnel tests --- characteristics of vortex on wing surface from tangential blowing on upper surface [NASA-TT-P-15743] p0405 A74-27484
- Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds [NASA-TR-R-428] p0493 A74-34459
- REDUCTION (CHEMISTRY)**
- NT HYDROGENATION**
- REDUNDANCY**
- Management of analytical redundancy in digital flight control systems for aircraft [ATAA PAPER 74-887] p0422 A74-38249
- REDUNDANT COMPONENTS**
- Improved fastener systems for fatigue and sealing redundancy of low shear transfer joints [SAE PAPER 730901] p0018 A74-11589
- Flight-control systems for automatic landings - Safety by means of redundancy p0313 A74-29828
- Redundant actuator development study --- flight control systems for supersonic transport aircraft [NASA-CR-114730] p0325 A74-21655
- REDUNDANT STRUCTURES**
- U REDUNDANT COMPONENTS**
- REENTRY**
- NT SPACECRAFT REENTRY**
- REENTRY BODIES**
- U REENTRY VEHICLES**
- REENTRY PHYSICS**
- Developing a technology base in planetary entry aerothermodynamics p0030 A74-12799
- Heat transfer effects on a delta wing in subsonic flow p0381 A74-36240
- REENTRY TRAJECTORIES**
- Application of parameter optimization methods to trajectory optimization [ATAA PAPER 74-825] p0400 A74-37829
- Specified finite series control for three-dimensional, multi-phase, optimal reentry [AD-777266] p0370 A74-27359
- REENTRY VEHICLES**
- NT AEROSPACEPLANES**
- NT BOOSTGLIDE VEHICLES**
- NT HL-10 REENTRY VEHICLE**

SUBJECT INDEX

REINFORCED PLATES

NT RECOVERABLE SPACECRAFT
 An empirical equation for prediction of transition location on cones in super-or hypersonic flight [AD-765692] p0038 N74-10032

REFERENCE ATMOSPHERES
 Tables for flight tests --- giving reference atmospheres, calibration velocity, mach number, and sound velocity p0190 N74-15722

REFERENCES (STANDARDS)
U STANDARDS

REFINING
 The refining of turbine fuels by modern hydrotreating [AIAA PAPER 74-162] p0133 A74-18798
 Supersonic fuels from medium oils produced by the thermal cracking of crude oil residues [DFVLR-SONDDE-301] p0136 A74-18925

REFLECTANCE
NT SPECTRAL REFLECTANCE

REFLECTION
NT SIGNAL REFLECTION
NT WAVE REFLECTION

REFLECTOMETERS
 Reflection-measuring aircraft instruments. II - Spectral albedometer p0276 A74-27894

REFRACTION
NT ATMOSPHERIC REFRACTION

REFRACTORY MATERIALS
NT CHROMIUM
NT NIOBIUM ALLOYS

REFRACTORY METAL ALLOYS
NT NIOBIUM ALLOYS

REFRACTORY METALS
NT CHROMIUM

REFRASIL (TRADEMARK)
U FIBERS

REFRIGERATING
 Refrigerated containerized transport for 'Jumbo' jets p0119 A74-17007

REFUELING
NT AIR TO AIR REFUELING
 Investigation of the economic efficiency of surplus tanking of aircraft fuel p0338 A74-33092

REGENERATIVE FEEDBACK
U POSITIVE FEEDBACK

REGIONAL PLANNING
NT URBAN PLANNING
 An innovative approach to airport planning p0127 A74-18099

REGIONS
NT ARCTIC REGIONS
NT REMOTE REGIONS

REGRESSION (STATISTICS)
U REGRESSION ANALYSIS
REGRESSION ANALYSIS
 A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in p0126 A74-18085
 Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data p0204 A74-23573
 Influence of measurement errors on the regression relationships of engine characteristics p0260 A74-25979
 An investigation of the degree of damage to gas turbine engine turbine blades after service life p0481 A74-45410

REGULATIONS
 Status of state air emission regulations affecting gas turbines [ASME PAPER 73-WA/GT-8] p0072 A74-13299
 Considerations regarding the regulation of aircraft noise p0226 A74-25358
 Technical regulation and direction --- European Civil Aviation Conference regulations for member states p0382 A74-36329
 International airworthiness requirements for sailplanes p0430 A74-38794

REGULATORS
NT FREQUENCY CONTROL

NT PRESSURE REGULATORS
NT SPEED REGULATORS

REINFORCED MATERIALS
U COMPOSITE MATERIALS
REINFORCED PLASTICS
NT GLASS FIBER REINFORCED PLASTICS
 Helicopter rotor blades --- design with fiber reinforced epoxy resin bonded composite materials p0002 A74-10498
 The state of application of composite materials in aeronautics p0072 A74-13364
 Design and fabrication of a mixed composite wing box p0083 A74-14749
 Designing with plastic resin matrix composite materials --- for aircraft structures [DGLR PAPER 73-086] p0121 A74-17192
 Experimental study of metal-plastic couplings in tension p0130 A74-18648
 Experimental investigation of glass-plastic and metal-plastic joints under shear p0131 A74-18697
 A fatigue failure criterion for fiber reinforced materials p0178 A74-20478
 Effects of fabrication defects on boron/epoxy composites [AIAA PAPER 74-352] p0264 A74-26664
 Advanced composite lattice structure for improved structural integrity [AIAA PAPER 74-357] p0264 A74-26667
 Development and problems of testing prepreps for the Czechoslovakian aircraft industry p0280 A74-28528
 Specifications for composites - Phenolic and silicone resins p0313 A74-29787
 The real and imaginary parts of the complex viscoelastic modulus for boron fiber reinforced plastics /BFRP/ p0315 A74-30095
 Improved manufacturing of the F-14A composite horizontal stabilizer p0316 A74-30323
 Aircraft floor panel developments at British Airways /1967-1973/ p0352 A74-35027
 Inspection of advance composite structures by nondestructive testing p0380 A74-36000
 Impact testing on composite fan blades p0438 A74-40502
 'Kevlar' 49 woven and nonwoven fabric composites performance and applications p0438 A74-40505
 Low cost, fiber glass reinforced plastic fuel tank, volume 1 --- for A-7 aircraft application [AD-766361] p0057 N74-10929
 Low cost, fiber glass reinforced plastic fuel tank, volume 2 --- development and evaluation for application to A-7 aircraft [AD-766400] p0057 N74-10931
 Manufacturing Methods Technology (MM/T) for ballistic-tolerant flight control components [AD-766744] p0058 N74-10933
 Development of a graphite horizontal stabilizer --- structural analysis of static ultimate load and simulated fatigue spectrum loading [AD-768869] p0164 N74-14783
 Effect of adhesive on the impact resistance of laminated plastics for windshield applications [AD-769735] p0193 N74-16259
 Propellers and helicopter blades of fiber-reinforced synthetic resin materials [NASA-TT-P-15859] p0467 N74-31493
 Development of a graphite horizontal stabilizer --- flight control surface for A-4 aircraft [AD-782646] p0491 N74-33473

REINFORCED PLATES
 Buckling and failure of flat stiffened panels [AIAA PAPER 74-409] p0266 A74-26708
 Fabrication of boron-hybrid swashplates [AHS PREPRINT 850] p0386 A74-36596
 The stress concentration in a stretched plate reinforced by a central belt and having an aperture p0390 A74-36816

REINFORCED SHELLS

SUBJECT INDEX

The interaction of local and overall buckling of thin-walled structures
 [ICAS PAPER 74-07] p0448 A74-41309
 Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615

REINFORCED SHELLS
 Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615

REINFORCEMENT (STRUCTURES)
 Theoretical and experimental research on vibrations of thin walled stiffened structures [ICAS PAPER 74-16] p0448 A74-41318
 Analytical and experimental investigation of aircraft metal structures reinforced with filamentary composites. Phase 3: Major component development [NASA-CR-2122] p0153 N74-14625

REINFORCEMENT RINGS
 Fabrication of boron-hybrid swashplates [AHS PREPRINT 850] p0386 A74-36596

REINFORCING FIBERS
NT CARBON FIBERS
 Applications of composite materials --- Book p0002 A74-10494
 VTOL aircraft --- fibrous composites for structural weight reduction p0002 A74-10497
 Helicopter rotor blades --- design with fiber reinforced epoxy resin bonded composite materials p0002 A74-10498
 Fabrication of advanced fibrous composite structures [SME PAPER EM73-716] p0075 A74-13953
 Cost effective composite structures --- fiber reinforced helicopter rotor blade design and fabrication p0084 A74-14778
 A fatigue failure criterion for fiber reinforced materials p0178 A74-20478
 Advanced composites --- in aerospace structural design [AIAA PAPER 74-242] p0180 A74-20834
 New application potential for lower cost, heavy denier Kevlar-49 yarns p0379 A74-35837
 Impact resistance of fiber composite blades used in aircraft turbine engines p0049 N74-10726
 Design and fabrication of a boron/aluminum composite wing box test specimen [AD-770203] p0197 N74-16741
 S-3A graphite/epoxy spoiler development program [AD-779069] p0444 N74-30013

RELAXATION METHOD (MATHEMATICS)
 Dynamic relaxation solution of three dimensional subsonic compressible oscillatory flow p0014 A74-11428
 Relaxation methods for transonic flow about wing-cylinder combinations and lifting swept wings p0118 A74-16951
 A relaxation method for calculating transonic flows with detached bow shocks p0119 A74-16970

RELIABILITY
NT AIRCRAFT RELIABILITY
NT CIRCUIT RELIABILITY
NT COMPONENT RELIABILITY
NT STRUCTURAL RELIABILITY
RELIABILITY ANALYSIS
 Reliability in avionics p0077 A74-14142
 Theory and practice of avionics reliability p0129 A74-18597
 Importance of the means of engine condition surveillance p0129 A74-18598
 Aircraft and systems reliability --- relation to overhaul and maintenance p0129 A74-18599
 Reliability of adaptive systems --- Russian book on flight control p0181 A74-20919
 Reliability demonstration testing using failure-free trials p0181 A74-20950

Simulation of dispatch reliability for a fleet of large commercial aircraft p0181 A74-20952
 Equipment procured reliability and real-life survival --- avionics producer-military user communications improvement p0181 A74-20954
 Improving Mean-Time-Between-Maintenance-Actions - A recommended system approach --- for avionics p0424 A74-38555
 Simulating the system of automatic correction of aircraft coordinates on an analog computer [AD-765991] p0042 N74-10058
 Major Item Special Study (MISS) AH-1G driveshaft assy, main transmission to engine --- cost savings from product improvement in quality and design [AD-770498] p0198 N74-16746
 Turbine engine fuel control reliability and maintainability analysis [AD-771030] p0243 N74-18405
 Investigation and analysis of reliability and maintainability problems associated with Army aircraft engines [AD-772950] p0256 N74-19411
 Major Item Special Study (MISS), CH-47A hydraulic servocylinder --- reliability analysis of military helicopter hydraulic system [AD-775449] p0327 N74-21672
 Digital fly-by-wire control system with selfdiagnosing failure detection p0464 N74-31451

RELIABILITY CONTROL
U QUALITY CONTROL
U RELIABILITY ENGINEERING
RELIABILITY ENGINEERING
 Advanced enroute air traffic control radar system /ARSR-3/ --- small aircraft detection p0025 A74-12198
 New developments in secondary surveillance radar --- design improvements for ATC p0028 A74-12358
 Power conditioning system for FAA Air Route Traffic Control Centers p0077 A74-14133
 Reliability of aircraft navigation computers --- Russian book p0180 A74-20905
 Reliability and choosing number of prototypes --- in helicopter development program p0181 A74-20938
 The discrete address beacon system - Development, transition, and introduction p0220 A74-22683
 Reliability and maintainability of jet engines p0316 A74-30347
 Recent Air Force electronic systems corrosion problems [NACE PAPER 24] p0375 A74-35279
 Evolution and new functions of airborne radars p0378 A74-35744
 Helicopter reliability testing [AHS PREPRINT 860] p0386 A74-36600
 A new concept for angular rate flight control sensors [AIAA PAPER 74-868] p0401 A74-37855
 Advanced environmental control system --- for aircraft subsystems p0424 A74-38552
 Reliability efforts in large European programs for military and commercial aircraft development p0483 A74-46292
 Vibration effects on helicopter reliability and maintainability [AD-766307] p0042 N74-10064
 The behavior of flexible airfield pavements under loads: Theory and experiments [AD-766480] p0061 N74-11102
 Maintainability analysis of major helicopter components --- analysis of man-hour costs for maintaining military helicopters [AD-769941] p0197 N74-16740
 Development of engineering data on thick-section electron beam welded titanium [AD-774051] p0303 N74-21151
 Research reports from the Institute for Service Reliability, issue 6 p0332 N74-23491

SUBJECT INDEX

RESEARCH AIRCRAFT

- Evaluation of MIL-L-23699 lubrication oil performance in the J79 engine
[AD-776535] p0361 N74-26073
- REMOTE CONTROL**
RT RADIO CONTROL
 Design and hover-flight testing of a deflection control system for the Aerodyne wingless, remote-controlled experimental flight vehicle
[DGLR PAPER 73-070] p0120 A74-17179
 Remote control of aircraft and weapon system using a new method --- guidance, navigation, and targeting
[FOA-2-A-2553-E4] p0105 N74-12723
- REMOTE REGIONS**
NT ARCTIC REGIONS
 The remote airport - A study of access feasibility
p0216 A74-23353
- REMOTE SENSORS**
 Remote sensing of the earth's resources - Applications, benefits, methods
p0008 A74-11204
 An earth resources aircraft facility --- remote sensing flying platform
p0069 A74-12974
 Problems in data management for earth monitoring missions
[DGLR PAPER 73-109] p0121 A74-17205
 Maximum space utilization of a C47 aircraft for remote sensing
p0226 A74-25399
 A new concept for angular rate flight control sensors
[AIAA PAPER 74-868] p0401 A74-37855
 Nasa remote sensing of sea ice in AIDJEX
p0063 N74-11223
 Methods and costs associated with outfitting light aircraft for remote sensing applications
[NASA-TN-X-69938] p0236 N74-17754
- REMOTELY PILOTED VEHICLES**
 Further development of the JT15D turbofan --- Remotely Piloted Vehicle applications
[SAE PAPER 730919] p0017 A74-11576
 Remotely piloted vehicles - Necessity, wishful thinking, or plaything
p0077 A74-14362
 American programs for reconnaissance vehicles and remotely piloted airplanes
p0210 A74-23392
 RPRVs - The first and future flights --- Remotely Piloted Research Vehicle
p0261 A74-26410
 Structural aspects of current RPV's --- Remotely Piloted Vehicles
[AIAA PAPER 74-346] p0263 A74-26660
 Stratospheric survey aircraft developed --- canard RPV for pollution monitoring in IF-12 wakes
p0276 A74-27849
 Experimental system for future remotely piloted vehicles
p0318 A74-30598
 Flight test evaluation of a low cost electrostatic autopilot
p0346 A74-34846
 Functional command/control considerations for ship-deployable tactical remotely-piloted vehicle /RPV/
p0433 A74-39664
 V/STOL demonstrator vehicle for ejector thrust augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663
 NASA Flight Research Center scale F-15 remotely piloted research vehicle program
p0459 A74-43603
 Remotely piloted vehicles for the Army
p0480 A74-45307
 Air Force concepts for RPV application
p0480 A74-45308
 EPV potential for naval applications
p0481 A74-45309
 Remote control of aircraft and weapon system using a new method --- guidance, navigation, and targeting
[FOA-2-A-2553-E4] p0105 N74-12723
 Initial results from flight testing a large, remotely piloted airplane model --- flight tests of remotely controlled scale model of F-15 aircraft
[NASA-TN-X-56024] p0247 N74-18671
- Preliminary performance estimates of a highly maneuverable remotely piloted vehicle --- computerized synthesis program to assess effects of vehicle and mission parameters
[NASA-TN-D-7551] p0248 N74-18677
 Air cushion landing system performance on a tenth-scale model Jindivik RPV
[AD-774389] p0299 N74-20683
 Oblique wing remotely piloted research aircraft. Volume 1: Development
[NASA-CR-114723] p0326 N74-21659
 Display requirements for the final approach and landing phase of an RPV mission
[NASA-TN-X-62346] p0354 N74-25561
 Preliminary performance estimates of an oblique, all-wing, remotely piloted vehicle for air-to-air combat
[NASA-TN-D-7731] p0413 N74-28507
- REPAIRING**
U MAINTENANCE
REPORTS
NT CONGRESSIONAL REPORTS
REPRODUCTION
 Studies of the effects of sonic boom on birds
[FAA-RD-73-148] p0039 N74-10039
- REPUBLIC AIRCRAFT**
NT A-10 AIRCRAFT
REPUBLIC MILITARY AIRCRAFT
U MILITARY AIRCRAFT
REQUIREMENTS
 Aircraft noise retrofit feasibility program results and applications
p0396 A74-37534
- RESCUE OPERATIONS**
 Helicopter applications at sea
p0173 A74-19690
 Helicopter windlass rescue with the Alouette III
p0184 A74-21705
 Flight tests of gated, low-light-level television for search and rescue
p0217 A74-22532
 Emergency Evacuation and Survival Equipment Deployment for transport aircraft /ESED/
p0214 A74-23554
 Recovery system for an advanced performance ejection seat
p0214 A74-23555
 The advanced OPLE for search and rescue --- OMEGA Position Location Experiment for global applications
p0221 A74-23787
 S-61 helicopter as a mobile intensive care unit
p0456 A74-42922
 An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 9: Project Sea Scanner avionics and sensor system
[AD-770548] p0199 N74-16754
 An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 8: Army MEDEVAC avionics capability study
[AD-773611] p0288 N74-20059
- RESEARCH**
NT DYNAMIC PROGRAMMING
NT GAME THEORY
NT MARKET RESEARCH
NT NONLINEAR PROGRAMMING
NT OPERATIONS RESEARCH
RESEARCH AIRCRAFT
NT SC-1 AIRCRAFT
NT X-14 AIRCRAFT
NT X-22 AIRCRAFT
 A cost-effective approach for flight experiments - Application of Airborne Science aircraft experience to the Shuttle Sortie Lab
p0031 A74-12829
 Development and flight test of a radio controlled ornithopter prototype
p0347 A74-34850
 Flight test investigation of the sailplane as a post-stall research vehicle
[AIAA PAPER 74-951] p0427 A74-38720
 NASA flight research on aircraft wake vortices and minimization concepts
[AIAA PAPER 74-953] p0427 A74-38721
 The case for a high-speed research airplane - Results from an in-house study
[AIAA PAPER 74-988] p0429 A74-38745
 Incremental growth vehicle /IGV/ --- hypersonic research aircraft development technique

RESEARCH AND DEVELOPMENT

SUBJECT INDEX

- [AIAA PAPER 74-989] p0429 A74-38746
Hypersonic research airplane propulsion for boost and test
- [AIAA PAPER 74-990] p0429 A74-38747
The use of gliders for airfoil section research and development
- [AIAA PAPER 74-1008] p0454 A74-42034
Alcor - A high altitude pressurized sailplane /1/
- p0459 A74-43470
Alcor - A high altitude pressurized sailplane /2/
- p0459 A74-43471
NASA Flight Research Center scale F-15 remotely piloted research vehicle program
- p0459 A74-43603
Research on aircraft dynamics for subsonic flight [AD-765657] p0042 N74-10061
- A roll-pitch interaction simulator and a control position command encoder for remote piloting of spin-entry research models
- [NASA-TN-D-7361] p0059 N74-11059
Results of a feasibility study using the Newton-Raphson digital computer program to identify lifting body derivatives from flight data
- [NASA-TN-X-56017] p0094 N74-11814
Hypersonic aerodynamic characteristics of an all-body research aircraft configuration
- [NASA-TN-D-7358] p0096 N74-11831
Aes research facilities summary 1974 --- wind tunnels, shock tubes, ballistic ranges, flight simulators, research aircraft, and computers
- [NASA-TN-X-69411] p0192 N74-15939
Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing
- [NASA-TN-X-71974] p0466 N74-31485
- ## RESEARCH AND DEVELOPMENT
- Prospects for aerospace research p0007 A74-11098
- Research and development for future air transports p0020 A74-11615
- Helicopter modelling /18th Henson and Stringfellow Lecture/ --- exploratory, development and research models
- p0129 A74-18299
Aircraft wake turbulence --- safety development for vortex hazards and airport capacity increase
- p0207 A74-22627
Crashworthy Army helicopter crew and troop seating systems
- p0211 A74-23534
Does research in the field of aeronautics have a future --- emphasis on aircraft design refinements and cost reduction
- p0259 A74-25723
Recent status on development of the turbofan engine in Japan
- [ASME PAPER 74-GT-39] p0272 A74-27432
Civil aviation research and development
- p0378 A74-35718
Small Turbine Advanced Gas Generators for future engine requirements
- [AHS PREPRINT 872] p0387 A74-36607
Some opportunities for progress in ultra-light aeronautics --- for aircraft with low wing loading
- [AIAA PAPER 74-1034] p0455 A74-42048
Advancements in the test and evaluation of naval weapon systems
- p0459 A74-43604
The Federal Government and energy: R and D historical background
- p0102 N74-12687
Comparisons of Soviet and US technology --- research and development and procurement of military equipment
- [AD-771004] p0244 N74-18627
Research work and costs, the role of data processing --- in aircraft production
- p0305 N74-21617
Highlights, spring 1973 --- of progress of AGARD panels
- p0332 N74-23500
- ## RESEARCH FACILITIES
- System evaluation as an objective for a research institute --- VTOL weapons systems
- p0021 A74-11806
Ten years transonic wind tunnel of the AVA Goettingen --- design and measurement objectives
- p0021 A74-11808
- Flight safety work and the DPVLR --- German aerospace research center programs
- p0208 A74-22632
Critical analyses and laboratory research work at the stage of aircraft preliminary design
- [ONERA, TP No. 1291] p0312 A74-29467
A new anechoic facility for supersonic hot jet noise research at Lockheed-Georgia
- p0315 A74-30092
Aerospace activities
- p0053 N74-10897
- ## RESEARCH MANAGEMENT
- Study of airborne science experiment management concepts for application to space shuttle.
- Volume 3: Appendixes
- [NASA-TN-X-62289] p0053 N74-10783
- ## RESEARCH PROJECTS
- Aeronautics: Space in the seventies
- [NASA-EP-85] p0036 N74-10017
Motorless flight research, 1972 --- glider design, airframes, and soaring flight developments
- [NASA-CR-2315] p0041 N74-10051
Stichting National Aerospace Laboratory, review for the year 1972
- p0053 N74-10891
ATC surveillance/communication analysis and planning --- research projects for application of electronics technology to air traffic control
- [FAA-RD-73-161] p0100 N74-12356
SRDS technical program document, fiscal year 1974. Engineering and development programs
- p0113 N74-13682
United States Department of Transportation research program for high altitude pollution
- p0148 N74-14273
Technical Evaluation report --- application of aerodynamic drag research to design of aircraft
- p0155 N74-14710
Advanced subsonic long-haul transport terminal area compatibility study. Volume 1: Compatibility assessment
- [NASA-CR-132367] p0196 N74-16729
Advanced subsonic long-haul transport terminal area compatibility study. Volume 2: Research and technology recommendations
- [NASA-CR-132368] p0196 N74-16730
Annual report, 1972 --- aerospace research projects in Germany
- p0244 N74-18611
The National Aeronautics and Space Administration interdisciplinary studies in space technology at the University of Kansas
- [NASA-CR-140623] p0501 N74-35250
- ## RESEARCH VEHICLES
- Evaluation of V/STOL research aircraft design --- landing approaches, propulsion/control, piloted moving base simulator
- [SAE PAPER 730947] p0016 A74-11557
RPRVs - The first and future flights --- Remotely Piloted Research Vehicle
- p0261 A74-26410
- ## RESIDUAL STRESS
- Residual stresses in gas turbine engine components from Barkhausen noise analysis
- [ASME PAPER 74-GT-51] p0272 A74-27444
- ## RESIN BONDING
- Application of acrylic based room temperature curing adhesives to structural helicopter bondments
- p0380 A74-35994
- ## RESINS
- NT ACRYLIC RESINS
- NT EPOXY RESINS
- NT PHENOLIC RESINS
- NT POLYIMIDE RESINS
- NT POLYURETHANE RESINS
- NT SILICONE RESINS
- NT THERMOPLASTIC RESINS
- NT THERMOSETTING RESINS
- Adsorption resins in jet fuels
- p0221 A74-23517
- ## RESOLUTION
- NT ANGULAR RESOLUTION
- NT RADAR RESOLUTION
- ## RESONANCE
- NT RESONANT VIBRATION
- Stability and control of hingeless rotor helicopter ground resonance
- p0343 A74-33813

RESONANT FREQUENCIES

Symmetrical eigen forms of the vibrations of a supporting surface and of an elastic fuselage [AD-756285] p0043 A74-10067
 Identification of structural parameters from helicopter dynamic test data p0497 A74-34513

RESONANT VIBRATION

Vibrations of asymmetric rotors supported by asymmetric bearings p0070 A74-13094
 A simplified approach to helicopter ground resonance p0348 A74-34881
 Application of antiresonance theory to helicopters p0394 A74-37491
 Open and closed loop stability of hingeless rotor helicopter air and ground resonance p0395 A74-37501
 Vibrations and stability of a helicopter with a two-blade main rotor p0438 A74-40406
 Theoretical and experimental research on vibrations of thin walled stiffened structures [ICAS PAPER 74-16] p0448 A74-41318

RESOURCES**NT EARTH RESOURCES****NT VEGETATION****RESOURCES MANAGEMENT**

The Federal Government and energy: R and D historical background p0102 A74-12687

RESPIRATORY PHYSIOLOGY

The feasibility of a fluidic respiratory flow meter [NASA-CR-132296] p0241 A74-18096

RESPIROMETERS

The feasibility of a fluidic respiratory flow meter [NASA-CR-132296] p0241 A74-18096

RESPONDERS**U TRANSDUCERS****RESPONSES**

NT DYNAMIC RESPONSE
 NT MODAL RESPONSE
 NT TRANSIENT RESPONSE

RETARDANTS**NT PLANE RETARDANTS****RETRACTABLE EQUIPMENT**

Various mechanisms applied to the Concorde main landing gear p0178 A74-20548

RETRACTABLE LANDING GEAR**U LANDING GEAR****U RETRACTABLE EQUIPMENT****RETRIEVAL****NT DATA RETRIEVAL****REUSABLE SPACECRAFT****NT AEROSPACEPLANES****NT SPACE SHUTTLES****REVENUE**

What's wrong with airline earnings --- operating costs vs consumer spending habits p0075 A74-13973

REVERSED FLOW

Analysis of flow-reversal delay for a pitching airfoil [AIAA PAPER 74-183] p0134 A74-18835
 Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0393 A74-37487

REVISIONS

An investigation of cost factors relating to class 4 aircraft modifications [AD-769195] p0191 A74-15730

REYNOLDS NUMBER

Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices p0075 A74-13842
 Integral equation method for calculation of subsonic flow past airfoils in a ventilated wind tunnel - Comparison with NAE high Reynolds number measurements [AIAA PAPER 74-83] p0133 A74-18764
 The effects of Reynolds number on rotor stall p0203 A74-22457
 Test results from the Langley high Reynolds number cryogenic transonic tunnel [AIAA PAPER 74-631] p0376 A74-35395

Effects of Reynolds number on swept-wing-body configurations with high lift devices at transonic speeds

[ICAS PAPER 74-05] p0447 A74-41307
 On the design of airfoils for low Reynolds numbers [AIAA PAPER 74-1017] p0454 A74-42038
 The quest for high-lift --- airfoil design [AIAA PAPER 74-1018] p0454 A74-42039
 Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests p0481 A74-45379
 Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices p0113 A74-13674

Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests [NASA-TN-X-71548] p0360 A74-25812

RF-8 AIRCRAFT**U F-8 AIRCRAFT****RF-2 HELICOPTER****U RH-1 HELICOPTER****RIBS (SUPPORTS)**

Asymptotic behavior of the solution of the Navier-Stokes equations near fins p0088 A74-15779
 Buckling loads and minimum weight of compressed curved ribbed aluminum alloy panels p0118 A74-16822

RICHARDSON-DUSHMAN EQUATION**U TEMPERATURE EFFECTS****RIGID BODIES****U RIGID STRUCTURES****RIGID ROTOR HELICOPTERS****NT CH-3 HELICOPTER**

Stability and control of hingeless rotor helicopter ground resonance p0343 A74-33811
 Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0393 A74-37487

RIGID ROTORS

The whirl instability of a rigid rotor in a flexibly supported gas lubricated journal bearing p0014 A74-11441
 Instability of rotors in MHD journal bearings p0014 A74-11445
 Some conclusions regarding the aeroelastic stability of hingeless helicopter blades in hover and in forward flight p0022 A74-11844
 The effects of second order blade bending on the angle of attack of hingeless rotor blades p0022 A74-11846
 The stability of flexibly supported, externally pressurized gas journal bearings - Case of a rigid rotor p0082 A74-14623

Dynamic analysis of a system of hinge-connected rigid bodies with nonrigid appendages p0085 A74-15003

Nonstationary vibrations of a rigidly supported flexible rotor of variable mass p0125 A74-17851

An unsteady wake model for a hingeless rotor p0127 A74-18140

An interdisciplinary approach to integrated rotor/body mathematical modeling p0205 A74-22453

Hingeless rotor vibration and loads at high advance ratio p0206 A74-22463

Aeroelastic-stability characteristics of a VSTOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test [AHS PREPRINT 835] p0385 A74-36590

Hingeless circulation control rotor blade design [AHS PREPRINT 813] p0388 A74-36622

Comparison of flight data and analysis for hingeless rotor regressive inplane mode stability p0395 A74-37499

Open and closed loop stability of hingeless rotor helicopter air and ground resonance p0395 A74-37501

Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0396 A74-37507

- Loads prediction methods for hingeless rotor helicopters p0055 N74-10915
- Nonlinear bending and torsion of rotating beams with application to linear stability of hingeless helicopter rotors p0101 N74-12545
- Open and closed loop stability of hingeless rotor helicopter air and ground resonance --- effects of blade tuning, virtual hinge locations, and blade hysteresis damping p0251 N74-18703
[AD-772826]
- The hingeless rotor: A concept to increase mission effectiveness at reduced costs p0305 N74-21616
- Hingeless helicopter rotor with improved stability [NASA-CASE-ARC-10807-1] p0494 N74-34475
- Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0496 N74-34495
- Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0497 N74-34515
- Flight test of a hingeless flexbeam rotor system [AD-783393] p0498 N74-34525
- RIGID STRUCTURES**
- NT RIGID ROTORS**
- Numerical analysis of stiffened shear webs in the postbuckling range p0075 A74-13886
- An analytic approximate calculation of the nonlinear landing impact motions and loads on aircraft with both rigid and elastic wing structure [DGLR PAPER 73-078] p0120 A74-17185
- The acoustic far-field of rigid bodies in arbitrary motion p0224 A74-24375
- Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft p0342 A74-33778
- Dynamic behaviour of cylinder with spring and concentrated mass collided with rigid body --- shock absorbing landing gear model p0391 A74-37049
- Application of quaternions to rigid body rotation problems [NASA-TT-F-15414] p0418 N74-29040
- RIGIDITY**
- Multi-hinge rudder unit design with allowance for rudder deflection p0398 A74-37663
- RILLS**
- U VALLEYS**
- RING STRUCTURES**
- NT REINFORCEMENT RINGS**
- NT RING WINGS**
- Reduction of vibration and noise generated by planetary ring gears in helicopter aircraft transmissions [ASME PAPER 73-PTG-11] p0119 A74-16979
- RING WINGS**
- Aerodynamics of channel and ring wings --- development of deflected streamtube theory and lifting arc theory for channel wings p0295 N74-20648
- Subsonic annular wing theory with application to flow about nacelles [NASA-TN-D-7630] p0470 N74-32414
- ROADS**
- Maplin - Planning aspects and their influence on airport design p0079 A74-14510
- ROCKET CATAPULTS**
- T-38/F-5 improved escape system development and qualification testing --- ejection seat with rocket catapult and drogue chute p0214 A74-23557
[AD-783517] p0499 N74-34555
- Aircrew automated escape system simulation model
- ROCKET ENGINES**
- NT HYDRAZINE ENGINES**
- NT J-2 ENGINE**
- Complete mechanical energy utilization in aeronautical propulsion systems p0274 A74-27611
- ROCKET LAUNCHERS**
- NT ROCKET CATAPULTS**
- Techniques for reducing the vibration of rocket launchers mounted on helicopters p0105 N74-12729
[AD-767237]
- Methods for reducing vibrations of equipment mounted on helicopter external stores stations --- damping of vertical vibrations of wing-mounted stores on AH-1G helicopter [AD-768774] p0162 N74-14771
- Vibration absorbers for rocket launchers mounted on helicopters: Analytical analysis and implementation techniques [AD-774845] p0328 N74-22558
- ROCKET LININGS**
- Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates p0316 A74-30313
- ROCKET NOZZLES**
- Sea level side loads in high-area-ratio rocket engines [AIAA PAPER 73-1284] p0032 A74-12940
- RODENTS**
- A device for spreading small grain bait lure --- airborne spraying device for rodent control [AD-772053] p0255 N74-19144
- RODS**
- Buckling of rods under creep conditions p0391 A74-36834
- US Army helicopter rod end bearing reliability and maintainability investigation [AD-768843] p0190 N74-15724
- ROGALLO WINGS**
- U FLEXIBLE WINGS**
- ROLL**
- Optimally fast-acting control of aircraft roll in the presence of constraints on the angle of aileron deflection and the deflection rate p0389 A74-36634
- ROLL CONTROL**
- U LATERAL CONTROL**
- ROLL FORMING**
- Manufacture of hollow airfoils for elastic fluid turbines - Hokor [ASME PAPER 73-WA/GT-12] p0072 A74-13303
- ROLLER BEARINGS**
- Gas turbine engine mainshaft roller bearing-system analysis [ASME PAPER 73-LUB-J] p0030 A74-12710
- ROLLING**
- Flat rolled beta titanium alloys for airframe application p0116 A74-16449
- ROLLING MOMENTS**
- Rolling motion of variable sweep aircrafts. II p0086 A74-15446
- The equation of flight vehicle roll motion p0088 A74-15728
- Lifting-surface theory for an oscillating T-tail p0119 A74-17012
- Influence of static aeroelasticity on oblique winged aircraft p0317 A74-30399
- Determination of stability derivatives of isolated rigid tail assemblies in sideslip and steady roll [AIAA PAPER 74-1038] p0455 A74-42051
- Effects of isolated body and wing-body interference on rolling moment due to sideslip [ESDU-73006] p0035 N74-10007
- Stability derivative. Contribution of full-span dihedral to rolling moment due to sideslip [ESDU-AIRCRAFT-06.01.03-AMEND-A] p0093 N74-11805
- Measurements of rolling moments acting on the stabilizer of T-tails oscillating in yaw [NAL-TR-324] p0158 N74-14744
- Determination of the allowable tolerances for the asymmetries of a free rolling vehicle [TAE-185] p0323 N74-21637
- Investigations on rolling damping of slender wings [NASA-TT-F-15729] p0362 N74-26423
- ROOM TEMPERATURE**
- Application of acrylic based room temperature curing adhesives to structural helicopter bondments p0380 A74-35994
- ROOT-MEAN-SQUARE ERRORS**
- Effect of the differentiability of random stationary processes on the magnitude of the

SUBJECT INDEX

ROTARY WINGS

- mean square approximation error --- in recording
aerodynamic forces on helicopter rotors p0383 A74-36463
- ROTARY DRIVES**
U MECHANICAL DRIVES
ROTARY GYROSCOPES
NT FLUID ROTOR GYROSCOPES
Study of unconventional gyroscopic apparatus. I p0029 A74-12444
- ROTARY STABILITY**
NT GYROSCOPIC STABILITY
The whirl instability of a rigid rotor in a
flexibly supported gas lubricated journal bearing p0014 A74-11441
Instability of rotors in MHD journal bearings p0014 A74-11445
The stability of flexibly supported, externally
pressurized gas journal bearings - Case of a
rigid rotor p0082 A74-14623
Effect of steady state coning angle and damping on
whirl flutter stability p0090 A74-15967
Nonstationary vibrations of a rigidly supported
flexible rotor of variable mass p0125 A74-17851
The dynamic stability of wing-mounted engine
installations for turboprop-powered aircraft
[ASME PAPER 74-GT-52] p0272 A74-27445
- ROTARY WING AIRCRAFT**
NT ALOUETTE HELICOPTERS
NT CH-3 HELICOPTER
NT CH-47 HELICOPTER
NT CH-54 HELICOPTER
NT COMPOUND HELICOPTERS
NT H-53 HELICOPTER
NT H-56 HELICOPTER
NT HELICOPTERS
NT HH-43 HELICOPTER
NT MILITARY HELICOPTERS
NT OH-6 HELICOPTER
NT RIGID ROTOR HELICOPTERS
NT S-58 HELICOPTER
NT S-61 HELICOPTER
NT SA-330 HELICOPTER
NT SE-3160 HELICOPTER
NT SH-3 HELICOPTER
NT TANDEM ROTOR HELICOPTERS
NT UH-1 HELICOPTER
Rotary-wing aircraft p0127 A74-18177
Some current problems and prospects for
development of rotary-wing aircraft p0130 A74-18641
Prediction of stability and control
characteristics of rotorcraft p0205 A74-22452
An interdisciplinary approach to integrated
rotor/body mathematical modeling p0205 A74-22453
The effects of Reynolds number on rotor stall p0203 A74-22457
Model tests and analysis of prop-rotor dynamics
for tilt-rotor aircraft p0205 A74-22461
The role of wind tunnel testing in the development
of advanced rotary-wing aircraft p0207 A74-22472
Comments on a theme - Full-scale versus
small-scale wind tunnel testing of V/STOL p0207 A74-22480
Potential uses for the Kiebitz tethered rotor
platform p0318 A74-30596
System for guiding fixed- or rotary-wing aircraft
in approach and landing zones p0422 A74-38310
[ONERA, TP NO. 1342]
Crashworthy landing gear study --- to establish
energy-absorbing design criteria applicable to
rotary wing aircraft p0042 A74-10060
[AD-765489]
Ice protection investigation for advanced
rotary-wing aircraft p0250 A74-18693
[AD-771182/36A]
Methods studies toward simplified rotor-body
dynamics, part 1 p0495 A74-34483
[NASA-CR-137570]
- ROTARY WINGS**
NT LIFTING ROTORS
NT RIGID ROTORS
NT TILTING ROTORS
Helicopter rotor blades --- design with fiber
reinforced epoxy resin bonded composite materials p0002 A74-10498
Current developments in main rotors at Bell
Helicopter Company --- multibladed concepts,
frequency placement p0003 A74-10511
[AIAA PAPER 73-1160]
The lifting surface theory applied to fixed wings
and propellers p0005 A74-10999
[ONERA, TP NO. 1298]
Progress in France in the last ten years in the
field of helicopters - Prospects for the ten
years to come p0007 A74-11097
The main rotor bifilar absorber and its effect on
helicopter reliability/maintainability p0019 A74-11595
[SAE PAPER 730894]
Torsion-flap-lag coupling on helicopter rotor blades p0022 A74-11843
Investigation of the effect of induction damping
of vortices in their interaction with a wing p0087 A74-15708
Analysis of the use of an auxiliary wing on a
helicopter. II p0090 A74-16038
Aerodynamic problems in the calculation of
helicopter airloads p0203 A74-22456
An investigation of impulsive rotor noise using a
model rotor p0206 A74-22467
A comparison of the noise characteristics of full
scale and model helicopter rotors p0206 A74-22468
Parameterization of helicopter rotor broadband
noise from experimental data p0206 A74-22469
Experimental studies of rotational noise in
forward flight p0206 A74-22471
Panel discussion on wind tunnel testing --- for
helicopter rotor evaluation p0207 A74-22474
Noise phenomena in the case of helicopter rotors
and possibilities for noise reduction p0270 A74-27364
[DGLR PAPER 74-024]
Torsional stability analysis of a gas-turbine
powered helicopter drive system p0272 A74-27447
[ASME PAPER 74-GT-54]
Aerodynamic design of a rotor blade for minimum
noise radiation p0340 A74-33155
[AIAA PAPER 74-571]
Electromechanical simulation of helicopter blade
responses to random excitation during forward
flight p0341 A74-33401
[ASME PAPER 73-DET-28]
Alloys for helicopter rotor-blade spars p0343 A74-34145
A simplified approach to helicopter ground resonance p0348 A74-34881
An automated tape layout system /ATLAS/ --- for
composite aircraft structures fabrication p0379 A74-35838
Effect of the differentiability of random
stationary processes on the magnitude of the
mean square approximation error --- in recording
aerodynamic forces on helicopter rotors p0383 A74-36463
On the use of first order rotor dynamics in
multiblade coordinates --- for compound helicopter
[AHS PREPRINT 831] p0384 A74-36586
Effect of blade design parameters on helicopter
stall boundaries p0384 A74-36588
[AHS PREPRINT 833]
Rotor moment control with flap-moment feedback p0385 A74-36593
[AHS PREPRINT 842]
Heat transfer modeling for curing process of
composite rotor blade p0386 A74-36598
[AHS PREPRINT 852]
Laser velocimeter measurements of the helicopter
rotor-induced flow field p0387 A74-36614
[AHS PREPRINT 800]
Can helicopter rotors be designed for low noise
and high performance p0388 A74-36617
[AHS PREPRINT 803]
A systematic study of helicopter rotor stall using
model rotors

[AHS PREPRINT 804] p0388 A74-36618
 The scissors rotor --- for helicopters
 [AHS PREPRINT 812] p0388 A74-36621
 Effect of the body of a helicopter of single-prop
 or coaxial design on the optimal configuration
 of the main-rotor blades for hover-flight
 conditions p0389 A74-36631
 Consideration of the effect of the fuselage of a
 two-rotor helicopter of the transverse or
 longitudinal type when determining the optimal
 rotor blade configuration for hovering p0390 A74-36799
 Optimal configuration of the rotor blades of a
 single-rotor helicopter during horizontal flight p0391 A74-36864
 Dynamic stall modeling and correlation with
 experimental data on airfoils and rotors p0393 A74-37483
 Some approximations to the flapping stability of
 helicopter rotors p0393 A74-37486
 The effect of cyclic feathering motions on dynamic
 rotor loads p0394 A74-37492
 Control load envelope shaping by live twist --- in
 helicopter rotors p0394 A74-37493
 Application to rotary wings of a simplified
 aerodynamic lifting surface theory for unsteady
 compressible flow p0394 A74-37494
 Hub moment springs on two-bladed teetering rotors p0395 A74-37500
 Multicyclic jet-flap control for alleviation of
 helicopter blade stresses and fuselage vibration p0396 A74-37504
 The spectrum of rotor noise caused by atmospheric
 turbulence p0397 A74-37537
 Consideration of control elasticity in calculating
 the deformation of gyroplane rotor blades p0398 A74-37662
 Instantaneous velocity measurements in the near
 wake of a helicopter rotor p0425 A74-38633
 Noise sources and their control in V/STOL aircraft p0438 A74-40089
 Vibrations and stability of a helicopter with a
 two-blade main rotor p0438 A74-40406
 Computation of aerodynamic loads on helicopter
 rotorblades in forward flight, using the method
 of the acceleration potential p0451 A74-41353
 [ICAS PAPER 74-54]
 MBB BO 105 - Concept and worldwide use of a modern
 helicopter. I --- development and design p0479 A74-45098
 Major Item Special Study (MISS). CH-54A T/R blade
 [AD-766227] p0041 A74-10056
 Research on aircraft dynamics for subsonic flight
 [AD-765657] p0042 A74-10061
 Specialists Meeting on Helicopter Rotor Prediction
 Methods [AGARD-CP-122] p0054 A74-10908
 Rotary wing design methodology --- based on
 nonlinear aeroelastic blade loads analysis p0054 A74-10909
 Current loads technology for helicopter rotors ---
 based on rotor loads computer program for
 determining fatigue design loads p0054 A74-10910
 Prediction of helicopter rotor loads --- based on
 alternating aerodynamic loads imposed on rotary
 wing and rotor hub p0055 A74-10911
 Helicopter rotor loads predictions --- assumptions
 and techniques for numerical analysis of
 aerodynamic loads p0055 A74-10912
 Rotor system design and evaluation using a general
 purpose helicopter flight simulation program p0055 A74-10913
 The prediction of loading actions on high speed
 semi-rigid helicopters p0055 A74-10914
 Loads prediction methods for hingeless rotor
 helicopters p0055 A74-10915

Integrated rotor/body loads prediction p0055 A74-10916
 The stability of helical vortex filaments in the
 wake of a hovering rotor [AD-766828] p0062 A74-11128
 Effect of sweep angle on the pressure
 distributions and effectiveness of the ogee tip
 in diffusing a line vortex [NASA-CR-132355] p0094 A74-11822
 Nonlinear bending and torsion of rotating beams
 with application to linear stability of
 hingeless helicopter rotors p0101 A74-12545
 Wake induced loads on helicopter rotor blades p0103 A74-12708
 Major Item Special Study (MISS), AH-1G 90 degree
 gearbox --- analysis of helicopter gear box
 maintenance and reliability [AD-767540] p0106 A74-12731
 Major Item Special Study (MISS), CH-54A main rotor
 primary servo [AD-767539] p0106 A74-12732
 A mathematical model of unsteady aerodynamics and
 radial flow for application to helicopter rotors [AD-767240] p0106 A74-12738
 Analysis of stall flutter of a helicopter radar
 blade [NASA-CR-2322] p0139 A74-13708
 Dynamic stall [NASA-CR-136473] p0139 A74-13709
 The stability of helical vortex filaments in the
 wake of a hovering rotor p0140 A74-13713
 Effect of compressibility on three-dimensional
 helicopter rotor blade flutter p0140 A74-13714
 March 1971 wind tunnel tests of the Dorand DH 2011
 jet flap rotor, volume 1 [NASA-CR-114693] p0141 A74-13722
 Transmission thermal mapping (CH-47C forward rotor
 transmission) [AD-767875] p0143 A74-13732
 Concepts for a theoretical and experimental study
 of lifting rotor random loads and vibrations,
 Phase 2 [NASA-CR-114708] p0160 A74-14756
 Concepts for a theoretical and experimental study
 of lifting rotor random loads and vibrations
 (the effects of some rotor feedback systems on
 rotor-body dynamics), Phase 7-A [NASA-CR-114709] p0160 A74-14757
 Similarity requirements for aeroelastic models of
 helicopter rotors [ARC-CP-1245] p0161 A74-14767
 Recommended design modifications to the CH-47
 forward rotor drive gearbox [AD-769062] p0162 A74-14775
 Engineering appraisal of Southwest Research
 Institute magnetic crack definer applied to CH47
 rotor blades [AD-769068] p0163 A74-14778
 A prediction model for wake related sound
 generation by single airfoils and subsonic rotors p0187 A74-15700
 Helicopter blade-tip stability in forward flight p0195 A74-16711
 Vortex modification by mass injection and by tip
 geometry variation [AD-771966] p0232 A74-17715
 Dynamic model wind tunnel tests of a
 variable-diameter, telescoping-blade rotor
 system (TRAC rotor) [AD-771037] p0237 A74-17764
 Composite-material helicopter rotor hubs [AD-771973] p0238 A74-17772
 The evaluation of a stall-flutter spring-damper
 pushrod in the rotating control system of a
 CH-54B helicopter [AD-771962] p0238 A74-17773
 Aeroelastic analysis of a telescoping rotor blade
 --- computer programs [AD-771963] p0239 A74-17774
 Experimental investigation of model
 variable-geometry and ogee tip rotors ---
 aerodynamic characteristics of variable geometry
 rotary wings [NASA-CR-2275] p0245 A74-18645
 Aerodynamic characteristics of NPL 9626 and NPL
 9627, further aerofoils designed for helicopter

SUBJECT INDEX

ROTATING DISKS

- rotor use
 - [ARC-CP-1262] p0247 N74-18666
- Acoustical properties of a model rotor in nonaxial flight --- wind tunnel model noise measurements
 - [NASA-CR-114749] p0248 N74-18678
- Open and closed loop stability of hingeless rotor helicopter air and ground resonance --- effects of blade tuning, virtual hinge locations, and blade hysteresis damping
 - [AD-772826] p0251 N74-18703
- Analytical investigation of the aerodynamic stability of helical vortices shed from a hovering rotor
 - [AD-773026] p0252 N74-18705
- UH-1D filament-wound tubular-reinforced rotor blade --- development of procedures for calculating structural characteristics
 - [AD-772947] p0253 N74-18713
- Cold-weather flight tests of an OH-58 helicopter equipped with an elastomeric-bearing main rotor
 - [AD-772935] p0253 N74-18716
- Research on helicopter noise
 - [AD-773385] p0285 N74-19677
- Research in the area of the aerodynamics of rotors and propellers
 - [AROD-T-3-23-E] p0286 N74-19688
- Major Item Special Study (MISS), CH-47A rotary wing head FWD
 - [AD-773718] p0286 N74-19691
- A design analysis of CH-54B main rotor hub fabricated from composite materials
 - [AD-774270] p0300 N74-20689
- The hingeless rotor: A concept to increase mission effectiveness at reduced costs
 - p0305 N74-21616
- Circulation control: A bibliography of NSRDC research and selected outside references
 - [AD-775284] p0327 N74-21666
- Tail rotor design guide --- aerodynamic configurations of helicopter components for low speed and hover flight
 - [AD-775391] p0327 N74-21671
- Investigation of the effect of torsional natural frequency on stall-induced dynamic loading
 - [AD-776415] p0353 N74-25544
- Aerodynamic damping of vibrating helicopter rotors
 - [AD-775929] p0358 N74-25598
- Major Item Special Study (MISS), CH-47A rotary wing blade
 - [AD-776419] p0359 N74-25605
- Major Item Special Study (MISS), CH-47A Synchronizer shaft assembly --- failure analysis to eliminate failure modes and reduce logistics costs
 - [AD-776418] p0359 N74-25606
- Analysis of maneuverability effects on rotor/wing design characteristics
 - [AD-776981] p0359 N74-25609
- Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities
 - [AD-776360] p0359 N74-25613
- Non-linear helicopter rotor lifting surface theory
 - p0363 N74-26431
- Influence of the degree of fail-safe achieved, using the internal pressure indicator (BIM), on the flight safety during a specified service life of main rotor blades of SA 321 and SA 330 helicopters
 - p0367 N74-26469
- Fatigue and fracture considerations in critical titanium components --- for aircraft structures
 - p0367 N74-26470
- Helicopter rotor noise and possibilities for its reduction
 - [HBB-UD-118-74-0] p0368 N74-26485
- Analytical study of stresses recorded in the DH 2011 rotor blades
 - [NASA-CR-137527] p0407 N74-27501
- Propeller tests in the large sonic wind tunnel of Mondane-Avrioux
 - [NASA-TT-P-15704] p0413 N74-28501
- A theoretical study of the application of jet flap circulation control for reduction of rotor vibratory forces
 - [NASA-CR-137515] p0416 N74-28525
- An analysis of fixed wing-propotor interference for folding propotor aircraft
 - [AD-778823] p0441 N74-29371
- Application of an interdisciplinary rotary wing aircraft analysis to the prediction of helicopter maneuver loads
 - [AD-779449] p0443 N74-29402
- Propellers and helicopter blades of fiber-reinforced synthetic resin materials
 - [NASA-TT-P-15859] p0467 N74-31493
- Perturbation solutions for the influence of forward flight on helicopter rotor flapping stability
 - [NASA-TM-X-62361] p0467 N74-31501
- Continuous seam diffusion bond titanium spar evaluation
 - [AD-780029] p0468 N74-31515
- Helicopter downwash data
 - [AD-780754] p0468 N74-31518
- Problems of long linear arrays in helicopter blades --- considering beams scanned by rotating blades
 - p0468 N74-31684
- Three-dimensional measurements of the velocity in the near flow field of a full-scale hovering rotor
 - [AD-781547] p0470 N74-32417
- A summary of helicopter vorticity and wake turbulence publications with an annotated bibliography
 - [AD-780053] p0472 N74-32435
- Nonlinear helicopter rotor lifting surface theory, part 1
 - [AD-781885] p0473 N74-32453
- Major Item Special Study (MISS), OH-6A main rotor hub
 - [AD-781507] p0473 N74-32457
- The vortex lattice method for the rotor-vortex interaction problem
 - [NASA-CR-2421] p0488 N74-33433
- Further analysis of broadband noise measurements for a rotating blade operating with and without its shed wake blown downstream
 - [NASA-TM-D-7623] p0488 N74-33434
- Hingeless helicopter rotor with improved stability
 - [NASA-CASE-ARC-10807-1] p0494 N74-34475
- Some approximations to the flapping stability of helicopter rotors
 - p0496 N74-34494
- Coupled rotor/airframe vibration prediction methods
 - p0496 N74-34497
- Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration
 - p0497 N74-34512
- Engine/airframe interface dynamics experience
 - p0497 N74-34514
- Flight test of a hingeless flexbeam rotor system
 - [AD-783393] p0498 N74-34525
- ROTATING
 - U ROTATION
- ROTATING BODIES
 - NT COMPRESSOR ROTORS
 - NT FLYWHEELS
 - NT IMPELLERS
 - NT LIFTING ROTORS
 - NT RIGID ROTORS
 - NT ROTARY WINGS
 - NT ROTATING CYLINDERS
 - NT ROTATING DISKS
 - NT ROTORS
 - NT TILTING ROTORS
 - NT TURBINE WHEELS
- Analysis of moving body problems in aerodynamics
 - p0432 A74-39346
- The determination of non-symmetric vehicle stability parameters from response data
 - p0139 N74-13702
- Magnus characteristics of arbitrary rotating bodies
 - [AGARD-AG-171] p0139 N74-13710
- Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter
 - p0497 N74-34511
- ROTATING CYLINDERS
 - The influence of a deflected central spike on the aerodynamic coefficients of a rotationally symmetric hypersonic body
 - [DLR-FB-69-37] p0103 N74-12706
- ROTATING DISKS
 - Aerodynamics of rotating disks --- drag and lift in annular water tank
 - p0091 A74-16039
 - Theory of rotor dynamics with coupling of disk and blade flexibility and support structure asymmetry

ROTATING GENERATORS

SUBJECT INDEX

[ASME PAPER 74-GT-159] p0274 A74-27494
Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics
[NASA-TN-D-7483] p0099 N74-12187
Heat transfer of a disk rotating in a casing --- cooling fluid flow in gas turbine engines
[NASA-TT-P-15199] p0101 N74-12572

ROTATING GENERATORS
NT AC GENERATORS
NT TURBOGENERATORS

ROTATING MIRRORS
A compact derotator design --- for aircraft periscope image rotation prevention p0218 A74-23718

ROTATING SHAFTS
NT SHAFTS (MACHINE ELEMENTS)
NT TURBOSHAFTS
The effect of gyroscopic moment and distributed mass on the vibration of a rotating shaft with a rotor p0082 A74-1462
Balancing of a flexible rotor. III - Universal state of balance of a flexible rotor irrespective of its bearing stiffness p0082 A74-14622
A photo-electric position-following mechanism p0176 A74-20129
Theory of rotor dynamics with coupling of disk and blade flexibility and support structure asymmetry [ASME PAPER 74-GT-159] p0274 A74-27494

ROTATING VEHICLES
U ROTATING BODIES

ROTATION
NT AUTOROTATION
Application of quaternions to rigid body rotation problems [NASA-TT-P-15414] p0418 N74-29040

ROTATIONAL FLOW
U FLUID FLOW
U VORTICES

ROTOR AERODYNAMICS
Current developments in main rotors at Bell Helicopter Company --- multibladed concepts, frequency placement [AIAA PAPER 73-1160] p0003 A74-10511
Effect of unsteady loading on rotor noise p0073 A74-13792
Analysis of the use of an auxiliary wing on a helicopter. II p0090 A74-16038
Rotor wakes - Key to performance prediction p0203 A74-22455
The effects of Reynolds number on rotor stall p0203 A74-22457
Model tests and analysis of prop-rotor dynamics for tilt-rotor aircraft p0205 A74-22461
A schlieren technique applied to rotor wake studies p0203 A74-22462
Hingeless rotor vibration and loads at high advance ratio p0206 A74-22463
Studies of a large-scale jet-flap rotor in the 40-by 80-foot wind tunnel p0206 A74-22464
Rotor aerodynamics and acoustics - The next phase --- helicopter noise at supersonic blade tip speeds p0203 A74-22465
Acoustical modeling of the heavy lift helicopter p0206 A74-22466
An investigation of impulsive rotor noise using a model rotor p0206 A74-22467
A comparison of the noise characteristics of full scale and model helicopter rotors p0206 A74-22468
Experimental studies of rotational noise in forward flight p0206 A74-22471
Panel discussion on wind tunnel testing --- for helicopter rotor evaluation p0207 A74-22474
Comments on significant development areas for future V/STOL wind tunnel testing p0207 A74-22476
Supersonic unstalled flutter in fan rotors - Analytical and experimental results

[ASME PAPER 74-GT-40] p0272 A74-27433
Holographic studies of shock waves within transonic fan rotors [ASME PAPER 74-GT-46] p0272 A74-27439
Theory of rotor dynamics with coupling of disk and blade flexibility and support structure asymmetry [ASME PAPER 74-GT-159] p0274 A74-27494
Aerodynamic design of a rotor blade for minimum noise radiation [AIAA PAPER 74-571] p0340 A74-33155
On the use of first order rotor dynamics in multiblade coordinates --- for compound helicopter [AHS PREPRINT 831] p0384 A74-36586
Optimal configuration of the rotor blades of a single-rotor helicopter during horizontal flight p0391 A74-36864
Specialists Meeting on Rotorcraft Dynamics, Moffett Field, Calif., February 13-15, 1974, Proceedings p0393 A74-37481
Hingeless rotor frequency response with unsteady inflow p0393 A74-37482
Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0393 A74-37487
Coupled rotor/airframe vibration prediction methods p0394 A74-37489
Helicopter gust response characteristics including unsteady aerodynamic stall effects p0394 A74-37490
The effect of cyclic feathering motions on dynamic rotor loads p0394 A74-37492
Rotor aeroelastic stability coupled with helicopter body motion p0394 A74-37495
An application of Floquet theory to prediction of mechanical instability --- for helicopter with inoperative blade damper p0395 A74-37496
Theory and comparison with tests of two full-scale proprotors p0395 A74-37497
Comparison of flight data and analysis for hingeless rotor regressive inplane mode stability p0395 A74-37499
Engine/airframe interface dynamics experience --- for helicopters p0396 A74-37506
Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0396 A74-37507
Spectrum of rotor noise caused by atmospheric turbulence p0430 A74-38854
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 1 [NASA-CR-114707] p0160 N74-14755
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 2 [NASA-CR-114708] p0160 N74-14756
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (the effects of some rotor feedback systems on rotor-body dynamics), Phase 7-A [NASA-CR-114709] p0160 N74-14757
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (identification of lifting rotor system parameters from transient response data), Phase 7-B [NASA-CR-114710] p0160 N74-14758
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (further experiments with progressing/regressing rotor flapping modes), Phase 7-C [NASA-CR-114711] p0160 N74-14759
Helicopter blade-tip stability in forward flight p0195 N74-16711
Research on aircraft dynamics for subsonic flight [AD-770540] p0197 N74-16738
Experimental investigation of model variable-geometry and ogee tip rotors --- aerodynamic characteristics of variable geometry rotary wings

[NASA-CR-2275] p0245 N74-18645
 Open and closed loop stability of hingeless rotor
 helicopter air and ground resonance --- effects
 of blade tuning, virtual hinge locations, and
 blade hysteresis damping
 [AD-772826] p0251 N74-18703
 Studies in tilt-rotor VTOL aircraft aeroelasticity
 --- blade flapping and pitch change freedoms of
 proprotor configurations p0282 N74-19649
 Research on helicopter noise
 [AD-773385] p0285 N74-19677
 Research in the area of the aerodynamics of rotors
 and propellers p0286 N74-19688
 [AROD-T-3-23-E]
 Noise levels of operational helicopters of the
 OH-6 type designed to meet the LOH mission ---
 acoustic properties for various helicopter
 configurations p0297 N74-20663
 [NASA-CR-114760]
 Circulation control: A bibliography of NSRDC
 research and selected outside references
 [AD-775284] p0327 N74-21666
 Tail rotor design guide --- aerodynamic
 configurations of helicopter components for low
 speed and hover flight p0327 N74-21671
 [AD-775391]
 Investigation of the effect of torsional natural
 frequency on stall-induced dynamic loading
 [AD-776415] p0353 N74-25544
 Non-linear helicopter rotor lifting surface theory
 p0363 N74-26431
 Dynamics of tilting proprotor aircraft in cruise
 flight p0407 N74-27500
 [NASA-TN-D-7677]
 Analytical study of stresses recorded in the DR
 2011 rotor blades p0407 N74-27501
 [NASA-CR-137527]
 Propeller tests in the large sonic wind tunnel of
 Mondane-Avrieux p0413 N74-28501
 [NASA-TT-F-15704]
 A theoretical study of the application of jet flap
 circulation control for reduction of rotor
 vibratory forces p0416 N74-28525
 [NASA-CR-137515]
 Application of an interdisciplinary rotary wing
 aircraft analysis to the prediction of
 helicopter maneuver loads p0443 N74-29402
 [AD-779449]
 Analytical model for tilting proprotor aircraft
 dynamics, including blade torsion and coupled
 bending modes, and conversion mode operation
 [NASA-TN-X-62369] p0467 N74-31498
 Perturbation solutions for the influence of
 forward flight on helicopter rotor flapping
 stability p0467 N74-31501
 [NASA-TN-X-62361]
 Helicopter downwash data p0468 N74-31518
 [AD-780754]
 Three-dimensional measurements of the velocity in
 the near flow field of a full-scale hovering rotor
 [AD-781547] p0470 N74-32417
 A summary of helicopter vorticity and wake
 turbulence publications with an annotated
 bibliography p0472 N74-32435
 [AD-780053]
 Nonlinear helicopter rotor lifting surface theory,
 part 1 p0473 N74-32453
 [AD-781885]
 The vortex lattice method for the rotor-vortex
 interaction problem p0488 N74-33433
 [NASA-CR-2421]
 Further analysis of broadband noise measurements
 for a rotating blade operating with and without
 its shed wake blown downstream p0488 N74-33434
 [NASA-TN-D-7623]
 Methods studies toward simplified rotor-body
 dynamics, part 1 p0495 N74-34483
 [NASA-CR-137570]
 Rotorcraft dynamics p0495 N74-34489
 [NASA-SP-352]
 Flap-lag dynamics of hingeless helicopter blades
 at moderate and high advance ratios p0496 N74-34495
 Rotor aeroelastic stability coupled with
 helicopter body motion p0496 N74-34503
 Flight test of a hingeless flexbeam rotor system
 [AD-783393] p0498 N74-34525

ROTOR BLADES

Helicopter rotor blades --- design with fiber
 reinforced epoxy resin bonded composite materials
 p0002 A74-10498
 Torsion-flap-lag coupling on helicopter rotor blades
 p0022 A74-11843
 Some conclusions regarding the aeroelastic
 stability of hingeless helicopter blades in
 hover and in forward flight p0022 A74-11844
 An investigation of the vibratory and acoustic
 benefits obtainable by the elimination of the
 blade tip vortex p0022 A74-11845
 The effects of second order blade bending on the
 angle of attack of hingeless rotor blades
 p0022 A74-11846
 Cost effective composite structures --- fiber
 reinforced helicopter rotor blade design and
 fabrication p0084 A74-14778
 Parameterization of helicopter rotor broadband
 noise from experimental data p0206 A74-22469
 Rotating-blade vortex noise p0203 A74-22470
 Aeroelastic stability of periodic systems with
 application to rotor blade flutter p0267 A74-26713
 [AIAA PAPER 74-417]
 Electromechanical simulation of helicopter blade
 responses to random excitation during forward
 flight p0341 A74-33401
 [ASME PAPER 73-DET-28]
 Helicopter vibration reduction with pendulum
 absorbers p0384 A74-36585
 [AHS PREPRINT 830]
 Effect of blade design parameters on helicopter
 stall boundaries p0384 A74-36588
 [AHS PREPRINT 833]
 Processing of titanium tubes - An approach to
 helicopter blade spar manufacturing p0386 A74-36599
 [AHS PREPRINT 853]
 Composite material geodesic structures - A
 structural-concept for increased helicopter
 rotor blade survivability p0387 A74-36613
 [AHS PREPRINT 884]
 The prediction of rotor rotational noise using
 measured fluctuating blade loads p0387 A74-36615
 [AHS PREPRINT 801]
 Hingeless circulation control rotor blade design
 [AHS PREPRINT 813] p0388 A74-36622
 Hingeless rotor frequency response with unsteady
 inflow p0393 A74-37482
 Flap-lag dynamics of hingeless helicopter blades
 at moderate and high advance ratios p0393 A74-37487
 Hub moment springs on two-bladed teetering rotors
 p0395 A74-37500
 Hingeless rotor theory and experiment on vibration
 reduction by periodic variation of conventional
 controls p0396 A74-37507
 Major Item Special Study (MISS). CH-54A T/R blade
 [AD-766227] p0041 N74-10056
 Concepts for a theoretical and experimental study
 of lifting rotor random loads and vibrations,
 Phase 1 p0160 N74-14755
 [NASA-CR-114707]
 Concepts for a theoretical and experimental study
 of lifting rotor random loads and vibrations
 (identification of lifting rotor system
 parameters from transient response data), Phase
 7-B p0160 N74-14758
 [NASA-CR-114710]
 Concepts for a theoretical and experimental study
 of lifting rotor random loads and vibrations
 (further experiments with progressing/regressing
 rotor flapping modes), Phase 7-C p0160 N74-14759
 [NASA-CR-114711]
 Aeroelastic analysis of a telescoping rotor blade
 --- computer programs p0239 N74-17774
 [AD-771963]
 Continuous seam diffusion bond titanium spar
 evaluation p0468 N74-31515
 [AD-780029]
 Computer experiments on periodic systems
 identification using rotor blade transient
 flapping-torsion responses at high advance ratio

ROTOR BLADES (TURBOMACHINERY)

SUBJECT INDEX

- Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration
 [NASA-TN-D-7489] p0496 N74-34492
 p0497 N74-34512
- ROTOR BLADES (TURBOMACHINERY)**
 Accelerating test stand for rotating elements of turbomachines p0089 A74-15930
 Effects of increased leading-edge thickness on performance of a transonic rotor blade --- in single stage transonic compressor p0037 N74-10025
 [NASA-TN-D-7489]
 Single-stage experimental evaluation of tandem-airfoil rotor stator blading for compressors. Part 6: Data and performance for stage D p0100 N74-12449
 [NASA-CR-134511]
 Rotor burst protection program: Statistics on aircraft gas turbine engine rotor failures that occurred in US commercial aviation during 1972 p0304 N74-21396
 [NASA-CR-136900]
- ROTOR DISKS**
 U TURBINE WHEELS
- ROTOR HUBS**
 U HUBS
 U ROTORS
- ROTOR LIFT**
 Heavy-lift helicopter power systems [SAE PAPER 740464] p0351 A74-35006
- ROTOR SPEED**
 Theoretical and experimental studies of a high pressure ratio centrifugal compressor at reduced rotating speed [ICAS PAPER 74-37] p0450 A74-41338
- ROTORCRAFT**
 U ROTARY WING AIRCRAFT
ROTORCRAFT AIRCRAFT
 Specialists Meeting on Rotorcraft Dynamics, Moffett Field, Calif., February 13-15, 1974, Proceedings p0393 A74-37481
 Rotorcraft dynamics [NASA-SP-352] p0495 N74-34489
- ROTORS**
 NT COMPRESSOR ROTORS
 NT FLYWHEELS
 NT IMPELLERS
 NT LIFTING ROTORS
 NT RIGID ROTORS
 NT ROTARY WINGS
 NT TILTING ROTORS
 NT TURBINE WHEELS
 Vibrations of asymmetric rotors supported by asymmetric bearings p0070 A74-13094
 Elastic, plastic behavior of a rotor. I - Analysis of an axisymmetric rotor whose radius varies in axial direction p0082 A74-14620
 The effect of gyroscopic moment and distributed mass on the vibration of a rotating shaft with a rotor p0082 A74-14621
 Balancing of a flexible rotor. III - Universal state of balance of a flexible rotor irrespective of its bearing stiffness p0082 A74-14622
 Investigation of rotor dynamic and high speed bearing technology for a 3 KW turbo-alternator [AD-765501] p0047 N74-10486
 Test characteristics of a welded rotor in a 36,000-rpm Lundell alternator [NASA-TN-X-2944] p0064 N74-11304
 V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622 Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1) [NASA-CR-114603] p0142 N74-13727
 Application of the collision-imparted velocity method for analyzing the responses of containment and deflector structures to engine rotor fragment impact p0194 N74-16592
 [NASA-CR-134494]
 Flexural rigidity of a thin walled build-up rotor for jet engine. Measurement by static load test and vibration test and calculation by finite element method [NAL-TR-329] p0293 N74-20572
- Transmission thermal mapping (UH-1 main rotor transmission) --- determination of heat generating areas [AD-777803] p0408 N74-27515
- ROUGHNESS**
NT SURFACE ROUGHNESS
ROUTES
 Analysis of route widths in the domestic airspace --- navigation system errors effect on route confinement p0317 A74-30360
- ROVING VEHICLES**
 Analysis and design of a capsule landing system and surface vehicle control system for Mars exploration [NASA-CR-136069] p0059 N74-11077
- RPV**
 U REMOTELY PILOTED VEHICLES
- RUBBER**
 NT SILICONE RUBBER
- RUDDERS**
 NT AERIAL RUDDERS
- RULES**
 NT INSTRUMENT FLIGHT RULES
 NT PALMGREN-MINER RULE
 NT VISUAL FLIGHT RULES
- RUNGE-KUTTA METHOD**
 Discretization of a vortex sheet, with an example of roll-up --- for elliptically loaded wings p0086 A74-15075
- RUNWAY CONDITIONS**
 Concrete or black top --- airport runway pavement requirements p0089 A74-15866
 Problems with the aircraft/runway interface p0208 A74-22636
 Measurements of runway adherence and problems of braking in the regulation of landing distances p0226 A74-25353
 The effect of runway traction on commercial airplane stopping systems [SAE PAPER 740500] p0349 A74-34976
 Improved methods for construction and maintenance of runway pavement surfaces [SAE PAPER 740498] p0350 A74-34986
 Impact of runway traction on possible approaches to certification and operation of jet transport aircraft [SAE PAPER 740497] p0350 A74-34987
 Elements affecting runway traction [SAE PAPER 740496] p0350 A74-34988
 Fatigue concepts for concrete airport pavement design p0392 A74-37342
 Structural analysis of flexible airfield pavements p0392 A74-37343
 Another look at landing and stopping criteria [AIAA PAPER 74-956] p0427 A74-38722
 Influence of runway traction on operation of jet transport aircraft [AIAA PAPER 74-958] p0427 A74-38724
 Improvements in airplane stopping performance on adverse runways [AIAA PAPER 74-965] p0427 A74-38730
 Problems of aircraft takeoff from precipitation-covered runways p0484 A74-46689
 Selection of landing fields --- for group disposition aircraft and helicopters [AD-772051] p0287 N74-19894
 Evaluation of runway skid-resistance characteristics at Minot Air Force Base, North Dakota [AD-773403] p0328 N74-21904
- RUNWAY LIGHTS**
 Ground lighting equipment --- landing aids [NASA-TT-P-15176] p0060 N74-11092
 Information content of different runway lighting patterns --- visual pattern discrimination of landing displays [NASA-TT-P-15179] p0060 N74-11094
- RUNWAYS**
 Maplin - The operational factors and their influence on the design of the airport p0079 A74-14511
 Test of LOX compatibility for asphalt and concrete runway materials [NASA-TN-X-64086] p0059 N74-11091

SUBJECT INDEX

SAFETY DEVICES

Visual landings in regional and local airports
[NASA-TT-P-15177] p0060 N74-11093
Keyed joint performance under heavy load aircraft
[AD-766706] p0061 N74-11101
The behavior of flexible airfield pavements under
loads: Theory and experiments p0061 N74-11102
[AD-766480]
Model study of C-5A landings on AM2 landing mat
[AD-767231] p0109 N74-12970
Thermal and chemical fog dissipation: Results of
field experiments at Vandenberg AFB, California
during July 1972 p0164 N74-15367
[AD-768671]
Model experiments to evaluate vortex dissipation
devices proposed for installation on or near
aircraft runways p0241 N74-17959
[NASA-CR-132365]
Development of minimum pipe-cover requirements for
C-5A and other aircraft loadings --- structural
requirements for buried pipe under flexible and
rigid runways p0241 N74-17963
[AD-771174]
Short haul aircraft adaptation to the use of short
landing fields p0290 N74-20411
C-130 landing on XM-18B landing mat, Oak Grove
Auxiliary Air Field, North Carolina p0328 N74-21910
[AD-775365]
Dynamic response of the landing mat to aircraft
landing p0369 N74-26768
A wind model for an elevated STOL-port configuration
[NASA-CR-2450] p0418 N74-28734
RYAN AIRCRAFT
NT XC-142 AIRCRAFT

S

S BAND
U SUPERHIGH FREQUENCIES
U ULTRAHIGH FREQUENCIES
S MATRIX THEORY
The light-scattering matrix and types of optical
weather --- atmospheric aerosols, haze, fog,
drizzle p0004 A74-10783
S WAVES
Nonlinear generation of secondary waves in fluids
p0344 A74-34352
S-N DIAGRAMS
A study of the damageability of turbine blades of
aircraft gas-turbine engines after operational
running in p0126 A74-18085
A fatigue failure criterion for fiber reinforced
materials p0178 A74-20478
Quality exponent method for planning and
interpretation of results of full-scale,
low-cycle fatigue tests p0274 A74-27501
[SAE PAPER 740218]
The stress-endurance fatigue severity index
concept - A method of SN data development for
aluminum aircraft structures p0310 A74-28750
[SAE PAPER 740386]
An investigation of the degree of damage to gas
turbine engine turbine blades after service life
p0481 A74-45410
S-64 HELICOPTER
U CB-54 HELICOPTER
S-3 AIRCRAFT
The S-3A - A new dimension in airborne sea control
[AIAA PAPER 74-239] p0137 A74-19205
S-3A initial operational test and evaluation
p0172 A74-19496
Lockheed S-3A avionics - Three system digital
flight guidance p0173 A74-19751
Lockheed S-3A avionics - Tactical voice and data
communication p0173 A74-19753
Lockheed S-3A avionics - Transmitting data by
multiprocessor computer p0173 A74-19754
Lockheed S-3A Viking - Structure with carrier
suitability characteristics p0213 A74-23838
Lockheed S-3A Viking - With low fuel consumption
over a wide power range the TF34-GE2 has high

thrust to weight p0222 A74-23839
Lockheed S-3A Viking - Fuel system excludes
management and control manipulation p0213 A74-23840
Lockheed S-3A Viking - The advanced stabilised
ejection seat has three sub-systems p0213 A74-23841
Lockheed S-3A Viking - Electrical system with
integrated drive generator p0267 A74-27012
Lockheed S-3A Viking - The integrated drive
generator p0268 A74-27013
Lockheed S-3A Viking - Designing the auxiliary
power unit to occupy ram air turbine generator
space p0268 A74-27014
Lockheed S-3A Viking - Combined flight
control/utility system p0268 A74-27015
Lockheed S-3A Viking - Air conditioning and
pressurisation systems p0268 A74-27016
A broad view of Navy S-3A testing
[AIAA PAPER 74-943] p0426 A74-38716
S-3A graphite/epoxy spoiler development program
[AD-779069] p0444 N74-30013
S-58 HELICOPTER
FAA certification of the S-58T helicopter for
instrument flight. I p0172 A74-19491
FAA certification of the S-58T helicopter for
instrument flight. II p0172 A74-19492
S-61 HELICOPTER
S-61 helicopter as a mobile intensive care unit
p0456 A74-42922
Automatic control of a helicopter with a hanging
load --- development and evaluation of automatic
pilot for use with S-61 helicopter
[NASA-CR-136504] p0140 N74-13715
Automatic transitions of a tilt-rotor aircraft,
part 1. Automatic control of a helicopter with
a hanging load, part 2 p0363 N74-26432
S-67 HELICOPTER
Investigation of the maneuverability of the S-67
winged helicopter p0106 N74-12735
[AD-775559]
SA-330 HELICOPTER
Influence of the degree of fail-safe achieved,
using the internal pressure indicator (BIM), on
the flight safety during a specified service
life of main rotor blades of SA 321 and SA 330
helicopters p0367 N74-26469
SAAB AIRCRAFT
NT SAAB 37 AIRCRAFT
SAAB 37 AIRCRAFT
SAAB digital flight control --- for Viggen aircraft
[AIAA PAPER 74-26] p0179 A74-20754
Static aeroelastic effects on the aerodynamics of
the Saab 37 Viggen aircraft, a comparison
between calculations, wind tunnel tests and
flight tests p0451 A74-41354
[ICAS PAPER 74-55]
SAFETY
NT AIRCRAFT SAFETY
NT FLIGHT SAFETY
SAFETY DEVICES
NT ABORT APPARATUS
NT ARRESTING GEAR
NT EJECTION SEATS
NT ESCAPE CAPSULES
NT HELMETS
NT SEAT BELTS
Technology forecasting - Aircraft hazard detection
p0015 A74-11499
Helicopter icing handling qualities
[AHS PREPRINT 844] p0385 A74-36595
Airworthiness Committee tenth meeting
[DOC-9065] p0039 N74-10035
Escape measures for combat helicopter crews
p0301 N74-20770
Deployable flexible ventral fins for use as an
emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] p0445 N74-30421

SAFETY FACTORS

SAFETY FACTORS

Design of crashworthy aircraft cabins based on dynamic buckling p0090 A74-15971

Markings for propeller conspicuity [AGARD-AR-56] p0103 N74-12713

SAFETY MANAGEMENT

World-wide Navy program controls aircraft contamination --- hydraulic fluids p0069 A74-13017

Aircraft recovery - There is a solution --- disabled aircraft removal from airport operational areas p0089 A74-15865

Helicopter safety --- design for catastrophic failure prevention and safe emergency landing p0211 A74-23541

Summary of fire and explosion manual for aircraft accident investigation p0211 A74-23543

Safety objectives of onboard computers on civil aircraft p0431 A74-39010

Automation and flight management in commercial aviation p0433 A74-39499

Overall safety objectives for integrated propulsion system p0457 A74-43204

SAILPLANES

U GLIDERS

SALT SPRAY TESTS

Hot-salt stress-corrosion of titanium alloys as related to turbine engine operation p0117 A74-16600

Galvanic corrosion effects associated with graphite composites/metal joints [LB-26088] p0254 N74-18813

SANABITAM AIRCRAFT

U C-131 AIRCRAFT

SAMPLED DATA

U DATA SAMPLING

SAMPLED DATA SYSTEMS

U DATA SAMPLING

SAMPLING

NT AIR SAMPLING

NT DATA SAMPLING

NT PARTICULATE SAMPLING

SANDS

Solid particle erosion of graphite-epoxy composites --- for aircraft structures p0402 A74-37920

The effects of sand particles on small, intricate mechanical components --- analysis of binding failures caused by sand particles in helicopter circuit breakers [AD-772977] p0253 N74-18718

SANDWICH CONSTRUCTION

U SANDWICH STRUCTURES

SANDWICH STRUCTURES

Deflection of carbon fibre/acrylic foam sandwich beams p0002 A74-10322

Buckling of orthotropic, curved, sandwich panels in shear and axial compression p0013 A74-11340

RohrBond --- liquid interface diffusion bonding for Ti honeycomb core sandwich p0083 A74-14741

Development of a graphite-epoxy tailboom for a high-performance armed helicopter p0083 A74-14748

Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells p0088 A74-15784

Technology of production of sandwich panels with aluminum honeycomb cores p0178 A74-20523

Diffusion welding of structural components for aeronautics and astronautics p0227 A74-25024

Application of advanced structures and materials to transport aircraft fuselages [AIAA PAPER 74-340] p0263 A74-26655

Aerospace sandwich materials. I --- technology, design and performance review p0479 A74-44989

SUBJECT INDEX

Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615

Design parameters for torsion of sandwich strips having trapezoidal, rectangular, and triangular cross sections [AD-771824] p0244 N74-18549

SATAN (SENSOR)

U TERRAIN ANALYSIS

SATELLITE ANTENNAS

A simple antenna system approach for mobile SATCOM terminals p0424 A74-38557

Antennas for avionics --- conference on application of avionic antennas in Aerosat systems [AGARD-CP-139] p0468 N74-31667

SATELLITE ATTITUDE DISTURBANCE

U ATTITUDE STABILITY

SATELLITE COMMUNICATIONS

U SPACECRAFT COMMUNICATION

SATELLITE COMMUNICATIONS SHIPS

U.S. Navy Fleet Satellite Communications [AIAA PAPER 74-458] p0307 A74-28606

SATELLITE DESIGN

The aeronautical satellites: Deluxe gadgets or system of the future --- economic factors p0029 A74-12448

Navy's Fleet Satellite and GAPPILLER Satellite Communications programs p0268 A74-27137

University of Toronto Institute for Aerospace Studies, Quarter Century Symposium, Toronto, Canada, April 1, 2, 1974, Proceedings p0483 A74-46236

SATELLITE NAVIGATION SYSTEMS

CONUS aeronautical radionavigation by satellite [AIAA PAPER 74-439] p0275 A74-27809

SATELLITE NETWORKS

CONUS aeronautical radionavigation by satellite [AIAA PAPER 74-439] p0275 A74-27809

U.S. Navy Fleet Satellite Communications [AIAA PAPER 74-458] p0307 A74-28606

SATELLITE OBSERVATION

Problems in data management for earth monitoring missions [DGLR PAPER 73-109] p0121 A74-17205

SATELLITE TRANSMISSION

Some transmission characteristics of AEROSAT-type air traffic control systems p0174 A74-19957

The effects of ionospheric scintillation on satellite communications p0259 A74-25670

Acquisition signal design for satellite-aircraft communications [AIAA PAPER 74-437] p0275 A74-27807

Access control techniques for satellite mobile communications systems [AIAA PAPER 74-441] p0275 A74-27811

U.S. Navy Fleet Satellite Communications [AIAA PAPER 74-458] p0307 A74-28606

Airborne Ka band satellite communications terminal development p0424 A74-38560

SATELLITES

NT AERONAUTICAL SATELLITES

NT ARTIFICIAL SATELLITES

NT ATS 3

NT ATS 5

NT COMMUNICATION SATELLITES

NT EARTH RESOURCES TECHNOLOGY SATELLITES

NT ROLE SATELLITES

NT MARITIME SATELLITES

NT NAVIGATION SATELLITES

NT SYNCHRONOUS SATELLITES

SC-1 AIRCRAFT

Autostabilization in VTOL aircraft: Results of flight trials with SC 1 p0465 N74-31456

SCALE MODELS

The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041

A similarity parameter for scaling dynamic inlet distortion [ASME PAPER 73-WA/AERO-3] p0071 A74-13245

- Models in the design of fuel systems p0118 A74-16758
- Helicopter modelling /18th Benson and Stringfellow
Lecture/ --- exploratory, development and
research models p0129 A74-18299
- A review of aerodynamic and dynamic VSTOL model
testing p0205 A74-22458
- Factors in the design and fabrication of powered
dynamically similar V/STOL wind tunnel models p0205 A74-22459
- Assessment of model testing of a tilt-prop rotor
VTOL aircraft p0205 A74-22460
- Studies of a large-scale jet-flap rotor in the 40-
by 80-foot wind tunnel p0206 A74-22464
- A comparison of the noise characteristics of full
scale and model helicopter rotors p0206 A74-22468
- The role of wind tunnel testing in the development
of advanced rotary-wing aircraft p0207 A74-22472
- Comments for panel discussion on full scale vs
reduced-scale wind tunnel testing of V/STOL
aircraft p0207 A74-22475
- Comments on a theme - Full-scale versus
small-scale wind tunnel testing of V/STOL p0207 A74-22480
- Experimental and analytical studies in tilt-rotor
aeroelasticity p0395 A74-37498
- Prediction and measurement of propulsion system
performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
- Initial results from flight testing a large,
remotely piloted airplane model --- flight tests
of remotely controlled scale model of F-15
aircraft [NASA-TN-X-56024] p0247 A74-18671
- Correlation of full-scale drag predictions with
flight measurements on the C-141A aircraft.
Phase 2: Wind tunnel test, analysis, and
prediction techniques. Volume 1: Drag
predictions, wind tunnel data analysis and
correlation [NASA-CR-2333] p0248 A74-18679
- Gust measurements on Concorde
[NASA-TT-F-15837] p0467 A74-31494
- A comparison of two L-band aircraft antennas for
aeronautical satellite applications ---
circularly polarized slot configurations p0469 A74-31688
- SCALING LAWS**
On scaling transonic wind tunnel data p0319 A74-30750
- SCANNERS**
NT FLYING SPOT SCANNERS
NT INFRARED SCANNERS
- SCANNING**
MLS program - Phase II --- equipment and technique
selection for Microwave Landing System p0076 A74-14132
- SCARS (GEOLOGY)**
U EROSION
- SCAT**
U SUPERSONIC COMMERCIAL AIR TRANSPORT
- SCATTERING**
NT ACOUSTIC SCATTERING
NT BACKSCATTERING
NT ELECTROMAGNETIC SCATTERING
NT LIGHT SCATTERING
NT MICROWAVE SCATTERING
NT RADAR SCATTERING
NT RANAN SPECTRA
SCATTERING MATRIX
U S MATRIX THEORY
- SCHEDULING**
NT PREDICTION ANALYSIS TECHNIQUES
What do aircraft reliability statistics prove p0275 A74-27674
- SCHLIEREN PHOTOGRAPHY**
A color schlieren system p0124 A74-17806
- A schlieren technique applied to rotor wake studies p0203 A74-22462
- The stability of helical vortex filaments in the
wake of a hovering rotor p0140 A74-13713
- SCHOOLS**
The effects of aircraft noise in schools around
London Airport p0336 A74-32591
- SCIENTIFIC SATELLITES**
NT ATS 3
NT ATS 5
- SCINTILLATION**
The effects of ionospheric scintillation on
satellite communications p0259 A74-25670
- SCRANJET ENGINES**
U SUPERSONIC COMBUSTION RAMJET ENGINES
- SCRANJETS**
U SUPERSONIC COMBUSTION RAMJET ENGINES
- SCRUBBING**
U WASHING
- SE-210 AIRCRAFT**
A new approach to gust alleviation of a flexible
aircraft using an open loop device ---
application to control system of SE-210 aircraft p0235 A74-17745
- SE-3160 HELICOPTER**
Helicopter windlass rescue with the Alouette III p0184 A74-21705
- SEA ICE**
Nasa remote sensing of sea ice in AIDJEX p0063 A74-11223
- SEA KING HELICOPTER**
U SH-3 HELICOPTER
- SEALANTS**
U SEALERS
- SEALERS**
Improved fastener systems for fatigue and sealing
redundancy of low shear transfer joints
[SAE PAPER 730901] p0018 A74-11589
- SEALS (STOPPERS)**
NT PACKINGS (SEALS)
The friction and wear characteristics of
plasma-sprayed NiO-CaF₂ in rubbing contact with
a ceramic matrix [ASLE PREPRINT 73LC-1B-3] p0027 A74-12306
- Improved circumferential shaft seal for aircraft
gear transmissions [NASA-TN-D-7130] p0147 A74-14138
- Development of thermally stable poly
(fluoroalkoxyphosphazene) transmission seals for
the UH-1 helicopter [AD-773652] p0288 A74-20080
- Development of helicopter engine seals
[NASA-CR-134647] p0410 A74-28229
- SEARCH RADAR**
ATC surveillance/communication analysis and planning
--- research projects for application of
electronics technology to air traffic control
[FAA-RD-73-161] p0100 A74-12356
- User's manual for ILSLOC: Simulation for
derogation effects on the localizer portion of
the instrument landing system [AD-768049] p0151 A74-14361
- SEAS**
NT BEAUFORT SEA (NORTH AMERICA)
- SEAT BELTS**
Underwater escape from helicopters --- water
actuated lap belts for crew safety p0211 A74-23535
- SEATS**
NT EJECTION SEATS
Crashworthy Army helicopter crew and troop seating
systems p0211 A74-23534
- A digital simulation technique for crashworthy
analysis of aircraft seats [SAE PAPER 740371] p0309 A74-28742
- VFW 614 cockpit p0375 A74-35358
- Effect of modified seat angle on air to air weapon
system performance under high acceleration
[AD-770271] p0198 A74-16747
- SECONDARY RADAR**
Radar - Present and future; Proceedings of the
International Conference, London, England,
October 23-25, 1973 p0027 A74-12355
- Secondary surveillance radar in ATC ---
operational problems

SECONDARY WAVES

New developments in secondary surveillance radar
 --- design improvements for ATC p0027 A74-12357

Equipment for suppressing reflected secondary
 radar signals --- ATC surveillance radar system
 design p0028 A74-12358

The future of secondary surveillance radar in air
 traffic control p0028 A74-12359

The reduction of garbling in secondary
 surveillance radar p0078 A74-14499

A look at the British ATC scene. II --- primary
 and secondary radar systems development p0170 A74-19391

p0173 A74-19727

SECONDARY WAVES

U S WAVES

SECURITY

Skyjacking and airport security p0127 A74-18100

SEDIMENTS

NT SANDS

SEEKERS

U HOMING DEVICES

SELF INDUCED VIBRATION

NT PANEL FLUTTER

NT SUBSONIC FLUTTER

NT SUPERSONIC FLUTTER

NT TRANSONIC FLUTTER

SELF ORGANIZING SYSTEMS

A self-reorganizing digital flight control system
 for aircraft
 [AIAA PAPER 74-21] p0133 A74-18808

SELF REGULATING

U AUTOMATIC CONTROL

SEMICONDUCTOR DEVICES

NT JUNCTION DIODES

NT LIGHT EMITTING DIODES

NT PHOTOTRANSISTORS

Western Electronic Show and Convention, San
 Francisco, Calif., September 11-14, 1973,
 Proceedings p0076 A74-14126

SEMICONDUCTOR JUNCTIONS

NT P-I-N JUNCTIONS

SENSITIVITY

NT IMPACT RESISTANCE

SENSORY DISCRIMINATION

NT TACTILE DISCRIMINATION

NT VISUAL DISCRIMINATION

SENSORY PERCEPTION

NT AUDITORY PERCEPTION

NT OLFACTORY PERCEPTION

NT TACTILE DISCRIMINATION

NT TOUCH

NT VISUAL DISCRIMINATION

NT VISUAL PERCEPTION

SEPARATED FLOW

NT BOUNDARY LAYER SEPARATION

On the flow around the leading edge of a lifting
 airfoil
 [ONERA, TP NO. 1294] p0005 A74-10996

Methods of visualization of the leading edge
 separation bubble and analysis of results
 [ONERA, TP NO. 1295] p0005 A74-10997

Investigation of the characteristics of flows past
 plates at large angles of attack p0070 A74-13183

Calculation of separated flows at subsonic and
 transonic speeds p0118 A74-16965

A color schlieren system p0124 A74-17806

Numerical investigation of vortex sheets issuing
 from a separation line near the leading edge
 p0128 A74-18289

Extension of a vortex-lattice method to include
 the effects of leading-edge separation p0204 A74-23332

Lift and moment prediction for an oscillating
 airfoil with a moving separation point
 [ASME PAPER 74-GT-28] p0272 A74-27426

Stall flutter of a thin aerofoil with leading edge
 separation p0374 A74-35269

Drag and separation --- effects of separated flow
 on aerodynamic drag

SUBJECT INDEX

Analysis of the flow about delta wings with
 leading edge separation at supersonic speeds
 [NASA-CR-132358] p0157 A74-14722

The separating turbulent boundary layer: an
 experimental study of an airfoil type
 [AD-771170/8GA] p0158 A74-14745

p0255 A74-18939

SEPARATORS

NT FLUID FILTERS

SEQUENCING

Branch-and-bound and heuristic approaches to a
 sequencing problem with team-size requirements
 [P-5152] p0288 A74-20176

SERIES (MATHEMATICS)

NT ASYMPTOTIC SERIES

Inverting the mapping function --- coefficients
 for circle-airfoil transformation function
 expansion p0001 A74-10070

SERVICE LIFE

The application of fracture mechanics to the
 design of the barrel and driver tube of a
 hypersonic gun tunnel p0002 A74-10484

Aircraft life cycle profitability - The
 manufacturer's challenge p0180 A74-20836

Aircraft life cycle profitability - The operator's
 challenge p0180 A74-20837

Equipment procured reliability and real-life
 survival --- avionics producer-military user
 communications improvement p0181 A74-20954

Obsolescence of commercial aircraft - When, where,
 how p0222 A74-23878

Enhancement of durability of aircraft design
 elements /2nd revised and enlarged edition/ ---
 Russian book p0337 A74-32775

Helicopter reliability testing
 [AHS PREPRINT 860] p0386 A74-36600

Aircraft avionics environmental control analysis
 procedures for optimized life cycle cost
 p0434 A74-39741

Life enhancement of turbine blades p0436 A74-39971

Major Item Special Study (NISS). CH-54A T/R blade
 [AD-766227] p0041 A74-10056

Major Item Special Study (NISS). CH-54A clutch
 assembly (APP) p0041 A74-10057

Test plan report for catapult fatigue. Test of
 the model E-2 A/B airplane p0042 A74-10059

Vibration effects on helicopter reliability and
 maintainability p0042 A74-10064

Major Item Special Study (NISS). CH-54A turbine
 engine p0051 A74-10738

The economic efficiency of raising the flying life
 and reliability of gas-turbine engines
 [AD-767027] p0065 A74-11601

Statistical review of counting accelerometer data
 for Navy and Marine fleet aircraft from 1
 January 1962 to July 1973 p0106 A74-12736

Engineering evaluation of age life extension, T-10
 harnesses, risers and T-10 troop chest reserve
 parachute canopies. Supplement 1: 1964 - 1965
 year classes p0144 A74-13743

Analysis of criteria for on-condition maintenance
 for helicopter transmissions --- numerical
 analysis of relationship between component
 operating time and component hazard rate
 [AD-773024] p0252 A74-18707

The role of the major fatigue test in the
 acceptance, certification and safe utilisation
 of strike aircraft p0283 A74-19658

Problems in avionics life-cycle analysis
 [P-5136] p0328 A74-22597

Influence of the degree of fail-safe achieved,
 using the internal pressure indicator (BIM), on
 the flight safety during a specified service
 life of main rotor blades of SA 321 and SA 330

SUBJECT INDEX

SHELL STABILITY

- helicopters
 T-38 structural flight loads data for June 1970 through December 1971 [AD-758891] p0367 N74-26469
 Statistical review of counting accelerometer data for Navy and Marine fleet aircraft [AD-778645] p0408 N74-27507
 SERVICES
 NT MEDICAL SERVICES
 NT METEOROLOGICAL SERVICES
 SERVOCONTROL
 The Type 3B altitude measurement system p0416 N74-28531
 Response speed of a correlator in an extremal system for aircraft wheel braking p0122 A74-17276
 A unique approach to the development of a light helicopter automatic flight control system [SAE PAPER 740348] p0213 A74-24022
 SERVO MECHANISMS
 Servomechanisms of aircraft instruments - Dynamics of servomechanisms in the presence of dry friction and retardation --- Russian book p0308 A74-28728
 Hydrofluidic servoactuator development [AD-766308] p0421 A74-38043
 STOL tactical aircraft investigation. Volume 5, part 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps --- for transport aircraft configuration [AD-766642] p0047 N74-10491
 Major Item Special Study (MISS), CH-54A main rotor primary servo [AD-767539] p0098 N74-11847
 Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters [AD-773025] p0106 N74-12732
 Control-by-wire actuator model development for APCAS --- characteristics of hydraulic control valves to control tandem and parallel control systems [AD-772588] p0252 N74-18708
 Pneumomechanical critical speed control for gas turbine engine shafts [AD-772823] p0253 N74-18715
 Hydrofluidic yaw SAS analysis design and development [AD-777804] p0256 N74-19407
 SERVO STABILITY CONTROL
 U SERVOCONTROL
 SH-3 HELICOPTER
 Results of the flight noise measurement program using a standard and modified SH-3A helicopter [NASA-TN-D-7330] p0408 N74-27510
 SHADOWGRAPH PHOTOGRAPHY
 NT SCHLIEREN PHOTOGRAPHY
 Some results of an optical study of supersonic spatial flows p0096 N74-11836
 SHADOWGRAPHS
 U SHADOWGRAPH PHOTOGRAPHY
 SHAFTS (MACHINE ELEMENTS)
 NT TURBOSHAFTS
 Improved circumferential shaft seal for aircraft gear transmissions [NASA-TN-D-7130] p0223 A74-24396
 Development of manufacturing methods for ballistically tolerant fiberglass tubular bellcranks --- for the CH-47 helicopter [AD-775818] p0147 N74-14138
 Major Item Special Study (MISS). CH-47A Synchronizer shaft assembly --- failure analysis to eliminate failure modes and reduce logistics costs [AD-776418] p0331 N74-22701
 SHANKS
 U JOINTS (JUNCTIONS)
 SHARP LEADING EDGES
 Supersonic flow past sharp- and blunt-nosed conical bodies at angles of attack from 0 to 45 deg [DGLR PAPER 73-080] p0359 N74-25606
 Investigation of acoustic effects of leading-edge serrations on airfoils p0120 A74-17186
 Separation of a shock wave from the edge of a V-shaped backswept wing p0317 A74-30392
 p0384 A74-36513
 High attitude delta wing unsteady aerodynamics [AIAA PAPER 74-817] p0400 A74-37824
 Analysis of the low-speed flow over a slender sharp edged delta wing at angles of attack p0098 N74-12034
 Analysis of the flow about delta wings with leading edge separation at supersonic speeds [NASA-CR-132358] p0158 N74-14745
 An experimental investigation of leading-edge vortex augmentation by blowing [NASA-CR-132415] p0281 N74-19643
 Process and device for adaptation of sharp leading edge airfoils to any speed, subsonic or supersonic [NASA-TT-F-15569] p0323 N74-21631
 Theoretical and experimental longitudinal aerodynamic characteristics of an aspect ratio 0.25 sharp-edge delta wing at subsonic, supersonic, and hypersonic speeds [NASA-TN-D-7651] p0463 N74-31414
 Aerodynamic characteristics of three slender sharp-edge 74 degrees swept wings at subsonic, transonic, and supersonic Mach numbers [NASA-TN-D-7631] p0463 N74-31416
 SHEAR DISTURBANCES
 U S WAVES
 SHEAR FATIGUE
 U SHEAR STRESS
 SHEAR FLOW
 Derivation of aerodynamic kernel functions p0004 A74-10572
 Developing large-scale wavelike eddies and the near jet noise field p0267 A74-26948
 Wing profile with rotating flap in shear flow p0320 A74-31097
 SHEAR PROPERTIES
 NT SHEAR STRENGTH
 Wing shear material --- structural weight formulas p0008 A74-11175
 Effects of strain amplitude on the shear modulus of soils [AD-757516] p0046 N74-10404
 SHEAR STRAIN
 Structural analysis of flexible airfield pavements p0392 A74-37343
 SHEAR STRENGTH
 Lithium soap dispersions as drag-reducing hydraulic fluids [ASLE PREPRINT 73LC-5B-2] p0027 A74-12316
 Development of cold headable titanium alloys for the 'Concorde' supersonic jet p0117 A74-16554
 Adhesively bonded laminated metal structure [SAE PAPER 740259] p0274 A74-27510
 Transverse compressive behaviour of unidirectional carbon fibre reinforced plastics p0313 A74-29785
 SHEAR STRESS
 NT TORSIONAL STRESS
 Buckling of orthotropic, curved, sandwich panels in shear and axial compression p0013 A74-11340
 Improved fastener systems for fatigue and sealing redundancy of low shear transfer joints [SAE PAPER 730901] p0018 A74-11589
 Numerical analysis of stiffened shear webs in the postbuckling range p0075 A74-13886
 Experimental investigation of glass-plastic and metal-plastic joints under shear p0131 A74-18697
 Jet noise modeling - Experimental study and models for the noise and turbulence fields [AIAA PAPER 74-3] p0131 A74-18723
 Determination of the shear stresses in spar walls in the design of a wing on the basis of a plate analogy p0260 A74-25984
 Constrained torsion of closed thin-walled structures --- in wings p0485 A74-46722
 SHEAR WAVES
 U S WAVES
 SHEARING STRESS
 U SHEAR STRESS
 SHEET METAL
 U METAL SHEETS
 SHELL STABILITY
 The influence of a high velocity fluid environment

SHELLS (STRUCTURAL FORMS)

on the static and dynamic stability of thin cylindrical shell structures p0072 A74-13321

Shell instability analysis applied to a radome p0311 A74-28963

The historical development of shell research and design p0374 A74-35211

Fuselage basic shell weight prediction [SAFE PAPER 1019] p0435 A74-39889

SHELLS (STRUCTURAL FORMS)

NT CONICAL SHELLS

NT CYLINDRICAL SHELLS

NT ELASTIC SHELLS

NT PERFORATED SHELLS

NT RADOMES

NT REINFORCED SHELLS

NT THIN WALLED SHELLS

Torsion of prismatic shell by finite difference approach p0314 A74-29906

SHIELDING

NT ELECTROSTATIC SHIELDING

NT RADIATION SHIELDING

Transmission of sound through a two-dimensional shielding jet p0026 A74-12221

[AIAA PAPER 73-1002]

Systematic investigations in the field of noise shielding p0271 A74-27365

[DGLR PAPER 74-021]

Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept p0344 A74-34798

[AIAA PAPER 74-568]

SHIPS

NT AIRCRAFT CARRIERS

NT SATELLITE COMMUNICATIONS SHIPS

Aircraft/ship interface problems - The U.S. Navy's program p0183 A74-21294

[AIAA PAPER 74-305]

Simulation of the landing and take-off of a VTOL aircraft on a ship in a random sea p0209 A74-22803

[AIAA PAPER 74-302]

Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers p0043 A74-10072

[AD-766450]

Aerosat and Marsat: Satellites for mobile services p0059 A74-11018

Ship-helicopter system analysis p0305 A74-21629

[AD-774764]

SHOCK ABSORBERS

VFW 614 hydraulics p0375 A74-35359

Procedures for recovering flight vehicles --- unmanned rocket vehicles p0456 A74-42872

[DGLR PAPER 74-038]

SHOCK DIFFUSERS

U DIFFUSERS

U SHOCK WAVE ATTENUATION

SHOCK DISCONTINUITY

The acoustic far-field of rigid bodies in arbitrary motion p0224 A74-24375

SHOCK FRONTS

Hypersonic flow past a lifting wing p0312 A74-29437

SHOCK HEATING

A shock tube study of the formation of carbon particles during the pyrolysis of hydrocarbons p0229 A74-25213

SHOCK LAYERS

Some extensions of thin-shock-layer theory p0279 A74-28419

Flow past a triangular wing with blunted edges in the case of strong compression in the shock layer p0384 A74-36560

SHOCK RESISTANCE

NT IMPACT RESISTANCE

SHOCK SIMULATORS

Recent developments in sonic-boom simulation using shock tubes p0115 A74-16384

SHOCK TUBES

NT SHOCK TUNNELS

The experimental response of simple structures to simulated sonic booms p0021 A74-11814

Recent developments in sonic-boom simulation using shock tubes

SUBJECT INDEX

p0115 A74-16384

Ames research facilities summary 1974 --- wind tunnels, shock tubes, ballistic ranges, flight simulators, research aircraft, and computers [NASA-TN-X-69411] p0192 A74-15939

SHOCK TUNNELS

Developing a technology base in planetary entry aerothermodynamics p0030 A74-12799

SHOCK WAVE ATTENUATION

An experimental study of attenuation of shock waves in aircraft fuel tanks [AD-769930] p0198 A74-16750

SHOCK WAVE CONTROL

A method of obtaining transonic shock-free flow around lifting aerofoils p0205 A74-24061

Transonic shock-free aerofoil design by an analytic hodograph method [AIAA PAPER 74-539] p0339 A74-33136

SHOCK WAVE GENERATORS

NT SHOCK TUBES

NT SHOCK TUNNELS

SHOCK WAVE INTERACTION

Experimental study of shock-wave reflection upon boundary layer transition [ONERA, TP NO. 1284] p0006 A74-11072

A direct method for computing the steady flow at Mach number one past a given wing airfoil p0118 A74-16963

Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions p0173 A74-19777

Example of aerodynamic instability under supercritical conditions about profiles p0223 A74-25319

Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29459

Three-dimensional wave interactions in supersonic intakes p0436 A74-39980

Mixed compression air intakes for operation at Mach 2.2 p0437 A74-39981

Two-dimensional wind tunnel tests on a conventional wing section over a wide range of Reynolds numbers and up to high subsonic free-stream speeds [ICAS PAPER 74-04] p0447 A74-41306

Strong and weak shock waves. Experiments and calculations [ISL-NB-1/73] p0067 A74-11718

Off-center-line shock interference heating patterns on basic shapes in hypersonic flows [NASA-TN-X-2866] p0098 A74-12091

SHOCK WAVE PROFILES

Supersonic flow past sharp- and blunt-nosed conical bodies at angles of attack from 0 to 45 deg [DGLR PAPER 73-080] p0120 A74-17186

Calculation of supersonic flow past conical bodies p0174 A74-19935

Shock wave shape associated with a nonsymmetric hypersonic flow around a circular cone p0222 A74-24393

Holographic studies of shock waves within transonic fan rotors [ASME PAPER 74-GT-46] p0272 A74-27439

A concept for designing transonic blade cascades p0431 A74-38930

SHOCK WAVE PROPAGATION

Experimental investigation of sonic boom propagation through variable flow fields p0115 A74-16385

Sonic boom of supersonic aircraft p0343 A74-34208

Sonic boom research at UTIAS p0483 A74-46239

Calculation of the geometrical propagation of the sonic boom along the flight path on the ground under real atmospheric conditions with wind --- examining longitudinal focalization and extinction points [ISL-37/72] p0298 A74-20673

SHOCK WAVES

NT DETONATION WAVES

NT NORMAL SHOCK WAVES

SUBJECT INDEX

SHORT TAKEOFF AIRCRAFT

NT OBLIQUE SHOCK WAVES

NT SONIC BOOMS

Waves in an elastic medium generated by a point source moving in an overlying fluid medium
p0085 A74-14928

A relaxation method for calculating transonic flows with detached bow shocks
p0119 A74-16970

Transonic flow around symmetric aerofoils at zero incidence
p0204 A74-23331

Separation of a shock wave from the edge of a V-shaped backswept wing
p0384 A74-36513

Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order P-function
[NASA-CR-2340]
p0038 A74-10031

Reaction modes occurring at detonation of explosive gas mixture due to detached shock front from a blunt mockup at supersonic speeds
[ISL-28/72]
p0067 A74-11740

Hypersonic aerodynamic characteristics of a family of power-law, wing body configurations
[NASA-TN-D-7427]
p0102 A74-12705

Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability --- dynamic loading of fuel tanks impacted by bullets and projectiles
[AD-772744]
p0254 A74-18719

A numerical study of the effects of aircraft maneuvers on the focusing of sonic booms
[AD-775095]
p0326 A74-21664

Numerical studies of hypersonic delta wings with detached shock waves
[ARC-CP-1277]
p0412 A74-28487

Adaptation of drag-rise charts in T. D. memor. 71019 to the mid-semi-span portion of swept and tapered planforms
[ESDU-72027]
p0492 A74-34447

SHORT AND HARBAND AIRCRAFT

NT SC-1 AIRCRAFT

SHORT HAUL AIRCRAFT

Prospects for aerospace research
p0007 A74-11098

HS.146 --- short haul passenger aircraft
p0013 A74-11329

QTOL-Europlane --- Quiet Takeoff and Landing for short distances
p0077 A74-14361

Analysis of passenger acceptance of commercial flights having characteristics similar to STOL
p0085 A74-15046

F28 - Development of the Mk 5000/6000. II - Development of the family
p0086 A74-15152

QTOL and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations
p0089 A74-15862

The HS.146 - A four-jet feeder-liner
p0184 A74-21727

Technical aspects of the VFW 614 --- short range short takeoff aircraft design and performance
p0225 A74-24895

A perspective on short-haul STOL
[SAE PAPER 740503]
p0349 A74-34975

Amphibian STOL and its facilities
[SAE PAPER 740488]
p0350 A74-34993

Design and development of Montreal and Ottawa STOLports
[SAE PAPER 740487]
p0350 A74-34994

VFW 614 airframe
p0375 A74-35357

VFW 614 cockpit
p0375 A74-35358

VFW 614 hydraulics
p0375 A74-35359

VFW 614 de-icing
p0375 A74-35360

VFW 614 oxygen system
p0375 A74-35361

VFW 614 surface control system
p0375 A74-35362

VFW 614 electrical system
p0375 A74-35363

VFW 614 avionics --- guidance, communications and radar systems
p0375 A74-35364

VFW 614 powerplant

The development of third level air services in France
p0382 A74-36328

VFW 614, quiet short haul airliner
[AIAA PAPER 74-937]
p0426 A74-38713

Powered lift for longer field lengths and longer missions --- for aircraft
[SAE PAPER 740502]
p0433 A74-39650

Feederliner engine installation - Trends and problems
p0436 A74-39968

Airbus A-300 B --- design and cost effectiveness
p0438 A74-40329

VFW 614 - An appraisal of Germany's new short haul jet
p0438 A74-40511

The HS146 - A new dimension in short-haul profitability
p0456 A74-42725

An economic assessment of STOL aircraft potential including terminal area environmental considerations. Volume 2: Appendices
[NASA-CR-114605]
p0040 A74-10044

Study of quiet turbofan STOL aircraft for short haul transportation
[NASA-CR-2355]
p0096 A74-11835

The future of short-haul air transport within Western Europe
[REPT-SP-73-001]
p0097 A74-11842

Performance characteristics of short haul transport aircraft intended to operate from reduced length runways
[CRANFIELD-AERO-18]
p0140 A74-13716

Study of quiet turbofan STOL aircraft for short-haul transportation. Volume 1: Summary
[NASA-CR-2353]
p0196 A74-16718

Rational calculation of design gust loads in relation to present and proposed airworthiness requirements --- effects of atmospheric turbulence on aerodynamic configuration of short haul aircraft
p0234 A74-17740

Aircraft requirements for low/medium density markets
[NASA-CR-137373]
p0282 A74-19651

Short haul aircraft adaptation to the use of short landing fields
p0290 A74-20411

Integrated propulsion/energy transfer control systems for lift-fan V/STOL aircraft --- reduction of total propulsion system and control system installation requirements
p0291 A74-20416

Effectiveness evaluation of STOL transport operations (phase 2) --- computer simulation program of commercial short haul aircraft operations
[NASA-CR-137481]
p0326 A74-21660

The weight, economic and noise penalties of short haul transport aircraft resulting from the reduction of balanced field length
[CRANFIELD-AERO-24]
p0330 A74-22672

An economic assessment of STOL aircraft potential including terminal area environmental considerations, volume 1
[NASA-CR-2424]
p0406 A74-27497

Conceptual design studies of a V/STOL civil lift fan transport including effect of size and fan pressure ratio
[NASA-CR-2426]
p0406 A74-27498

V/STOL lift fan commercial short haul transports: Continuing conceptual design study
[NASA-CR-2437]
p0467 A74-31495

Performance of a model cascade thrust reverser for short-haul applications
[NASA-TN-X-71614]
p0500 A74-35202

SHORT SC-1 AIRCRAFT

U SC-1 AIRCRAFT

SHORT TAKEOFF AIRCRAFT

NT DHC 5 AIRCRAFT

Influence of noise requirements on STOL propulsion system designs
p0001 A74-10148

Wind tunnel tests of a 20 inch diameter 1.15 pressure ratio fan engine model
[AIAA PAPER 73-1216]
p0009 A74-11245

Air Force STOL tactical aircraft investigation - Evaluation of externally blown flaps

- [SAE PAPER 730914] p0017 A74-11580
STOL tactical aircraft investigation ---
transports configuration sizing and design
[SAE PAPER 730913] p0017 A74-11581
AMST - The approach to the STOL transport of the US
p0021 A74-11776
Highly noise suppressed bypass 6 engine for STOL
application
[AIAA PAPER 73-1031] p0021 A74-11799
Noise design goals for the next generation of
aircraft --- community of STOL aircraft
p0022 A74-11816
A simulation approach for studying the
interactions of noise, patronage, and economic
viability for air transportation systems
[AIAA PAPER 73-1161] p0025 A74-12216
Propulsion requirements for powered-lift aircraft
[AIAA PAPER 73-1214] p0031 A74-12928
Short take-off and landing --- cost penalties and
operational advantages
p0078 A74-14505
Recent advances in aerodynamics for transport
aircraft. I p0080 A74-14521
Some trends in air traffic control p0091 A74-16074
The augmentor wing - Powered-lift STOL a proven
concept p0184 A74-21728
STOL aircraft with blown wings p0209 A74-22785
The automatic approach of helicopters and STOL
airplanes p0210 A74-23398
An approach to the design of integrated life
support systems for two new USAF aircraft
p0211 A74-23532
Boeing freezes AMST prototype design --- Advanced
Medium Stol Transport p0224 A74-24132
Technical aspects of the VFW 614 --- short range
short takeoff aircraft design and performance
p0225 A74-24895
Aerodynamic problems of the short takeoff and
landing aircraft p0226 A74-25062
[ONERA, TP NO. 1247]
Automatic approach of helicopters and STOL aircraft
p0229 A74-25362
B-NAV systems development for a STOL application
--- area navigation for high density interurban
operations p0259 A74-25741
The effect of velocity-dependent pitching moments
on longitudinal stability --- of STOL and VTOL
aircraft p0261 A74-26047
Dynamic stability testing of aircraft - Needs
versus capabilities p0262 A74-26477
Propellers at present and in the future p0270 A74-27297
New German-Swiss aircraft project - Master-Porter
PD-01 p0314 A74-29830
Investigation into and application of the high
velocity circulation control wall jet for high
lift and drag generation on STOL aircraft
[AIAA PAPER 74-502] p0338 A74-33102
Are existing nav aids adequate for commercial STOL
operations in coming STOL environments ---
suggested improvements for existing systems
p0346 A74-34847
A perspective on short-haul STOL
[SAE PAPER 740503] p0349 A74-34975
Sonic inlet technology development and application
to STOL propulsion p0349 A74-34981
[SAE PAPER 740458]
Amphibian STOL and its facilities p0350 A74-34993
[SAE PAPER 740488]
Design and development of Montreal and Ottawa
STOLports p0350 A74-34994
[SAE PAPER 740487]
Propulsion integration for a hybrid
propulsive-lift system p0351 A74-35002
[SAE PAPER 740471]
Nozzle development for the upper surface - Blown
jet flap on the YC-14 airplane p0351 A74-35003
[SAE PAPER 740469]
- Effects of STOL thrust reversers and powered lift
on inlet flow quality p0351 A74-35007
[SAE PAPER 740457]
Investigation of noise from full-scale high bypass
engine and blown flap system p0352 A74-35012
[SAE PAPER 740467]
Steady state decoupling and design of linear
multivariable systems p0380 A74-36115
An experimental investigation of STOL
lateral-directional flying qualities and roll
control power requirements using the variable
stability X-22A aircraft p0385 A74-36592
[AHS PREPRINT 841]
Closed loop analysis of manual flare and landing
--- aircraft maneuvers simulation p0401 A74-37833
[AIAA PAPER 74-834]
Configuration management during transition for a
powered lift STOL aircraft p0401 A74-37834
[AIAA PAPER 74-836]
Costs and benefits of composite material
applications to a civil STOL aircraft p0427 A74-38729
[AIAA PAPER 74-964]
A review of some Air Force STOL aircraft
aerodynamic prediction methods p0429 A74-38748
[AIAA PAPER 74-992]
Flight performance of a circulation controlled STOL
[AIAA PAPER 74-994] p0429 A74-38749
Considerations for STOL landing ground rules
[AIAA PAPER 74-996] p0429 A74-38750
Microwave landing system requirements for STOL
operations p0430 A74-38751
[AIAA PAPER 74-997]
Weight estimates for Quiet/STOL aircraft p0434 A74-39876
[SAE PAPER 1001]
Turbofan of the future p0439 A74-40953
Evaluation of a new jet flap propulsive-lift
system for turbofan-powered STOL transports
[AIAA PAPER 74-993] p0453 A74-41662
Analysis, design and test of thrust reverser and
thrust vectoring systems for STOL transport
aircraft p0456 A74-42849
[AIAA PAPER 73-1218]
Developing STOL operational criteria p0459 A74-43602
A contribution to the determination of a short
takeoff p0485 A74-46710
Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine p0039 A74-10042
[NASA-TN-X-71466]
An economic assessment of STOL aircraft potential
including terminal area environmental
considerations. Volume 2: Appendices p0040 A74-10044
[NASA-CR-114605]
Acoustic characteristics of a large-scale
augmentor wing model at forward speed p0041 A74-10052
[NASA-TN-X-2940]
Investigation of the suction system and
boundary-layer characteristics on a high-lift,
BLC L-19 test aircraft p0042 A74-10063
[AD-766305]
Aerodynamic problems of STOL aircraft p0056 A74-10918
[NASA-TT-F-15182]
Comparison of simulation and flight testing at
automatic STOL landing p0056 A74-10923
[NASA-TT-F-15171]
STOL tactical aircraft investigation. Volume 1:
Configuration definition (medium STOL transport
with vectored thrust/mechanical flaps) p0056 A74-10925
[AD-766637]
STOL tactical aircraft investigation. Volume 2,
part 1: Aerodynamic technology (design
compendium, vectored thrust/mechanical flaps)
[AD-766639] p0057 A74-10926
STOL tactical aircraft investigation. Volume 1:
Configuration definition p0057 A74-10927
[AD-766941]
STOL tactical aircraft investigation. Volume 3:
Performance ground rules and methods. Book 1:
Takeoff and landing ground rules p0057 A74-10928
[AD-766942]
STOL tactical aircraft investigation. Volume 3:
Performance ground rules and methods. Book 2:
Takeoff and landing digital computer program p0058 A74-10936
[AD-766943]

SUBJECT INDEX

SHORT TAKEOFF AIRCRAFT COSTS

- STOL tactical aircraft investigation. Volume 2, part 2: A lifting line analysis method for jet-flapped wings
[AD-766877] p0058 N74-10937
- STOL tactical aircraft investigation. Volume 3: Takeoff and landing performance ground rules for powered lift STOL transport aircraft
[AD-766640] p0058 N74-10938
- STOL tactical aircraft investigation. Volume 5, part 2: Flight control technology: Piloted simulation of a medium STOL transport with vectored thrust mechanical flaps
[AD-766643] p0058 N74-10939
- STOL tactical aircraft investigation. Volume 6: Air cushion landing system study
[AD-766644] p0058 N74-10940
- Preliminary assessment of the microwave landing system requirements for STOL operations
[NASA-TN-X-62310] p0064 N74-11431
- Model studies of crosswind landing-gear configurations for STOL aircraft
p0066 N74-11680
- Noise tests on an externally blown flap with the engine in front of the wing
[NASA-TN-X-2942] p0094 N74-11813
- Study of a control system to alleviate aircraft response to horizontal and vertical gusts --- for short takeoff aircraft with vane-controlled gust-alleviation system
[NASA-TN-D-7278] p0095 N74-11825
- Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration
[NASA-TN-D-7399] p0096 N74-11832
- Study of quiet turbofan STOL aircraft for short haul transportation
[NASA-CR-2355] p0096 N74-11835
- The future of short-haul air transport within Western Europe
[REPT-SP-73-001] p0097 N74-11842
- STOL tactical aircraft investigation. Volume 4: Analysis of wind tunnel data: Vectored thrust/mechanical flaps and internally blown jet flaps --- for transport aircraft configuration
[AD-766641] p0098 N74-11846
- STOL tactical aircraft investigation. Volume 5, part 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps --- for transport aircraft configuration
[AD-766642] p0098 N74-11847
- On the effect of reliability of simulation results on the methodology of flight testing and simulation
[NASA-TT-P-15175] p0098 N74-12015
- Design and fabrication of an aeroelastic flap element for a Short TakeOff and Landing (STOL) aircraft model
[NASA-CR-132339] p0104 N74-12717
- The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps
[NASA-CR-2320] p0140 N74-13718
- Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps
[NASA-TN-X-62320] p0141 N74-13720
- March 1971 wind tunnel tests of the Dorand DH 2011 jet flap motor, volume 2
[NASA-CR-114694] p0141 N74-13723
- STOL tactical aircraft investigation. Volume 2: Design compendium
[AD-767561] p0143 N74-13733
- STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis
[AD-767363] p0143 N74-13734
- STOL tactical aircraft investigation. Volume 5: Flight control technology
[AD-767364] p0143 N74-13735
- STOL tactical aircraft investigation. Volume 6: Air cushion and ground mobility study
[AD-767300] p0143 N74-13736
- STOL tactical aircraft investigation, externally blown flap. Volume 1: Configuration definition. Supplement 1: Aerodynamic trades of flap and roll control system
[AD-767179] p0145 N74-13754
- STOL tactical aircraft investigation, externally blown flap. Volume 3: Performance methods and landing rules
[AD-767180] p0146 N74-13755
- STOL tactical aircraft investigation, externally blown flap. Volume 5, part 1: Control system mechanization trade studies
[AD-767181] p0146 N74-13756
- STOL tactical aircraft investigation, externally blown flap, Volume 5, part 3: Stability and control derivative accuracy requirements and effects of augmentation system design
[AD-767182] p0146 N74-13757
- Fixed-base simulation study of decoupled controls during approach and landing of a STOL transport airplane
[NASA-TN-D-7363] p0187 N74-15703
- Design of a powered elevator control system --- powered elevator system for modified C-8A aircraft for STOL operation
[NASA-CR-114727] p0188 N74-15712
- Study of quiet turbofan STOL aircraft for short-haul transportation. Volume 1: Summary
[NASA-CR-2353] p0196 N74-16718
- Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps
[NASA-CR-2358] p0196 N74-16719
- STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium
[AD-770110] p0199 N74-16751
- STOL tactical aircraft investigation-externally blown flap. Volume 5: Flight control technology. Part 2: Simulation studies/flight control system validation
[AD-770449] p0199 N74-16752
- STOL tactical aircraft investigation-externally blown flap. Volume 6: Air cushion landing system trade study
[AD-770448] p0199 N74-16753
- X-22A fixed-base ground simulator facility
[AD-769942] p0200 N74-16997
- The effect of gusts and wind shear for automatic STOL approach and landing --- simulation and flight test of flight control system for short takeoff aircraft
p0233 N74-17730
- Data requirements on turbulence in the earth's atmospheric shear layer for STOL design criteria --- development of low altitude gust model for determining importance of gust parameters on STOL aircraft performance
p0234 N74-17737
- Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration
[NASA-CR-114621] p0235 N74-17751
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 1: Static testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 2: Small-scale development testing of augmentor wing critical ducting components
[NASA-CR-114623] p0236 N74-17753
- Computed lateral power spectral density response of conventional and STOL airplanes to random atmospheric turbulence
[NASA-TN-D-7444] p0237 N74-17759
- Impact resistance of current design composite fan blades tested under short-haul operating conditions
[NASA-CR-134533] p0247 N74-18672
- Some observations on manoeuvre stability and longitudinal control
[ARC-R/M-3730] p0250 N74-18690
- STOL tactical aircraft investigation: Externally blown flap. Volume 1: Configuration definition
[AD-772738] p0251 N74-18697
- STOL tactical aircraft investigation-externally blown flap. Volume 4: Analysis of wind tunnel data
[AD-772774] p0251 N74-18704
- Potential flow studies of lift-fan inflow interference phenomena --- numerical analysis of potential flows associated with inlet ducts
[AD-773194] p0255 N74-18949

- A theoretical method for calculating the aerodynamic characteristics of arbitrary jet-flapped wings. Volume 1: The elementary vortex distribution jet-wing lifting surface theory
[AD-773939] p0281 N74-19646
- Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flap
[NASA-TN-D-7526] p0283 N74-19663
- A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft
[NASA-TN-D-7497] p0284 N74-19671
- Integrated life support system: Design study medium STOL transport
[AD-773589] p0285 N74-19683
- Research on free and impinging jets for the development of STOL aircraft
[NASA-CR-138031] p0287 N74-19902
- V/STOL propulsion systems --- conference on propulsion system design, configuration, and performance for vertical and short takeoff aircraft
[AGARD-CP-135] p0289 N74-20401
- The motorization of short take-off and landing aircraft
p0289 N74-20405
- Investigation of the relative merits of different power plants for STOL-aircraft with blown flap application --- analysis of design requirements for self-sustained gas supply systems
p0289 N74-20406
- Engine cycle selection for commercial STOL aircraft --- effect of aircraft requirements and operational characteristics on engine parameters
p0290 N74-20408
- Influence of noise requirements on STOL propulsion system designs --- analysis of acoustic properties of short takeoff aircraft
p0291 N74-20422
- The influence of noise requirements on STOL aircraft engine design --- analysis of acceptable noise levels for short takeoff aircraft operating in congested areas
p0291 N74-20423
- Q-fan propulsion for short haul transports --- application of variable thrust fans for aircraft and engine noise reduction
p0291 N74-20424
- The development of an integrated propulsion system for jet STOL flight research --- performance tests of augmentor-wing powered lift concept
p0292 N74-20429
- Acoustic loads on an externally blown flap system due to impingement of a TF-34 jet engine exhaust
[NASA-TN-X-71950] p0295 N74-20651
- An investigation of the trailing vorticity behind a STOL aircraft
[AD-774571] p0299 N74-20677
- An experimental study of the effect of a low speed external flow on a coanda effect flap
[AD-774393] p0300 N74-20684
- An analysis of the longitudinal dynamics of a STOL transport in landing approach
[AD-774434] p0301 N74-20696
- Landing rates for mixed STOL and CTOL traffic
[NASA-TN-D-7666] p0304 N74-21290
- Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap
[NASA-TN-D-7411] p0324 N74-21649
- Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane
[NASA-TN-D-7463] p0326 N74-21658
- Summary of propeller design procedures and data. Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
- A flight investigation of the STOL characteristics of an augmented jet flap STOL research aircraft
[NASA-TN-X-62334] p0329 N74-22637
- Analytical design and simulation evaluation of an approach flight director system for a jet STOL aircraft
[NASA-CR-114697] p0330 N74-22676
- A structural design for an Externally Blown Flap (EBF) medium STOL research aircraft --- development of computer program for structural analysis
- [NASA-CR-112249] p0353 N74-25548
- Flight investigation of the VFR and IFR landing approach characteristics and terminal area airspace requirements for a light STOL airplane
[NASA-TN-X-3008] p0354 N74-25562
- Flight-mechanics problems during landing approach with direct lift control, exemplified by HFB 320 Hansa
[NASA-TT-F-15614] p0355 N74-25566
- Design study of an electronic landing display for STOL aircraft
[NASA-TT-F-15618] p0361 N74-26151
- Ejector blown lift/cruise flap wind tunnel investigation
[AD-777181] p0363 N74-26430
- Flight control problems for steep approaches
[NASA-TT-F-15617] p0406 N74-27493
- An economic assessment of STOL aircraft potential including terminal area environmental considerations, volume 1
[NASA-CR-2424] p0406 N74-27497
- Noise reducing methods for STOL aircraft approach and takeoff
[NASA-TT-F-15612] p0413 N74-28500
- A wind model for an elevated STOL-port configuration
[NASA-CR-2450] p0418 N74-28734
- An analysis of fixed wing-prop rotor interference for folding prop rotor aircraft
[AD-778823] p0441 N74-29371
- Brake control system modification, augmentor wing Jet STOL Research Airplane (AWJSRA)
[NASA-CR-137530] p0441 N74-29374
- A STOL terminal area navigation system
[NASA-TN-X-62348] p0444 N74-30095
- Effects of aircraft design on STOL ride quality: A simulator study
[NASA-CR-140059] p0473 N74-32443
- A flight investigation of a terminal area navigation and guidance concept for STOL aircraft.
[NASA-TN-X-62375] p0474 N74-33114
- A flight investigation with a STOL airplane flying curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 N74-33452
- Static noise tests on augmentor wing jet STOL research aircraft (C8A Buffalo)
[NASA-CR-137520] p0489 N74-33455
- Test of acoustic tone source and propulsion performance of C8A Buffalo suppressor nozzle
[NASA-CR-137521] p0489 N74-33456
- Subsonic wind tunnel investigation of the high lift capability of a circulation control wing on a 1/5-scale T-2C aircraft model
[AD-781856] p0491 N74-33466
- Wind-tunnel investigation of an externally blown flap STOL transport model including and investigation of wall effects
[NASA-TN-X-3009] p0493 N74-34462
- Parameter estimation of powered-lift STOL aircraft characteristics including turbulence and ground effects
[NASA-TN-X-62382] p0493 N74-34466
- Flight-path and airspeed control during landing approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 N74-34481
- SHORT WAVE RADIATION**
- NT MILLIMETER WAVES**
- SHROUDED PROPELLERS**
- Improvement of the downflow conditions behind an integrated shrouded propeller
p0124 A74-17801
- Two surprises for the Hanover exposition: Thrust gondola SG 85, Panliner - Porsche of the air
p0279 A74-28351
- V/STOL flying qualities research using the X-22A
p0320 A74-30825
- SHUNTS**
- U BYPASSES**
- U CIRCUITS**
- SHUTDOWNS**
- Thermal loads on the turbine disk after turning off a turbojet engine
p0335 A74-31893
- SHUTTLE ORBITERS**
- U SPACE SHUTTLE ORBITERS**
- SI**
- U INTERNATIONAL SYSTEM OF UNITS**
- SIDE-LOOKING RADAR**
- NT RADAR IMAGERY**

SUBJECT INDEX

SIMILARITY THEOREM

SIDELOBE REDUCTION

- A discrete address beacon system --- digital surveillance radar for ATC p0221 A74-23785
- Adaptive arrays --- radar receiving antennas for sidelobe reduction and adaptive filtering p0316 A74-30319
- Evaluation of lateral displacement of SLS antennas --- SideLobe Suppression p0382 A74-36427

SIDESLIP

- An oscillatory method for the flight calibration of sideslip and incidence sensors p0077 A74-14263
- Note on the aerodynamic theory of oscillating T-tails. I - Theory of wings oscillating in yaw and sideslip p0088 A74-15747
- Determination of stability derivatives of isolated rigid tail assemblies in sideslip and steady roll [AIAA PAPER 74-1038] p0455 A74-42051

SIERRA NEVADA MOUNTAINS (CA)

- Adaptation of computer programming to output form of altimeter data --- Sierra Nevada and Grand Canyon regions [E74-10087] p0062 N74-11198

SIGHT

U VISUAL PERCEPTION

SIGNAL ANALYSIS

- An analysis of vibration diagnostics for helicopter power trains p0432 A74-39198
- Acoustic-emission detection system p0478 A74-44928
- Vibration signal analysis techniques --- for detecting condition of gears and bearings in helicopter power train [AD-776397] p0359 N74-25604

SIGNAL DISTORTION

- The reduction of garbling in secondary surveillance radar p0170 A74-19391
- The effects of ionospheric scintillation on satellite communications p0259 A74-25670
- Influence of the intrinsic motion of the conveyance on the frequency selection system p0261 A74-26326

SIGNAL ENCODING

- High integrity ATC data links p0170 A74-19392

SIGNAL FADEOUT

U SIGNAL FADING

SIGNAL FADING

- Aircraft velocity measurement through radar-altimeter echo: A theoretical investigation [SLA-73-669] p0147 N74-14119
- Further studies on speech intelligibility with frequency-modulation communication systems under fading conditions --- helicopter-satellite link [BEPT-5-73] p0200 N74-16903
- Further measurements on satellite-link fading at low altitudes above irregular terrain --- helicopter flight experiments [BEPT-4/73] p0240 N74-17893

SIGNAL MEASUREMENT

- Dynamic measurement of avionic antennas --- by ground radar tracks evaluations p0469 N74-31702

SIGNAL PROCESSING

- Use of synthetic radar information - Operational and technical aspects p0028 A74-12403
- New concepts in AMTI radar - Nulling effects of Doppler filter/multi-element horn array p0121 A74-17252
- Component performance and systems applications of surface acoustic wave devices; Proceedings of the International Specialist Seminar, Aviemore, Scotland, September 25-28, 1973 p0170 A74-19376
- Modularized instrument system for turbojet engine test facilities p0277 A74-28296
- Naval Air Test Center adopts real-time telemetry processing p0478 A74-44729

SIGNAL REFLECTION

- Equipment for suppressing reflected secondary

radar signals --- ATC surveillance radar system design

p0028 A74-12359

SIGNAL TO NOISE RATIOS

- The effects of relative source strength and signal-to-noise ratio on angular resolution of antennas p0373 A74-35132
- Signal-to-noise ratio in the inspection penetrant process p0459 A74-43457

SIGNAL TRANSMISSION

- NT DATA TRANSMISSION
- NT MICROWAVE TRANSMISSION
- NT PCM TELEMETRY
- NT RADIO TELEMETRY
- NT SATELLITE TRANSMISSION
- NT TELEMETRY
- NT TELEVISION TRANSMISSION
- Acquisition signal design for satellite-aircraft communications [AIAA PAPER 74-437] p0275 A74-27807
- Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques [AD-783269] p0498 N74-34550

SIGNS AND SYMPTOMS

NT VERTIGO

SIKORSKY AIRCRAFT

- NT CH-3 HELICOPTER
- NT CH-54 HELICOPTER
- NT H-53 HELICOPTER
- NT H-56 HELICOPTER
- NT S-58 HELICOPTER
- NT S-61 HELICOPTER
- NT S-67 HELICOPTER
- NT SH-3 HELICOPTER
- SIKORSKY HSS-2 HELICOPTER
- U SH-3 HELICOPTER
- SIKORSKY S-58 HELICOPTER
- U S-58 HELICOPTER
- SIKORSKY S-61 HELICOPTER
- U S-61 HELICOPTER
- SIKORSKY S-64 HELICOPTER
- U CH-54 HELICOPTER
- SIKORSKY S-65 HELICOPTER
- U H-53 HELICOPTER
- SIKORSKY S-67 HELICOPTER
- U S-67 HELICOPTER

SILENCERS

- Simulation studies of an airport noise silencer p0184 A74-21641
- Aircraft noise and sound suppression --- for propeller driven aircraft p0224 A74-24671
- Noise silencers at military test stands --- for jet engines p0227 A74-25322
- Jet aircraft ground run-up noise suppressors p0313 A74-29775

SILICON CARBIDES

- Advanced ceramic seal program, phase 1 [AD-781004] p0492 N74-34076

SILICON COMPOUNDS

NT SILICON CARBIDES

NT SILICON NITRIDES

SILICON NITRIDES

- Advanced ceramic seal program, phase 1 [AD-781004] p0492 N74-34076

SILICON POLYMERS

NT SILICONE RESINS

NT SILICONES

SILICON SOLAR CELLS

U SOLAR CELLS

SILICONE RESINS

- Specifications for composites - Phenolic and silicone resins p0313 A74-29787

SILICONE RUBBER

- Ice and landing surface demoulding: Replica fabrication [PPA-MEMO-90] p0047 N74-10541

SILICONES

- Improved silicone fluids as candidate gas turbine engine oils for minus 40 F to 465 F temperature range [AD-767898] p0148 N74-14246

SIMILARITY THEOREM

- A similarity parameter for scaling dynamic inlet

SIMILITUDE LAW

SUBJECT INDEX

- distortion
[ASME PAPER 73-WA/AERO-3] p0071 A74-13245
An attempt at describing the steady-state
performance characteristic of a turbojet engine
by a formulated relationship p0184 A74-21784
Interest and feasibility study of atmospheric
turbulence and thermal gradients simulation ---
application to air pollution and meteorology p0064 A74-11380
Use of the method of variation of similarity
constants in designing aircraft over the long term
[JPRS-61923] p0298 A74-20670
- SIMILITUDE LAW**
Hypersonic flow past a lifting wing p0312 A74-29437
- SIMULATION**
NT ACOUSTIC SIMULATION
NT ALTITUDE SIMULATION
NT ANALOG SIMULATION
NT COMPUTERIZED SIMULATION
NT CONTROL SIMULATION
NT DIGITAL SIMULATION
NT ENVIRONMENT SIMULATION
NT EXHAUST FLOW SIMULATION
NT FLIGHT SIMULATION
NT LANDING SIMULATION
NT SPACE ENVIRONMENT SIMULATION
NT THERMAL SIMULATION
SIMULATOR TRAINING
U TRAINING SIMULATORS
SIMULATORS
NT CONTROL SIMULATION
NT FLIGHT SIMULATORS
NT MOTION SIMULATORS
NT SHOCK SIMULATORS
NT TRAINING SIMULATORS
NT VIBRATION SIMULATORS
A roll-pitch interaction simulator and a control
position command encoder for remote piloting of
spin-entry research models p0059 A74-11059
Cruise performance of an isolated 1.15 pressure
ratio turbofan propulsion system simulator at
Mach numbers from 0.6 to 0.85 p0411 A74-28241
[NASA-TN-X-3064]
- SINGULARITY (MATHEMATICS)**
Development of a method of
discretized-distribution singularities for the
study of compressible and incompressible flows p0119 A74-16968
Optimization of lift and propulsion systems by the
method of singularities p0480 A74-45203
- SITES**
NT LANDING SITES
SIZE DETERMINATION
STOL tactical aircraft investigation ---
transports configuration sizing and design
[SAE PAPER 730913] p0017 A74-11581
Particle sampling and size analysis in the
ejection zone of the Olympus jet engine at
ground level p0122 A74-17306
- SKIDDING**
Evaluation of runway skid-resistance
characteristics at Minot Air Force Base, North
Dakota p0328 A74-21904
[AD-773403]
- SKIN (STRUCTURAL MEMBER)**
A sailplane wing constructed of foam core and
polyester fiberglass skin p0130 A74-18665
[AIAA PAPER 74-258]
Differentiation of corrosion damage by the
severity of its effects upon the resistance to
fatigue and corrosion-fatigue disintegration of
aircraft skin elements p0456 A74-42792
The application of fracture mechanics in the
development of the DC-10 fuselage --- analysis
of the degree of damage tolerance of fuselage
pressure shell p0332 A74-23428
Additional studies, variable camber wing, phase 1
[AD-779041] p0443 A74-29396
Investigation of the reactions of skin panels in
relation to duration of acoustical loading p0443 A74-29800
- EMP-induced skin currents on aircraft
[UCRL-75426] p0492 A74-33750
- SKIN FRICTION**
NT AERODYNAMIC DRAG
Unsteady flow of power-law fluids p0004 A74-10573
A simple integral method for the calculation of
thick axisymmetric turbulent boundary layers p0279 A74-28423
The mean skin friction coefficient for a rough
flat plate with a turbulent two-dimensional
boundary layer in compressible adiabatic flow,
with application to wedges, cylinders and cones
[ESDU-73016] p0035 A74-10008
Review of drag measurements from flight tests of
manned aircraft with comparisons to wind-tunnel
predictions p0158 A74-14735
The flow over a porous body: A singular
perturbation problem with two parameters ---
development of method for predicting skin
friction and heat transfer characteristics of
aircraft surfaces [AD-775072] p0324 A74-21644
- SKIS**
Flight test of the ski equipped Mohawk p0184 A74-21820
- SKYCRANE HELICOPTER**
U CH-54 HELICOPTER
SKYHAWK AIRCRAFT
U A-4 AIRCRAFT
SLENDER BODIES
Prediction of unsteady airloads for the solution
of the panel flutter problem of nosecones and
conical shell structures p0031 A74-12804
Nonuniqueness of the solution to the problem of
viscous interaction on an axisymmetric body ---
hypersonic boundary layer equations p0070 A74-13179
Aerodynamic forces and moments on a slender body
with a jet plume for angles of attack up to 180
degrees p0133 A74-18776
[AIAA PAPER 74-110]
Uniform asymptotic solutions for the
two-dimensional potential field about a slender
body p0392 A74-37268
Research on the sonic boom problem. Part 2: Flow
field measurement in wind tunnel and calculation
of second order F-function p0038 A74-10031
[NASA-CR-2340]
Transonic flow around slender bodies --- transonic
flow around slender and fin stabilized bodies of
revolution p0046 A74-10440
Supersonic and transonic wind tunnel tests on a
slender ogive-cylinder body single and in
combination with cruciform wings and tails of
different sizes p0231 A74-17704
[FFA-AU-772]
Supersonic and transonic wind tunnel tests on
slender ogive-cylinder body single and in
combination with cruciform wings and tails of
different sizes p0231 A74-17705
[FFA-AU-772-SUPPL]
- SLENDER WINGS**
NT INFINITE SPAN WINGS
The aerodynamic characteristics of some variable
geometry wing forms, derived from delta wings,
gothic and mild-ogee wings p0088 A74-15810
A vortex entrainment model applied to slender
delta wings p0119 A74-17029
Numerical investigation of vortex sheets issuing
from a separation line near the leading edge p0128 A74-18289
A sailplane wing constructed of foam core and
polyester fiberglass skin p0130 A74-18665
[AIAA PAPER 74-258]
Optimal aeroelastic design of an oblique wing
structure p0277 A74-28173
[AIAA PAPER 74-349]
Slender delta wing with conical camber p0317 A74-30398
A contribution to the nonlinear lift and pitching
moment properties of slender wing-body
combinations

SUBJECT INDEX

SOLID STATE DEVICES

- High attitude delta wing unsteady aerodynamics
[AIAA PAPER 74-817] p0373 A74-35098
- Recent contributions to the solution of nonlinear aerodynamic interference problems
[ICAS PAPER 74-26] p0400 A74-37824
- The determination of ice deposition on slender wings in experimental technique and simplified theory
[ICAS PAPER 74-41] p0449 A74-41328
- Investigations on rolling damping of slender wings
[NASA-TT-F-15729] p0450 A74-41342
- Aerodynamic characteristics of three slender sharp-edge 74 degrees swept wings at subsonic, transonic, and supersonic Mach numbers
[NASA-TN-D-7631] p0362 A74-26423
- p0463 A74-31416
- SLICKS**
U OIL SLICKS
- SLIDING CONTACT**
A thermal, thermoelastic, and wear simulation of a high-energy sliding contact problem
[ASME PAPER 73-LUB-6] p027 A74-12333
- SLIDING FRICTION**
The friction and wear characteristics of plasma-sprayed NiO-CaF₂ in rubbing contact with a ceramic matrix
[ASLE PREPRINT 73LC-1B-3] p027 A74-12306
- SLIPSTREAMS**
NT PROPELLER SLIPSTREAMS
- SLOPES**
NT GLIDE PATHS
- SLOSHING**
U LIQUID SLOSHING
- SLOTS**
NT WING SLOTS
Aerodynamic comparison of two double-slotted rudders
[AD-774432] p0294 A74-20644
- SMALL PERTURBATION FLOW**
Relaxation methods for transonic flow about wing-cylinder combinations and lifting swept wings
p0118 A74-16951
- Transonic flow about lifting wing-body combinations
[AIAA PAPER 74-185] p0133 A74-18812
- On calculation of induced drag and conditions downstream of a lifting wing
p0275 A74-27846
- An inviscid analysis of transonic, slatted airfoils
[AIAA PAPER 74-541] p0339 A74-33137
- SHELL**
U OLFACTORY PERCEPTION
- SMOKE ABATEMENT**
Advanced technology for reducing aircraft engine pollution
[ASME PAPER 73-WA/AERO-2] p0071 A74-13244
- Status of state air emission regulations affecting gas turbines
[ASME PAPER 73-WA/GT-8] p0072 A74-13299
- Development of a reduced smoke combustor for the JT3D engine
[SAE PAPER 740484] p0350 A74-34995
- Development of pollution controls for Rolls-Royce RB 211 and Olympus 593 engines
[SAE PAPER 740483] p0351 A74-34996
- SMOOTHING**
NT DATA SMOOTHING
- SHAKING**
U LATERAL OSCILLATION
- SOAPS**
Lithium soap dispersions as drag-reducing hydraulic fluids
[ASLE PREPRINT 73LC-5B-2] p0027 A74-12316
- SOCIAL FACTORS**
Noise design goals for the next generation of aircraft --- community of STOL aircraft
p0022 A74-11816
- A simulation approach for studying the interactions of noise, patronage, and economic viability for air transportation systems
[AIAA PAPER 73-1161] p0025 A74-12216
- Noise - The social impact --- airport operations
p0080 A74-14514
- Economic consequences of airport development
p0080 A74-14515
- Aviation needs and public concerns --- civil aviation growth in Europe and environmental control
p0159 A74-14749
- SODIUM**
Air and fuel monitoring for gas turbines
p0081 A74-14565
- SODIUM COMPOUNDS**
Sodium sulphate induced rapid oxidation of a chromium-titanium-silicon coating on niobium alloy B-66
p0015 A74-11459
- Hot corrosion of metals, alloys and ceramics
[AD-769340] p0191 A74-15829
- SOFT LANDING SPACECRAFT**
NT AEROSPACEPLANES
- SOFTWARE (COMPUTERS)**
U COMPUTER PROGRAMS
U COMPUTER SYSTEMS PROGRAMS
- SOIL MECHANICS**
Effects of strain amplitude on the shear modulus of soils
[AD-757516] p0046 A74-10404
- Prediction of aircraft ground performance by evaluation of ground vehicle rut depths
[AD-775744] p0330 A74-22689
- SOIL MOISTURE**
Ground contamination by fuel jettisoned from aircraft
p0149 A74-14283
- SOLAR CELLS**
The feasibility of an aircraft propelled by solar energy
[AIAA PAPER 74-1042] p0456 A74-42055
- SOLAR CORONA**
Eclipse flight of Concorde 001 --- 30 June 1973
p0030 A74-12515
- Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region
[LA-UR-73-1304] p0293 A74-20527
- SOLAR ECLIPSES**
Eclipse flight of Concorde 001 --- 30 June 1973
p0030 A74-12515
- Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region
[LA-UR-73-1304] p0293 A74-20527
- SOLAR ENERGY**
The feasibility of an aircraft propelled by solar energy
[AIAA PAPER 74-1042] p0456 A74-42055
- SOLAR GENERATORS**
NT SOLAR CELLS
- SOLAR NEBULA**
U SOLAR CORONA
- SOLID LUBRICANTS**
The friction and wear characteristics of plasma-sprayed NiO-CaF₂ in rubbing contact with a ceramic matrix
[ASLE PREPRINT 73LC-1B-3] p0027 A74-12306
- SOLID PROPELLANTS**
NT CASE BONDED PROPELLANTS
NT PLASTIC PROPELLANTS
- Mixing and combustion processes in jet engines --- physics of interaction of droplets or solid particles with gas stream
[AD-766030] p0051 A74-10741
- SOLID ROTATION**
U ROTATING BODIES
- SOLID STATE DEVICES**
NT JUNCTION DIODES
NT PHOTOTRANSISTORS
NT SEMICONDUCTOR DEVICES
- Power conditioning system for FAA Air Route Traffic Control Centers
p0077 A74-14133
- Solid state vertical scale instruments --- for aircraft light emitting diode displays
p0267 A74-26965
- Solid-state power controllers for B-1 flight test
p0425 A74-38575
- Survey of solid state reflective/transmissive display media
[AD-767644] p0109 A74-12938
- The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices
- SOCIOLOGY**
NT SOCIAL FACTORS

SOLID SURFACES

SUBJECT INDEX

- [AD-768199] p0146 B74-13903
- SOLID SURFACES**
- Unified approach to aerodynamic sound generation in the presence of solid boundaries p0452 A74-41411
- SOLIDS FLOW**
- Erosion prediction in turbomachinery due to environmental solid particles [AIAA PAPER 74-16] p0132 A74-18732
- SOLUTIONS**
- BT DETONABLE GAS MIXTURES**
- SONAR**
- The effect of interfering signals on the performance of angle of arrival estimates p0174 A74-19908
- SONIC BOOMS**
- The experimental response of simple structures to simulated sonic booms p0021 A74-11814
- Sonic boom analysis for high altitude flight at high Mach number [AIAA PAPER 73-1034] p0026 A74-12224
- Shuttle sonic boom - Technology and predictions --- environmental impact [AIAA PAPER 73-1039] p0026 A74-12225
- Recent developments in sonic-boom simulation using shock tubes p0115 A74-16384
- Experimental investigation of sonic boom propagation through variable flow fields p0115 A74-16385
- Aircraft acoustics --- Russian book on noise sources and abatement methods p0225 A74-24998
- A solid-state converter for measurement of aircraft noise and sonic boom p0261 A74-26345
- Sonic boom of supersonic aircraft p0343 A74-34208
- Sonic boom from an aircraft flying in a quiet atmosphere p0392 A74-37376
- Sonic boom research at UTIAS p0483 A74-46239
- Aircraft design for flight below the sonic boom speed limit p0483 A74-46240
- Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order F-function [NASA-CR-2340] p0038 B74-10031
- Studies of the effects of sonic boom on birds [FAA-BD-73-148] p0039 B74-10039
- Damage threshold determination of light walls submitted to single or repeated bangs, part 1 [ISL-35/72-PT-1] p0053 B74-10846
- Strong and weak shock waves. Experiments and calculations [ISL-NB-1/73] p0067 B74-11718
- A study to determine the feasibility of a low sonic boom supersonic transport [NASA-CR-2332] p0188 B74-15713
- An experimental study of the validity of the heat-field concept for sonic-boom alleviation [NASA-CR-2381] p0245 B74-18648
- Vibration amplitudes produced in St. David's Cathedral by Concorde sonic bangs [ARC-R/M-3736] p0257 B74-19565
- Calculation of the geometrical propagation of the sonic boom along the flight path on the ground under real atmospheric conditions with wind --- examining longitudinal focalization and extinction points [ISL-37/72] p0298 B74-20673
- A numerical study of the effects of aircraft manoeuvres on the focusing of sonic booms [AD-775095] p0326 B74-21664
- Noise mechanisms --- AGARD conference on propagation and reduction of jet noise [AGARD-CP-131] p0329 B74-22640
- Wind tunnel test of low boom equivalent body at Mach 4 [NASA-TN-X-72013] p0488 B74-33438
- SONIC SPEED**
- U ACOUSTIC VELOCITY**
- SONOGRAMS**
- Use of conventional equipment to measure the effective perceived noise level of aircraft p0411 B74-28399
- SOOT**
- Jet engine soot emission measured at altitude p0317 A74-30397
- SORBEENTS**
- BT ABSORBENTS**
- SORPTION**
- BT ADSORPTION**
- SORTIE CAN**
- U SPACELAB**
- SORTIE LAB**
- U SPACELAB**
- SOUND**
- U ACOUSTICS**
- SOUND ABSORPTION**
- U SOUND TRANSMISSION**
- SOUND BARRIER**
- U ACOUSTIC VELOCITY**
- SOUND FIELDS**
- On the theory of jet noise and its applications --- Lighthill theory [AIAA PAPER 73-987] p0026 A74-12218
- Application of finite difference techniques to noise propagation in jet engine ducts [ASME PAPER 73-WA/GT-10] p0072 A74-13301
- Diffraction of evanescent waves, with applications to aerodynamically scattered sound and radiation from un baffled plates p0204 A74-23104
- Exhaust noise field generated in the JT8D core engine - noise floor presented by the internal noise sources p0221 A74-23105
- The acoustic far-field of rigid bodies in arbitrary motion p0224 A74-24375
- Forward velocity effects on jet noise with dominant internal noise source p0314 A74-30077
- A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153
- The jet density exponent issue for the noise of heated subsonic jets p0422 A74-38393
- Analysis of acoustic radiation in a jet flow environment p0461 A74-44314
- Unsteady lift and radiated sound from a wake cutting airfoil p0477 A74-44405
- V/STOL noise prediction and reduction [LG73ER0062] p0056 B74-10921
- SOUND GENERATORS**
- Concerning the performance data of a reverberation chamber --- test facility for determining physiological effects of aircraft noise [NASA-TT-F-15371] p0240 B74-17958
- SOUND INTENSITY**
- Introduction to aerodynamic noise theory p0025 A74-12207
- High intensity sound in a lined duct p0336 A74-32593
- SOUND MEASUREMENT**
- U ACOUSTIC MEASUREMENTS**
- SOUND PERCEPTION**
- U AUDITORY PERCEPTION**
- SOUND PRESSURE**
- Flyover noise prediction from static data --- extrapolation from engine ground tests p0316 A74-30100
- Nonlinear generation of secondary waves in fluids p0344 A74-34352
- SOUND PROPAGATION**
- Model study of the propagation of sound from V/STOL aircraft into urban environs p0315 A74-30093
- Unified approach to aerodynamic sound generation in the presence of solid boundaries p0452 A74-41411
- Concerning the performance data of a reverberation chamber --- test facility for determining physiological effects of aircraft noise [NASA-TT-F-15371] p0240 B74-17958
- Near field and far field sound radiation from Do 31 V/STOL jet transport and possibilities for noise abatement in future V/STOL development [NASA-TT-F-15534] p0324 B74-21650
- SOUND TRANSDUCERS**
- BT ELECTROACOUSTIC TRANSDUCERS**

SUBJECT INDEX

SPACECRAFT MODELS

- NT MICROPHONES
- SOUND TRANSMISSION
 - Transmission of sound through a two-dimensional shielding jet [AIAA PAPER 73-1002] p0026 A74-12221
 - The design of sound absorptive materials to meet special requirements p0315 A74-30091
 - High intensity sound in a lined duct p0336 A74-32593
 - An experimental investigation of an acoustic method for measuring gas mass flow [AD-766419] p0046 N74-10340
- SOUND VELOCITY
 - U ACOUSTIC VELOCITY
- SOUND WAVES
 - NT AERODYNAMIC NOISE
 - NT AIRCRAFT NOISE
 - NT ENGINE NOISE
 - NT JET AIRCRAFT NOISE
 - NT NOISE (SOUND)
 - NT SONIC BOOMS
 - Component performance and systems applications of surface acoustic wave devices; Proceedings of the International Specialist Seminar, Aviemore, Scotland, September 25-28, 1973 p0170 A74-19376
 - Applications of surface wave devices --- in radar, ATC and communications p0170 A74-19388
 - Problems in civil air traffic control which SAW technology may impact --- Surface Acoustic Wave devices p0170 A74-19390
- SOUNDING
 - NT BALLOON SOUNDING
 - NT IONOSPHERIC SOUNDING
- SOVIET UNION
 - U U.S.S.R.
- SPACE CAPSULES
 - NT ESCAPE CAPSULES
- SPACE COMMUNICATION
 - NT SPACECRAFT COMMUNICATION
 - Engineering aspects with satellite communication terminals in aircraft [REPT-7-72] p0192 N74-15842
- SPACE DIVERSITY
 - U RECEPTION DIVERSITY
- SPACE ENVIRONMENT SIMULATION
 - Study of airborne science experiment management concepts for application to space shuttle. Volume 3: Appendixes [NASA-TN-X-62289] p0053 N74-10783
- SPACE FLIGHT
 - NT SPACECRAFT REENTRY
- SPACE LAW
 - Air and space hi-jacking --- criminal aspects p0031 A74-12878
- SPACE PROBES
 - NT MARS PROBES
- SPACE PROGRAMS
 - NT FRENCH SPACE PROGRAMS
- SPACE RADIATION
 - U EXTRATERRESTRIAL RADIATION
- SPACE SCIENCES
 - U AEROSPACE SCIENCES
- SPACE SHUTTLE ORBITERS
 - Supersonic flow about slab delta wings and wing-body configurations p0070 A74-13152
 - Sonic fatigue failure mechanisms in potential Space Shuttle Orbiter panel designs [AIAA PAPER 74-348] p0270 A74-27267
 - Carrier designs for space shuttle orbiter being refined --- piggyback mode transportation competition between C-5 and Boeing 747 p0311 A74-28791
 - C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry [NASA-CR-134184] p0189 N74-15717
- SPACE SHUTTLES
 - Shuttle sonic boom - Technology and predictions --- environmental impact [AIAA PAPER 73-1039] p0026 A74-12225
 - A cost-effective approach for flight experiments - Application of Airborne Science aircraft experience to the Shuttle Sortie Lab p0031 A74-12829
- Dynamic stability testing of aircraft - Needs versus capabilities p0262 A74-26477
- Some extensions of thin-shock-layer theory p0279 A74-28419
- Heat transfer effects on a delta wing in subsonic flow p0381 A74-36240
- Study of airborne science experiment management concepts for application to space shuttle. Volume 3: Appendixes [NASA-TN-X-62289] p0053 N74-10783
- Computer analysis of aircraft and shuttle antennas [NASA-CR-138605] p0369 N74-26666
- Specified finite series control for three-dimensional, multi-phase, optimal reentry [AD-777266] p0370 N74-27359
- SPACE SYSTEMS ENGINEERING
 - U AEROSPACE ENGINEERING
- SPACE TRANSPORTATION
 - Military and aerospace --- cost effective technology utilization for ATC, NASA programs and defense projects p0126 A74-18050
- SPACE VEHICLE CONTROL
 - U SPACECRAFT CONTROL
- SPACECRAFT ANTENNAS
 - Diffraction by a perfectly conducting rectangular cylinder which is illuminated by an array of line sources [NASA-CR-2405] p0417 N74-28706
 - The dyadic diffraction coefficient for a curved edge [NASA-CR-2401] p0417 N74-28710
- SPACECRAFT COMMUNICATION
 - Acquisition signal design for satellite-aircraft communications [AIAA PAPER 74-437] p0275 A74-27807
 - Satellite communications systems --- multiplexing for communication lines, equipment of earth stations, and onboard receiver transmitter and antennas [JPBS-54505] p0044 N74-10153
 - Further studies on speech intelligibility with frequency-modulation communication systems under fading conditions --- helicopter-satellite link [REPT-5-73] p0200 N74-16903
 - Further measurements on satellite-link fading at low altitudes above irregular terrain --- helicopter flight experiments [REPT-4/73] p0240 N74-17893
 - A linear array of blade antennas as an aircraft antenna for satellite communication p0469 N74-31686
 - A comparison of two L-band aircraft antennas for aeronautical satellite applications --- circularly polarized slot configurations p0469 N74-31688
- SPACECRAFT CONTROL
 - Flight vehicle control systems --- Russian book p0170 A74-19374
 - The atmosphere and flight vehicle motion control --- Russian book p0212 A74-23693
 - Technical optimization --- German book on chemical process, spacecraft and aircraft optimal control p0227 A74-25038
 - Fluidics and its application in aircraft and spacecraft p0484 A74-46688
- SPACECRAFT DESIGN
 - NT SATELLITE DESIGN
 - Sonic fatigue failure mechanisms in potential Space Shuttle Orbiter panel designs [AIAA PAPER 74-348] p0270 A74-27267
 - General principles of designing control systems --- analysis of systems for aircraft, missiles, and spacecraft configurations [NASA-TT-P-782] p0357 N74-25594
 - A comparison on antenna systems covering standard aircraft and balloons p0469 N74-31685
- SPACECRAFT ELECTRONIC EQUIPMENT
 - NT AIRBORNE/SPACEBORNE COMPUTERS
- SPACECRAFT MODELS
 - Photographic pyrometry in an aeroballistic range --- aerodynamic model surface temperature measurement p0030 A74-12752

SPACECRAFT PERFORMANCE

SUBJECT INDEX

SPACECRAFT PERFORMANCE

AEOSAT performance specifications ---
aeronautical satellite for oceanic aircraft
communication p0024 A74-12190

SPACECRAFT POWER SUPPLIES
Gas generator design for a wide variety of APU
applications p0031 A74-12916
[AIAA PAPER 73-1169]

SPACECRAFT PROPULSION
Deutsche Gesellschaft fuer Luft- und Raumfahrt,
Yearbook 1972 --- German book p0225 A74-24892

SPACECRAFT REENTRY
Specified finite series control for
three-dimensional, multi-phase, optimal reentry
[AD-777266] p0370 N74-27359

SPACECRAFT STRUCTURES
Dynamic analysis of a system of hinge-connected
rigid bodies with nonrigid appendages p0085 A74-15003
Structural materials of aeronautics and astronautics p0128 A74-18190
Diffusion welding of structural components for
aeronautics and astronautics p0227 A74-25024
Thick ion-vapor-deposited aluminum coatings for
irregularly shaped aircraft and spacecraft parts p0260 A74-25813
Development of self-contained portable unit for
nondestructive compositional analysis of
aircraft and space systems alloys --- X ray
fluorescence analysis p0110 N74-13265
[AD-767226]
Fatigue of spacecraft structures p0194 N74-16597
[ESEO-CR(P)-322]

SPACECRAFT TRAJECTORIES
Application of parameter optimization methods to
trajectory optimization p0400 A74-37829
[AIAA PAPER 74-825]

SPACELAB
A cost-effective approach for flight experiments -
Application of Airborne Science aircraft
experience to the Shuttle Sortie Lab p0031 A74-12829

SPACING
NT AIRCRAFT APPROACH SPACING

SPARK SHADOWGRAPH PHOTOGRAPHY

U SHADOWGRAPH PHOTOGRAPHY

SPATIAL DISTRIBUTION
Possibility of investigating the spatial
distribution of atmospheric ozone with the aid
of an ozonometer installed in the cockpit of an
aircraft p0311 A74-28847

SPATIAL ISOTROPY

U SPATIAL DISTRIBUTION

SPATIAL ORIENTATION

U ATTITUDE (INCLINATION)

SPECIFICATIONS
NT AIRCRAFT SPECIFICATIONS
NT EQUIPMENT SPECIFICATIONS
Specifications for composites - Phenolic and
silicone resins p0313 A74-29787

SPECTRA
NT CONTINUOUS SPECTRA
NT EMISSION SPECTRA
NT INFRARED SPECTRA
NT NEUTRON SPECTRA
NT NOISE SPECTRA
NT POWER SPECTRA
NT RAMAN SPECTRA
NT ULTRAVIOLET SPECTRA

SPECTRAL ANALYSIS
U SPECTRUM ANALYSIS

SPECTRAL ENERGY DISTRIBUTION
Exploitation of spectral density curves in the
case of wind tunnel flutter measurement p0005 A74-11000

SPECTRAL NOISE
U WHITE NOISE

SPECTRAL REFLECTANCE
Reflection-measuring aircraft instruments. II -
Spectral albedometer p0276 A74-27894

SPECTROMETERS
NT MASS SPECTROMETERS

SPECTROSCOPIC ANALYSIS

NT FLAME SPECTROSCOPY
First results of environmental tests on board
Concorde 001 p0340 A74-33312
Spectroscopic analysis of wear metals based on the
examination of oil from aircraft engines p0303 N74-21080
[ESRO-TT-23]

SPECTROSCOPY
NT ABSORPTION SPECTROSCOPY
NT FLAME SPECTROSCOPY
NT INFRARED SPECTROSCOPY
NT SPECTROSCOPIC ANALYSIS
NT X RAY SPECTROSCOPY

SPECTRUM ANALYSIS
NT FLAME SPECTROSCOPY
Analysis of crack propagation under variable
amplitude loading using the Willenborg
retardation model p0265 A74-26677
[AIAA PAPER 74-369]
Ultraviolet and near-infrared spectral analysis of
a burner-can burn-through flame p0053 N74-10866
[FAA-WA-73-86]
Laboratory for automatic processing of analog
signals p0419 N74-29361

SPEECH
Human factors experiments for data link --- coding
of air traffic control messages p0049 N74-10625
[AD-760401]

SPEECH DISCRIMINATION

U SPEECH RECOGNITION

SPEECH RECOGNITION
Speech intelligibility testing with the modified
rhyme test in aviation type noise p0044 N74-10159
[AD-765470]
Further studies on speech intelligibility with
frequency-modulation communication systems under
fading conditions --- helicopter-satellite link
[REPT-5-73] p0200 N74-16903

SPEED

U VELOCITY

SPEED CONTROL
Problem of adapting an intake to a turbojet engine
for extremely high flight Mach numbers p0122 A74-17272
Aircraft 4-D constant velocity control system p0342 A74-33812
Low speed phaselock speed control system --- for
brushless dc motor p0044 N74-10202
[NASA-CASE-GSC-11127-1]

SPEED INDICATORS

NT ANEMOMETERS

NT HOT-WIRE ANEMOMETERS
Effect of differences between the antennas of a
Doppler velocity meter on its operational accuracy p0023 A74-11994
Correlational ground speed meters and drift
indicators of flight vehicles --- Russian book p0180 A74-20900
Flight evaluation of four low airspeed indicating
systems p0345 A74-34839

SPEED REGULATION

U SPEED CONTROL

SPEED REGULATORS
Pneumomechanical critical speed control for gas
turbine engine shafts p0256 N74-19407
[AD-772823]

SPEEDOMETERS

U SPEED INDICATORS

SPIKE ANTENNAS

U MONOPOLE ANTENNAS

SPIKES (AERODYNAMIC CONFIGURATIONS)
The influence of a deflected central spike on the
aerodynamic coefficients of a rotationally
symmetric hypersonic body p0103 N74-12706
[DLB-FB-69-37]

SPIN DYNAMICS
Aerodynamic design approach to the stall/spin
problem - The VariViggen p0310 A74-28755
[SAE PAPER 740391]
Stall/spin seventy years later --- aircraft
performance at high angle of attack p0344 A74-34699
Status of design criteria for predicting departure
characteristics and spin susceptibility --- of
aircraft p0399 A74-37811
[AIAA PAPER 74-791]

SUBJECT INDEX

STABILITY DERIVATIVES

SPIN STABILIZATION

Experience gained from a comparison of spins on wind-tunnel models and on aircraft

p0226 A74-25328

Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASR-LAR-10753-1]

p0445 N74-30421

SPIN TESTS

Wind-tunnel investigations aimed at devising tests of aircraft spin

p0223 A74-25316

Review of developments in test techniques using free-floating models --- of aircraft

p0223 A74-25317

Experience gained from a comparison of spins on wind-tunnel models and on aircraft

p0226 A74-25328

Stall/spin research status report --- of general aviation aircraft
[SAE PAPER 740354]

p0308 A74-28734

SPLINES

Preliminary results of flight tests of vortex attenuating splines --- evaluation of effectiveness of wingtip vortex attenuating device
[NASA-TM-X-71928]

p0294 N74-20637

SPLIT FLAPS

Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct

p0095 N74-11826

[NASA-TM-X-62281]

SPOILERS

Spoilers for roll control of light airplanes

p0401 A74-37850

A method for preventing airplane stall/spin --- aerodynamic spoiler system design

p0401 A74-37851

Evaluation of spoilers for light aircraft flight path control

p0434 A74-39867

S-3A graphite/epoxy spoiler development program
[AD-779069]

p0444 N74-30013

SPONTANEOUS COMBUSTION

Spontaneous ignition in afterburner segment tests at an inlet temperature of 1240 K and a pressure of 1 atmosphere with ASTM jet-A fuel
[NASA-TM-X-2952]

p0101 N74-12571

SPOOLS

The effect of inlet distortion on the performance and stability of the low-speed spool of a turbofan engine

p0135 A74-18855

[AIAA PAPER 74-234]

SPOT WELDS

Feasibility study of use of polysulfide sealants for corrosion protection of spot welded aluminum alloys

p0084 A74-14771

SPRAY NOZZLES

Use of an air-assisted fuel nozzle to reduce idle emissions of a jet engine combustor
[NASA-TM-X-2946]

p0067 N74-11738

SPRAYED COATINGS

The friction and wear characteristics of plasma-sprayed NiO-CaF₂ in rubbing contact with a ceramic matrix
[ASLE PREPRINT 73LC-1B-3]

p0027 A74-12306

SPRAYED PROTECTIVE COATINGS

U PROTECTIVE COATINGS

U SPRAYED COATINGS

SPRAYERS

A device for spreading small grain bait lure --- airborne spraying device for rodent control
[AD-772053]
Helicopter icing spray system qualification
[AD-775803]

p0255 N74-19144
p0330 N74-22688

SPRAYING

Spray cooled generators and design-to-cost at Westinghouse
[SAE PAPER 730878]

p0019 A74-11605

SPRAYING APPARATUS

U SPRAYERS

SPRAYS

U SPRAYERS

SPRINGS (ELASTIC)

Dynamic behaviour of cylinder with spring and concentrated mass collided with rigid body --- shock absorbing landing gear model

p0391 A74-37049

Hub moment springs on two-bladed teetering rotors

p0395 A74-37500

STABILITY

NT AERODYNAMIC STABILITY
NT AIRCRAFT STABILITY
NT ATTITUDE STABILITY
NT BOUNDARY LAYER STABILITY
NT COMBUSTION STABILITY
NT CONTROL STABILITY
NT DIRECTIONAL STABILITY
NT DYNAMIC STABILITY
NT FLAME STABILITY
NT FLOW STABILITY
NT GYROSCOPIC STABILITY
NT HOVERING STABILITY
NT LATERAL STABILITY
NT LONGITUDINAL STABILITY
NT LOW SPEED STABILITY
NT MAGNETOHYDRODYNAMIC STABILITY
NT MOTION STABILITY
NT ROTARY STABILITY
NT SHELL STABILITY
NT STATIC STABILITY
NT STORAGE STABILITY
NT STRUCTURAL STABILITY
NT SYSTEMS STABILITY
NT THERMAL STABILITY

STABILITY DERIVATIVES

NT PITCHING MOMENTS
NT ROLLING MOMENTS
NT YAWING MOMENTS

Aerodynamic analysis of various flight conditions of conventional aircraft. IX - Aerodynamic foundations /General Survey/

p0186 A74-22273

An investigation of the rolling stability derivatives of a T-tail fighter configuration at high angles-of-attack

p0347 A74-34852

Measurement of dynamic cross-derivatives due to pitching and yawing

p0380 A74-36044

Estimation of nonlinear aerodynamic derivatives of a variable geometry fighter aircraft from flight data

p0399 A74-37810

Aerodynamic analysis of different flight attitudes of conventional aircraft. XI - Aerodynamic principles /Aerodynamics of the wing: Forces and moments of force of the air in the case of rectilinear flight at low Mach numbers/

p0423 A74-38498

Status and future of determination of aerodynamic derivatives from flight data

p0451 A74-41348

Estimates of the stability derivatives of a helicopter from flight measurements

p0451 A74-41349

Determination of stability derivatives of isolated rigid tail assemblies in sideslip and steady roll
[AIAA PAPER 74-1038]

p0455 A74-42051

Information on the use of data items on rolling moment derivatives of an aeroplane
[ESDU-AIRCRAFT-06.01.00]

p0035 N74-10005

Study of heaving motion in air cushion vehicles
[NASA-TT-P-15106]

p0039 N74-10038

Stability derivative. Contribution of full-span dihedral to rolling moment due to sideslip
[ESDU-AIRCRAFT-06.01.03-AMEND-A-]

p0093 N74-11805

Normal loads program for aerodynamic lifting surface theory --- evaluation of spanwise and chordwise loading distributions
[NASA-TM-X-62326]

p0231 N74-17702

Analytical study to define a helicopter stability derivative extraction method, volume 1
[NASA-CR-132371]

p0248 N74-18674

Analytical study to define a helicopter stability derivative extraction method, volume 2
[NASA-CR-132372]

p0248 N74-18675

Estimates of the lateral-directional stability derivatives of a helicopter from flight measurements
[NRC-13882]

p0283 N74-19662

Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment
[ESRO-TT-8]

p0298 N74-20675

Parameter estimation techniques and application in aircraft flight testing
[NASA-TM-D-7647]

p0355 N74-25569

- Extraction of derivatives from flight data for
control aircraft, using the LRC interactive
computer system p0356 N74-25574
- Identification of aircraft stability and control
derivatives in the presence of turbulence p0356 N74-25575
- Helicopter derivative identification from analytic
models and flight test data p0356 N74-25579
- Identification of aircraft stability and control
parameters using multilevel, hierarchical
estimation p0356 N74-25581
- Effects of flight instrumentation errors on the
estimation of aircraft stability and control
derivatives --- including Monte Carlo analysis p0357 N74-25585
- The lateral/directional stability characteristics
of a four-propeller tilt-wing V/STOL model in
low-speed steep descent p0472 N74-32439
[NASA-CN-X-70242]
- Methods studies toward simplified rotor-body
dynamics, part 1 p0495 N74-34483
[NASA-CN-137570]
- STABILITY TESTS
- FLIGHT STABILITY TESTS
- WIND TUNNEL STABILITY TESTS
- STABILIZATION
- SPIN STABILIZATION
- C.A.S. design for good handling in turbulence
--- development of design criteria for stability
augmentation systems for alleviation of gust
effects p0234 N74-17741
[AD-777804]
- Hydrofluidic yaw SAS analysis design and development p0408 N74-27510
- STABILIZED PLATFORMS
- Project - Advantages of a lens-shaped hull
--- for stratospheric dirigibles p0224 A74-24312
[ONERA, TP NO. 1310]
- Aircraft inertial system testing and evaluation in
the United Kingdom p0151 N74-14352
- STABILIZERS (FLUID DYNAMICS)
- HORIZONTAL TAIL SURFACES
- Improved manufacturing of the F-14A composite
horizontal stabilizer p0083 A74-14739
- Work on the aerodynamic theory of oscillating
T-tails. II p0204 A74-24058
- Stability of the tail surfaces --- relationship to
rudder bending p0453 A74-41770
- OSCILLATIONS
- Investigations into the possibilities of applying
the 'Aerodynamic Paradoxon' principle in fluidic
devices p0174 A74-19859
- SEGREGATION POINT
- On the problem of rain erosion on a moving body
flying at supersonic speed p0117 A74-16727
[DPVLE-SOMDDR-349]
- The three-dimensional boundary layer in the
vicinity of the stagnation line of a swept wing
in the case of nonuniform suction p0382 A74-36452
- STAGNATION REGION
- STAGNATION POINT
- STAINLESS STEELS
- INTERMETALLIC STAINLESS STEELS
- STANDARD ATMOSPHERES
- REFERENCE ATMOSPHERES
- STANDARDIZATION
- Standardization of testing benches --- for French
test facilities p0370 N74-27302
[AD-777208]
- STANDARDS
- REFERENCE ATMOSPHERES
- Explanations and remarks on standards for flight
mechanics p0178 A74-20522
- Aircraft engine and accessory drives and flange
standards p0269 A74-27257
[SAE AIR 1160 A]
- Nomenclature and abbreviations, flight deck area p0269 A74-27263
[SAE AS 425 B]
- STARFIGHTER AIRCRAFT
- U F-104 AIRCRAFT
- STABILIZER AIRCRAFT
- U C-141 AIRCRAFT
- STARTERS
- ENGINE STARTERS
- STATE VECTORS
- Identification of aircraft stability and control
parameters using hierarchical state estimation p0260 A74-25759
- Input design for parameter identification. I - A
new formulation and a practical solution p0374 A74-35252
- STATIC AERODYNAMIC CHARACTERISTICS
- Static aeroelastic effects on the aerodynamics of
the Saab 37 Viggen aircraft, a comparison
between calculations, wind tunnel tests and
flight tests p0451 A74-41354
[ICAS PAPER 74-55]
- Description of six degree of freedom rigid
aircraft mathematical models --- numerical
analysis of flight dynamics of high speed aircraft p0187 N74-15702
[WRE-TN-901(WR/D)]
- Lateral static and dynamic aerodynamic parameters
of the Kestrel aircraft (XV-6A) extracted from
flight data p0297 N74-20666
[NASA-TN-D-7455]
- STATIC ELECTRICITY
- Papers presented at the Lightning and Static
Electricity Conference (1972). Structure of
lightning noise - especially above HF.
Triggered lightning and its application to
rockets and aircraft p0255 N74-19271
[AD-771464]
- STATIC LOADS
- Static and dynamic helicopter airframe analysis
with NASTRAN p0153 N74-14616
- STATIC PRESSURE
- Experimental study on the characteristics of an
isolated swept-back aerofoil with two parallel
side-walls p0069 A74-12971
- The shock adjustment concept - A new method for
improved supersonic air data sensing p0346 A74-34845
- Flight-test investigation of the aerodynamic
characteristics and flow interference effects
about the aft fuselage of the F-111A airplane
[NASA-TN-D-7563] p0246 N74-18657
- STATIC STABILITY
- NT SHELL STABILITY
- NT STRUCTURAL STABILITY
- Influence of static aeroelasticity on oblique
winged aircraft p0317 A74-30399
- Calculation of the static stability of aircraft at
large angles of attack p0383 A74-36454
- Application of the method of extreme values to the
determination of maximum operating loads p0383 A74-36455
- STATIC TESTS
- Sea level side loads in high-area-ratio rocket
engines p0032 A74-12940
[AIAA PAPER 73-1284]
- A 300 B static and fatigue tests p0117 A74-16755
- Preliminary static tests of a simulated
upper-surface blown jet-flap configuration
utilizing a full-size turbofan engine p0294 N74-20638
[NASA-TN-X-71931]
- Calculating procedure of sea-level static
performance of two-spool afterburning bypass jet
engine p0362 N74-26258
[AD-776547]
- Static radar cross section of light aircraft.
Volume 1: Cessna 150 L at L-, S-, and C-bands p0491 N74-33648
[AD-781825]
- Static radar cross section of light aircraft.
Volume 2: Cherokee 140 at L-, S-, and C-bands p0492 N74-33652
[AD-781791]
- STATICS
- NT ELECTROSTATICS
- STATIONKEEPING
- LDF powered balloon program --- feasibility
demonstration of free balloon station keeping
capability p0162 N74-14770
[AD-768673]

STATIONS

NT GROUND STATIONS
NT TRACKING STATIONS
NT WEATHER STATIONS

STATISTICAL ANALYSIS

NT CORRELATION COEFFICIENTS
NT PROBABILITY DISTRIBUTION FUNCTIONS
NT REGRESSION ANALYSIS
NT STATISTICAL CORRELATION
NT STATISTICAL TESTS
NT VARIANCE (STATISTICS)
NT WEIBULL DENSITY FUNCTIONS

Certain problems in estimating the rundown time of an engine --- turbojet

Analysis of passenger acceptance of commercial flights having characteristics similar to STOL

Determination of the basic parameters of light helicopters on the basis of the treatment and analysis of statistical data

Statistical analysis of aircraft noise levels

The development and evaluation of weight-estimation formulas for aircraft design with the aid of methods of mathematical statistics and probability calculus --- German book

Simulation of dispatch reliability for a fleet of large commercial aircraft

A two-component statistical model for processing data from a rarefied-gas experiment

Statistical properties of vertical shear of lateral velocity

The design of crashworthy general aviation aircraft [SAE PAPER 740376]

Processing of operational data recorded on flight report cards

Estimation of an aeronautical equipment mission reliability [AD-766886]

Statistical review of counting accelerometer data for Navy and Marine fleet aircraft from 1 January 1962 to July 1973

Aircraft accident report: Brief format, US civil aviation, issue no. 3 of 1973 accidents --- compilation of selected aircraft accident reports [NTSB-BA-74-1]

Army autorotational accidents --- analysis of factors contributing to helicopter accidents

STATISTICAL CORRELATION

Effect of spanwise load-correlation on rotor blade flapping [AIAA PAPER 74-418]

STATISTICAL DISTRIBUTIONS

NT PROBABILITY DISTRIBUTION FUNCTIONS

STATISTICAL PROBABILITY

U PROBABILITY THEORY

STATISTICAL TESTS

Experience gained from statistical testing of fatigue lives of model samples

STATOR BLADES

Single-stage experimental evaluation of tandem-airfoil rotor stator blading for compressors. Part 6. Data and performance for stage D [NASA-CR-134511]

STEADY FLOW

A direct method for computing the steady flow at Mach number one past a given wing airfoil

A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body

Flexible lifting surfaces --- in steady inviscid compressible flow

A variation of the aerodynamic shape of a body which leads to a decrease in its drag

STEADY STATE

Effect of steady state coning angle and damping on whirl flutter stability

An attempt at describing the steady-state performance characteristic of a turbojet engine by a formulated relationship

Dynamic stall modeling and correlation with experimental data on airfoils and rotors

Steady-state decoupling and design of linear multivariable systems [NASA-CR-138815]

STEAM TURBINES

Selection of the economically optimal blade profile for axial fluid flow engines

STEELS

NT CARBON STEELS
NT HIGH STRENGTH STEELS
NT MARTENSITIC STAINLESS STEELS
NT NICKEL STEELS

Aircraft components from remelted steels - Design and development

Endurance test on flexible steel wire rope for aircraft controls at various pulley rope diameter ratios

STEER GRADIENT AIRCRAFT
U V/STOL AIRCRAFT

STEERING

VFW 614 hydraulics

STELLAR ATMOSPHERES

NT CHROMOSPHERE
STELLAR DOPPLER SHIFT
U DOPPLER EFFECT
U EXTRATERRESTRIAL RADIATION
STERILIZATION EFFECTS
NT THERMAL DEGRADATION

STERNS

U AFTERBODIES
STIFF STRUCTURES
U RIGID STRUCTURES

STIFFENING

Buckling and failure of flat stiffened panels [AIAA PAPER 74-409]

STIFFNESS

Determination of the effects of mass and stiffness on the vibration response of ribbed panels subjected to random acoustic noise [AD-774436]

STIFFNESS MATRIX

Determining the scale of rigidity and estimating the degree of nonsimilarity of elastic models of wings with a low aspect ratio

STIMULATED EMISSION DEVICES

NT ARGON LASERS
NT CARBON DIOXIDE LASERS
NT LASERS

STOCHASTIC PROCESSES

NT MARKOV PROCESSES
NT RANDOM PROCESSES

Estimation of aircraft parameters in nonlinear aerodynamic models

Observable changes of load sample function due to structural elasticity

Optimal incomplete feedback control of linear stochastic systems [AD-766878]

STOL AIRCRAFT

U SHORT TAKEOFF AIRCRAFT

STOPPING

NT THRUST TERMINATION

STORABLE PROPELLANTS

NT AIRCRAFT FUELS

STORAGE BATTERIES

NT NICKEL CADMIUM BATTERIES

STORAGE STABILITY

The quality of the fuel --- aviation fuel purity maintenance during transport and storage

STORMS

SUBJECT INDEX

STORMS

BT STORMS (METEOROLOGY)

BT TORNADES

STORMS (METEOROLOGY)

BT TORNADES

On the nature of large clear air gusts near storm tops

[ARC-CP-1248] p0111 N74-13402

STRAIGHT WINGS

U RECTANGULAR WINGS

STRAIN AGING

U PRECIPITATION HARDENING

STRAIN DISTRIBUTION

U STRESS CONCENTRATION

STRAIN FATIGUE

U FATIGUE (MATERIALS)

STRAIN GAGES

Piecewise smooth approximation method for sensor data --- from strain gages

p0391 A74-37149

STRAIN HARDENING

A mathematical theory of plasticity for strain hardening materials exhibiting initial anisotropy [NLR-TR-72117-U]

p0067 N74-11719

STRAIN RATE

Effect of several metallurgical variables on the thermal fatigue behavior of superalloys

p0004 A74-10622

Effects of strain amplitude on the shear modulus of soils

[AD-757516] p0046 N74-10404

STRAIN SOFTENING

U PLASTIC DEFORMATION

STRAPDOWN INERTIAL GUIDANCE

Investigation of application of two-degree-of-freedom dry tuned-gimbal gyroscopes to strapdown navigation systems --- for use in VTOL aircraft [NASA-CR-132419]

p0304 N74-21289

STRATIFICATION

BT ATMOSPHERIC STRATIFICATION

STRATIFIED FLOW

Analysis of stratified and closely spaced jets exhausting into a crossflow --- aerodynamic characteristics of lift-jet, vectored thrust, and lift fan V/STOL aircraft [NASA-CR-132297]

p0061 N74-11118

STRATOPORTRESS AIRCRAFT

U B-52 AIRCRAFT

STRATOSPHERE

Temperature, winds, and turbulence at SST flight levels

p0122 A74-17311

Stratosphere contamination by aircraft and mathematical models

p0122 A74-17312

Ingestion and dispersion of engine exhaust products by trailing vortices for supersonic flight in the stratosphere [AIAA PAPER 74-42]

p0134 A74-18815

Atmospheric ozone - Possible impact on stratospheric aviation

p0175 A74-20039

Possible effects of a fleet of supersonic transports on the stratospheric ozone shield

p0176 A74-20125

Pegase project - Advantages of a lens-shaped hull --- for stratospheric dirigibles [ONERA, TP NO. 1310]

p0224 A74-24312

Stratospheric survey aircraft developed --- canard BPV for pollution monitoring in IF-12 wakes

p0276 A74-27849

First results of environmental tests on board Concorde 001

p0340 A74-33312

Dosage of minority stratospheric constituents, of the order of 1 ppb, by absorption spectrometry

p0340 A74-33313

An instrument for nitric oxide measurements in the stratosphere

p0341 A74-33428

NO and O3 measurements in the lower stratosphere from a U-2 aircraft

p0373 A74-35121

Turbulence studies on a high-altitude sounding aircraft

p0392 A74-37234

Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake

period --- in lower stratosphere

[NASA-CR-132323] p0053 N74-10863

Effect of supersonic transport upon the ozone layer, studied in a two-dimensional photochemical model with transport

p0148 N74-14278

Development of a LASL whole-air sampler for WB-57F

aircraft

[LA-5491-NS]

p0474 N74-32903

STRATOTANKER AIRCRAFT

U C-135 AIRCRAFT

STRATUS CLOUDS

Project Foggy Cloud 4, phase 1. Evaluation of warm fog dissipation techniques --- and stratus cloud modification [AD-766086]

p0047 N74-10597

STREAM FUNCTIONS (FLUIDS)

Flow through a cascade of aerofoils

p0432 A74-39355

STREAMLINE FLOW

U LAMINAR FLOW

STREAMLINED BODIES

Information on the use of data items in the series bodies 02.04

[ESDU-BODIES-02.04.00-AMEND-A] p0035 N74-10011

STREAMS

BT GAS STREAMS

STRENGTH OF MATERIALS

U MECHANICAL PROPERTIES

STRESS (PHYSIOLOGY)

BT ACCELERATION STRESSES (PHYSIOLOGY)

STRESS ANALYSIS

Design and evaluation of aircraft pavements - 1971

p0022 A74-11874

Numerical analysis of stiffened shear webs in the postbuckling range

p0075 A74-13886

Elastic, plastic behavior of a rotor. I - Analysis of an axisymmetric rotor whose radius varies in axial direction

p0082 A74-14620

Torsion of conical thin-walled aircraft components

p0088 A74-15817

A review of some damage tolerance design approaches for aircraft structures

p0222 A74-22503

A new method of bulkhead analysis in aircraft structures [SAE PAPER 740388]

p0310 A74-28752

Structural finite element analysis aided by computer graphics [SAE PAPER 740389]

p0310 A74-28753

Integral equation solutions for simply supported polygonal plates

p0483 A74-46071

Acoustic fatigue design data, part 3 --- design criteria for aircraft structural elements to reduce effects of acoustic stress

p0257 N74-19550

Determination of the forces in the kinematic pairs of a landing gear mechanism

p0285 N74-19678

Application of practical optimal control theory to the C-5A load improvement control system (LICS)

p0358 N74-25602

Advanced metallic structures: Cargo wing design for improved cost, weight, and integrity

p0497 N74-34523

[AD-782258]

STRESS CALCULATIONS

U STRESS ANALYSIS

STRESS CONCENTRATION

Selection of cutting conditions in the machining axial-flow compressor blades on an assembled rotor

p0029 A74-12424

Photoelastic analysis of the stress field surrounding a fatigue crack

p0169 A74-19259

Methods for analyzing fatigue crack growth rate behavior associated with flight-by-flight loading

p0264 A74-26675

[AIAA PAPER 74-367]

The stress concentration in a stretched plate reinforced by a central belt and having an aperture

p0390 A74-36816

Composite structures --- special-purpose computer programs

p0447 A74-41262

STRESS CORROSION

BT STRESS CORROSION CRACKING

SUBJECT INDEX

STRUCTURAL DESIGN

- Fatigue strength of an aluminum alloy in petroleum jet fuels at various temperatures p0268 A74-27078
- STRESS CORROSION CRACKING**
 Problems of stress corrosion in the case of aluminum alloys employed in aerospace technology p0076 A74-14018
 Hot-salt stress-corrosion of titanium alloys as related to turbine engine operation p0117 A74-16600
 Fracture mechanics /Dryden Lecture/ --- aerospace structural design applications [AIAA PAPER 74-230] p0135 A74-18858
 Failure of helicopter turbines due to the employment of a steel in a corrosible condition in combination with a design unsuited for the material p0178 A74-20498
 Properties of high-strength aluminum P/M products p0227 A74-24225
 Differentiation of corrosion damage by the severity of its effects upon the resistance to fatigue and corrosion-fatigue disintegration of aircraft skin elements p0456 A74-42792
 Effects of corrosidents on the fatigue life of an ultra-high strength steel p0478 A74-44538
- STRESS CYCLES**
 Quality exponent method for planning and interpretation of results of full-scale, low-cycle fatigue tests [SAE PAPER 74-0218] p0274 A74-27501
- STRESS DISTRIBUTION**
U STRESS CONCENTRATION
STRESS MEASUREMENT
 Accelerating test stand for rotating elements of turbomachines p0089 A74-15930
 Residual stresses in gas turbine engine components from Barkhausen noise analysis [ASME PAPER 74-CT-51] p0272 A74-27444
 The stress-endurance fatigue severity index concept - A method of SN data development for aluminum aircraft structures [SAE PAPER 74-0386] p0310 A74-28750
- STRESS RATIO**
 The use of fully stressed iteration and structural index in automated structural optimization p0124 A74-17739
- STRESS RUPTURE STRENGTH**
U CREEP RUPTURE STRENGTH
STRESS WAVES
 Acoustic-emission detection system p0478 A74-44928
- STRESS-STRAIN DIAGRAMS**
 Method for calculating the impellers of centrifugal superchargers with allowance for the deformation of the cover plate p0089 A74-15933
- STRESS-STRAIN DISTRIBUTION**
U STRESS CONCENTRATION
STRESS-STRAIN RELATIONSHIPS
U STRESS-STRAIN DIAGRAMS
STRESS-STRAIN-TIME RELATIONS
 Buckling of rods under creep conditions p0391 A74-36834
- STRESSES**
 NT AXIAL STRESS
 NT COMBINED STRESS
 NT CRITICAL LOADING
 NT RESIDUAL STRESS
 NT SHEAR STRESS
 NT TENSILE STRESS
 NT THERMAL STRESSES
 NT TORSIONAL STRESS
- STRINGERS**
 Fatigue behaviour of hat section stringer stiffened panels compressed in the post-buckling range [AD-773672] p0293 N74-20579
- STRUCTURAL ANALYSIS**
 NT DYNAMIC STRUCTURAL ANALYSIS
 NT ENERGY METHODS
 NT FLUTTER ANALYSIS
 Effects of Ti-6Al-4V alloy metallurgical structures on ultrasonic response characteristics p0116 A74-16477
- Structural analysis of light aircraft using NASTRAN [AIAA PAPER 74-257] p0130 A74-18664
 Studies of an elastic wing --- aerodynamic load tests p0184 A74-21781
 Structural finite element analysis aided by computer graphics [SAE PAPER 74-0389] p0310 A74-28753
 Finite element airplane cost analysis [SAE PAPER 74-0390] p0310 A74-28754
 Reproduction of interactions between aerodynamic loads and deformation in the strength analysis of structures p0390 A74-36649
 Buckling of rods under creep conditions p0391 A74-36834
 Structural analysis of flexible airfield pavements p0392 A74-37343
 Identification of structural parameters from helicopter dynamic test data p0396 A74-37505
 Composite structures --- special-purpose computer programs p0447 A74-41262
 Idealization and determination of the inertial characteristics of the structure of a flight vehicle p0484 A74-46696
 Test plan report for catapult fatigue. Test of the model E-2 A/B airplane [AD-765708] p0042 N74-10059
 Damage threshold determination of light walls submitted to single or repeated bangs, part 1 [ISL-35/72-PT-1] p0053 N74-10846
 Review of investigations on aeronautical fatigue in the Federal Republic of Germany, May 1969 - June 1973 [LBP-S-108] p0097 N74-11843
 Evaluation of APC 77 martensitic stainless steel for airframe structural applications [AD-767597] p0110 N74-13263
 Structural analysis of light aircraft using NASTRAN p0153 N74-14594
 Blade dynamics analysis using NASTRAN --- effects of blade geometry, temperature gradients, and rotational speed p0153 N74-14599
 Static and dynamic helicopter airframe analysis with NASTRAN p0153 N74-14616
 NASTRAN data generation of helicopter fuselages using interactive graphics --- preprocessor system for finite element analysis using IBM computer p0153 N74-14621
 Kron's method: An algorithm for the eigenvalue analysis of large-scale structural systems --- aeronautical engineering [ARC-R/N-3733] p0257 N74-19564
 Summary of propeller design procedures and data. Volume 2: Structural analysis and blade design [AD-774836] p0327 N74-21668
 Dynamic responses of the structural model with built-up wings and a fuselage (1) [NAL-TR-350] p0330 N74-22673
 Fracture mechanics of aircraft structures --- proceedings of conference on structural characteristics of aircraft components [AGARD-AG-176] p0331 N74-23413
 The application of fracture mechanics in the development of the DC-10 fuselage --- analysis of the degree of damage tolerance of fuselage pressure shell p0332 N74-23428
 Advanced metallic structure: Cargo fuselage design for improved cost, weight, and integrity [AD-781814] p0473 N74-32456
 Structural dynamic response of AH-1G wing with XM35 weapon [AD-781973] p0491 N74-33468
- STRUCTURAL BEAMS**
U BEAMS (SUPPORTS)
STRUCTURAL DESIGN
 Military aircraft --- structural design with fiber reinforced composite materials p0002 A74-10496
 Advanced flutter design techniques --- subsonic and SST aircraft [SAE PAPER 730935] p0016 A74-11565

STRUCTURAL DESIGN CRITERIA

SUBJECT INDEX

- Design and evaluation of aircraft pavements - 1971
p0022 A74-11874
- The influence of a high velocity fluid environment
on the static and dynamic stability of thin
cylindrical shell structures p0072 A74-13321
- Fracture mechanics aircraft structural design
application and related research p0078 A74-14461
- Design and fabrication of a mixed composite wing box
p0083 A74-14749
- Fracture toughness and ntd requirements for
aircraft design p0085 A74-15033
- Forgotten airport aesthetics --- architectural
critique of terminal facilities p0089 A74-15864
- Designing with plastic resin matrix composite
materials --- for aircraft structures
[DGLR PAPER 73-086] p0121 A74-17192
- Materials for the new generation of aircraft
p0122 A74-17374
- Wing fuselage structural/concept study for a
subsonic transport aircraft
[SAE PAPER 730886] p0123 A74-17533
- Application of advances in structures and
materials to the design of the YF-17 airplane
[SAE PAPER 730891] p0123 A74-17534
- The use of fully stressed iteration and structural
index in automated structural optimization
p0124 A74-17739
- Structural materials of aeronautics and astronautics
p0128 A74-18190
- Analytical design of optimal monolithic panels
p0130 A74-18642
- An algorithm for rational selection of the
parameters of nonlinearly deforming thin-walled
framework elements p0130 A74-18645
- Application of damage tolerance technology to
advanced metallic fighter wing structure
[AIAA PAPER 74-29] p0132 A74-18738
- On repetitive flutter calculations in structural
design p0133 A74-18789
- U.S. Navy development of a mission specific
fighter helmet p0211 A74-23529
- Structural research with the aim of adapting the
design to the materials p0229 A74-25359
- Determination of the shear stresses in spar walls
in the design of a wing on the basis of a plate
analogy p0260 A74-25984
- Advanced structural concepts for transport
aircraft wings p0263 A74-26654
- [AIAA PAPER 74-339] p0263 A74-26654
- Design of optimum structures to impulse type loading
[AIAA PAPER 74-345] p0263 A74-26659
- Consolidated presentation of fatigue data for
design applications p0274 A74-27511
- [SAE PAPER 740277] p0274 A74-27511
- Optimal aeroelastic design of an oblique wing
structure p0277 A74-28173
- [AIAA PAPER 74-349] p0277 A74-28173
- The future of carbon fibres p0317 A74-30380
- Optimization of complex structures to satisfy
static, dynamic and aeroelastic requirements
p0318 A74-30453
- The historical development of shell research and
design p0374 A74-35211
- VFW 614 airframe p0375 A74-35357
- Structural fabrication of metal-matrix composites
p0379 A74-35824
- Design of uniformly long-lived structures of
minimum weight p0381 A74-36304
- A method for weight/cost trade-offs in preliminary
air vehicle design
[SAE PAPER 1017] p0435 A74-39887
- Alcor - A high altitude pressurized sailplane /2/
p0459 A74-43471
- Aerospace sandwich materials. I --- technology,
design and performance review p0479 A74-44989
- Composites - Standards, testing and design;
Proceedings of the Conference, Teddington,
Middx., England, April 8, 9, 1974 p0479 A74-45039
- Applications of advanced composites in aircraft
structures p0479 A74-45045
- Section 3: Stability, construction materials,
construction methods p0154 A74-14670
- Recommended design modifications to the CH-47
forward rotor drive gearbox
[AD-769062] p0162 A74-14775
- Optimisation of aircraft structures with multiple
stiffness requirements p0166 A74-15612
- Optimization and design of the rear fuselage of
the A 300 B aircraft structure p0166 A74-15614
- Design and development of the gust wind tunnel at
the National Aerospace Laboratory
[NAL-TR-335] p0287 A74-19891
- Fail-safe aircraft structures, volume 1 ---
conference
[BAE-TR-73183-VOL-1] p0366 A74-26458
- Fail-safe philosophy: An introduction to the
symposium --- design against fatigue p0366 A74-26460
- A unified technology plan for fatigue and fracture
design p0366 A74-26465
- Fail-safe aircraft structures, volume 2 ---
conference
[BAE-TR-73183-VOL-2] p0367 A74-26468
- Aircraft Design Integration and Optimization,
Volume 1 --- conference on optimal design of
aircraft and related systems p0465 A74-31458
- [AGARD-CP-147-VOL-1] p0465 A74-31458
- The role of preliminary design in reducing
development, production and operational costs of
aircraft systems p0465 A74-31459
- STRUCTURAL DESIGN CRITERIA**
- Utility analysis in weight control p0124 A74-17740
- The problem of optimal design of gas-turbine engines
p0126 A74-18083
- A fatigue failure criterion for fiber reinforced
materials p0178 A74-20478
- Plan for developing structural criteria for
composite airframes p0181 A74-20945
- A review of some damage tolerance design
approaches for aircraft structures p0222 A74-22503
- Structural aspects of current RPV's --- Remotely
Piloted Vehicles p0263 A74-26660
- [AIAA PAPER 74-346] p0263 A74-26660
- The problem of optimum design of a wing under
strength and aeroelastic constraints p0383 A74-36509
- Aircraft structures designed to cost
[AIAA PAPER 74-962] p0427 A74-38727
- Problem of the optimal design of gas-turbine engines
p0481 A74-45408
- Study of structural criteria for composite
airframes. Volume 3: Bibliography --- with
emphasis on characteristics of filamentary
composites p0105 A74-12726
- [AD-767569] p0105 A74-12726
- Study of structural criteria for composite
airframes, Volume 1: Evaluation p0147 A74-14238
- [AD-767706] p0147 A74-14238
- Study of structural criteria for composite
airframes. Volume 2: Current/criteria/selected
rationale review and evaluation p0147 A74-14239
- [AD-767707] p0147 A74-14239
- Similarity requirements for aeroelastic models of
helicopter rotors p0161 A74-14767
- [ARC-CP-1245] p0161 A74-14767
- Design guide for the use of structural shapes in
aircraft applications. Part 1: Selection
criteria for structural shapes and tubing. Part
2: Manufacturing methods for structural shapes
and tubing p0190 A74-15723
- [AD-769042] p0190 A74-15723
- On turbulence environment and design criteria ---
application of power spectral techniques for

SUBJECT INDEX

STRUCTURAL RELIABILITY

- analyzing gust loads at low altitudes
 - p0233 N74-17734
- Design problems of military aircraft as affected by turbulence --- analytical prediction of pilot task proficiency under vibration environment
 - p0234 N74-17735
- Structural loads and gust criteria --- comparison of gust load analysis methods for application to aircraft design
 - p0234 N74-17739
- Development of minimum pipe-cover requirements for C-5A and other aircraft loadings --- structural requirements for buried pipe under flexible and rigid runways
 - [AD-771174] p0241 N74-17963
- CH-47A design and operational flight loads study --- development of structural design criteria for cargo and transport type helicopters
 - [AD-772949] p0251 N74-18700
- Service evaluation of aircraft composite structural components
 - [NASA-TM-X-71944] p0284 N74-19667
- Investigation of advanced structural concepts for fuselage --- application of fiber reinforced composite materials to fuselage structures
 - [AD-773597] p0285 N74-19684
- CH 54A design and operational flight loads study --- comparison of design mission profile with operational mission profiles
 - [AD-773551] p0286 N74-19686
- A structural design for an Externally Blown Flap (EBF) medium STOL research aircraft --- development of computer program for structural analysis
 - [NASA-CR-112249] p0353 N74-25548
- The effect of active control systems on structural design criteria
 - p0354 N74-25552
- Summary of propeller design procedures and data. Volume 3: Hub, actuator, and control designs --- propellers for conventional and vertical takeoff aircraft
 - [AD-776998] p0360 N74-25614
- Study of the single body yawed-wing aircraft concept
 - [NASA-CR-137483] p0405 N74-27485
- Design evolution of the Boeing 2707-300 supersonic transport. Part 2: Design impact of handling qualities criteria, flight control system concepts, and aeroelastic effects on stability and control
 - p0465 N74-31468
- Modern engineering methods in aircraft preliminary design
 - p0471 N74-32425
- Advanced metallic structures: Air superiority fighter wing design for improved cost weight and integrity. Volume 2: Criteria sensitivity study
 - [AD-781811] p0473 N74-32451
- Advanced metallic structure: Cargo fuselage design for improved cost, weight, and integrity
 - [AD-781814] p0473 N74-32456
- Advanced metallic structure: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Materials test program
 - [AD-781812] p0490 N74-33460
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 2: Design data
 - [AD-781807] p0490 N74-33462
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Stress, fatigue and fracture, cost and material data
 - [AD-781808] p0490 N74-33463
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 4: Baseline damage tolerance evaluation
 - [AD-781809] p0490 N74-33464
- Advanced metallic structures: Cargo wing design for improved cost, weight, and integrity
 - [AD-782258] p0497 N74-34523
- STRUCTURAL DYNAMICS
 - U DYNAMIC STRUCTURAL ANALYSIS
- STRUCTURAL ENGINEERING
 - A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures
 - [AIAA PAPER 74-415] p0266 A74-26711
- Static and dynamic helicopter airframe analysis with NASTRAN
 - p0153 N74-14616
- STRUCTURAL FAILURE
 - Accelerating test stand for rotating elements of turbomachines
 - p0089 A74-15930
 - Fracture mechanics applications in materials selection, fabrication sequencing and inspection
 - [AIAA PAPER 72-383] p0090 A74-15968
 - Risk analysis - A program management tool --- for environmental problems and aircraft metal fatigue
 - p0182 A74-20987
 - A review of some damage tolerance design approaches for aircraft structures
 - p0222 A74-22503
 - Biodegradation of materials used in the construction of utilitarian aircraft
 - p0219 A74-22522
 - Advanced Metallic Air Vehicle Structure Program
 - [AIAA PAPER 74-336] p0262 A74-26651
 - 0-0-1% - Q. A. by objectives --- helicopter primary part Quality Assurance by audit scheme
 - [AHS PREPRINT 851] p0386 A74-36597
 - Fail-safe characteristics of built-up sheet structures
 - [ICAS PAPER 74-08] p0448 A74-41310
 - New materials and structures --- for aircraft
 - [ICAS PAPER 74-21] p0449 A74-41323
 - Aircraft accident report: Air Iowa, Incorporated, Beech E18S, N310WA, Davenport Iowa, 19 Apr. 1973
 - [NTSB-AAR-73-18] p0039 N74-10041
 - Column failure of thin-walled compression members in aircraft wings as affected by wall imperfection and crushing
 - [VTI-175] p0197 N74-16737
- STRUCTURAL FATIGUE
 - U FATIGUE (MATERIALS)
- STRUCTURAL MATERIALS
 - U CONSTRUCTION MATERIALS
- STRUCTURAL MEMBERS
 - NT BEAMS (SUPPORTS)
 - NT BOX BEAMS
 - NT CIRCULAR PLATES
 - NT COLUMNS (SUPPORTS)
 - NT ELASTIC PLATES
 - NT FLAT PLATES
 - NT LONGERONS
 - NT ORTHOTROPIC PLATES
 - NT PERFORATED PLATES
 - NT PLATES (STRUCTURAL MEMBERS)
 - NT RECTANGULAR BEAMS
 - NT REINFORCED PLATES
 - NT SKIN (STRUCTURAL MEMBER)
 - NT STRINGERS
 - NT WING PANELS
- The state of application of composite materials in aeronautics
 - p0072 A74-13364
- The testing of jet engines, chapters 5 and 6 --- test stand structure
 - [AD-768492] p0166 N74-15467
- Fatigue of composite structures: Experience gained in the design of CFRP structures for helicopters
 - p0368 N74-26479
- Limit criteria for low cost airframe concepts
 - [AD-777572] p0369 N74-26489
- STRUCTURAL RELIABILITY
 - Service evaluation of aircraft composite structural components
 - p0084 A74-14774
 - Cost effective composite structures --- fiber reinforced helicopter rotor blade design and fabrication
 - p0084 A74-14778
 - Advanced composite lattice structure for improved structural integrity
 - [AIAA PAPER 74-357] p0264 A74-26667
 - Black-box philosophy in reliability of aircraft structures --- stochastic hypothesis on fatigue damage under random loads
 - p0279 A74-28432
 - Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability
 - [AHS PREPRINT 884] p0387 A74-36613
 - Magnesium-yttrium alloys, scale-up and evaluation
 - [AD-771039] p0242 N74-18183

STRUCTURAL RIGIDITY

SUBJECT INDEX

- An overview of US Army helicopter structures reliability and maintainability [AGARD-R-613] p0249 N74-18682
- Nondestructive holographic techniques for structures inspection --- in large aircraft [AD-774758] p0303 N74-21105
- Aircraft fatigue and structural integrity in the Royal Air Force from a maintenance engineering viewpoint p0367 N74-26474
- STRUCTURAL RIGIDITY**
- U STRUCTURAL STABILITY**
- STRUCTURAL STABILITY**
- NT SHELL STABILITY**
- Prediction of unsteady airloads for the solution of the panel flutter problem of nosecones and conical shell structures p0031 A74-12804
- Helicopter safety --- design for catastrophic failure prevention and safe emergency landing p0211 A74-23541
- Observable changes of load sample function due to structural elasticity p0321 A74-31745
- Practical design of minimum weight aircraft structures for strength and flutter requirements [AIAA PAPER 74-986] p0429 A74-38743
- The interaction of local and overall buckling of thin-walled structures [ICAS PAPER 74-07] p0448 A74-41309
- Damage threshold determination of light walls submitted to single or repeated bangs, part 1 [ISL-35/72-PT-1] p0053 N74-10846
- Restraint procedures for cargo loaded in vehicles to be air transported p0146 N74-13954
- Structural analysis of light aircraft using NASTRAN p0153 N74-14594
- Section 3: Stability, construction materials, construction methods p0154 N74-14670
- Service evaluation of aircraft composite structural components [NASA-TM-X-71944] p0284 N74-19667
- Determination of the forces in the kinematic pairs of a landing gear mechanism [AD-773877] p0285 N74-19678
- Investigation of advanced structural concepts for fuselage --- application of fiber reinforced composite materials to fuselage structures [AD-773597] p0285 N74-19684
- The application of fracture mechanics in the development of the DC-10 fuselage --- analysis of the degree of damage tolerance of fuselage pressure shell p0332 N74-23428
- The strength and rigidity of structures at high aircraft velocities [AD-776743] p0359 N74-25610
- STRUCTURAL STRAIN**
- Calculation of wing flutter with allowance for the kinematic constraint between the total strain and aileron deflection p0482 A74-45473
- An improved exceedance theory for combined random stresses with application to aircraft gust response p0152 N74-14569
- STRUCTURAL VIBRATION**
- NT BENDING VIBRATION**
- NT FLUTTER**
- NT PANEL FLUTTER**
- NT SUBSONIC FLUTTER**
- NT SUPERSONIC FLUTTER**
- NT TORSIONAL VIBRATION**
- NT TRANSONIC FLUTTER**
- Nodalization applied to helicopters --- vibration isolation [SAE PAPER 730893] p0019 A74-11596
- Control of helicopter vibration using the dynamic antiresonant vibration isolator [SAE PAPER 730892] p0019 A74-11597
- Experimental investigation of the vibrations of a gas-turbine engine rotor p0023 A74-12012
- Aircraft noise induced vibration in fifteen residences near Seattle-Tacoma International Airport p0073 A74-13770
- Evaluation of the helicopter as a camera platform p0078 A74-14480
- A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel p0126 A74-18088
- Control of an elastic aircraft p0128 A74-18271
- Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes p0129 A74-18291
- Analysis of three-dimensional unsteady flow around oscillating wings [AIAA PAPER 74-184] p0135 A74-18838
- Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces p0185 A74-22225
- Coupled vibrations in turbomachines and gas-turbine engines --- Russian book p0221 A74-22665
- Unsteady aerodynamic characteristics of cascades of arbitrary profiles vibrating in the potential flow of an incompressible fluid p0222 A74-24378
- Aircraft on-board equipment for dynamic measurements with piezoelectric sensors p0270 A74-27293
- Mathematical simulation of a vibrating light aircraft piston engine and correlation with engine flight test data [SAE PAPER 740383] p0310 A74-28748
- Balancing of vibration measurements of a continuous mechanical system - Application to the direct measurement of generalized coordinates of an airplane in flight [ONERA, TP NO. 1378] p0314 A74-29860
- Control of an elastic aircraft p0314 A74-30073
- Random vibration of aircraft undercarriages with nonlinear characteristics p0321 A74-31705
- Holographic time-average vibration study of a structure dynamic model of an airplane fin p0340 A74-33179
- Some problems of the multi-point excitation technique in the experimental study of the vibrations of elastic structures p0390 A74-36803
- Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0396 A74-37507
- Stability characteristics of skewed wing aircraft [AIAA PAPER 74-772] p0399 A74-37797
- Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade p0482 A74-45927
- Users manual for STICH (the STodola in-core matrix): An in-core matrix operations computer program [AD-770999] p0240 N74-17921
- CH-53 A flexible frame vibration analysis/test correlation [AD-772569] p0252 N74-18711
- Vibration amplitudes produced in St. David's Cathedral by Concorde sonic bangs [ARC-R/M-3736] p0257 N74-19565
- Current structural vibration problems associated with noise p0330 N74-22668
- Optimization of a vibration generator in conditions of external excitation p0332 N74-23519
- Apparatus for the qualification of very low frequency vibration exciters --- replacing aircraft structure excited by turbulence p0332 N74-23520
- A correlation study of in-flight vibration measurements for patrol-type aircraft [AD-777668] p0369 N74-26490
- Prediction of gear-mesh-induced high-frequency vibration spectra in geared power trains [AD-777496] p0369 N74-26493
- The prediction of the variation of modes following modification to a structure p0419 N74-29358
- STRUCTURAL WEIGHT**
- Commercial aircraft --- weight reduction by composite materials

SUBJECT INDEX

SUBSONIC FLOW

VTOL aircraft --- fibrous composites for structural weight reduction p0002 A74-10495

Wing shear material --- structural weight formulas p0002 A74-10497

An integrated approach to structural weight estimation [SAE PAPER 730936] p0008 A74-11175

Advanced structural materials application for high-subsonic-speed transports [SAE PAPER 730887] p0016 A74-11564

Transport vehicles - Weights and loads --- commercial aircraft p0019 A74-11601

Manufacturing exercise involved in the redesign of the Hawker Siddeley Trident /tri-jet/ fuselage p0029 A74-12442

B-1 cost/weight trade methodology p0115 A74-16447

Titanium - The bridge to composites --- for light weight/high performance aircraft p0115 A74-16445

Buckling loads and minimum weight of compressed curved ribbed aluminum alloy panels p0116 A74-16451

An approach toward optimizing material cost and part function in advanced powerplants [SAE PAPER 730909] p0118 A74-16822

Utility analysis in weight control p0123 A74-17535

Suitability of using titanium pipelines in the hydraulic systems of turbine engines p0124 A74-17740

Determination of the basic parameters of light helicopters on the basis of the treatment and analysis of statistical data p0126 A74-18090

The development and evaluation of weight-estimation formulas for aircraft design with the aid of methods of mathematical statistics and probability calculus --- German book p0131 A74-18694

Lockheed S-3A Viking - With low fuel consumption over a wide power range the TP34-GE2 has high thrust to weight p0175 A74-20049

Advanced composite materials - Solution to problems of structure weight reduction [ONERA, TP NO. 1313] p0222 A74-23839

Air Superiority Fighter wing structure design for improved cost, weight and integrity [AIAA PAPER 74-337] p0228 A74-24315

A comparison of two types of structural optimization procedures for satisfying flutter requirements [AIAA PAPER 74-405] p0262 A74-26652

Low-weight, impact-resistant helicopter drive shafts p0266 A74-26704

Design of uniformly long-lived structures of minimum weight p0348 A74-34919

Hybrid aircraft for heavy lift --- combined helicopter and lighter-than-air elements [AHS PREPRINT 814] p0381 A74-36304

Resolution of a conflict between weight and component resistance in an aircraft p0389 A74-36623

Practical design of minimum weight aircraft structures for strength and flutter requirements [AIAA PAPER 74-986] p0398 A74-37652

Weight control and how we look at it --- in aircraft design and production [SAE PAPER 1004] p0429 A74-38743

The C-5 weight control program and its influence on structural efficiency [SAE PAPER 1008] p0435 A74-39878

'SWEEP' - An interdisciplinary approach to a structure weight estimating program [SAE PAPER 1016] p0435 A74-39886

Fuselage basic shell weight prediction [SAE PAPER 1019] p0435 A74-39889

MSU Monoplane - A testbed for ultralight vehicle development [AIAA PAPER 74-1033] p0455 A74-42047

SUBCRITICAL FLOW

SUBCRITICAL FLOW

A streamline curvature method for design of supercritical and subcritical airfoils [NASA-TN-D-7770] p0470 A74-32416

Survey of aircraft subcritical flight flutter testing methods [NASA-CR-132479] p0494 A74-34468

SUBLATTICES

U LATTICES (MATHEMATICS)

SUBMERGED BODIES

Far-field wake-vortex characteristics of wings [AIAA PAPER 74-505] p0339 A74-33104

SUBSONIC AIRCRAFT

Advanced flutter design techniques --- subsonic and SST aircraft [SAE PAPER 730935] p0016 A74-11565

Advanced structural materials application for high-subsonic-speed transports [SAE PAPER 730887] p0019 A74-11601

Wing fuselage structural/concept study for a subsonic transport aircraft [SAE PAPER 730886] p0123 A74-17533

Fixed wing aircraft p0127 A74-18176

Investigations concerning wing-fuselage interference in the case of subsonic velocity/ p0136 A74-18897

Comment on 'A finite-element method for calculating aerodynamic coefficients of a subsonic airplane' p0343 A74-33815

Noise - Future targets --- subsonic aircraft noise reduction p0381 A74-36318

Sources of unsteady flow in subsonic aircraft inlets p0398 A74-37549

Aerodynamic design of airfoil sections p0430 A74-38848

Dynamic flow distortion in subsonic air inlets p0437 A74-39987

Noise of advanced subsonic air transport systems p0438 A74-40090

Advanced material applications to subsonic transport aviation [ICAS PAPER 74-22] p0449 A74-41324

Aerodynamic and acoustic performance of ejectors for engine-under-the-wing concepts [AIAA PAPER 74-950] p0452 A74-41655

Motorless flight research, 1972 --- glider design, airframes, and soaring flight developments [NASA-CR-2315] p0041 A74-10051

An initial step: A demonstration project --- promoting subsonic, hydrogen-fueled aircraft p0068 A74-11747

SUBSONIC FLOW

An experimental study of subsonic jet noise and comparison with theory p0002 A74-10271

Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270

A semi-empirical method for predicting subsonic diffuser performance [AIAA PAPER 73-1272] p0010 A74-11285

Dynamic relaxation solution of three dimensional subsonic compressible oscillatory flow p0014 A74-11428

Recovery characteristics of a single-shielded self-aspirating thermocouple probe at low pressure levels and subsonic speeds p0027 A74-12280

Calculation of separated flows at subsonic and transonic speeds p0118 A74-16965

Integral equation method for calculation of subsonic flow past airfoils in a ventilated wind tunnel - Comparison with NAE high Reynolds number measurements [AIAA PAPER 74-83] p0133 A74-18764

Application of an improved unified subsonic-supersonic potential flow method for the aerodynamic analysis of aircraft configurations [AIAA PAPER 74-186] p0135 A74-18841

Subsonic potential aerodynamics for complex configurations - A general theory p0177 A74-20280

Compressibility effects in unsteady thin-airfoil theory

SUBSONIC FLUTTER

- The high subsonic flow around a two-dimensional aerofoil with a trailing edge control surface p0177 A74-20298
- Fluctuating forces appropriate for the calculation of discrete frequency noise generation in subsonic turbomachines p0182 A74-21104
- Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory p0204 A74-23108
- Theoretical solution of high subsonic flow past two-dimensional cascades of airfoils p0204 A74-23227
- [ASME PAPER 74-GT-91] p0273 A74-27474
- Application of unsteady lifting surface theory to propellers in forward flight p0276 A74-28169
- Subsonic blocking in double-flow nozzles p0311 A74-29310
- Subsonic flow into a downstream facing inlet p0317 A74-30401
- Nonlinear prediction of the aerodynamic loads on lifting surfaces p0338 A74-33103
- The calculation of subsonic and transonic turbulent boundary layers on an infinite yawed airfoil p0344 A74-34320
- Heat transfer effects on a delta wing in subsonic flow p0381 A74-36240
- A time-saving method for calculating subsonic flows at airfoils p0384 A74-36559
- Method of calculating the nonstationary aerodynamic loads on a thin wing of finite aspect ratio undergoing elastic harmonic vibrations in subsonic flow p0390 A74-36815
- Noise due to jet motion caused by internal unsteadiness --- subsonic nozzle flow p0398 A74-37550
- The jet density exponent issue for the noise of heated subsonic jets p0422 A74-38393
- Two-dimensional wind tunnel tests on a conventional wing section over a wide range of Reynolds numbers and up to high subsonic free-stream speeds p0447 A74-41306
- Numerical computations of wake vortices behind lifting surfaces p0449 A74-41330
- A two-dimensional aerofoil with a control surface oscillating at low frequency in high subsonic flow p0456 A74-42694
- Prediction of unsteady airloads for oblique blade-gust interaction in compressible flow p0477 A74-44406
- On lifting wings with parabolic tips p0478 A74-44930
- An experimental investigation of an acoustic method for measuring gas mass flow p0046 N74-10340
- Calculation of instantaneous pressure distributions and generalized aerodynamic forces with the doublet-lattice method --- on thin wings oscillating harmonically in subsonic flow p0054 N74-10906
- Calculation of the displacement effect in two-dimensional subsonic attached flow around aerofoils. Examples of calculations using measured displacement thicknesses p0195 N74-16707
- Interfering lifting surfaces in unsteady subsonic flow: Comparison between theory and experiment p0246 N74-18654
- [AGARD-R-614]
- Downwash-velocity potential method for oscillating surfaces using aerodynamic elements in subsonic and supersonic flows p0281 N74-19638
- An analytical study of the effects of jets located more than one jet diameter above a wing at subsonic speeds p0353 N74-25533
- Subsonic annular wing theory with application to flow about nacelles p0470 N74-32414
- [NASA-TN-D-7630]

SUBJECT INDEX

- The vortex lattice method for the rotor-vortex interaction problem p0488 N74-33433
- [NASA-CR-2421]
- SUBSONIC FLUTTER
- A direct method for calculating flutter speeds p0131 A74-18675
- [AIAA PAPER 74-270]
- Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod p0483 A74-46596
- [ONERA, TP NO. 1424]
- SUBSONIC SPEED
- Calculation of the aerodynamic characteristics of a wing system moving at subsonic speed near land or smooth water surface p0131 A74-18681
- Noise and wake structure measurements in a subsonic tip speed fan p0036 N74-10020
- [NASA-CR-2323]
- An investigation of a nonplanar vortex lattice method for wing calculations p0037 N74-10023
- [CRANFIELD-AERO-17]
- Computation of the aerodynamic characteristics of a rectangular wing with plates moving at low subsonic speed near a screen p0039 N74-10036
- [JPRS-60353]
- Research on aircraft dynamics for subsonic flight p0042 N74-10061
- [AD-765657]
- A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14711
- Research on aircraft dynamics for subsonic flight p0197 N74-16738
- [AD-770540]
- A computer program for the prediction of aerodynamic characteristics of wing-body-tail combinations at subsonic and supersonic speeds, part 2 p0294 N74-20636
- [PPA-AU-635-PT-2]
- Process and device for adaptation of sharp leading edge airfoils to any speed, subsonic or supersonic p0323 N74-21631
- [NASA-TT-F-15569]
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds p0323 N74-21639
- [NASA-TN-X-3053]
- Aircraft lift and drag prediction and measurement p0364 N74-26449
- Appraisal of wing aerodynamic design methods for subsonic flight speed p0365 N74-26451
- A digital calculation of the response of a piloted subsonic jet-transport airplane to severe vertical gusts p0412 N74-28498
- Buffeting tests with a swept wing in the transonic range p0416 N74-28522
- [NASA-TT-F-15803]
- Three computer programmes to calculate the steady or unsteady subsonic characteristics of lifting surfaces in ground effect p0441 N74-29368
- [ATN-7401]
- Use of a pitot-static probe for determining wing section drag in flight at Mach numbers from 0.5 to approximately 1.0 p0441 N74-29370
- [NASA-TN-X-56025]
- Flutter analysis of swept-wing subsonic aircraft with parameter studies of composite wings p0469 N74-32356
- [NASA-TN-D-7539]
- Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow p0487 N74-33430
- [NASA-TN-X-3060]
- Subsonic wind tunnel investigation of the high lift capability of a circulation control wing on a 1/5-scale T-2C aircraft model p0491 N74-33466
- [AD-781856]
- Method for predicting the pressure distribution on swept wings with subsonic attached flow p0492 N74-34446
- [RSDU-73012]
- Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds p0493 N74-34459
- [NASA-TN-R-428]
- SUBSONIC WIND TUNNELS
- Aspects of large-scale, subsonic, wind-tunnel design for propulsion noise research p0011 A74-11291
- [AIAA PAPER 73-1279]
- Integral equation method for calculation of subsonic flow past airfoils in a ventilated wind tunnel - Comparison with NAE high Reynolds number measurements p0133 A74-18764
- [AIAA PAPER 74-83]

SUBJECT INDEX

SUPERSONIC AIRCRAFT

- Some noise requirements for large subsonic wind-tunnels p0216 A74-22479
- Turbulence measurements with a laser Doppler velocimeter [AD-766781] p0062 N74-11129
- A method for measuring the dynamic stability Cyr in a subsonic wind tunnel [BEPT-1427] p0187 N74-15701
- SUBSTANCES**
- U MATERIALS**
- SUCTION**
 - Prevention of transition over a backward step by suction --- laminar boundary layer control p0013 A74-11339
 - Control of laminar flow past a wing in free flight p0086 A74-15567
 - The three-dimensional boundary layer in the vicinity of the stagnation line of a swept wing in the case of nonuniform suction. p0382 A74-36452
 - Suction braking --- in air cushion landing system aircraft [AIAA PAPER 74-968] p0428 A74-38733
- SUD AVIATION AIRCRAFT**
- NT ALOUETTE HELICOPTERS
- NT CONCORDE AIRCRAFT
- NT SA-330 HELICOPTER
- NT SE-210 AIRCRAFT
- NT SE-3160 HELICOPTER
- NT VJ-101 AIRCRAFT
- SUD AVIATION SA-330 HELICOPTER**
- U SA-330 HELICOPTER
- SUD AVIATION SE-210 AIRCRAFT**
- U SE-210 AIRCRAFT
- SUD AVIATION SE-3160 HELICOPTER**
- U SE-3160 HELICOPTER
- SUD VJ-101 AIRCRAFT**
- U VJ-101 AIRCRAFT
- SULFATES**
 - Hot corrosion of metals, alloys and ceramics [AD-769340] p0191 N74-15829
- SULFIDES**
- NT POLYSULFIDES
- SULFUR COMPOUNDS**
- NT POLYSULFIDES
- NT SULFATES
- SUMMARIES**
 - Stichting National Aerospace Laboratory, review for the year 1972 p0053 N74-10891
 - Aircraft accident report: Brief format, US civil aviation, issue no. 3 of 1973 accidents --- compilation of selected aircraft accident reports [NTSB-BA-74-1] p0297 N74-20664
- SUPERALLOYS**
- U BEAT RESISTANT ALLOYS**
- SUPERCAVITATING FLOW**
 - The state of development of axial pumps with supercavitating cascades p0178 A74-20325
- SUPERCAVITATION**
- U SUPERCAVITATING FLOW**
- SUPERCHARGERS**
 - Method for calculating the impellers of centrifugal superchargers with allowance for the deformation of the cover plate p0089 A74-15933
 - Fuel system requirements for light aircraft turbocharged reciprocating engines [SAE PAPER 740382] p0309 A74-28747
 - The aircraft engine M-14V26 --- Russian book p0480 A74-45269
- SUPERCHARGING**
- U SUPERCHARGERS**
- SUPERCritical FLOW**
 - A method of designing supercritical lift profiles [DGLR PAPER 73-081] p0120 A74-17187
 - Example of aerodynamic instability under supercritical conditions about profiles p0223 A74-25319
 - An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1 --- aerodynamic characteristics of off-design configurations at several Mach numbers [AD-772727] p0247 N74-18668
- SUPERCritical WINGS**
 - Transonic Aircraft Technology /TACT/ program [AIAA PAPER 74-620] p0376 A74-35387
- Review of NASA supercritical airfoils [ICAS PAPER 74-10] p0448 A74-41312
- Transonic lift augmentation of two-dimensional supercritical aerofoils by means of aft camber, slot blowing and jet flaps, in high Reynolds number flow [ICAS PAPER 74-11] p0448 A74-41313
- Viscous effects in transonic flow past airfoils [ICAS PAPER 74-19] p0448 A74-41321
- Additional three-dimensional boundary-layer computations for a finite swept wing [NASA-CR-132335] p0038 N74-10029
- Aerodynamic Drag [AGARD-CP-124] p0155 N74-14709
- Drag of supercritical airfoils in transonic flow --- comparison with conventional airfoil drag coefficients p0156 N74-14719
- Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing [NASA-TN-D-7470] p0325 N74-21653
- A streamline curvature method for design of supercritical and subcritical airfoils [AGARD-TN-D-7770] p0470 N74-32416
- SUPERHIGH FREQUENCIES**
 - Microelectronic phase shifters in X and Q bands [BLL-PO-2988-(9022.81)] p0192 N74-15906
- SUPERSONIC AIRCRAFT**
- NT BOEING 2707 AIRCRAFT
- NT CONCORDE AIRCRAFT
- NT F-4 AIRCRAFT
- NT F-5 AIRCRAFT
- NT F-8 AIRCRAFT
- NT F-14 AIRCRAFT
- NT F-15 AIRCRAFT
- NT F-104 AIRCRAFT
- NT F-106 AIRCRAFT
- NT F-111 AIRCRAFT
- NT SAAB 37 AIRCRAFT
- NT SUPERSONIC COMMERCIAL AIR TRANSPORT
- NT SUPERSONIC TRANSPORTS
- NT T-38 AIRCRAFT
- NT TU-144 AIRCRAFT
- NT VJ-101 AIRCRAFT
- The technical evolution of aircraft p0006 A74-11092
- Aircraft engines - Progress made in France over ten years, and possibilities for the ten years to come p0006 A74-11093
- Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane [ASME PAPER 73-WA/AERO-4] p0071 A74-13246
- Calculation method for the supersonic spanwise twisted rectangular wings p0088 A74-15820
- Transonic transport wings - Oblique or swept p0119 A74-17048
- Aircraft symmetric flight optimization --- gradient techniques for supersonic aircraft control p0209 A74-23091
- Influence of heat on crack propagation and residual strength and its relation to the supersonic aircraft fatigue problem p0229 A74-24423
- Research instrumentation requirements for flight/wind-tunnel tests of the YF-12 propulsion system and related flight experience p0277 A74-28285
- Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft p0277 A74-28286
- Minimum time and minimum fuel flight path sensitivity p0342 A74-33811
- Sonic boom of supersonic aircraft p0343 A74-34208
- Cooperative airframe/propulsion control for supersonic cruise aircraft [SAE PAPER 740478] p0351 A74-34998
- Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft p0382 A74-36451
- Turbulence studies on a high-altitude sounding aircraft

- Application of parameter optimization methods to trajectory optimization [AIAA PAPER 74-825] p0392 A74-37234
- Conceptual design of a lift fan plus lift/cruise fighter aircraft [AIAA PAPER 74-969] p0400 A74-37829
- Aerodynamic design of airfoil sections p0428 A74-38734
- 3-D energy management for supersonic aircraft p0430 A74-38848
- A study of high temperature fuels and lubricants on supersonic aircraft/engine system performance [SAE PAPER 740473] p0432 A74-39472
- Sonic boom research at UTIAS p0433 A74-39648
- Description of six degree of freedom rigid aircraft mathematical models --- numerical analysis of flight dynamics of high speed aircraft [WRE-TN-901(WR/D)] p0483 A74-46239
- Prediction of supersonic aircraft aerodynamic characteristics p0365 A74-26450
- Single wing supersonic aircraft --- with pivotal attachment of airfoil [NASA-CASE-ARC-10470-3] p0445 A74-30414
- Advanced supersonic technology [GPO-39-784] p0494 A74-34473
- Adaptive control techniques without perturbation for systems with inaccessible state variables with application to a supersonic aircraft air inlet control system p0499 A74-34668
- Cold-flow performance of several variations of a ram-air-cooled plug nozzle for supersonic-cruise aircraft [NASA-TN-X-3110] p0500 A74-35203
- SUPERSONIC AIRFOILS**
- On the flow field of a rapidly oscillating airfoil in a supersonic flow p0267 A74-26960
- The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component [AIAA PAPER 74-530] p0339 A74-33127
- Transonic shock-free aerofoil design by an analytic hodograph method [AIAA PAPER 74-539] p0339 A74-33136
- Calculation of the surface of a minimum-drag wing with a shock-free leading edge p0390 A74-36818
- A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges [AD-772952] p0251 A74-18701
- SUPERSONIC BOUNDARY LAYERS**
- Minimizing boundary layer bleed for a mixed compression inlet [AIAA PAPER 73-1270] p0030 A74-12497
- Investigation of heat transfer at the surface of a two-step wedge in supersonic flow p0070 A74-13188
- A method of designing supercritical lift profiles [DGLR PAPER 73-081] p0120 A74-17187
- SUPERSONIC COMBUSTION**
- External burning assisted projectile - Theory and experiment [AIAA PAPER 73-1193] p0009 A74-11234
- Supersonic mixing and combustion studies of ducted hydrogen-air flows at an inlet air Mach number of 2.6 [AIAA PAPER 73-1320] p0012 A74-11313
- Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream [AIAA PAPER 73-1322] p0012 A74-11314
- Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity p0186 A74-22304
- Reaction modes occurring at detonation of explosive gas mixture due to detached shock front from a blunt mockup at supersonic speeds [ISI-28/72] p0067 A74-11740
- Supersonic combustion and burning in ramjet combustors [AD-770061] p0201 A74-17648
- SUPERSONIC COMBUSTION RAMJET ENGINES**
- The jet engine design that can drastically reduce oxides of nitrogen p0133 A74-18797
- [AIAA PAPER 74-160] p0432 A74-39372
- Supersonic combustion ramjets - Performance of an inlet for an integrated scramjet concept p0478 A74-44424
- Emission calculations for a scramjet powered hypersonic transport [NASA-TN-X-71464] p0100 A74-12445
- Supersonic combustion and burning in ramjet combustors [AD-770061] p0201 A74-17648
- SUPERSONIC COMMERCIAL AIR TRANSPORT**
- BT BOEING 2707 AIRCRAFT
- BT TU-144 AIRCRAFT
- Advanced flutter design techniques --- subsonic and SST aircraft [SAE PAPER 730935] p0016 A74-11565
- SUPERSONIC COMPRESSORS**
- Supersonic compressor test facility p0129 A74-18603
- Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages [NASA-TN-X-2926] p0050 A74-10734
- Test of a supersonic compressor cascade, volume 1 [AD-756870] p0052 A74-10749
- Test of a supersonic compressor cascade, volume 2 --- effects of vortex generators mounted on blades [AD-756871] p0052 A74-10750
- SUPERSONIC DIFFUSERS**
- Performance of conical diffusers in incompressible flow [ESDU-73024] p0109 A74-12986
- SUPERSONIC FLIGHT**
- Low cost supersonic expendable turbine engines --- tactical missile applications [SAE PAPER 730910] p0017 A74-11583
- Sonic boom analysis for high altitude flight at high Mach number [AIAA PAPER 73-1034] p0026 A74-12224
- Waves in an elastic medium generated by a point source moving in an overlying fluid medium p0085 A74-14928
- On the problem of rain erosion on a moving body flying at supersonic speed [DFVLR-SONDDR-349] p0117 A74-16727
- Temperature, winds, and turbulence at SST flight levels p0122 A74-17311
- Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29459
- Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack p0312 A74-29496
- Aircraft design for flight below the sonic boom speed limit p0483 A74-46240
- A numerical study of the effects of aircraft manoeuvres on the focusing of sonic booms [AD-775095] p0326 A74-21664
- A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables [AD-782490] p0491 A74-33470
- SUPERSONIC FLOW**
- Supersonic flow about slab delta wings and wing-body configurations p0070 A74-13152
- The influence of a high velocity fluid environment on the static and dynamic stability of thin cylindrical shell structures p0072 A74-13321
- Supersonic flow past sharp- and blunt-nosed conical bodies at angles of attack from 0 to 45 deg [DGLR PAPER 73-080] p0120 A74-17186
- Experimental study of the internal noise in injector driven wind tunnels [ONERA, TP NO. 1315] p0128 A74-18288
- Some specific characteristics of small gas turbines and the modeling problems of their wind tunnel testing p0131 A74-18682
- Application of an improved unified subsonic-supersonic potential flow method for

SUBJECT INDEX

SUPERSONIC NOZZLES

the aerodynamic analysis of aircraft configurations
[AIAA PAPER 74-186] p0135 A74-18841

Theoretical investigation of supersonic flow past oscillating cascades with subsonic leading-edge locus
[AIAA PAPER 74-14] p0135 A74-18843

Three dimensional supersonic flow field analysis of the B-1 airplane by a finite difference technique and comparison with experimental data
[AIAA PAPER 74-189] p0136 A74-18877

Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions
p0173 A74-19777

Calculation of supersonic flow past conical bodies
p0174 A74-19935

Numerical solution of the problem of supersonic gas flow over the upper surface of a delta wing in the expansion region
p0186 A74-22283

Some results of an optical study of supersonic spatial flows
p0223 A74-24396

On the flow field of a rapidly oscillating airfoil in a supersonic flow
p0267 A74-26960

The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing
[ASME PAPER 74-GT-120] p0271 A74-27419

The problem of supersonic flow past intersecting wings
p0307 A74-28644

Investigation of new wing shapes for hypersonic flight
p0311 A74-29035

Effects of yaw on a Gothic wing at supersonic speeds
p0342 A74-33733

The shock adjustment concept - A new method for improved supersonic air data sensing
p0346 A74-34845

Separation of a shock wave from the edge of a V-shaped backswept wing
p0384 A74-36513

The heat flux to a waverider of simple configuration and its L/D ratio
p0384 A74-36571

Numerical method of calculating the aerodynamic characteristics of cambered and uncambered wings in supersonic flow
p0391 A74-36827

Interaction between an overexpanded gas jet and a flat obstacle
p0391 A74-37138

Noise due to jet motion caused by internal unsteadiness --- subsonic nozzle flow
p0398 A74-37550

The effect of the Mach number on wave-drag optimized fuselages and profiles in the case of supersonic flow
p0447 A74-41032

A device for generating an artificial boundary layer in a short axial distance in a supersonic flow
p0452 A74-41398

A study of methods which predict supersonic flow fields from body geometry, distance, and Mach number
[NASA-TN-D-7387] p0038 N74-10030

Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order P-function
[NASA-CR-2340] p0038 N74-10031

A study of supersonic flow past vibrating shells and cascades --- using linearized characteristic methods
[AD-765735] p0046 N74-10335

Analysis and design of three dimensional supersonic nozzles. Volume 2: Numerical program for analysis of nozzle-exhaust flow fields
[NASA-CR-132351] p0061 N74-11114

On some basic and new aspects about the drag problem of wings and bodies in supersonic flows
p0155 N74-14713

A study of the nonlinear aerodynamics of bodies in nonplanar motion --- numerical analysis of aerodynamic force and moment systems during large amplitude, arbitrary motions
[NASA-TN-R-421] p0158 N74-14741

Analysis of the flow about delta wings with leading edge separation at supersonic speeds
[NASA-CR-132358] p0158 N74-14745

Downwash-velocity potential method for oscillating surfaces using aerodynamic elements in subsonic and supersonic flows
p0281 N74-19638

SUPERSONIC FLOW INLETS

U SUPERSONIC INLETS

SUPERSONIC FLUTTER

Finite element analysis of supersonic panel flutter
p0069 A74-13001

Supersonic unstalled flutter in fan rotors - Analytical and experimental results
[ASME PAPER 74-GT-40] p0272 A74-27433

Optimization of complex structures to satisfy static, dynamic and aeroelastic requirements
p0318 A74-30453

The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component
[AIAA PAPER 74-530] p0339 A74-33127

Effect of geometric profile and cascade parameters on the critical flutter speed of a compressor blade packet
p0482 A74-45934

A study of supersonic flow past vibrating shells and cascades --- using linearized characteristic methods
[AD-765735] p0046 N74-10335

SUPERSONIC HEAT TRANSFER

Investigation of heat transfer at the surface of a two-step wedge in supersonic flow
p0070 A74-13188

SUPERSONIC INLETS

Possibilities for improved supersonic inlet performance
[AIAA PAPER 73-1271] p0010 A74-11284

Some design considerations for supersonic cruise mixed compression inlets
[AIAA PAPER 73-1269] p0030 A74-12496

Minimizing boundary layer bleed for a mixed compression inlet
[AIAA PAPER 73-1270] p0030 A74-12497

Problem of adapting an intake to a turbojet engine for extremely high flight Mach numbers
p0122 A74-17272

The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component
[AIAA PAPER 74-530] p0339 A74-33127

A unique supersonic inlet unsteady aerodynamic cascade experiment
[AIAA PAPER 74-622] p0376 A74-35389

Three-dimensional wave interactions in supersonic intakes
p0436 A74-39980

Mixed compression air intakes for operation at Mach 2.2
p0437 A74-39981

Subsonic performance data for NACA type submerged air intakes
[ESDU-66029] p0036 N74-10012

Minimizing boundary layer bleed for a mixed compression inlet --- sized for TF30-P-3 turbofan engine at Mach 2.0 and 2.5
[NASA-TN-X-71461] p0045 N74-10321

Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] p0295 N74-20646

SUPERSONIC JET FLOW

Deck heating effects due to VTOL jet exhaust impingement
[AIAA PAPER 73-1182] p0008 A74-11227

Realization of the power amplification effect in a ramjet unit by applying the principle of boundary layer separation
p0175 A74-20069

Subsonic blocking in double-flow nozzles
p0311 A74-29310

A new anechoic facility for supersonic hot jet noise research at Lockheed-Georgia
p0315 A74-30092

Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods
[BNVG-FBWT-73-27] p0195 N74-16705

SUPERSONIC NOZZLES

Comparison of ground and flight test results using

- a modified F106B aircraft.
[AIAA PAPER 73-1305] p0011 A74-11304
- Analysis and design of three dimensional
supersonic nozzles. Volume 1: Nozzle-exhaust
flow field analysis by a reference plane
characteristics technique
[NASA-CR-132350] p0061 N74-11113
- Analysis and design of three dimensional
supersonic nozzles. Volume 2: Numerical
program for analysis of nozzle-exhaust flow fields
[NASA-CR-132351] p0061 N74-11114
- Analysis and design of three dimensional
supersonic nozzles. Volume 3: A design
technique for multiple nozzle configurations
[NASA-CR-132352] p0061 N74-11115
- Analysis and design of three dimensional
supersonic nozzles. Volume 4: Similarity laws
for nozzle flows
[NASA-CR-132353] p0061 N74-11116
- SUPERSONIC SPEEDS**
- Quasi homogeneous approximations for the
calculation of wings with curved subsonic
leading edges flying at supersonic speeds
[VTB-173] p0195 N74-16708
- A computer program for the prediction of
aerodynamic characteristics of wing-body-tail
combinations at subsonic and supersonic speeds,
part 2
[PPA-AU-635-PT-2] p0294 N74-20636
- Process and device for adaptation of sharp leading
edge airfoils to any speed, subsonic or supersonic
[NASA-TT-P-15569] p0323 N74-21631
- Impulsive sources of aerodynamic sound: Oral
script of the introductory review lecture ---
aircraft noise at supersonic speeds
p0329 N74-22643
- Exhaust-nozzle characteristics for a twin-jet
variable-wing-sweep fighter airplane model at
Mach numbers to 2.2
[NASA-TN-X-2947] p0416 N74-28524
- Aerodynamic characteristics of three slender
sharp-edge 74 degrees swept wings at subsonic,
transonic, and supersonic Mach numbers
[NASA-TN-D-7631] p0463 N74-31416
- SUPERSONIC TRANSPORTS**
- NT BOEING 2707 AIRCRAFT
- NT CONCORDE AIRCRAFT
- NT SUPERSONIC COMMERCIAL AIR TRANSPORT
- Fatigue of supersonic transport materials using
simulated flight-by-flight loading
p0004 A74-10616
- Prospects for aerospace research
p0007 A74-11098
- Possibilities for improved supersonic inlet
performance
[AIAA PAPER 73-1271] p0010 A74-11284
- Gas-phase nitrogen and methane chemistry in the
atmosphere
p0015 A74-11513
- AST - A fifth engine for environmental consideration
[SAE PAPER 730899] p0018 A74-11590
- Propulsion technology advances needed for a quiet
supersonic transport
[SAE PAPER 730898] p0018 A74-11591
- Jet noise suppression systems for high-speed
aircraft
[SAE PAPER 730897] p0018 A74-11592
- Benefits of advanced propulsion technology for the
advanced supersonic transport
[SAE PAPER 730896] p0018 A74-11593
- Development of parametricized computations for AST
study engines
[SAE PAPER 730895] p0018 A74-11594
- Influence of noise constraints on supersonic
transport engine design
[AIAA PAPER 73-1295] p0032 A74-12943
- Performance and noise aspects of supersonic
transport
p0074 A74-13798
- Some trends in air traffic control
p0091 A74-16074
- Fixed wing aircraft
p0127 A74-18176
- Aviation fuels and lubricants
p0128 A74-18180
- Hydrogen - Make-sense fuel for an American
supersonic transport
[AIAA PAPER 74-163] p0169 A74-19353
- Atmospheric ozone - Possible impact on
stratospheric aviation
p0175 A74-20039
- Possible effects of a fleet of supersonic
transports on the stratospheric ozone shield
p0176 A74-20125
- The technical aspects of supersonic civil
transport aircraft
p0260 A74-25800
- Some tunnel-wall effects on transonic flutter ---
from Boeing SST model tests
[AIAA PAPER 74-406] p0266 A74-26705
- Anglo-French collaboration - Concorde and
supersonic transport /26th Louis Bleriot Lecture/
p0274 A74-27591
- Automatic detection and suppression of inlet buzz
p0278 A74-28313
- The civil supersonic aircraft --- design, economic
and political factors
p0310 A74-28786
- S.S.T. flight-profile optimisation
p0422 A74-38158
- Advanced supersonic transport design
[AIAA PAPER 74-987] p0429 A74-38744
- Automatisms in supersonic transport
p0433 A74-39520
- Performance problems related to installation of
future engines in both subsonic and supersonic
transport aircraft
p0436 A74-39967
- Aircraft approach - A degree of bias ---
supersonic transports engine control problems
p0458 A74-43205
- Some analyses of the chemistry and diffusion of
SST exhaust materials during phase 3 of the wake
period --- in lower stratosphere
[NASA-CR-132323] p0053 N74-10863
- Analysis of aeroelastic model stability
augmentation systems --- for application to
supersonic transport aircraft
[NASA-CR-132354] p0095 N74-11829
- Fatigue-test acceleration with flight-by-flight
loading and heating to simulate
supersonic-transport operation
[NASA-TN-D-7380] p0099 N74-12261
- A preliminary sensitivity analysis of the coupled
diffusion and chemistry model --- effect of SST
operations on ambient ozone in lower stratosphere
[NASA-CR-132369] p0107 N74-12821
- Reduction of NO formations by premixing
p0148 N74-14272
- Effect of supersonic transport upon the ozone
layer, studied in a two-dimensional
photochemical model with transport
p0148 N74-14278
- A study to determine the feasibility of a low
sonic boom supersonic transport
[NASA-CR-2332] p0188 N74-15713
- Gas-phase nitrogen and methane chemistry in the
atmosphere
[AP-10] p0255 N74-19053
- Effect of trailing-edge flap deflection on the
lateral and longitudinal stability
characteristics of a supersonic transport model
having a highly-swept arrow wing
[NASA-TN-X-71936] p0295 N74-20652
- Redundant actuator development study --- flight
control systems for supersonic transport aircraft
[NASA-CR-114730] p0325 N74-21655
- Low speed wind tunnel tests of a 1/9-scale model
of a variable-sweep advanced supersonic transport
[NASA-TN-X-71960] p0365 N74-26457
- Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- The feasibility of detecting a burner-can
burn-through by means of CO, CO2, pressure, and
air temperature levels in a jet engine nacelle
[AD-775304] p0475 N74-33225
- An analysis of the impact of cabin floor angle
restrictions on L/D for a typical supersonic
transport
[NASA-CR-132508] p0494 N74-34469
- Measured and calculated neutron spectra and dose
equivalent rates at high altitudes; relevance to
SST operations and space research
[NASA-TN-D-7715] p0500 N74-35219
- SUPERSONIC TURBINES**
- Holographic studies of shock waves within
transonic fan rotors

SUBJECT INDEX

STANDARD

- [ASME PAPER 74-GT-46] p0272 A74-27439
- A concept for designing transonic blade cascades p0431 A74-38930
- Designing transonic turbine blades by the hodograph method p0437 A74-40002
- SUPERSONIC WAKES**
- Ingestion and dispersion of engine exhaust products by trailing vortices for supersonic flight in the stratosphere [AIAA PAPER 74-42] p0134 A74-18815
- SUPERSONIC WIND TUNNELS**
- Functional tests of a cryo-cooled mass spectrometer ion source in a supersonic wind tunnel p0080 A74-14548
- Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities p0312 A74-29493
- The model mounting arrangements in the high speed wind-tunnel testing p0478 A74-44635
- Study of condensation phenomena in the ISL laser wind tunnel using light diffusion [ISL-RT-19/72] p0060 A74-11099
- Control of supersonic wind-tunnel noise by laminarization of nozzle-wall boundary layer [NASA-TM-X-2879] p0062 A74-11119
- An experimental study of the validity of the heat-field concept for sonic-boom alleviation [NASA-CR-2381] p0245 A74-18648
- SUPPORT SYSTEMS**
- NT EMERGENCY LIFE SUSTAINING SYSTEMS
- NT GROUND SUPPORT SYSTEMS
- NT LIFE SUPPORT SYSTEMS
- NT PORTABLE LIFE SUPPORT SYSTEMS
- Automatic support systems for advanced maintainability; International Symposium, Arlington, Tex., November 5-7, 1973, Record p0074 A74-13802
- Model support roll balance and roll coupling --- design of wind tunnel model support mechanism p0066 A74-11681
- SUPPORTS**
- NT PYLONS
- Ball type slave bearings for rotor support in dynamic balancing machines [SAE ARP 1202] p0269 A74-27262
- Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack p0312 A74-29496
- SUPPRESSORS**
- NT ECHO SUPPRESSORS
- Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data [AIAA PAPER 73-100] p0006 A74-11050
- Jet noise suppression systems for high-speed aircraft [SAE PAPER 730897] p0018 A74-11592
- Acoustical model investigations of two versions of an airport noise suppressor p0340 A74-33274
- SURFACE COOLING**
- Estimation and optimization of the film cooling requirements in a gas turbine combustion chamber [CRANFIELD-SHE-5] p0152 A74-14439
- SURFACE CRACKS**
- Quantitative evaluation of the effect of mechanical processing on the effectiveness of penetrant inspection p0378 A74-35669
- Signal-to-noise ratio in the inspection penetrant process p0459 A74-43457
- SURFACE FINISHING**
- Design and development support for critical helicopter applications in Ti-6Al-4V alloy p0115 A74-16448
- An aircraft exterior coating system and surface pretreatment p0125 A74-17862
- The response of aircraft camouflage lacquers to thermal radiation. Part 2; 6000 degrees K radiator and 800 ft/sec air flow [AD-776884] p0361 A74-26078
- SURFACE GEOMETRY**
- Designing aerodynamic ducts according to given conditions p0260 A74-24444
- Interactive computer graphics application of the bi-cubic parametric surface to engineering design problems p0344 A74-36777
- A variation of the aerodynamic shape of a body which leads to a decrease in its drag p0383 A74-28442
- SURFACE INTERACTIONS**
- U SURFACE REACTIONS
- SURFACE LAYERS**
- Nondestructive detection of hydrides and alpha-case in titanium alloys p0116 A74-16444
- SURFACE NAVIGATION**
- Integrated navigation in the air and on the sea --- automatic systems p0029 A74-11111
- SURFACE PROPERTIES**
- NT COEFFICIENT OF FRICTION
- NT SPECTRAL REFLECTANCE
- NT SURFACE CRACKS
- NT SURFACE ROUGHNESS
- NT SURFACE TEMPERATURE
- Improved methods for construction and maintenance of runway pavement surfaces [SAE PAPER 740498] p0350 A74-11111
- The mean skin friction coefficient for a rough flat plate with a turbulent two-dimensional boundary layer in compressible adiabatic flow, with application to wedges, cylinders and cones [ESDU-73016] p0035 A74-10043
- Ice and landing surface demoulding: Replica fabrication [PFA-MEMO-90] p0047 A74-10111
- SURFACE REACTIONS**
- Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29496
- SURFACE ROUGHNESS**
- Low-speed aerodynamic characteristics of NACA 0012 aerofoil section. Including the effects of upper-surface roughness simulating hoar frost [ARC-R/M-3726] p0231 A74-11111
- A method for avoiding insect roughness on aircraft --- installation of highly elastic rubber coverings on leading edges [NASA-TT-P-15454] p0320 A74-11111
- Evaluation of runway skid-resistance characteristics at Minot Air Force Base, North Dakota [AD-773403] p0320 A74-11111
- SURFACE TEMPERATURE**
- Photographic pyrometry in an aeroballistic range --- aerodynamic model surface temperature measurement p0020 A74-11111
- Effect of frictional heating on brake materials p0461 A74-44444
- SURFACE TREATMENT**
- U SURFACE FINISHING
- SURFACE VEHICLES**
- NT AIRCRAFT CARRIERS
- NT BOATS
- NT ROVING VEHICLES
- NT SATELLITE COMMUNICATIONS SHIPS
- NT TRUCKS
- AIRTRANS operational readiness test --- airport interterminal transportation evaluation p0070 A74-11111
- Restraint procedures for cargo loaded in aircraft to be air transported [AD-768172] p0146 A74-11111
- SURFACE WAVES**
- Component performance and systems applications of surface acoustic wave devices; Proceedings of the International Specialist Seminar, Aviemore, Scotland, September 25-28, 1973 p0170 A74-19273
- Applications of surface wave devices --- an radar, ATC and communications p0170 A74-19273
- Problems in civil air traffic control which SAE technology may impact --- Surface Acoustic Wave devices

SURFACES

SUBJECT INDEX

- SURFACES
On the modes of icing of symmetrical lifting surfaces p0170 A74-19390
- Flexible lifting surfaces --- in steady inviscid compressible flow p0136 A74-18987
- Three-axis adjustable loading structure [NASA-CASE-FRC-10051-1] p0173 A74-19684
- A numerical vortex box technique for calculations in lifting surface theory p0110 A74-13129
- The dyadic diffraction coefficient for a curved edge [NASA-CR-2401] p0244 A74-18642
- SURVEILLANCE
AEROSAT overview --- aeronautical satellites for oceanic ATC p0417 A74-28710
- The effect of interfering signals on the performance of angle of arrival estimates p0024 A74-12189
- SURVEILLANCE RADAR
Radar - Present and future; Proceedings of the International Conference, London, England, October 23-25, 1973 p0174 A74-19908
- Secondary surveillance radar in ATC --- operational problems p0027 A74-12355
- New developments in secondary surveillance radar --- design improvements for ATC p0027 A74-12357
- Equipment for suppressing reflected secondary radar signals --- ATC surveillance radar system design p0028 A74-12358
- The improvement in performance of an S-band surveillance radar operating in conditions of rain clutter p0028 A74-12359
- The future of secondary surveillance radar in air traffic control p0028 A74-12396
- The reduction of garbling in secondary surveillance radar p0078 A74-14499
- The discrete address beacon system - Development, transition, and introduction p0170 A74-19391
- A discrete address beacon system --- digital surveillance radar for ATC p0220 A74-22683
- A synchronized Discrete Address Beacon System --- for ATC surveillance p0221 A74-23785
- The effects of relative source strength and signal-to-noise ratio on angular resolution of antennas p0221 A74-23786
- SURVIVAL EQUIPMENT
Survival and Flight Equipment Association, Annual Symposium, 11th, Phoenix, Ariz., October 7-11, 1973, Proceedings p0373 A74-35132
- Helmets and head protection in USAF ejections 1968-1972 p0210 A74-23526
- Explosive canopy severance --- feasibility of ejection through different canopy materials p0210 A74-23528
- Underwater escape from helicopters --- water actuated lap belts for crew safety p0214 A74-23531
- Sea trials on inflatable flotation and survival gear p0211 A74-23535
- Survival radio performance tests p0211 A74-23536
- Advanced aircraft oxygen systems --- design flexibility cost effectiveness and applications p0215 A74-23538
- Integrated logistics support and acquisition management /ILS-AM/ panel for aviation-crew systems equipment changes p0212 A74-23544
- A new approach to the design of quick release boxes for single point parachute harnesses p0222 A74-23549
- Emergency Evacuation and Survival Equipment Deployment for transport-aircraft /ESED/ p0214 A74-23554
- Recovery system for an advanced performance ejection seat p0214 A74-23555
- SUSPENDING (HANGING)
NT MAGNETIC SUSPENSION
- SWEEP ANGLE
Experimental investigations of strongly swept turbine cascades with low speed flow p0280 A74-28457
- SWEEP FORWARD WINGS
NT TRAPEZOIDAL WINGS
- SWEEP WINGS
NT ARROW WINGS
NT DELTA WINGS
NT SWEEPBACK WINGS
NT TRAPEZOIDAL WINGS
- The calculation of the buffeting limits of swept wings --- transonic flow regime p0005 A74-10985
- Relaxation methods for transonic flow about wing-cylinder combinations and lifting swept wings p0118 A74-16951
- Transonic transport wings - Oblique or swept p0119 A74-17048
- Influence of boundary layer blowing on the low-speed aerodynamic performance of a 45 degree swept-wing airplane [AIAA PAPER 74-269] p0131 A74-18674
- Attachment-line flow on an infinite swept wing p0177 A74-20293
- Buffeting tests with a swept wing in the transonic range p0223 A74-25310
- Influence of static aeroelasticity on oblique winged aircraft p0317 A74-30399
- The three-dimensional boundary layer in the vicinity of the stagnation line of a swept wing in the case of nonuniform suction p0382 A74-36452
- Calculation of the loads and strains on a swept wing with mechanical analog devices p0390 A74-36804
- Effects of Reynolds number on swept-wing-body configurations with high lift devices at transonic speeds p0447 A74-41307
- Analysis of viscous flow over swept wings [ICAS PAPER 74-05] p0449 A74-41322
- Effect of upper-surface blowing on static longitudinal stability of a swept wing p0477 A74-44419
- Integral equation solutions for simply supported polygonal plates p0483 A74-46071
- Exploratory investigation at Mach numbers from 0.40 to 0.95 of the effects of jets blown over a wing [NASA-TN-D-7367] p0036 A74-10014
- Additional three-dimensional boundary-layer computations for a finite swept wing [NASA-CR-132335] p0038 A74-10029
- Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct [NASA-TN-X-62281] p0095 A74-11826
- Measurements in a three dimensional incompressible turbulent boundary layer in an adverse pressure gradient under infinite swept wing conditions [NLR-TN-72092-0] p0109 A74-12995
- Calculation of the induced velocity field on and off the wing plane for a swept wing with given load distribution p0161 A74-14766
- Swept wing-body combination at subsonic speeds fuselage loads and pressure distributions for a swept wing-body combination at supersonic speeds [ARA-34] p0245 A74-18649
- Effect of trailing-edge flap deflection on the lateral and longitudinal-stability characteristics of a supersonic transport model having a highly-swept arrow wing [NASA-TN-X-71936] p0295 A74-20652
- Free-flight wind tunnel investigation of a four-engine sweptwing upper-surface blown transport configuration

SUBJECT INDEX

SYSTEMS ANALYSIS

- [NASA-TN-X-71932] p0296 N74-20656
An analytical study of the effects of jets located more than one jet diameter above a wing at subsonic speeds
- [NASA-TN-X-71965] p0353 N74-25533
The passage of an infinite swept airfoil through an oblique gust --- approximate solution for aerodynamic response
- [NASA-CR-2395] p0363 N74-26425
Buffeting tests with a swept wing in the transonic range
- [NASA-TT-F-15803] p0416 N74-28522
Effect of spanwise blowing on leading-edge vortex bursting of a highly swept aspect ratio 1.18 delta wing
- [NASA-TN-D-71987] p0441 N74-29367
Aerodynamic characteristics of three slender sharp-edge 74 degrees swept wings at subsonic, transonic, and supersonic Mach numbers
- [NASA-TN-D-7631] p0463 N74-31416
Flutter analysis of swept-wing subsonic aircraft with parameter studies of composite wings
- [NASA-TN-D-7539] p0469 N74-32356
A viscous potential flow interaction analysis method for multi-element infinite swept wings, volume 2
- [NASA-CR-137550] p0470 N74-32413
Method for predicting the pressure distribution on swept wings with subsonic attached flow
- [ESDU-73012] p0492 N74-34446
SWEPTBACK WINGS
NT ARROW WINGS
NT DELTA WINGS
NT TRAPEZOIDAL WINGS
Experimental study on the characteristics of an isolated swept-back aerofoil with two parallel side-walls
- p0069 A74-12971
Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces
- p0185 A74-22225
The problem of optimum design of a wing under strength and aeroelastic constraints
- p0383 A74-36509
Separation of a shock wave from the edge of a V-shaped backswept wing
- p0384 A74-36513
Interference of a sweptback wing and the fuselage at transonic speeds
- p0391 A74-36839
The deformation of a vortex sheet behind a swept back-wing - Comparison of measurements and calculations
- [ICAS PAPER 74-33] p0449 A74-41334
Some effects of center of gravity locations of added mass on transonic flutter characteristics of low aspect ratio and sweptback thin cantilever wing
- [NAL-TR-314] p0040 N74-10047
Calculation of flows around zero thickness wings with evolutive vortex sheets
- [NASA-TT-P-15183] p0094 N74-11815
An experimental investigation on the transonic flutter characteristics of the cantilever swept-back wing with airfoil section and comparison with the thin cantilever swept-back wing
- [NAL-TR-361] p0495 N74-34480
SWIRLING
Swirling flow combustion - Fundamentals and application --- hydrocarbon-air flame velocity, turbojet afterburner application
- [AIAA PAPER 73-1250] p0009 A74-11271
SWIRLING WAKES
O TURBULENT WAKES
SWITCHES
NT ELECTRIC BELAYS
NT ELECTRIC SWITCHES
SYMMETRICAL BODIES
NT AXISYMMETRIC BODIES
NT BODIES OF REVOLUTION
NT CONICAL BODIES
NT CYLINDRICAL BODIES
NT ROTATING CYLINDERS
NT STREAMLINED BODIES
Transonic flow around symmetric aerofoils at zero incidence
- p0204 A74-23331
SYNCHRONISM
NT BIT SYNCHRONIZATION
SYNCHRONOUS DETECTORS
O CORRELATORS
SYNCHRONOUS SATELLITES
Some transmission characteristics of AEROSAT-type air traffic control systems
- p0174 A74-19957
SYNCOPE
NT BLACKOUT (PHYSIOLOGY)
SYNOPTIC METEOROLOGY
Wind conditions at the Cologne/Bonn airport and possibilities of forecasting them
- p0022 A74-11835
SYNTHETIC FIBERS
NT GLASS FIBERS
SYNTHETIC RESINS
NT ACRYLIC RESINS
NT EPOXY RESINS
NT PHENOLIC RESINS
NT THERMOPLASTIC RESINS
NT THERMOSETTING RESINS
SYSTEM EFFECTIVENESS
New developments in secondary surveillance radar --- design improvements for ATC
- p0028 A74-12358
The cost of a quality product --- jet aircraft hardware and systems
- p0076 A74-13975
Some experiences from the use of an LCC approach --- Life Cycle Cost for weapon systems acquisition
- p0181 A74-20944
International airline views on the United States' plans for the upgraded third generation system --- ATC technology assessment
- p0220 A74-22685
Requirements and trends of collision avoidance systems
- [ONERA, TP NO. 1337] p0220 A74-23393
Airline airplanes for the eighties - A response --- emphasizing system efficiency and fuel savings
- p0222 A74-23464
Requirements and trends in collision avoidance
- p0228 A74-25355
A rational basis for determining the EMC capability of a system
- p0312 A74-29371
Survivable flight control system Fly-by-Wire flight testing
- p0346 A74-34842
A comparative study of two model reference, adaptive aircraft control systems
- p0374 A74-35237
The Hazeltine Doppler microwave landing system - Specialized techniques and features
- [AIAA PAPER 74-905] p0402 A74-37886
Methodologies for predicting avionic system capability and weight in CTOL and VTOL fighter/attack aircraft 1975 to 1995
- [SAWE PAPER 1002] p0435 A74-39877
SYSTEM FAILURES
Surveillance in flight of aircraft systems
- p0431 A74-39004
SYSTEMS ANALYSIS
Air transportation noise technology overview
- [AIAA PAPER 73-1152] p0003 A74-10506
The planar pressure pulse generator - A new dynamic distortion generator
- [AIAA PAPER 73-1317] p0012 A74-11312
System evaluation as an objective for a research institute --- VTOL weapons systems
- p0021 A74-11806
Automation Radar Terminal System - ARTS III
- p0214 A74-22638
Requirements and trends of collision avoidance systems
- [ONERA, TP NO. 1337] p0220 A74-23393
Derivatives of eigenvalues and eigenvectors for a general matrix
- p0311 A74-28967
A rational basis for determining the EMC capability of a system
- p0312 A74-29371
Flight study of a vehicle operational status and monitoring system --- applied to systems on YF-12 aircraft
- [NASA-TN-D-7546] p0141 N74-13725
Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis

SYSTEMS COMPATIBILITY

SUBJECT INDEX

- and contract definition phase of the national
MLS development program. Part 1.0, Volume 1.1:
Technique analysis program
[FAA-RD-73-166-VOL-1.1] p0150 N74-14340
- Microwave Landing System (MLS) development plan as
proposed by AIL during the technique analysis
and contract definition phase of the national
MLS development program. Part 1.0, Volume 1.2,
Book 1: Post TACD development plan
[FAA-RD-73-166-VOL-1.2-BK-1] p0150 N74-14341
- Microwave Landing System (MLS) development plan as
proposed by AIL during the technique analysis
and contract definition phase of the national
MLS development program. Part 3.0, Volume 3.1,
Book 1: Compilation of critical technical area
reports
[FAA-RD-73-166-VOL-3.1-BK-1] p0150 N74-14343
- Microwave Landing System (MLS) development plan as
proposed by AIL during the technique analysis
and contract definition phase of the national
MLS development program. Part 3.0, Volume 3.1,
Book 2: Compilation of critical technical area
reports
[FAA-RD-73-166-VOL-3.1-BK-2] p0151 N74-14344
- An analysis of the phased inspection system for
B-52H aircraft --- analysis of cost reduction by
increasing flying hours between inspections
[AD-769154] p0194 N74-16695
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 1:
Document deficiency analysis --- deficiencies in
military specifications and standards for
helicopter hydraulic systems
[AD-773022] p0252 N74-18709
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 2:
Supplemental design guide --- design
requirements related to environmental
conditions, reliability, and maintainability
programs
[AD-773023] p0252 N74-18710
- Technical and operational aspects of
externally-mounted aircraft equipment
p0305 N74-21614
- Ship-helicopter system analysis
[AD-774764] p0305 N74-21629
- Meteorological characteristics of a measuring
channel --- fundamental characteristics of
flight test instrumentation system
p0360 N74-25936
- SYSTEMS COMPATIBILITY**
Analog computer implementation of four
instantaneous distortion indices
[NASA-TN-X-2993] p0243 N74-18397
- SYSTEMS DESIGN**
U SYSTEMS ENGINEERING
SYSTEMS ENGINEERING
WT COMPUTER SYSTEMS DESIGN
The influence of operational experience on
aircraft escape system development
[AIAA PAPER 73-1340] p0013 A74-11387
- An integrated approach to structural weight
estimation
[SAE PAPER 730936] p0016 A74-11564
- Tactical hybrid navigation scheme for mixed
community coordination --- integrated
communication and global interface capabilities
p0024 A74-12179
- Equipment for suppressing reflected secondary
radar signals --- ATC surveillance radar system
design
p0028 A74-12359
- AIRTRANS operational readiness test --- airport
interterminal transportation evaluation
p0074 A74-13807
- A self-reorganizing digital flight control system
for aircraft
[AIAA PAPER 74-21] p0133 A74-18808
- Flight vehicle control systems --- Russian book
p0170 A74-19374
- Problems in civil air traffic control which SAW
technology may impact --- Surface Acoustic Wave
devices
p0170 A74-19390
- Putting the computer in its place --- Automated
Telemetry System for aircraft flight tests
p0172 A74-19497
- Lockheed S-3A avionics - Three system digital
flight guidance
p0173 A74-19751
- A new pneumatic hybrid control system --- for
reduction of supply air consumption
p0174 A74-19884
- Adaptive systems research in the NASA
p0175 A74-20095
- Realization of a horizontal collision avoidance
system
p0175 A74-20099
- The design application of aircraft securing and
traversing systems to the surface effect ship
[AIAA PAPER 74-304] p0183 A74-21293
- An application of some aspects of optimal control
--- for missile autopilot design
p0215 A74-23598
- Semi-Markovian models in problems of designing
flight-vehicle control systems --- Russian book
p0228 A74-24324
- Automatic flight control systems and their
analytic design --- Russian book
p0228 A74-24325
- Systems integration - Avionics of tomorrow ---
inclusion in aircraft design concepts
p0227 A74-25361
- Designing aerodynamic ducts according to given
conditions
p0260 A74-25998
- A systems engineering approach to effective engine
condition monitoring
p0278 A74-28316
- The national microwave landing system /MLS/
[SAE PAPER 740345] p0307 A74-28726
- System integration in business aircraft avionics
--- for automatic flight control
[SAE PAPER 740346] p0345 A74-34799
- Advanced integrated modular instrumentation system
--- naval aircraft cockpit display
p0377 A74-35560
- Integrated, universal pilot warning/collision
avoidance display
p0377 A74-35567
- Aircraft noise retrofit feasibility program
results and applications
p0396 A74-37534
- The quantitative description of a traffic control
process --- for aircraft
p0403 A74-37921
- Incremental growth vehicle /IGV/ --- hypersonic
research aircraft development technique
[AIAA PAPER 74-989] p0429 A74-38746
- Weight estimates for Quiet/STOL aircraft
[SAE PAPER 1001] p0434 A74-39876
- An investigation of overall systems criteria for
the longitudinal flying qualities of highly
augmented fighter aircraft
[AIAA PAPER 74-833] p0453 A74-41803
- Advancements in the test and evaluation of naval
weapon systems
p0459 A74-43604
- Design to cost during the requirements,
development and test phases of systems acquisition
--- for weapon systems
p0479 A74-45003
- Manufacturing Methods Technology (MM/T) for
ballistic-tolerant flight control components
[AD-766744] p0058 N74-10933
- Helicopter visual aid system
p0067 N74-11691
- MLS program: Phase 2
p0102 N74-12631
- The design and flight evaluation of a performance
control system --- general aviation aircraft
under VFR conditions
[AD-767786] p0144 N74-13746
- Microwave Landing System (MLS) development plan as
proposed by AIL during the technique analysis
and contract definition phase of the national
MLS development program. Part 1.0, Volume 1.2,
Book 2: Post TACD development plan
[FAA-RD-73-166-VOL-1.2-BK-2] p0150 N74-14342
- Microwave Landing System (MLS) development plan as
proposed by Raytheon during the technique
analysis and contract definition phase of the
national MLS development program. Volume 4:
System considerations 1.1.2 through 1.1.5
[FAA-RD-72-150-VOL-4] p0165 N74-15384
- Microwave Landing System (MLS) development plan as
proposed by Raytheon during the technique
analysis and contract definition phase of the

SUBJECT INDEX

TAKEOFF

- national MLS development program. Volume 6:
Supporting studies, appendices D through E
[FAA-RD-150-VOL-6] p0165 N74-15386
Separate surface stability augmentation design and
development p0249 N74-18687
- Science and transport
[JPERS-61482] p0257 N74-19623
The hingeless rotor: A concept to increase
mission effectiveness at reduced costs p0305 N74-21616
Summary of propeller design procedures and data.
Volume 1: Aerodynamic design and installation
[AD-774831] p0327 N74-21667
Summary of propeller design procedures and data.
Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
Flight control systems research --- optimization
of F-8 aircraft control system
[NASA-CR-139595] p0463 N74-31427
Digital flight control research
[NASA-CR-2433] p0489 N74-33448
- SYSTEMS STABILITY
The effect of inlet distortion on the performance
and stability of the low-speed spool of a
turbofan engine p0135 A74-18855
Controllability and stability of systems with
restricted resources --- Russian book p0380 A74-36154
Computer experiments on periodic systems
identification using rotor blade transient
flapping-torsion responses at high advance ratio
p0496 N74-34492
- T**
- TAIL SURFACES
Note on the aerodynamic theory of oscillating
T-tails. I - Theory of wings oscillating in yaw
and sideslip p0088 A74-15747
Lifting-surface theory for an oscillating T-tail
p0119 A74-17012
Note on the aerodynamic theory of oscillating
T-tails. II p0204 A74-24058
T-tail aerodynamics of the Super King Air
[SAE PAPER 740370] p0309 A74-28741
An investigation of the rolling stability
derivatives of a T-tail fighter configuration at
high angles-of-attack p0347 A74-34852
Measurements of rolling moments acting on the
stabilizer of T-tails oscillating in yaw
[NAL-TR-324] p0158 N74-14744
- 2 AIRCRAFT
Subsonic wind tunnel investigation of the high
lift capability of a circulation control wing on
a 1/5-scale T-2C aircraft model
[AD-781856] p0491 N74-33466
- 28 AIRCRAFT
Dynamics report for T-28B simplified flight
simulator
[AD-774479] p0302 N74-20905
- 38 AIRCRAFT
T-38 structural flight loads data for June 1970
through December 1971
[AD-758891] p0408 N74-27507
- ACAS
Navigation improvements - To what end --- ATC
system design with emphasis on VORTAC p0219 A74-22679
Navigation in the upgraded third generation system
--- MLS, ILS, VORTAC, area navigation, etc
p0220 A74-22680
- ACT PROGRAM
Transonic Aircraft Technology /TACT/ program
[AIAA PAPER 74-620] p0376 A74-35387
- ACTUAL AIR NAVIGATION
U TACAN
- ACTICS
Differential-turning tactics --- air-to-air combat
[AIAA PAPER 74-815] p0400 A74-37823
- ACTILE DISCRIMINATION
Tactile display for aircraft control ---
evaluation of control system as a one and two
axis error display device during manual tracking
experiments
- [AD-783690] p0498 N74-34538
TACTILE SENSATION
U TOUCH
TAGGING
U MARKING
TAIL ASSEMBLIES
Note on the aerodynamic theory of oscillating
T-tails. I - Theory of wings oscillating in yaw
and sideslip p0088 A74-15747
Trimmed drag and maximum flight efficiency of aft
tail and canard configurations
[AIAA PAPER 74-69] p0134 A74-18813
Stall/spin research status report --- of general
aviation aircraft
[SAE PAPER 740354] p0308 A74-28734
Tail-rotor thrust on a 5.5-foot helicopter model
in ground effect
[AHS PREPRINT 802] p0388 A74-36616
Implementation of grease lubrication into U.S.
Army helicopter tail rotor gearboxes -
Preliminary results p0391 A74-36906
Multi-hinge rudder unit design with allowance for
rudder deflection p0398 A74-37663
Guidelines for selecting the parameters of a slab
tailplane p0422 A74-38150
Determination of stability derivatives of isolated
rigid tail assemblies in sideslip and steady roll
[AIAA PAPER 74-1038] p0455 A74-42051
Development of a graphite horizontal stabilizer
--- structural analysis of static ultimate load
and simulated fatigue spectrum loading
[AD-768869] p0164 N74-14783
Tail rotor design guide --- aerodynamic
configurations of helicopter components for low
speed and hover flight
[AD-775391] p0327 N74-21671
Major Item Special Study (MISS), OH-6A tail rotor
transmission assembly
[AD-782926] p0498 N74-34526
- TAIL MOUNTINGS
U TAIL ASSEMBLIES
TAIL PLANES
U HORIZONTAL TAIL SURFACES
TAIL SURFACES
NT HORIZONTAL TAIL SURFACES
NT T TAIL SURFACES
Determination of ice shapes and their effect on
the aerodynamic characteristics for the
unprotected tail of the A 300
[ICAS PAPER 74-42] p0450 A74-41343
Stability of the tail surfaces --- relationship to
rudder bending p0453 A74-41770
Extremal centering and loading of horizontal tail
surfaces --- aircraft center of gravity position
relationship to lift p0484 A74-46695
Effect of cut-out on lift-curve slope --- on wings
and tailplanes
[ESDU-WINGS-01.01.04-AMEND-A] p0487 N74-33425
- TAILLESS AIRCRAFT
NT F-106 AIRCRAFT
NT SC-1 AIRCRAFT
TAILS (ASSEMBLIES)
U TAIL ASSEMBLIES
- TAKEOFF
Conventional take-off and landing --- Tristar
aircraft operations and traffic trends p0078 A74-14503
Evaluation of aircraft departure divergence
criteria with a six-degree-of-freedom digital
simulation program p0136 A74-18882
[AIAA PAPER 74-68]
Status of design criteria for predicting departure
characteristics and spin susceptibility --- of
aircraft p0399 A74-37811
[AIAA PAPER 74-791]
A simple, near-optimal takeoff control policy for
a heavily loaded helicopter operating from a
restricted area p0453 A74-41796
[AIAA PAPER 74-812]
Aircraft accident report: Continental Airlines,
Sabreliner model NA-265-60, N743R, Montrose,
Colorado, 13 April 1973
[NTSB-AAR-73-19] p0095 N74-11830

TAKEOFF RUNS

SUBJECT INDEX

A simplified flight-test method for determining aircraft takeoff performance that includes effects of pilot technique
[NASA-TM-D-7603] p0195 H74-16717

Computer programs for estimating aircraft takeoff and landing performance --- applied to conventional, vectored lift, and powered-lift concept aircraft
[NASA-TM-X-62333] p0196 H74-16720

Aircraft accident report: Overseas National Airways, Inc., McDonnell Douglas, DC-8-63, N863F, Bangor, Maine, 20 June 1973 --- takeoff accident caused by failure of right main landing gear tire
[NTSB-AAR-74-1] p0235 H74-17748

Take-off velocities --- of cargo aircraft
[AD-771632] p0239 H74-17776

Aircraft accident report: Skyways International, Incorporated, Douglas DC-7C, N296 near the Miami International Airport, Dade County, Florida, 21 June 1973
[NTSB-AAR-74-2] p0249 H74-18684

Evaluation of a wind tunnel technique to determine aircraft departure characteristics
[AD-776317] p0360 H74-25791

Noise limit values of aircraft
[DGLR-PAPER-74-015] p0368 H74-26482

Ground loads on the nose undercarriage of the P-104G aircraft
[RAE-LIB-TRANS-1744] p0406 H74-27494

Takeoff and landing analysis computer program (TOLA). Part 3: Users manual
[AD-781758] p0490 H74-33461

TAKEOFF RUNS

Art of the Stretch 8. I --- DC 8-63 flight instruments, takeoff performance, minimum control speed
p0177 H74-20274

VITAL II --- Virtual Image Takeoff and Landing system in Boeing 727 flight simulator
p0177 H74-20275

Simulation of the landing and take-off of a VTOL aircraft on a ship in a random sea
[AIAA PAPER 74-302] p0209 H74-22803

Computation of minimum-noise takeoff flight paths by varying the thrust and the inclination angle of the flight path
p0337 H74-32902

Developing STOL operational criteria
p0459 H74-43602

Problems of aircraft takeoff from precipitation-covered runways
p0484 H74-46689

A contribution to the determination of a short takeoff
p0485 H74-46710

Use of the Magnus effect for large augmentation of wing lift on modern aircraft during takeoff and landing
p0485 H74-46715

TAKEOFF SYSTEMS

U AIRCRAFT LAUNCHING DEVICES

TALON AIRCRAFT

U T-38 AIRCRAFT

TANDEM ROTOR HELICOPTERS

NT CH-47 HELICOPTER

Acoustical modeling of the heavy lift helicopter
p0206 H74-22466

Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover
[AHS PREPRINT 843] p0385 H74-36594

TANKER AIRCRAFT

Experimental reel response system for high performance simplified aerial refueling store --- operational test of hose reel assembly and control system
[AD-771389] p0240 H74-17799

TANKS (CONTAINERS)

NT FUEL TANKS

NT WING TANKS

Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier
[AD-774898] p0327 H74-21669

TANTALUM CARBIDES

Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy
p0337 H74-32812

TANTALUM COMPOUNDS

NT TANTALUM CARBIDES

TAPE RECORDERS

Military airborne video recording: Requirements, utilization and techniques; Proceedings of the Seminar, Dayton, Ohio, April 3-5, 1973
p0216 A74-22526

What we do and what we need --- military airborne video tape recorder requirements and applications
p0216 A74-22528

The status of the F-14A airborne mission recorder requirements and utilization
p0216 A74-22529

Commercial quality video recorders for airborne military applications
p0217 A74-22530

Gunship video recording system - First high quality battle damage assessment capability
p0217 A74-22531

A basic, highly maintainable airborne video tape recorder/reproducer
p0217 A74-22533

Compact video tape recorders of exceptional performance and reliability
p0217 A74-22534

A small high-performance videotape recorder for military airborne applications
p0217 A74-22535

TAPERED WINGS

U SWEEP WINGS

TARE (DATA REDUCTION)

U DATA REDUCTION

TARGET ACQUISITION

Lasers - Ranger and marked target seeker
p0118 A74-16756

Flight tests of gated, low-light-level television for search and rescue
p0217 A74-22532

A digital Mark XII IFP reply evaluator for the F-15
p0425 A74-38565

Functional command/control considerations for ship-deployable tactical remotely-piloted vehicle /RPV/
p0433 A74-39664

Airborne testing of advanced multisensor aircraft
p0460 A74-43612

Remotely piloted vehicles for the Army
p0480 A74-45307

Air Force concepts for RPV application
p0480 A74-45308

Forward air controller: Tactical air command pilot communication orientation
[AD-771071] p0244 H74-18637

TARGET DRONE AIRCRAFT

Antenna gain pattern measurements on a BQM-34P target drone, volume 5
[AD-778075] p0409 H74-27642

Catapult performance and interface requirements for launch of BQM-34 vehicles
[AD-783935] p0499 H74-34686

TARGET PENETRATION

U TERMINAL BALLISTICS

TARGET RECOGNITION

The effect of interfering signals on the performance of angle of arrival estimates
p0174 A74-19908

Empirical assessment of ATCRBS --- performance of air traffic control digital processing system
[ATC-16] p0164 H74-15379

TARGETS

NT RADAR TARGETS

A simulation study of the force mix problem in close air support operations
[AD-766879] p0102 H74-12699

TASK COMPLEXITY

Branch-and-bound and heuristic approaches to a sequencing problem with team-size requirements
[P-5152] p0288 H74-20176

TAXING

Ground loads on the nose undercarriage of the P-104G aircraft
[RAE-LIB-TRANS-1744] p0406 H74-27494

TEACHING

U EDUCATION

TECHNICAL WRITING

Automatic flight control (1966-1973)
[NAL-BIBL-SER-51] p0353 H74-25545

TECHNOLOGICAL FORECASTING

Airports from 1963 to 1983 - Evolution or revolution

SUBJECT INDEX

TECHNOLOGY ASSESSMENT

- The air transport of tomorrow - Economic obstacles to surmount p0007 A74-11095
- Technology forecasting - Aircraft hazard detection p0007 A74-11096
- Shuttle sonic boom - Technology and predictions p0015 A74-11499
- environmental impact [AIAA PAPER 73-1039] p0026 A74-12225
- Vertical/short take-off and landing --- future possibilities p0079 A74-14506
- Noise and emission outlook for military engines [AIAA PAPER 73-1156] p0120 A74-17175
- Future air traffic control - Ground, cockpit, or space --- system functions transfer to aircraft or satellites [AIAA PAPER 74-262] p0131 A74-18669
- Problems in civil air traffic control which SAW technology may impact --- Surface Acoustic Wave devices p0170 A74-19390
- Airports evolution and qualification p0171 A74-19481
- Future advanced-technology aircraft in the context of an integrated transport system p0171 A74-19487
- Adaptive systems research in the NASA p0175 A74-20095
- Long range view of materials research for civil transport aircraft p0176 A74-20210
- Conceptual options for future aircraft-ship operations [AIAA PAPER 74-300] p0182 A74-21290
- Problems of quality of flight of future transport aircraft in course of development p0210 A74-23396
- Airline airplanes for the eighties - A response --- emphasizing system efficiency and fuel savings p0222 A74-23464
- The development and prospects of helicopters p0213 A74-23837
- Requirements and trends in collision avoidance p0228 A74-25355
- Structural research with the aim of adapting the design to the materials p0229 A74-25359
- Does research in the field of aeronautics have a future --- emphasis on aircraft design refinements and cost reduction p0259 A74-25723
- Potentials for advanced civil transport aircraft /Third William Littlewood Memorial Lecture/ [SAE-SP-385] p0270 A74-27266
- Future of the light turbine helicopter p0313 A74-29572
- The future of carbon fibres p0317 A74-30380
- The future of avionics --- large scale integration and digital systems p0399 A74-37786
- Air transport. Volume 3 --- Russian book on passenger airline operations p0421 A74-38049
- Methodologies for predicting avionic system capability and weight in CTOL and VTOL fighter/attack aircraft 1975 to 1995 [SAE PAPER 1002] p0435 A74-39877
- Turbofan of the future p0439 A74-40953
- An analytic survey of low-speed flying devices - Natural and man-made [AIAA PAPER 74-1019] p0454 A74-42040
- Advancements in future fighter aircraft p0466 A74-31483
- TECHNOLOGIES**
- NT ENERGY TECHNOLOGY
- NT MARINE TECHNOLOGY
- NT MILITARY TECHNOLOGY
- TECHNOLOGY ASSESSMENT**
- The technology and economics of commercial airplane design. I p0001 A74-10144
- Applications of composite materials --- Book p0002 A74-10494
- The technical evolution of aircraft p0006 A74-11092
- AEROSAT overview --- aeronautical satellites for oceanic ATC p0024 A74-12189
- AEROSAT ground environment and test plan --- aeronautical satellites for ATC p0024 A74-12191
- A first generation of L-Band avionics for AEROSAT --- experimentation and evaluation phase of aeronautical satellites p0024 A74-12192
- Present and future radar display techniques --- CRT, LED and liquid crystals for ATC applications p0028 A74-12382
- Advanced technology for reducing aircraft engine pollution [ASME PAPER 73-WA/AERO-2] p0071 A74-13244
- User report on automatic test equipment --- AJ37 Viggen aircraft avionics maintenance testing p0075 A74-13813
- Service evaluation of aircraft composite structural components p0084 A74-14774
- Some trends in air traffic control p0091 A74-16074
- Avionics design for maintainability - Are we gaining or losing [SAE PAPER 730882] p0123 A74-17531
- Heavy Lift Helicopter main engines [SAE PAPER 730920] p0123 A74-17537
- Innovations in ATC communication systems --- since 1920's p0126 A74-17984
- Some current problems and prospects for development of rotary-wing aircraft p0130 A74-18641
- The refining of turbine fuels by modern hydrotreating [AIAA PAPER 74-162] p0133 A74-18798
- Fracture mechanics /Dryden Lecture/ --- aerospace structural design applications [AIAA PAPER 74-230] p0135 A74-18858
- Component performance and systems applications of surface acoustic wave devices; Proceedings of the International Specialist Seminar, Aviemore, Scotland, September 25-28, 1973 p0170 A74-19376
- Applications of surface wave devices --- in radar, ATC and communications p0170 A74-19388
- Zeppelins - Not again --- airship operational hazards p0176 A74-20167
- The state of development of axial pumps with supercavitating cascades p0178 A74-20325
- Advanced composites --- in aerospace structural design [AIAA PAPER 74-242] p0180 A74-20834
- Airplane nacelle composite structure technology p0185 A74-22102
- Development of teledyne video recording systems - Progression of state of the art in film recording p0217 A74-22540
- International airline views on the United States' plans for the upgraded third generation system --- ATC technology assessment p0220 A74-22685
- FAA progress report on MLS Phase II --- Microwave Landing System feasibility p0220 A74-22690
- Jet noise - The state-of-the-art p0221 A74-22789
- Advances in aerospace materials-processing technology p0218 A74-23255
- Technology for low noise aircraft - The NASA Quiet Engines p0221 A74-23599
- Obsolescence of commercial aircraft - When, where, how p0222 A74-23878
- R-NAV systems development for a STOL application --- area navigation for high density interurban operations p0259 A74-25741
- Active flutter suppression - A flight test demonstration [AIAA PAPER 74-402] p0266 A74-26701

TECHNOLOGY TRANSFER

SUBJECT INDEX

The influence of engine technology advancements on aircraft economics [SAE PAPER 730960] p0269 A74-27256
 Propellers at present and in the future p0270 A74-27297
 Recent status on development of the turbofan engine in Japan [ASME PAPER 74-GT-39] p0272 A74-27432
 Current state-of-the-art for airbreathing combustor measurements p0277 A74-28298
 The present technics of air transportation p0280 A74-28487
 NASA general aviation research overview [SAE PAPER 740352] p0308 A74-28732
 Stall/spin research status report --- of general aviation aircraft [SAE PAPER 740354] p0308 A74-28734
 New jet engines --- presented at Paris air show p0316 A74-30346
 Current developments in Loran-D --- solid state helicopter transportable transmitting stations p0317 A74-30359
 Looking ahead with hindsight /The Sixty-Second Wilbur and Orville Wright Memorial Lecture/ p0321 A74-31245
 Stall/spin seventy years later --- aircraft performance at high angle of attack p0344 A74-34699
 A perspective on short-haul STOL [SAE PAPER 740503] p0349 A74-34975
 GCA radars - Their history and state of development p0373 A74-35127
 The historical development of shell research and design p0374 A74-35211
 The good and bad usages of air transport p0391 A74-36941
 Aircraft community noise research and development - A historical overview p0397 A74-37545
 Spoilers for roll control of light airplanes [ATAA PAPER 74-861] p0401 A74-37850
 The low technology airship --- design for medium-range heavy payload transport p0423 A74-38499
 Advanced supersonic transport design developments [ATAA PAPER 74-987] p0429 A74-38744
 Fighter requirements and developments p0430 A74-38793
 Inside the 747 --- aircraft design and operational criteria p0432 A74-39381
 Review of NASA supercritical airfoils [ICAS PAPER 74-10] p0448 A74-41312
 An analytic survey of low-speed flying devices - Natural and man-made [ATAA PAPER 74-1019] p0454 A74-42040
 New trends and developments in hang gliders [ATAA PAPER 74-1031] p0455 A74-42046
 Technology for the reduction of aircraft turbine engine pollutant emissions [ICAS PAPER 74-31] p0457 A74-43125
 Adhesive bonding in the aviation industry and in other industrial sectors p0479 A74-44991
 In place of congestion: Some observations on the transport of freight [TT-7308] p0053 N74-10890
 Aircraft noise reduction technology --- to show impact on individuals and communities, component noise sources, and operational procedures to reduce impact [NASA-TM-X-68241] p0055 N74-10917
 AEDC Fiscal Year 1974 Air Force technical objective document --- facility improvements, test techniques, instrumentation, gas properties, and wind tunnel and flight test data comparisons [AD-766719] p0068 N74-11803
 Impact of technology on cost reduction --- in aircraft production p0305 N74-21618
 Advanced supersonic technology [GPO-39-784] p0494 N74-34473
 Fighter technology demonstrator precursor analysis and test. Volume 1: Baseline development and technology identification [AD-783636] p0497 N74-34517

TECHNOLOGY TRANSFER

Transfer of commercial technology p0316 A74-30119
 Project/cost/benefit [PB-222339/4] p0068 N74-11801
 Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport [NASA-TM-X-71960] p0365 N74-26457
 TECHNOLOGY UTILIZATION
 Remote sensing of the earth's resources - Applications, benefits, methods p0008 A74-11204
 Benefits of advanced propulsion technology for the advanced supersonic transport [SAE PAPER 730896] p0018 A74-11593
 Integrated navigation in the air and on the sea --- automatic systems p0029 A74-12449
 Influence of noise constraints on supersonic transport engine design [ATAA PAPER 73-1295] p0032 A74-12943
 Putting all our noise technology to work --- NASA Quiet Engine Program p0119 A74-17049
 Military and aerospace --- cost effective technology utilization for ATC, NASA programs and defense projects p0126 A74-18050
 Component performance and systems applications of surface acoustic wave devices; Proceedings of the International Specialist Seminar, Aviemore, Scotland, September 25-28, 1973 p0170 A74-19376
 The technology and application of free-space power transmission by microwave beam p0170 A74-19464
 Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962
 Small Turbine Advanced Gas Generators for future engine requirements [AHS PREPRINT 872] p0387 A74-36607
 Application of sailplane and low-drag underwater vehicle technology to the long-endurance drone problem [ATAA PAPER 74-1036] p0455 A74-42050
 TELECOMMUNICATION
 NT AIRCRAFT COMMUNICATION
 NT DATA LINKS
 NT DEFENSE COMMUNICATIONS SATELLITE SYSTEM
 NT GROUND-AIR-GROUND COMMUNICATIONS
 NT MULTICHANNEL COMMUNICATION
 NT OPTICAL COMMUNICATION
 NT PCM TELEMETRY
 NT PULSE COMMUNICATION
 NT RADIO COMMUNICATION
 NT RADIO RELAY SYSTEMS
 NT RADIO TELEMETRY
 NT SPACE COMMUNICATION
 NT SPACECRAFT ANTENNAS
 NT SPACECRAFT COMMUNICATION
 NT TELEMETRY
 NT VOICE COMMUNICATION
 NT WIDEBAND COMMUNICATION
 The role of the International Civil Aviation Organization /ICAO/ in obtaining international adoption and implementation of air traffic control, navigation and communications systems p0222 A74-22688
 Satellite communications systems --- multiplexing for communication lines, equipment of earth stations, and onboard receiver transmitter and antennas [JPRS-54505] p0044 N74-10153
 TELEMETERS
 U TELEMETRY
 TELEMETRY
 NT PCM TELEMETRY
 NT RADIO TELEMETRY
 Putting the computer in its place --- Automated Telemetry System for aircraft flight tests p0172 A74-19497
 TELEVISION CAMERAS
 Development of teledyne video recording systems - Progression of state of the art in film recording p0217 A74-22540
 TELEVISION EQUIPMENT
 NT TELEVISION CAMERAS

TELEVISION SYSTEMS

Flight tests of gated, low-light-level television for search and rescue

p0217 A74-22532

A test method for nondestructive testing of fuel filtration equipment using thermography

p0341 A74-33521

Proposal for a visual system of simulating a landing --- pilot training with televised display of simulated landing environment

[POA-2-C-2509-E4] p0111 N74-13423

Possibilities of an airborne television system

[ESRO-TT-20] p0301 N74-20819

TELEVISION TRANSMISSION

Possibilities of an airborne television system

[ESRO-TT-20] p0301 N74-20819

TELLURIDES

NT CADMIUM TELLURIDES

TELLURIUM COMPOUNDS

NT CADMIUM TELLURIDES

TEMPERATURE

NT ATMOSPHERIC TEMPERATURE

NT GAS TEMPERATURE

NT LOW TEMPERATURE

NT ROOM TEMPERATURE

NT SURFACE TEMPERATURE

TEMPERATURE COMPENSATION

Recovery characteristics of a single-shielded self-aspirating thermocouple probe at low pressure levels and subsonic speeds

p0027 A74-12280

TEMPERATURE CONTROL

Aircraft cabin pressure and temperature control through reliable fluidic circuits

p0378 A74-35720

Turbine blade pyrometer system in the control of the Concorde engine

p0458 A74-43214

Turbine blade temperature measurement system:

Operation manual [SOLAR-P/N-106751] p0241 N74-18097

TEMPERATURE DIFFERENCES

U TEMPERATURE GRADIENTS

TEMPERATURE DISTRIBUTION

Calculation of the characteristics of multistage axial turbomachines --- mathematical model for temperature, pressure and flow parameters

p0001 A74-10029

The effect of inlet temperature and pressure distortion on turbojet performance

[AIAA PAPER 73-1316] p0012 A74-11311

Evaluation of the influence of errors in specifying boundary conditions on the accuracy of the determination of temperature fields in infinite cylinders

p0130 A74-18635

Integral methods for the investigation of temperature fields in complex-configuration structure components of aircraft and their engines

p0260 A74-25995

TEMPERATURE EFFECTS

Ingestion and dispersion of engine exhaust products by trailing vortices for supersonic flight in the stratosphere

[AIAA PAPER 74-42] p0134 A74-18815

Nitinol as a fastener material

p0176 A74-20208

Distortions in aerial photographs due to internal refraction --- from sealed compartment temperature and pressure effects

p0218 A74-23450

Influence of heat on crack propagation and residual strength and its relation to the supersonic aircraft fatigue problem

p0229 A74-24423

Evaluation of the friction power in nonisothermal flows of lubricants in clearings of aircraft ball bearings and of their thermal behavior

p0481 A74-45467

TEMPERATURE FIELDS

U TEMPERATURE DISTRIBUTION

TEMPERATURE GRADIENTS

Experimental evaluation of a TF30-P-3 turbofan engine in an altitude facility: Effect of steady-state temperature distortion

[NASA-TN-X-2921] p0049 N74-10722

Interest and feasibility study of atmospheric turbulence and thermal gradients simulation --- application to air pollution and meteorology

CH-54 B main gearbox thermal mapping program for [AD-772664] p0064 N74-11380 p0253 N74-18712

TEMPERATURE INDICATORS

U INDICATING INSTRUMENTS

U TEMPERATURE MEASURING INSTRUMENTS

TEMPERATURE INSTRUMENTS

U TEMPERATURE MEASURING INSTRUMENTS

TEMPERATURE MEASUREMENT

Development of a turbine inlet gas temperature measurement and control system using a fluidic temperature sensor

[AIAA PAPER 73-1251] p0010 A74-11272

Photographic pyrometry in an aeroballistic range --- aerodynamic model surface temperature measurement

p0030 A74-12752

A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades

p0131 A74-18686

Current state-of-the-art for airbreathing combustor measurements

p0277 A74-28298

A test method for nondestructive testing of fuel filtration equipment using thermography

p0341 A74-33521

Infrared inspection of electrical equipment

[C-208-2] p0110 N74-13198

Turbine blade temperature measurement system:

Operation manual [SOLAR-P/N-106751] p0241 N74-18097

TEMPERATURE MEASURING INSTRUMENTS

NT PYROMETERS

NT RADIATION PYROMETERS

Application of fusible temperature indicators for measuring heat flows to models in wind tunnels

p0383 A74-36458

The use of gliders for airfoil section research and development

[AIAA PAPER 74-1008] p0454 A74-42034

TEMPERATURE SENSORS

Development of a turbine inlet gas temperature measurement and control system using a fluidic temperature sensor

[AIAA PAPER 73-1251] p0010 A74-11272

Heat transfer investigation in a high-temperature gas flow spreading over a plane surface

p0131 A74-18684

TENSILE STRENGTH

Sliding-seal electron-beam welding of titanium

p0083 A74-14752

Development of cold headable titanium alloys for the 'Concorde' supersonic jet

p0117 A74-16554

Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy

p0337 A74-32812

TENSILE STRESS

Constrained torsion of closed thin-walled structures --- in wings

p0485 A74-46722

TENSILE TESTS

Experimental study of metal-plastic couplings in tension

p0130 A74-18648

TENSOMETERS

A review of aircraft measurement techniques --- data on digital voltmeters, pressure standards and onboard tensometer equipment

p0280 A74-28436

TERMINAL BALLISTICS

Aircraft fuel tank entry wall-projectile interaction studies

[AD-765667] p0043 N74-10066

Development of manufacturing methods for ballistically tolerant fiberglass tubular bellcranks --- for the CH-47 helicopter

[AD-775818] p0331 N74-22701

TERMINAL FACILITIES

Airports for the 80s; Proceedings of the Fourth World Airports Conference, London, England, April 3-5, 1973

p0078 A74-14501

Concorde in the airport environment

p0078 A74-14504

Airport terminal planning

p0079 A74-14508

TERMINAL GUIDANCE

SUBJECT INDEX

Access to airports --- surface links to urban centers
p0079 A74-14509

Maplin - Planning aspects and their influence on airport design
p0079 A74-14510

Dynamic Manchester air transport region --- passenger and cargo handling facilities, runway modifications
p0089 A74-15863

Forgotten airport aesthetics --- architectural critique of terminal facilities
p0089 A74-15864

Aircraft recovery - There is a solution --- disabled aircraft removal from airport operational areas
p0089 A74-15865

Electronic displays and digital automatic control in advanced terminal area operations
[AIAA PAPER 74-27]
p0136 A74-18881

Air traffic control scheme through simulation
p0179 A74-20663

Automation Radar Terminal System - ARTS III
p0214 A74-22638

Technology of passenger clearance in air transportation using various clearance methods
p0269 A74-27211

Airborne Ka band satellite communications terminal development
p0424 A74-38560

An economic assessment of STOL aircraft potential including terminal area environmental considerations. Volume 2: Appendices
[NASA-CR-114605]
p0040 A74-10044

Meteorological information for vertical and short take-off and land (V/STOL) operations in built-up urban areas: An analysis
[PAA-RD-72-135]
p0056 A74-10920

Visual landings in regional and local airports
[NASA-TT-F-15177]
p0060 A74-11093

Modern beaconing in airports for bad weather flights
[NASA-TT-F-15178]
p0065 A74-11433

The apron-terminal complex: Analysis of concepts for evaluation of terminal buildings
[PAA-RD-73-82]
p0098 A74-12019

SRDS technical program document, fiscal year 1974. Engineering and development programs
p0113 A74-13682

Field evaluation of ARTS 2 B (TRACAB) --- evaluation of radar beacon for air traffic control applications
[AD-768203]
p0151 A74-14360

Simplified Visual Approach Slope Indicator (VASI) --- operation test and evaluation
[AD-767901]
p0151 A74-14362

Advanced subsonic long-haul transport terminal area compatibility study. Volume 1: Compatibility assessment
[NASA-CR-132367]
p0196 A74-16729

Advanced subsonic long-haul transport terminal area compatibility study. Volume 2: Research and technology recommendations
[NASA-CR-132368]
p0196 A74-16730

Wake Vortex Avoidance System program (WVAS) --- design and implementation of ground based monitoring and predictive system for safety from wake vortices
p0233 A74-17732

Landing rates for mixed STOL and CTOL traffic
[NASA-TN-D-7666]
p0304 A74-21290

Microwave landing system integration study. Volume 1: Summary report
[AD-775703]
p0361 A74-26149

Microwave landing system integration study. Volume 3: Appendices
[AD-775724]
p0361 A74-26155

Preliminary study of a possible automatic landing system
[NASA-TN-D-7611]
p0419 A74-29119

A STOL terminal area navigation system
[NASA-TN-X-62348]
p0444 A74-30095

TERMINAL GUIDANCE

Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-PRC-10049-1]
p0111 A74-13420

TERRAIN ANALYSIS

Terrain properties and topography from Skylab altimetry --- Oregon, Utah, Texas, and Nevada
[E74-10043]
p0062 A74-11164

TERRAIN FOLLOWING AIRCRAFT

Performance considerations for terrain following flight
p0346 A74-34843

Evaluation of the Teledyne Ryan model 622 terrain-following radar system installed on OH-58A helicopter
[AD-775806]
p0331 A74-22837

TEST BEDS

U TEST EQUIPMENT

TEST CHAMBERS

NT ANECHOIC CHAMBERS

TEST EQUIPMENT

Multi-axial low cycle fatigue test rig --- for aircraft compressors and turbine disks
p0077 A74-14158

Anti-icing tests on Concorde
p0319 A74-30818

Electromagnetic proof stressing of bonded airplane structure
p0343 A74-34294

Test techniques and equipment for the development of aircraft engine components resistant to bird ingestion
p0434 A74-39742

An experimental investigation of an acoustic method for measuring gas mass flow
[AD-766419]
p0046 A74-10340

Development of self-contained portable unit for nondestructive compositional analysis of aircraft and space systems alloys --- X ray fluorescence analysis
[AD-767226]
p0110 A74-13265

Flight study of a vehicle operational status and monitoring system --- applied to systems on YF-12 aircraft
[NASA-TN-D-7546]
p0141 A74-13725

Ground operation tests of flying test bed for VTOL aircraft at National Aerospace Laboratory
[NAL-TR-319]
p0161 A74-14764

The users' requirements
p0360 A74-25934

An induction into the design of flight test instrumentation systems --- factors affecting the development and design of flight test instrumentation systems
p0360 A74-25935

Meteorological characteristics of a measuring channel --- fundamental characteristics of flight test instrumentation system
p0360 A74-25936

TEST FACILITIES

NT ANECHOIC CHAMBERS

NT BALLISTIC RANGES

NT HYDRAULIC TEST TUNNELS

NT HYPERVELOCITY WIND TUNNELS

NT LOW SPEED WIND TUNNELS

NT PLASMA JET WIND TUNNELS

NT SHOCK TUNNELS

NT SUBSONIC WIND TUNNELS

NT SUPERSONIC WIND TUNNELS

NT TEST STANDS

NT TRANSONIC WIND TUNNELS

NT WIND TUNNELS

Dynamic simulation of CONFLOW - A facility to provide hot-gas ground testing of air-breathing missiles under simulated flight conditions
[AIAA PAPER 73-1281]
p0011 A74-11292

Progress in aerospace sciences. Volume 14 --- Book
p0025 A74-12203

A new test capability for propulsion system testing --- Aero-Propulsion Systems Test Facility design
[AIAA PAPER 73-1283]
p0032 A74-12939

Supersonic compressor test facility
p0129 A74-18603

The case for engine flying test beds --- for aircraft
p0172 A74-19499

Some problems associated with noise attenuation at jet engine test facilities
p0172 A74-19629

Drop testing naval aircraft and the VSD landing gear dynamic test facility
[AIAA PAPER 74-343]
p0263 A74-26658

SUBJECT INDEX

THERMAL ENVIRONMENTS

NASA, Langley Impact Dynamics Facility
[SAE PAPER 740374] p0309 A74-28743
Installation for the investigation of the buckling
characteristics of thin-walled structural
components p0311 A74-29105
Effect of blockage ratio on drag and pressure
distributions for bodies of revolution at
transonic speeds p0036 A74-10015
[NASA-TN-D-7331]
AEDC Fiscal Year 1974 Air Force technical
objective document --- facility improvements,
test techniques, instrumentation, gas
properties, and wind tunnel and flight test data
comparisons p0068 A74-11803
[AD-766719]
On the reliability of results from the tower test
for free flight tests --- to determine pitching
and rolling moments p0095 A74-11827
[NASA-TT-P-15174]
Pollution control of airport engine test facilities
p0149 A74-14285
Studies in low speed flight --- model helicopter
hovering flight test facility p0190 A74-15728
[AD-768858]
X-22a fixed-base ground simulator facility
[AD-769942] p0200 A74-16997
Laboratory simulation of kinetic heating effects
on the structure of Concorde aircraft --- using
infrared radiation facility p0237 A74-17760
Instrumentation specification for climatic
laboratory tests --- test facilities for
environmental tests of military helicopters and
components p0237 A74-17763
[AD-771053]
Design and fabrication of an augmentor wing model
for acoustic tests p0241 A74-17960
[NASA-CR-134518]
A preliminary towing tank study of the trailing
vortex generated by a rectangular wing,
including the effects of several tip modifications
[ARL/A-NOTE-342] p0323 A74-21636
Standardization of testing benches --- for French
test facilities p0370 A74-27302
[AD-777208]
Propeller tests in the large sonic wind tunnel of
Mondane-Avrieux p0413 A74-28501
[NASA-TT-P-15704]
TEST RANGES
NT BALLISTIC RANGES
TEST STANDS
Accelerating test stand for rotating elements of
turbomachines p0089 A74-15930
Noise silencers at military test stands --- for
jet engines p0227 A74-25322
The testing of jet engines, chapters 5 and 6 ---
test stand structure p0166 A74-15467
[AD-768492]
Free jet engine testing: Wind tunnel starting
[AD-776318] p0360 A74-25790
Standardization of testing benches --- for French
test facilities p0370 A74-27302
[AD-777208]
The use of an aircraft test stand for VTOL
handling qualities studies --- pilot evaluation
of flight controllability p0418 A74-28737
[NASA-TM-X-62218]
TEST VEHICLES
NT FLIGHT TEST VEHICLES
TESTERS
U TEST EQUIPMENT
TESTING MACHINES
U TEST EQUIPMENT
TESTING TIME
User report on automatic test equipment --- AJ37
Viggen aircraft avionics maintenance testing
p0075 A74-13813
TETHERED BALLOONS
Stability and dynamic behavior of two tethered
balloon systems p0043 A74-10070
[AD-766439]
TETHERING
Potential uses for the Kiebitz tethered rotor
platform p0318 A74-30596

TEXAS
Terrain properties and topography from Skylab
altimetry --- Oregon, Utah, Texas, and Nevada
[E74-10043] p0062 A74-11164
Texas airport systems plan - air passenger demand
model: Model test and evaluation p0294 A74-20630
[AD-772471]
TF-30 ENGINE
Minimizing boundary layer bleed for a mixed
compression inlet p0030 A74-12497
[AIAA PAPER 73-1270]
Experimental evaluation of a TF30-P-3 turbofan
engine in an altitude facility: Effect of
steady-state temperature distortion p0049 A74-10722
[NASA-TM-X-2921]
TF-34 ENGINE
Highly noise suppressed bypass 6 engine for STOL
application p0021 A74-11799
[AIAA PAPER 73-1031]
Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine p0030 A74-12495
[AIAA PAPER 73-1217]
Lockheed S-3A Viking - With low fuel consumption
over a wide power range the TF34-GE2 has high
thrust to weight p0222 A74-23839
Lockheed S-3A Viking - Fuel system excludes
management and control manipulation p0213 A74-23840
Investigation of noise from full-scale high bypass
engine and blown flap system p0352 A74-35012
[SAE PAPER 740467]
Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine p0039 A74-10042
[NASA-TM-X-71466]
Acoustic loads on an externally blown flap system
due to impingement of a TF-34 jet engine exhaust
[NASA-TM-X-71950] p0295 A74-20651
TFX AIRCRAFT
U F-111 AIRCRAFT
THEODORSEN TRANSFORMATION
A modified Theodorsen epsilon-function airfoil
design procedure p0487 A74-33428
[NASA-TM-D-7741]
THEOREMS
NT BAYES THEOREM
NT FLOQUET THEOREM
NT SIMILARITY THEOREM
THERMAL COMFORT
Utility analysis in weight control p0124 A74-17740
THERMAL CONTROL COATINGS
The response of aircraft camouflage lacquers to
thermal radiation. Part 2; 6000 degrees K
radiator and 800 ft/sec air flow p0361 A74-26078
[AD-776884]
Analytical modeling of intumescent coating thermal
protection system in a JP-5 fuel fire environment
[NASA-CR-137531] p0418 A74-29016
THERMAL CURRENTS
U CONVECTIVE FLOW
THERMAL CYCLING TESTS
Fatigue of supersonic transport materials using
simulated flight-by-flight loading p0004 A74-10616
Hot-salt stress-corrosion of titanium alloys as
related to turbine engine operation p0117 A74-16600
Aircraft avionics environmental control analysis
procedures for optimized life cycle cost p0434 A74-39741
Cyclic-stress analysis of notches for supersonic
transport conditions --- using finite element
method p0257 A74-19544
[NASA-CR-132387]
THERMAL DECOMPOSITION
U PYROLYSIS
THERMAL DEGRADATION
Solving an aluminum bracket failure --- in fire
damaged aircraft engine p0313 A74-29609
THERMAL EFFECTS
U TEMPERATURE EFFECTS
THERMAL ENVIRONMENTS
Oil canning of metallic panels in thermal-acoustic

THERMAL FATIGUE

SUBJECT INDEX

- environments
 - [AIAA PAPER 74-982] p0428 A74-38740
- THERMAL FATIGUE**
 - Fatigue of supersonic transport materials using simulated flight-by-flight loading p0004 A74-10616
 - Effect of several metallurgical variables on the thermal fatigue behavior of superalloys p0004 A74-10622
 - Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy [ONERA, TP NO. 1373] p0318 A74-30513
 - Effect of prior creep on durability of AK4-1-T1 alloy p0383 A74-36510
 - Concorde and safety - Design, testing and certification p0431 A74-39050
- THERMAL POWER**
- U TURBOGENERATORS
- THERMAL PROPERTIES**
- U THERMODYNAMIC PROPERTIES
- THERMAL PROTECTION**
 - The response of aircraft camouflage lacquers to thermal radiation. Part 2; 6000 degrees K radiator and 800 ft/sec air flow [AD-776884] p0361 A74-26078
- THERMAL RESISTANCE**
 - Polyimides for advanced radomes --- heat resistant reinforced composite materials p0082 A74-14738
 - Recent advances in the processing of polyimide resins for high temperature radome applications p0379 A74-35841
- THERMAL SIMULATION**
 - A thermal, thermoelastic, and wear simulation of a high-energy sliding contact problem [ASME PAPER 73-LUB-6] p0027 A74-12333
 - Restoration in the laboratory of the effects of kinetic heating on the structure of the Concorde aircraft p0216 A74-22670
- THERMAL STABILITY**
 - Adsorption resins in jet fuels p0221 A74-23517
 - JP-4 thermal stability survey --- analysis of physical properties of 19 JP-4 fuels [AD-767591] p0112 A74-13501
- THERMAL STRESSES**
 - Thermal loads on the turbine disk after turning off a turbojet engine p0335 A74-31893
 - Transmission thermal mapping (CH-47C forward rotor transmission) [AD-767875] p0143 A74-13732
 - Laboratory simulation of kinetic heating effects on the structure of Concorde aircraft --- using infrared radiation facility p0237 A74-17760
 - The strength and rigidity of structures at high aircraft velocities [AD-776743] p0359 A74-25610
- THERMOCHEMICAL PROPERTIES**
 - Ablation --- heat and mass transfer in hypersonic flight p0119 A74-17103
- THERMOCOUPLES**
 - Recovery characteristics of a single-shielded self-aspirating thermocouple probe at low pressure levels and subsonic speeds p0027 A74-12280
 - A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades p0131 A74-18686
- THERMODYNAMIC CYCLES**
 - Parameter selection for multiple fault diagnostics of gas turbine engines [ASME PAPER 74-GT-62] p0272 A74-27452
 - Some considerations on the performance of the fan jet engine [NAL-TB-317] p0193 A74-16486
- THERMODYNAMIC PROPERTIES**
- NT THERMAL STABILITY
- NT THERMOCHEMICAL PROPERTIES
- Aviation turbine fuels, 1972 p0065 A74-11592
- Thermodynamic and transport properties of air and its products of combustion with ASTM-A-1 fuel and natural gas at 20, 30, and 40 atmospheres
- [NASA-TN-D-7488] p0101 A74-12575
- Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment [NASA-CR-137531] p0418 A74-29016
- THERMODYNAMICS**
- NT AEROTHERMODYNAMICS
- NT COMBUSTION PHYSICS
- Problem of the application of turbofan engines in air transport. Methods of increase in efficiency of turbofan engine with high bypass ratios [AD-773292] p0293 A74-20453
- THERMOELASTICITY**
- NT AEROTHERMOELASTICITY
- A thermal, thermoelastic, and wear simulation of a high-energy sliding contact problem [ASME PAPER 73-LUB-6] p0027 A74-12333
- THERMOGRAPHY**
- U RECORDING INSTRUMENTS
- U TEMPERATURE MEASURING INSTRUMENTS
- THERMOECHANICAL TREATMENT**
 - The development of thermomechanical processes for advanced dispersion strengthened alloys p0342 A74-33622
- THERMOECHANICS**
- U THERMODYNAMICS
- THERMOMETRY**
- U TEMPERATURE MEASUREMENT
- THERMOPHYSICAL PROPERTIES**
- NT THERMAL STABILITY
- THERMOPHYSICS**
- U THERMODYNAMICS
- THERMOPLASTIC RESINS**
 - Advanced tooling techniques using a thermoplastic compound p0436 A74-39898
- THERMOSETTING RESINS**
- NT EPOXY RESINS
- NT PHENOLIC RESINS
- Composite to metal bonding using structural thermosetting adhesives p0085 A74-14786
- THERMOSTABILITY**
- U THERMAL STABILITY
- THERMOTROPISM**
- U ANISOTROPY
- U TEMPERATURE EFFECTS
- THICKNESS**
 - Airborne profiling of ice thickness using a short pulse radar p0124 A74-17810
 - Material thickness control through process refinement [AIAA PAPER 74-375] p0265 A74-26682
- THIN AIRFOILS**
- NT INFINITE SPAN WINGS
- NT THIN WINGS
- Thin-airfoil theory of an ejector-flapped wing section [AIAA PAPER 74-187] p0134 A74-18834
- Compressibility effects in unsteady thin-airfoil theory p0177 A74-20298
- Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory p0204 A74-23227
- Some aspects of airfoil stall in low-speed flow p0275 A74-27844
- Stall flutter of a thin aerofoil with leading edge separation p0374 A74-35269
- Aerodynamic interference in a system of two harmonically oscillating airfoils in an incompressible flow p0447 A74-41041
- Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade p0482 A74-45927
- Transient aerodynamic characteristics of thin curvilinear airfoils in cascade p0482 A74-45928
- THIN PLATES**
 - Finite element analysis of supersonic panel flutter p0069 A74-13001
 - Investigation of the characteristics of flows past plates at large angles of attack p0070 A74-13183
- THIN WALLED SHELLS**
 - The influence of a high velocity fluid environment

- on the static and dynamic stability of thin cylindrical shell structures p0072 A74-13321
- Torsion of conical thin-walled aircraft components p0088 A74-15817
- An algorithm for rational selection of the parameters of nonlinearly deforming thin-walled framework elements p0130 A74-18645
- Solution of the non-linear differential equations for finite bending of a thin-walled tube by parameter differentiation p0279 A74-28420
- Installation for the investigation of the buckling characteristics of thin-walled structural components p0311 A74-29105
- Torsion of prismatic shell by finite difference approach p0314 A74-29906
- The historical development of shell research and design p0374 A74-35211
- THIN WALLS**
- The interaction of local and overall buckling of thin-walled structures [ICAS PAPER 74-07] p0448 A74-41309
- Theoretical and experimental research on vibrations of thin walled stiffened structures [ICAS PAPER 74-16] p0448 A74-41318
- Constrained torsion of closed thin-walled structures --- in wings p0485 A74-46722
- Column failure of thin-walled compression members in aircraft wings as affected by wall imperfection and crushing [VTH-175] p0197 N74-16737
- Flexural rigidity of a thin walled build-up rotor for jet engine. Measurement by static load test and vibration test and calculation by finite element method [NAL-TR-329] p0293 N74-20572
- THIN WINGS**
- NT INFINITE SPAN WINGS**
- Determination of the shear stresses in spar walls in the design of a wing on the basis of a plate analogy p0260 A74-25984
- Random movement of a wing of finite span in an incompressible liquid p0312 A74-29497
- Wing profile with rotating flap in shear flow p0320 A74-31097
- Method of calculating the nonstationary aerodynamic loads on a thin wing of finite aspect ratio undergoing elastic harmonic vibrations in subsonic flow p0390 A74-36815
- Calculation of the surface of a minimum-drag wing with a shock-free leading edge p0390 A74-36818
- Prediction of unsteady airloads for oblique blade-gust interaction in compressible flow p0477 A74-44406
- A quasi-vortex-lattice method in thin wing theory p0477 A74-44417
- Some effects of center of gravity locations of added mass on transonic flutter characteristics of low aspect ratio and sweptback thin cantilever wing [NAL-TR-314] p0040 N74-10047
- Calculation of instantaneous pressure distributions and generalized aerodynamic forces with the doublet-lattice method --- on thin wings oscillating harmonically in subsonic flow [NLR-TR-72037-U] p0054 N74-10906
- Geometry program for aerodynamic lifting surface theory [NASA-TM-X-62309] p0093 N74-11810
- Column failure of thin-walled compression members in aircraft wings as affected by wall imperfection and crushing [VTH-175] p0197 N74-16737
- Normal loads program for aerodynamic lifting surface theory --- evaluation of spanwise and chordwise loading distributions [NASA-TM-X-62326] p0231 N74-17702
- Reciprocal influence of a body of finite length and a wing at mid-wing position at subsonic speed [BMVG-FBWT-73-33] p0231 N74-17707
- A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges [AD-772952] p0251 N74-18701
- Improvements to the kernel function method of steady, subsonic lifting surface theory [NASA-TM-X-62327] p0487 N74-33429
- THREE DIMENSIONAL BOUNDARY LAYER**
- Asymptotic behavior of the solution of the Navier-Stokes equations near fins p0088 A74-15779
- The calculation of subsonic and transonic turbulent boundary layers on an infinite yawed airfoil [AIAA PAPER 74-557] p0344 A74-34320
- The three-dimensional boundary layer in the vicinity of the stagnation line of a swept wing in the case of nonuniform suction p0382 A74-36452
- Three-dimensional compressible boundary layer flow over a yawed cone with mass injection p0146 N74-13960
- THREE DIMENSIONAL FLOW**
- Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow [DFVLR-SONDDR-335] p0073 A74-13549
- Analysis of three-dimensional unsteady flow around oscillating wings [AIAA PAPER 74-184] p0135 A74-18838
- Three dimensional supersonic flow field analysis of the B-1 airplane by a finite difference technique and comparison with experimental data [AIAA PAPER 74-189] p0136 A74-18877
- Calculation of supersonic flow past conical bodies p0174 A74-19935
- Buffeting tests with a swept wing in the transonic range p0223 A74-25310
- Three-dimensional wave interactions in supersonic intakes p0436 A74-39980
- Three dimensional flows around airfoils with shocks p0480 A74-45226
- Additional three-dimensional boundary-layer computations for a finite swept wing [NASA-CR-132335] p0038 N74-10029
- Measurements in a three dimensional incompressible turbulent boundary layer in an adverse pressure gradient under infinite swept wing conditions [NLR-TR-72092-U] p0109 N74-12995
- Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation --- wind tunnel tests of jet fighter scale model [AD-771304] p0232 N74-17711
- Research in the area of the aerodynamics of rotors and propellers [AROD-T-3-23-E] p0286 N74-19688
- A program to compute the behavior of a three dimensional turbulent vortex [AD-778433] p0418 N74-28782
- Improvements to the kernel function method of steady, subsonic lifting surface theory [NASA-TM-X-62327] p0487 N74-33429
- THREE DIMENSIONAL MOTION**
- NT THREE DIMENSIONAL FLOW**
- Solid state controller three axes controller [NASA-CASE-MSC-12394-1] p0059 N74-10942
- THRUST**
- NT JET THRUST**
- NT VARIABLE THRUST**
- THRUST AUGMENTATION**
- Full-scale tests of an augmentor VTOL concept --- ejector-in-wing configuration [AIAA PAPER 73-1185] p0008 A74-11229
- The next step is straight up --- V/STOL fighter-attack aircraft for minicarriers p0023 A74-12129
- One-dimensional analysis of compressible ejector flows applicable to V/STOL aircraft design [AIAA PAPER 73-1184] p0031 A74-12921
- V/STOL demonstrator vehicle for ejector thrust augmentation technology [AIAA PAPER 74-995] p0453 A74-41663

THRUST CONTROL

SUBJECT INDEX

- STOL tactical aircraft investigation. Volume 4:
Analysis of wind tunnel data: Vectored
thrust/mechanical flaps and internally blown jet
flaps --- for transport aircraft configuration
[AD-766641] p0098 N74-11846
- Analysis of control surface augmentation in
high-performance aircraft by thrust vectoring
[AD-769495] p0190 N74-15726
- Compact thrust augmentors for V/STOL aircraft ---
propulsion system configuration for V/STOL and
cruise flight using one engine p0291 N74-20419
- Static performance and noise tests on a thrust
reverser for an augmentor wing aircraft
[NASA-CR-137561] p0472 N74-32438
- THRUST CONTROL**
- NT THRUST VECTOR CONTROL**
- Inflight thrust and base pressure survey on the
A-7 airplane p0345 A74-34840
- Optimal trajectories of high thrust aircraft
p0374 A74-35234
- Thrust performance of podded lift-fans in crossflow
--- effect of increasing cross flow velocity on
thrust deterioration p0291 N74-20420
- Propulsion system of the VJ 101 C VTOL aircraft:
Philosophy and practical experience ---
optimization of vertical takeoff aircraft
airframe and engine p0292 N74-20428
- THRUST MEASUREMENT**
- External burning assisted projectile - Theory and
experiment [AIAA PAPER 73-1193] p0009 A74-11234
- Lockheed S-3A Viking - With low fuel consumption
over a wide power range the TF34-GR2 has high
thrust to weight p0222 A74-23839
- Tail-rotor thrust on a 5.5-foot helicopter model
in ground effect [AHS PREPRINT 802] p0388 A74-36616
- A new jet engine thrust measuring system - An
advancement in flight test engineering p0460 A74-43613
- THRUST REVERSAL**
- Noise tests of a high-aspect-ratio slot nozzle
with various V-gutter target thrust reversers
p0315 A74-30098
- Effects of STOL thrust reversers and powered lift
on inlet flow quality [SAE PAPER 740457] p0351 A74-35007
- Analysis, design and test of thrust reverser and
thrust vectoring systems for STOL transport
aircraft [AIAA PAPER 73-1218] p0456 A74-42849
- Noise tests of a high-aspect-ratio slot nozzle
with various V-gutter target thrust reversers
[NASA-TM-X-71470] p0039 N74-10037
- Aircraft accident report: Continental Airlines,
Sabreliner model NA-265-60, N743R, Montrose,
Colorado, 13 April 1973 [NTSB-AAR-73-19] p0095 N74-11830
- The results of a low-speed wind tunnel test to
investigate the effects of the Refan JT8D engine
target thrust reverser on the stability and
control characteristics of the Boeing 727-200
airplane [NASA-CR-134699] p0494 N74-34467
- Performance of a model cascade thrust reverser for
short-haul applications [NASA-TM-X-71614] p0500 N74-35202
- THRUST TERMINATION**
- Certain problems in estimating the rundown time of
an engine --- turbojet p0006 A74-11075
- THRUST VECTOR CONTROL**
- Advanced technology thrust vectoring exhaust systems
[AIAA PAPER 73-1304] p0011 A74-11303
- Effect of exhaust deflectors on the design of lift
plus lift/cruise V/STOL aircraft [SAE PAPER 730959] p0015 A74-11554
- Vectored thrust V/STOL shipboard testing
p0172 A74-19498
- The augmentor wing - Powered-lift STOL a proven
concept p0184 A74-21728
- Supercirculation effects induced by vectoring a
partial-span rectangular jet --- for fighter
aircraft maneuverability [AIAA PAPER 74-971] p0428 A74-38736
- Analysis, design and test of thrust reverser and
thrust vectoring systems for STOL transport
aircraft [AIAA PAPER 73-1218] p0456 A74-42849
- STOL tactical aircraft investigation. Volume 1:
Configuration definition (medium STOL transport
with vectored thrust/mechanical flaps)
[AD-766637] p0056 N74-10925
- STOL tactical aircraft investigation. Volume 2,
part 1: Aerodynamic technology (design
compendium, vectored thrust/mechanical flaps)
[AD-766639] p0057 N74-10926
- STOL tactical aircraft investigation. Volume 3:
Performance ground rules and methods. Book 1:
Takeoff and landing ground rules [AD-766942] p0057 N74-10928
- STOL tactical aircraft investigation. Volume 2,
part 2: A lifting line analysis method for
jet-flapped wings [AD-766877] p0058 N74-10937
- STOL tactical aircraft investigation. Volume 5,
part 2: Flight control technology: Piloted
simulation of a medium STOL transport with
vectored thrust mechanical flaps [AD-766643] p0058 N74-10939
- STOL tactical aircraft investigation. Volume 4:
Analysis of wind tunnel data: Vectored
thrust/mechanical flaps and internally blown jet
flaps --- for transport aircraft configuration
[AD-766641] p0098 N74-11846
- STOL tactical aircraft investigation. Volume 5,
part 1: Flight control technology: System
analysis and trade studies for a medium STOL
transport with vectored thrust/mechanical flaps
--- for transport aircraft configuration
[AD-766642] p0098 N74-11847
- STOL tactical aircraft investigation. Volume 2:
Design compendium [AD-767561] p0143 N74-13733
- STOL tactical aircraft investigation. Volume 5:
Flight control technology [AD-767364] p0143 N74-13735
- Analysis of control surface augmentation in
high-performance aircraft by thrust vectoring
[AD-769495] p0190 N74-15726
- Pressure distribution on a vectored-thrust V/STOL
fighter in the transition-speed range --- wind
tunnel tests to measure pressure distribution on
body and wing [NASA-TM-X-2867] p0246 N74-18658
- Recent technology advances in thrust vectoring
systems --- analysis of thrust vector control
for vertical takeoff aircraft with and without
afterburning in lift p0290 N74-20410
- Aerodynamic interference between fuselage and
lifting jets emerging from its lower part ---
effect of two high velocity lifting jets on
induced lift and pitching moments p0290 N74-20413
- THRUSTORS**
- U ROCKET ENGINES**
- TID**
- U TRAVELING IONOSPHERIC DISTURBANCES**
- TILT**
- U ATTITUDE (INCLINATION)**
- TILT ROTOR RESEARCH AIRCRAFT PROGRAM**
- Tilt-rotor aircraft nears final design p0319 A74-30748
- V/STOL tilt rotor aircraft study: Wind tunnel
tests of a full scale hingeless prop/rotor
designed for the Boeing Model 222 tilt rotor
aircraft [NASA-CR-114664] p0188 N74-15711
- Automatic transitions of a tilt-rotor aircraft,
part 1. Automatic control of a helicopter with
a hanging load, part 2 p0363 N74-26432
- TILT WING AIRCRAFT**
- NT CL-84 AIRCRAFT**
- NT XC-142 AIRCRAFT**
- A head-up display for all-weather approach and
landing of tilt-wing V/STOL aircraft
[AIAA PAPER 74-952] p0452 A74-41656
- Aircraft design studies: B67 tilt-wing executive
aircraft --- with vertical takeoff and landing
capability

SUBJECT INDEX

TITANIUM ALLOYS

- [CRANFIELD-AERO-23] p0467 N74-31490
- TILTING**
- U ATTITUDE (INCLINATION)**
- TILTING ROTORS**
- Assessment of model testing of a tilt-propurator VTOL aircraft p0205 A74-22460
- Model tests and analysis of prop-rotor dynamics for tilt-rotor aircraft p0205 A74-22461
- The role of wind tunnel testing in the development of advanced rotary-wing aircraft p0207 A74-22472
- Aeroelastic-stability characteristics of a V/STOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test [AHS PREPRINT 835] p0385 A74-36590
- Handling qualities evaluation of the XV-15 tilt rotor aircraft [AHS PREPRINT 840] p0385 A74-36591
- Theory and comparison with tests of two full-scale propulators p0395 A74-37497
- Experimental and analytical studies in tilt-rotor aeroelasticity p0395 A74-37498
- Advancement of propurator technology. Task 1: Design study summary --- aerodynamic concept of minimum size tilt propurator research aircraft [NASA-CR-114682] p0096 N74-11833
- Advancement of propurator technology. Task 2: Wind-tunnel test results [NASA-CR-114363] p0096 N74-11834
- V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622 Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1) [NASA-CR-114603] p0142 N74-13727
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (the effects of some rotor feedback systems on rotor-body dynamics), Phase 7-A [NASA-CR-114709] p0160 N74-14757
- Studies in tilt-rotor VTOL aircraft aeroelasticity --- blade flapping and pitch change freedoms of propurator configurations p0282 N74-19649
- Dynamics of tilting propurator aircraft in cruise flight [NASA-TN-D-7677] p0407 N74-27500
- Analytical model for tilting propurator aircraft dynamics, including blade torsion and coupled bending modes, and conversion mode operation [NASA-TN-X-62369] p0467 N74-31498
- TIME**
- NT ACCESS TIME**
- NT FLIGHT TIME**
- NT STBP**
- NT TESTING TIME**
- TIME DEPENDENCE**
- Statistical analysis of aircraft noise levels p0173 A74-19638
- Variability in aircraft noise measurements --- from short and long period jet flight tests p0314 A74-30079
- TIME DIVISION MULTIPLEXING**
- Microwave dielectric waveguide data bus system for aircraft interior data transfer p0424 A74-38564
- TIME LAG**
- Servomechanisms of aircraft instruments - Dynamics of servomechanisms in the presence of dry friction and retardation --- Russian book p0421 A74-38043
- Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0496 N74-34495
- TIME MEASUREMENT**
- Certain problems in estimating the rundown time of an engine --- turbojet p0006 A74-11075
- TIME MEASURING INSTRUMENTS**
- NT CHRONOMETERS**
- TIME OPTIMAL CONTROL**
- Input design for parameter identification. I - A new formulation and a practical solution p0374 A74-35252
- Optimally fast-acting control of aircraft roll in the presence of constraints on the angle of
- aileron deflection and the deflection rate p0389 A74-36634
- TIME RESPONSE**
- Response speed of a correlator in an extremal system for aircraft wheel braking p0213 A74-24022
- TIME SERIES ANALYSIS**
- Geodetic analysis of Skylab altimetry preliminary data - SL/2 EREP pass 9 --- time series analysis of geoidal heights [E74-10086] p0062 N74-11197
- TIMING**
- U TIME MEASUREMENT**
- TIP SPEED**
- Airfoil design for high tip speed compressors --- fan technology [AIAA PAPER 73-1248] p0009 A74-11269
- Rotor aerodynamics and acoustics - The next phase --- helicopter noise at supersonic blade tip speeds p0203 A74-22465
- Experimental and theoretical investigation of HT-S/PNR-PI composites for application to advanced aircraft engines --- High-Tip-Speed/Polymerization of Monomeric Reactant p0228 A74-24868
- Noise and wake structure measurements in a subsonic tip speed fan [NASA-CR-2323] p0036 N74-10020
- The stability of helical vortex filaments in the wake of a hovering rotor [AD-766828] p0062 N74-11128
- TIPS**
- NT BLADE TIPS**
- NT WING TIPS**
- TIRES**
- NT AIRCRAFT TIRES**
- TITANIUM**
- A corrosion inhibiting coating for structural airframe fasteners [SAE PAPER 730902] p0018 A74-11588
- Manufacture and properties of titanium and titanium alloys emphasizing their use in aeronautics. Part 1: Manufacture and processing --- conference p0064 N74-11336
- Manufacture of titanium and titanium alloy semifinished products --- with application to production of drop-forged aircraft parts p0064 N74-11338
- status and development tendencies of titanium processing --- metallurgical techniques for manufacture of aircraft parts p0064 N74-11339
- Fatigue and fracture considerations in critical titanium components --- for aircraft structures p0367 N74-26470
- TITANIUM ALLOYS**
- NT NITINOL ALLOYS**
- BohrBond --- liquid interface diffusion bonding for Ti honeycomb core sandwich p0083 A74-14741
- Sliding-seal electron-beam welding of titanium p0083 A74-14752
- Application of powder metallurgy in gas turbine aircraft engines p0084 A74-14765
- Fabrication and repair of titanium engine components by welding p0084 A74-14768
- Manufacturing exercise involved in the redesign of the Hawker Siddeley Trident /tri-jet/ fuselage p0115 A74-16445
- The use of ultra high strength titanium alloys in a V/STOL military aircraft application - The H. S. A. Harrier p0115 A74-16446
- B-1 Cost/weight trade methodology p0115 A74-16447
- Design and development support for critical helicopter applications in Ti-6Al-4V alloy p0115 A74-16448
- Flat rolled beta titanium alloys for airframe application p0116 A74-16449
- Applications of the high strength alloy Ti-4Al-4Mo-2Sn-0.5Si in European aircraft projects p0116 A74-16450

Titanium - The bridge to composites --- for light weight/high performance aircraft p0116 A74-16451

Failure experience with and failure anticipation in titanium components p0116 A74-16476

Effects of Ti-6Al-4V alloy metallurgical structures on ultrasonic response characteristics p0116 A74-16477

Ultrasonic inspection of titanium airframe components p0116 A74-16479

Non-destructive inspection of titanium jet engine disks p0116 A74-16480

Nondestructive detection of hydrides and alpha-case in titanium alloys p0116 A74-16482

High cycle fatigue properties of titanium in aircraft application p0116 A74-16513

Development of cold headable titanium alloys for the 'Concorde' supersonic jet p0117 A74-16554

Deep hardenable titanium alloys for large airframe elements p0117 A74-16559

Dynamic creep of titanium alloy with 1.5 wt % Mn and 3% Al in high-velocity air streams p0117 A74-16579

Pretting resistant coatings for titanium alloys p0117 A74-16592

Hot-salt stress-corrosion of titanium alloys as related to turbine engine operation p0117 A74-16600

Titanium flamecutting reduces airframe costs p0118 A74-16760

Heat-resistant titanium alloys - Introduction of the 651 A alloy p0125 A74-17891

Suitability of using titanium pipelines in the hydraulic systems of turbine engines p0126 A74-18090

Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962

Heat-resistant titanium alloys - Introduction of the UT651A alloy p0219 A74-23963

Utilization of titanium and its alloys in the manufacture of helicopters and airplane frames p0218 A74-23967

Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys p0228 A74-24297

The application of electron beam welding for major titanium structures p0227 A74-25363

Evaluation of damage tolerance in aircraft structures [AIAA PAPER 74-347] p0263 A74-26661

Effects of compressive overloads on fatigue crack growth [AIAA PAPER 74-365] p0264 A74-26674

Developing the 'backbone' of the F-14 --- Ti structures for variable sweep wing center section [AIAA PAPER 74-371] p0265 A74-26678

New alloys for advanced metallic fighter-wing structures [AIAA PAPER 74-372] p0265 A74-26679

Properties of beryllium reinforced titanium matrix composites p0379 A74-35826

Processing of titanium tubes - An approach to helicopter blade spar manufacturing [AHS PREPRINT 853] p0386 A74-36599

New structural materials for jet engine components p0460 A74-43768

Titanium structural brazing p0480 A74-45260

Brazed titanium fail-safe structures p0480 A74-45261

Manufacture and properties of titanium and titanium alloys emphasizing their use in aeronautics. Part 1: Manufacture and processing --- conference p0064 N74-11336

Manufacture of titanium and titanium alloy semifinished products --- with application to

production of drop-forged aircraft parts p0064 N74-11338

status and development tendencies of titanium processing --- metallurgical techniques for manufacture of aircraft parts p0064 N74-11339

Design guide for the use of structural shapes in aircraft applications. Part 1: Selection criteria for structural shapes and tubing. Part 2: Manufacturing methods for structural shapes and tubing [AD-769042] p0190 N74-15723

Development of a low-cost composite die using High-Energy-Rate Forming (HERF) --- titanium alloy helicopter parts [AD-771957] p0242 N74-18145

Materials for aerospace current research and development [D-MAT-194] p0303 N74-21139

Development of engineering data on thick-section electron beam welded titanium [AD-774051] p0303 N74-21151

Continuous seam diffusion bond titanium spar evaluation [AD-780029] p0468 N74-31515

TOLERANCES (MECHANICS)

Determination of the allowable tolerances for the asymmetries of a free rolling vehicle [TAE-185] p0323 N74-21637

TOLERANCES (PHYSIOLOGY)

NT HUMAN TOLERANCES

TONOMETRY

U PRESSURE MEASUREMENTS

TOOLING

Advanced tooling techniques using a thermoplastic compound p0436 A74-39898

TOOLS

NT MACHINE TOOLS

NT MILLING MACHINES

TOPOGRAPHY

Terrain properties and topography from Skylab altimetry --- Oregon, Utah, Texas, and Nevada [B74-10043] p0062 N74-11164

TORNADOES

A buoyant tornado-probe concept incorporating an inverted lifting device --- and balloon combination [NASA-TN-D-7335] p0047 N74-10584

TORQUE

A technique for measuring oscillatory aerodynamic control surface hinge moments from forced response characteristics [ABC-CP-1253] p0247 N74-18663

TORQUE MEASURING APPARATUS

U TORQUEMETERS

TORQUE MOTORS

Low speed phaselock speed control system --- for brushless dc motor [NASA-CASE-GSC-11127-1] p0044 N74-10202

TORQUEMETERS

Advanced torque measurement system --- design, fabrication, and testing for helicopter powerplant diagnostic purposes [AD-773021] p0252 N74-18706

TORSION

Constrained torsion of closed thin-walled structures --- in wings p0485 A74-46722

Nonlinear bending and torsion of rotating beams with application to linear stability of hingeless helicopter rotors p0101 N74-12545

Design parameters for torsion of sandwich strips having trapezoidal, rectangular, and triangular cross sections [AD-771824] p0244 N74-18549

TORSIONAL STRESS

Torsion-flap-lag coupling on helicopter rotor blades p0022 A74-11843

Torsion of conical thin-walled aircraft components p0088 A74-15817

Torsion of prismatic shell by finite difference approach p0314 A74-29906

An experimental study of box beam wing structures subjected to torsion p0378 A74-35719

SUBJECT INDEX

TRAILING-EDGE FLAPS

- Control load envelope shaping by live twist --- in helicopter rotors p0394 A74-37493
- TORSIONAL VIBRATION**
Designing a dynamically stable body with lifting surfaces for a follower load p0087 A74-15710
Torsional stability analysis of a gas-turbine powered helicopter drive system p0272 A74-27447
[ASME PAPER 74-GT-54]
The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component [AIAA PAPER 74-530] p0339 A74-33127
Gearbox noise reduction - Prediction and measurement of mesh-frequency vibrations within an operating helicopter rotor-drive gearbox [ASME PAPER 73-DGT-31] p0341 A74-33404
Effect of blade design parameters on helicopter stall boundaries p0384 A74-36588
[AHS PREPRINT 833]
Engine/airframe interface dynamics experience --- for helicopters p0396 A74-37506
Bending-torsional flutter of a cantilevered wing containing a tip mass and subjected to a transverse follower force p0398 A74-37648
- TOUCH**
NT TACTILE DISCRIMINATION
Tactile display for aircraft control [AD-767763] p0144 A74-13741
- TOUCHDOWN**
Problems with the aircraft/runway interface p0208 A74-22636
Another look at landing and stopping criteria [AIAA PAPER 74-956] p0427 A74-38722
- TOWED BODIES**
Dynamics of slung bodies utilizing a rotating wheel for stability p0127 A74-18141
Hydrodynamic forces on oscillating and nonoscillating smooth circular cylinders in crossflow --- for towed bodies p0062 A74-11125
A preliminary design of a remotely-controlled glider for a long-line operation [AD-767879] p0144 A74-13744
Performance of a ballute decelerator towed behind a jet airplane [NASA-TN-X-56019] p0160 A74-14760
- TOWED TARGETS**
U TARGETS
U TOWED BODIES
- TOWING**
UH-1 ground handling wheel adapter bars for OH-58 helicopters. Prototype design, fabrication, and user test [AD-778199] p0443 A74-29616
- TRACE CONTAMINANTS**
Survey of trace metals in distillate fuels p0177 A74-20217
- TRACKING (POSITION)**
NT OPTICAL TRACKING
NT PURSUIT TRACKING
NT RADAR TRACKING
NT RANGE AND RANGE RATE TRACKING
Air-to-air tracking techniques to evaluate aircraft handling qualities p0345 A74-34838
- TRACKING ANTENNAS**
U DIRECTIONAL ANTENNAS
- TRACKING RADAR**
General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494
- TRACKING STATIONS**
The new radar control stations of the French airspace p0311 A74-29251
- TRACKING STUDIES**
U TRACKING (POSITION)
- TRACTION**
The effect of runway traction on commercial airplane stopping systems [SAE PAPER 740500] p0349 A74-34976
Impact of runway traction on possible approaches to certification and operation of jet transport aircraft [SAE PAPER 740497] p0350 A74-34987
Elements affecting runway traction [SAE PAPER 740496] p0350 A74-34988
- TRADEOFFS**
An approach to aeroengine tradeoff factors [SAE PAPER 740493] p0350 A74-34990
Resolution of a conflict between weight and component resistance in an aircraft p0398 A74-37652
A method for weight/cost trade-offs in preliminary air vehicle design [SAE PAPER 1017] p0435 A74-39887
- TRADER AIRCRAFT**
U C-1A AIRCRAFT
- TRAFFIC**
NT AIR TRAFFIC
Effects of a traffic noise background on judgements of aircraft noise [NASA-TN-X-71938] p0304 A74-21308
- TRAFFIC CONTROL**
NT AIR TRAFFIC CONTROL
NT RADAR APPROACH CONTROL
The remote airport - A study of access feasibility p0216 A74-23353
- TRAILING EDGES**
Calculation of aerodynamic characteristics of bodies with relatively large trailing sections p0087 A74-15575
The high subsonic flow around a two-dimensional aerofoil with a trailing edge control surface p0182 A74-21104
The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing [ASME PAPER 74-GT-120] p0271 A74-27419
Contribution to the theory of the sonic flow past a profile p0389 A74-36630
Axial flow measurements in trailing vortices p0425 A74-38626
The structure and decay of trailing vortices p0447 A74-41044
On the calculation of non-linear aerodynamic characteristics and the near vortex wake [ICAS PAPER 74-27] p0449 A74-41329
The numerical solution of the asymptotic equations of trailing edge flow p0456 A74-42797
New investigations for reducing the base drag of wings with a blunt trailing edge --- effects of splitter plates and splitter wedges on aerodynamic drag coefficients p0157 A74-14723
Cold-air study of the effect on turbine stator blade aerodynamic performance of coolant ejection from various trailing-edge slot geometries. 1: Experimental results [NASA-TN-X-3000] p0231 A74-17699
The power profile - a new type of airfoil --- airfoil with blunt leading edge and two wall jets near the trailing edge [AD-773655] p0286 A74-19690
Longitudinal static stability of vehicles with two lifting wings p0405 A74-27473
Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow [NASA-TN-X-3060] p0487 A74-33430
- TRAILING-EDGE FLAPS**
The jet-flapped wing in ground proximity with special allowance for large angle of attack and large jet flap angle p0121 A74-17221
Application of boundary layer control by tangential blowing of a jet over trailing edge flaps p0484 A74-46691
Lift coefficient increment due to full-span split flap: Flap chord 0.15c [RSDU-FLAPS-01.01.05-AHEND-A] p0035 A74-10003
Effect of trailing-edge flap deflection on the lateral and longitudinal stability characteristics of a supersonic transport model having a highly-swept arrow wing [NASA-TN-X-71936] p0295 A74-20652
Apparatus for span loading to alleviate wake-vortex hazard behind aircraft [NASA-CASE-ARC-10801-1] p0471 A74-32428

TRAINERS

SUBJECT INDEX

TRAINERS

U TRAINING DEVICES

TRAINING

U EDUCATION

TRAINING AIRCRAFT

NT ALPHA JET AIRCRAFT

NT T-2 AIRCRAFT

NT T-28 AIRCRAFT

NT T-38 AIRCRAFT

The Alpha Jet programme

Incremental transfer effectiveness of a

ground-based general aviation trainer

p0136 A74-18902

YP-17 evolved from previous data base --- Northrop

trainer/fighter prototype

p0260 A74-25969

Dornier/Dassault-Breguet Alpha Jet ---

multipurpose combat aircraft

p0276 A74-27848

Hawker's new Hawk --- light training

aircraft

p0313 A74-29829

p0335 A74-31878

TRAINING DEVICES

Commercial quality video recorders for airborne

military applications

p0217 A74-22530

TRAINING SIMULATORS

NT FLIGHT SIMULATORS

Modern tendencies for training in piloting without

visibility and in radionavigation

p0219 A74-22651

Air-traffic-control simulator for the training of

ATC personnel

p0216 A74-24052

TRAJECTORIES

NT BALLISTIC TRAJECTORIES

NT DESCENT TRAJECTORIES

NT REENTRY TRAJECTORIES

NT SPACECRAFT TRAJECTORIES

TRAJECTORY ANALYSIS

Decoupling of a class of nonlinear systems and its

application to an aircraft control problem

p0127 A74-18139

An analytical method valid up to the critical

speed for predicting store separation

characteristics from modern aircraft

[AIAA PAPER 74-775]

p0399 A74-37800

Theoretical store separation analyses of a

prototype store and comparison with a flight

drop test

[AIAA PAPER 74-776]

p0399 A74-37801

Preflight test simulation of superimposed

integrated trajectory error displays

[AD-773823]

p0286 A74-19687

Gust measurements on Concorde

[NASA-TT-P-15837]

p0467 A74-31494

TRAJECTORY CONTROL

NT TRAJECTORY OPTIMIZATION

TRAJECTORY OPTIMIZATION

The automatic aircraft guidance law for mid-air

collision avoidance

p0183 A74-21340

Aircraft symmetric flight optimization ---

gradient techniques for supersonic aircraft

control

p0209 A74-23091

Optimal trajectories of high thrust aircraft

p0374 A74-35234

A gradient method of control correction for the

solution of a boundary value problem --- for

aircraft trajectory optimization

p0383 A74-36505

Approximate optimal control of the banking angle

in the problem of hypersonic vehicle return

p0389 A74-36645

Minimum noise climbout trajectories of a VTOL

aircraft

p0392 A74-37284

Synthesis of an optimal system for stabilizing

aircraft center of gravity paths

p0392 A74-37383

Differential-turning tactics --- air-to-air combat

[AIAA PAPER 74-815]

p0400 A74-37823

Application of parameter optimization methods to

trajectory optimization

[AIAA PAPER 74-825]

p0400 A74-37829

Optimization of air routes with a view to

minimizing the risk of collision

p0421 A74-38098

A simple, near-optimal takeoff control policy for

a heavily loaded helicopter operating from a

restricted area

[AIAA PAPER 74-812]

p0453 A74-41796

Climbing performance --- optimum attitude for

commercial aircraft

[AD-772052]

p0239 A74-17782

TRANSDUCERS

U TRANSMITTER RECEIVERS

TRANSDUCERS

NT ELECTROACOUSTIC TRANSDUCERS

NT ELECTRONIC TRANSDUCERS

NT MICROPHONES

NT PIEZOELECTRIC GAGES

NT PRESSURE SENSORS

TRANSFER FUNCTIONS

The identification of aircraft powerplant dynamic

response from flight tests using power spectral

techniques

[RAE-TR-73049]

p0105 A74-12725

Analysis and calculation of lightning-induced

voltages in aircraft electrical circuits

[NASA-CR-2349]

p0160 A74-14754

A review of the X-22A variable stability aircraft

and research facility

[AD-774142]

p0300 A74-20688

TRANSFER OF TRAINING

Incremental transfer effectiveness of a

ground-based general aviation trainer

p0260 A74-25969

Advanced instructional provisions and automated

performance measurement

p0260 A74-25973

TRANSFER TUNNELS

Water table tests of proposed heat transfer

tunnels for small turbine vanes

[NASA-TN-X-3073]

p0353 A74-25536

TRANSFORMATIONS (MATHEMATICS)

NT COORDINATE TRANSFORMATIONS

Inverting the mapping function --- coefficients

for circle-airfoil transformation function

expansion

p0001 A74-10070

TRANSFORMS

U TRANSFORMATIONS (MATHEMATICS)

TRANSIENT HEATING

NT SHOCK HEATING

TRANSIENT LOADS

NT GUST LOADS

NT IMPACT LOADS

NT LANDING LOADS

The behavior of a wing panel in a stream of gas

under transient conditions

p0088 A74-15757

Free vibrations of dynamically inhomogeneous

airfoil cascades in potential flow

p0482 A74-45936

Experimental evaluation of a TP30-P-3 turbofan

engine in an altitude facility: Effect of

steady-state temperature distortion

[NASA-TN-X-2921]

p0049 A74-10722

TRANSIENT PRESSURES

Flight-measured inlet pressure transients

accompanying engine compressor surges on the

F-111A airplane

[NASA-TN-D-7696]

p0362 A74-26251

TRANSIENT RESPONSE

The experimental response of simple structures to

simulated sonic booms

p0021 A74-11814

Investigation of the motion of a controlled body

in a resisting medium under transient conditions

p0220 A74-23076

Effect of transient phenomena on the responses of

aircraft to gusts and comparison between

calculations and experiments

p0223 A74-25308

Transient processes in an aircraft stabilization

system with jet-driven flywheels

p0398 A74-37656

Transient aerodynamic characteristics of thin

curvilinear airfoils in cascade

p0482 A74-45928

Investigation and application of two methods of

determining co-efficients of transfer functions

of longitudinal motion of aircraft from measured

input and output data --- equations of motion

and response curve fitting

[BSRO-TT-2]

p0041 A74-10053

SUBJECT INDEX

TRANSONIC FLOW

- Application of the collision-imparted velocity method for analyzing the responses of containment and deflector structures to engine rotor fragment impact
[NASA-CR-134494] p0194 A74-16592
- Computer experiments on periodic systems identification using rotor blade transient flapping-torsion responses at high advance ratio p0496 A74-34492
- TRANSISTOR CIRCUITS**
A photo-electric position-following mechanism p0176 A74-20129
- TRANSISTORS**
NT PHOTOTRANSISTORS
- TRANSITION FLOW**
Nonlinear stability theory of the boundary layer p0007 A74-11155
Some comments on V/STOL wind tunnel testing in the transition flight region p0215 A74-22477
- TRANSITION METALS**
NT CHROMIUM
NT TITANIUM
- TRANSLATIONAL MOTION**
NT THREE DIMENSIONAL FLOW
NT THREE DIMENSIONAL MOTION
- TRANSMISSION**
NT ACOUSTIC PROPAGATION
NT AERODYNAMIC HEAT TRANSFER
NT DATA TRANSMISSION
NT ELECTRIC POWER TRANSMISSION
NT ELECTROMAGNETIC WAVE TRANSMISSION
NT FREQUENCY DIVISION MULTIPLEXING
NT HEAT TRANSFER
NT HYPERSONIC HEAT TRANSFER
NT LAMINAR HEAT TRANSFER
NT LIGHT SCATTERING
NT LIGHT TRANSMISSION
NT MICROWAVE TRANSMISSION
NT MULTIPLEXING
NT PCM TELEMETRY
NT SATELLITE TRANSMISSION
NT SHOCK WAVE PROPAGATION
NT SIGNAL TRANSMISSION
NT SOUND TRANSMISSION
NT SUPERSONIC HEAT TRANSFER
NT TELEVISION TRANSMISSION
NT TIME DIVISION MULTIPLEXING
NT TURBULENT HEAT TRANSFER
NT WAVE PROPAGATION
- TRANSMISSION EFFICIENCY**
General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494
- TRANSMISSION LINES**
NT WAVEGUIDES
Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques [AD-783269] p0498 A74-34550
- TRANSMISSION LOSS**
Transmission of sound through a two-dimensional shielding jet [AIAA PAPER 73-1002] p0026 A74-12221
- TRANSMITTER RECEIVERS**
Lockheed S-3A avionics - Tactical voice and data communication p0173 A74-19753
Survival radio performance tests p0215 A74-23538
Multiple channel same frequency repeater flight test --- for intra-aircraft voice communications p0424 A74-38556
Satellite communications systems --- multiplexing for communication lines, equipment of earth stations, and onboard receiver transmitter and antennas [JPBS-54505] p0044 A74-10153
- TRANSMITTERS**
NT RADIO BEACONS
NT RADIO TRANSMITTERS
NT TRANSMITTER RECEIVERS
- TRANSOCHRONIC SYSTEMS**
Analysis of aided inertial navigation systems performance on international routes p0175 A74-20096
- TRANSONIC AIRCRAFT**
U SUPERSONIC AIRCRAFT
- TRANSONIC AIRCRAFT TECHNOLOGY PROGRAM**
U TACT PROGRAM
- TRANSONIC COMPRESSORS**
Holographic studies of shock waves within transonic fan rotors [ASME PAPER 74-GT-46] p0272 A74-27439
Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft) [NASA-TN-X-2903] p0037 A74-10022
Effects of increased leading-edge thickness on performance of a transonic rotor blade --- in single stage transonic compressor [NASA-TN-D-7489] p0037 A74-10025
- TRANSONIC FLIGHT**
Transonic transport wings - Oblique or swept p0119 A74-17048
A detailed investigation of flight buffeting response at subsonic and transonic speeds [AIAA PAPER 74-358] p0264 A74-26668
- TRANSONIC FLOW**
The calculation of the buffeting limits of swept wings --- transonic flow regime p0005 A74-10985
Prediction of airfoil shock location in transonic flow p0013 A74-11342
Transonic flow past lifting airfoils p0085 A74-14989
Relaxation methods for transonic flow about wing-cylinder combinations and lifting swept wings p0118 A74-16951
A direct method for computing the steady flow at Mach number one past a given wing airfoil p0118 A74-16963
Calculation of separated flows at subsonic and transonic speeds p0118 A74-16965
Development of a method of discretized-distribution singularities for the study of compressible and incompressible flows p0119 A74-16968
A relaxation method for calculating transonic flows with detached bow shocks p0119 A74-16970
A method of designing supercritical lift profiles [DGLR PAPER 73-081] p0120 A74-17187
Transonic flow about lifting wing-body combinations [AIAA PAPER 74-185] p0133 A74-18812
Transonic flow around symmetric aerofoils at zero incidence p0204 A74-23331
A method of obtaining transonic shock-free flow around lifting aerofoils p0205 A74-24061
Buffeting tests with a swept wing in the transonic range p0223 A74-25310
Example of aerodynamic instability under supercritical conditions about profiles p0223 A74-25319
Experimental and theoretical study of the transonic flow past a half-wing p0224 A74-25321
An oscillatory kernel function method for lifting surfaces in mixed transonic flow [AIAA PAPER 74-359] p0264 A74-26669
Unsteady transonic flow over oscillating circular-arc airfoils [AIAA PAPER 74-360] p0264 A74-26670
Inverse transonic flow calculations using experimental pressure distributions p0276 A74-28050
Computation of transonic flow about lifting wing-cylinder combinations p0318 A74-30403
A rapid computer aided transonic airfoil design method [AIAA PAPER 74-501] p0338 A74-33101
Transonic shock-free aerofoil design by an analytic hodograph method [AIAA PAPER 74-539] p0339 A74-33136
An inviscid analysis of transonic, slatted airfoils [AIAA PAPER 74-541] p0339 A74-33137
A finite difference method for the solution of the transonic flow around harmonically oscillating wings [AIAA PAPER 74-543] p0339 A74-33138

- Transonic laminar viscous-inviscid interaction over airfoils [AIAA PAPER 74-600] p0340 A74-33177
- The calculation of subsonic and transonic turbulent boundary layers on an infinite yawed airfoil [AIAA PAPER 74-557] p0344 A74-34320
- Contribution to the theory of the sonic flow past a profile p0389 A74-36630
- Investigation of the influence of vortex generators on turbulent boundary layer separation p0389 A74-36632
- Calculation of transonic gas flows past axisymmetric bodies and lifting wing profiles p0390 A74-36826
- Laminar viscous-inviscid interactions at transonic speeds p0425 A74-38622
- A concept for designing transonic blade cascades p0431 A74-38930
- Designing transonic turbine blades by the hodograph method p0437 A74-40002
- Transonic lift augmentation of two-dimensional supercritical aerofoils by means of aft camber, slot blowing and jet flaps, in high Reynolds number flow [ICAS PAPER 74-11] p0448 A74-41313
- Research on the transonic aerofoil sections at the National Aerospace Laboratory, Japan [ICAS PAPER 74-12] p0448 A74-41314
- Viscous effects in transonic flow past airfoils [ICAS PAPER 74-19] p0448 A74-41321
- Iterative solution of transonic flows over airfoils and wings, including flows at Mach 1 p0459 A74-43451
- Three dimensional flows around airfoils with shocks p0480 A74-45226
- Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds [NASA-TN-D-7331] p0036 N74-10015
- Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6(lb/sec)/sq ft) [NASA-TM-X-2905] p0037 N74-10027
- Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range [NAL-TR-313] p0045 N74-10322
- Transonic flow around slender bodies --- transonic flow around slender and fin stabilized bodies of revolution p0046 N74-10440
- Optimization of wave cancellation in variable porosity transonic wind tunnel flows [NASA-TN-D-7432] p0060 N74-11097
- Drag of supercritical airfoils in transonic flow --- comparison with conventional airfoil drag coefficients p0156 N74-14719
- Similarity parameters and their sensitivity for transonic airframe exhaust nozzle interactions [AD-768988] p0159 N74-14746
- Measurement of pressure on an oscillating aileron in transonic flow --- under plane-parallel flow conditions [AD-769982] p0197 N74-16739
- On the prediction of aerodynamic loads on oscillating wings in transonic flow [AGARD-R-612] p0246 N74-18653
- Input description for Jameson's three-dimensional transonic airfoil analysis program [NASA-TM-X-71919] p0281 N74-19640
- An approximate solution of unsteady transonic flow problems --- unsteady pressures on thin two-dimensional airfoil pitching and plunging [AD-783621] p0500 N74-34718
- TRANSONIC FLUTTER**
- Calculation, design, and testing of a model of transonic flutter p0224 A74-25326
- Some tunnel-wall effects on transonic flutter --- from Boeing SST model tests [AIAA PAPER 74-406] p0266 A74-26705
- An experimental investigation on the transonic flutter characteristics of the cantilever swept-back wing with airfoil section and comparison with the thin cantilever swept-back wing [NAL-TR-361] p0495 N74-34480
- TRANSONIC INLETS**
- U SUPERSONIC INLETS**
- TRANSONIC SPEED**
- Interference of a sweptback wing and the fuselage at transonic speeds p0391 A74-36839
- Effects of Reynolds number on swept-wing-body configurations with high lift devices at transonic speeds [ICAS PAPER 74-05] p0447 A74-41307
- Some effects of center of gravity locations of added mass on transonic flutter characteristics of low aspect ratio and sweptback thin cantilever wing [NAL-TR-314] p0040 N74-10047
- Transonic single-mode flutter and buffet of a low aspect ratio wing having a subsonic airfoil shape [NASA-TN-D-7346] p0153 N74-14631
- A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14711
- HPL-10 lifting body flight control system characteristics and operational experience [NASA-TM-X-2956] p0159 N74-14753
- High transonic speed transport aircraft study --- aerodynamic characteristics of single-fuselage, yawed-wing configuration [NASA-CR-114658] p0235 N74-17750
- Pressure distribution on a vectored-thrust V/STOL fighter in the transition-speed range --- wind tunnel tests to measure pressure distribution on body and wing [NASA-TM-X-2867] p0246 N74-18658
- Effect of canard location and size on canard-wing interference and aerodynamic center shift related to maneuvering aircraft at transonic speeds [NASA-TN-D-7505] p0411 N74-28474
- Buffeting tests with a swept wing in the transonic range [NASA-TT-P-15803] p0416 N74-28522
- Aerodynamic characteristics of three slender sharp-edge 74 degrees swept wings at subsonic, transonic, and supersonic Mach numbers [NASA-TN-D-7631] p0463 N74-31416
- Adaptation of drag-rise charts in T. D. memor. 71019 to the mid-semi-span portion of swept and tapered planforms [ESDU-72027] p0492 N74-34447
- Feasibility study of the transonic biplane concept for transport aircraft application [NASA-CR-132462] p0495 N74-34477
- An experimental investigation on the transonic flutter characteristics of the cantilever swept-back wing with airfoil section and comparison with the thin cantilever swept-back wing [NAL-TR-361] p0495 N74-34480
- TRANSONIC TURBINES**
- U SUPERSONIC TURBINES**
- TRANSONIC WIND TUNNELS**
- Ten years transonic wind tunnel of the AVA Goettingen --- design and measurement objectives p0021 A74-11808
- A criterion for assessing wind-tunnel wall interference at Mach I p0090 A74-15972
- Experimental study of the internal noise in injector driven wind tunnels [ONERA, TP NO. 1315] p0128 A74-18288
- On scaling transonic wind tunnel data p0319 A74-30750
- Wind tunnel instrumentation considerations for buffet predictions [AIAA PAPER 74-629] p0376 A74-35393
- The need for a large transonic wind tunnel in Europe - A summary of the report of an A.G.A.R.D. working group /LaWs/ [AIAA PAPER 74-630] p0376 A74-35394
- Test results from the Langley high Reynolds number cryogenic transonic tunnel [AIAA PAPER 74-631] p0376 A74-35395
- Transonic aerodynamic characteristics associated with variations in the geometry of the forward portion of irregular planform wings

SUBJECT INDEX

TRANSPORT AIRCRAFT

- [NASA-CR-128781] p0038 N74-10028
- User's guide for a computer program to analyze the LRC 16 ft transonic dynamics tunnel cable mount system
- [NASA-CR-132313] p0045 N74-10297
- The improvement in Mach number distribution and reduction of pressure fluctuations in the transonic working section of wind tunnel S.1
- [WRE-TN-925] p0045 N74-10303
- Analysis of wall modification in a transonic wind tunnel
- [AD-767629] p0109 N74-12971
- Status of two studies on active control of aeroelastic response at NASA Langley Research Center
- p0354 N74-25553
- TRANSONICS**
- U TRANSONIC FLOW**
- TRANSPONDERS**
- ATC surveillance/communication analysis and planning --- research projects for application of electronics technology to air traffic control
- [FAA-RD-73-161] p0100 N74-12356
- Development of a discrete address beacon system
- [FAA-RD-73-165] p0100 N74-12362
- Advanced tracking and data relay experiments study: Multimode transponder experiment equipment
- [NASA-CR-132930] p0200 N74-16887
- TRANSPORT AIRCRAFT**
- NT A-300 AIRCRAFT
- NT BAC 111 AIRCRAFT
- NT BOEING 707 AIRCRAFT
- NT BOEING 720 AIRCRAFT
- NT BOEING 727 AIRCRAFT
- NT BOEING 737 AIRCRAFT
- NT BOEING 747 AIRCRAFT
- NT BOEING 2707 AIRCRAFT
- NT C-1A AIRCRAFT
- NT C-2 AIRCRAFT
- NT C-5 AIRCRAFT
- NT C-47 AIRCRAFT
- NT C-130 AIRCRAFT
- NT C-131 AIRCRAFT
- NT C-135 AIRCRAFT
- NT C-141 AIRCRAFT
- NT CARGO AIRCRAFT
- NT CH-3 HELICOPTER
- NT CH-47 HELICOPTER
- NT CH-54 HELICOPTER
- NT CL-84 AIRCRAFT
- NT CONCORDE AIRCRAFT
- NT DC 7 AIRCRAFT
- NT DC 8 AIRCRAFT
- NT DC 9 AIRCRAFT
- NT DC 10 AIRCRAFT
- NT DHC 5 AIRCRAFT
- NT DO-31 AIRCRAFT
- NT F-28 TRANSPORT AIRCRAFT
- NT G-222 AIRCRAFT
- NT H-53 HELICOPTER
- NT H-56 HELICOPTER
- NT HPB-320 AIRCRAFT
- NT L-1011 AIRCRAFT
- NT S-58 HELICOPTER
- NT S-61 HELICOPTER
- NT SA-330 HELICOPTER
- NT SB-3 HELICOPTER
- NT SHORT HAUL AIRCRAFT
- NT TANKER AIRCRAFT
- NT TU-144 AIRCRAFT
- NT XC-142 AIRCRAFT
- The case for hydrogen fueled transport aircraft
- [AIAA PAPER 73-1323] p0012 A74-11315
- Advanced structural materials application for high-subsonic speed transports
- [SAE PAPER 730887] p0019 A74-11601
- Material selection procedures for advanced transport aircraft
- [SAE PAPER 730884] p0019 A74-11602
- AMST - The approach to the STOL transport of the US
- p0021 A74-11776
- Transport vehicles - Weights and loads --- commercial aircraft
- p0029 A74-12442
- Propulsion requirements for powered-lift aircraft
- [AIAA PAPER 73-1214] p0031 A74-12928
- Vertical/short take-off and landing --- future possibilities
- p0079 A74-14506
- Recent advances in aerodynamics for transport aircraft. I
- p0080 A74-14521
- Long range view of materials research for civil transport aircraft
- p0083 A74-14756
- Computerized design of transport airplane
- p0086 A74-15445
- QTOL and tomorrow's airport environment --- Quiet Takeoff and Landing airliner design and terminal operations
- p0089 A74-15862
- Dynamic Manchester air transport region --- passenger and cargo handling facilities, runway modifications
- p0089 A74-15863
- Wing fuselage structural/concept study for a subsonic transport aircraft
- [SAE PAPER 730886] p0123 A74-17533
- Vehicle crashworthiness --- rotary wing, fixed wing light and transport aircraft
- p0124 A74-17776
- Rotary-wing aircraft
- p0127 A74-18177
- T700 aims at low combat maintenance --- turboshaft engine for military transports and helicopters
- p0136 A74-18998
- Trends in hydraulic systems of commercial transport aircraft
- p0171 A74-19471
- Long range view of materials research for civil transport aircraft
- p0176 A74-20210
- Endurance tests on glasses of transport aircraft
- p0209 A74-22659
- Problems of quality of flight of future transport aircraft in course of development
- p0210 A74-23396
- Emergency Evacuation and Survival Equipment Deployment for transport aircraft /ESES/
- p0214 A74-23554
- Problems concerning the flying qualities of future transport aircraft
- p0225 A74-24894
- Advanced structural concepts for transport aircraft wings
- [AIAA PAPER 74-339] p0263 A74-26654
- Application of advanced structures and materials to transport aircraft fuselages
- [AIAA PAPER 74-340] p0263 A74-26655
- The growing procedural problems of washing mammoth aircraft
- [AIAA PAPER 74-376] p0265 A74-26683
- Potentials for advanced civil transport aircraft /Third William Littlewood Memorial Lecture/
- [SAE-SP-385] p0270 A74-27266
- Integrated propulsion systems for V/STOL transports
- [ASME PAPER 74-GT-118] p0273 A74-27486
- The present technics of air transportation
- p0280 A74-28487
- The case for hydrogen-fueled transport aircraft
- p0312 A74-29452
- Wing design in the case of the VFW 614 transport aircraft
- p0313 A74-29806
- New German-Swiss aircraft project - Master-Porter PD-01
- p0314 A74-29830
- Impact of increasing secondary power requirements on engine and accessory system design
- [SAE PAPER 740495] p0349 A74-34977
- Impact of runway traction on possible approaches to certification and operation of jet transport aircraft
- [SAE PAPER 740497] p0350 A74-34987
- Elements affecting runway traction
- [SAE PAPER 740496] p0350 A74-34988
- An approach to aeroengine tradeoff factors
- [SAE PAPER 740493] p0350 A74-34990
- Advanced controls for commercial transport aircraft --- USAF Control Configured Vehicles and NASA Active Control Technology programs
- [SAE PAPER 740453] p0352 A74-35008
- The development of third level air services in France
- p0382 A74-36328
- Jet transport energy management for minimum fuel consumption and noise impact in the terminal area
- [AIAA PAPER 74-811] p0400 A74-37821

- Influence of runway traction on operation of jet transport aircraft
[AIAA PAPER 74-958] p0427 A74-38724
- Nonlinear effects of spectrum loading on fatigue crack growth in transport wings
[AIAA PAPER 74-984] p0428 A74-38742
- Powered lift for longer field lengths and longer missions --- for aircraft
[SAE PAPER 740502] p0433 A74-39650
- A parametric analysis of transport aircraft system weights and costs
[SAE PAPER 1024] p0436 A74-39891
- A review of air transport noise
p0438 A74-40087
- Noise of advanced subsonic air transport systems
p0438 A74-40090
- Advanced material applications to subsonic transport aviation
[ICAS PAPER 74-22] p0449 A74-41324
- Evaluation of a new jet flap propulsive-lift system for turbofan-powered STOL transports
[AIAA PAPER 74-993] p0453 A74-41662
- Analysis, design and test of thrust reverser and thrust vectoring systems for STOL transport aircraft
[AIAA PAPER 73-1218] p0456 A74-42849
- Remote lift fan study program, volume 4
[NASA-CR-121277] p0040 N74-10049
- Launching of small inflated balloons from cargo aircraft --- using palletized modular airdrop platform
[AD-766428] p0043 N74-10069
- STOL tactical aircraft investigation. Volume 2, part 2: A lifting line analysis method for jet-flapped wings
[AD-766877] p0058 N74-10937
- STOL tactical aircraft investigation. Volume 5, part 2: Flight control technology: Piloted simulation of a medium STOL transport with vectored thrust mechanical flaps
[AD-766643] p0058 N74-10939
- Study of quiet turbofan STOL aircraft for short haul transportation
[NASA-CR-2355] p0096 N74-11835
- Flight-by-flight tests with notched specimens using a wing upper surface load spectrum
[LBF-FB-104/72] p0097 N74-11839
- A standardized load sequence for flight simulation tests on transport aircraft wing structures
[LBF-FB-106/73] p0097 N74-11841
- STOL tactical aircraft investigation. Volume 4: Analysis of wind tunnel data: Vectored thrust/mechanical flaps and internally blown jet flaps --- for transport aircraft configuration
[AD-766641] p0098 N74-11846
- STOL tactical aircraft investigation. Volume 5, part, 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps --- for transport aircraft configuration
[AD-766642] p0098 N74-11847
- Emission calculations for a scramjet powered hypersonic transport
[NASA-TM-X-71464] p0100 N74-12445
- Trends in transport aircraft avionics
[NASA-TM-X-62322] p0104 N74-12715
- Performance characteristics of short haul transport aircraft intended to operate from reduced length runways
[CRANFIELD-ABRO-18] p0140 N74-13716
- The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps
[NASA-CR-2320] p0140 N74-13718
- Wind tunnel investigation of a large-scale 25 deg swept-wing jet transport model with an external blowing triple-slotted flap
[NASA-TM-X-62197] p0141 N74-13721
- Minimum life cycle costing for a V/STOL transport
[AD-768133] p0144 N74-13740
- Economics of air transport --- direct and indirect costs
[NASA-TT-F-15249] p0154 N74-14682
- The problem of installing a modern high bypass engine on a twin jet transport aircraft
p0157 N74-14727
- Computer program to perform cost and weight analysis of transport aircraft. Volume 1: Summary
[NASA-CR-132361] p0161 N74-14762
- Computer program to perform cost and weight analysis of transport aircraft. Volume 2: Technical volume
[NASA-CR-132362] p0161 N74-14763
- A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas Aircraft
[NASA-CR-114677] p0188 N74-15714
- Reduction of aircraft noise in the vicinity of airports
[NASA-TT-F-15237] p0189 N74-15718
- Advanced subsonic long-haul transport terminal area compatibility study. Volume 1: Compatibility assessment
[NASA-CR-132367] p0196 N74-16729
- Advanced subsonic long-haul transport terminal area compatibility study. Volume 2: Research and technology recommendations
[NASA-CR-132368] p0196 N74-16730
- Drop and static tests on a tenth-scale model of an Air Cushion Landing System (ACLS)
[AD-770026] p0198 N74-16742
- STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium
[AD-770110] p0199 N74-16751
- STOL tactical aircraft investigation-externally blown flap. Volume 5: Flight control technology. Part 2: Simulation studies/flight control system validation
[AD-770449] p0199 N74-16752
- Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence --- analysis of problem areas associated with rigid aircraft controlled by simple autopilot
p0234 N74-17742
- High transonic speed transport aircraft study --- aerodynamic characteristics of single-fuselage, yaved-wing configuration
[NASA-CR-114658] p0235 N74-17750
- A methodology for boost-glide transport technology planning
[NASA-CR-2346] p0249 N74-18681
- Flight investigation of approach and flare from simulated breakout altitude of a subsonic jet transport and comparison with analytical models
[NASA-TM-D-7645] p0284 N74-19672
- Aeronautical fuel conservation possibilities for advanced subsonic transports --- application of aeronautical technology for drag and weight reduction
[NASA-TM-X-71927] p0295 N74-20654
- Free-flight wind tunnel investigation of a four-engine sweptwing upper-surface blown transport configuration
[NASA-TM-X-71932] p0296 N74-20656
- An analysis of the longitudinal dynamics of a STOL transport in landing approach
[AD-774434] p0301 N74-20696
- Validation of new gust design procedures for military transports
[AD-775385] p0324 N74-21641
- Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap
[NASA-TM-D-7411] p0324 N74-21649
- Sensitivity of transport aircraft performance and economics to advanced technology and cruise Mach number
[NASA-TM-X-62336] p0325 N74-21654
- Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane
[NASA-TM-D-7463] p0326 N74-21658
- Study and stabilization of lateral motion of modern transport aircraft --- by damping in yaw control
p0330 N74-22684
- Spectrum of loading of aircraft --- diagrams of typical flight-load profiles for tactical and transport aircraft
p0332 N74-23414
- A structural design for an Externally Blown Flap (EBF) medium STOL research aircraft --- development of computer program for structural analysis
[NASA-CR-112249] p0353 N74-25548
- Civil helicopter noise assessment study
Boeing-Vertol model 347 --- recommendations for

- reduction of helicopter noise levels
[NASA-CR-132420] p0354 N74-25563
- The impact of long service on the fatigue of transport aircraft: Airworthiness aspects
p0367 N74-26475
- A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft
p0367 N74-26476
- Antonov's transport plane
[AD-777661] p0369 N74-26494
- Local service air carriers' unit costs. Volume 2: Unit costs, computations and historical data, year ended 30 September 1973
p0371 N74-27436
- A digital calculation of the response of a piloted subsonic jet-transport airplane to severe vertical gusts
p0412 N74-28498
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process
[NASA-CR-132392] p0415 N74-28516
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 5: Catalog of IPAD technical program elements
[NASA-CR-132395] p0415 N74-28519
- Buffeting tests with a swept wing in the transonic range
[NASA-TT-P-15803] p0416 N74-28522
- Landing transition paths which optimize fuel, time or distance for jet-lift VTOL transport aircraft in steep approaches
[ARC-R-3732] p0416 N74-28527
- Assessment of the application of advanced technologies to subsonic CTOL transport aircraft
[NASA-CR-132461] p0441 N74-29375
- Analysis of maneuverability effects on rotor/wing design characteristics
[AD-779448] p0443 N74-29401
- Conceptual design studies of lift/cruise fans for military transports
[NASA-CR-134636] p0444 N74-30239
- On the design and evaluation of flight control systems
p0463 N74-31442
- A new aviation for heavy transport
[NASA-TT-P-15935] p0489 N74-33446
- Digital flight control research
[NASA-CR-2433] p0489 N74-33448
- Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators
[NASA-TN-D-7670] p0493 N74-34461
- Survey of aircraft subcritical flight flutter testing methods
[NASA-CR-132479] p0494 N74-34468
- Vehicle design considerations for active control application to subsonic transport aircraft
[NASA-CR-2408] p0494 N74-34476
- Feasibility study of the transonic biplane concept for transport aircraft application
[NASA-CR-132462] p0495 N74-34477
- Flight-path and airspeed control during landing approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 N74-34481
- Non-engine aerodynamic noise investigation of a large aircraft
[NASA-CR-2378] p0495 N74-34482
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes
[AD-783665] p0498 N74-34537
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 1: Wake vortex predictive system study
[AD-783649] p0499 N74-34716
- TRANSPORT COEFFICIENTS
U TRANSPORT PROPERTIES
TRANSPORT PROPERTIES
NT EDDY VISCOSITY
Thermodynamic and transport properties of air and its products of combustion with ASTMA-A-1 fuel and natural gas at 20, 30, and 40 atmospheres
[NASA-TN-D-7488] p0101 N74-12575
- TRANSPORTATION
NT AIR TRANSPORTATION
NT RAIL TRANSPORTATION
NT RAPID TRANSIT SYSTEMS
- NT SPACE TRANSPORTATION
NT URBAN TRANSPORTATION
Transportability --- of military equipment
[AD-765456] p0044 N74-10229
- In place of congestion: Some observations on the transport of freight
[TT-7308] p0053 N74-10890
- Energy in transportation --- energy costs of passenger and cargo transportation
p0113 N74-13675
- Science and transport
[JPRS-61482] p0257 N74-19623
- TRANSPORTATION ENERGY
Transportation energy use in the United States: A statistical history, 1955 - 1971
[R-1391-NSF] p0244 N74-18607
- TRAPEZOIDAL WINGS
Random movement of a wing of finite span in an incompressible liquid
p0312 A74-29497
- Flow patterns of fuselage-wing models at supercritical angles of attack
p0391 A74-37143
- Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing
[NASA-TN-X-3070] p0487 N74-33432
- TRAVELING IONOSPHERIC DISTURBANCES
The effects of ionospheric scintillation on satellite communications
p0259 A74-25670
- TREES (PLANTS)
High frequency radio emission and reception by forest trees and by helicopter using hybrid electromagnetic antenna couplers
[AD-773909] p0287 N74-19822
- TRENDS
Where are we headed in air transport? --- trends for future aircraft design
p0102 N74-12669
- TRIANGULAR WINGS
U DELTA WINGS
TRIGGERS
U ACTUATORS
TRIM (BALANCE)
U AERODYNAMIC BALANCE
TROJAN AIRCRAFT
U T-28 AIRCRAFT
TROPopause
Turbulence near the tropopause in the presence of mountain waves
[AD-766577] p0063 N74-11274
- TROPOSPHERE
Turbulence near the tropopause in the presence of mountain waves
[AD-766577] p0063 N74-11274
- TROUBLESHOOTING
U MAINTENANCE
TRUCKS
Equipment for aircraft and helicopter technical servicing --- Russian book
p0169 A74-19370
- Truck noise via diesel exhaust and air intake noise --- acoustic measurements for evaluation of various exhaust and intake systems
[PB-222624/9] p0052 N74-10742
- Energy trends and their future effects upon transportation --- applied to rail, truck, and air cargo operations and private energy uses
[P-5046] p0068 N74-11791
- TRUNCATION (MATHEMATICS)
U APPROXIMATION
TRUNCATION ERRORS
The prediction of the variation of modes following modification to a structure
p0419 N74-29358
- TRUNKS (LINES)
U TRANSMISSION LINES
TRUNIONS
U SHAFTS (MACHINE ELEMENTS)
TU-134 AIRCRAFT
Operational problems with the aircraft type Tu-134 in the case of a use of the aircraft turbine fuel TS-1
p0020 A74-11740
- TU-144 AIRCRAFT
Tupolev 144 and Concorde - The official performances are compared for the first time

The civil supersonic aircraft --- design, economic and political factors p0013 A74-11348

Tupolev 144 and Concorde: The official performances are compared for the first time [NASA-TT-F-15446] p0310 A74-28786 p0283 N74-19661

TUBING

U PIPES (TUBES)

TUPOLEV AIRCRAFT

BT TU-134 AIRCRAFT

TUPOLEV TU-134 AIRCRAFT

U TU-134 AIRCRAFT

TURBINE BLADES

Experimental investigation of the vibrations of a gas-turbine engine rotor p0023 A74-12012

Manufacture of hollow airfoils for elastic fluid turbines - Rokor [ASME PAPER 73-WA/GT-12] p0072 A74-13303

Investigation of machining errors caused by geometrical inaccuracies of the bench in rotary milling of turbine blade profiles p0091 A74-16306

A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in p0126 A74-18085

A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel p0126 A74-18088

A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades p0131 A74-18686

Survey of trace metals in distillate fuels p0177 A74-20217

Selection of the economically optimal blade profile for axial fluid flow engines p0177 A74-20311

The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing [ASME PAPER 74-GT-120] p0271 A74-27419

Turbine blade pyrometer system in the control of the Concorde engine p0278 A74-28309

Experimental investigations of strongly swept turbine cascades with low speed flow p0280 A74-28457

Metal matrix composite blade fabrication methods p0379 A74-35823

A concept for designing transonic blade cascades p0431 A74-38930

Evaluating and controlling erosion in aircraft turbine engines p0434 A74-39749

Life enhancement of turbine blades p0436 A74-39971

Designing transonic turbine blades by the hodograph method p0437 A74-40002

Turbine blade pyrometer system in the control of the Concorde engine p0458 A74-43214

Adaptation of measuring and inspection instruments to the measurement of standard blades of aircraft-engine turbines and compressors p0460 A74-43767

An investigation of the degree of damage to gas turbine engine turbine blades after service life p0481 A74-45410

Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range [NAL-TR-313] p0045 N74-10322

Impact resistance of fiber composite blades used in aircraft turbine engines [NASA-CR-134502] p0049 N74-10726

Impact resistance of composite fan blades --- fiber reinforced graphite and boron epoxy blades for STOL operating conditions [NASA-CR-134515] p0099 N74-12285

Life of fatigue cracks on rotor blades of turbines in gas turbine engines [AD-767947] p0152 N74-14447

Blade dynamics analysis using NASTRAN --- effects of blade geometry, temperature gradients, and rotational speed

Cold-air study of the effect on turbine stator blade aerodynamic performance of coolant ejection from various trailing-edge slot geometries. 1: Experimental results [NASA-TM-X-3000] p0231 N74-17699

Turbine blade temperature measurement system: Operation manual [SOLAR-P/N-106751] p0241 N74-18097

Impact resistance of current design composite fan blades tested under short-haul operating conditions [NASA-CR-134533] p0247 N74-18672

Water table tests of proposed heat transfer tunnels for small turbine vanes [NASA-TM-X-3073] p0353 N74-25536

TURBINE ENGINES

NT BRISTOL-SIDDELEY BS 53 ENGINE

NT GAS TURBINE ENGINES

NT J-57 ENGINE

NT J-79 ENGINE

NT J-85 ENGINE

NT J-93 ENGINE

NT JET ENGINES

NT PULSEJET ENGINES

NT RAMJET ENGINES

NT SUPERSONIC COMBUSTION RAMJET ENGINES

NT TF-30 ENGINE

NT TURBOFAN ENGINES

NT TURBOJET ENGINES

NT TURBOPROP ENGINES

Investigation of flow parameters in a turbine stage with a nonuniform inlet p0002 A74-10255

Progress in France in the last ten years in the field of helicopters - Prospects for the ten years to come p0007 A74-11097

Lycomings LTS 101 - Low cost turbine power in the 600 hp class [SAE PAPER 730911] p0017 A74-11582

Low cost supersonic expendable turbine engines --- tactical missile applications [SAE PAPER 730910] p0017 A74-11583

A simplified approach for estimating manufacturing cost at the part level [SAE PAPER 730908] p0017 A74-11584

Aviation turbine fuel and its lubricating qualities p0020 A74-11739

Operational problems with the aircraft type Tu-134 in the case of a use of the aircraft turbine fuel TS-1 p0020 A74-11740

Recovery characteristics of a single-shielded self-aspirating thermocouple probe at low pressure levels and subsonic speeds p0027 A74-12280

An analytical study of icing simulation for turbine engines in altitude test cells [AIAA PAPER 73-1280] p0032 A74-12938

Test and evaluation of a quiet helicopter configuration HH-43B p0087 A74-15644

T700 aims at low combat maintenance --- turboshaft engine for military transports and helicopters p0136 A74-18998

Reduction of noise from small turbopropulsion engines [AIAA PAPER 74-59] p0179 A74-20760

Inflight engine condition monitoring system p0278 A74-28315

Future of the light turbine helicopter p0313 A74-29572

Heavy-lift helicopter power systems [SAE PAPER 740464] p0351 A74-35006

Noise attenuation in the case of the microturbine engine TRS 18 p0379 A74-35981

Evaluating and controlling erosion in aircraft turbine engines p0434 A74-39749

Technology for the reduction of aircraft turbine engine pollutant emissions [ICAS PAPER 74-31] p0457 A74-43125

The architecture of a turbine engine control --- hydromechanical and electronic control in multiengine aircraft p0458 A74-43209

SUBJECT INDEX

TURBOPAN AIRCRAFT

- New structural materials for jet engine components
p0460 A74-43768
- Aviation turbine oils - Research objectives and results
[DFVLR-SONDDR-344] p0481 A74-45427
- Microfog lubricant application system for advanced turbine engine components, phase 3 --- wetting characteristics and deposit forming tendencies of lubricants
[NASA-CR-121271] p0050 N74-10730
- Combustion generated noise in turbopropulsion systems
[AD-768615] p0166 N74-15666
- Technological change through product improvement in aircraft turbine engines
[AD-769911] p0201 N74-17519
- Turbine engine fuel control reliability and maintainability analysis
[AD-771030] p0243 N74-18405
- TURBINE EXHAUST NOZZLES**
- The Garrett-AiResearch variable-cycle TFE731 turbofan engine
[SAE PAPER 730918] p0017 A74-11577
- Turbine engine exhaust nozzle performance --- inlet flow conditions effects
[AIAA PAPER 73-1302] p0032 A74-12947
- Acoustic characteristics of a gas turbine exhaust model
[ASME PAPER 73-WA/GT-5] p0071 A74-13296
- Influence of the compressor characteristic on gas-turbine engine operation under variable pressure conditions at the exit section of the propelling nozzle
p0088 A74-15733
- Progress in core engine and turbine noise technology
[AIAA PAPER 74-948] p0426 A74-38719
- Exhaust-nozzle characteristics for a twin-jet variable-wing-sweep fighter airplane model at Mach numbers to 2.2
[NASA-TM-X-2947] p0416 N74-28524
- TURBINE WHEELS**
- Experimental investigation of the vibrations of a gas-turbine engine rotor
p0023 A74-12012
- Multi-axial low cycle fatigue test rig --- for aircraft compressors and turbine disks
p0077 A74-14158
- Status of the latest turbine disk alloys in the U.S.
p0125 A74-17890
- A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel
p0126 A74-18088
- Thermal loads on the turbine disk after turning off a turbojet engine
p0335 A74-31893
- Experimental and data analysis techniques for deducing collision-induced forces from photographic histories of engine rotor fragment impact/interaction with a containment ring
[NASA-CR-134548] p0243 N74-18399
- Flexural rigidity of a thin walled build-up rotor for jet engine. Measurement by static load test and vibration test and calculation by finite element method
[NAL-TR-329] p0293 N74-20572
- TURBINES**
- NT AXIAL FLOW TURBINES
- NT GAS TURBINES
- NT STEAM TURBINES
- NT SUPERSONIC TURBINES
- NT TWO STAGE TURBINES
- Low speed turbine gear box
p0291 N74-20418
- TURBOCHARGERS**
- U SUPERCHARGERS
- U TURBOCOMPRESSORS
- TURBOCOMPRESSORS**
- Calculation of the characteristics of multistage axial turbomachines --- mathematical model for temperature, pressure and flow parameters
p0001 A74-10029
- The behavior of axial compressor cascades in the case of deviations from purely cylindrical flow
p0001 A74-10030
- The Garrett-AiResearch variable-cycle TFE731 turbofan engine
[SAE PAPER 730918] p0017 A74-11577
- Selection of cutting conditions in the machining axial-flow compressor blades on an assembled rotor
p0029 A74-12424
- The reduction of gas turbine idle emissions by fuel zoning for compressor bleed
[ASME PAPER 73-WA/AERO-1] p0070 A74-13243
- Multi-axial low cycle fatigue test rig --- for aircraft compressors and turbine disks
p0077 A74-14158
- Influence of the compressor characteristic on gas-turbine engine operation under variable pressure conditions at the exit section of the propelling nozzle
p0088 A74-15733
- The effect of inlet distortion on the performance and stability of the low-speed spool of a turbofan engine
[AIAA PAPER 74-234] p0135 A74-18855
- Failure of helicopter turbines due to the employment of a steel in a corrodible condition in combination with a design unsuited for the material
p0178 A74-20498
- Study of casing treatment effects in axial flow compressors
[ASME PAPER 74-GT-89] p0273 A74-27472
- Fuel system requirements for light aircraft turbocharged reciprocating engines
[SAE PAPER 740382] p0309 A74-28747
- Some comparisons of the flow characteristics of a turbofan compressor system with and without inlet pressure distortion
p0380 A74-36188
- Effect of erosive wear on the fatigue life of cantilever blades of axial-flow compressors of aircraft turbojet engines
p0399 A74-37681
- Study of flow in axial compressors
p0457 A74-43132
- Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft)
[NASA-TM-X-2905] p0037 N74-10027
- Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages
[NASA-TM-X-2926] p0050 N74-10734
- Unsteady fluid dynamic response of an axial-flow compressor stage with distorted inflow
[AD-766084] p0051 N74-10736
- Aerodynamic calculation of blades in axial-flow turbomachines
[AD-765932] p0051 N74-10739
- Single-stage experimental evaluation of tandem-airfoil rotor stator blading for compressors. Part 6: Data and performance for stage D
[NASA-CR-134511] p0100 N74-12449
- Experimental investigation of the effects of tip clearance and end losses on axial compressor performance
[AD-767656] p0112 N74-13511
- Off-design behavior for axial flow compressor stages with invariable and variable geometry blades
[AD-767265] p0112 N74-13513
- The unsteady circulation distribution in rotors and its application to noise studies
p0152 N74-14437
- Calculating method for multi-stage axial compressors with impulse bladings and constant tip diameter --- computerized simulation of compressor performance
[AD-778808] p0419 N74-29228
- TURBOCONVERTERS**
- U TURBOGENERATORS
- TURBOELECTRIC CONVERSION**
- U TURBOGENERATORS
- TURBOPAN AIRCRAFT**
- NT A-7 AIRCRAFT
- NT BAC 111 AIRCRAFT
- NT BOEING 707 AIRCRAFT
- NT BOEING 720 AIRCRAFT
- NT BOEING 727 AIRCRAFT
- NT BOEING 737 AIRCRAFT
- NT C-141 AIRCRAFT
- NT CONCORDE AIRCRAFT
- NT DC 8 AIRCRAFT
- NT DO-31 AIRCRAFT

TURBOFAN ENGINES

SUBJECT INDEX

NT F-28 TRANSPORT AIRCRAFT

NT F-111 AIRCRAFT

NT IL-62 AIRCRAFT

NT P-1127 AIRCRAFT

NT SAAB 37 AIRCRAFT

NT SE-210 AIRCRAFT

NT TU-134 AIRCRAFT

NT TU-144 AIRCRAFT

BS.146 --- short haul passenger aircraft

p0013 A74-11329

The spectrum of rotor noise caused by atmospheric turbulence

p0397 A74-37537

TURBOFAN ENGINES

NT BRISTOL-SIDDELEY BS 53 ENGINE

NT TF-30 ENGINE

NT TF-34 ENGINE

Full-scale tests of an augmentor VTOL concept --- ejector-in-wing configuration

[AIAA PAPER 73-1185] p0008 A74-11229

A modular turbofan design for high availability

and low life cycle cost [AIAA PAPER 73-1189] p0009 A74-11231

Emergency air start system for the F-14B flight test aircraft

[AIAA PAPER 73-1252] p0010 A74-11273

Advanced technology thrust vectoring exhaust systems

[AIAA PAPER 73-1304] p0011 A74-11303

Qualitative effects of cycle variables on turbine engine performance and stability

[AIAA PAPER 73-1315] p0012 A74-11310

Further development of the JT15D turbofan ---

Remotely Piloted Vehicle applications [SAE PAPER 730919] p0017 A74-11576

The Garrett-AiResearch variable-cycle TPE731 turbofan engine

[SAE PAPER 730918] p0017 A74-11577

Digital computer simulation of the dynamic response of a twin-spool turbofan with mixed exhausts

p0020 A74-11617

RB 211 - The first eighteen months operating experience /Sholto Douglas Memorial Lecture/

p0027 A74-12300

The Q-Fan Demonstrator Engine --- variable pitch fan engine design and tests

[AIAA PAPER 73-1215] p0031 A74-12929

Turbine engine exhaust nozzle performance --- inlet flow conditions effects

[AIAA PAPER 73-1302] p0032 A74-12947

Turbine noise generation and suppression --- prediction method linking acoustic modes with aerodynamics

[ASME PAPER 73-WA/GT-7] p0071 A74-13298

Fabrication and repair of titanium engine components by welding

p0084 A74-14768

Prepared for overhauling the RB211 --- aircraft engine maintenance

p0086 A74-15150

MBCA progress report --- multirole combat aircraft turbofan engine design

p0086 A74-15151

Computerized design of transport airplane

p0086 A74-15445

Determination of the gas temperature in front of the turbine of a bypass turbofan engine

p0087 A74-15721

The effect of inlet distortion on the performance and stability of the low-speed spool of a turbofan engine

[AIAA PAPER 74-234] p0135 A74-18855

Fluctuating forces appropriate for the calculation of discrete frequency noise generation in subsonic turbomachines

p0204 A74-23108

Lockheed S-3A Viking - With low fuel consumption over a wide power range the TF34-GE2 has high thrust to weight

p0222 A74-23839

Astafan - A new concept from Turbomeca --- constant speed ducted turbofan engine

p0229 A74-24697

Automatic control systems for flight-vehicle engines --- Russian book

p0229 A74-24995

GE continues CP6 family growth --- high bypass ratio turbofan engine development

p0261 A74-26398

Recent status on development of the turbofan engine in Japan

[ASME PAPER 74-GT-39] p0272 A74-27432

Supersonic unstalled flutter in fan rotors - Analytical and experimental results

[ASME PAPER 74-GT-40] p0272 A74-27433

Holographic studies of shock waves within transonic fan rotors

[ASME PAPER 74-GT-46] p0272 A74-27439

Simulation study of transient performance matching of turbofan engine using an analogue computer to evaluate its usefulness as design tool

[ASME PAPER 74-GT-50] p0272 A74-27442

Integrated propulsion systems for V/STOL transports

[ASME PAPER 74-GT-118] p0273 A74-27486

Use of laser-powered optical proximity probe in advanced turbofan engine development

p0278 A74-28303

A control concept combining the best of the current hydromechanical and electronic technologies

[SAE PAPER 740380] p0309 A74-28745

25 years after, why the Astafan --- double flow turbofan aircraft engine design

p0319 A74-30690

GE ships final engine for flight-test B-1

p0321 A74-31275

MBCA systems and related equipment - RB 199 powerplant

p0336 A74-32631

Development of a reduced smoke combustor for the JT3D engine

[SAE PAPER 740484] p0350 A74-34995

VFW 614 powerplant

p0375 A74-35365

Metal matrix composite blade fabrication methods

p0379 A74-35823

Some comparisons of the flow characteristics of a turbofan compressor system with and without inlet pressure distortion

p0380 A74-36188

Progress in core engine and turbine noise technology

[AIAA PAPER 74-948] p0426 A74-38719

The CP6-6 engine - The first million hours

p0436 A74-39965

Feederliner engine installation - Trends and problems

p0436 A74-39968

Some aerodynamic design considerations for high bypass ratio fans

p0437 A74-39989

The design and development of an advanced annular combustor for civil application

p0437 A74-40000

Impact testing on composite fan blades

p0438 A74-40502

Turbofan of the future

p0439 A74-40953

Matched propulsion for advanced vehicles --- application to aircraft turbofan engines

[ICAS PAPER 74-36] p0450 A74-41337

Noise shielding aircraft configurations - A comparison between predicted and experimental results

[ICAS PAPER 74-58] p0451 A74-41357

Evaluation of a new jet flap propulsive-lift system for turbofan-powered STOL transports

[AIAA PAPER 74-993] p0453 A74-41662

Generalized dynamic engine simulation techniques for the digital computer

p0481 A74-45378

Noise and wake structure measurements in a subsonic tip speed fan

[NASA-CR-2323] p0036 A74-10020

Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft)

[NASA-TN-X-2905] p0037 A74-10027

Acoustic characteristics of a large-scale augmentor wing model at forward speed

[NASA-TN-X-2940] p0041 A74-10052

Minimizing boundary layer bleed for a mixed compression inlet --- sized for TF30-P-3 turbofan engine at Mach 2.0 and 2.5

[NASA-TN-X-71461] p0045 A74-10321

Study of small turbofan engines applicable to general-aviation aircraft

[NASA-CR-114630] p0049 A74-10725

SUBJECT INDEX

TURBOJET ENGINES

- DC-9/JT8D refan, Phase 1 --- technical and economic feasibility of retrofitting DC-9 aircraft with refan engine to achieve desired acoustic levels
[NASA-CR-121252] p0050 N74-10729
- STOL tactical aircraft investigation. Volume 1: Configuration definition
[AD-766941] p0057 N74-10927
- The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200
[NASA-CR-134503] p0093 N74-11808
- Study of quiet turbofan STOL aircraft for short haul transportation
[NASA-CR-2355] p0096 N74-11835
- Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines
[ESDU-73019] p0103 N74-12709
- Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines
[ESDU-73018] p0103 N74-12710
- Development of optimal control modes for advanced technology propulsion systems --- V/STOL hover application
[AD-767425] p0112 N74-13514
- Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines
[NASA-CR-2338] p0141 N74-13724
- Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines
[NASA-TM-X-62319] p0189 N74-15719
- Some considerations on the performance of the fan jet engine
[NAL-TR-317] p0193 N74-16486
- Study of quiet turbofan STOL aircraft for short-haul transportation. Volume 1: Summary
[NASA-CR-2353] p0196 N74-16718
- Problem of the application of turbofan engines in air transport. Methods of increase in efficiency of turbofan engine with high bypass ratios
[AD-773292] p0293 N74-20453
- Preliminary static tests of a simulated upper-surface blown jet-flap configuration utilizing a full-size turbofan engine
[NASA-TM-X-71931] p0294 N74-20638
- The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines
[NASA-CR-134609] p0296 N74-20661
- Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap
[NASA-TN-D-7411] p0324 N74-21649
- The 727/JT8D refan side nacelle airloads
[NASA-CR-134547] p0363 N74-26436
- Cruise performance of an isolated 1.15 pressure ratio turbofan propulsion system simulator at Mach numbers from 0.6 to 0.85
[NASA-TM-X-3064] p0411 N74-28241
- Noise generated by quiet engine fans. 2: Fan A --- measurement of power spectra and sideline perceived noise levels
[NASA-TM-X-3066] p0444 N74-30240
- Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] p0470 N74-32418
- Quiet engine program flight engine design study
[NASA-CR-134660] p0475 N74-33226
- Lost range, fuel and time due to climb and descent: aircraft with turbo-jet and turbo-fan engines
[ESDU-74018] p0493 N74-34464
- TURBOFANS**
- Tip load modulation as a source of discrete tone fan noise
p0073 A74-13791
- Effect of unsteady loading on rotor noise
p0073 A74-13792
- Experimental study of the aerodynamic noise of airfoils
p0224 A74-25327
- Reduction of JT8D powered aircraft noise by engine refanning
[SAE PAPER 740490] p0352 A74-35009
- Effects of non-uniform inflow on fan noise
p0397 A74-37542
- Radially leaned outlet guide vanes for fan source noise reduction
[NASA-CR-134486] p0065 N74-11597
- TURBOGENERATORS**
- Gas-lubricated foil bearings for high speed turboalternator - Construction and performance
[ASME PAPER 73-LUB-5] p0027 A74-12332
- Gas generator design for a wide variety of APU applications
[AIAA PAPER 73-1169] p0031 A74-12916
- Investigation of rotor dynamic and high speed bearing technology for a 3 KW turbo-alternator
[AD-765501] p0047 N74-10486
- TURBOJET AIRCRAFT**
- U JET AIRCRAFT**
- TURBOJET ENGINE CONTROL**
- Development of a turbine inlet gas temperature measurement and control system using a fluidic temperature sensor
[AIAA PAPER 73-1251] p0010 A74-11272
- Automatic control systems for flight-vehicle engines --- Russian book
p0229 A74-24995
- Turbine blade pyrometer system in the control of the Concorde engine
p0278 A74-28309
- The performance behaviour of a bypass engine in multiparameter control
p0292 N74-20445
- TURBOJET ENGINES**
- NT BRISTOL-SIDDELEY BS 53 ENGINE
- NT J-57 ENGINE
- NT J-79 ENGINE
- NT J-85 ENGINE
- NT J-93 ENGINE
- NT TP-30 ENGINE
- NT TURBOFAN ENGINES
- NT TURBOPROP ENGINES
- Noise generation and the design of bypass lift jet engines
p0005 A74-10984
- Noise, an urgent problem with a slow solution --- aircraft noise reduction in airport vicinity
p0005 A74-11001
- Chemical reactions calculations in turbulent flows - Application to a CO containing turbojet plume
[ONERA, TP NO. 1229] p0006 A74-11069
- Certain problems in estimating the rundown time of an engine --- turbojet
p0006 A74-11075
- Odor intensity and characterization studies of exhaust from a turbojet engine combustor
[AIAA PAPER 73-1278] p0011 A74-11290
- Qualitative effects of cycle variables on turbine engine performance and stability
[AIAA PAPER 73-1315] p0012 A74-11310
- The effect of inlet temperature and pressure distortion on turbojet performance
[AIAA PAPER 73-1316] p0012 A74-11311
- Low cost supersonic expendable turbine engines --- tactical missile applications
[SAE PAPER 730910] p0017 A74-11583
- A positive approach to the problems of aircraft noise
[AIAA PAPER 73-1157] p0026 A74-12227
- Prepared for overhauling the RB211 --- aircraft engine maintenance
p0086 A74-15150
- Problem of adapting an intake to a turbojet engine for extremely high flight Mach numbers
p0122 A74-17272
- Emission of gaseous pollutants by turbojet engines - The Olympus case
p0122 A74-17305
- Particle sampling and size analysis in the ejection zone of the Olympus jet engine at ground level
p0122 A74-17306
- Evolution of applications of precision casting in turbojets
p0125 A74-17892
- Propulsion system installations --- for aircraft
p0127 A74-18179
- Aerodynamic problems of turbojet propulsion systems, repercussions on gas turbine development
p0177 A74-20313

TURBOMACHINE BLADES

SUBJECT INDEX

- An attempt at describing the steady-state performance characteristic of a turbojet engine by a formulated relationship p0184 A74-21784
- A model of convex programming for turbojet main parameter selection optimization [ASME PAPER 74-GT-79] p0272 A74-27466
- Complete mechanical energy utilization in aeronautical propulsion systems p0274 A74-27611
- Modularized instrument system for turbojet engine test facilities p0277 A74-28296
- Thermal loads on the turbine disk after turning off a turbojet engine p0335 A74-31893
- Effect of erosive wear on the fatigue life of cantilever blades of axial-flow compressors of aircraft turbojet engines p0399 A74-37681
- The energy crisis of fuel and the procedures of cruising flight p0422 A74-38315
- The Viper turbojet engines. I p0432 A74-39418
- Performance problems related to installation of future engines in both subsonic and supersonic transport aircraft p0436 A74-39967
- A new jet engine thrust measuring system - An advancement in flight test engineering p0460 A74-43613
- Generalized dynamic engine simulation techniques for the digital computer p0481 A74-45378
- Major Item Special Study (MISS). CH-54A turbine engine [AD-766228] p0051 N74-10738
- Use of an air-assisted fuel nozzle to reduce idle emissions of a JT8D engine combustor [NASA-TM-X-2946] p0067 N74-11738
- Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73019] p0103 N74-12709
- Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines [ESDU-73018] p0103 N74-12710
- Noise generation by cylindrical spoilers immersed in an air duct --- analysis of acoustic power output and directivity patterns of noise field [AD-767336] p0142 N74-13730
- Turbojet aircraft engine test cell pollution abatement study [AD-768287] p0146 N74-13957
- Reduction of NO formations by premixing p0148 N74-14272
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source [NASA-TM-X-71488] p0152 N74-14384
- The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel [NASA-TM-X-2958] p0153 N74-14650
- Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel [NASA-TM-X-2959] p0154 N74-14651
- The performance behaviour of a bypass engine in multiparameter control p0292 N74-20445
- Advanced engine control program --- using computerized electronic equipment [AD-773660] p0293 N74-20451
- Spectroscopic analysis of wear metals based on the examination of oil from aircraft engines [ESRO-TT-23] p0303 N74-21080
- Lost range, fuel and time due to climb and descent: aircraft with turbo-jet and turbo-fan engines [ESDU-74018] p0493 N74-34464
- Effect of inlet ingestion of a wing tip vortex on turbojet stall margin [NASA-TM-X-71610] p0500 N74-35201
- TURBOMACHINE BLADES**
NT COMPRESSOR BLADES
NT ROTOR BLADES (TURBOMACHINERY)
NT STATOR BLADES
NT TURBINE BLADES
- Aerodynamic aspects of gas turbine blade corrosion p0081 A74-14567
- Impact testing on composite fan blades p0438 A74-40502
- TURBOMACHINERY**
NT AXIAL FLOW TURBINES
NT CENTRIFUGAL COMPRESSORS
NT CENTRIFUGAL PUMPS
NT GAS TURBINES
NT STEAM TURBINES
NT SUPERSONIC TURBINES
NT TURBINES
NT TURBOCOMPRESSORS
NT TURBOFANS
NT TURBOGENERATORS
NT TWO STAGE TURBINES
 Turbine noise generation and suppression --- prediction method linking acoustic modes with aerodynamics [ASME PAPER 73-WA/GT-7] p0071 A74-13298
 Erosion prediction in turbomachinery due to environmental solid particles [AIAA PAPER 74-16] p0132 A74-18732
 Coupled vibrations in turbomachines and gas-turbine engines --- Russian book p0221 A74-22665
 The spectrum of turbomachine rotor noise caused by inlet guide vane wakes and atmospheric turbulence p0151 N74-14379
- TURBOPROP AIRCRAFT**
NT C-2 AIRCRAFT
NT C-130 AIRCRAFT
NT CL-84 AIRCRAFT
NT DHC 5 AIRCRAFT
NT E-2 AIRCRAFT
NT G-222 AIRCRAFT
NT OV-1 AIRCRAFT
 The single-engine turboprop in the northern frontier p0185 A74-21821
 Propellers at present and in the future p0270 A74-27297
 The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft [ASME PAPER 74-GT-52] p0272 A74-27445
 T-tail aerodynamics of the Super King Air [SAE PAPER 740370] p0309 A74-28741
 Design philosophy of a three axis separate surface stability augmentation system for a small turboprop airliner [AIAA PAPER 74-860] p0401 A74-37849
- TURBOPROP ENGINES**
 A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel p0126 A74-18088
 The single-engine turboprop in the northern frontier p0185 A74-21821
 Automatic control systems for flight-vehicle engines --- Russian book p0229 A74-24995
 Complete mechanical energy utilization in aeronautical propulsion systems p0274 A74-27611
 A quiet propeller for commuter and general aviation aircraft [SAE PAPER 740359] p0308 A74-28736
 CC-115 Buffalo aircraft engine and engine inlet duct anti-icing system evaluation trials p0346 A74-34849
- TURBOROTORS**
U TURBINE WHEELS
- TURBOSHAPTS**
 Gas turbine engine mainshaft roller bearing-system analysis [ASME PAPER 73-LUB-J] p0030 A74-12710
 The T700-GE-700 turboshaft engine program [SAE PAPER 730917] p0123 A74-17536
 The impact of advanced turboshaft engine technology on T700-powered helicopter systems [AHS PREPRINT 871] p0386 A74-36606
 The design and development of the Gem engine p0437 A74-40008
 Pneumomechanical critical speed control for gas turbine engine shafts [AD-772823] p0256 N74-19407
- TURBULENCE**
NT ATMOSPHERIC TURBULENCE
NT CLEAR AIR TURBULENCE
NT GUSTS

SUBJECT INDEX

TURBULENT DIFFUSION

NT ISOTROPIC TURBULENCE

NT LOW LEVEL TURBULENCE

Turbulence measurements with a laser Doppler velocimeter
[AD-766781] p0062 N74-11129
Identification of aircraft stability and control derivatives in the presence of turbulence p0356 N74-25575

ORBULENCE EFFECTS

Jet noise modeling - Experimental study and models for the noise and turbulence fields
[AIAA PAPER 74-3] p0131 A74-18723
The influence of non-linear longitudinal aerodynamic characteristics on the power spectral response of aircraft to atmospheric turbulence p0182 A74-21105

Influence of the intrinsic motion of the conveyance on the frequency selection system p0261 A74-26326

The dynamic behavior of an aircraft encountering aircraft wake turbulence p0399 A74-37799

Problems of flight in turbulence
[ICAS PAPER 74-32] p0449 A74-41333

Aircraft response to turbulence-crew comfort assessments using power spectral density methods --- factors affecting operational efficiency of crew in low level gust environment p0233 N74-17729

The effect of gusts and wind shear for automatic STOL approach and landing --- simulation and flight test of flight control system for short takeoff aircraft p0233 N74-17730

The detection of aircraft wake vortices --- development of acoustic and wind pressure sensors for vortex detection p0233 N74-17731

Vortex wake research --- inflight investigation of turbulent wake generated by C-5 aircraft p0233 N74-17733

On turbulence environment and design criteria --- application of power spectral techniques for analyzing gust loads at low altitudes p0233 N74-17734

Design problems of military aircraft as affected by turbulence --- analytical prediction of pilot task proficiency under vibration environment p0234 N74-17735

Influence of turbulence on helicopter design and operation --- analysis of structural loads, pilot workload, and passenger comfort affected by atmospheric turbulence p0234 N74-17736

Data requirements on turbulence in the earth's atmospheric shear layer for STOL design criteria --- development of low altitude gust model for determining importance of gust parameters on STOL aircraft performance p0234 N74-17737

Experience with a low altitude turbulence model for autoland certification --- correlation of gust model data with statistical analysis of flight test results p0234 N74-17738

Structural loads and gust criteria --- comparison of gust load analysis methods for application to aircraft design p0234 N74-17739

Rational calculation of design gust loads in relation to present and proposed airworthiness requirements --- effects of atmospheric turbulence on aerodynamic configuration of short haul aircraft p0234 N74-17740

C.S.A.S. design for good handling in turbulence --- development of design criteria for stability augmentation systems for alleviation of gust effects p0234 N74-17741

Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence --- analysis of problem areas associated with rigid aircraft controlled by simple autopilot p0234 N74-17742

The design of automatic flight control systems to reduce the effects of atmospheric disturbances

--- flight tests of experimental automatic pilots on BAC-111 aircraft p0234 N74-17743

Application of energy management concepts to flight-path control in turbulence --- strategy for control of airspeed and flight path with emphasis on landing approach p0235 N74-17744

A new approach to gust alleviation of a flexible aircraft using an open loop device --- application to control system of SE-210 aircraft p0235 N74-17745

Research on free and impinging jets for the development of STOL aircraft [NASA-CR-138031] p0287 N74-19902

Shear and moment response of the airplane wing to nonstationary turbulence p0364 N74-26440

Comparison of the influence of horizontal and vertical gust interferences on aircraft longitudinal motion [NASA-TT-P-15801] p0445 N74-30425

TURBULENT BOUNDARY LAYER

The calculation of the buffeting limits of swept wings --- transonic flow regime p0005 A74-10985

Prevention of transition over a backward step by suction --- laminar boundary layer control p0013 A74-11339

Turbulent heat transfer measurements in a Mach 15 flow [EUROMECH PREPRINT 73-2] p0089 A74-15949

Analysis of flow-reversal delay for a pitching airfoil [AIAA PAPER 74-183] p0134 A74-18835

Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions p0173 A74-19777

A simple integral method for the calculation of thick axisymmetric turbulent boundary layers p0279 A74-28423

The calculation of subsonic and transonic turbulent boundary layers on an infinite yawed airfoil [AIAA PAPER 74-557] p0344 A74-34320

Investigation of the influence of vortex generators on turbulent boundary layer separation p0389 A74-36632

Analysis of viscous flow over swept wings [ICAS PAPER 74-20] p0449 A74-41322

A device for generating an artificial boundary layer in a short axial distance in a supersonic flow p0452 A74-41398

On the design of airfoils for low Reynolds numbers [AIAA PAPER 74-1017] p0454 A74-42038

Additional three-dimensional boundary-layer computations for a finite swept wing [NASA-CR-132335] p0038 N74-10029

Investigation of the suction system and boundary-layer characteristics on a high-lift, BLC L-19 test aircraft [AD-766305] p0042 N74-10063

Turbulent boundary layer growth at hypersonic speeds --- noting dependence on wall temperature ratio, pressure gradients, and viscous interaction parameter [IC-AERO-73-04] p0061 N74-11112

Measurements in a three dimensional incompressible turbulent boundary layer in an adverse pressure gradient under infinite swept wing conditions [NLR-TR-72092-U] p0109 N74-12995

Measurements of the drag of some characteristic aircraft excrescences immersed in turbulent boundary layers p0156 N74-14714

The separating turbulent boundary layer: an experimental study of an airfoil type [AD-771170/8GA] p0255 N74-18939

The separating turbulent boundary layer: An experimental study of an airfoil type flow p0281 N74-19637

TURBULENT DIFFUSION

Stratosphere contamination by aircraft and mathematical models p0122 A74-17312

A preliminary sensitivity analysis of the coupled diffusion and chemistry model --- effect of SST operations on ambient ozone in lower stratosphere

TURBULENT FLOW

SUBJECT INDEX

[NASA-CR-132369] p0107 N74-12821

TURBULENT FLOW

BT CAVITATION FLOW

BT SUPERCAVITATING FLOW

Annular slot and frontal slot flow --- turbulent flow resistance coefficients p0001 A74-10033

Effect of anisotropic turbulence on aerodynamic noise --- Lighthill theory mathematical model for axisymmetric turbulence p0004 A74-10798

Chemical reactions calculations in turbulent flows - Application to a CO containing turbojet plume [ONERA, TP NO. 1229] p0006 A74-11069

Nonlinear stability theory of the boundary layer p0007 A74-11155

On the theory of jet noise and its applications --- Lighthill theory p0026 A74-12218

Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow p0069 A74-13041

Noise from nonuniform turbulent flows [AIAA PAPER 74-2] p0131 A74-18722

Experimental study of the aerodynamic noise of airfoils p0224 A74-25327

Developing large-scale wavelike eddies and the near jet noise field p0267 A74-26948

Sources of unsteady flow in subsonic aircraft inlets p0398 A74-37549

An investigation of a nonplanar vortex lattice method for wing calculations [CRANFIELD-AERO-17] p0037 N74-10023

Drag of streamline solids of revolution (transition at nose) [ESDU-BODIES-02.04.01-AMEND-A] p0045 N74-10311

Investigation of the effect of grids on the characteristics of a turbulent flow --- for wind tunnel applications p0046 N74-10328

Representation of hot jet turbulence by means of its infrared emission [NASA-TT-F-15233] p0151 N74-14383

Turbulent flow in flexible pipes and ramjet engines [JPRS-60785] p0192 N74-15962

Turbulent lift. Comments on some preliminary wind tunnel tests --- characteristics of vortex on wing surface from tangential blowing on upper surface [NASA-TT-F-15743] p0405 N74-27484

Theoretical and experimental longitudinal aerodynamic characteristics of an aspect ratio 0.25 sharp-edge delta wing at subsonic, supersonic, and hypersonic speeds [NASA-TN-D-7651] p0463 N74-31414

TURBULENT HEAT TRANSFER

A simplified method for studying the aerodynamic heating of axisymmetric bodies at an angle of attack p0029 A74-12441

Turbulent heat transfer measurements in a Mach 15 flow [EUROMECH PREPRINT 73-2] p0089 A74-15949

TURBULENT JETS

Near-field trajectory of turbulent jets discharged at various inclinations into a uniform crossflow p0003 A74-10568

Analysis of axisymmetric turbulence relevant to jet noise p0172 A74-19631

Noise characteristics of a turbulent crosswind jet p0177 A74-20281

A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153

Contribution to the study of noise from jet aircraft during flight p0437 A74-39983

Turbulent trailing vortex with central jet or wake [ICAS PAPER 74-40] p0450 A74-41341

Research on free and impinging jets for the development of STOL aircraft [NASA-CR-138031] p0287 N74-19902

TURBULENT MIXING

Supersonic mixing and combustion studies of ducted hydrogen-air flows at an inlet air Mach number of 2.6

[AIAA PAPER 73-1320] p0012 A74-11313

TURBULENT WAKES

BT PROPELLER SLIPSTREAMS

Stability and decay of free vortices behind a wing wake of an airfoil in detached flow p0021 A74-11805

Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow p0069 A74-13041

Wake turbulence - The invisible killer p0078 A74-14498

Observations of atmospheric effects on vortex wake behavior p0090 A74-15963

Structure of Betz vortex cores p0090 A74-15970

Characteristics of the wake behind a cascade of airfoils p0123 A74-17495

Vortex cases - At a turbulent crossroads --- aircraft wakes and legal liability for accidents p0126 A74-18097

Vortex age as a wake turbulence scaling parameter [AIAA PAPER 74-36] p0132 A74-18745

Vortexes in aircraft wakes --- light aircraft hazards p0185 A74-22206

Aircraft wake turbulence --- safety development for vortex hazards and airport capacity increase p0207 A74-22627

The stability of a trailing line vortex. I - Inviscid theory p0337 A74-33049

Experimental studies of turbulent aircraft wake p0392 A74-37257

The dynamic behavior of an aircraft encountering aircraft wake turbulence [AIAA PAPER 74-774] p0399 A74-37799

On the calculation of non-linear aerodynamic characteristics and the near vortex wake [ICAS PAPER 74-27] p0449 A74-41329

Computation of vortex models for wings at high angle of attack in incompressible flow [FPA-AU-653] p0036 N74-10013

Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake period --- in lower stratosphere [NASA-CR-132323] p0053 N74-10863

Study of the electrostatic field and charge distribution in a vortex seeded with dust [AD-766815] p0059 N74-10941

The measurement of the DC-7 trailing vortex system using the tower fly-by technique [FAA-RD-73-141] p0104 N74-12718

Vortex shedding from the ram wing vehicle --- based on flow visualization of ram wing surface effect vehicle wake [AD-767234] p0105 N74-12727

Comparison of various methods for calculating profile drag from pressure measurements in the near wake at subcritical speeds p0156 N74-14721

A prediction model for wake related sound generation by single airfoils and subsonic rotors p0187 N74-15700

Evaluation of effectiveness of various devices for attenuation of trailing vortices based on model tests in a large towing basin [NASA-CR-2202] p0188 N74-15710

Acoustic scattering from an aircraft trailing vortex p0193 N74-16377

The detection of aircraft wake vortices --- development of acoustic and wind pressure sensors for vortex detection p0233 N74-17731

Wake Vortex Avoidance System program (WVAS) --- design and implementation of ground based monitoring and predictive system for safety from wake vortices p0233 N74-17732

Vortex wake research --- inflight investigation of turbulent wake generated by C-5 aircraft p0233 N74-17733

Study of the electrostatic field and charge distribution in a vortex seeded with dust p0245 N74-18643

An investigation of the trailing vorticity behind a STOL aircraft [AD-774571] p0299 N74-20677

SUBJECT INDEX

UH-1 HELICOPTER

- A preliminary towing tank study of the trailing vortex generated by a rectangular wing, including the effects of several tip modifications [ARL/A-8078-342] p0323 N74-21636
- Apparatus for span loading to alleviate wake-vortex hazard behind aircraft [NASA-CASE-ARC-10801-1] p0471 N74-32428
- A summary of helicopter vorticity and wake turbulence publications with an annotated bibliography [AD-780053] p0472 N74-32435
- The vortex lattice method for the rotor-vortex interaction problem [NASA-CR-2421] p0488 N74-33433
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes [AD-783665] p0498 N74-34537
- TURNING FLIGHT**
- BT MINOR CIRCLE TURNING FLIGHT**
- Differential-turning optimality criteria --- for aircraft pursuit/evasion situations [AIAA PAPER 74-23] p0132 A74-18737
- Approximate optimal control of the banking angle in the problem of hypersonic vehicle return p0389 A74-36645
- Wake induced loads on helicopter rotor blades p0103 N74-12708
- A linearized theory for the unsteady motions of a wing in curved flight [AD-769671] p0187 N74-15705
- A flight investigation with a STOL airplane flying curved, descending instrument approach paths [NASA-TN-D-7669] p0489 N74-33452
- TVC (CONTROL)**
- U THRUST VECTOR CONTROL**
- TWISTED WINGS**
- Stability characteristics of skewed wing aircraft [AIAA PAPER 74-772] p0399 A74-37797
- TWO DIMENSIONAL BODIES**
- The high subsonic flow around a two-dimensional aerofoil with a trailing edge control surface p0182 A74-21104
- Transonic lift augmentation of two-dimensional supercritical aerofoils by means of aft camber, slot blowing and jet flaps, in high Reynolds number flow [ICAS PAPER 74-11] p0448 A74-41313
- A two-dimensional aerofoil with a control surface oscillating at low frequency in high subsonic flow p0456 A74-42694
- Low speed wind tunnel measurements on a two-dimensional flapped wing model using tunnel wall boundary layer control at the wing-wall junctions [NLR-TR-70050-U] p0488 N74-33440
- TWO DIMENSIONAL BOUNDARY LAYER**
- Experimental study of shock-wave reflection upon boundary layer transition [ONERA, TP NO. 1284] p0006 A74-11072
- Theoretical and experimental study of boundary layer blowing at the hinge of a lift-augmenting flap [ONERA, TP NO. 1367] p0422 A74-38311
- TWO DIMENSIONAL FLOW**
- The behavior of axial compressor cascades in the case of deviations from purely cylindrical flow p0001 A74-10030
- Boundary value problems of two-dimensional isentropic gas flow p0014 A74-11430
- Comparison of surface-vorticity method with surface-source method and with an exact solution for two-dimensional potential flow around two adjacent lifting airfoils p0086 A74-15047
- Integral equation method for calculation of subsonic flow past airfoils in a ventilated wind tunnel - Comparison with NAE high Reynolds number measurements [AIAA PAPER 74-83] p0133 A74-18764
- A model of two-dimensional, incompressible flow through a cascade of airfoils with allowance for the viscous displacement effect [ASME PAPER 74-GT-126] p0271 A74-27422
- Theoretical solution of high subsonic flow past two-dimensional cascades of airfoils [ASME PAPER 74-GT-91] p0273 A74-27474
- Calculation of initial vortex roll-up in aircraft wakes p0392 A74-37283
- Two-dimensional wind tunnel tests on a conventional wing section over a wide range of Reynolds numbers and up to high subsonic free-stream speeds [ICAS PAPER 74-04] p0447 A74-41306
- High lift characteristics of an airfoil placed in a narrow channel p0457 A74-43143
- Aerodynamic centre in two dimensional flow [ESDU-AIRCRAFT-08.01.05-AMEND-A] p0035 N74-10010
- Comparison of various methods for calculating profile drag from pressure measurements in the near wake at subcritical speeds p0156 N74-14721
- Calculation of the displacement effect in two-dimensional subsonic attached flow around aerofoils. Examples of calculations using measured displacement thicknesses [NLR-TR-72116-U] p0195 N74-16707
- Use of two-dimensional unsteady flow theory with low aspect-ratio blades [ABL/N-17] p0241 N74-17983
- Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps --- low turbulence pressure tunnel tests to determine two dimensional lift and pitching moment characteristics [NASA-TN-X-2623] p0323 N74-21634
- The flow over a porous body: A singular perturbation problem with two parameters --- development of method for predicting skin friction and heat transfer characteristics of aircraft surfaces [AD-775072] p0324 N74-21644
- Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow [NASA-TN-X-3060] p0487 N74-33430
- TWO DIMENSIONAL JETS**
- Transmission of sound through a two-dimensional shielding jet [AIAA PAPER 73-1002] p0026 A74-12221
- TWO FLUID MODELS**
- A linear model of a finite amplitude Helmholtz instability p0335 A74-32057
- TWO PHASE FLOW**
- Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29459
- TWO STAGE TURBINES**
- Investigation of flow parameters in a turbine stage with a nonuniform inlet p0002 A74-10255
- Velocity characteristics of a turbine with adjustable nozzle diaphragms p0087 A74-15719
- The T700-GE-700 turboshaft engine program [SAE PAPER 730917] p0123 A74-17536
- T2J AIRCRAFT**
- U T-2 AIRCRAFT**
- U**
- U.S.S.R.**
- By-pass engines --- characteristics of USSR aircraft engines for jet aircraft [AD-772723] p0257 N74-19413
- Civil aviation in the USSR (the fiftieth anniversary of its formation) [NASA-TT-F-806] p0283 N74-19666
- The creative life of S. V. Il'yushin [NASA-TT-F-15622] p0332 N74-23509
- UH-1 HELICOPTER**
- Hydrofluidic servoactuator development [AD-766308] p0047 N74-10491
- Major Item Special Study (MISS), AH-1G mast assembly --- failure analysis of helicopter antenna mast assembly [AD-768764] p0163 N74-14782
- Helicopter gross weight and center of gravity measurement system --- applicable to CH-47 and UH-1 helicopters [AD-771955] p0239 N74-17775

ULTRAHIGH FREQUENCIES

SUBJECT INDEX

UH-1D filament-wound tubular-reinforced rotor blade
 --- development of procedures for calculating structural characteristics
 [AD-772947] p0253 N74-18713
 Investigation of advanced structural concepts for fuselage --- application of fiber reinforced composite materials to fuselage structures
 [AD-773597] p0285 N74-19684
 Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UH-1 helicopter
 [AD-773652] p0288 N74-20080
 Helicopter drive system load analysis
 [AD-775858] p0331 N74-22697
 UH-1 ground handling wheel adapter bars for OH-58 helicopters. Prototype design, fabrication, and user test
 [AD-778199] p0443 N74-29616
 Helicopter downwash data
 [AD-780754] p0468 N74-31518
 Flight test of a hingeless flexbeam rotor system
 [AD-783393] p0498 N74-34525

ULTRAHIGH FREQUENCIES

A first generation of L-Band avionics for AEROSAT
 --- experimentation and evaluation phase of aeronautical satellites
 p0024 A74-12192

ULTRASONIC TESTS

Effects of Ti-6Al-4V alloy metallurgical structures on ultrasonic response characteristics
 p0116 A74-16477
 Ultrasonic inspection of titanium airframe components
 p0116 A74-16479
 Nondestructive detection of hydrides and alpha-case in titanium alloys
 p0116 A74-16482
 Nondestructive testing of aircraft wheels at Eastern Airlines
 p0343 A74-34288
 Inspection of advance composite structures by nondestructive testing
 p0380 A74-36000
 Composite materials inspection --- ultrasonic vibration holographic NDT
 p0457 A74-43164

ULTRASONIC WELDING

Engineering feasibility study of ultrasonic applications for aircraft manufacture
 [AD-774305] p0303 N74-21084

ULTRAVIOLET SPECTRA

Ultraviolet and near-infrared spectral analysis of a burner-can burn-through flame
 [FAA-WA-73-86] p0053 N74-10866

UNCAMBERED WINGS

NT RING WINGS
 Numerical method of calculating the aerodynamic characteristics of cambered and uncambered wings in supersonic flow
 p0391 A74-36827

UNCONSCIOUSNESS

NT BLACKOUT (PHYSIOLOGY)

UNDAMPED OSCILLATIONS

An oscillatory method for the flight calibration of sideslip and incidence sensors
 p0077 A74-14263

UNDERCARRIAGES

Random vibration of aircraft undercarriages with nonlinear characteristics
 p0321 A74-31705

UNDERWATER ENGINEERING

Underwater escape from helicopters --- water actuated lap belts for crew safety
 p0211 A74-23535

UNDERWATER VEHICLES

Application of sailplane and low-drag underwater vehicle technology to the long-endurance drone problem
 [AIAA PAPER 74-1036] p0455 A74-42050

UNIAXIAL STRAIN

U AXIAL STRAIN

UNITED STATES OF AMERICA

NT ARIZONA
 NT CALIFORNIA
 NT KANSAS
 NT MICHIGAN
 NT NEVADA
 NT OREGON
 NT TEXAS

NT UTAH

UNITS OF MEASUREMENT

NT INTERNATIONAL SYSTEM OF UNITS
 UNIVERSITY PROGRAM

The National Aeronautics and Space Administration interdisciplinary studies in space technology at the University of Kansas
 [NASA-CR-140623] p0501 N74-35250

UNCAMBERED SPACECRAFT

NT MARS PROBES

NT NAVIGATION SATELLITES

UNSTEADY FLOW

NT OSCILLATING FLOW

Unsteady flow of power-law fluids
 p0004 A74-10573
 Suitability of the finite element method for analysis of unsteady flow around oscillating airfoils
 p0014 A74-11439
 Unsteady lift forces on highly cambered airfoils moving through a gust
 [AIAA PAPER 74-88] p0133 A74-18807
 Analysis of three-dimensional unsteady flow around oscillating wings
 [AIAA PAPER 74-184] p0135 A74-18838
 Unsteady viscous flow on oscillating airfoils
 [AIAA PAPER 74-182] p0179 A74-20774
 Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory
 p0204 A74-23227
 An oscillatory kernel function method for lifting surfaces in mixed transonic flow
 [AIAA PAPER 74-359] p0264 A74-26669
 Unsteady transonic flow over oscillating circular-arc airfoils
 [AIAA PAPER 74-360] p0264 A74-26670
 Application of unsteady lifting surface theory to propellers in forward flight
 [AIAA PAPER 74-419] p0276 A74-28169
 Dolphin airship with undulatory-flow propulsion - dynamic lift
 p0338 A74-33096
 Hingeless rotor frequency response with unsteady inflow
 p0393 A74-37482
 Application to rotary wings of a simplified aerodynamic lifting surface theory for unsteady compressible flow
 p0394 A74-37494
 Effects of non-uniform inflow on fan noise
 p0397 A74-37542
 Sources of unsteady flow in subsonic aircraft inlets
 p0398 A74-37549
 Noise due to jet motion caused by internal unsteadiness --- subsonic nozzle flow
 p0398 A74-37550
 Instantaneous velocity measurements in the near wake of a helicopter rotor
 p0425 A74-38633
 Study of unsteady flows around a pointed airfoil by conformal transformation
 p0432 A74-39300
 Analysis of moving body problems in aerodynamics
 p0432 A74-39346
 Dynamic flow distortion in subsonic air inlets
 p0437 A74-39987
 Application to the Viggen aircraft configuration of the polar coordinate method for unsteady subsonic flow
 [ICAS PAPER 74-03] p0447 A74-41305
 Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade
 p0482 A74-45927
 Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod
 [ONERA, TP NO. 1424] p0483 A74-46596
 The unsteady circulation distribution in rotors and its application to noise studies
 p0152 N74-14437
 Use of two-dimensional unsteady flow theory with low aspect-ratio blades
 [ARL/M/N-17] p0241 N74-17983
 Interfering lifting surfaces in unsteady subsonic flow: Comparison between theory and experiment
 [AGARD-R-614] p0246 N74-18654
 The aero/acoustic response of finite chord blade rows to circumferential inlet flow distortion in an unsteady, compressible fluid
 p0254 N74-18904

SUBJECT INDEX

V/STOL AIRCRAFT

An approximate solution of unsteady transonic flow problems --- unsteady pressures on thin two-dimensional airfoil pitching and plunging [AD-783621] p0500 N74-34718

UNSTEADY STATE
A linearized theory for the unsteady motions of a wing in curved flight [AD-769671] p0187 N74-15705

UNSWEEP WINGS
NT INFINITE SPAN WINGS
NT RECTANGULAR WINGS
NT RING WINGS

UPDRAFTS
U VERTICAL AIR CURRENTS

UPWASH
Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory p0204 A74-23227

URBAN AREAS
U CITIES

URBAN DEVELOPMENT
Criteria for the siting of major airports p0080 A74-14516

URBAN PLANNING
Air transportation noise technology overview [AIAA PAPER 73-1152] p0003 A74-10506
The role of local planning authorities in relation to the siting and development of airports p0080 A74-14517
Urban air traffic and city planning: Case study of Los Angeles County --- Book p0179 A74-20624
Project/cost/benefit [PB-222339/4] p0068 N74-11801

URBAN RESEARCH
Transportation noise - It's measurement and evaluation p0008 A74-11198
Model study of the propagation of sound from V/STOL aircraft into urban environs p0315 A74-30093

URBAN TRANSPORTATION
Access to airports --- surface links to urban centers p0079 A74-14509
The cost of noise reduction in intercity commercial helicopters p0210 A74-23328
The remote airport - A study of access feasibility p0216 A74-23353
Project/cost/benefit [PB-222339/4] p0068 N74-11801

USER MANUALS (COMPUTER PROGRAMS)
User's guide for a computer program to analyze the LRC 16 ft transonic dynamics tunnel cable mount system [NASA-CR-132313] p0045 N74-10297
Plotting program for aerodynamic lifting surface theory --- user manual for FORTRAN computer program [NASA-TM-X-62321] p0158 N74-14739
Integrated maintenance and readiness data processing for the CASEE simulation model [AD-771416] p0238 N74-17766
Users manual for STICH (the Stodola in-core matrix): An in-core matrix operations computer program [AD-770999] p0240 N74-17921

USNS KINGSPORT
U SATELLITE COMMUNICATIONS SHIPS

UTAH
Terrain properties and topography from Skylab altimetry --- Oregon, Utah, Texas, and Nevada [E74-10043] p0062 N74-11164

UTILITY AIRCRAFT
NT DHC 5 AIRCRAFT
NT DO-28 AIRCRAFT
NT HH-43 HELICOPTER
NT UH-1 HELICOPTER
Noise measurements of the jet and piston engines on the Lala-1 experimental airplane p0270 A74-27296
Amphibian aircraft design [SAE PAPER 740395] p0310 A74-28756
Westland design philosophy on the Lynx for instrument and all-weather flying p0348 A74-34878
The application of fracture mechanics to the design of damage-tolerant components for the

UTTAS helicopter --- Utility Tactical Transport Aircraft System [AHS PREPRINT 882] p0387 A74-36611
Design to cost at work for helicopter systems --- Boeing Vertol programs [AHS PREPRINT 810] p0388 A74-36619
The Dolphin airship with an undulating propulsion system and its many uses as crane and operational aircraft p0423 A74-38497
Structural analysis of light aircraft using NASTRAN p0153 N74-14594
The noise environment of a school classroom due to the operation of utility helicopters --- acoustic measurements of helicopter noise during flight over building [NASA-TM-X-71957] p0296 N74-20659

V

V/STOL AIRCRAFT

NT ALOUETTE HELICOPTERS
NT CH-3 HELICOPTER
NT CH-47 HELICOPTER
NT CH-54 HELICOPTER
NT CL-84 AIRCRAFT
NT COMPOUND HELICOPTERS
NT DHC 5 AIRCRAFT
NT DO-31 AIRCRAFT
NT FLYING PLATFORMS
NT FV-12A AIRCRAFT
NT G-222 AIRCRAFT
NT H-53 HELICOPTER
NT H-56 HELICOPTER
NT HEAVY LIFT HELICOPTERS
NT HELICOPTERS
NT HH-43 HELICOPTER
NT MILITARY HELICOPTERS
NT OH-6 HELICOPTER
NT P-1127 AIRCRAFT
NT RIGID ROTOR HELICOPTERS
NT ROTARY WING AIRCRAFT
NT S-58 HELICOPTER
NT S-61 HELICOPTER
NT SA-330 HELICOPTER
NT SC-1 AIRCRAFT
NT SE-3160 HELICOPTER
NT SH-3 HELICOPTER
NT SHORT TAKEOFF AIRCRAFT
NT TANDEM ROTOR HELICOPTERS
NT UH-1 HELICOPTER
NT VERTICAL TAKEOFF AIRCRAFT
NT VJ-101 AIRCRAFT
NT X-14 AIRCRAFT
NT X-22 AIRCRAFT

V/STOL deflector aerodynamic design criteria --- geometric variations effects [AIAA PAPER 73-1181] p0008 A74-11226
Effect of exhaust deflectors on the design of lift plus lift/cruise V/STOL aircraft [SAE PAPER 730959] p0015 A74-11554
Evaluation of V/STOL research aircraft design --- landing approaches, propulsion/control, piloted moving base simulator [SAE PAPER 730947] p0016 A74-11557
The next step is straight up --- V/STOL fighter-attack aircraft for minicarriers p0023 A74-12129
One-dimensional analysis of compressible ejector flows applicable to V/STOL aircraft design [AIAA PAPER 73-1184] p0031 A74-12921
The use of ultra high strength titanium alloys in a V/STOL military aircraft application - The H. S. A. Harrier p0115 A74-16446
Vectored thrust V/STOL shipboard testing p0172 A74-19498
Noise characteristics of a turbulent crosswind jet p0177 A74-20281
Status of testing and modeling techniques for V/STOL aircraft; Proceedings of the Hieast Region Symposium, Essington, Pa., October 26-28, 1972 p0205 A74-22451
A review of aerodynamic and dynamic VSTOL model testing p0205 A74-22458
Factors in the design and fabrication of powered dynamically similar V/STOL wind tunnel models

- p0205 A74-22459
Panel prepared comments for the AHS mid-east region symposium --- on low speed wind tunnel costs and V/STOL models
- p0204 A74-22473
Comments for panel discussion on full scale vs reduced-scale wind tunnel testing of V/STOL aircraft
- p0207 A74-22475
Comments on significant development areas for future V/STOL wind tunnel testing
- p0207 A74-22476
Some comments on V/STOL wind tunnel testing in the transition flight region
- p0215 A74-22477
Some special Navy V/STOL testing problems /as related to full scale simulation/
- p0207 A74-22478
Comments on a theme - Full-scale versus small-scale wind tunnel testing of V/STOL
- p0207 A74-22480
Royal Air Force experience of the Harrier /Second Sir Sydney Camm Lecture/
- p0262 A74-26564
Helicopter and V/STOL aircraft noise measurement problems
- p0269 A74-27259
[SAE AIR 1286]
Integrated propulsion systems for V/STOL transports
- p0273 A74-27486
[ASME PAPER 74-GT-118]
Model study of the propagation of sound from V/STOL aircraft into urban environs
- p0315 A74-30093
Continuing the Aerodyne experimental study
- p0318 A74-30597
Tilt-rotor aircraft nears final design
- p0319 A74-30748
V/STOL flying qualities research using the X-22A
- p0320 A74-30825
Progress in the development of a versatile airborne simulator for V/STOL aircraft
- p0335 A74-31895
Flight evaluation of four low airspeed indicating systems
- p0345 A74-34839
Integrated flight/propulsion control design techniques starting with the engine
- p0351 A74-34997
[SAE PAPER 740481]
Aeroelastic-stability characteristics of a V/STOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test
- p0385 A74-36590
[AHS PREPRINT 835]
Configuration management during transition for a powered lift STOL aircraft
- p0401 A74-37834
[AIAA PAPER 74-836]
Performance problems related to installation of future engines in both subsonic and supersonic transport aircraft
- p0436 A74-39967
Noise sources and their control in V/STOL aircraft
- p0438 A74-40089
V/STOL demonstrator vehicle for ejector thrust augmentation technology
- p0453 A74-41663
[AIAA PAPER 74-995]
Ejector-powered lift systems for V/STOL aircraft
- p0483 A74-46237
Small V/STOL aircraft analysis. Volume 2: Appendices --- to determine current and future general aviation missions and performance requirements
- p0040 N74-10045
[NASA-CR-114629]
Remote lift fan study program, volume 4
- p0040 N74-10049
[NASA-CR-121277]
Meteorological information for vertical and short take-off and land (V/STOL) operations in built-up urban areas: An analysis
- p0056 N74-10920
[FAA-RD-72-135]
V/STOL noise prediction and reduction
- p0056 N74-10921
[LG73ER0062]
Selected problems regarding the formation of a simulation model --- dynamic structural analysis of V/STOL flight control system
- p0060 N74-11095
[NASA-TT-F-15173]
Measurement of turbulence inputs for V/STOL approach paths in a simulated planetary boundary layer
- p0066 N74-11661
[UTIAS-189]
Study of the temperature influence on induced flow effects. Part 1: Test equipment for ground effect investigations using circular hot air jets
- [IPD-8/71-PT-1] p0097 N74-11844
Study of the temperature influence on induced flow effects. Part 2: Influence of ground effects on hot-air jet mixing in steady atmospheric air
- [IPD-9/71-PT-2] p0097 N74-11845
General description of the rotorcraft flight simulation computer program (G-81)
- p0105 N74-12728
[AD-767239]
Development of optimal control modes for advanced technology propulsion systems --- V/STOL hover application
- p0112 N74-13514
[AD-767425]
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1
- p0141 N74-13722
[NASA-CR-114693]
V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622
- p0142 N74-13727
[NASA-CR-114603]
Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1)
- p0144 N74-13740
[AD-768133]
Minimum life cycle costing for a V/STOL transport
- p0161 N74-14765
[NASA-CR-2197]
A study of the effect of flight density and background noise on V/STOL acceptability --- effective perceived noise level as measure of annoyance
- p0189 N74-15715
[NASA-CR-114688]
V/STOL tilt rotor aircraft study: Wind tunnel tests of a full scale hingeless prop/rotor designed for the Boeing Model 222 tilt rotor aircraft
- p0188 N74-15711
[NASA-CR-114664]
Design of a flight director/configuration management system for piloted STOL approaches
- p0232 N74-17718
[AD-771811]
Work unit 08 (V/STOL aerodynamics) --- low speed aerodynamics and fan-in-wing
- p0246 N74-18658
[NASA-TN-X-2867]
Pressure distribution on a vectored-thrust V/STOL fighter in the transition-speed range --- wind tunnel tests to measure pressure distribution on body and wing
- p0256 N74-19281
[NRC-13842]
Modification of V/STOL instrument approach geometry as a means of compensating for along-track wind effects
- p0256 N74-19404
[AGARD-AR-64]
V/STOL propulsion systems --- proceedings of conference on propulsion system design and operation
- p0284 N74-19676
[AD-773734]
Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations --- effects of environment on V/STOL aircraft operation
- p0289 N74-20401
[AGARD-CP-135]
V/STOL propulsion systems --- conference on propulsion system design, configuration, and performance for vertical and short takeoff aircraft
- p0289 N74-20403
[AGARD-CP-135]
Optimum engines for military V/STOL aircraft --- effect of military operational requirements on propulsion system configurations
- p0289 N74-20404
[AGARD-CP-135]
Formulating military requirements --- effect of military requirements on technical and design considerations
- p0290 N74-20407
[AGARD-CP-135]
A theoretical and experimental investigation of the external-flow, jet-augmented flap --- development of semi-empirical method for predicting performance characteristics
- p0290 N74-20409
[AGARD-CP-135]
Wind tunnel testing with engine simulation for V/STOL airplanes --- characteristics of wind tunnel apparatus and wind tunnel models for tests of V/STOL aircraft configurations
- p0290 N74-20412
[AGARD-CP-135]
Basic research requirements for V/STOL propulsion and drive-train components --- analysis of jet engine operating parameters for axial and radial turbines
- p0290 N74-20412
[AGARD-CP-135]
Aerodynamic interference between fuselage and lifting jets emerging from its lower part --- effect of two high velocity lifting jets on induced lift and pitching moments

SUBJECT INDEX

VARIABLE SWEEP WINGS

- Research toward development feasibility of an advanced technology V/STOL propeller system --- development and evaluation of boron-aluminum compound for propeller blades p0290 N74-20413
- The influence of the control concept for V/STOL engines on their static and dynamic performance characteristics p0290 N74-20414
- Integrated propulsion/energy transfer control systems for lift-fan V/STOL aircraft --- reduction of total propulsion system and control system installation requirements p0290 N74-20415
- V/STOL deflector duct profile study --- analysis of back pressure gradient in ducted flow of exhaust gases against lift fan p0291 N74-20416
- Compact thrust augmentors for V/STOL aircraft --- propulsion system configuration for V/STOL and cruise flight using one engine p0291 N74-20417
- Thrust performance of podded lift-fans in crossflow --- effect of increasing cross flow velocity on thrust deterioration p0291 N74-20419
- Cost of ownership for propulsion system of powered lift aircraft --- effects of development, acquisition, operation, and maintenance on aircraft engine cost factors p0291 N74-20420
- The development and flight testing of the propulsion system of the VAK 191 B V/STOL strike and reconnaissance aircraft p0292 N74-20427
- Technical evaluation report on 42nd Propulsion and Energetics Panel Meeting on V/STOL Propulsion Systems --- proposals for future developments in V/STOL aircraft and engines p0292 N74-20432
- The effect of engine component noise on V/STOL aircraft noise contours p0292 N74-20433
- Results and information obtained regarding aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development --- lift loss in hovering flight phase [NASA-CR-114687] p0297 N74-20667
- Advanced concepts for rotary wing and V/STOL aircraft escape systems p0298 N74-20669
- Near field and far field sound radiation from Do 31 V/STOL jet transport and possibilities for noise abatement in future V/STOL development [NASA-TT-F-15534] p0301 N74-20766
- VSTOL aircraft stability and control experience from methods and results of Do 31 flight tests [NASA-TT-F-15531] p0324 N74-21650
- Preliminary performance appraisal of Navy V/STOL transport and search-type airplanes using hydrogen fuel [NASA-TN-X-71550] p0325 N74-21651
- Conceptual design studies of a V/STOL civil lift fan transport including effect of size and fan pressure ratio [NASA-CR-2426] p0363 N74-26435
- Small V/STOL aircraft analysis, volume 1 [NASA-CR-2425] p0406 N74-27498
- Conceptual design studies of lift/cruise fans for military transports [NASA-CR-134636] p0413 N74-28504
- V/STOL aircraft control/display concept for maximum operational effectiveness p0444 N74-30239
- V/STOL lift fan commercial short haul transports: Continuing conceptual design study [NASA-CR-2437] p0464 N74-31455
- Aircraft auxiliary power systems study. A main generation channel for a V/STOL strike aircraft p0467 N74-31495
- Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators p0474 N74-32483
- [NASA-TN-D-7670] p0493 N74-34461
- VACUUM APPARATUS**
- NT VACUUM PUMPS**
- VACUUM MELTING**
- Aircraft components from remelted steels - Design and development p0125 A74-17887
- VACUUM PUMPS**
- Method of calculating the air tightness of the vacuum system in a turbine with a water - jet ejector [BLL-CE-TRANS-5646-(9022.09)] p0110 N74-13136
- VACUUM SYSTEMS**
- Method of calculating the air tightness of the vacuum system in a turbine with a water - jet ejector [BLL-CE-TRANS-5646-(9022.09)] p0110 N74-13136
- VACUUM TUBE OSCILLATORS**
- NT CATHODE RAY TUBES**
- VACUUM TUBES**
- NT CATHODE RAY TUBES**
- VALLEYS**
- Wind conditions at the Cologne/Bonn airport and possibilities of forecasting them p0022 A74-11835
- VALUE ENGINEERING**
- Major Item Special Study (MISS), AH-1G main transmission assy, universal [AD-772983] p0250 N74-18695
- Major Item Special Study (MISS), CH-47A alternating generator --- product quality control and cost savings [AD-773720] p0286 N74-19712
- VALVES**
- NT CONTROL VALVES**
- NT GAS VALVES**
- NT PRESSURE REGULATORS**
- VANES**
- NT GUIDE VANES**
- VAPOR DEPOSITION**
- Thick ion-vapor-deposited aluminum coatings for irregularly shaped aircraft and spacecraft parts p0260 A74-25813
- VARIABILITY**
- Variability in aircraft noise measurements --- from short and long period jet flight tests p0314 A74-30079
- VARIABLE AREA WINGS**
- U TRAILING-EDGE FLAPS**
- VARIABLE GEOMETRY STRUCTURES**
- The Garrett-AiResearch variable-cycle TPE731 turbofan engine [SAE PAPER 730918] p0017 A74-11577
- Effect of configuration variation on externally blown flap noise [AIAA PAPER 74-190] p0180 A74-20775
- Estimation of nonlinear aerodynamic derivatives of a variable geometry fighter aircraft from flight data [AIAA PAPER 74-790] p0399 A74-37810
- Gemini - A variable geometry sailplane [AIAA PAPER 74-1035] p0455 A74-42049
- Off-design behavior for axial flow compressor stages with invariable and variable geometry blades [AD-767265] p0112 N74-13513
- Interfering lifting surfaces in unsteady subsonic flow: Comparison between theory and experiment [AGARD-R-614] p0246 N74-18654
- Engine installation aerodynamics --- design and optimization of aircraft engine installations for subsonic and supersonic aircraft p0365 N74-26453
- VARIABLE MASS SYSTEMS**
- Nonstationary vibrations of a rigidly supported flexible rotor of variable mass p0125 A74-17851
- VARIABLE PITCH PROPELLERS**
- Astafan - A new concept from Turbomeca --- constant speed ducted turbofan engine p0229 A74-24697
- V/STOL flying qualities research using the X-22A p0320 A74-30825
- Dynamic model wind tunnel tests of a variable-diameter, telescoping-blade rotor system (TRAC rotor) [AD-771037] p0237 N74-17764
- VARIABLE SWEEP WINGS**
- Rolling motion of variable sweep aircrafts. II p0086 A74-15446
- The aerodynamic characteristics of some variable geometry wing forms, derived from delta wings,

VARIABLE THRUST

SUBJECT INDEX

- gothic and mild-ogee wings p0088 A74-15810
- Developing the 'backbone' of the F-14 --- Ti structures for variable sweep wing center section [AIAA PAPER 74-371] p0265 A74-26678
- Optimal aeroelastic design of an oblique wing structure [AIAA PAPER 74-349] p0277 A74-28173
- Exhaust-nozzle characteristics for a twin-jet variable-wing-sweep fighter airplane model at Mach numbers to 2.2 [NASA-TN-X-2947] p0416 A74-28524
- VARIABLE THRUST**
- Performance problems related to installation of future engines in both subsonic and supersonic transport aircraft p0436 A74-39967
- VARIANCE (STATISTICS)**
- NT REGRESSION ANALYSIS**
- Reduced order filtering with applications in hybrid navigation --- minimum variance Kalman filter algorithm p0023 A74-12177
- VARIATION METHOD**
- U CALCULUS OF VARIATIONS**
- VARIATIONS**
- NT PERIODIC VARIATIONS**
- VARIONETERS**
- Required flight-path variometer - The quiet revolution in gliding p0336 A74-32482
- VECTOR CONTROL**
- U DIRECTIONAL CONTROL**
- VECTOR SPACES**
- NT EIGENVALUES**
- NT EIGENVECTORS**
- NT MATRICES (MATHEMATICS)**
- NT STATE VECTORS**
- NT STIFFNESS MATRIX**
- VECTORS (MATHEMATICS)**
- NT EIGENVECTORS**
- NT STATE VECTORS**
- VEGETATION**
- Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations --- effects of environment on V/STOL aircraft operation [AD-773734] p0284 A74-19676
- VEHICLE WHEELS**
- Nondestructive testing of aircraft wheels at Eastern Airlines p0343 A74-34288
- The flow field and pressure distribution of an isolated road wheel [IC-AERO-72-14] p0155 A74-14706
- Research reports from the Institute for Service Reliability, issue 6 p0332 A74-23491
- VELOCITY**
- NT ACOUSTIC VELOCITY**
- NT AIRSPEED**
- NT ANGULAR VELOCITY**
- NT CRITICAL VELOCITY**
- NT FLOW VELOCITY**
- NT GROUND SPEED**
- NT HYPERSONIC SPEED**
- NT LANDING SPEED**
- NT LOW SPEED**
- NT PROPAGATION VELOCITY**
- NT RADIAL VELOCITY**
- NT ROTOR SPEED**
- NT SUBSONIC SPEED**
- NT SUPERSONIC SPEEDS**
- NT TIP SPEED**
- NT TRANSONIC SPEED**
- NT WIND VELOCITY**
- Take-off velocities --- of cargo aircraft [AD-771632] p0239 A74-17776
- VELOCITY DISTRIBUTION**
- Investigation of the effect of induction damping of vortices in their interaction with a wing p0087 A74-15708
- Velocity characteristics of a turbine with adjustable nozzle diaphragms p0087 A74-15719
- Exact method of designing airfoils with given velocity distribution in incompressible flow p0090 A74-15965
- Vortex age as a wake turbulence scaling parameter [AIAA PAPER 74-36] p0132 A74-18745
- A method of calculating aircraft wake velocity profiles and comparison with full-scale experimental measurements [AIAA PAPER 74-39] p0132 A74-18747
- The stability of a trailing line vortex. I - Inviscid theory p0337 A74-33049
- Experimental investigation of wing-tip vortex abatement [ICAS PAPER 74-35] p0450 A74-41336
- On the design of airfoils for low Reynolds numbers [AIAA PAPER 74-1017] p0454 A74-42038
- Calculation of the induced velocity field on and off the wing plane for a swept wing with given load distribution [ARC-R-3725] p0161 A74-14766
- Results of the combined application of boundary layer and profile theory [NASA-TT-F-15416] p0254 A74-18917
- Direct calculation of airfoils from pressure distribution [NASA-TT-F-15417] p0281 A74-19641
- VELOCITY FIELDS**
- U VELOCITY DISTRIBUTION**
- VELOCITY MEASUREMENT**
- Range-rate from DME-air data measurements --- for aircraft radial velocity estimation p0024 A74-12182
- Two-color dual-beam backscatter laser Doppler velocimeter p0076 A74-14093
- A direct method for calculating flutter speeds [AIAA PAPER 74-270] p0131 A74-18675
- Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy [ONERA, TP NO. 1373] p0318 A74-30513
- Far-field wake-vortex characteristics of wings [AIAA PAPER 74-505] p0339 A74-33104
- Instantaneous velocity measurements in the near wake of a helicopter rotor p0425 A74-38633
- Aircraft velocity measurement through radar-altimeter echo: A theoretical investigation [SLA-73-669] p0147 A74-14119
- VELOCITY PROFILES**
- U VELOCITY DISTRIBUTION**
- VERTEBRATES**
- NT BIRDS**
- NT RODENTS**
- VERTICAL AIR CURRENTS**
- Required flight-path variometer - The quiet revolution in gliding p0336 A74-32482
- Gust velocities encountered by a 720-B type airplane and derived by means of a model for continuous turbulence [LBF-PB-105/73] p0097 A74-11840
- VERTICAL FINS**
- U FINS**
- VERTICAL FLIGHT**
- Studies in low speed flight --- model helicopter hovering flight test facility [AD-768858] p0190 A74-15728
- VERTICAL LANDING**
- Shipboard operations of Harrier p0320 A74-30823
- Crossflow-induced flow distortion and its influence on the performance of a vertical axis lifting fan [NE-73-4] p0438 A74-40303
- Problems of pilot-automatic control interactions in flight control --- applied to blind CTOL landing and VTOL stabilization [ILR-4-1973] p0326 A74-21663
- Aircraft design studies: E67 tilt-wing executive aircraft --- with vertical takeoff and landing capability [CRANFIELD-AERO-23] p0467 A74-31490
- VERTICAL MOTION**
- Measuring the radiation of a vertical gas jet p0015 A74-11500
- A study of vertical motion requirements for landing simulation p0260 A74-25971
- VERTICAL STABILIZERS**
- U STABILIZERS (FLUID DYNAMICS)**

VERTICAL TAILS

U STABILIZERS (FLUID DYNAMICS)

U TAIL ASSEMBLIES

VERTICAL TAKEOFF AIRCRAFT

VT FLYING PLATFORMS

VT SC-1 AIRCRAFT

VT VJ-101 AIRCRAFT

VT X-14 AIRCRAFT

VT X-22 AIRCRAFT

VT XC-142 AIRCRAFT

VTOL aircraft --- fibrous composites for structural weight reduction

p0002 A74-10497

Deck heating effects due to VTOL jet exhaust

impingement

p0008 A74-11227

VTOL recirculation and impingement model testing

--- flow fields in ground effect test

p0008 A74-11228

Full-scale tests of an augmentor VTOL concept ---

ejector-in-wing configuration

p0008 A74-11229

Advanced technology thrust vectoring exhaust systems

[AIAA PAPER 73-1304]

p0011 A74-11303

System evaluation as an objective for a research

institute --- VTOL weapons systems

p0021 A74-11806

Vertical/short take-off and landing --- future

possibilities

p0079 A74-14506

Vertical take-off and landing aircraft

p0127 A74-18178

A new aircraft/ship mating system

[AIAA PAPER 74-303]

p0183 A74-21292

The design application of aircraft securing and

traversing systems to the surface effect ship

[AIAA PAPER 74-304]

p0183 A74-21293

Assessment of model testing of a tilt-prop rotor

VTOL aircraft

p0205 A74-22460

Simulation of the landing and take-off of a VTOL

aircraft on a ship in a random sea

[AIAA PAPER 74-302]

p0209 A74-22803

Case studies in Aircraft Parameter Identification

[AIAA PAPER 74-304]

p0225 A74-24840

The effect of velocity-dependent pitching moments

on longitudinal stability --- of STOL and VTOL

aircraft

p0261 A74-26047

U.S. Navy VTOL automatic landing system

development program

[AHS PREPRINT 823]

p0389 A74-36627

Minimum noise climbout trajectories of a VTOL

aircraft

p0392 A74-37284

Experimental and analytical studies in tilt-rotor

aeroelasticity

p0395 A74-37498

Conceptual design of a lift fan plus lift/cruise

fighter aircraft

[AIAA PAPER 74-969]

p0428 A74-38734

Methodologies for predicting avionic system

capability and weight in CTOL and VTOL

fighter/attack aircraft 1975 to 1995

[SAE PAPER 1002]

p0435 A74-39877

Theoretical and experimental investigation of the

performance of a fan-in-wing VTOL configuration

[NASA-TN-D-7498]

p0094 A74-11823

The future of short-haul air transport within

Western Europe

[REPT-SP-73-001]

p0097 A74-11842

Ground operation tests of flying test bed for VTOL

aircraft at National Aerospace Laboratory

[NAL-TR-319]

p0161 A74-14764

Implicit model decoupling approach to VTOL flight

control design --- stability during specific

types of maneuvers at critically low speeds

[RE-469]

p0245 A74-18644

Control theory analysis of a three-axis VTOL

flight director

[NASA-TN-X-69960]

p0248 A74-18676

The effect of wind tunnel wall interference on the

performance of a fan-in-wing VTOL model

[NASA-TN-D-7518]

p0254 A74-18895

Potential flow studies of lift-fan inflow

interference phenomena --- numerical analysis of

potential flows associated with inlet ducts

[AD-773194]

p0255 A74-18949

Studies in tilt-rotor VTOL aircraft aeroelasticity

--- blade flapping and pitch change freedoms of

prop rotor configurations

p0282 N74-19649

Comparative appraisal of propulsion systems for

VTOL-aircraft --- functional description and

classification of aircraft jet propulsion systems

p0289 N74-20402

Recent technology advances in thrust vectoring

systems --- analysis of thrust vector control

for vertical takeoff aircraft with and without

afterburning in lift

p0290 N74-20410

Lateral static and dynamic aerodynamic parameters

of the Kestrel aircraft (XV-6A) extracted from

flight data

[NASA-TN-D-7455]

p0297 N74-20666

Investigation of application of

two-degree-of-freedom dry tuned-gimbal

gyroscopes to strapdown navigation systems ---

for use in VTOL aircraft

[NASA-CR-132419]

p0304 N74-21289

Summary of propeller design procedures and data.

Volume 1: Aerodynamic design and installation

[AD-774831]

p0327 N74-21667

Summary of propeller design procedures and data.

Volume 2: Structural analysis and blade design

[AD-774836]

p0327 N74-21668

Predicting lateral hover, flying qualities with

paper pilot --- simulation of pilot performance

in VTOL aircraft

[AD-775704]

p0353 N74-25543

Summary of propeller design procedures and data.

Volume 3: Hub, actuator, and control designs

--- propellers for conventional and vertical

takeoff aircraft

[AD-776998]

p0360 N74-25614

Flight control of airplanes and helicopters ---

characteristics of automatic flight control to

include methods of display and human factors

engineering

[AD-777297]

p0368 N74-26488

Flight investigation of manual and automatic VTOL

decelerating instrument approaches and landings

[NASA-TN-D-7524]

p0410 N74-28102

Landing transition paths which optimize fuel, time

or distance for jet-lift VTOL transport aircraft

in steep approaches

[ARC-RM-3732]

p0416 N74-28527

The use of an aircraft test stand for VTOL

handling qualities studies --- pilot evaluation

of flight controllability

[NASA-TN-X-62218]

p0418 N74-28737

The power plants of vertical takeoff and landing

aircraft

[AD-778791]

p0419 N74-29225

Acoustic tests on a fan-in-wing model: Effects of

an extended inlet

[NRC-13898]

p0442 N74-29376

Navigation and guidance requirements for

commercial VTOL operations

[NASA-CR-132423]

p0444 N74-30093

Design optimization of the VAK 191B and its

evaluation based on results from the hardware

realisation and test data

p0466 N74-31479

Aircraft design studies: E67 tilt-wing executive

aircraft --- with vertical takeoff and landing

capability

[CRANFIELD-AERO-23]

p0467 N74-31490

Aircrew automated escape system simulation model

[AD-783517]

p0499 N74-34555

VERTICAL TAKEOFF AND LANDING

U VERTICAL LANDING

VERTIGO

Orientation-error accidents in regular Army UH-1

aircraft during fiscal year 1970: Relative

incidence and cost

[AD-768307]

p0144 N74-13742

VERTOL MILITARY HELICOPTERS

U BOEING AIRCRAFT

VFR (RULES)

U VISUAL FLIGHT RULES

VHF OMNIRANGE NAVIGATION

Eurocontrol evaluation of the Standard Elektrik

Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac

computing, navigation and display system for

area navigation. Phase III - Flight trials

1971-1972

VIBRATION

SUBJECT INDEX

p0091 A74-16075
The impact of area navigation on flight control systems and displays

p0122 A74-17277
Navigation improvements - To what end --- ATC system design with emphasis on VORTAC

p0219 A74-22679
Navigation in the upgraded third generation system --- SLS, ILS, VORTAC, area navigation, etc

p0220 A74-22680

VIBRATION

NT BENDING VIBRATION

NT COMBUSTION VIBRATION

NT FLUTTER

NT FORCED VIBRATION

NT FREE VIBRATION

NT PANEL FLUTTER

NT RANDOM VIBRATION

NT RESONANT VIBRATION

NT STRUCTURAL VIBRATION

NT SUBSONIC FLUTTER

NT SUPERSONIC FLUTTER

NT TORSIONAL VIBRATION

NT TRANSONIC FLUTTER

Blade dynamics analysis using NASTRAN --- effects of blade geometry, temperature gradients, and rotational speed

p0153 A74-14599
Determination of the effects of mass and stiffness on the vibration response of ribbed panels subjected to random acoustic noise [AD-774436]

p0304 A74-21568
Vibration signal analysis techniques --- for detecting condition of gears and bearings in helicopter power train [AD-776397]

p0359 A74-25604

VIBRATION DAMPERS

U VIBRATION ISOLATORS

VIBRATION DAMPING

Vibrations of asymmetric rotors supported by asymmetric bearings

p0070 A74-13094
Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells

p0088 A74-15784
Reduction of vibration and noise generated by planetary ring gears in helicopter aircraft transmissions [ASME PAPER 73-PTG-11]

p0119 A74-16979
A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel

p0126 A74-18088
Random vibration with non-linear damping

p0129 A74-18297
Noise suppressing devices --- Russian book

p0180 A74-20904
A method for the dynamic study of helicopter fuselages in the design phase

p0261 A74-26025
A wind-tunnel investigation of a B-52 model flutter suppression system [AIAA PAPER 74-401]

p0265 A74-26700
Active flutter suppression - A flight test demonstration [AIAA PAPER 74-402]

p0266 A74-26701
A transonic study of active flutter suppression based on an aerodynamic energy concept [AIAA PAPER 74-403]

p0266 A74-26702
Suppression of flutter on interfering lifting surfaces by the use of active controls [AIAA PAPER 74-404]

p0266 A74-26703
Protection of an optical sensor against vibration of the flight vehicle

p0276 A74-27899
A simplified approach to helicopter ground resonance

p0348 A74-34881
AB-56A /AMCS/ compound helicopter vibration reduction --- Advanced Mechanical Control System [AHS PREPRINT 834]

p0385 A74-36589
Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter

p0395 A74-37503
Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls

p0396 A74-37507

Vibrations and stability of a helicopter with a two-blade main rotor

p0438 A74-40406
Influence of sloshing in wing tip tanks on the vibration natural modes of an aircraft [ICAS PAPER 74-15]

p0448 A74-41317
Techniques for reducing the vibration of rocket launchers mounted on helicopters [AD-767237]

p0105 A74-12729
Methods for reducing vibrations of equipment mounted on helicopter external stores stations --- damping of vertical vibrations of wing-mounted stores on AH-1G helicopter [AD-768774]

p0162 A74-14771
In-flight stabilization of externally slung helicopter loads --- design, development, and evaluation of candidate stabilizing systems [AD-769063]

p0162 A74-14774
Vibration absorbers for rocket launchers mounted on helicopters: Analytical analysis and implementation techniques [AD-774845]

p0328 A74-22558
Status of two studies on active control of aeroelastic response at NASA Langley Research Center

p0354 A74-25553
Active flutter suppression on wings with external stores

p0354 A74-25555
Aerodynamic damping of vibrating helicopter rotors [AD-775929]

p0358 A74-25598
Flutter suppression and gust alleviation using active controls [NASA-CR-138658]

p0363 A74-26424
Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls

p0497 A74-34515

VIBRATION EFFECTS

An investigation of the vibratory and acoustic benefits obtainable by the elimination of the blade tip vortex

p0022 A74-11845
Aircraft noise induced vibration in fifteen residences near Seattle-Tacoma International Airport

p0073 A74-13770
Evaluation of the helicopter as a camera platform

p0078 A74-14480
Vibration effects on helicopter reliability and maintainability [AD-766307]

p0042 A74-10064
Symmetrical eigen forms of the vibrations of a supporting surface and of an elastic fuselage [AD-756285]

p0043 A74-10067

VIBRATION ISOLATORS

The main rotor bifilar absorber and its effect on helicopter reliability/maintainability [SAE PAPER 730894]

p0019 A74-11595
Modalization applied to helicopters --- vibration isolation [SAE PAPER 730893]

p0019 A74-11596
Control of helicopter vibration using the dynamic antiresonant vibration isolator [SAE PAPER 730892]

p0019 A74-11597
Helicopter vibration reduction with pendulum absorbers [AHS PREPRINT 830]

p0384 A74-36585
Application of antiresonance theory to helicopters

p0394 A74-37491
Vertical-plane pendulum absorbers for minimizing helicopter vibratory loads

p0395 A74-37502
Techniques for reducing the vibration of rocket launchers mounted on helicopters [AD-767237]

p0105 A74-12729
Vibration absorbers for rocket launchers mounted on helicopters: Analytical analysis and implementation techniques [AD-774845]

p0328 A74-22558

VIBRATION MEASUREMENT

Experimental investigation of the vibrations of a gas-turbine engine rotor

p0023 A74-12012
Aircraft on-board equipment for dynamic measurements with piezoelectric sensors

p0270 A74-27293
Balancing of vibration measurements of a continuous mechanical system - Application to

SUBJECT INDEX

VISCOUS FLOW

the direct measurement of generalized coordinates of an airplane in flight [ONERA, TP NO. 1378] p0314 A74-29860

Holographic time-average vibration study of a structure dynamic model of an airplane fin p0340 A74-33179

Gearbox noise reduction - Prediction and measurement of mesh-frequency vibrations within an operating helicopter rotor-drive gearbox [ASME PAPER 73-DGT-31] p0341 A74-33404

VIBRATION MODE

A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel p0126 A74-18088

Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes p0129 A74-18291

On repetitive flutter calculations in structural design [AIAA PAPER 74-141] p0133 A74-18789

Theory of rotor dynamics with coupling of disk and blade flexibility and support structure asymmetry [ASME PAPER 74-GT-159] p0274 A74-27494

Coupled rotor/airframe vibration prediction methods p0394 A74-37489

Stability characteristics of skewed wing aircraft [AIAA PAPER 74-772] p0399 A74-37797

Theoretical and experimental research on vibrations of thin walled stiffened structures [ICAS PAPER 74-16] p0448 A74-41318

The prediction of the variation of modes following modification to a structure p0419 A74-29358

VIBRATION PROTECTION

U VIBRATION ISOLATORS

VIBRATION SIMULATORS

Optimization of a vibration generator in conditions of external excitation p0332 A74-23519

Apparatus for the qualification of very low frequency vibration exciters --- replacing aircraft structure excited by turbulence p0332 A74-23520

VIBRATION TESTING MACHINES

U VIBRATION SIMULATORS

VIBRATION TESTS

NT DAMPING TESTS

The real and imaginary parts of the complex viscoelastic modulus for boron fiber reinforced plastics /BFRP/ p0315 A74-30095

Pyrotechnic pulse generators for in-flight structural tests p0382 A74-36353

Some problems of the multi-point excitation technique in the experimental study of the vibrations of elastic structures p0390 A74-36803

An analysis of vibration diagnostics for helicopter power trains p0432 A74-39198

Composite materials inspection --- ultrasonic vibration holographic NDT p0457 A74-43164

Pyrotechnic bonkers for structural tests in flight [ONERA, TP NO. 1389 E] p0478 A74-44953

CH-53 A flexible frame vibration analysis/test correlation [AD-772569] p0252 A74-18711

Correlation of finite-element structural dynamic analysis with measured free vibration characteristics for a full-scale helicopter fuselage p0496 A74-34496

Coupled rotor/airframe vibration prediction methods p0496 A74-34497

VIBRATORY LOADS

Hingeless rotor vibration and loads at high advance ratio p0206 A74-22463

Studies of a large-scale jet-flap rotor in the 40-by 80-foot wind tunnel p0206 A74-22464

The scissors rotor --- for helicopters [AHS PREPRINT 812] p0388 A74-36621

Vertical-plane pendulum absorbers for minimizing helicopter vibratory loads p0395 A74-37502

Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration p0396 A74-37504

Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration p0497 A74-34512

VIDEO DATA

Functional command/control considerations for ship-deployable tactical remotely-piloted vehicle /RPV/ p0433 A74-39664

VIDEO EQUIPMENT

Military airborne video recording: Requirements, utilization and techniques; Proceedings of the Seminar, Dayton, Ohio, April 3-5, 1973 p0216 A74-22526

What we do and what we need --- military airborne video tape recorder requirements and applications p0216 A74-22528

The status of the F-14A airborne mission recorder requirements and utilization p0216 A74-22529

Commercial quality video recorders for airborne military applications p0217 A74-22530

Gunship video recording system - First high quality battle damage assessment capability p0217 A74-22531

A basic, highly maintainable airborne video tape recorder/reproducer p0217 A74-22533

Compact video tape recorders of exceptional performance and reliability p0217 A74-22534

A small high-performance videotape recorder for military airborne applications p0217 A74-22535

Development of teledyne video recording systems - Progression of state of the art in film recording p0217 A74-22540

Pave Spike Video Film Recorder p0218 A74-22543

A truly airworthy video disc recorder/reproducer results in unique capabilities --- for aerial reconnaissance and surveillance p0218 A74-22553

VINYL POLYMERS

Fungus resistance of polyvinyl acetate latex dust control material --- helicopter landing pads [AD-767256] p0111 A74-13286

VISCOELASTIC FLOW

U VISCOELASTICITY

VISCOELASTICITY

The real and imaginary parts of the complex viscoelastic modulus for boron fiber reinforced plastics /BFRP/ p0315 A74-30095

VISCOSITY

NT EDDY VISCOSITY

VISCOUS FLOW

NT BOUNDARY LAYER FLOW

NT BOUNDARY LAYER SEPARATION

NT REATTACHED FLOW

NT SEPARATED FLOW

Nonuniqueness of the solution to the problem of viscous interaction on an axisymmetric body --- hypersonic boundary layer equations p0070 A74-13179

Comparison of surface-vorticity method with surface-source method and with an exact solution for two-dimensional potential flow around two adjacent lifting airfoils p0086 A74-15047

Structure of Betz vortex cores p0090 A74-15970

Calculation of separated flows at subsonic and transonic speeds p0118 A74-16965

Unsteady viscous flow on oscillating airfoils [AIAA PAPER 74-182] p0179 A74-20774

A study of compressible potential and asymptotic viscous flows for corner region p0204 A74-23205

Calculation procedures for potential and viscous flow solutions for engine inlets [ASME PAPER 74-GT-3] p0271 A74-27411

A model of two-dimensional, incompressible flow through a cascade of airfoils with allowance for the viscous displacement effect

VISCOUS FLUIDS

[ASME PAPER 74-GT-126] p0271 A74-27422
Transonic laminar viscous-inviscid interaction
over airfoils
[AIAA PAPER 74-600] p0340 A74-33177
Laminar viscous-inviscid interactions at transonic
speeds p0425 A74-38622
Viscous effects in transonic flow past airfoils
[ICAS PAPER 74-19] p0448 A74-41321
Analysis of viscous flow over swept wings
[ICAS PAPER 74-20] p0449 A74-41322
Experimental study of viscous flow on multiple
element airfoils p0451 A74-41346
The effects of hypersonic viscous interaction on
static stability of slender bodies in simulated
non-equilibrium flows p0154 A74-14704
A viscous potential flow interaction analysis
method for multi-element infinite swept wings,
volume 2 p0470 A74-32413
[NASA-CR-137550]
VISCOUS FLUIDS
Aircraft fuel system tests with gelled
fuel-flowmeter calibration, fuel boost pump and
jet-tison tests p0095 A74-11828
[PAA-NA-73-43]
VISIBILITY
NT LOW VISIBILITY
Markings for propeller conspicuity
[AGARD-AR-56] p0103 A74-12713
VISION
NT COLOR VISION
NT PERIPHERAL VISION
VISUAL AIDS
Helicopter visual aid system p0067 A74-11691
Proposal for a visual system of simulating a landing
--- pilot training with televised display of
simulated landing environment p0111 A74-13423
[POA-2-C-2509-E4]
VISUAL CONTROL
New concepts of visualization for aircraft ---
instrument panel display integration p0029 A74-12447
Aircraft accident report: Trans World Airlines,
Incorporated, Boeing 707-131B, N757TW, Los
Angeles, California, 16 January 1974 p0489 A74-33447
[NTSB-AAR-74-10]
VISUAL DISCRIMINATION
Information content of different runway lighting
patterns --- visual pattern discrimination of
landing displays p0060 A74-11094
[NASA-TT-F-15179]
VISUAL DISPLAYS
U DISPLAY DEVICES
VISUAL FLIGHT
Uses of a visual landing system in primary flight
training p0082 A74-14599
Visual landings in regional and local airports
[NASA-TT-F-15177] p0060 A74-11093
VISUAL FLIGHT RULES
Control authority with a flight performance
controller p0081 A74-14596
Recommended design procedure for VASI-2 systems
--- Visual Approach Slope Indicator as landing aid
p0392 A74-37341
Flight investigation of the VFR and IFR landing
approach characteristics and terminal area
airspace requirements for a light STOL airplane
[NASA-TN-X-3008] p0354 A74-25562
VISUAL PERCEPTION
NT VISUAL DISCRIMINATION
Simplified Visual Approach Slope Indicator (VASI)
--- operation test and evaluation p0151 A74-14362
[AD-767901]
Visual elements in flight simulation --- analysis
of visibility characteristics during flight and
impact on aircraft control p0253 A74-18714
[AD-772586]
VISUAL TRACKING
U OPTICAL TRACKING
VISUALIZATION OF FLOW
U FLOW VISUALIZATION
VJ-101 AIRCRAFT
Propulsion system of the VJ 101 C VTOL aircraft:
Philosophy and practical experience ---

SUBJECT INDEX

optimization of vertical takeoff aircraft
airframe and engine p0292 A74-20428
VOICE COMMUNICATION
Description and cost of a satellite-based oceanic
ATC system --- voice and data communication
channel capacity requirements p0025 A74-12193
Lockheed S-3A avionics - Tactical voice and data
communication p0173 A74-19753
Multiple channel same frequency repeater flight test
--- for intra-aircraft voice communications p0424 A74-38556
Evaluation of voice recorders for aircraft
[AD-770517] p0200 A74-16906
VOLTAGE
U ELECTRIC POTENTIAL
VOLTAGE VARIATION INDICATORS
U VOLTMETERS
VOLTMETERS
A review of aircraft measurement techniques ---
data on digital voltmeters, pressure standards
and onboard tensometer equipment p0280 A74-28436
VOR SYSTEMS
U VHF OMNIRANGE NAVIGATION
VORTEX BREAKDOWN
Stability and decay of free vortices behind a wing
p0021 A74-11805
Lift-induced wing-tip vortex attenuation
[AIAA PAPER 74-38] p0135 A74-18852
Turbulent trailing vortex with central jet or wake
[ICAS PAPER 74-40] p0450 A74-41341
Aircraft vortex wake descent and decay under real
atmospheric effects p0238 A74-17767
[AD-771311]
Model experiments to evaluate vortex dissipation
devices proposed for installation on or near
aircraft runways p0241 A74-17959
[NASA-CR-132365]
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] p0365 A74-26456
VORTEX COLUMNS
U VORTICES
VORTEX DISTURBANCES
U VORTICES
VORTEX FLOW
U VORTICES
VORTEX GENERATION
U VORTEX GENERATORS
VORTEX GENERATORS
Observations of atmospheric effects on vortex wake
behavior p0090 A74-15963
On the inviscid rolled-up structure of
lift-generated vortices p0090 A74-15964
A Fowler flap system for a high-performance
general aviation airfoil p0309 A74-28739
[SAE PAPER 740365]
Investigation of the influence of vortex
generators on turbulent boundary layer separation
p0389 A74-36632
Test of a supersonic compressor cascade, volume 2
--- effects of vortex generators mounted on blades
[AD-756871] p0052 A74-10750
On the inlet vortex system --- preventing jet
engine damage caused by debris pick-up
[NASA-CR-140182] p0500 A74-35194
VORTEX RINGS
A two-component laser Doppler velocimeter for
periodic flow fields p0267 A74-26916
On the generation of jet noise --- by large scale
vortex ring structures interacting with each other
p0329 A74-22663
VORTEX SHEETS
Investigation of the characteristics of flows past
plates at large angles of attack p0070 A74-13183
Discretization of a vortex sheet, with an example
of roll-up --- for elliptically loaded wings
p0086 A74-15475
Numerical investigation of vortex sheets issuing
from a separation line near the leading edge
p0128 A74-18289
Modeling dynamic stall on an oscillating airfoil
p0224 A74-25329

SUBJECT INDEX

VORTICES

- On calculation of induced drag and conditions downstream of a lifting wing p0275 A74-27846
- A linear model of a finite amplitude Helmholtz instability p0335 A74-32057
- Minimum induced drag of semi-elliptic ground effect wing p0335 A74-32297
- Calculation of initial vortex roll-up in aircraft wakes p0392 A74-37283
- The structure and decay of trailing vortex vortices p0447 A74-41044
- Recent contributions to the solution of nonlinear aerodynamic interference problems [ICAS PAPER 74-26] p0449 A74-41328
- Numerical computations of wake vortices behind lifting surfaces [ICAS PAPER 74-28] p0449 A74-41330
- The deformation of a vortex sheet behind a swept back wing - Comparison of measurements and calculations [ICAS PAPER 74-33] p0449 A74-41334
- Calculation of flows around zero thickness wings with evolutive vortex sheets [NASA-TT-P-15183] p0094 A74-11815
- The measurement of the DC-7 trailing vortex system using the tower fly-by technique [FAA-RD-73-141] p0104 A74-12718
- A numerical method for the determination of the vortex sheet location behind a wing in incompressible flow [NLR-TR-72091-U] p0294 A74-20642
- VORTEX SHEETS**
- Vortex shedding from the ram wing vehicle --- based on flow visualization of ram wing surface effect vehicle wake [AD-767234] p0105 A74-12727
- VORTEX TUBES**
- U VORTICES**
- VORTICES**
- The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041
- An analytical and experimental study of inlet ground vortices [AIAA PAPER 73-1313] p0011 A74-11309
- Longitudinal response of an aircraft due to a trailing vortex pair p0013 A74-11343
- Finite element solution of the incompressible flow over an airfoil in a nonuniform stream p0014 A74-11426
- An investigation of the vibratory and acoustic benefits obtainable by the elimination of the blade tip vortex p0022 A74-11845
- Investigation of the effect of induction damping of vortices in their interaction with a wing p0087 A74-15708
- Observations of atmospheric effects on vortex wake behavior p0090 A74-15963
- On the inviscid rolled-up structure of lift-generated vortices p0090 A74-15964
- Structure of Betz vortex cores p0090 A74-15970
- A vortex entrainment model applied to slender delta wings p0119 A74-17029
- Vortex cases - At a turbulent crossroads --- aircraft wakes and legal liability for accidents p0126 A74-18097
- Vortex age as a wake turbulence scaling parameter [AIAA PAPER 74-36] p0132 A74-18745
- A method of calculating aircraft wake velocity profiles and comparison with full-scale experimental measurements [AIAA PAPER 74-39] p0132 A74-18747
- Ingestion and dispersion of engine exhaust products by trailing vortices for supersonic flight in the stratosphere [AIAA PAPER 74-42] p0134 A74-18815
- Isolated airfoil - TIP vortex interaction noise [AIAA PAPER 74-194] p0134 A74-18831
- Trailing vortex effects on following aircraft p0174 A74-19778
- Vortexes in aircraft wakes --- light aircraft hazards p0185 A74-22206
- A schlieren technique applied to rotor wake studies p0203 A74-22462
- Rotating-blade vortex noise p0203 A74-22470
- Extension of a vortex-lattice method to include the effects of leading-edge separation p0204 A74-23332
- Vortex-induced heating to cone flaps at Mach 6 p0223 A74-24958
- Developing large-scale wavelike eddies and the near jet noise field p0267 A74-26948
- Random movement of a wing of finite span in an incompressible liquid p0312 A74-29497
- Some experimental results of the effect of a streamwise vortex on a two-dimensional wing p0321 A74-31247
- The stability of a trailing line vortex. I - Inviscid theory p0337 A74-33049
- Nonlinear prediction of the aerodynamic loads on lifting surfaces [AIAA PAPER 74-503] p0338 A74-33103
- Far-field wake-vortex characteristics of wings [AIAA PAPER 74-505] p0339 A74-33104
- Flow patterns of fuselage-wing models at supercritical angles of attack p0391 A74-37143
- Axial flow measurements in trailing vortices p0425 A74-38626
- NASA flight research on aircraft wake vortices and minimization concepts [AIAA PAPER 74-953] p0427 A74-38721
- The structure and decay of trailing vortices p0447 A74-41044
- On the calculation of non-linear aerodynamic characteristics and the near vortex wake [ICAS PAPER 74-27] p0449 A74-41329
- Aircraft trailing vortex instabilities [ICAS PAPER 74-34] p0450 A74-41335
- Experimental investigation of wing-tip vortex abatement [ICAS PAPER 74-35] p0450 A74-41336
- Hot-wire anemometry for in-flight measurement of aircraft wake vortices p0460 A74-43621
- A quasi-vortex-lattice method in thin wing theory p0477 A74-44417
- Acoustic backscatter radar system for tracking aircraft trailing vortices p0477 A74-44420
- Influence of flaps and engines on aircraft wake vortices p0478 A74-44425
- Computation of vortex models for wings at high angle of attack in incompressible flow [FFA-AU-653] p0036 A74-10013
- An investigation of a nonplanar vortex lattice method for wing calculations [CRANFIELD-AERO-17] p0037 A74-10023
- Effect of geometry variations on lee-surface vortex-induced heating for flat-bottom three-dimensional bodies at Mach 6 [NASA-TN-D-7447] p0045 A74-10318
- Effect of sweep angle on the pressure distributions and effectiveness of the ogee tip in diffusing a line vortex [NASA-CR-132355] p0094 A74-11822
- Evaluation of effectiveness of various devices for attenuation of trailing vortices based on model tests in a large towing basin [NASA-CR-2202] p0188 A74-15710
- Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 1: Experimental research --- wind tunnel tests of jet fighter aircraft scale model [AD-771290] p0232 A74-17710
- Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation --- wind tunnel tests of jet fighter scale model [AD-771304] p0232 A74-17711

- Vortex modification by mass injection and by tip geometry variation p0232 N74-17715
[AD-771966]
The detection of aircraft wake vortices --- development of acoustic and wind pressure sensors for vortex detection p0233 N74-17731
Vortex wake research --- inflight investigation of turbulent wake generated by C-5 aircraft p0233 N74-17733
Study of the electrostatic field and charge distribution in a vortex seeded with dust p0245 N74-18643
Analytical investigation of the aerodynamic stability of helical vortices shed from a hovering rotor p0252 N74-18705
[AD-773026]
An experimental investigation of leading-edge vortex augmentation by blowing p0281 N74-19643
[NASA-CR-132415]
Stability and decay of free vortices behind a wing p0287 N74-19904
[NASA-TT-P-15445]
Preliminary results of flight tests of vortex attenuating splines --- evaluation of effectiveness of wingtip vortex attenuating device p0294 N74-20637
[NASA-TN-X-71928]
An investigation of the trailing vorticity behind a STOL aircraft p0299 N74-20677
[AD-774571]
A preliminary towing tank study of the trailing vortex generated by a rectangular wing, including the effects of several tip modifications [ARL/A-NOTE-342] p0323 N74-21636
Wingtip vortex dissipator for aircraft p0365 N74-26456
[NASA-CASE-LAR-11645-1]
Turbulent lift. Comments on some preliminary wind tunnel tests --- characteristics of vortex on wing surface from tangential blowing on upper surface p0405 N74-27484
[NASA-TT-P-15743]
A program to compute the behavior of a three dimensional turbulent vortex p0418 N74-28782
[AD-778433]
Effect of spanwise blowing on leading-edge vortex bursting of a highly swept aspect ratio 1.18 delta wing p0441 N74-29367
[NASA-TN-X-71987]
Theoretical and experimental longitudinal aerodynamic characteristics of an aspect ratio 0.25 sharp-edge delta wing at subsonic, supersonic, and hypersonic speeds p0463 N74-31414
[NASA-TN-D-7651]
The vortex lattice method for the rotor-vortex interaction problem p0488 N74-33433
[NASA-CR-2421]
Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes p0498 N74-34537
[AD-783665]
Simulation of wake vortices descending in a stably stratified atmosphere p0499 N74-34715
[AD-783750]
Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 1: Wake vortex predictive system study p0499 N74-34716
[AD-783649]
Effect of inlet ingestion of a wing tip vortex on turbojet stall margin p0500 N74-35201
[NASA-TN-X-71610]
VORTICITY EQUATIONS
A numerical vortex box technique for calculations in lifting surface theory p0244 N74-18642
VORTICITY TRANSPORT HYPOTHESIS
Analysis of predicted aircraft wake vortex transport and comparison with experiment p0339 A74-33105
[AIAA PAPER 74-506]
VTOL
U VERTICAL LANDING
VTOL AIRCRAFT
U VERTICAL TAKEOFF AIRCRAFT
VULNERABILITY
Lightning effects on general aviation aircraft [FAA-RD-73-99] p0099 N74-12167
Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 4: Baseline damage tolerance evaluation p0490 N74-33464
[AD-781809]
VZ-12 AIRCRAFT
U P-1127 AIRCRAFT
W
W WINGS
U VARIABLE SWEEP WINGS
WAKES
NT AIRCRAFT WAKES
NT HELICOPTER WAKES
NT HYPERSONIC WAKES
NT LAMINAR WAKES
NT REAR WAKES
NT PROPELLER SLIPSTREAMS
NT SUPERSONIC WAKES
NT TURBULENT WAKES
The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041
Far-field wake-vortex characteristics of wings [AIAA PAPER 74-505] p0339 A74-33104
Unsteady lift and radiated sound from a wake cutting airfoil p0477 A74-44405
The stability of helical vortex filaments in the wake of a hovering rotor p0062 N74-11128
[AD-766828]
WALL FLOW
Experimental and theoretical study of the transonic flow past a half-wing p0224 A74-25321
Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds p0036 N74-10015
[NASA-TN-D-7331]
Optimization of wave cancellation in variable porosity transonic wind tunnel flows p0060 N74-11097
[NASA-TN-D-7432]
WALL JETS
Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream p0012 A74-11314
[AIAA PAPER 73-1322]
Investigation into and application of the high velocity circulation control wall jet for high lift and drag generation on STOL aircraft p0338 A74-33102
[AIAA PAPER 74-502]
The power profile - a new type of airfoil --- airfoil with blunt leading edge and two wall jets near the trailing edge p0286 N74-19690
[AD-773655]
WALL PRESSURE
High lift testing in closed wind tunnels p0376 A74-35405
[AIAA PAPER 74-641]
Analysis of wall modification in a transonic wind tunnel p0109 N74-12971
[AD-767629]
WALLS
NT BULKHEADS
NT POROUS WALLS
NT THIN WALLS
NT WIND TUNNEL WALLS
WAR GAMES
Differential game barriers and their application in air-to-air combat p0304 N74-21187
WARFARE
NT ANTISUBMARINE WARFARE
NT COMBAT
Differential game barriers and their application in air-to-air combat p0113 N74-13696
[AD-766890]
WARNING
U HEATING
WARNING DEVICES
U WARNING SYSTEMS
WARNING SIGNALS
U WARNING SYSTEMS
WARNING SYSTEMS
Technology forecasting - Aircraft hazard detection p0015 A74-11499
The Type 3B altitude measurement system p0122 A74-17276
Airborne warning and control system /AWACS/ --- for air operations management during military crises p0130 A74-18655
[AIAA PAPER 74-241]
Realization of a horizontal collision avoidance system

SUBJECT INDEX

WEAPONS DEVELOPMENT

- New orientations in the study of transport aircraft safety p0175 A74-20099
 Collision avoidance systems --- proximity warning indicator for ATC p0208 A74-22633
 Integrated, universal pilot warning/collision avoidance display p0220 A74-22682
 Surveillance in flight of aircraft systems p0377 A74-35567
 The design, fabrication and evaluation of the aural angle of attack/stall warning system [AD-767663] p0431 A74-39004
 Development and testing of a cadmium telluride high temperature (750 F) infrared fire detector --- for detecting aircraft engine fires [AD-773324] p0145 N74-13748
 Aerospace vehicle hazards protection program: Detectors materials fuel vulnerability [AD-776301] p0287 N74-19714
 p0359 N74-25603
WASHING
 The growing procedural problems of washing mammoth aircraft [AIAA PAPER 74-376] p0265 A74-26683
WATER EROSION
 On the problem of rain erosion on a moving body flying at supersonic speed [DEVLN-SONDDR-349] p0117 A74-16727
 Airframe maintenance and corrosion protection p0337 A74-32672
WATER INJECTION
 The effects of water, pressure, and equivalence ratio on nitric oxide production in gas turbines [ASME PAPER 73-WA/GT-1] p0071 A74-13292
 The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel [NASA-TM-X-2958] p0153 N74-14650
 Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel [NASA-TM-X-2959] p0154 N74-14651
WATER JETS
U HYDRAULIC JETS
WATER POLLUTION
 Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier [AD-774898] p0327 N74-21669
WATER TAKEOFF AND LANDING AIRCRAFT
 Amphibian aircraft design [SAE PAPER 740395] p0310 A74-28756
WATER TUNNELS
U HYDRAULIC TEST TUNNELS
WATER VEHICLES
 NT AIRCRAFT CARRIERS
 NT BOATS
 NT SATELLITE COMMUNICATIONS SHIPS
 NT SHIPS
 NT UNDERWATER VEHICLES
WAVE ATTENUATION
 NT ACOUSTIC ATTENUATION
 NT SHOCK WAVE ATTENUATION
WAVE DIFFRACTION
 Diffraction of evanescent waves, with applications to aerodynamically scattered sound and radiation from un baffled plates p0204 A74-23104
WAVE DRAG
 NT INTERFERENCE DRAG
WAVE EQUATIONS
 Introduction to aerodynamic noise theory p0025 A74-12207
WAVE EXCITATION
 NT HARMONIC EXCITATION
WAVE FRONT RECONSTRUCTION
 Holographic multicolor moving map display p0377 A74-35563
WAVE FRONTS
 NT SHOCK FRONTS
WAVE GENERATION
 Waves in an elastic medium generated by a point source moving in an overlying fluid medium p0085 A74-14928
 Nonlinear generation of secondary waves in fluids p0344 A74-34352
WAVE INTERACTION
 NT SHOCK WAVE INTERACTION
WAVE PROPAGATION
 NT ACOUSTIC PROPAGATION
 NT LIGHT SCATTERING
 NT SHOCK WAVE PROPAGATION
 Location of aircraft by an acoustic method p0069 A74-13028
WAVE RADIATION
U ELECTROMAGNETIC RADIATION
WAVE REFLECTION
 Experimental study of shock-wave reflection upon boundary layer transition [ONERA, TP NO. 1284] p0006 A74-11072
WAVE SCATTERING
 NT ACOUSTIC SCATTERING
 NT ELECTROMAGNETIC SCATTERING
 NT LIGHT SCATTERING
 NT MICROWAVE SCATTERING
 NT RAMAN SPECTRA
WAVEGUIDE ANTENNAS
 NT HORN ANTENNAS
WAVEGUIDES
 Microwave dielectric waveguide data bus system for aircraft interior data transfer p0424 A74-38564
WEAPON SYSTEMS
 System evaluation as an objective for a research institute --- VTOL weapons systems p0021 A74-11806
 Two numerical methods to solve realistic air-to-air combat differential games [AIAA PAPER 74-22] p0132 A74-18736
 Some experiences from the use of an LCC approach --- Life Cycle Cost for weapon systems acquisition p0181 A74-20944
 F-15 performance. III - New fighter to have ground attack role p0261 A74-26399
 MRCA prepares for flight test --- Multi-Role Combat Aircraft p0261 A74-26416
 MRCA nav-attack system --- Multi-Role Combat Aircraft p0262 A74-26417
 Air Force findings and recommendations on digital aircraft avionics p0423 A74-38523
 B-1 central air data computer --- for weapons delivery and aircraft control p0425 A74-38580
 A broad view of Navy S-3A testing [AIAA PAPER 74-943] p0426 A74-38716
 Design-to-cost for the A-10 close air support aircraft [AIAA PAPER 74-963] p0427 A74-38728
 Design to cost during the requirements, development and test phases of systems acquisition --- for weapon systems p0479 A74-45003
 Mod-metric tested for bias [AD-760081] p0054 N74-10904
 Remote control of aircraft and weapon system using a new method --- guidance, navigation, and targeting [POA-2-A-2553-84] p0105 N74-12723
 Aircraft/Stores Compatibility Symposium Proceedings, Volume 3 [AD-773815] p0285 N74-19680
 Aircraft/Stores Compatibility Symposium Proceedings, Volume 4 [AD-773816] p0285 N74-19681
 Differential game barriers and their application in air-to-air combat p0304 N74-21187
 The team leader's role in design to cost preliminary design p0471 N74-32426
 Structural dynamic response of AH-1G wing with XM35 weapon [AD-781973] p0491 N74-33468
 Weapon system costing methodology for aircraft airframes and basic structures. Volume 1: Cost methods research and development [AD-783639] p0501 N74-35362
WEAPONS
 NT GUNS (ORDNANCE)
WEAPONS DEVELOPMENT
 Advancements in the test and evaluation of naval

- weapon systems
p0459 A74-43604
- WEAR**
A thermal, thermoelastic, and wear simulation of a high-energy sliding contact problem [ASME PAPER 73-LUB-6] p0027 A74-12333
Effect of erosive wear on the fatigue life of cantilever blades of axial-flow compressors of aircraft turbojet engines p0399 A74-37681
- WEAR INHIBITORS**
Enhancement of durability of aircraft design elements /2nd revised and enlarged edition/ --- Russian book p0337 A74-32775
Antiwear properties of jet fuels obtained by blending nonalkalized hydrorefined with straight-run components p0479 A74-45000
- WEAR TESTS**
The friction and wear characteristics of plasma-sprayed NiO-CaF₂ in rubbing contact with a ceramic matrix [ASLE PREPRINT 73LC-1B-3] p0027 A74-12306
Wear determination in Boeing 747 engines p0077 A74-14363
Evaluation of methods for reducing fretting fatigue damage in 2024-T3 aluminum lap joints p0117 A74-16696
Metallurgical analysis of wear particles and wearing surfaces [AD-778340] p0409 A74-27920
- WEATHER**
Objective determination of the noise level in Doppler spectra [TR-32] p0044 A74-10155
- WEATHER CONDITION**
U WEATHER
- WEATHER CONTROL**
U WEATHER MODIFICATION
- WEATHER FORECASTING**
Wind conditions at the Cologne/Bonn airport and possibilities of forecasting them p0022 A74-11835
Thermal parameters as a predictor of precipitation type for Kinceloe AFB, Michigan [AD-754927] p0048 A74-10611
Fifth session of Commission for Aeronautical Meteorology --- conference proposals for personnel training, terminal forecasting, SST operations, and application of satellite data [WMO-322] p0100 A74-12330
Some results from applying a cost-effectiveness model for evaluating aviation weather dissemination techniques [AD-777441] p0410 A74-28082
- WEATHER MODIFICATION**
NT CLOUD SEEDING
Project Foggy Cloud 4, phase 1. Evaluation of warm fog dissipation techniques --- and stratus cloud modification [AD-766086] p0047 A74-10597
Thermal warm fog dissipation: Heat requirements and projected utilization of a system for Travis AFB, California [AD-766247] p0048 A74-10605
Thermal and chemical fog dissipation: Results of field experiments at Vandenberg AFB, California during July 1972 [AD-768671] p0164 A74-15367
Fog clearing using helicopter downdrafts: A numerical model [AD-771038] p0242 A74-18280
Modification of convective clouds by jets [AD-776730] p0361 A74-26130
- WEATHER RADAR**
U METEOROLOGICAL RADAR
- WEATHER STATIONS**
A proposal for the future of flight service stations. Volume 1: Summary --- systems analysis of automated air traffic control for general aviation aircraft [PB-225052/OGA] p0242 A74-18315
- WEBS (SUPPORTS)**
Numerical analysis of stiffened shear webs in the postbuckling range p0075 A74-13886
- WEDGE FLOW**
Investigation of heat transfer at the surface of a two-step wedge in supersonic flow p0070 A74-13188
- WEDGES**
Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29459
- WEIBULL DENSITY FUNCTIONS**
Experience gained from statistical testing of fatigue lives of model samples p0377 A74-35666
- WEIGHT (MASS)**
NT STRUCTURAL WEIGHT
Helicopter gross weight and center of gravity measurement system --- applicable to CH-47 and OH-1 helicopters [AD-771955] p0239 A74-17775
Determination of the effects of mass and stiffness on the vibration response of ribbed panels subjected to random acoustic noise [AD-774436] p0304 A74-21568
- WEIGHT ANALYSIS**
Commercial aircraft --- weight reduction by composite materials p0002 A74-10495
VTOL aircraft --- fibrous composites for structural weight reduction p0002 A74-10497
Wing shear material --- structural weight formulas p0008 A74-11175
An integrated approach to structural weight estimation [SAE PAPER 730936] p0016 A74-11564
B-1 cost/weight trade methodology p0115 A74-16447
Utility analysis in weight control p0124 A74-17740
The development and evaluation of weight-estimation formulas for aircraft design with the aid of methods of mathematical statistics and probability calculus --- German book p0175 A74-20049
An analysis of the effects of internally blown jet flaps on an advanced fighter aircraft design [AIAA PAPER 74-970] p0428 A74-38735
Weight estimates for Quiet/STOL aircraft [SAWE PAPER 1001] p0434 A74-39876
Weight control and how we look at it --- in aircraft design and production [SAWE PAPER 1004] p0435 A74-39878
The C-5 weight control program and its influence on structural efficiency [SAWE PAPER 1008] p0435 A74-39880
Preliminary weight estimation of canard configured aircraft [SAWE PAPER 1015] p0435 A74-39885
'SWEEP' - An interdisciplinary approach to a structure weight estimating program [SAWE PAPER 1016] p0435 A74-39886
A method for weight/cost trade-offs in preliminary air vehicle design [SAWE PAPER 1017] p0435 A74-39887
Ply-by-wire - What does it weigh --- fighter aircraft flight control weight reduction [SAWE PAPER 1018] p0435 A74-39888
Fuselage basic shell weight prediction [SAWE PAPER 1019] p0435 A74-39889
A parametric analysis of transport aircraft system weights and costs [SAWE PAPER 1024] p0436 A74-39891
Computer program to perform cost and weight analysis of transport aircraft. Volume 1: Summary [NASA-CR-132361] p0161 A74-14762
Computer program to perform cost and weight analysis of transport aircraft. Volume 2: Technical volume [NASA-CR-132362] p0161 A74-14763
Advanced metallic structures: Air superiority fighter wing design for improved cost weight and integrity. Volume 2: Criteria sensitivity study [AD-781811] p0473 A74-32451
- WEIGHT FACTORS**
U WEIGHT (MASS)
- WEIGHT REDUCTION**
Air Superiority Fighter wing design for cost and weight reduction [AIAA PAPER 74-338] p0263 A74-26653

WELDED JOINTS

NT SPOT WELDS

WELDED STRUCTURES

The application of electron beam welding for major titanium structures

p0227 A74-25363

Diffusion welding in aviation technology

p0328 N74-22138

[NASA-TT-P-15568]

WELDING

NT BRAZING

NT DIFFUSION WELDING

NT ELECTRON BEAM WELDING

NT FUSION WELDING

NT ULTRASONIC WELDING

WELDING MACHINES

The application of electron beam welding for major titanium structures

p0227 A74-25363

WEST GERMANY

U GERMANY

WESTLAND AIRCRAFT

The concept of the WG-13 --- small twin engined helicopter for light tactical support

p0262 A74-26565

The design of the WG-13 --- small tactical multipurpose twin engined helicopter

p0262 A74-26566

Westland design philosophy on the Lynx for instrument and all-weather flying

p0348 A74-34878

WETTABILITY

Microfog lubricant application system for advanced turbine engine components, phase 3 --- wetting characteristics and deposit forming tendencies of lubricants

p0050 N74-10730

[NASA-CR-121271]

WHEEL BRAKES

Recent studies of tire braking performance --- for aircraft

p0125 A74-17898

Response speed of a correlator in an extremal system for aircraft wheel braking

p0213 A74-24022

A device for measuring the power of an aircraft wheel brake

p0213 A74-24027

Improvements in airplane stopping performance on adverse runways

p0427 A74-38730

[AIAA PAPER 74-965]

WHEELS

NT FLYWHEELS

NT REACTION WHEELS

NT TURBINE WHEELS

NT VEHICLE WHEELS

UH-1 ground handling wheel adapter bars for OH-58 helicopters. Prototype design, fabrication, and user test

p0443 N74-29616

[AD-778199]

WHIRL INSTABILITY

U ROTARY STABILITY

WHIRLING

U ROTATION

WHIRLING TESTS**W SPIN TESTS****WHITE NOISE**

Random vibration with non-linear damping

p0129 A74-18297

Objective determination of the noise level in Doppler spectra

p0044 N74-10155

[TR-32]

WIDEBAND

U BROADBAND

WIDEBAND COMMUNICATION

Airborne low-VHF antennas

p0468 N74-31680

WINCHES

Helicopter windlass rescue with the Alouette III

p0184 A74-21705

WIND (METEOROLOGY)

NT GROUND WIND

NT GUSTS

Survey on effect of surface winds on aircraft design and operation and recommendations for needed wind research

p0099 N74-12317

[NASA-CR-2360]

WIND DIRECTION

Wind conditions at the Cologne/Bonn airport and possibilities of forecasting them

p0022 A74-11835

WIND EFFECTS

Feedback control of an airplane with time varying gain

p0086 A74-15447

Compressibility effects in unsteady thin-airfoil theory

p0177 A74-20298

Wind modification over the flight decks of high-speed ships

p0182 A74-21291

[AIAA PAPER 74-301]

A simulator of wind gust disturbances

p0213 A74-24024

Study of wind effects on electrostatic autopilots

p0317 A74-30395

Helicopter gust response characteristics including unsteady aerodynamic stall effects

p0394 A74-37490

Another look at landing and stopping criteria

p0427 A74-38722

[AIAA PAPER 74-956]

In-flight symmetrical maneuvers of a flight vehicle

p0484 A74-46697

Model studies of crosswind landing-gear configurations for STOL aircraft

p0066 N74-11680

Survey on effect of surface winds on aircraft design and operation and recommendations for needed wind research

p0099 N74-12317

[NASA-CR-2360]

Multi-input, multi-output regulator design for constant disturbances and non-zero set points with application to automatic landing in a crosswind

p0164 N74-15378

[NASA-CR-136618]

Modification of V/STOL instrument approach geometry as a means of compensating for along-track wind effects

p0256 N74-19281

WIND MEASUREMENT

Temperature, winds, and turbulence at SST flight levels

p0122 A74-17311

Measurements of gusts on Concorde --- in wind tunnels and inflight

p0226 A74-25320

WIND PROFILES

Noise characteristics of a turbulent crosswind jet

p0177 A74-20281

WIND SHEAR

Statistical properties of vertical shear of lateral velocity

p0274 A74-27529

Shear and moment response of the airplane wing to nonstationary turbulence

p0364 N74-26440

WIND TUNNEL APPARATUS**NT WIND TUNNEL DRIVES**

Wind tunnel instrumentation considerations for buffet predictions

p0376 A74-35393

[AIAA PAPER 74-629]

Measurement of dynamic cross-derivatives due to pitching and yawing

p0380 A74-36044

[AIAA PAPER 74-611]

Application of fusible temperature indicators for measuring heat flows to models in wind tunnels

p0383 A74-36458

The model mounting arrangements in the high speed wind-tunnel testing

p0478 A74-44635

User's guide for a computer program, to analyze the LEC 16 ft transonic dynamics tunnel cable mount system

p0045 N74-10297

[NASA-CR-132313]

Assessment of the influence of inlet and aftbody/nozzle performance on total aircraft drag

p0157 N74-14726

Wind tunnel testing with engine simulation for V/STOL airplanes --- characteristics of wind tunnel apparatus and wind tunnel models for tests of V/STOL aircraft configurations

p0290 N74-20409

WIND TUNNEL BALANCES**U WIND TUNNEL APPARATUS****WIND TUNNEL DRIVES**

Experimental study of the internal noise in injector driven wind tunnels

p0128 A74-18288

[ONERA, TP NO. 1315]

The need for a large transonic wind tunnel in Europe - A summary of the report of an A.G.A.R.D. working group /Laus/

WIND TUNNEL MODELS

SUBJECT INDEX

- [AIAA PAPER 74-630] p0376 A74-35394
- WIND TUNNEL MODELS**
- Some specific characteristics of small gas turbines and the modeling problems of their wind tunnel testing p0131 A74-18682
- Factors in the design and fabrication of powered dynamically similar V/STOL wind tunnel models p0205 A74-22459
- Panel prepared comments for the AHS mid-east region symposium --- on low speed wind tunnel costs and V/STOL models p0204 A74-22473
- Some noise requirements for large subsonic wind-tunnels p0216 A74-22479
- Calculation, design, and testing of a model of transonic flutter p0224 A74-25326
- Experience gained from a comparison of spins on wind-tunnel models and on aircraft p0226 A74-25328
- A transonic study of active flutter suppression based on an aerodynamic energy concept [AIAA PAPER 74-403] p0266 A74-26702
- Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack p0312 A74-29496
- The Alpha Jet wind tunnel model for aeroelastic investigations p0318 A74-30599
- Wind tunnel and flight performance of the YF-12 inlet system [AIAA PAPER 74-621] p0376 A74-35388
- High lift testing in closed wind tunnels [AIAA PAPER 74-641] p0376 A74-35405
- A systematic study of helicopter rotor stall using model rotors [AHS PREPRINT 804] p0388 A74-36618
- Study of Moire measuring techniques for wind tunnel model deformation [AD-766892] p0063 N74-11298
- Model support roll balance and roll coupling --- design of wind tunnel model support mechanism p0066 N74-11681
- Advancement of propotor technology. Task 1: Design study summary --- aerodynamic concept of minimum size tilt propotor research aircraft [NASA-CR-114682] p0096 N74-11833
- Measurements in a three dimensional incompressible turbulent boundary layer in an adverse pressure gradient under infinite swept wing conditions [NLR-TR-72092-U] p0109 N74-12995
- V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622 Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1) [NASA-CR-114603] p0142 N74-13727
- STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis [AD-767363] p0143 N74-13734
- Wind tunnel blockage and support interference effects on winged-body models at Mach numbers from 0.6 to 1.0 [NASA-TN-X-3011] p0246 N74-18656
- Pressure distribution on a vectored-thrust V/STOL fighter in the transition-speed range --- wind tunnel tests to measure pressure distribution on body and wing [NASA-TN-X-2867] p0246 N74-18658
- An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1 --- aerodynamic characteristics of off-design configurations at several Mach numbers [AD-772727] p0247 N74-18668
- Wind tunnel testing with engine simulation for V/STOL airplanes --- characteristics of wind tunnel apparatus and wind tunnel models for tests of V/STOL aircraft configurations p0290 N74-20409
- A wind model for an elevated STOL-port configuration [NASA-CR-2450] p0418 N74-28734
- Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing [NASA-TN-X-71974] p0466 N74-31485
- WIND TUNNEL STABILITY TESTS**
- Dynamic relaxation solution of three dimensional subsonic compressible oscillatory flow p0014 A74-11428
- Dynamic stability testing of aircraft - Needs versus capabilities p0262 A74-26477
- An investigation of the rolling stability derivatives of a T-tail fighter configuration at high angles-of-attack p0347 A74-34852
- Effects of STOL thrust reversers and powered lift on inlet flow quality [SAE PAPER 740457] p0351 A74-35007
- Design for departure prevention in the YF-16 --- control stability assurance [AIAA PAPER 74-794] p0400 A74-37814
- Effect of upper-surface blowing on static longitudinal stability of a swept wing p0477 A74-44419
- Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration [NASA-TN-D-7399] p0096 N74-11832
- Low-speed wind tunnel investigation of the lateral-directional characteristics of a large-scale variable wing-sweep fighter model in the high-lift configuration [NASA-TN-X-62306] p0103 N74-12714
- The results of a high-speed wind tunnel test to investigate the effects of the NASA refan JTOD engine nacelles on the stability and control characteristics of the Boeing 727 airplane [NASA-CR-134545] p0196 N74-16726
- Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing [NASA-TN-X-71974] p0466 N74-31485
- The results of a low-speed wind tunnel test to investigate the effects of the Refan JT8D engine target thrust reverser on the stability and control characteristics of the Boeing 727-200 airplane [NASA-CR-134699] p0494 N74-34467
- WIND TUNNEL TESTS**
- Exploitation of spectral density curves in the case of wind tunnel flutter measurement p0005 A74-11000
- The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041
- Wind tunnel tests of a 20 inch diameter 1.15 pressure ratio fan engine model [AIAA PAPER 73-1216] p0009 A74-11245
- New airfoil sections for general aviation aircraft --- cruising and flap development tests [SAE PAPER 730876] p0019 A74-11606
- Ten years transonic wind tunnel of the AVA Goettingen --- design and measurement objectives p0021 A74-11808
- Magnetic balance and suspension systems for use with wind tunnels p0025 A74-12204
- Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow p0069 A74-13041
- Investigations concerning yawed caret wings in the hypersonic domain p0072 A74-13548
- Functional tests of a cryo-cooled mass spectrometer ion source in a supersonic wind tunnel p0080 A74-14548
- Wind tunnel dynamic analysis of an oscillating airfoil [AIAA PAPER 74-259] p0130 A74-18666
- Vortex age as a wake turbulence scaling parameter [AIAA PAPER 74-36] p0132 A74-18745
- Aerodynamic forces and moments on a slender body with a jet plume for angles of attack up to 180 degrees [AIAA PAPER 74-110] p0133 A74-18776
- Isolated airfoil - TIP vortex interaction noise [AIAA PAPER 74-194] p0134 A74-18831
- Preliminary wind tunnel noise measurements of a semi-span wing with an upper-surface blown-flap [AIAA PAPER 74-191] p0134 A74-18832
- Investigations concerning wing-fuselage interference in the case of subsonic velocity p0136 A74-18897

SUBJECT INDEX

WIND TUNNEL TESTS CONTD

- Trailing vortex effects on following aircraft
p0174 A74-19778
- Status of testing and modeling techniques for
V/STOL aircraft; Proceedings of the Midwest
Region Symposium, Essington, Pa., October 26-28,
1972
p0205 A74-22451
- A review of aerodynamic and dynamic VSTOL model
testing
p0205 A74-22458
- Assessment of model testing of a tilt-prop-rotor
VTOL aircraft
p0205 A74-22460
- Model tests and analysis of prop-rotor dynamics
for tilt-rotor aircraft
p0205 A74-22461
- Hingeless rotor vibration and loads at high
advance ratio
p0206 A74-22463
- Studies of a large-scale jet-flap rotor in the 40-
by 80-foot wind tunnel
p0206 A74-22464
- Acoustical modeling of the heavy lift helicopter
p0206 A74-22466
- Rotating-blade vortex noise
p0203 A74-22470
- The role of wind tunnel testing in the development
of advanced rotary-wing aircraft
p0207 A74-22472
- Panel discussion on wind tunnel testing --- for
helicopter rotor evaluation
p0207 A74-22474
- Comments for panel discussion on full scale vs
reduced-scale wind tunnel testing of V/STOL
aircraft
p0207 A74-22475
- Comments on significant development areas for
future V/STOL wind tunnel testing
p0207 A74-22476
- Some comments on V/STOL wind tunnel testing in the
transition flight region
p0215 A74-22477
- Some special Navy V/STOL testing problems /as
related to full scale simulation/
p0207 A74-22478
- Comments on a theme - Full-scale versus
small-scale wind tunnel testing of V/STOL
p0207 A74-22480
- Some aerodynamic problems raised by the airship
[ONERA, TP NO. 1312]
p0222 A74-24314
- Wind-tunnel investigations aimed at devising tests
of aircraft spin
p0223 A74-25316
- Measurements of gusts on Concorde --- in wind
tunnels and inflight
p0226 A74-25320
- Calculation, design, and testing of a model of
transonic flutter
p0224 A74-25326
- A wind-tunnel investigation of a B-52 model
flutter suppression system
[AIAA PAPER 74-401]
p0265 A74-26700
- Research instrumentation requirements for
flight/wind-tunnel tests of the YF-12 propulsion
system and related flight experience
p0277 A74-28285
- System for evaluation of F-15 inlet dynamic
distortion
p0277 A74-28287
- Automatic detection and suppression of inlet buzz
p0278 A74-28313
- A Fowler flap system for a high-performance
general aviation airfoil
[SAE PAPER 740365]
p0309 A74-28739
- T-tail aerodynamics of the Super King Air
[SAE PAPER 740370]
p0309 A74-28741
- Continuing the Aerodyne experimental study
p0318 A74-30597
- Light hoverable combat aircraft - Wind tunnel tests
p0319 A74-30600
- On scaling transonic wind tunnel data
p0319 A74-30750
- Ground testing and simulation. I - Key to
efficient development of aerospace systems
p0335 A74-32321
- Ground testing and simulation. II - Aerodynamic
testing and simulation: Saving lives, time, and
money
p0336 A74-32322
- Wind tunnel and flight development of the F-14
subsonic/transonic maneuvering configuration
[AIAA PAPER 74-618]
p0376 A74-35386
- Transonic Aircraft Technology /TACT/ program
[AIAA PAPER 74-620]
p0376 A74-35387
- Test results from the Langley high Reynolds number
cryogenic transonic tunnel
[AIAA PAPER 74-631]
p0376 A74-35395
- Selected results from the YF-16 wind tunnel test
program
[AIAA PAPER 74-619]
p0380 A74-36046
- Laser velocimeter measurements of the helicopter
rotor-induced flow field
[AHS PREPRINT 800]
p0387 A74-36614
- Experimental studies of turbulent aircraft wake
p0392 A74-37257
- Experimental and analytical studies in tilt-rotor
aeroelasticity
p0395 A74-37498
- Multicyclic jet-flap control for alleviation of
helicopter blade stresses and fuselage vibration
p0396 A74-37504
- Jet propulsion for quiet aircraft --- nozzle
configurations
p0396 A74-37536
- Theoretical and experimental study of boundary
layer blowing at the hinge of a lift-augmenting
flap
[ONERA, TP NO. 1367]
p0422 A74-38311
- Comparison of Fokker F28 'Fellowship' wind tunnel
and flight data - A summary
p0430 A74-38796
- Contribution to the study of noise from jet
aircraft during flight
p0437 A74-39983
- Dynamic flow distortion in subsonic air inlets
p0437 A74-39987
- Two-dimensional wind tunnel tests on a
conventional wing section over a wide range of
Reynolds numbers and up to high subsonic
free-stream speeds
[ICAS PAPER 74-04]
p0447 A74-41306
- Review of NASA supercritical airfoils
[ICAS PAPER 74-10]
p0448 A74-41312
- Research on the transonic aerofoil sections at the
National Aerospace Laboratory, Japan
[ICAS PAPER 74-12]
p0448 A74-41314
- Viscous effects in transonic flow past airfoils
[ICAS PAPER 74-19]
p0448 A74-41321
- The deformation of a vortex sheet behind a swept
back wing - Comparison of measurements and
calculations
[ICAS PAPER 74-33]
p0449 A74-41334
- Experimental investigation of wing-tip vortex
abatement
[ICAS PAPER 74-35]
p0450 A74-41336
- Turbulent trailing vortex with central jet or wake
[ICAS PAPER 74-40]
p0450 A74-41341
- The determination of ice deposition on slender
wings An experimental technique and simplified
theory
[ICAS PAPER 74-41]
p0450 A74-41342
- Experimental study of viscous flow on multiple
element airfoils
[ICAS PAPER 74-46]
p0451 A74-41346
- Evaluation of a new jet flap propulsive-lift
system for turbofan-powered STOL transports
[AIAA PAPER 74-993]
p0453 A74-41662
- An experimental investigation of the aerodynamic
characteristics of stepped-wedge airfoils at low
speeds
[AIAA PAPER 74-1015]
p0454 A74-42037
- The quest for high-lift --- airfoil design
[AIAA PAPER 74-1018]
p0454 A74-42039
- A variable drag drogue chute for use as the
aerodynamic decelerator in sailplanes
[AIAA PAPER 74-1046]
p0456 A74-42058
- Unsteady lift and radiated sound from a wake
cutting airfoil
p0477 A74-44405
- The model mounting arrangements in the high speed
wind-tunnel testing
p0478 A74-44635
- Reynolds number effects on boattail drag of
exhaust nozzles from wind tunnel and flight tests
p0481 A74-45379
- University of Toronto Institute for Aerospace
Studies, Quarter Century Symposium, Toronto,
Canada, April 1, 2, 1974, Proceedings

p0483 A74-46236
Study of the polar curve of the G-2 aircraft, and summary of model tests carried out in the T-32 wind tunnel

p0485 A74-46704
Wind tunnel and field investigations of shapes for balloon shelters
[NCAR-TN/EDD-82] p0036 N74-10016

The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation
[NASA-CR-2344] p0036 N74-10019

Transonic aerodynamic characteristics associated with variations in the geometry of the forward portion of irregular planform wings
[NASA-CR-128781] p0038 N74-10028

Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order P-function
[NASA-CR-2340] p0038 N74-10031

Two-dimensional wind tunnel test on a variable-camber airfoil with distributed suction boundary-layer control
[AD-766304] p0038 N74-10033

Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range
[NAL-TR-313] p0045 N74-10322

Calculation of flows around zero thickness wings with evolutive vortex sheets
[NASA-TT-P-15183] p0094 N74-11815

Low speed aerodynamic characteristics of a 17 percent thick airfoil section designed for general aviation applications
[NASA-TN-D-7428] p0094 N74-11821

Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct
[NASA-TN-X-62281] p0095 N74-11826

Advancement of prop rotor technology. Task 2: Wind-tunnel test results
[NASA-CR-114363] p0096 N74-11834

March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1
[NASA-CR-114693] p0141 N74-13722

March 1971 wind tunnel tests of the Dorand DH 2011 jet flap motor, volume 2
[NASA-CR-114694] p0141 N74-13723

V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622 Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1)
[NASA-CR-114603] p0142 N74-13727

Transonic single-mode flutter and buffet of a low aspect ratio wing having a subsonic airfoil shape
[NASA-TN-D-7346] p0153 N74-14631

The effects of hypersonic viscous interaction on static stability of slender bodies in simulated non-equilibrium flows
p0154 N74-14704

An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1
[NRC-13673] p0155 N74-14708

Measurements of the drag of some characteristic aircraft excrescences immersed in turbulent boundary layers
p0156 N74-14714

Problems of estimating the drag of a helicopter --- correlation of flight test data and scale model test data
p0156 N74-14715

Transonic drag due to lift of planar jet-flapped airfoils
p0156 N74-14720

A quick look at the state-of-the-art in flight testing of certain aerodynamic parameters related to wind tunnel testing
[PPA-AU-966] p0158 N74-14740

Measurements of rolling moments acting on the stabilizer of T-tails oscillating in yaw
[NAL-TR-324] p0158 N74-14744

V/STOL tilt rotor aircraft study: Wind tunnel tests of a full scale hingeless prop/rotor designed for the Boeing Model 222 tilt rotor aircraft
[NASA-CR-114664] p0188 N74-15711

C-5A/prbiter wind tunnel testing and analysis: Piggyback ferry

[NASA-CR-134184] p0189 N74-15717
Supersonic and transonic wind tunnel tests on a slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes
[PPA-AU-772] p0231 N74-17704

Supersonic and transonic wind tunnel tests on slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes
[PPA-AU-772-SUPPL] p0231 N74-17705

Wind tunnel investigation of simulated helicopter engine exhaust interacting with windstream
[NASA-TN-X-3016] p0237 N74-17758

An experimental study of the validity of the heat-field concept for sonic-boom alleviation
[NASA-CR-2381] p0245 N74-18648

Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft. Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation
[NASA-CR-2333] p0248 N74-18679

Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft: Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data
[NASA-CR-2334] p0248 N74-18680

STOL tactical aircraft investigation-externally blown flap. Volume 4: Analysis of wind tunnel data
[AD-772774] p0251 N74-18704

Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flat
[NASA-TN-D-7526] p0283 N74-19663

Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot
[NASA-TN-D-7474] p0283 N74-19665

Wind tunnel testing with engine simulation for V/STOL airplanes --- characteristics of wind tunnel apparatus and wind tunnel models for tests of V/STOL aircraft configurations
p0290 N74-20409

Pressure distribution of a twin-engine upper-surface blown jet-flap model --- wind tunnel tests to determine chordwise and spanwise pressure distributions
[NASA-TN-X-71937] p0296 N74-20655

The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines
[NASA-CR-134609] p0296 N74-20661

Jet noise reduction technique for military reconnaissance/surveillance aircraft. Phase 1: Bench/wind tunnel tests
[AD-774748] p0300 N74-20691

Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps --- low turbulence pressure tunnel tests to determine two dimensional lift and pitching moment characteristics
[NASA-TN-X-2623] p0323 N74-21634

Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing
[NASA-TN-D-7470] p0325 N74-21653

Low speed wind tunnel flow field results for JT8D refan engines on the Boeing 727-200
[NASA-CR-134630] p0353 N74-25537

Estimation of longitudinal aerodynamic coefficients and comparison with wind-tunnel values
p0356 N74-25577

Free jet engine testing: Wind tunnel starting
[AD-776318] p0360 N74-25790

Evaluation of a wind tunnel technique to determine aircraft departure characteristics
[AD-776317] p0360 N74-25791

Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests
[NASA-TN-X-71548] p0360 N74-25812

Investigations on rolling damping of slender wings
[NASA-TT-P-15729] p0362 N74-26423

Ejector blown lift/cruise flap wind tunnel investigation
[AD-777181] p0363 N74-26430

- Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport [NASA-TN-X-71960] p0365 N74-26457
- Comparison of Pokker F-28 wind tunnel and flight data, A summary [NLR-TR-73007-U] p0368 N74-26486
- Wind tunnel investigations aimed at devising tests of aircraft spin [NASA-TT-F-15726] p0405 N74-27479
- Effect of canard location and size on canard-wing interference and aerodynamic center shift related to maneuvering aircraft at transonic speeds [NASA-TN-D-7505] p0411 N74-28474
- Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap [NASA-CR-114758] p0412 N74-28479
- Propeller tests in the large sonic wind tunnel of Mondane-Avrieux [NASA-TT-F-15704] p0413 N74-28501
- Exhaust-nozzle characteristics for a twin-jet variable-wing-sweep fighter airplane model at Mach numbers to 2.2 [NASA-TN-X-2947] p0416 N74-28524
- Effect of spanwise blowing on leading-edge vortex bursting of a highly swept aspect ratio 1.18 delta wing [NASA-TN-X-71987] p0441 N74-29367
- Acoustic tests on a fan-in-wing model: Effects of an extended inlet [NRC-13898] p0442 N74-29376
- Theoretical and experimental longitudinal aerodynamic characteristics of an aspect ratio 0.25 sharp-edge delta wing at subsonic, supersonic, and hypersonic speeds [NASA-TN-D-7651] p0463 N74-31414
- Aerodynamic characteristics of three slender sharp-edge 74 degrees swept wings at subsonic, transonic, and supersonic Mach numbers [NASA-TN-D-7631] p0463 N74-31416
- Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing [NASA-TN-X-3070] p0487 N74-33432
- Further analysis of broadband noise measurements for a rotating blade operating with and without its shed wake blown downstream [NASA-TN-D-7623] p0488 N74-33434
- Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators [NASA-TN-D-7670] p0493 N74-34461
- An experimental investigation on the transonic flutter characteristics of the cantilever swept-back wing with airfoil section and comparison with the thin cantilever swept-back wing [NAL-TR-361] p0495 N74-34400
- Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration p0497 N74-34512
- WIND TUNNEL WALLS**
- A criterion for assessing wind-tunnel wall interference at Mach I p0090 A74-15972
- Some tunnel-wall effects on transonic flutter --- from Boeing SST model tests [AIAA PAPER 74-406] p0266 A74-26705
- Analysis of wall modification in a transonic wind tunnel [AD-767629] p0109 N74-12971
- The effect of wind tunnel wall interference on the performance of a fan-in-wing VTOL model [NASA-TN-D-7518] p0254 N74-18895
- Low speed wind tunnel measurements on a two-dimensional flapped wing model using tunnel wall boundary layer control at the wing-wall junctions [NLR-TR-70050-U] p0488 N74-33440
- WIND TUNNELS**
- NT HYPERVELOCITY WIND TUNNELS
- NT LOW SPEED WIND TUNNELS
- NT PLASMA JET WIND TUNNELS
- NT SHOCK TUNNELS
- NT SUBSONIC WIND TUNNELS
- NT SUPERSONIC WIND TUNNELS
- NT TRANSONIC WIND TUNNELS
- Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds [NASA-TN-D-7331] p0036 N74-10015
- Investigation of the effect of grids on the characteristics of a turbulent flow --- for wind tunnel applications [AD-765999] p0046 N74-10328
- Optimization of wave cancellation in variable porosity transonic wind tunnel flows [NASA-TN-D-7432] p0060 N74-11097
- Interest and feasibility study of atmospheric turbulence and thermal gradients simulation --- application to air pollution and meteorology p0064 N74-11380
- AEBC Fiscal Year 1974 Air Force technical objective document --- facility improvements, test techniques, instrumentation, gas properties, and wind tunnel and flight test data comparisons [AD-766719] p0068 N74-11803
- Artificial development of an atmospheric boundary layer flow model in a wind tunnel --- using wind flow modulating devices at wind tunnel entrance p0139 N74-13701
- Ames research facilities summary 1974 --- wind tunnels, shock tubes, ballistic ranges, flight simulators, research aircraft, and computers [NASA-TN-X-69411] p0192 N74-1593
- Acclimatized wind track for measurement of oxygen isotope fractionation in isolated leaves and in leaf models [JUL-949-PC] p0241 N74-17961
- Design and development of the gust wind tunnel at the National Aerospace Laboratory [NAL-TR-335] p0287 N74-19891
- Wind tunnel test of low boom equivalent body at Mach 4 [NASA-TN-X-72013] p0488 N74-33438
- WIND VELOCITY**
- Wind modification over the flight decks of high-speed ships [AIAA PAPER 74-301] p0182 A74-21291
- Gust velocities encountered by a 720-B type airplane and derived by means of a model for continuous turbulence [LBP-FB-105/73] p0097 N74-11840
- WINDING**
- NT FILAMENT WINDING
- WINDMILLING**
- U AUTOROTATION
- WINDOWS (APERTURES)**
- The experimental response of simple structures to simulated sonic booms p0021 A74-11814
- Conference on Transparent Aircraft Enclosures --- development and design concepts for vision areas of crew enclosures [AD-769344] p0190 N74-15727
- Endurance tests on transport aircraft cockpit window glasses --- noting European Airbus p0197 N74-16732
- WINDPOWERED GENERATORS**
- Method of calculation of annual overall efficiency of modern wind-power plants [NASA-TT-F-15310] p0191 N74-15748
- WINDSCREENS**
- U WINDSHIELDS
- WINDSHIELDS**
- Differential method for testing the optical standards of cockpit windshields p0005 A74-10937
- Glass windshields for wide bodied aircraft p0348 A74-34884
- Optical factors in aircraft windshield design as related to pilot visual performance --- effect on pilot vision in forward direction [AD-767203] p0106 N74-12733
- Design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-767242] p0107 N74-12739
- Conference on Transparent Aircraft Enclosures --- development and design concepts for vision areas of crew enclosures [AD-769344] p0190 N74-15727
- Transparent fire resistant polymeric structures [NASA-CASE-ARC-10813-1] p0193 N74-16249
- Effect of adhesive on the impact resistance of laminated plastics for windshield applications

- [AD-769735] p0193 N74-16259
Report on the Conference on Transparent Aircraft
Enclosures
[AD-769372] p0199 N74-16755
Development of design, test, and acceptance
criteria for Army helicopter transparent
enclosures
[AD-772936] p0284 N74-19675
Cobra window design analysis and no glare canopy
design
[AD-778165] p0408 N74-27508
Nonscratching windshield wiper blade
[AD-778759] p0416 N74-28532
Windshield bird strike structure design criteria
[AD-779729] p0442 N74-29393
- WING CAMBER**
Calculation of unsteady transonic aerodynamics for
oscillating wings with thickness (computer
program)
[NASA-CR-132477] p0487 N74-33427
- WING FLAPS**
WT LEADING EDGE SLATS
WT TRAILING-EDGE FLAPS
Flap noise prediction method for a powered lift
system
[AIAA PAPER 73-1028] p0006 A74-11051
Thin-airfoil theory of an ejector-flapped wing
section
[AIAA PAPER 74-187] p0134 A74-18834
Wing profile with rotating flap in shear flow
p0320 A74-31097
Externally blown flap noise research
[SAE PAPER 740468] p0352 A74-35011
A review of some Air Force STOL aircraft
aerodynamic prediction methods
[AIAA PAPER 74-992] p0429 A74-38748
Experimental study of viscous flow on multiple
element airfoils
[ICAS PAPER 74-46] p0451 A74-41346
An improved-performance control system for
low-speed flight
[AIAA PAPER 74-1039] p0455 A74-42052
Influence of flaps and engines on aircraft wake
vortices
p0478 A74-44425
Use of the Magnus effect for large augmentation of
wing lift on modern aircraft during takeoff and
landing
p0485 A74-46715
Conversion factor for profile drag increment for
part-span flaps
[ESDU-FLAPS-02.01.07-AMEND-A] p0035 N74-10002
STOL tactical aircraft investigation, externally
blown flap. Volume 3: Performance methods and
landing rules
[AD-767180] p0146 N74-13755
Externally blown flap noise research
[NASA-TM-X-71541] p0329 N74-22631
- WING FLOW METHOD TESTS**
A contribution to the nonlinear lift and pitching
moment properties of slender wing-body
combinations
p0373 A74-35098
- WING LOADING**
Discretization of a vortex sheet, with an example
of roll-up --- for elliptically loaded wings
p0086 A74-15475
Nonlinear airfoil theory with allowance for ground
effects --- for aerodynamic interference
problems solution
p0121 A74-17270
A method of calculating aircraft wake velocity
profiles and comparison with full-scale
experimental measurements
[AIAA PAPER 74-39] p0132 A74-18747
Aerodynamic problems in the calculation of
helicopter airloads
p0203 A74-22456
Extension of a vortex-lattice method to include
the effects of leading-edge separation
p0204 A74-23332
Lifting surface problems analysis --- by finite
element method
p0223 A74-24473
Methods for analyzing fatigue crack growth rate
behavior associated with flight-by-flight loading
[AIAA PAPER 74-367] p0264 A74-26675
Effect of spanwise load-correlation on rotor blade
flapping
- [AIAA PAPER 74-418] p0267 A74-26714
On calculation of induced drag and conditions
downstream of a lifting wing
p0275 A74-27846
Effects of yaw on a Gothic wing at supersonic speeds
p0342 A74-33733
Bending-torsional flutter of a cantilevered wing
containing a tip mass and subjected to a
transverse follower force
p0398 A74-37648
Nonlinear effects of spectrum loading on fatigue
crack growth in transport wings
[AIAA PAPER 74-984] p0428 A74-38742
Finite element technique in lifting surface problems
p0432 A74-39344
Two-dimensional wind tunnel tests on a
conventional wing section over a wide range of
Reynolds numbers and up to high subsonic
free-stream speeds
[ICAS PAPER 74-04] p0447 A74-41306
Transonic lift augmentation of two-dimensional
supercritical aerofoils by means of aft camber,
slot blowing and jet flaps, in high Reynolds
number flow
[ICAS PAPER 74-11] p0448 A74-41313
Gemini - A variable geometry sailplane
[AIAA PAPER 74-1035] p0455 A74-42049
Flight-by-flight tests with notched specimens
using a wing upper surface load spectrum
[LBP-FB-104/72] p0097 N74-11839
A standardized load sequence for flight simulation
tests on transport aircraft wing structures
[LBP-FB-106/73] p0097 N74-11841
Force measurements on caret and delta wings over
the incidence range 27 deg less than or equal to
alpha less than or equal to 55 deg at M 12.2
[IC-AERO-71-22] p0154 A74-14705
Calculation of the induced velocity field on and
off the wing plane for a swept wing with given
load distribution
[ARC-R/M-3725] p0161 N74-14766
- WING OSCILLATIONS**
The lifting surface theory applied to fixed wings
and propellers
[ONERA, TP NO. 1298] p0005 A74-10999
Dynamic relaxation solution of three dimensional
subsonic compressible oscillatory flow
p0014 A74-11428
Dynamic stability of straight airplane wings
regarded as thin-walled bars
p0072 A74-13362
Wind tunnel dynamic analysis of an oscillating
airfoil
[AIAA PAPER 74-259] p0130 A74-18666
Analysis of three-dimensional unsteady flow around
oscillating wings
[AIAA PAPER 74-184] p0135 A74-18838
On the flow field of a rapidly oscillating airfoil
in a supersonic flow
p0267 A74-26960
A finite difference method for the solution of the
transonic flow around harmonically oscillating
wings
[AIAA PAPER 74-543] p0339 A74-33138
Wind tunnel instrumentation considerations for
buffet predictions
[AIAA PAPER 74-629] p0376 A74-35393
Method of calculating the nonstationary
aerodynamic loads on a thin wing of finite
aspect ratio undergoing elastic harmonic
vibrations in subsonic flow
p0390 A74-36815
Bending-torsional flutter of a cantilevered wing
containing a tip mass and subjected to a
transverse follower force
p0398 A74-37648
Application to the Viggen aircraft configuration
of the polar coordinate method for unsteady
subsonic flow
[ICAS PAPER 74-03] p0447 A74-41305
The technological prospects for oscillating-wing
propulsion of ultralight gliders
[AIAA PAPER 74-1028] p0455 A74-42044
Calculation of wing flutter with allowance for the
kinematic constraint between the bending strains
in the wing and the aileron deflection
p0481 A74-45472
Calculation of wing flutter with allowance for the
kinematic constraint between the total strain

SUBJECT INDEX

WING PLANFORMS

- and aileron deflection p0482 A74-45473
- Structure of solutions to basic bending and vibration problems for plates of complex shape p0482 A74-45592
- Determination of the critical speed for the flexural-torsional flutter of an airplane wing by a numerical method p0483 A74-46591
- Calculation of instationary pressure distributions and generalized aerodynamic forces with the doublet-lattice method --- on thin wings oscillating harmonically in subsonic flow [NLR-TR-72037-U] p0054 N74-10906
- On the prediction of aerodynamic loads on oscillating wings in transonic flow [AGARD-R-612] p0246 N74-18653
- A technique for measuring oscillatory aerodynamic control surface hinge moments from forced response characteristics [ABC-CP-1253] p0247 N74-18663
- Shear and moment response of the airplane wing to nonstationary turbulence p0364 N74-26440
- WING PANELS**
- Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue p0072 A74-13365
- Control of laminar flow past a wing in free flight p0086 A74-15567
- The behavior of a wing panel in a stream of gas under transient conditions p0088 A74-15757
- Advanced Metallic Air Vehicle Structure Program [AIAA PAPER 74-336] p0262 A74-26651
- Air Superiority Fighter wing structure design for improved cost, weight and integrity [AIAA PAPER 74-337] p0262 A74-26652
- Air Superiority Fighter wing design for cost and weight reduction [AIAA PAPER 74-338] p0263 A74-26653
- Evaluation of damage tolerance in aircraft structures [AIAA PAPER 74-347] p0263 A74-26661
- Material selection and evaluation for advanced metallic aircraft structures [AIAA PAPER 74-373] p0265 A74-26680
- Material thickness control through process refinement [AIAA PAPER 74-375] p0265 A74-26682
- Buckling and failure of flat stiffened panels [AIAA PAPER 74-409] p0266 A74-26708
- An experimental study of box beam wing structures subjected to torsion p0378 A74-35719
- The interaction of local and overall buckling of thin-walled structures [ICAS PAPER 74-07] p0448 A74-41309
- Numerical computations of wake vortices behind lifting surfaces [ICAS PAPER 74-28] p0449 A74-41330
- Constrained torsion of closed thin-walled structures --- in wings p0485 A74-46722
- WING PLANFORMS**
- NT ARROW WINGS**
- NT DELTA WINGS**
- NT INFINITE SPAN WINGS**
- NT SWEEPBACK WINGS**
- NT TRAPEZOIDAL WINGS**
- NT VARIABLE SWEEP WINGS**
- A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body p0129 A74-18632
- Preliminary wind tunnel noise measurements of a semi-span wing with an upper-surface blown-flap [AIAA PAPER 74-191] p0134 A74-18832
- The problem of supersonic flow past intersecting wings p0307 A74-28644
- Effects of yaw on a Gothic wing at supersonic speeds p0342 A74-33733
- Axial flow measurements in trailing vortices p0425 A74-38626
- On the calculation of non-linear aerodynamic characteristics and the near vortex wake [ICAS PAPER 74-27] p0449 A74-41329
- An experimental investigation of the aerodynamic characteristics of stepped-wedge airfoils at low speeds [AIAA PAPER 74-1015] p0454 A74-42037
- Presentation and aerodynamic characteristics of aircraft models derived from an optimal disposition of rectangular biplane wings according to studies of Toussaint, Nenadovic, and Denis p0484 A74-46675
- Computation of vortex models for wings at high angle of attack in incompressible flow [PPA-AU-653] p0036 N74-10013
- An investigation of a nonplanar vortex lattice method for wing calculations [CRANFIELD-AERO-17] p0037 N74-10023
- Transonic aerodynamic characteristics associated with variations in the geometry of the forward portion of irregular planform wings [NASA-CR-128781] p0038 N74-10028
- Calculation of flows around zero thickness wings with evolutive vortex sheets [NASA-TT-P-15183] p0094 N74-11815
- Canard-wing lift interference related to maneuvering aircraft at subsonic speeds [NASA-TM-X-2897] p0094 N74-11819
- Hypersonic aerodynamic characteristics of a family of power-law, wing body configurations [NASA-TN-D-7427] p0102 N74-12705
- Transonic single-mode flutter and buffet of a low aspect ratio wing having a subsonic airfoil shape [NASA-TN-D-7346] p0153 N74-14631
- New investigations for reducing the base drag of wings with a blunt trailing edge --- effects of splitter plates and splitter wedges on aerodynamic drag coefficients p0157 N74-14723
- Plotting program for aerodynamic lifting surface theory --- user manual for FORTRAN computer program [NASA-TM-X-62321] p0158 N74-14739
- Measurements of rolling moments acting on the stabilizer of T-tails oscillating in yaw [NAL-TR-324] p0158 N74-14744
- A linearized theory for the unsteady motions of a wing in curved flight [AD-769671] p0187 N74-15705
- The minimum induced drag of the hemi-elliptic ground effect wing --- numerical analysis of aerodynamic drag characteristics p0231 N74-17700
- Normal loads program for aerodynamic lifting surface theory --- evaluation of spanwise and chordwise loading distributions [NASA-TM-X-62326] p0231 N74-17702
- FORTRAN programs for the determination of generalized air forces on interfering lifting surfaces oscillating in subsonic flow [ARL/SM-REPT-345] p0246 N74-18655
- A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges [AD-772952] p0251 N74-18701
- A lifting line analysis of nonplanar wings --- numerical relationship of spanwise circulation distribution to induced velocity at specific spanwise station p0281 N74-19639
- An experimental investigation of leading-edge vortex augmentation by blowing [NASA-CR-132415] p0281 N74-19643
- Aerodynamics of channel and ring wings --- development of deflected streamtube theory and lifting arc theory for channel wings p0295 N74-20648
- Addition of an arbitrary body analysis capability to the Boeing TEA 236 finite element computer program [AD-774430] p0301 N74-20694
- Process and device for adaptation of sharp leading edge airfoils to any speed, subsonic or supersonic [NASA-TT-P-15569] p0323 N74-21631
- An analytical investigation of wing-jet interaction [NASA-CR-138140] p0323 N74-21633
- A method for avoiding insect roughness on aircraft --- installation of highly elastic rubber coverings on leading edges [NASA-TT-P-15454] p0324 N74-21646

- Oblique wing remotely piloted research aircraft.
Volume 1: Development
[NASA-CR-114723] p0326 N74-21659
- Appraisal of wing aerodynamic design methods for
subsonic flight speed p0365 N74-26451
- Motion of vehicle with lifting airfoils over
rippled water surface p0405 N74-27478
[JPBS-62337]
- Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0405 N74-27485
- Effect of ground proximity on the longitudinal
aerodynamic characteristics of an aspect-ratio-1
wing with and without wing-tip blowing p0412 N74-28475
[NASA-TN-X-3048]
- Investigation of the static lift capability of a
low-aspect-ratio wing operating in a powered
ground-effect mode p0412 N74-28483
[NASA-TN-X-3031]
- Preliminary performance estimates of an oblique,
all-wing, remotely piloted vehicle for
air-to-air combat p0413 N74-28507
[NASA-TN-D-7731]
- Three computer programmes to calculate the steady
or unsteady subsonic characteristics of lifting
surfaces in ground effect p0441 N74-29368
[ATN-7401]
- Subsonic annular wing theory with application to
flow about nacelles p0470 N74-32414
[NASA-TN-D-7630]
- Apparatus for span loading to alleviate
wake-vortex hazard behind aircraft p0471 N74-32428
[NASA-CASE-ARC-10801-1]
- Adaptation of drag-rise charts in T. D. memor.
71019 to the mid-semi-span portion of swept and
tapered planforms p0492 N74-34447
[ESDU-72027]
- Advanced metallic structures: Cargo wing design
for improved cost, weight, and integrity p0497 N74-34523
[AD-782258]
- WING PROFILES**
- NT WING SPAN**
- Minimum induced drag of a hemi-circular ground
effect wing p0090 A74-15966
- Relaxation methods for transonic flow about
wing-cylinder combinations and lifting swept wings p0118 A74-16951
- Transonic transport wings - Oblique or swept p0119 A74-17048
- Calculation of the aerodynamic characteristics of
a wing system moving at subsonic speed near land
or smooth water surface p0131 A74-18661
- Numerical solution of the problem of supersonic
gas flow over the upper surface of a delta wing
in the expansion region p0186 A74-22283
- STOL aircraft with blown wings p0209 A74-22785
- Effect of transient phenomena on the responses of
aircraft to gusts and comparison between
calculations and experiments p0223 A74-25308
- Example of aerodynamic instability under
supercritical conditions about profiles p0223 A74-25319
- Experimental and theoretical study of the
transonic flow past a half-wing p0224 A74-25321
- Hypersonic flow past a lifting wing p0312 A74-29437
- Wing design in the case of the VFW 614 transport
aircraft p0313 A74-29806
- Wing profile with rotating flap in shear flow p0320 A74-31097
- Some experimental results of the effect of a
streamwise vortex on a two-dimensional wing p0321 A74-31247
- Far-field wake-vortex characteristics of wings
[AIAA PAPER 74-505] p0339 A74-33104
- Geometry considerations for jet noise shielding
with CTOL engine-over-the-wing concept p0344 A74-34798
[AIAA PAPER 74-568]
- Flight test results for an advanced technology
light airplane wing p0345 A74-34801
[SAE PAPER 740368]
- Contribution to the theory of the sonic flow past
a profile p0389 A74-36630
- Calculation of the surface of a minimum-drag wing
with a shock-free leading edge p0390 A74-36818
- Calculation of transonic gas flows past
axisymmetric bodies and lifting wing profiles p0390 A74-36826
- Aerodynamic analysis of different flight attitudes
of conventional aircraft. II - Aerodynamic
principles /Aerodynamics of the wing: Forces and
moments of force of the air in the case of
rectilinear flight at low Mach numbers/ p0423 A74-38498
- Laminar stall prediction and estimation of the
maximum lift coefficient p0477 A74-44418
- Three dimensional flows around airfoils with shocks p0390 A74-45226
- Experimental study of a wing profile with Fowler
flaps and slats --- development of theory for
flow conditions during takeoff and landing p0235 N74-17747
[NASA-TT-P-15370]
- Calculation of unsteady transonic aerodynamics for
oscillating wings with thickness (computer
program) p0487 N74-33427
[NASA-CR-132477]
- Low speed wind tunnel measurements on a
two-dimensional flapped wing model using tunnel
wall boundary layer control at the wing-wall
junctions p0488 N74-33440
[NLR-TR-70050-U]
- WING ROOTS**
- Minimum induced drag of wings with given lift and
root-bending moment p0259 A74-25747
- Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 4: Baseline damage
tolerance evaluation p0490 A74-33464
[AD-781809]
- WING SLATS**
- U LEADING EDGE SLATS**
- WING SLOTS**
- Cold-air study of the effect on turbine stator
blade aerodynamic performance of coolant
ejection from various trailing-edge slot
geometries. 1: Experimental results p0231 N74-17699
[NASA-TN-X-3000]
- Wind tunnel tests of a full-scale model of a light
twin-engine airplane with fixed auxiliary
airfoil or leading-edge slot p0283 N74-19665
[NASA-TN-D-7474]
- Analytical studies of two-element airfoil systems
[AD-775538] p0324 N74-21645
- WING SPAN**
- Calculation method for the supersonic spanwise
twisted rectangular wings p0088 A74-15820
- Minimum induced drag of a hemi-circular ground
effect wing p0090 A74-15966
- Effect of spanwise load-correlation on rotor blade
flapping p0267 A74-26714
[AIAA PAPER 74-418]
- Minimum induced drag of semi-elliptic ground
effect wing p0335 A74-32297
- Flight testing the Fokker P28 with advanced wing
[AIAA PAPER 74-944] p0426 A74-38717
- A lifting line analysis of nonplanar wings ---
numerical relationship of spanwise circulation
distribution to induced velocity at specific
spanwise station p0281 N74-19639
- WING TANKS**
- Lockheed S-3A Viking - Fuel system excludes
management and control manipulation p0213 A74-23840
- Influence of sloshing in wing tip tanks on the
vibration natural modes of an aircraft p0408 A74-41317
[ICAS PAPER 74-15]
- Development of BDT/I for integral wing fuel tank
structures using infrared thermography p0288 N74-20060
[AD-773466]
- WING TIPS**
- Lift-induced wing-tip vortex attenuation
[AIAA PAPER 74-38] p0135 A74-18852

SUBJECT INDEX

X-22 AIRCRAFT

- Minimum induced drag of non-planar ground effect wings with small tip clearance p0279 A74-28421
- Influence of sloshing in wing tip tanks on the vibration natural modes of an aircraft [ICAS PAPER 74-15] p0448 A74-41317
- Experimental investigation of wing-tip vortex abatement [ICAS PAPER 74-35] p0450 A74-41336
- On lifting wings with parabolic tips p0478 A74-44930
- Wingtip vortex dissipator for aircraft [NASA-CASE-LAB-11645-1] p0365 N74-26456
- WINGED VEHICLES**
- Hybrid heavy-lift vehicle under study --- airship-lifting body-conventional wing combination p0421 A74-38140
- Model support roll balance and roll coupling --- design of wind tunnel model support mechanism p0066 N74-11681
- WINGS**
- NT ARROW WINGS
- NT CAMBERED WINGS
- NT CARET WINGS
- NT DELTA WINGS
- NT FIXED WINGS
- NT FLEXIBLE WINGS
- NT INFINITE SPAN WINGS
- NT LIFTING ROTORS
- NT LOW ASPECT RATIO WINGS
- NT OBLIQUE WINGS
- NT PARAWINGS
- NT RECTANGULAR WINGS
- NT RIGID ROTORS
- NT RING WINGS
- NT ROTARY WINGS
- NT SLENDER WINGS
- NT SUPERCRITICAL WINGS
- NT SWEEP WINGS
- NT SWEEPBACK WINGS
- NT THIN WINGS
- NT TILTING ROTORS
- NT TRAPEZOIDAL WINGS
- NT TWISTED WINGS
- NT UNCAMBERED WINGS
- NT VARIABLE SWEEP WINGS
- Wing shear material --- structural weight formulas p0008 A74-11175
- Man-powered flight - The oscillating wing machine p0077 A74-14262
- Design and fabrication of a mixed composite wing box p0083 A74-14749
- Laminated metallic structure - An approach to fracture control p0083 A74-14754
- Note on the aerodynamic theory of oscillating T-tails. I - Theory of wings oscillating in yaw and sideslip p0088 A74-15747
- The jet-flapped wing in ground proximity with special allowance for large angle of attack and large jet flap angle p0121 A74-17221
- Application of damage tolerance technology to advanced metallic fighter wing structure [AIAA PAPER 74-29] p0132 A74-18738
- Investigations concerning wing-fuselage interference in the case of subsonic velocity p0136 A74-18897
- An approximate method for the calculation of the pressure distribution on a wing-cone configuration p0175 A74-20046
- Advanced structural concepts for transport aircraft wings [AIAA PAPER 74-739] p0263 A74-26654
- New alloys for advanced metallic fighter-wing structures [AIAA PAPER 74-372] p0265 A74-26679
- Adhesive bonding increases fatigue life of wing joint [AIAA PAPER 74-382] p0265 A74-26687
- A comparison of two types of structural optimization procedures for satisfying flutter requirements [AIAA PAPER 74-405] p0266 A74-26704
- Analysis and experimental studies of the control of hang gliders [AIAA PAPER 74-1030] p0455 A74-42045
- Iterative solution of transonic flows over airfoils and wings, including flows at Mach 1 p0459 A74-43451
- An experimental investigation of a high lift device on the owl wing [AD-769492] p0188 N74-15707
- Design and fabrication of a boron/aluminum composite wing box test specimen [AD-770203] p0197 N74-16741
- An alternative formulation of the lifting line wing equation and its solution [AD-771981] p0232 N74-17719
- Design and fabrication of an augmentor wing model for acoustic tests [NASA-CR-134518] p0241 N74-17960
- Active flutter suppression on wings with external stores p0354 N74-25555
- A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft p0367 N74-26476
- Effect of cut-out on lift-curve slope --- on wings and tailplanes [ESDU-WINGS-01.01.04-AMEND-A] p0487 N74-33425
- An analytical investigation of wing-jet interaction [NASA-CR-138140] p0488 N74-33436
- Advanced metallic structure: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Materials test program [AD-781812] p0490 N74-33460
- WIRE**
- Endurance test on flexible steel wire rope for aircraft controls at various pulley rope diameter ratios [AQD/D-14] p0416 N74-28528
- WOODEN STRUCTURES**
- Biodegradation of materials used in the construction of utilitarian aircraft p0219 A74-22522
- WORK CAPACITY**
- Piloting techniques and flying qualities of the next generation of aircraft p0212 A74-23595
- Pilot workload-efficiency of military aircraft systems with one or two man crew p0320 A74-30820
- WORK HARDENING**
- NT STRAIN HARDENING
- Potential use of work hardening aluminum alloy X5090 sheet in civil aircraft [SAE PAPER 740398] p0310 A74-28757
- W2F AIRCRAFT**
- U E-2 AIRCRAFT
- X**
- X BAND**
- U SUPERHIGH FREQUENCIES
- X RAY ANALYSIS**
- Development of self-contained portable unit for nondestructive compositional analysis of aircraft and space systems alloys --- X ray fluorescence analysis [AD-767226] p0110 N74-13265
- X RAY FLUORESCENCE**
- Development of self-contained portable unit for nondestructive compositional analysis of aircraft and space systems alloys --- X ray fluorescence analysis [AD-767226] p0110 N74-13265
- X RAY SPECTROGRAPHY**
- U X RAY SPECTROSCOPY
- X RAY SPECTROMETRY**
- U X RAY SPECTROSCOPY
- X RAY SPECTROSCOPY**
- Development of self-contained portable unit for nondestructive compositional analysis of aircraft and space systems alloys --- X ray fluorescence analysis [AD-767226] p0110 N74-13265
- X-14 AIRCRAFT**
- Study of dynamics of X-14B VTOL aircraft [NASA-CR-138185] p0326 N74-21661
- X-22 AIRCRAFT**
- X-22A fixed-base ground simulator facility [AD-769942] p0200 N74-16997
- Flight investigation of lateral-directional flying qualities and control power requirements for

STOL landing approach using the X-22A aircraft.
Volume 1: Technical results
[AD-774728] p0299 N74-20678
Flight investigation of lateral-directional flying
qualities and control power requirements for
STOL landing approach using the X-22A aircraft.
Volume 2: background information
[AD-774729] p0299 N74-20679
A fixed-base ground simulator study of control and
display requirements for VTOL instrument
landings with a decelerating approach to a hover
[AD-774750] p0299 N74-20680
A review of the X-22A variable stability aircraft
and research facility
[AD-774142] p0300 N74-20688
Application of a Kalman filter identification
technique to flight data from the X-22A variable
stability V/STOL aircraft p0356 N74-25578

XC-142 AIRCRAFT

The lateral/directional stability characteristics
of a four-propeller tilt-wing V/STOL model in
low-speed steep descent
[NASA-TN-X-70242] p0472 N74-32439
IJ-79-GE-1 ENGINE
U J-79 ENGINE
IV-64 AIRCRAFT
U 1127 AIRCRAFT

Y

YARNS
New application potential for lower cost, heavy
denier Kevlar-49 yarns p0379 A74-35837
YAW
Investigations concerning yawed caret wings in the
hypersonic domain p0072 A74-13548
Note on the aerodynamic theory of oscillating
T-tails. I - Theory of wings oscillating in yaw
and sideslip p0088 A74-15747
Effects of yaw on a Gothic wing at supersonic speeds
p0342 A74-33733
Measurement of dynamic cross-derivatives due to
pitching and yawing
[AIAA PAPER 74-611] p0380 A74-36044
A study of the Concorde air intake in yaw
[ICAS PAPER 74-50] p0451 A74-41350
Effect of yaw damper on lateral gust loads in
design of the L-1011 transport p0353 N74-25551

YAWING MOMENTS

Aerodynamic forces and moments on a slender body
with a jet plume for angles of attack up to 180
degrees
[AIAA PAPER 74-110] p0133 A74-18776

YAWMETERS

U ATTITUDE INDICATORS

U YAW

YC-14 AIRCRAFT

Upper Surface Blowing technology as applied to the
YC-14 airplane
[SAE PAPER 730916] p0017 A74-11578
Boeing freezes ABST prototype design --- Advanced
Medium Stot Transport p0224 A74-24132
YC-14 engine installation features
[AIAA PAPER 74-972] p0428 A74-38737

YF-12 AIRCRAFT

Preliminary results of flight tests of the
propulsion system of the YF-12 airplane at Mach
numbers to 3.0
[AIAA PAPER 73-1314] p0033 A74-12951
Some stability and control aspects of
airframe/propulsion system interactions on the
YF-12 airplane
[ASME PAPER 73-WA/AERO-4] p0071 A74-13246
Research instrumentation requirements for
flight/wind-tunnel tests of the YF-12 propulsion
system and related flight experience p0277 A74-28285
Wind tunnel and flight performance of the YF-12
inlet system p0376 A74-35388
[AIAA PAPER 74-621]
Determination of propulsion-system-induced forces
and moments of a Mach 3 cruise aircraft
p0357 N74-25591

YF-16 AIRCRAFT

Influence of prototype concept and cost ceilings
on airframe design and manufacture of the YF-16
lightweight fighter
[SAE PAPER 730888] p0019 A74-11600
YF-16 stresses advanced technology --- design of
lightweight fighter p0118 A74-16793
General Dynamics lightweight fighter --- F-16
aircraft development and production p0183 A74-21320
Selected results from the YF-16 wind tunnel test
program p0380 A74-36046
[AIAA PAPER 74-619]
Design for departure prevention in the YF-16 ---
control stability assurance p0400 A74-37814
[AIAA PAPER 74-794]
Aerodynamic design evolution of the YF-16
[AIAA PAPER 74-935] p0479 A74-45100
Preliminary design aspects of design-to-cost for
the YF-16 prototype fighter p0465 N74-31460

YH-1 HELICOPTER

U OH-1 HELICOPTER

YIELD STRENGTH

Photoelastic analysis of the stress field
surrounding a fatigue crack p0169 A74-19259
A mathematical theory of plasticity for strain
hardening materials exhibiting initial anisotropy
[NLR-TR-72117-U] p0067 N74-11719

YJ-79 ENGINE

U J-79 ENGINE

YJ-85 ENGINE

U J-85 ENGINE

YJ-93 ENGINE

U J-93 ENGINE

YJ-93-GE-3 ENGINE

U J-93 ENGINE

YT-2 AIRCRAFT

U T-2 AIRCRAFT

YTTRIUM ALLOYS

Magnesium-yttrium alloys, scale-up and evaluation
[AD-771039] p0242 N74-18183

YUH-1 HELICOPTER

U OH-1 HELICOPTER

Z

ZERO ANGLE OF ATTACK


Transonic flow around symmetric aerofoils at zero
incidence p0204 A74-23331

PERSONAL AUTHOR INDEX

AERONAUTICAL ENGINEERING / A Special Bibliography
1974 Cumulative Index

JANUARY 1975

Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title, e.g., p0411 N74-28471. Under any one author's name the accession numbers are arranged in sequence with the /AA accession numbers appearing first.

A

- AALSTENBERG, R.**
STOL tactical aircraft investigation. Volume 5:
Flight control technology
[AD-767364] p0143 N74-13735
- ABBOTT, R.**
The stress-endurance fatigue severity index
concept - A method of SN data development for
aluminum aircraft structures
[SAE PAPER 740386] p0310 A74-28750
- ABEL, I.**
A transonic study of active flutter suppression
based on an aerodynamic energy concept
[AIAA PAPER 74-403] p0266 A74-26702
Status of two studies on active control of
aeroelastic response at NASA Langley Research
Center p0354 N74-25553
- ABLE, M.**
Study of Moire measuring techniques for wind
tunnel model deformation
[AD-766892] p0063 N74-11298
- ABERNETHY, R. B.**
Uncertainty in gas turbine measurements
[AIAA PAPER 73-1230] p0009 A74-11255
- ABILDSKOV, D.**
UH-1D filament-wound tubular-reinforced rotor blade
[AD-772947] p0253 N74-18713
- ABRAHAM, C.**
New frontiers of civil aeronautics p0229 A74-25352
- ABRAMS, C. R.**
A new concept for angular rate flight control
sensors
[AIAA PAPER 74-868] p0401 A74-37855
- ABRAMS, R.**
Longitudinal stability for supersonic transport
aircraft p0172 A74-19490
- ACUEIO, J.**
Basic research requirements for V/STOL propulsion
and drive-train components p0290 N74-20412
- ADANCZYK, J. J.**
Unsteady fluid dynamic response of an axial-flow
compressor stage with distorted inflow
[AD-766084] p0051 N74-10736
- ADANCZYK, J. L.**
The passage of an infinite swept airfoil through
an oblique gust
[NASA-CR-2395] p0363 N74-26425

- ADAMS, C. W.**
Design-to-cost for the A-10 close air support
aircraft
[AIAA PAPER 74-963] p0427 A74-38728
- ADAMS, D. F.**
High-performance composite materials for vehicle
construction: An elastoplastic analysis of
crack propagation in a unidirectional composite
[AD-769867] p0201 N74-17626
- ADAMS, D. O.**
Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter p0395 A74-37503
The evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter
[AD-771962] p0238 N74-17773
Qualification test methods for helicopter cargo
handling systems
[AD-776991] p0358 N74-25599
Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter p0497 N74-34511
- ADAMS, J. C., JR.**
The calculation of subsonic and transonic
turbulent boundary layers on an infinite yawed
airfoil
[AIAA PAPER 74-557] p0344 A74-34320
- ADAMS, R. R.**
Measured and calculated neutron spectra and dose
equivalent rates at high altitudes; relevance to
SST operations and space research
[NASA-TN-D-7715] p0500 N74-35219
- ADCOCK, J. B.**
Test results from the Langley high Reynolds number
cryogenic transonic tunnel
[AIAA PAPER 74-631] p0376 A74-35395
- ADDUCI, A. J.**
Advanced aircraft oxygen systems p0212 A74-23544
- AGNIHOTRI, R. K.**
Study of the effect of dilution on the lubricity
of hydrotreated jet engine fuels p0336 A74-32600
- AGNONE, A.**
The jet engine design that can drastically reduce
oxides of nitrogen
[AIAA PAPER 74-160] p0133 A74-18797
- AHE, M.**
The model mounting arrangements in the high speed
wind-tunnel testing p0478 A74-44635
- AHLVIN, R. G.**
Structural analysis of flexible airfield pavements
p0392 A74-37343
- AHMED, S. R.**
Investigations concerning wing-fuselage
interference in the case of subsonic velocity
p0136 A74-18897
- AHRENSDORF, K.**
Fatigue design practice p0282 N74-19654
- AHUJA, K. K.**
An experimental study of subsonic jet noise and
comparison with theory p0002 A74-10271
- AIBA, S.**
The effect of gyroscopic moment and distributed
mass on the vibration of a rotating shaft with a
rotor p0082 A74-14621
- AIKEN, E. W.**
A fixed-base ground simulator study of control and

- display requirements for VTOL instrument landings with a decelerating approach to a hover
[AD-774750] p0299 N74-20680
- AIKEN, T. H.**
Evaluation of a new jet flap propulsive-lift system for turbofan-powered STOL transports
[AIAA PAPER 74-993] p0453 A74-41662
Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct
[NASA-TM-X-62281] p0095 N74-11826
Aerodynamic and noise measurements on a quasi-two dimensional augmentor wing model with lobe-type nozzles
[NASA-TM-X-62237] p0140 N74-13719
- AIKEN, W. S., JR.**
Technical evaluation report on AGARD Flight Mechanics Panel Symposium on Flight in Turbulence [AGARD-AR-67] p0294 N74-20639
- AKERS, J. F.**
Field evaluation of ARTS 2 B (TRACAB) [AD-768203] p0151 N74-14360
- AKHAND, S. A.**
Air traffic control scheme through simulation p0179 A74-20663
- AKIMOV, V. M.**
The economic efficiency of raising the flying life and reliability of gas-turbine engines
[AD-767027] p0065 N74-11601
- AKSENOV, A. P.**
Study of elastoplastic deformation with friction in hydrocarbon media
[AD-765997] p0049 N74-10717
Civil aviation in the USSR (the fiftieth anniversary of its formation)
[NASA-TT-F-806] p0283 N74-19666
- AKSENOV, I. Y.**
Science and transport
[JPRS-61482] p0257 N74-19623
- ALAG, G.**
Digital adaptive model following control p0183 A74-21338
- ALAG, G. S.**
Digital adaptive model following flight control
[AIAA PAPER 74-886] p0402 A74-37868
- ALBAN, M.**
Trends in hydraulic systems of commercial transport aircraft p0171 A74-19471
- ALBARES, D. J.**
Fiber and integrated optic communication technology
[AD-771402] p0240 N74-17902
- ALBERS, J. A.**
Calculation procedures for potential and viscous flow solutions for engine inlets
[ASME PAPER 74-GT-3] p0271 A74-27411
Comparison of predicted and measured low-speed performance of two 51 centimeter-diameter inlets at incidence angle
[NASA-TM-X-2937] p0037 N74-10026
Effect of subsonic inlet lip geometry on predicted surface and flow Mach number distributions
[NASA-TN-D-7446] p0093 N74-11812
- ALBRECHT, C. O.**
Factors in the design and fabrication of powered dynamically similar V/STOL wind tunnel models p0205 A74-22459
- ALBURGER, J. R.**
Signal-to-noise ratio in the inspection penetrant process p0459 A74-43457
- ALDERSON, R. G.**
The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft
[ASME PAPER 74-GT-52] p0272 A74-27445
- ALEKSANDROV, A. IA.**
Optimal parameters of three-layer plates and shells with a honeycomb filler under combined heating and compression p0482 A74-45615
- ALEKSANDROV, E. N.**
Problems of aircraft takeoff from precipitation-covered runways p0484 A74-46689
- ALEKSANDROV, G. V.**
Calculation of the static stability of aircraft at large angles of attack p0383 A74-36454
- ALEKSANDROV, V. G.**
Manual of the aviation engineer p0403 A74-37999
Reference manual on aviation materials
[AD-783739] p0498 N74-34534
- ALEKSEEV, V. N.**
Some results of an optical study of supersonic spatial flows p0223 A74-24396
- ALEKSEEVA, E. V.**
A two-component statistical model for processing data from a rarefied-gas experiment p0204 A74-23572
- ALEKSEEVA, M. P.**
Adsorption resins in jet fuels p0221 A74-23517
- ALEXANDER, H. R.**
Aeroelastic-stability characteristics of a V/STOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test
[AHS PREPRINT 835] p0385 A74-36590
V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622 Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1)
[NASA-CR-114603] p0142 N74-13727
V/STOL tilt rotor aircraft study: Wind tunnel tests of a full scale hingeless prop/rotor designed for the Boeing Model 222 tilt rotor aircraft
[NASA-CR-114634] p0188 N74-15711
- ALEXANDER, J. H.**
Research and design of a seventy-six (76) foot span aircraft maintenance hanger with quarter shell endwalls
[AD-770299] p0200 N74-17001
- ALEXANDER, T.**
A new outbreak of Zeppelin fever p0031 A74-12911
- ALEXANDER, W. T., JR.**
Helicopter gust response characteristics including unsteady aerodynamic stall effects p0394 A74-37490
- ALFARO-BOU, E.**
NASA, Langley Impact Dynamics Facility
[SAE PAPER 740374] p0309 A74-28743
- ALGAZIN, V. A.**
Random movement of a wing of finite span in an incompressible liquid p0312 A74-29497
- ALHERITIÈRE, E.**
Development of cold headable titanium alloys for the 'Concorde' supersonic jet p0117 A74-16554
- ALIKHASHKIN, IA. I.**
Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells p0088 A74-15784
- ALLEGRE, J.**
Drag of lifting bodies for pilots at high altitude p0157 N74-14731
- ALLEN, G. M.**
Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters
[AD-773025] p0252 N74-18708
- ALLEN, H. J.**
The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation
[NASA-CR-2344] p0036 N74-10019
- ALLEN, L. H.**
Aircraft life cycle profitability - The operator's challenge
[AIAA PAPER 74-281] p0180 A74-20837
- ALLEN, R.**
Dynamic Manchester air transport region p0089 A74-15863
- ALLEN, W.**
Noise - The social impact p0080 A74-14514
- ALLISON, P. R.**
Overall safety objectives for integrated propulsion system p0457 A74-43204
- ALLISON, R. L.**
Applicability of NASA (AEC) two-segment approach procedures to Boeing Aircraft

- [NASA-CR-114678] p0235 N74-17749
- ALSWORTH, C. C.
Study of small turbofan engines applicable to
general-aviation aircraft
[NASA-CR-114630] p0049 N74-10725
- ALTERMAN, Z.
Waves in an elastic medium generated by a point
source moving in an overlying fluid medium
p0085 A74-14928
- ALTMAN, H. G.
STOL tactical aircraft investigation. Volume 2:
Design compendium
[AD-767561] p0143 N74-13733
- ALVAREZ, M. C.
Economics of air transport
[NASA-TT-F-15249] p0154 N74-14682
- ALVERMANN, W.
Propulsion system installations
p0127 A74-18179
- ALWANG, J. R.
Heavy-lift helicopter engine control system
[AHS PREPRINT 870] p0386 A74-36605
- AMATT, W.
Summary of propeller design procedures and data.
Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
- AMBERG, R. L.
Improvements in airplane stopping performance on
adverse runways
[AIAA PAPER 74-965] p0427 A74-38730
- Brake control system modification, augmentor wing
Jet STOL Research Airplane (AWJSRA)
[NASA-CR-137530] p0441 N74-29374
- AMER, K. B.
Vertical-plane pendulum absorbers for minimizing
helicopter vibratory loads
p0395 A74-37502
- AMET, R. K.
Isolated airfoil - TIP vortex interaction noise
[AIAA PAPER 74-194] p0134 A74-18831
- Compressibility effects in unsteady thin-airfoil
theory
p0177 A74-20298
- AMLIE, T. S.
A synchronized discrete-address beacon system
[FAA-EN-74-3] p0049 N74-10622
- AMOR, C. B.
An investigation of impulsive rotor noise using a
model rotor
p0206 A74-22467
- ANCONA, C.
A commutation on antenna systems covering standard
aircraft and balloons
p0469 N74-31685
- ANDERS, B.
Noise reducing methods for STOL aircraft approach
and takeoff
[NASA-TT-F-15612] p0413 N74-28500
- ANDERS, S.
A computer program for the prediction of
aerodynamic characteristics of wing-body-tail
combinations at subsonic and supersonic speeds,
part 2
[PFA-AU-635-PT-2] p0294 N74-20636
- ANDERSON, B. H.
Aircraft antisid analysis verification and
refinement
[AD-770300] p0198 N74-16749
- ANDERSON, G. H.
Optimal trajectories of high thrust aircraft
p0374 A74-35234
- ANDERSON, G. W.
An experimental investigation of a high lift
device on the owl wing
[AD-769492] p0188 N74-15707
- ANDERSON, J. L.
A parametric analysis of transport aircraft system
weights and costs
[SAE PAPER 1024] p0436 A74-39891
- ANDERSON, L. C.
Emergency air start system for the F-14B flight
test aircraft
[AIAA PAPER 73-1252] p0010 A74-11273
- ANDERSON, L. O.
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design
[NASA-CR-132394] p0415 N74-28518
- ANDERSON, W. B.
A conceptual definition study for a digital
avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
- A conceptual definition study for a digital
avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- ANDERSON, W. D.
An interdisciplinary approach to integrated
rotor/body mathematical modeling
p0205 A74-22453
- AH-56A /AMCS/ compound helicopter vibration
reduction
[AHS PREPRINT 834] p0385 A74-36589
- Comparison of flight data and analysis for
hingeless rotor regressive inplane mode stability
p0395 A74-37499
- Application of an interdisciplinary rotary wing
aircraft analysis to the prediction of
helicopter maneuver loads
[AD-779449] p0443 N74-29402
- ANDERSON, W. J.
Aerospace fluidics applications and circuit
manufacture
[SAE PAPER 730880] p0019 A74-11604
- Gas-lubricated foil bearings for high speed
turboalternator - Construction and performance
[ASME PAPER 73-LUB-5] p0027 A74-12332
- ANDERSSON, K.
Identification tests with optical sights and
reconnaissance aids in helicopters
[FOA-2-C-2533-D8/E1/H6] p0104 N74-12721
- ANDO, S.
Minimum induced drag of a hemi-circular ground
effect wing
p0090 A74-15966
- Minimum induced drag of semi-elliptic ground
effect wing
p0335 A74-32297
- The minimum induced drag of the hemi-elliptic
ground effect wing
p0231 N74-17700
- ANDO, Y.
Measurements of rolling moments acting on the
stabilizer of T-tails oscillating in yaw
[NAL-TR-324] p0158 N74-14744
- ANDREEV, V. A.
Designing aerodynamic ducts according to given
conditions
p0260 A74-25998
- ANDRES, J.
New technologies and profitability of helicopters
[NASA-TT-F-15195] p0140 N74-13717
- New technologies and maintenance of helicopters
p0466 N74-31478
- ANDREWS, E., JR.
Microwave landing system integration study.
Volume 1: Summary report
[AD-775703] p0361 N74-26149
- Microwave landing system integration study.
Volume 3: Appendices
[AD-775724] p0361 N74-26155
- ANGELINI, J.-J.
Unsteady aerodynamic forces induced by the
aeroelastic vibrations of a jet engine in a pod
[ONERA, TP NO. 1424] p0483 A74-46596
- ANGELLO, L. C.
JP-4 thermal stability survey
[AD-767591] p0112 N74-13501
- ANIKIN, A. IA.
A film thermocouple with a platinum electrode for
thermometry of gas turbine engine blades
p0131 A74-18686
- ANSCHUTZ, R. H.
Further development of the JT15D turbofan
[SAE PAPER 730919] p0017 A74-11576
- ANTL, R. J.
The effect of noise constraints on engine cycle
optimization for long-haul transports
[AIAA PAPER 73-1292] p0011 A74-11298
- ANTOINE, B.
Damage threshold determination of light walls
submitted to single or repeated bangs, part 1
[ISL-35/72-PT-1] p0053 N74-10846
- ANTONA, E.
An experimental study of box beam wing structures
subjected to torsion
p0378 A74-35719

- ANTONATOS, P. P.
Assessment of the influence of inlet and
aftbody/nozzle performance on total aircraft drag
p0157 N74-14726
- ANTSUPOV, A. V.
Interaction between an overexpanded gas jet and a
flat obstacle
p0391 A74-37138
- ANWAR, I. H.
Investigation of sliding-surface bearings of screw
pumps utilized on the navy distillate fuel oil
conversion program
[AD-771453] p0242 N74-18146
- AOYAGI, K.
Aerodynamic characteristics of a large-scale model
with a swept wing and a jet flap having an
expandable duct
[NASA-TM-X-62281] p0095 N74-11826
Wind tunnel investigation of a large-scale 25 deg
swept-wing jet transport model with an external
blowing triple-slotted flap
[NASA-TM-X-62197] p0141 N74-13721
Acoustic characteristics of a large-scale wind
tunnel model of an upper-surface blown flap
transport having two engines
[NASA-TM-X-62319] p0189 N74-15719
- APELT, C. J.
The effects of wake splitter plates on the flow
past a circular cylinder in the range of R from
10,000 to 50,000
p0006 A74-11041
- APPELS, C.
Turbulent heat transfer measurements in a Mach 15
flow
[EUROMECH PREPRINT 73-2] p0089 A74-15949
- ARAMAKI, S.
Concerning the performance data of a reverberation
chamber
[NASA-TT-P-15371] p0240 N74-17958
- ARCAS, N.
Sonic fatigue failure mechanisms in potential
Space Shuttle Orbiter panel designs
[AIAA PAPER 74-348] p0270 A74-27267
- ARCIDIACONO, P. J.
Helicopter gust response characteristics including
unsteady aerodynamic stall effects
p0394 A74-37490
Helicopter rotor loads predictions
p0055 N74-10912
- ARCTANDER, C. L.
Development of noise-reduction concepts for 727
and 737 airplanes
p0397 A74-37546
- ARDASHEVA, M. M.
Application of fusible temperature indicators for
measuring heat flows to models in wind tunnels
p0383 A74-36458
- ARDEMA, M. D.
Long range view of materials research for civil
transport aircraft
p0083 A74-14756
Long range view of materials research for civil
transport aircraft
p0176 A74-20210
Sensitivity of transport aircraft performance and
economics to advanced technology and cruise Mach
number
[NASA-TM-X-62336] p0325 N74-21654
- ARENDELL, R. W.
Mod-metric tested for bias
[AD-760081] p0054 N74-10904
- ARLINE, J. A.
Brake control system modification, augmentor Wing
Jet STOL Research Airplane (AWJSRA)
[NASA-CR-137530] p0441 N74-29374
- ARMEN, H., JR.
Nonlinear crack analysis with finite elements
[AD-766558] p0067 N74-11722
- ARMSTRONG, R. S.
Digital explicit model following with unstable
model dynamics
[AIAA PAPER 74-888] p0402 A74-37869
- ARMSTRONG, K. B.
Aircraft floor panel developments at British
Airways /1967-1973/
p0352 A74-35027
- ARNOLD, R. E. A.
Investigation of the large scale coherent
structure in a jet and its relevance to jet noise
- [NASA-CR-138908] p0407 N74-27505
- ARNETT, G. D.
Cockpit air filtration requirements of the B-1 in
a nuclear dust environment
[AD-766711] p0042 N74-10065
- ARNOLD, J. E.
Microwave landing system integration study.
Volume 1: Summary report
[AD-775703] p0361 N74-26149
Microwave landing system integration study.
Volume 3: Appendices
[AD-775724] p0361 N74-26155
- ARNOLD, J. E.
Air mobility fuel cell study
[AD-766757] p0107 N74-12742
- ARON, I.
Blind landing
p0015 A74-11552
- ARONSON, H.
Dynamics report for T-28B simplified flight
simulator
[AD-774479] p0302 N74-20905
- ARTIS, D. R., JR.
The effects of sand particles on small, intricate
mechanical components
[AD-772977] p0253 N74-18718
- ASAKAWA, B. C.
Explosive canopy severance
p0214 A74-23531
- ASCANI, L.
An integrated approach to structural weight
estimation
[SAE PAPER 730936] p0016 A74-11564
- ASHARE, A. B.
Effect of modified seat angle on air to air weapon
system performance under high acceleration
[AD-770271] p0198 N74-16747
- ASHILL, P. R.
A theoretical and experimental investigation of
the external-flow, jet-augmented flap
p0290 N74-20407
- ASHKENAS, I.
Aircraft dynamics and automatic control
p0320 A74-31219
- ASHKENAS, I. L.
Analysis and moving base simulation of transition
configuration management aspects of a powered
lift aircraft
[NASA-CR-114698] p0330 N74-22671
- ASHLEY, H.
Unsteady gas dynamics problems and aeroelastic
applications related to flight vehicles
[AD-767605] p0106 N74-12734
- ASHTON, L.
UH-1D filament-wound tubular-reinforced rotor blade
[AD-772947] p0253 N74-18713
- ASSA, A.
Photoelastic analysis of the stress field
surrounding a fatigue crack
p0169 A74-19259
- ASSEO, S. J.
Decoupling of a class of nonlinear systems and its
application to an aircraft control problem
p0127 A74-18139
- ATASSI, H.
Unsteady lift forces on highly cambered airfoils
moving through a gust
[AIAA PAPER 74-88] p0133 A74-18807
- ATHANS, M.
A practical scheme for adaptive aircraft flight
control systems
p0357 N74-25588
- ATKINS, E. R.
Definition of study objectives for integrated crew
module development
[AD-769065] p0162 N74-14773
- ATKINSON, L. E.
Advanced metallic structures: Cargo wing design
for improved cost, weight, and integrity
[AD-782258] p0497 N74-34523
- ATRAGHJI, E.
Effects of Reynolds number on swept-wing-body
configurations with high lift devices at
transonic speeds
[ICAS PAPER 74-05] p0447 A74-41307
- ATTIYEH, R. S.
U.S. aerospace industry at the crossroads
p0020 A74-11610

- ATTREI, N. S.**
The effect of runway traction on commercial
airplane stopping systems
[SAE PAPER 740500] p0349 A74-34976
Improvements in airplane stopping performance on
adverse runways
[AIAA PAPER 74-965] p0427 A74-38730
- ATTWOOLL, V. W.**
Aircraft characteristics and air traffic systems
p0335 A74-31975
- AUBRUN, J.**
March 1971 wind tunnel tests of the Dorand DH 2011
jet flap rotor, volume 1
[NASA-CR-114693] p0141 N74-13722
March 1971 wind tunnel tests of the Dorand DH 2011
jet flap motor, volume 2
[NASA-CR-114694] p0141 N74-13723
- AUBRUN, J. B.**
Analytical study of stresses recorded in the DH
2011 rotor blades
[NASA-CR-137527] p0407 N74-27501
- AUGUSTYNIAK, S.**
Some problems associated with noise attenuation at
jet engine test facilities
p0172 A74-19629
- AULEBRICH, G.**
Aircraft servicing and the network technique. II
p0338 A74-33094
- AUSROTAS, R.**
Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 N74-19651
- AUSTEN, B.-J.**
Remote sensing of the earth's resources -
Applications, benefits, methods
p0008 A74-11204
- AUSTIN, A. L.**
The hydrogen fuel economy and aircraft propulsion
[AIAA PAPER 73-1319] p0125 A74-17905
- AUSTIN, E. E.**
General description of the rotorcraft flight
simulation computer program (G-81)
[AD-767239] p0105 N74-12728
- AUSTIN, R. G.**
The development and prospects of helicopters
p0213 A74-23837
The concept of the WG-13
p0262 A74-26565
- AVBEL, J. A.**
Aircraft fuel system tests with gelled
fuel-flowmeter calibration, fuel boost pump and
jettison tests
[FAA-NA-73-43] p0095 N74-11828
- AVERY, J.**
Advanced composite lattice structure for improved
structural integrity
[AIAA PAPER 74-357] p0264 A74-26667
- AVRAM, P.**
Theoretical and experimental studies of a high
pressure ratio centrifugal compressor at reduced
rotating speed
[ICAS PAPER 74-37] p0450 A74-41338
- AVRAMENKO, S. IA.**
A simulator of wind gust disturbances
p0213 A74-24024
- AWKER, R. W.**
Low-speed aerodynamic characteristics of a
13.1-percent-thick, high-lift airfoil
[SAE PAPER 740366] p0345 A74-34800
- AXELSON, J. A.**
Preliminary performance estimates of a highly
maneuverable remotely piloted vehicle
[NASA-TN-D-7551] p0248 N74-18677
- AYOUB, N. J.**
Transmission thermal mapping (CH-47C forward rotor
transmission)
[AD-767875] p0143 N74-13732
- B**
- BABIN, R. S.**
DC-10 avionics parts reliability in review
p0182 A74-20969
- BABURIN, V. I.**
Effect of differences between the antennas of a
Doppler velocity meter on its operational accuracy
p0023 A74-11994
- BACH, R. E., JR.**
Parameter estimation using an a posteriori criterion
p0357 N74-25582
- BADAROUX, J. P.**
Standardization of testing benches
[AD-777208] p0370 N74-27302
- BADGLEY, R. B.**
Reduction of vibration and noise generated by
planetary ring gears in helicopter aircraft
transmissions
[ASME PAPER 73-PTG-11] p0119 A74-16979
Gearbox noise reduction - Prediction and
measurement of mesh-frequency vibrations within
an operating helicopter rotor-drive gearbox
[ASME PAPER 73-DET-31] p0341 A74-33404
Recommended design modifications to the CH-47
forward rotor drive gearbox
[AD-769062] p0162 N74-14775
Prediction of gear-mesh-induced high-frequency
vibration spectra in geared power trains
[AD-777496] p0369 N74-26493
- BAHR, D. W.**
Noise and emission outlook for military engines
[AIAA PAPER 73-1156] p0120 A74-17175
Technology for the reduction of aircraft turbine
engine pollutant emissions
[ICAS PAPER 74-31] p0457 A74-43125
Technology for the reduction of aircraft turbine
engine exhaust emissions
p0149 N74-14300
- BAIER, J. W.**
Automation Radar Terminal System - ARTS III
p0214 A74-22638
- BAILES, E. E.**
Helicopter icing spray system qualification
[AD-775803] p0330 N74-22688
- BAILEY, C. D.**
Acoustic emissions used to nondestructively
determine crack locations in aircraft structural
fatigue specimen
p0343 A74-34290
- BAILEY, C. L., JR.**
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] p0059 N74-10942
- BAILEY, D. J.**
Stability and control of hingeless rotor
helicopter ground resonance
p0343 A74-33813
Open and closed loop stability of hingeless rotor
helicopter air and ground resonance
p0395 A74-37501
Open and closed loop stability of hingeless rotor
helicopter air and ground resonance
[AD-772826] p0251 N74-18703
- BAILEY, R. E.**
Holographic studies of shock waves within
transonic fan rotors
[ASME PAPER 74-GT-46] p0272 A74-27439
- BAILEY, F. R.**
Relaxation methods for transonic flow about
wing-cylinder combinations and lifting swept wings
p0118 A74-16951
- BAILEY, R. O.**
Preliminary performance estimates of an oblique,
all-wing, remotely piloted vehicle for
air-to-air combat
[NASA-TN-D-7731] p0413 N74-28507
- BAILEY, R. W.**
The 727/JT8D refan side nacelle airloads
[NASA-CR-134547] p0363 N74-26436
- BAILEY, W. K.**
Influence of prototype concept and cost ceilings
on airframe design and manufacture of the YF-16
lightweight fighter
[SAE PAPER 730888] p0019 A74-11600
- BAILY, D. L.**
Pollution control of airport engine test facilities
p0149 N74-14285
- BAINBRIDGE, B.**
QTOL and tomorrow's airport environment
p0089 A74-15862
- BAIRD, E. F.**
Model tests and analysis of prop-rotor dynamics
for tilt-rotor aircraft
p0205 A74-22461
Sonic fatigue failure mechanisms in potential
Space Shuttle Orbiter panel designs
[AIAA PAPER 74-348] p0270 A74-27267
- BAISLEY, R. L.**
Helicopter visual aid system
p0067 N74-11691

- BAKER, D. L.
Helicopter procedural innovations (unusual attitudes)
[AD-782204] p0491 N74-33471
- BAKER, E. M.
An investigation of cost factors relating to class 4 aircraft modifications
[AD-769195] p0191 N74-15730
- BAKER, P.
Anti-icing tests on Concorde p0319 A74-30818
- BAKOTICH, R.
A unique approach to the development of a light helicopter automatic flight control system
[SAE PAPER 740348] p0308 A74-28728
- BALAKRISHNAN, M.
Transonic flow past lifting airfoils p0085 A74-14989
- BALASKOVIC, P.
Pegase project - Advantages of a lens-shaped hull
[ONERA, TP NO. 1310] p0224 A74-24312
- BALCERAK, J. C.
Effect of sweep angle on the pressure distributions and effectiveness of the ogee tip in diffusing a line vortex
[NASA-CR-132355] p0094 N74-11822
Vortex modification by mass injection and by tip geometry variation
[AD-771966] p0232 N74-17715
- BALES, S. L.
Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers
[AD-766450] p0043 N74-10072
- BALL, R. F.
An analysis of the effects of internally blown jet flaps on an advanced fighter aircraft design
[AIAA PAPER 74-970] p0428 A74-38735
V/STOL demonstrator vehicle for ejector thrust augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663
- BALL, S. A., JR.
Performance considerations for terrain following flight p0346 A74-34843
- BALLAL, D. R.
Estimation and optimization of the film cooling requirements in a gas turbine combustion chamber
[CRANFIELD-SME-5] p0152 N74-14439
A proposed method for calculating film-cooled wall temperatures in gas turbine combustion chambers
[CRANFIELD-SME-4] p0152 N74-14440
- BALLEWITNE, G. D.
Evaluation of runway skid-resistance characteristics at Minot Air Force Base, North Dakota
[AD-773403] p0328 N74-21904
- BALLHAUS, W. F.
Relaxation methods for transonic flow about wing-cylinder combinations and lifting swept wings p0118 A74-16951
- BALHA, J. P.
Application of sampled-data control techniques in the design of an aircraft flutter mode controller
[AD-779078] p0442 N74-29389
- BALSER, M.
Acoustic backscatter radar system for tracking aircraft trailing vortices p0477 A74-44420
- BANDY, J. M.
Maintainability concepts used in the design and operation of Douglas commercial jet aircraft
[SAE PAPER 730881] p0019 A74-11603
- BAHERIAN, G.
Jet noise - The state-of-the-art p0221 A74-22789
Jet noise suppression
[SAE PAPER 740492] p0350 A74-34991
- BANGS, S.
L-1011 Iron Bird uncovers potential hydraulic troubles p0319 A74-30625
- BANKS, J.
Preliminary weight estimation of canard configured aircraft
[SAE PAPER 1015] p0435 A74-39885
- BARABASH, A. V.
A device for spreading small grain bait lure
[AD-772053] p0255 N74-19144
- BARADAT, J.
Modern tendencies for training in piloting without visibility and in radionavigation p0219 A74-22651
- BARAN, Y.
Flight control systems research
[NASA-CR-139595] p0463 N74-31427
- BARBARISI, M. J.
Evaluation of the adhesive bonding processes used in helicopter manufacture. Part 4: Nondestructive inspection of adhesive bonds using holographic techniques
[AD-765455] p0047 N74-10480
- BARBER, M. R.
Flight evaluation of advanced control systems and displays on a general aviation airplane
[NASA-TN-D-7703] p0407 N74-27499
- BARBERO, P.
User's guide for a computer program to analyze the LEC 16 ft transonic dynamics tunnel cable mount system
[NASA-CR-132313] p0045 N74-10297
- BARCHE, J.
Wing design in the case of the VFW 614 transport aircraft p0313 A74-29806
Experimental study of a wing profile with Fowler flaps and slats
[NASA-TT-F-15370] p0235 N74-17747
- BARGER, R. L.
On the use of thick-airfoil theory to design airfoil families in which thickness and lift are varied independently
[NASA-TN-D-7579] p0323 N74-21635
A streamline curvature method for design of supercritical and subcritical airfoils
[NASA-TN-D-7770] p0470 N74-32416
A modified Theodorsen epsilon-function airfoil design procedure
[NASA-TN-D-7741] p0487 N74-33428
- BARINOV, V. A.
The three-dimensional boundary layer in the vicinity of the stagnation line of a swept wing in the case of nonuniform suction p0382 A74-36452
- BARLOW, J. B.
Stability characteristics of skewed wing aircraft
[AIAA PAPER 74-772] p0399 A74-37797
- BARNES, A. G.
C.S.A.S. design for good handling in turbulence p0234 N74-17741
- BARNES, B. L.
An analysis of the phased inspection system for B-52H aircraft
[AD-769154] p0194 N74-16695
- BARNWELL, R. W.
Transonic flow about lifting wing-body combinations
[AIAA PAPER 74-185] p0133 A74-18812
- BARON, R. S.
Performance of a ballute decelerator towed behind a jet airplane
[NASA-TN-X-56019] p0160 N74-14760
- BARONTI, P.
Analysis of wall modification in a transonic wind tunnel
[AD-767629] p0109 N74-12971
- BARR, B. G.
The National Aeronautics and Space Administration interdisciplinary studies in space technology at the University of Kansas
[NASA-CR-140623] p0501 N74-35250
- BARR, G.
The influence of a high velocity fluid environment on the static and dynamic stability of thin cylindrical shell structures p0072 A74-13321
- BARRANGER, J. P.
Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics
[NASA-TN-D-7483] p0099 N74-12187
- BARRETT, J. E.
Description of six degree of freedom rigid aircraft mathematical models
[WRE-TN-901(WR/D)] p0187 N74-15702
- BARRIE, R. E.
Advanced metallic structures: Cargo wing design for improved cost, weight, and integrity
[AD-782258] p0497 N74-34523

PERSONAL AUTHOR INDEX

BEATTIE, E. C.

- BEROIS, W.
Designers' need for general information from
analysis of fatigue test results and service
behavior
p0283 N74-19660
- BEROIS, W. G.
Interrelated aspects of service safety arising
from consideration of safe life, fail-safe,
manufacturing quality and maintenance procedures
p0366 N74-26461
- BERSKII, I. A.
Velocity characteristics of a turbine with
adjustable nozzle diaphragms
p0087 A74-15719
- BERSOTTELLI, M. V.
Jet noise reduction technique for military
reconnaissance/surveillance aircraft. Phase 1:
Bench/wind tunnel tests
[AD-774748] p0300 N74-20691
- BERSOTTELLI, G.
A method for measuring the dynamic stability Cyr
in a subsonic wind tunnel
[REPT-1427] p0187 N74-15701
- BETELS, P.
Problems of V/STOL aircraft connected with the
propulsion system as experienced on the Do 31
experimental transport aircraft
p0292 N74-20430
- BETHEL, R.
The hingeless rotor: A concept to increase
mission effectiveness at reduced costs
p0305 N74-21616
- BETLETT, P. D., JR.
Application of antiresonance theory to helicopters
p0394 A74-37491
- BETLETT, W. M.
Cold-air study of the effect on turbine stator
blade aerodynamic performance of coolant
ejection from various trailing-edge slot
geometries. 1: Experimental results
[NASA-TM-X-3000] p0231 N74-17699
- BETLEY, J. B.
Advanced flutter design techniques
[SAE PAPER 730935] p0016 A74-11565
- BETLEY, P.
A truly airworthy video disc recorder/reproducer
results in unique capabilities
p0218 A74-22553
- BETON, F. W.
A comparison of two types of structural
optimization procedures for satisfying flutter
requirements
[AIAA PAPER 74-405] p0266 A74-26704
- BETON, J. R.
Residual stresses in gas turbine engine components
from Barkhausen noise analysis
[ASME PAPER 74-GT-51] p0272 A74-27444
- BETON, J. R.
Engineering appraisal of Southwest Research
Institute magnetic crack definer applied to CH47
rotor blades
[AD-769068] p0163 N74-14778
- BETOSZAK, J.
Some problems associated with noise attenuation at
jet engine test facilities
p0172 A74-19629
- BETZLOVICH, E. IU.
Semi-Markovian models in problems of designing
flight-vehicle control systems
p0228 A74-24324
- BHASKIN, V. A.
Investigation of heat transfer at the surface of a
two-step wedge in supersonic flow
p0070 A74-13188
- BHASKIN, R. L., III
Aerodynamic damping of vibrating helicopter rotors
[AD-775929] p0358 N74-25598
- BHASKIN, V. P.
Determination of the aerodynamic characteristics
of bodies of complex shape in a free-molecular
flow with allowance for shading
p0204 A74-23233
- BHASKIN, V. P.
Determination of the aerodynamic characteristics
of a complexly shaped body in a free molecular
flow with consideration of shadowing effects
p0483 A74-46181
- BASSETT, K.
A digital multimode flight control system for
tactical fighters
p0423 A74-38551
- BASSETT, K.
A fly-by-wire flight control system for decoupled
manual control
p0464 N74-31443
- BATE, E. R., JR.
Aircraft vortex wake descent and decay under real
atmospheric effects
[AD-771311] p0238 N74-17767
- BATEMAN, R. E.
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 3:
Support of the design process
[NASA-CR-132393] p0415 N74-28517
- BATEMAN, R. P.
An investigation of pattern recognition of
aircraft attitudes indicator displays
[AD-768345] p0147 N74-14126
- BATES, R. S., JR.
Aircraft fuel tank entry wall-projectile
interaction studies
[AD-765667] p0043 N74-10066
- BATES, W. E.
Summary of propeller design procedures and data.
Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
- BAUDRAND, D. W.
Aircraft applications for electroless nickel plate
[SAE PAPER 740399] p0310 A74-28758
- BAUDOU, N.
Modeling dynamic stall on an oscillating airfoil
p0224 A74-25329
- BAUER, E. M.
Model tests and analysis of prop-rotor dynamics
for tilt-rotor aircraft
p0205 A74-22461
- BAUER, P.
Experimental studies of rotational noise in
forward flight
p0206 A74-22471
- BAUERFEIND, K.
The influence of the control concept for V/STOL
engines on their static and dynamic performance
characteristics
p0290 N74-20415
- BAULIN, N. M.
Flow of hydrogen-oxygen mixtures around blunted
bodies moving at high velocity
p0186 A74-22304
- BAUMANN, R.
The application of the vertical gyroscope for the
artificial horizon
p0004 A74-10825
- BAUMEISTER, K. J.
Application of finite difference techniques to
noise propagation in jet engine ducts
[ASME PAPER 73-WA/GT-10] p0072 A74-13301
- BAVEL'SKII, D. M.
Selection of cutting conditions in the machining
axial-flow compressor blades on an assembled rotor
p0029 A74-12424
- BAKTER, D. J.
Development of cargo slings with nondestructive
checkout systems
[AD-777497] p0369 N74-26492
- BAKTER, E. S.
Titanium - The bridge to composites
p0116 A74-16451
- BAZHEBOV, V. G.
Accelerating test stand for rotating elements of
turbomachines
p0089 A74-15930
- BEACH, R. C.
Bandwidth filtering effects on PSK modulation
p0424 A74-38559
- BEASLEY, W. D.
Low speed aerodynamic characteristics of a 17
percent thick airfoil section designed for
general aviation applications
[NASA-TN-D-7428] p0094 N74-11821
- BEASLEY, W. D.
Low-speed aerodynamic characteristics of airfoil
sections with rounded trailing edges in forward
and reverse flow
[NASA-TM-X-3060] p0487 N74-33430
- BEATTIE, E. C.
Integrated flight/propulsion control design
techniques starting with the engine

- [SAB PAPER 740481] p0351 A74-34997
BEAURAIN, L.
 Experience gained from a comparison of spins on
 wind-tunnel models and on aircraft p0226 A74-25328
- BEAVIN, R. C.**
 Microwave dielectric waveguide data bus system for
 aircraft interior data transfer p0424 A74-38564
- BECK, G. E.**
 The future of avionics p0399 A74-37786
- BECK, K.**
 Calculation and observance of landing parameters
 for the aircraft IL-62 and their effect on the
 safety factor p0185 A74-22270
- BECKER, J.**
 Interfering lifting surfaces in unsteady subsonic
 flow: Comparison between theory and experiment
 [AGARD-R-614] p0246 N74-18654
- BECKER, K. E.**
 Photo-oxidation of aircraft engine emissions at
 low and high altitudes p0148 N74-14277
- BECKMAN, J.**
 Eclipse flight of Concorde 001 p0030 A74-12515
- BECKWITH, I. E.**
 Control of supersonic wind-tunnel noise by
 laminarization of nozzle-wall boundary layer
 [NASA-TN-X-2879] p0062 N74-11119
- BEGOT, J.**
 Eclipse flight of Concorde 001 p0030 A74-12515
- BELIANIN, B. V.**
 Investigation of the effect of supports on the
 bottom pressure and pitching moment of bodies of
 revolution at an angle of attack p0312 A74-29496
- BELINA, P. W.**
 Small V/STOL aircraft analysis. Volume 2:
 Appendices
 [NASA-CR-114629] p0040 N74-10045
 Small V/STOL aircraft analysis, volume 1
 [NASA-CR-2425] p0413 N74-28504
- BELKIN, Y. S.**
 Aircraft air intake regulator
 [AD-772021] p0243 N74-18416
- BELL, J.**
 Effect of proof load application on fatigue test
 results p0367 N74-26471
- BELL, M. A.**
 Wind tunnel instrumentation considerations for
 buffet predictions
 [AIAA PAPER 74-629] p0376 A74-35393
- BELL, P. D.**
 Fatigue and fracture considerations for tactical
 aircraft p0282 N74-19656
- BELLEMAN, G. W.**
 Design and fabrication of an aeroelastic flap
 element for a Short TakeOff and Landing (STOL)
 aircraft model
 [NASA-CR-132339] p0104 N74-12717
- BELLINGER, R. D.**
 A systematic study of helicopter rotor stall using
 model rotors
 [AHS PREPRINT 804] p0388 A74-36618
 Experimental investigation of model
 variable-geometry and ogee tip rotors
 [NASA-CR-2275] p0245 N74-18645
- BELLINGER, C. C. E.**
 The role of the International Civil Aviation
 Organization /ICAO/ in obtaining international
 adoption and implementation of air traffic
 control, navigation and communications systems
 p0222 A74-22688
- BELOGORODSKIY, S. L.**
 Automation of the landing control of aircraft
 [AD-777174] p0369 N74-26491
 Minima for landing aircraft
 [JPRS-62252] p0407 N74-27502
- BELOTSEKOVSKIY, S. M.**
 Investigation of the characteristics of flows past
 plates at large angles of attack p0070 A74-13183
- BELOV, A. V.**
 Selection of cutting conditions in the machining
 axial-flow compressor blades on an assembled rotor
 p0029 A74-12424
- BELOZEROV, A. P.**
 Hologram study of gas flow in a ballistic wind
 tunnel p0013 A74-11414
- BENCSE, D. P.**
 Possibilities for improved supersonic inlet
 performance
 [AIAA PAPER 73-1271] p0010 A74-11284
- BENEFIEL, R. L.**
 Designing for noise and emission control in
 general aviation
 [AIAA PAPER 73-1158] p0003 A74-10509
- BENEFIELD, T. D.**
 Longitudinal stability for supersonic transport
 aircraft p0172 A74-19490
- BENEPE, D. B.**
 A detailed investigation of flight buffeting
 response at subsonic and transonic speeds
 [AIAA PAPER 74-358] p0264 A74-26668
 Aerodynamic design evolution of the YF-16
 [AIAA PAPER 74-935] p0479 A74-45100
- BENNER, H. S.**
 A flight investigation with a STOL airplane flying
 curved, descending instrument approach paths
 [NASA-TN-D-7669] p0489 N74-33452
- BENNETT, A. G.**
 Flight testing a highly instrumented sailplane
 [AIAA PAPER 74-1023] p0454 A74-42042
 MSU Monoplane - A testbed for ultralight vehicle
 development
 [AIAA PAPER 74-1033] p0455 A74-42047
- BENNETT, A. G., JR.**
 Flight test investigation of the sailplane as a
 post-stall research vehicle
 [AIAA PAPER 74-951] p0427 A74-38720
- BENNETT, G.**
 Development and flight test of a radio controlled
 ornithopter prototype p0347 A74-34850
 The F-89 hydraulic actuator combinatorial geometry
 representation
 [AD-781996] p0498 N74-34547
- BENNETT, G. E.**
 AGARD flight test instrumentation series. Volume
 5: Magnetic recording of flight test data
 [AGARDOGRAPH-160-VOL-5] p0254 N74-18833
- BENNETT, G. W.**
 Hydrogen-methane fuel control systems for turbojet
 engines
 [NASA-CR-121247] p0193 N74-16493
- BENNETT, J. A.**
 Powered lift for longer field lengths and longer
 missions
 [SAB PAPER 740502] p0433 A74-39650
- BENNETT, R. L.**
 Rotor system design and evaluation using a general
 purpose helicopter flight simulation program
 p0055 N74-10913
- BENOY, M. B.**
 The impact of long service on the fatigue of
 transport aircraft: Airworthiness aspects
 p0367 N74-26475
- BEUSER, W. A.**
 Holographic studies of shock waves within
 transonic fan rotors
 [ASME PAPER 74-GT-46] p0272 A74-27439
- BESSIMON, V.**
 Low speed turbine gear box p0291 N74-20418
- BESSIMON, J.**
 Stratosphere contamination by aircraft and
 mathematical models p0122 A74-17312
- BENSMILLER, A. C.**
 Air transportation of hazardous materials
 p0209 A74-22640
- BENSON, D. K.**
 Program to improve the fracture toughness and
 fatigue resistance of aluminum sheet and plate
 for aircraft applications
 [AD-770350] p0201 N74-17278
- BENZAKEN, E. J.**
 Turbine noise generation and suppression
 [ASME PAPER 73-WA/GT-7] p0071 A74-13298

PERSONAL AUTHOR INDEX

BIGGERS, J. C.

- BERA, R. K.
Slender delta wing with conical camber
p0317 A74-30398
- BERES, D. P.
A direct method for calculating flutter speeds
[AIAA PAPER 74-270] p0131 A74-18675
- BEREZKIN, A. N.
Hologram study of gas flow in a ballistic wind tunnel
p0013 A74-11414
- BERG, B. L.
Air-to-air fire control exposition, phase 3 (Expo 3)
[AD-775360] p0327 N74-21673
- BERGE, W. A.
An approach to the design of integrated life support systems for two new USAF aircraft
p0211 A74-23532
Integrated life support system: Design study
medium STOL transport
[AD-773589] p0285 N74-19683
- BERGERON, H. P.
A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft
[NASA-TN-D-7497] p0284 N74-19671
- BERGRI, K.
The design of crashworthy general aviation aircraft
[SAE PAPER 740376] p0309 A74-28744
- BERGMAN, C. A.
Control authority with a flight performance controller
p0081 A74-14596
The design and flight evaluation of a performance control system
[AD-767786] p0144 N74-13746
- BERGQUIST, R. R.
Helicopter gust response characteristics including unsteady aerodynamic stall effects
p0394 A74-37490
- BERGSTROM, D. K.
Flight test evaluation of a low cost electrostatic autopilot
p0346 A74-34846
- BERKOVIC, M.
Idealization and determination of the inertial characteristics of the structure of a flight vehicle
p0484 A74-46696
- BERKOVITS, A.
Photoelastic analysis of the stress field surrounding a fatigue crack
p0169 A74-19259
- BERKSTRESSER, B. K.
Trends in transport aircraft avionics
[NASA-TN-X-62322] p0104 N74-12715
- BERBLINER, J. E.
Tactile display for aircraft control
[AD-783690] p0498 N74-34538
- BERMAN, C. H.
Noise from nonuniform turbulent flows
[AIAA PAPER 74-2] p0131 A74-18722
- BERMAN, L.
Program plan for investigation of model E-11C-1 airplane catapult and hold-back operations capacity
[AD-777435] p0369 N74-26455
- BERNARD, P. S.
Discretization of a vortex sheet, with an example of roll-up
p0086 A74-15475
- BERNHARDT, L.
Air Superiority Fighter wing structure design for improved cost, weight and integrity
[AIAA PAPER 74-337] p0262 A74-26652
- BERNSTEIN, M.
Sonic fatigue failure mechanisms in potential Space Shuttle Orbiter panel designs
[AIAA PAPER 74-348] p0270 A74-27267
- BERNSTEIN, S.
Trailing vortex effects on following aircraft
p0174 A74-19778
- BERRY, D. T.
Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane
[ASME PAPER 73-WA/AERO-4] p0071 A74-13246
Cooperative airframe/propulsion control for supersonic cruise aircraft
[SAE PAPER 740478] p0351 A74-34998
- BERRY, J. B.
External store aerodynamics for aircraft performance prediction
p0365 N74-26454
- BERRY, P.
Digital adaptive flight controller development
p0176 A74-20120
- BERT, C. W.
Buckling of orthotropic, curved, sandwich panels in shear and axial compression
p0013 A74-11340
Design of crashworthy aircraft cabins based on dynamic buckling
p0090 A74-15971
- BERTELAUD, A.
A quick look at the state-of-the-art in flight testing of certain aerodynamic parameters related to wind tunnel testing
[FFA-AU-966] p0158 N74-14740
- BERTIN, J.
New heavy-haul freight aviation
p0439 A74-40647
A new aviation for heavy transport
[NASA-TT-F-15935] p0489 N74-33446
- BERVEN, L. H.
BD-5 flight test program report
p0172 A74-19500
- BESPOLOV, I. E.
Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- BESSE, G.
The air transport of tomorrow - Economic obstacles to surmount
p0007 A74-11096
- BESSON, J.
System for guiding fixed- or rotary-wing aircraft in approach and landing zones
[ONERA, TP NO. 1342] p0422 A74-38310
- BESSON, P.
Concorde in the airport environment
p0078 A74-14504
- BETH, C.
Turbomachine numerical control using the ASHODEE 01 prototype
p0431 A74-39007
- BETHKE, J. J.
Feasibility study of use of polysulfide sealants for corrosion protection of spot welded aluminum alloys
p0084 A74-14771
- BETSER, A. A.
Photoelastic analysis of the stress field surrounding a fatigue crack
p0169 A74-19259
- BETTS, R. W.
The effects of hypersonic viscous interaction on static stability of slender bodies in simulated non-equilibrium flows
p0154 N74-14704
- BEVC, C.
The effect of a program for automatic gear ratio change system operation and stabilizer 'deflection' on the main aerodynamic parameters of the longitudinal controllability of an aircraft
p0485 A74-46709
- BEZHEL'NITSIN, V. T.
Determination of the shear stresses in spar walls in the design of a wing on the basis of a plate analogy
p0260 A74-25984
- BHARTIA, P.
Scattering by a conducting aerofoil
p0023 A74-11906
- BIRHL, W.
Propulsion system of the VJ 101 C VTOL aircraft: Philosophy and practical experience
p0292 N74-20428
- BIELAWA, R. L.
Dynamic analysis of multi-degree-of-freedom systems using phasing matrices
p0496 N74-34493
- BIGGERS, J. C.
Hingeless rotor vibration and loads at high advance ratio
p0206 A74-22463
Laser velocimeter measurements of the helicopter rotor-induced flow field
[AHS PREPRINT 800] p0387 A74-36614

- Some approximations to the flapping stability of helicopter rotors
p0393 A74-37486
- Some approximations to the flapping stability of helicopter rotors
p0496 N74-34494
- BIGHAM, C. R.**
Advanced structural concepts for transport aircraft wings
[AIAA PAPER 74-339] p0263 A74-26654
- BIKCHANTAEV, M. KH.**
Influence of measurement errors on the regression relationships of engine characteristics
p0260 A74-25979
- BILL, R. C.**
Fretting in aircraft turbine engines
[NASA-TM-X-71606] p0475 N74-33228
- BILLIG, F. S.**
Supersonic combustion ramjets
p0432 A74-39372
- BILLIG, L. O.**
Automatic detection and suppression of inlet buzz
p0278 A74-28313
- BILLINGS, W. W.**
The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices
[AD-768199] p0146 N74-13903
- BILLMAN, F. R.**
Effects of Ti-6Al-4V alloy metallurgical structures on ultrasonic response characteristics
p0116 A74-16477
- BILYK, M. A.**
Three dimensional supersonic flow field analysis of the B-1 airplane by a finite difference technique and comparison with experimental data
[AIAA PAPER 74-189] p0136 A74-18877
- BINGHAM, G. J.**
Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps
[NASA-TM-X-2623] p0323 N74-21634
- BIPPES, H.**
Stability and decay of free vortices behind a wing
p0021 A74-11805
- Stability and decay of free vortices behind a wing
[NASA-TT-P-15445] p0287 N74-19904
- BIRCHAK, J. R.**
Engineering appraisal of Southwest Research Institute magnetic crack definer applied to CH47 rotor blades
[AD-769068] p0163 N74-14778
- BIRD, G. T.**
Studies in low speed flight
[AD-768858] p0190 N74-15728
- BIRIUK, V. I.**
The problem of optimum design of a wing under strength and aeroelastic constraints
p0383 A74-36509
- BIROCCO, E. A.**
Effects of helicopter external loads on sling properties
[AD-774267] p0300 N74-20690
- BISAGA, J. J.**
Access control techniques for satellite mobile communications systems
[AIAA PAPER 74-441] p0275 A74-27811
- BISHOP, D. E.**
Variability in aircraft noise measurements
p0314 A74-30079
- BISSINGER, N. C.**
On the inlet vortex system
[NASA-CR-140182] p0500 N74-35194
- BIUSHGENS, A. G.**
Dynamic model of a parachute and determination of its characteristics
p0389 A74-36635
- BJELETICH, J. G.**
Development of engineering data on thick-section electron beam welded titanium
[AD-774051] p0303 N74-21151
- BJELKHAGEN, H.**
Holographic time-average vibration study of a structure dynamic model of an airplane fin
p0340 A74-33179
- BLACK, P. C.**
R-NAV systems development for a STOL application
p0259 A74-25741
- BLACK, S. H.**
The Hazeltine Doppler microwave landing system - Specialized techniques and features
[AIAA PAPER 74-905] p0402 A74-37886
- BLACKBERRY, W. T.**
A survey of drag prediction techniques applicable to subsonic and transonic aircraft design
p0155 N74-14711
- C-5A/orbiter wind tunnel testing and analysis:
Piggyback ferry
[NASA-CR-134184] p0189 N74-15717
- Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft. Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation
[NASA-CR-2333] p0248 N74-18679
- Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft: Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data
[NASA-CR-2334] p0248 N74-18680
- BLACKMON, H. W.**
A conceptual definition study for a digital avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
- A conceptual definition study for a digital avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- BLACKWELL, P.**
Bird strike and the radar properties of birds
p0028 A74-12389
- BLACKWELL, R. H.**
Effect of blade design parameters on helicopter stall boundaries
[AHS PREPRINT 833] p0384 A74-36588
- Dynamic stall modeling and correlation with experimental data on airfoils and rotors
p0393 A74-37483
- Dynamic stall modeling and correlation with experimental data on airfoils and rotors
p0495 N74-34491
- BLAD, L.**
Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability
[AHS PREPRINT 884] p0387 A74-36613
- BLAGOSKLONOV, V. I.**
Interaction between an overexpanded gas jet and a flat obstacle
p0391 A74-37138
- BLAGOVIDOV, I. P.**
Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- BLAHA, B. J.**
Wind tunnel blockage and support interference effects on winged-body models at Mach numbers from 0.6 to 1.0
[NASA-TM-X-3011] p0246 N74-18656
- BLAISDELL, E.**
Advanced composite lattice structure for improved structural integrity
[AIAA PAPER 74-357] p0264 A74-26667
- BLAKE, D. O.**
Helicopter inspection design requirements
[AD-769061] p0163 N74-14781
- BLAKE, N. A.**
Plans for intermittent positive control improved beacon and other features of the upgraded third generation system
p0219 A74-22678
- A synchronized Discrete Address Beacon System
p0221 A74-23786
- BLAKNEY, D. F.**
V/STOL noise prediction and reduction
[LG73ER0062] p0056 N74-10921
- BLANCHARD, B. E.**
Microphone requirements for airport noise monitoring
p0315 A74-30096
- BLANCHARD, R. C.**
Holographic multicolor moving map display (system definition)
[AD-772155] p0241 N74-18083
- BLANCHFIELD, D. E.**
A simplified approach for estimating manufacturing cost at the part level
[SAE PAPER 730908] p0017 A74-11584

- BLAND, R. G.
A comparison of two L-band aircraft antennas for
aeronautical satellite applications p0469 N74-31688
- BLANK, H. A.
Access control techniques for satellite mobile
communications systems [AIAA PAPER 74-441] p0275 A74-27811
- BLATT, P. E.
Flight control system advances for near-future
military aircraft [SAE PAPER 730987] p0269 A74-27252
Impact of new MIL-P-9490D requirements on future
flight control developments [AIAA PAPER 74-914] p0402 A74-37894
- BLAZOWSKI, W. S.
Prediction of aircraft gas turbine NO_x emission
dependence on engine operating parameters and
ambient conditions [AIAA PAPER 73-1275] p0010 A74-11287
Aircraft gas turbine pollutant limitations
oriented toward minimum effect on engine
performance p0150 N74-14304
- BLENK, H.
Deutsche Gesellschaft fuer Luft- und Raumfahrt,
Yearbook 1972 p0225 A74-24892
- BLEWITT, S. J.
Analysis of criteria for on-condition maintenance
for helicopter transmissions [AD-773024] p0252 N74-18707
- BLOCK, D. B.
Stability and dynamic behavior of two tethered
balloon systems [AD-766439] p0043 N74-10070
- BLOCK, J.
Airports from 1963 to 1983 - Evolution or revolution
p0007 A74-11095
- BLOCK, J. A.
Modeling a high pressure ratio centrifugal
compressor using a low speed of sound gas
[AD-767241] p0152 N74-14444
- BLOHM, R. W., III
Heat transfer effects on a delta wing in subsonic
flow p0381 A74-36240
- BLOHDER, G.
A variable drag drogue chute for use as the
aerodynamic decelerator in sailplanes [AIAA PAPER 74-1046] p0456 A74-42058
- BLOOM, A. M.
Experimental investigation of wing-tip vortex
abatement [ICAS PAPER 74-35] p0450 A74-41336
- BLOTTER, P. T.
Model study of C-5A landings on AM2 landing mat
[AD-767231] p0109 N74-12970
- BLUMENTHAL, V. L.
A positive approach to the problems of aircraft
noise [AIAA PAPER 73-1157] p0026 A74-12227
Aircraft community noise research and development
- A historical overview p0397 A74-37545
- BLYTHER, A. A.
Noise of advanced subsonic air transport systems
p0438 A74-40090
- BOATWRIGHT, D. W.
Research in the area of the aerodynamics of rotors
and propellers [AROD-T-3-23-E] p0286 N74-19688
Three-dimensional measurements of the velocity in
the near flow field of a full-scale hovering rotor
[AD-781547] p0470 N74-32417
- BOBTSOV, V. A.
Optimally fast-acting control of aircraft roll in
the presence of constraints on the angle of
aileron deflection and the deflection rate
p0389 A74-36634
Synthesis of an optimal system for stabilizing
aircraft center of gravity paths p0392 A74-37383
- BOCK, O. H.
Photographic pyrometry in an aeroballistic range
p0030 A74-12752
- BODNER, V. A.
Flight vehicle control systems p0170 A74-19374
- Automatic control systems for flight-vehicle engines
p0229 A74-24995
- BOEGEL, W.
Investigation and application of two methods of
determining co-efficients of transfer functions
of longitudinal motion of aircraft from measured
input and output data [ESRO-TT-2] p0041 N74-10053
- BOEHRET, H.
Comparison of simulation and flight testing at
automatic STOL landing [NASA-TT-F-15171] p0056 N74-10923
- BOENSCH, P. D.
Advanced Metallic Air Vehicle Structure Program
[AIAA PAPER 74-336] p0262 A74-26651
- BOERSTOEL, J. W.
Transonic shock-free aerofoil design by an
analytic hodograph method [AIAA PAPER 74-539] p0339 A74-33136
- BOESE, P.
Remote sensing of the earth's resources -
Applications, benefits, methods p0008 A74-11204
- BOFFRY, D. A.
The whirl instability of a rigid rotor in a
flexibly supported gas lubricated journal bearing
p0014 A74-11441
- BOGACHOV, I. N.
Dynamic creep of titanium alloy with 1.5 wt % Mn
and 3% Al in high-velocity air streams p0117 A74-16579
- BOGOMOLOV, S. I.
Coupled vibrations in turbomachines and
gas-turbine engines p0221 A74-22665
- BOHANEK, E.
Deep hardenable titanium alloys for large airframe
elements p0117 A74-16559
- BOHANNON, R. R.
International user charges and their effect on the
implementation of ATC, navigation, and
communication systems p0222 A74-22687
- BOHMANN, G. A.
The influence of design to cost and prototyping on
the A-10 aircraft [SAE PAPER 730890] p0019 A74-11598
- BOHN, J. G.
V/STOL lift fan commercial short haul transports:
Continuing conceptual design study [NASA-CR-2437] p0467 N74-31495
- BOHN, P.
Research work and costs, the role of data processing
p0305 N74-21617
- BOHR, T.
Flight operations and guide beam systems
[NASA-TT-F-15962] p0492 N74-34154
- BOIRUH, B. H.
Flight evaluation of four low airspeed indicating
systems p0345 A74-34839.
- BOISSEAU, J. F.
Optimization of a vibration generator in
conditions of external excitation p0332 N74-23519
Apparatus for the qualification of very low
frequency vibration exciters p0332 N74-23520
- BOISSEAU, J. P.
Laboratory for automatic processing of analog
signals p0419 N74-29361
- BOLES, R. A.
High lift testing in closed wind tunnels
[AIAA PAPER 74-641] p0376 A74-35405
- BOLOGHESI, A. M.
Obsolescence of commercial aircraft - When, where,
how p0222 A74-23878
- BOLTON, W. R.
Design philosophy of a three axis separate surface
stability augmentation system for a small
turboprop airliner [AIAA PAPER 74-860] p0401 A74-37849
- BON, C.
Finite element analysis of supersonic panel flutter
p0069 A74-13001

- BONASSAR, M. J.
Continuous seam diffusion bond titanium spar
evaluation [AD-780029] p0468 N74-31515
- BONDLEY, R. J.
High sensitivity 1000P gas multiplication UV flame
detector for aircraft [AD-766960] p0063 N74-11296
- BONIN, P. R.
Engineering flight test: AH-1G helicopter with
model 212 tail rotor. Part 2: Performance and
handling qualities [AD-776360] p0359 N74-25613
- BONNIT, R.
In place of congestion: Some observations on the
transport of freight [TT-7308] p0053 N74-10890
- BOOCOCK, R.
OH-6A design and operational flight loads study
[AD-775632] p0331 N74-22690
- BOONE, D. H.
Effect of several metallurgical variables on the
thermal fatigue behavior of superalloys p0004 A74-10622
- BOOTH, G. C.
The assessment of hot corrosion resistance by rig
testing - Philosophy and experience p0081 A74-14580
- BOOTHE, E. M.
An investigation of overall systems criteria for
the longitudinal flying qualities of highly
augmented fighter aircraft [AIAA PAPER 74-833] p0453 A74-41803
- BOOTON, W. C.
A conceptual definition study for a digital
avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
A conceptual definition study for a digital
avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- BORDEN, G. J.
Color perception in the transitional zones of
tricolor Glide-Slope Indicators (GSI's)
[AD-771422] p0237 N74-17762
- BORDOVITSYN, I. A.
Influence of the compressor characteristic on
gas-turbine engine operation under variable
pressure conditions at the exit section of the
propelling nozzle p0088 A74-15733
- BOREN, H. E., JR.
Cost comparisons of advanced air traffic
management systems [R-1319-DOT] p0065 N74-11436
- BORGER, J. G.
Aircraft life cycle profitability - The operator's
challenge [AIAA PAPER 74-281] p0180 A74-20837
- BORGHI, R.
Chemical reactions calculations in turbulent flows
- Application to a CO containing turbojet plume
[ONERA, TP NO. 1229] p0006 A74-11069
- BORGON, J.
Thermal loads on the turbine disk after turning
off a turbojet engine p0335 A74-31893
- BORISOVA, S. M.
Adsorption resins in jet fuels p0221 A74-23517
- BORKUS, M. K.
Correlational ground speed meters and drift
indicators of flight vehicles p0180 A74-20900
- BORODIN, I. P.
Effect of the differentiability of random
stationary processes on the magnitude of the
mean square approximation error p0383 A74-36463
- BORODIN, V. T.
Flight control of airplanes and helicopters
[AD-767943] p0143 N74-13738
Flight control of airplanes and helicopters
[AD-777297] p0368 N74-26488
- BOROS, A.
A new pneumatic hybrid control system p0174 A74-19884
- BOROZDIN, V. N.
The equation of flight vehicle roll motion
p0088 A74-15728
- BORRI, M.
A method for the dynamic study of helicopter
fuselages in the design phase p0261 A74-26025
- BORESCHOV, K. V.
Manual of the aviation engineer p0403 A74-37999
- BORST, H. V.
Summary of propeller design procedures and data.
Volume 1: Aerodynamic design and installation
[AD-774831] p0327 N74-21667
Summary of propeller design procedures and data.
Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
Summary of propeller design procedures and data.
Volume 3: Hub, actuator, and control designs
[AD-776998] p0360 N74-25614
- BORTA, M. L.
Recommended design procedure for VASI-2 systems
p0392 A74-37341
- BOSCHER, R.
The technical evolution of aircraft p0006 A74-11092
- BOSE, C. M.
Determination of the effects of mass and stiffness
on the vibration response of ribbed panels
subjected to random acoustic noise [AD-774436] p0304 N74-21568
- BOSHMAN, D.
AGARD flight test instrumentation services.
Volume 1: Basic principles of flight test
instrumentation engineering [AGARDOGRAPH-160-VOL-1] p0360 N74-25933
- BOSSLER, F. B.
Jet propulsion for quiet aircraft p0396 A74-37536
Jet noise reduction technique for military
reconnaissance/surveillance aircraft. Phase 1:
Bench/wind tunnel tests [AD-774748] p0300 N74-20691
- BOULDER, L. L.
Hydraulic muscle with electrical controls
p0321 A74-31474
- BOULTER, M. J.
Bird control at the airport p0080 A74-14523
- BOURGEOIS, A.
Utilization of titanium and its alloys in the
manufacture of helicopters and airplane frames
p0218 A74-23967
- BOUSHMAN, W. G.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] p0494 N74-34475
- BOUTON, I.
Study of structural criteria for composite
airframes. Volume 3: Bibliography [AD-767569] p0105 N74-12726
Study of structural criteria for composite
airframes. Volume 2: Current/criteria/selected
rationale review and evaluation [AD-767707] p0147 N74-14239
- BOWDEN, M. K.
Propulsion integration for a hybrid
propulsive-lift system [SAE PAPER 740471] p0351 A74-35002
- BOWDITCH, D. H.
Some design considerations for supersonic cruise
mixed compression inlets [AIAA PAPER 73-1269] p0030 A74-12496
Some design considerations for supersonic cruise
mixed compression inlets [NASA-TM-X-71460] p0037 N74-10021
- BOWEN, G. M.
Aircraft lift and drag prediction and measurement
p0364 N74-26449
- BOWES, M. A.
Test and evaluation of a quiet helicopter
configuration HH-43B p0087 A74-15644
- BOWKER, A. J.
Transonic lift augmentation of two-dimensional
supercritical aerofoils by means of aft camber,
slot blowing and jet flaps, in high Reynolds
number flow [ICAS PAPER 74-11] p0448 A74-41313
- BOWLES, J. V.
Propulsion system sizing for powered lift and
mechanical flap quiet aircraft [SAE PAPER 740455] p0349 A74-34983

- Computer programs for estimating aircraft takeoff and landing performance
[NASA-TM-X-62333] p0196 N74-16720
- BOWMAN, J. S., JR.
Stall/spin research status report
[SAE PAPER 740354] p0308 A74-28734
- BOYCE, E. P.
Study of casing treatment effects in axial flow compressors
[ASME PAPER 74-GT-89] p0273 A74-27472
- BOYD, E. A.
An investigation of a nonplanar vortex lattice method for wing calculations
[CRANFIELD-AERO-17] p0037 N74-10023
- BOYES, J. L.
Navy's Fleet Satellite and GAPPILLER Satellite Communications programs p0268 A74-27137
- BOYLAN, D. E.
Laminar heat transfer on sharp and blunt ten-degree cones in conical and parallel low-density flow
[AD-765546] p0053 N74-10869
- BRACKA, B.
STOL tactical aircraft investigation. Volume 1: Configuration definition
[AD-766941] p0057 N74-10927
- BRADFORD, R. S.
Gunship video recording system - First high quality battle damage assessment capability
p0217 A74-22531
- BRADLEY, E. F.
Forgings for jet engines - More quality at less cost
p0348 A74-34874
- BRADLEY, E. S.
Feasibility study of the transonic biplane concept for transport aircraft application
[NASA-CR-132462] p0495 N74-34477
- BRADLEY, J. C.
Clean, bright, and dry
p0176 A74-20213
- BRADLEY, J. E.
The design and development of an advanced annular combustor for civil application
p0437 A74-40000
- BRADLEY, R. G.
An experimental investigation of leading-edge vortex augmentation by blowing
[NASA-CR-132415] p0281 N74-19643
- BRADLEY, R. P.
JP-4 thermal stability survey
[AD-767591] p0112 N74-13501
- BRADY, R.
Analysis of route widths in the domestic airspace
p0317 A74-30360
- BRAGDON, E. L.
Propulsion technology advances needed for a quiet supersonic transport
[SAE PAPER 730898] p0018 A74-11591
- BRAID, MR.
Display systems - An airborne look ahead
p0178 A74-20595
- BRAINERD, C. H.
Evaluation of spoilers for light aircraft flight path control
p0434 A74-39867
- BRAITHWAITE, W. M.
The effect of inlet temperature and pressure distortion on turbojet performance
[AIAA PAPER 73-1316] p0012 A74-11311
- Experimental evaluation of a TF30-P-3 turbofan engine in an altitude facility: Effect of steady-state temperature distortion
[NASA-TM-X-2921] p0049 N74-10722
- BRANCH, M. C.
Urban air traffic and city planning: Case study of Los Angeles County
p0179 A74-20624
- BRANCH, W. M.
Energy management display
p0346 A74-34844
- Data management during the Navy performance test and evaluation of the F-14A airplane
p0347 A74-34857
- BRAUDET, K. J.
Microwave dielectric waveguide data bus system for aircraft interior data transfer
p0424 A74-38564
- BRAWETS, V. M.
Application of quaternions to rigid body rotation problems
[NASA-TT-F-15414] p0418 N74-29040
- BRANGER, M.
Gas-lubricated foil bearings for high speed turboalternator - Construction and performance
[ASME PAPER 73-LUB-5] p0027 A74-12332
- BRANSTETTER, J. R.
Spontaneous ignition in afterburner segment tests at an inlet temperature of 1240 K and a pressure of 1 atmosphere with ASTM jet-A fuel
[NASA-TM-X-2952] p0101 N74-12571
- BRASHEARS, M. R.
Analysis of predicted aircraft wake vortex transport and comparison with experiment
[AIAA PAPER 74-506] p0339 A74-33105
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes
[AD-783665] p0498 N74-34537
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 1: Wake vortex predictive system study
[AD-783649] p0499 N74-34716
- BRASLOW, A. L.
Aeronautical fuel conservation possibilities for advanced subsonic transports
[NASA-TM-X-71927] p0295 N74-20654
- BRATONOV, T.
Suitability of the finite element method for analysis of unsteady flow around oscillating airfoils
p0014 A74-11439
- Analysis of three-dimensional unsteady flow around oscillating wings
[AIAA PAPER 74-184] p0135 A74-18838
- Analysis of moving body problems in aerodynamics
p0432 A74-39346
- Numerical calculations of velocity and pressure distribution around oscillating airfoils
[NASA-CR-2368] p0194 N74-16704
- BRAUN, G. W.
On the inlet vortex system
[NASA-CR-140182] p0500 N74-35194
- BRAUNS, D. A.
Flight experience with a pivoting traversing boundary-layer probe
[NASA-TM-X-56022] p0192 N74-16102
- BRAY, H. C., JR.
The feasibility of a fluidic respiratory flow meter
[NASA-CR-132296] p0241 N74-18096
- BRAY, R. S.
A study of vertical motion requirements for landing simulation
p0260 A74-25971
- BREANT, P.
Some transmission characteristics of AEROSAT-type air traffic control systems
p0174 A74-19957
- BREEDLOVE, W. J., JR.
Application of an improved unified subsonic-supersonic potential flow method for the aerodynamic analysis of aircraft configurations
[AIAA PAPER 74-186] p0135 A74-18841
- BRENDDEL, P.
Procedures for recovering flight vehicles
[DGLR PAPER 74-038] p0456 A74-42872
- BRENNAN, L. E.
Adaptive arrays
p0316 A74-30319
- BRESNAHAN, D. L.
Refan program. Phase 1: Summary report
[NASA-TM-X-71456] p0040 N74-10043
- BRESOWAR, G. E.
Measurement of gas turbine exhaust pollutants by Raman spectroscopy
[AIAA PAPER 73-1276] p0010 A74-11288
- BREUNINGER, J. R., JR.
An experimental study of attenuation of shock waves in aircraft fuel tanks
[AD-769930] p0198 N74-16750
- BREVEN, J. P.
Calculation, design, and testing of a model of transonic flutter
p0224 A74-25326
- BREWER, G. D.
The case for hydrogen fueled transport aircraft

- [AIAA PAPER 73-1323] p0012 A74-11315
Hydrogen - Make-sense fuel for an American
supersonic transport p0169 A74-19353
[AIAA PAPER 74-163] p0312 A74-29452
The case for hydrogen-fueled transport aircraft
- BREWER, L. E.
Helicopter icing handling qualities p0385 A74-36595
[AHS PREPRINT 844]
Helicopter icing spray system qualification p0330 A74-22688
[AD-775803]
- BREYSSER, P. A.
Aircraft noise induced vibration in fifteen
residences near Seattle-Tacoma International
Airport p0073 A74-13770
- BRICINSKI, S.
Helicopter derivative identification from analytic
models and flight test data p0356 A74-25579
- BRIDENAU, T. J.
CC-115 Buffalo aircraft engine and engine inlet
duct anti-icing system evaluation trials p0346 A74-34849
- BRIDELANCE, J. P.
Experimental study of the aerodynamic noise of
airfoils p0224 A74-25327
- BRIGHAM, C. R.
Advanced metallic structures: Cargo wing design
for improved cost, weight, and integrity p0497 A74-34523
[AD-782258]
- BRIGHAM, G. E.
Maneuver criteria evaluation program p0491 A74-33472
[AD-782209]
- BRINCKMANN, C.
The dynamic behavior of a digital electrohydraulic
actuator p0191 A74-15736
[NASA-TT-F-15295]
Comparison with regard to the economy of a digital
and an analog electro-hydraulic actuator p0489 A74-33457
[DLR-FB-73-105]
Contribution to the dynamic behavior of a digital
electro-hydraulic actuator p0490 A74-33458
[DLR-FB-73-106]
- BRINKERHOFF, J. E.
Development of self-contained portable unit for
nondestructive compositional analysis of
aircraft and space systems alloys p0110 A74-13265
[AD-767226]
- BRISBARRIE, J.
Calculation, design, and testing of a model of
transonic flutter p0224 A74-25326
- BRITT, C. L., JR.
Radar backscattering as a means for measuring
ocean surface parameters using S193 altimetry
and S190B photography p0063 A74-11202
[E74-10092]
- BRITTAIN, C. E.
Microwave landing system integration study.
Volume 1: Summary report p0361 A74-26149
[AD-775703]
Microwave landing system integration study.
Volume 3: Appendices p0361 A74-26155
[AD-775724]
- BRIX, C. W., JR.
Theoretical investigation of supersonic flow past
oscillating cascades with subsonic leading-edge
locus p0135 A74-18843
[AIAA PAPER 74-14]
A study of supersonic flow past vibrating shells
and cascades p0046 A74-10335
[AD-765735]
- BROCK, D.
Acoustic-emission detection system p0478 A74-44928
- BROCKHAUS, R.
Flight control problems for steep approaches p0406 A74-27493
[NASA-TT-F-15617]
- BRODEKI, Z.
Propellers at present and in the future p0270 A74-27297
- BROEK, D.
Fatigue crack growth and residual strength of
aluminum alloy sheet at temperatures down to -75C p0099 A74-12248
[NLR-TR-72096-U]
- BROISANNE
The flight control system for the Concorde
supersonic civil transport aircraft p0413 A74-28502
[BAB-LIB-TRANS-1615]
- BROOK-FOOTITT, E.
Equipment for suppressing reflected secondary
radar signals p0028 A74-12359
- BROOKE, J. P.
Impact of technology on cost reduction p0305 A74-21618
- BROOKS, A. J.
Mixed compression air intakes for operation at
Mach 2.2 p0437 A74-39981
- BROOKS, C. W., JR.
Effect of blockage ratio on drag and pressure
distributions for bodies of revolution at
transonic speeds p0036 A74-10015
[NASA-TN-D-7331]
A streamline curvature method for design of
supercritical and subcritical airfoils p0470 A74-32416
[NASA-TN-D-7770]
Development of a computer program to obtain
ordinates for NACA-6 and 6A-series airfoils p0487 A74-33431
[NASA-TN-X-3069]
- BROOKS, W. A., JR.
Service evaluation of aircraft composite
structural components p0084 A74-14774
[NASA-TN-X-71944]
Service evaluation of aircraft composite
structural components p0284 A74-19667
[NASA-TN-X-71944]
- BROWN, C. E.
Evaluation of effectiveness of various devices for
attenuation of trailing vortices based on model
tests in a large towing basin p0188 A74-15710
[NASA-CR-2202]
- BROWN, C. G.
Effect of advanced aircraft noise reduction
technology on the 1990 projected noise
environment around Patrick Henry Airport p0296 A74-20660
[NASA-TN-X-71953]
- BROWN, C., E.
Simulation of wake vortices descending in a stably
stratified atmosphere p0499 A74-34715
[AD-783750]
- BROWN, D.
Two-dimensional wind tunnel tests on a
conventional wing section over a wide range of
Reynolds numbers and up to high subsonic
free-stream speeds p0447 A74-41306
[ICAS PAPER 74-04]
- BROWN, D. G.
Noise of advanced subsonic air transport systems p0438 A74-40090
- BROWN, D. W.
Lateral distribution of aircraft traffic p0045 A74-10304
[AD-765435]
Prediction of aircraft ground performance by
evaluation of ground vehicle rut depths p0330 A74-22689
[AD-775744]
- BROWN, G. J.
New trends and developments in hang gliders p0455 A74-42046
[AIAA PAPER 74-1031]
- BROWN, H.
Cost effective built-in test for advanced aircraft
electrical systems p0075 A74-13808
Fiber optics as applied to Advanced Aircraft
Electrical Systems p0425 A74-38576
- BROWN, J. C.
Potential conflict prediction and associated
functions for oceanic air traffic control
automation p0112 A74-13427
[AD-767453]
- BROWN, J. L.
Visual elements in flight simulation p0253 A74-18714
[AD-772586]
- BROWN, J. E.
A method for preventing airplane stall/spin p0401 A74-37851
[AIAA PAPER 74-863]
- BROWN, R. A.
Effectiveness evaluation of STOL transport
operations (phase 2) p0326 A74-21660
[NASA-CR-137481]
Application of interactive graphics to the
avionics evaluation program p0328 A74-21847
[AD-775372]

- BROWN, R. E.
Aircraft life cycle profitability - The manufacturer's challenge
[AIAA PAPER 74-280] p0180 A74-20836
- BROWN, S. C.
Microwave landing system requirements for STOL operations
[AIAA PAPER 74-997] p0430 A74-38751
Preliminary assessment of the microwave landing system requirements for STOL operations
[NASA-TM-X-62310] p0064 N74-11431
- BROWN, T. W.
A study of the Concorde air intake in yaw
[ICAS PAPER 74-50] p0451 A74-41350
- BROWN, W. C.
The technology and application of free-space power transmission by microwave beam
p0170 A74-19464
- BRUCE, A. C.
Structural analysis of light aircraft using NASTRAN
p0153 N74-14594
- BRUEL, V.
Electroacoustical performance requirements for aircraft noise certification measurements
p0074 A74-13799
- BRUENING, G.
Does research in the field of aeronautics have a future
p0259 A74-25723
Longitudinal motion of an airliner during steep approach
[NASA-TT-F-15616] p0355 N74-25564
- BRUNER, D. B.
High level container
[AD-766306] p0054 N74-10899
- BRUNER, G.
New jet engines
p0316 A74-30346
- BRUNET, M.
Turbo-machine numerical control using the ASMOCHE 01 prototype
p0431 A74-39007
- BRUNETAUD, R.
Evolution of applications of precision casting in turbojets
p0125 A74-17892
- BRUNETTI, A. W.
Accident prevention by incident analysis
p0208 A74-22634
- BRUTON, D. H.
Pollution levels at London (Heathrow) Airport and methods for reducing them
p0149 N74-14284
- BRYAN, C. J.
Test of LOX compatibility for asphalt and concrete runway materials
[NASA-TM-X-64086] p0059 N74-11091
- BRYAN, C. V.
RPV potential for naval applications
p0481 A74-45309
- BRYAN, M. E.
Effects of helicopter external loads on sling properties
[AD-774267] p0300 N74-20690
- BRYANT, W. B.
Effects of flight instrumentation errors on the estimation of aircraft stability and control derivatives
p0357 N74-25585
- BRISON, A. E., JR.
Automatic control of a helicopter with a hanging load
[NASA-CR-136504] p0140 N74-13715
Multi-input, multi-output regulator design for constant disturbances and non-zero set points with application to automatic landing in a crosswind
[NASA-CR-136618] p0164 N74-15378
A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables
[AD-782490] p0491 N74-33470
- BRYSON, L. L.
Analytical and experimental investigation of aircraft metal structures reinforced with filamentary composites. Phase 3: Major component development
[NASA-CR-2122] p0153 N74-14625
- BUCHANAN, E. R.
Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy
p0337 A74-32812
- BUCHANAN, W. E.
Integrated, universal pilot warning/collision avoidance display
p0377 A74-35567
- BUCKLEY, R. G.
Inspection of advance composite structures by nondestructive testing
p0380 A74-36000
- BUCKNER, J. K.
Selected results from the YF-16 wind tunnel test program
[AIAA PAPER 74-619] p0380 A74-36046
Aerodynamic design evolution of the YF-16
[AIAA PAPER 74-935] p0479 A74-45100
- BUFFUM, R. S.
U.S. Navy VTOL automatic landing system development program
[AHS PREPRINT 823] p0389 A74-36627
- BUIVOL, V. N.
Concerning wave processes in a shell-gas system
p0087 A74-15573
- BULBAN, E. J.
YF-16 stresses advanced technology
p0118 A74-16793
- BULDOVSKIY, G. S.
Turbulence near the tropopause in the presence of mountain waves
[AD-766577] p0063 N74-11274
- BULL, J. S.
Jet transport energy management for minimum fuel consumption and noise impact in the terminal area
[AIAA PAPER 74-811] p0400 A74-37821
- BULTER, R. W.
Evaluation of a wind tunnel technique to determine aircraft departure characteristics
[AD-776317] p0360 N74-25791
- BUNKOV, E. G.
Reciprocal-action computational systems for complex calculations in aeromechanics
p0393 A74-37394
- BUNTON, R. W.
Users manual for STICH (the Stodola in-core matrix): An in-core matrix operations computer program
[AD-770999] p0240 N74-17921
- BURAKOV, G. E.
Simulating the system of automatic correction of aircraft coordinates on an analog computer
[AD-765991] p0042 N74-10058
- BURCHAN, P. W., JR.
Preliminary results of flight tests of the propulsion system of the YF-12 airplane at Mach numbers to 3.0
[AIAA PAPER 73-1314] p0033 A74-12951
Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft
p0277 A74-28286
- BURGESS, W. E.
An investigation of cost factors relating to class 4 aircraft modifications
[AD-769195] p0191 N74-15730
- BURGGRAF, O. E.
The numerical solution of the asymptotic equations of trailing edge flow
p0456 A74-42797
- BURK, S. H., JR.
Stall/spin research status report
[SAE PAPER 740354] p0308 A74-28734
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] p0445 N74-30421
- BURKDOLL, F. B.
Explosive canopy severance
p0214 A74-23531
- BURKE, G. J.
Antenna modeling of the KC-135
[AD-769913] p0200 N74-16960
- BURLEY, R. R.
Flight velocity effects on jet noise of several variations of a 48-tube suppressor installed on a plug nozzle
[NASA-TM-X-2919] p0165 N74-15465

- Flight velocity effects on jet noise of several variations of a twelve-chute suppressor installed on a plug nozzle
[NASA-TM-X-2918] p0166 N74-15466
- Preliminary measurement of the airframe noise from an F-106B delta wing aircraft at low flyover speeds
[NASA-TM-X-71527] p0284 N74-19668
- Flight velocity effects on the jet noise of several variations of a 104-tube suppressor nozzle
[NASA-TM-X-3049] p0410 N74-28240
- Suppressor nozzle and airframe noise measurements during flyover of a modified F106B aircraft with underwing nacelles
[NASA-TM-X-71578] p0442 N74-29379
- BURNAN, Z. I.
Symmetrical eigen forms of the vibrations of a supporting surface and of an elastic fuselage
[AD-756285] p0043 N74-10067
- BURNELL, D. G.
Turbine engine fuel control reliability and maintainability analysis
[AD-771030] p0243 N74-18405
- BURNETT, G. A.
Study of small turbofan engines applicable to general-aviation aircraft
[NASA-CR-114630] p0049 N74-10725
- BURNETT, L. I.
Titanium structural brazing
p0480 A74-45260
- BURNHAM, D. C.
Influence of flaps and engines on aircraft wake vortices
p0478 A74-44425
- BURNS, A.
On the nature of large clear air gusts near storm tops
[ARC-CP-1248] p0111 N74-13402
- BURNS, B. R. A.
An oscillatory method for the flight calibration of sideslip and incidence sensors
p0077 A74-14263
- BURNS, J. E.
Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft
[AD-769041] p0163 N74-14779
- BURNSIDE, W. D.
Roll-plane analysis of on-aircraft antennas
p0169 A74-19228
- Roll plane analysis of on-aircraft antennas
[NASA-CR-136815] p0200 N74-16953
- A study of KC-135 aircraft antenna patterns
[NASA-CR-138585] p0369 N74-26663
- Computer analysis of aircraft and shuttle antennas
[NASA-CR-138605] p0369 N74-26666
- Numerical solutions to some on-aircraft antenna pattern problems
[AD-777977] p0409 N74-27639
- A technique to combine the geometrical theory of diffraction and the moment method
[AD-777976] p0409 N74-27640
- Analysis of on-aircraft antenna patterns
[AD-777975] p0409 N74-27641
- Flush-mounted antennas radiating on aircraft type surfaces
[NASA-CR-2403] p0417 N74-28707
- BURBIN, R. H.
A new anechoic facility for supersonic hot jet noise research at Lockheed-Georgia
p0315 A74-30092
- BURBOUS, C. W.
Microwave landing system requirements for STOL operations
[AIAA PAPER 74-997] p0430 A74-38751
- Preliminary assessment of the microwave landing system requirements for STOL operations
[NASA-TM-X-62310] p0064 N74-11431
- BURROWS, I. L.
F-15 progress report. II
p0171 A74-19489
- BURT, S.
Investigation of the suction system and boundary-layer characteristics on a high-lift, BLC L-19 test aircraft
[AD-766305] p0042 N74-10063
- BURTE, R. H.
Failure experience with and failure anticipation in titanium components
p0116 A74-16476
- BURTON, G. T.
Holographic multicolor moving map display (system definition)
[AD-772155] p0241 N74-18083
- BURTON, R. A.
Flight test applications and analysis of parameter identification techniques
p0347 A74-34856
- Navy participation in the development of airframe parameter identification techniques
p0356 N74-25572
- BUSCHKY, W.
Aircraft recovery - There is a solution
p0089 A74-15865
- BUSHELL, K. W.
An experimental study of subsonic jet noise and comparison with theory
p0002 A74-10271
- BUSSELT, A.
Flight-control systems for automatic landings - Safety by means of redundancy
p0313 A74-29828
- BUSSEY, C. W.
Nondestructive testing of aircraft wheels at Eastern Airlines
p0343 A74-34288
- BUTLER, S. F. J.
Technical evaluation report on Fluid Dynamics Panel Specialists' Meeting on Aerodynamic Drag
[AGARD-AR-58] p0054 N74-10905
- Technical Evaluation report
p0155 N74-14710
- Aircraft drag prediction for project appraisal and performance estimation
p0156 N74-14716
- BUTTON, D. L.
Design and development of Montreal and Ottawa STOLports
[SAE PAPER 740487] p0350 A74-34994
- BUTUSOVA, I. V.
Alloys for helicopter rotor-blade spars
p0343 A74-34145
- BUTZE, H. F.
Odor intensity and characterization studies of exhaust from a turbojet engine combustor
[AIAA PAPER 73-1278] p0011 A74-11290
- BUXBACH, O.
Service loads on nose landing gears of the F-104 airplane
[LBP-TB-103/1972] p0056 N74-10924
- Gust velocities encountered by a 720-B type airplane and derived by means of a model for continuous turbulence
[LBP-FB-105/73] p0097 N74-11840
- Review of investigations on aeronautical fatigue in the Federal Republic of Germany, May 1969 - June 1973
[LBP-S-108] p0097 N74-11843
- Ground loads on the nose undercarriage of the F-104G aircraft
[BAE-LIB-TRANS-1744] p0406 N74-27494
- BUEZNIKOV, A. A.
Automation of measurements and of data processing for experiments in an IL-18 aircraft laboratory
p0276 A74-27884
- BYATT, D. W. G.
Present and future radar display techniques
p0028 A74-12382
- BYEBLEY, D. L.
Evaluation of various sizes and configurations of fuel tanks
[AD-777801] p0408 N74-27516
- BYRDSONG, T. A.
Model studies of crosswind landing-gear configurations for STOL aircraft
p0066 N74-11680
- BYRNES, J. E.
V/STOL demonstrator vehicle for ejector thrust augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663
- BYU, C. L.
Roll plane analysis of on-aircraft antennas
[NASA-CR-136815] p0200 N74-16953

C

CABOT, L.
Some aerodynamic problems raised by the airship
[ONERA, TP NO. 1312] p0222 A74-24314

- CADDY, H. J.**
NEPCOMP - The Navy Engine Performance Program
[ASME PAPER 74-GT-83] p0273 A74-27469
- CADMAN, R. B.**
Test plan for the hook bounce condition of the
E-2A airplane arresting gear A frame
[AD-774084] p0300 N74-20692
Hook bounce test of the C-2A airplane arresting
gear A frame
[AD-774085] p0328 N74-21902
Hook bounce test of the E-2A airplane arresting
gear A frame
[AD-774086] p0328 N74-21903
- CADO**
The flight control system for the Concorde
supersonic civil transport aircraft
[RAE-LIB-TRANS-1615] p0413 N74-28502
- CAGLAYAN, A. K.**
A self-reorganizing digital flight control system
for aircraft
[AIAA PAPER 74-21] p0133 A74-18808
- CAGLE, L. F.**
Some performance characteristics of the Bell 100
ton surface effect ship
[AD-765689] p0042 N74-10062
- CABILL, J. F.**
Feasibility study of the transonic biplane concept
for transport aircraft application
[NASA-CR-132462] p0495 N74-34477
- CALHOUN, C. C., JR.**
Development of minimum pipe-cover requirements for
C-5A and other aircraft loadings
[AD-771174] p0241 N74-17963
- CALLAGHAN, J. G.**
Aerodynamic prediction methods for aircraft at low
speeds with mechanical high lift devices
p0364 N74-26447
- CALLAWAY, V. E.**
Development of noise-reduction concepts for the
707 airplane
p0396 A74-37533
- CALMON, J.**
Performance and noise aspects of supersonic
transport
p0074 A74-13798
- CALVERT, C.**
Investigation in energy transfer and energy
conversion for advanced power and propulsion
systems
[AD-771581] p0243 N74-18417
- CAMERON, A. G.**
Empirical assessment of ATCRBS
[ATC-16] p0164 N74-15379
- CAMPBELL, C. D.**
A conceptual definition study for a digital
avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
A conceptual definition study for a digital
avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- CAMPBELL, D. R.**
Full-scale tests of an augmentor VTOL concept
[AIAA PAPER 73-1185] p0008 A74-11229
- CAMPBELL, G. F.**
STOL tactical aircraft investigation. Volume 1:
Configuration definition
[AD-766941] p0057 N74-10927
STOL tactical aircraft investigation. Volume 5:
Flight control technology
[AD-767364] p0143 N74-13735
- CAMPBELL, J. E.**
STOL tactical aircraft investigation-externally
blown flap. Volume 5: Flight control
technology. Part 2: Simulation studies/flight
control system validation
[AD-770449] p0199 N74-16752
- CAMPBELL, J. M.**
Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 1: Static
testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752
Design and fabrication of an augmentor wing model
for acoustic tests
[NASA-CR-134518] p0241 N74-17960
- CAMPBELL, S. A.**
Aircraft avionics environmental control analysis
procedures for optimized life cycle cost
p0434 A74-39741
- CAMPBELL, W. J.**
Nasa remote sensing of sea ice in AIDJEX
p0063 N74-11223
- CANT, R. J.**
Pegasus engine operating experience in the Barrier
Aircraft
p0292 N74-20431
- CANT, S. H.**
Aircraft noise induced vibration in fifteen
residences near Seattle-Tacoma International
Airport
p0073 A74-13770
- CAPODAGLI, G.**
Engine condition monitoring - The Alitalia approach
p0180 A74-20825
- CAPONE, F. J.**
Supercirculation effects induced by vectoring a
partial-span rectangular jet
[AIAA PAPER 74-971] p0428 A74-38736
- CAPSEY, G. H.**
Technical regulation and direction
p0382 A74-36329
- CAPUANI, A.**
Engine cycle selection for commercial STOL aircraft
p0290 N74-20408
- CARAPOLI, E.**
The aerodynamic characteristics of some variable
geometry wing forms, derived from delta wings,
gothic and mild-ogee wings
p0088 A74-15810
Calculation method for the supersonic spanwise
twisted rectangular wings
p0088 A74-15820
- CARDRICK, A. W.**
An approach to the development of meaningful
design rules for fatigue-loaded CFRP components
p0313 A74-29783
Fatigue in carbon fibre reinforced plastic
structures: A review of the problems
p0368 N74-26478
- CAREL, W. L.**
Development of design criteria for sensor displays
[AD-774725] p0303 N74-21049
- CARLSON, L. A.**
Inverse transonic flow calculations using
experimental pressure distributions
p0276 A74-28050
- CARLSON, R. B.**
Cruise drag results from high speed wind tunnel
tests of NASA Refan JT8D engine nacelles on the
Boeing 727-200
[NASA-CR-134546] p0247 N74-18673
- CARLSON, R. G.**
Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0393 A74-37483
Helicopter rotor loads predictions
p0055 N74-10912
Aeroelastic analysis of a telescoping rotor blade
[AD-771963] p0239 N74-17774
Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0495 N74-34491
- CARLSON, R. M.**
Integrated rotor/body loads prediction
p0055 N74-10916
- CARMICHAEL, B. H.**
Application of sailplane and low-drag underwater
vehicle technology to the long-endurance drone
problem
[AIAA PAPER 74-1036] p0455 A74-42050
- CARNEC, F.**
Problems and organization in the case of
aerial-survey flights at intermediate and high
altitudes
p0086 A74-15082
- CARNEGIS, I. A.**
Engine sensory requirements for energy management
p0278 A74-28311
- CARON, R. P.**
Mathematical simulation of a vibrating light
aircraft piston engine and correlation with
engine flight test data
[SAE PAPER 740383] p0310 A74-28743
- CARPENTER, L. C.**
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design
[NASA-CR-132394] p0415 N74-28513

- CARR, C. J.
Force measurements on caret and delta wings over the incidence range 27 deg less than or equal to alpha less than or equal to 55 deg at M 12.2
[IC-AERO-71-22] p0154 N74-14705
- CARR, P. S.
AEROSAT ground environment and test plan p0024 A74-12191
- CARR, R. W.
Crashworthy landing gear study
[AD-765489] p0042 N74-10060
- CARRERAS, E. M.
Static two dimensional performance of a cushion fed air cushion landing system
[AD-774394] p0300 N74-20686
- CARRIERE, P.
Progress in aerospace sciences. Volume 14 p0025 A74-12203
- CARROLL, R. H.
STOL tactical aircraft investigation. Volume 1: Configuration definition (medium STOL transport with vectored thrust/mechanical flaps)
[AD-766637] p0056 N74-10925
- CARROLL, W. J.
Model support roll balance and roll coupling p0066 N74-11681
- CARTA, P. O.
Unsteady fluid dynamic response of an axial-flow compressor stage with distorted inflow
[AD-766084] p0051 N74-10736
- CARTER, A. W.
Effect of ground proximity on the longitudinal aerodynamic characteristics of an aspect-ratio-1 wing with and without wing-tip blowing
[NASA-TM-X-3048] p0412 N74-28475
- CARTER, C. S.
Evaluation of AFC 77 martensitic stainless steel for airframe structural applications
[AD-767597] p0110 N74-13263
- CARTER, R. H.
Integrated propulsion systems for V/STOL transports
[ASME PAPER 74-GT-118] p0273 A74-27486
- CARY, R. E. J.
Problems of long linear arrays in helicopter blades p0468 N74-31684
- CASAROSA, C.
Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue p0072 A74-13365
- A method for measuring the dynamic stability Cyr in a subsonic wind tunnel
[REPT-1427] p0187 N74-15701
- Fatigue behaviour of hat section stringer stiffened panels compressed in the post-buckling range
[AD-773672] p0293 N74-20579
- CASSARINO, S. J.
Aeroelastic analysis of a telescoping rotor blade
[AD-771963] p0239 N74-17774
- CASTELLS, O. T.
Deck heating effects due to VTOL jet exhaust impingement
[AIAA PAPER 73-1182] p0008 A74-11227
- CASTLE, W. S.
Heavy Lift Helicopter main engines
[SAE PAPER 730920] p0123 A74-17537
- CASTRO, R.
Heat-resistant titanium alloys - Introduction of the 651 A alloy p0125 A74-17891
- Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962
- Heat-resistant titanium alloys - Introduction of the UT651A alloy p0219 A74-23963
- CASWELL, G.
External burning assisted projectile - Theory and experiment
[AIAA PAPER 73-1193] p0009 A74-11234
- CATCHING, J. P.
conceptual definition study for a digital avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
- A conceptual definition study for a digital avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- CATON, B. G.
Evaluation of AFC 77 martensitic stainless steel for airframe structural applications
[AD-767597] p0110 N74-13263
- CAUGHEY, D. A.
An inviscid analysis of transonic, slatted airfoils
[AIAA PAPER 74-541] p0339 A74-33137
- CAVALLINI, G.
Theoretical and experimental research on vibrations of thin walled stiffened structures
[ICAS PAPER 74-16] p0448 A74-41318
- CAWDERY, P. H.
Toward the definition of escape and capture regions for a two aircraft pursuit-evasion game
[AD-770281] p0201 N74-17689
- CAWTHORN, J. E.
Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport
[NASA-TM-X-71953] p0296 N74-20660
- CEBECI, T.
Attachment-line flow on an infinite swept wing
[AD-771736] p0177 A74-20293
- Remarks on methods for predicting viscous drag p0156 N74-14718
- CEBULAK, W. S.
Properties of high-strength aluminum P/M products p0227 A74-24225
- CERESURLA, R.
Aerodynamic problems of the short takeoff and landing aircraft
[ONERA, TP NO. 1247] p0226 A74-25062
- CERESURLA, R. J.
Aerodynamic problems of STOL aircraft
[NASA-TT-F-15182] p0056 N74-10918
- CERNAK, J. E.
A wind model for an elevated STOL-port configuration
[NASA-CR-2450] p0418 N74-28734
- CERNANSKY, M. P.
Factors controlling pollutant emissions from gas turbine engines p0149 N74-14292
- CHABOT, L.
Airborne testing of advanced multisensor aircraft p0460 A74-43612
- CHACHAKIS, S.
Spring overriding aircraft clutch
[AD-766309] p0044 N74-10073
- CHADWICK, J. W.
General aviation cost impact study. Volume 1: Executive summary
[AD-771603] p0239 N74-17779
- General aviation cost impact study. Volume 2: Research methodology
[AD-771606] p0239 N74-17780
- General aviation cost impact study. Volume 3: Planning guide
[AD-771759] p0239 N74-17781
- CHARAL, J. S.
Bilinear surface representation of radar scattering for aircraft
[AD-766320] p0044 N74-10169
- CHAKRABARTY, S. K.
Integral equation solutions for simply supported polygonal plates p0483 A74-46071
- CHAMBERLIN, R.
Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests
[NASA-TM-X-3053] p0323 N74-21639
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds p0323 N74-21639
- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests
[NASA-TM-X-71548] p0360 N74-25812
- CHAMBERS, E.
BOAC experience with turbulence p0233 N74-17726
- CHAMIS, C. C.
Experimental and theoretical investigation of HT-S/PMR-PI composites for application to advanced aircraft engines p0228 A74-24868
- Graphite-polyimide composite for application to aircraft engines
[NASA-TN-D-7698] p0370 N74-27412
- CHAMMINGS, M. B.
Design and evaluation of aircraft pavements - 1971

- CHAMPINE, R. A. p0022 A74-11874
Fixed-base simulation study of decoupled controls during approach and landing of a STOL transport airplane
[NASA-TN-D-7363] p0187 N74-15703
Preliminary results of flight tests of vortex attenuating splines
[NASA-TN-X-71928] p0294 N74-20637
- CHAMPNISS, G. A.
Maplin - The operational factors and their influence on the design of the airport p0079 A74-14511
- CHANAUD, R. C.
Aerodynamic noise from porous propeller fans p0073 A74-13793
- CHANDIRAMANI, K. L.
Diffraction of evanescent waves, with applications to aerodynamically scattered sound and radiation from un baffled plates p0204 A74-23104
- CHANE, W. P.
Parachute escape from helicopters [AD-772970] p0251 N74-18702
- CHANG, J.
Mechanical component failure prognosis study [AD-771033] p0238 N74-17765
Advanced torque measurement system [AD-773021] p0252 N74-18706
- CHANNEL, L. E.
The S-3A - A new dimension in airborne sea control [AIAA PAPER 74-239] p0137 A74-19205
- CHAO, K.-L.
Prediction of unsteady airloads for the solution of the panel flutter problem of nosecones and conical shell structures p0031 A74-12804
- CHAPMAN, G.
Nonlinear parameter identification: Ballistic range experience applicable to flight testing p0356 N74-25580
- CHARPIN, F.
Buffeting tests with a swept wing in the transonic range p0223 A74-25310
Buffeting tests with a swept wing in the transonic range [NASA-TT-F-15803] p0416 N74-28522
- CHARRON, F.
Supersonic compressor test facility p0129 A74-18603
- CHARVIN, P.
Eclipse flight of Concorde 001 p0030 A74-12515
- CHASE, V. A.
Low cost, fiber glass reinforced plastic fuel tank, volume 1 [AD-766361] p0057 N74-10929
Low cost, fiber glass reinforced plastic fuel tank, volume 2 [AD-766400] p0057 N74-10931
- CHATTOT, J. J.
Experimental and theoretical study of the transonic flow past a half-wing p0224 A74-25321
- CHEESEMAN, C. E., JR.
A performance and cost analysis of aircraft and satellites for operational earth resources systems p0085 A74-14873
- CHEESEMAN, I. C.
Noise sources and their control in V/STOL aircraft p0438 A74-40089
- CHENBROVSKIY, O. A.
General principles of designing control systems [NASA-TT-F-782] p0357 N74-25594
- CHEN, R. T. H.
Input design for parameter identification. I - A new formulation and a practical solution p0374 A74-35252
An investigation of overall systems criteria for the longitudinal flying qualities of highly augmented fighter aircraft [AIAA PAPER 74-833] p0453 A74-41803
- CHENEY, H. C., JR.
Rotor wakes - Key to performance prediction p0203 A74-22455
- CHENG, Y.
Flight control systems research [NASA-CR-139595] p0463 N74-31427
- CHEPURNOI, V. N.
Determination of the aerodynamic characteristics of bodies of complex shape in a free-molecular flow with allowance for shading p0204 A74-23233
Determination of the aerodynamic characteristics of a complexly shaped body in a free molecular flow with consideration of shadowing effects p0483 A74-46181
- CHERANOVSKII, O. E.
Control of laminar flow past a wing in free flight p0086 A74-15567
- CHEREMISIN, F. G.
Solution of the plane problem of the aerodynamics of a rarefied gas on the basis of Boltzmann's kinetic equation p0005 A74-10976
- CHEREMUKHIN, G. A.
Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft p0382 A74-36451
- CHERNIAVSKII, S. IU.
Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity p0186 A74-22304
- CHERNYI, A. E.
Correlational ground speed meters and drift indicators of flight vehicles p0180 A74-20900
- CHERNYKH, V. V.
Investigation of the effect of grids on the characteristics of a turbulent flow [AD-765999] p0046 N74-10328
- CHESTNUTT, D.
Air transportation noise technology overview [AIAA PAPER 73-1152] p0003 A74-10506
- CHEVALIER, H. L.
A method for preventing airplane stall/spin [AIAA PAPER 74-863] p0401 A74-37851
Aircraft trailing vortex instabilities [ICAS PAPER 74-34] p0450 A74-41335
- CHEVALIER, M.
Techniques oriented towards cost reduction p0305 N74-21613
- CHEVALIER, R.
New orientations in the study of transport aircraft safety p0208 A74-22633
Anglo-French collaboration - Concorde and supersonic transport /26th Louis Bleriot Lecture/ p0274 A74-27591
Concorde and safety - Design, testing and certification p0431 A74-39050
- CHIANG, T.
Reduction of vibration and noise generated by planetary ring gears in helicopter aircraft transmissions [ASME PAPER 73-PTG-11] p0119 A74-16979
- CHICHESTER-MILES, I.
The economic utilisation of resources through aviation p0381 A74-36321
- CHIGIER, H. A.
Vortexes in aircraft wakes p0185 A74-22206
Experimental studies of turbulent aircraft wake p0392 A74-37257
- CHILDS, H. E.
Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions p0173 A74-19777
- CHIN, G.
User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system [AD-768049] p0151 N74-14361
- CHIN, J.
User's guide for a computer program to analyze the LRC 16 ft transonic dynamics tunnel cable mount system [NASA-CR-132313] p0045 N74-10297
- CHIN, Y. T.
Evaluation of a new jet flap propulsive-lift system for turbofan-powered STOL transports [AIAA PAPER 74-993] p0453 A74-41662
Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap

- [NASA-CR-114758] p0412 N74-28479
- CHINN, H. W.
Autostabilization in VTOL aircraft: Results of flight trials with SC 1 p0465 N74-31456
- CHISHOLM, B. R.
Evaluation of the adhesive bonding processes used in helicopter manufacture. Part 4: Nondestructive inspection of adhesive bonds using holographic techniques [AD-765455] p0047 N74-10480
- CHIU, H. H.
Noise generation by ducted combustion systems [AIAA PAPER 73-1024] p0026 A74-12223
Noise generation by cylindrical spoilers immersed in an air duct [AD-767336] p0142 N74-13730
Research on noise generated by ducted air-fuel combustion systems [AD-767337] p0152 N74-14445
- CHIZHOV, V. M.
Application of the method of extreme values to the determination of maximum operating loads p0383 A74-36455
- CHOPIN, S.
Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod [ONERA, TP NO. 1424] p0483 A74-46596
- CHORIN, A. J.
Discretization of a vortex sheet, with an example of roll-up p0086 A74-15475
- CHOU, H. P.
Nonlinear helicopter rotor lifting surface theory, part 1 [AD-781885] p0473 N74-32453
- CHOU, Y. T.
Structural analysis of flexible airfield pavements p0392 A74-37343
The behavior of flexible airfield pavements under loads: Theory and experiments [AD-766480] p0061 N74-11102
- CHRISTENSEN, J. V.
En route position and time control of aircraft using Kalman filtering of radio aid data [NASA-TN-D-7509] p0100 N74-12360
- CHRISTENSEN, L. D.
Airplane nacelle composite structure technology p0185 A74-22102
- CHRISTIANSEN, V. T.
Model study of C-5A landings on AM2 landing mat [AD-767231] p0109 N74-12970
- CHRISTOPHER, P. A. T.
The influence of non-linear longitudinal aerodynamic characteristics on the power spectral response of aircraft to atmospheric turbulence p0182 A74-21105
- CHU, C.-W.
Supersonic flow about slab delta wings and wing-body configurations p0070 A74-13152
- CHU, S.
Prediction of unsteady airloads for oblique blade-gust interaction in compressible flow p0477 A74-44406
- CHU, W. T.
Theoretical studies of tone noise from a fan rotor [NASA-CR-2354] p0051 N74-10735
On the generation of jet noise p0329 N74-22663
- CHU, W.-H.
Electromechanical simulation of helicopter blade responses to random excitation during forward flight [ASME PAPER 73-DET-28] p0341 A74-33401
- CICCI, F.
It's quiet in front [AIAA PAPER 73-1159] p0003 A74-10510
- CIEPLUCH, C. C.
Technology for low noise aircraft - The NASA Quiet Engines p0221 A74-23599
- CIPFONE, D. L.
Far-field wake-vortex characteristics of wings [AIAA PAPER 74-505] p0339 A74-33104
Axial flow measurements in trailing vortices p0425 A74-38626
- CIJAN, B. J.
Application of boundary layer control by tangential blowing of a jet over trailing edge flaps p0484 A74-46691
- CISSBELL, R. E.
Flight experience with a pivoting traversing boundary-layer probe [NASA-TM-X-56022] p0192 N74-16102
Use of a pitot-static probe for determining wing section drag in flight at Mach numbers from 0.5 to approximately 1.0 [NASA-TM-X-56025] p0441 N74-29370
- CIVINSKAS, K. C.
A simplified life-cycle cost comparison of various engines for small helicopter use [NASA-TM-X-71517] p0256 N74-19405
- CLANOS, N.
Papers presented at the Lightning and Static Electricity Conference (1972). Structure of lightning noise - especially above HF. Triggered lightning and its application to rockets and aircraft [AD-771464] p0255 N74-19271
- CLARKE, U.
Turbulent lift. Comments on some preliminary wind tunnel tests [NASA-TT-F-15743] p0405 N74-27484
- CLARK, B.
Flap noise prediction method for a powered lift system [AIAA PAPER 73-1028] p0006 A74-11051
- CLARK, C. B.
Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology [NASA-CR-132253] p0254 N74-18842
- CLARK, D. R.
Can helicopter rotors be designed for low noise and high performance [AHS PREPRINT 803] p0388 A74-36617
- CLARK, J. O.
Problems in civil air traffic control which SAW technology may impact p0170 A74-19390
- CLARK, K. J.
Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment [NASA-CR-137531] p0418 N74-29016
- CLARK, L. E.
Hypersonic aerodynamic characteristics of an all-body research aircraft configuration [NASA-TN-D-7358] p0096 N74-11831
- CLARK, L. T.
Sources of unsteady flow in subsonic aircraft inlets p0398 A74-37549
A prediction model for wake related sound generation by single airfoils and subsonic rotors p0187 N74-15700
- CLARK, R. A.
Field evaluation of ARTS 2 B (TRACAB) [AD-768203] p0151 N74-14360
- CLARK, R. L.
Ejector blown lift/cruise flap wind tunnel investigation [AD-777181] p0363 N74-26430
- CLARK, R. O.
Airfield erosion control for C-5A aircraft operations [AD-774484] p0301 N74-20904
- CLARK, R. S.
Project Foggy Cloud 4, phase 1. Evaluation of warm fog dissipation techniques [AD-766086] p0047 N74-10597
- CLARKE, G. E.
Recent developments in shipboard V/STOL testing p0381 A74-36227
- CLARKE, J. M.
A comparison of two L-band aircraft antennas for aeronautical satellite applications p0469 N74-31688
- CLAY, B. R.
Holographic multicolor moving map display (system definition) [AD-772155] p0241 N74-18083
- CLAY, L. E.
T-38 structural flight loads data for June 1970 through December 1971 [AD-758891] p0408 N74-27507

- CLEGG, H. A.
The development of thermomechanical processes for
advanced dispersion strengthened alloys
p0342 A74-33622
- CLEMENT, W. F.
A direct procedure for partitioning scanning
workload with a flight director
p0183 A74-21336
Vehicle design considerations for active control
application to subsonic transport aircraft
[NASA-CR-2408] p0494 A74-34476
- CLEMENTS, T. R.
The reduction of gas turbine idle emissions by
fuel zoning for compressor bleed
[ASME PAPER 73-WA/AERO-1] p0070 A74-13243
- CLEMONS, D. R.
Single-stage experimental evaluation of
tandem-airfoil rotor stator blading for
compressors. Part 6: Data and performance for
stage D
[NASA-CR-134511] p0100 A74-12449
- CLEMONS, A.
Quiet engine program: Turbine noise suppression.
Volume 2: Treatment selection, installation,
and test results
[NASA-CR-134586] p0256 A74-19401
- CLIBB, C. B.
Research in the area of the aerodynamics of rotors
and propellers
[AROD-T-3-23-B] p0286 A74-19688
- CLODFELTER, R. G.
Summary of fire and explosion manual for aircraft
accident investigation
p0211 A74-23543
- CLOSSEN, R. S.
Advanced tracking and data relay experiments
study: Multinode transponder experiment equipment
[NASA-CR-132930] p0200 A74-16887
- COALSON, H. S.
Qualitative effects of cycle variables on turbine
engine performance and stability
[AIAA PAPER 73-1315] p0012 A74-11310
- COBB, H. T.
A data reduction method for landing performance
tests
p0320 A74-30821
- COCHRAN, D. J.
Compact video tape recorders of exceptional
performance and reliability
p0217 A74-22534
- COCKBURN, R. N.
Estimation of an aeronautical equipment mission
reliability
[AD-766886] p0058 A74-10935
- COCKSHUTT, E. P.
Energy in transportation
p0113 A74-13675
- CODER, D. W.
Hydrodynamic forces on oscillating and
nonoscillating smooth circular cylinders in
crossflow
[AD-767022] p0062 A74-11125
- COE, P. L., JR.
A vortex entrainment model applied to slender
delta wings
p0119 A74-17029
Effect of upper-surface blowing on static
longitudinal stability of a swept wing
p0477 A74-44419
Analysis of the low-speed flow over a slender
sharp edged delta wing at angles of attack
p0098 A74-12034
- COENE, R.
Quasi homogeneous approximations for the
calculation of wings with curved subsonic
leading edges flying at supersonic speeds
[VTH-173] p0195 A74-16708
- COFFEY, G. A.
Sea level side loads in high-area-ratio rocket
engines
[AIAA PAPER 73-1284] p0032 A74-12940
- COGGI, I.
The Aeritalia-Lockheed agreement - The package
also includes the Lancer
p0213 A74-23877
- COHEN, B.
Failure experience with and failure anticipation
in titanium components
p0116 A74-16476
- COHEN, L. S.
Attenuation of instabilities in propulsion system
combustors
p0478 A74-44422
- COHEN, R. E.
U.S. aerospace industry at the crossroads
p0020 A74-11610
- COHENIAS, T. W.
Jet engine noise testing
p0434 A74-39739
- COKER, E. J.
Windshield bird strike structure design criteria
[AD-779729] p0442 A74-29393
- COLACICCO, E. J.
Sea trials on inflatable flotation and survival gear
p0211 A74-23536
- COLE, J. E., III
Noise characteristics of a turbulent crosswind jet
p0177 A74-20281
- COLE, H. A.
Advanced engine control program
[AD-773660] p0293 A74-20451
- COLLARD, D.
A study of the Concorde air intake in yaw
[ICAS PAPER 74-50] p0451 A74-41350
- COLLINGS, T. A.
Transverse compressive behaviour of unidirectional
carbon fibre reinforced plastics
p0313 A74-29785
- COLLINS, D. J.
Design philosophy of a three axis separate surface
stability augmentation system for a small
turboprop airliner
[AIAA PAPER 74-860] p0401 A74-37849
Laminar viscous-inviscid interactions at transonic
speeds
p0425 A74-38622
Separate surface stability augmentation design and
development
p0249 A74-18687
- COLLINS, R. A.
Pneumomechanical critical speed control for gas
turbine engine shafts
[AD-772823] p0256 A74-19407
- COLLINS, T. P.
The planar pressure pulse generator - A new
dynamic distortion generator
[AIAA PAPER 73-1317] p0012 A74-11312
Application of the collision-imparted velocity
method for analyzing the responses of
containment and deflector structures to engine
rotor fragment impact
[NASA-CR-134494] p0194 A74-16592
- COLLIS, R. T. H.
Evaluation of the lidar technique of determining
slant range visibility for aircraft landings
operations
[AD-776054] p0358 A74-25596
- COMBS, C. P.
Trimmed drag and maximum flight efficiency of aft
tail and canard configurations
[AIAA PAPER 74-69] p0134 A74-18813
- COMINSKI, A.
Development of a graphite horizontal stabilizer
[AD-768869] p0164 A74-14783
- CONNERFORD, G. L.
Supersonic unstalled flutter in fan rotors -
Analytical and experimental results
[ASME PAPER 74-GT-40] p0272 A74-27433
Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0393 A74-37483
Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0495 A74-34491
- COMPTON, P. V.
Evaluation of runway skid-resistance
characteristics at Minot Air Force Base, North
Dakota
[AD-773403] p0328 A74-21904
- COMPTON, W. A.
Turbine inlet gas temperature sensor for engine
control
[AD-765193] p0046 A74-10461
Turbine blade temperature measurement system:
Operation manual
[SOLAR-P/N-106751] p0241 A74-18097
- CONAWAY, J. E.
NASTRAN data generation of helicopter fuselages

- using interactive graphics p0153 N74-14621
- CONDE, J. P. G.
The assessment of hot corrosion resistance by rig testing - Philosophy and experience p0081 A74-14580
- CONDON, P.
Evolution and new functions of airborne radars p0378 A74-35744
- CONINE, P. A.
Cost comparisons of advanced air traffic management systems [A-1319-DOF] p0065 N74-11436
- CONNER, F.
Application of an interdisciplinary rotary wing aircraft analysis to the prediction of helicopter maneuver loads [AD-779449] p0443 N74-29402
- CONRAD, E. W.
Quiet engine from NASA p0422 A74-38295
- CONTENSON, P.
Prospects for aerospace research p0007 A74-11098
- CONTILIANO, R. H.
Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake period [NASA-CR-132323] p0053 N74-10863
A preliminary sensitivity analysis of the coupled diffusion and chemistry model [NASA-CR-132369] p0107 N74-12821
- CONWAY, J. A.
The development of an integrated propulsion system for jet STOL flight research p0292 N74-20429
- COOK, C. W.
The S-3A - A new dimension in airborne sea control [AIAA PAPER 74-239] p0137 A74-19205
- COOK, D. L.
Further development of the JT15D turbofan [SAE PAPER 730919] p0017 A74-11576
- COOK, J. P.
Quantitative evaluation of the effect of mechanical processing on the effectiveness of penetrant inspection p0378 A74-35669
- COOK, L. H.
Development of design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-772936] p0284 N74-19675
- COOK, T. A.
Some engine and aircraft design considerations affecting noise p0291 N74-20421
- COOK, T. H.
Maintainability analysis of major helicopter components [AD-769941] p0197 N74-16740
- COOKE, G. R.
Microwave landing system integration study. Volume 1: Summary report [AD-775703] p0361 N74-26149
Microwave landing system integration study. Volume 3: Appendices [AD-775724] p0361 N74-26155
- COOLEY, D. E.
A wind-tunnel investigation of a B-52 model flutter suppression system [AIAA PAPER 74-401] p0265 A74-26700
- COOMBE, T. W.
Aerodynamic/structural interactions in the design of the Concorde nacelle p0226 A74-25364
- COOPER, C. E.
Airborne low-VHF antennas p0468 N74-31680
- COOPER, D. E.
Ground based helicopter simulation p0215 A74-22454
- COPELAND, W. L.
Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flat [NASA-TN-D-7526] p0283 N74-19663
Preliminary results of flight tests of vortex attenuating splines [NASA-TN-X-71928] p0294 N74-20637
- CORBIN, H. J.
The design of automatic flight control systems to reduce the effects of atmospheric disturbances p0234 N74-17743
- CORCORAN, P. J.
Access to airports p0079 A74-14509
- CORD, T. J.
Stall/spin seventy years later p0344 A74-34699
- CORDINER, D. C.
The improvement in performance of an S-band surveillance radar operating in conditions of rain clutter p0028 A74-12396
- CORLETT, J.
Prelude to airworthiness - An outline of quality assurance in aircraft construction p0318 A74-30593
- CORLISS, L. D.
The use of an aircraft test stand for VTOL handling qualities studies [NASA-TN-X-62218] p0418 N74-28737
- CORNELIUS, R. L.
Predictions of interference-reflection zones for scanning beam instrument landing systems [AD-773822] p0289 N74-20235
- CORREY, M. S.
Report on the Conference on Transparent Aircraft Enclosures [AD-769372] p0199 N74-16755
- CORRETTI, V.
Future advanced-technology aircraft in the context of an integrated transport system p0171 A74-19487
- CORSO, J. E.
HLH Ground Support Equipment (GSE) preliminary investigation [AD-768842] p0190 N74-15725
- COSENZA, C. J.
Transonic aircraft technology /TACT/ program [AIAA PAPER 74-620] p0376 A74-35387
- COSTAKIS, W. G.
Analog computer implementation of four instantaneous distortion indices [NASA-TN-X-2993] p0243 N74-18397
- COSTON, D. E.
Nondestructive testing of aircraft wheels at Eastern Airlines p0343 A74-34288
- COTE, R. W.
General aviation cost impact study. Volume 1: Executive summary [AD-771603] p0239 N74-17779
General aviation cost impact study. Volume 2: Research methodology [AD-771606] p0239 N74-17780
General aviation cost impact study. Volume 3: Planning guide [AD-771759] p0239 N74-17781
- COTTON, W. B.
Navigation improvements - To what end p0219 A74-22679
- COUCH, E. T.
Attenuation of instabilities in propulsion system combustors p0478 A74-44422
- COUCH, L. E.
Effect of blockage ratio on drag and pressure distributions for bodies of revolution at transonic speeds [NASA-TN-D-7331] p0036 N74-10015
- COUCH, R. F.
Sensing jet engine performance and incipient failure with electrostatic probes [AD-766653] p0066 N74-11606
- COULING, S. L.
Magnesium-yttrium alloys, scale-up and evaluation [AD-771039] p0242 N74-18183
- COULHY, G.
Development of a method of discretized-distribution singularities for the study of compressible and incompressible flows p0119 A74-16968
- COUPRY, G.
Balancing of vibration measurements of a continuous mechanical system - Application to the direct measurement of generalized coordinates of an airplane in flight

- [ONERA, TP NO. 1378] p0314 A74-29860
 Problems of flight in turbulence
 [ICAS PAPER 74-32] p0449 A74-41333
 The prediction of the variation of modes following
 modification to a structure p0419 N74-29358
- COUSSEDIERE, M.
 New concepts of visualization for aircraft p0029 A74-12447
- COUTS, W. H.
 Status of the latest turbine disk alloys in the U.S. p0125 A74-17890
- COVERT, B. E.
 Magnetic balance and suspension systems for use
 with wind tunnels p0025 A74-12204
- COVINGTON, R.
 Preflight test simulation of superimposed
 integrated trajectory error displays
 [AD-773823] p0286 N74-19687
- COWAR, S. J.
 Transmission of sound through a two-dimensional
 shielding jet
 [AIAA PAPER 73-1002] p0026 A74-12221
- COX, J. T.
 Hydraulic-to-pneumatic power supply for aircraft
 fluidic systems
 [AD-778764] p0417 N74-28550
- COX, T. L.
 Helicopter drive system load analysis
 [AD-775858] p0331 N74-22697
- COYNE, J. E.
 Status of the latest turbine disk alloys in the U.S. p0125 A74-17890
- CRABTREE, R. E.
 Noise levels in the CH-113A and CUH-IN helicopter
 [DCIEM-73-R-993] p0407 N74-27504
- CRAIG, S. J.
 Configuration management during transition for a
 powered lift STOL aircraft
 [AIAA PAPER 74-836] p0401 A74-37834
 Analysis and moving base simulation of transition
 configuration management aspects of a powered
 lift aircraft p0330 N74-22671
 [NASA-CR-114698]
- CRANCIOLO, M. P.
 Thermal parameters as a predictor of precipitation
 type for Kinceloe AFB, Michigan
 [AD-754927] p0048 N74-10611
- CRANDALL, K. J.
 STOL tactical aircraft investigation. Volume 5,
 part 1: Flight control technology: System
 analysis and trade studies for a medium STOL
 transport with vectored thrust/mechanical flaps
 [AD-766642] p0098 N74-11847
- CRANE, H. L.
 Flight investigation of the VPR and IFR landing
 approach characteristics and terminal area
 airspace requirements for a light STOL airplane
 [NASA-TN-X-3008] p0354 N74-25562
- CRANE, R. I.
 Aerodynamic aspects of gas turbine blade corrosion
 p0081 A74-14567
- CRAWFORD, W. J.
 A unique method for monitoring cabin air pollution
 from engine oil in the EB-57 D aircraft
 [AD-766701] p0057 N74-10932
- CRAWFORD, W. J., III
 The T700-GE-700 turboshaft engine program
 [SAE PAPER 730917] p0123 A74-17536
- CRAY, M. C.
 Recent advances in the processing of polyimide
 resins for high temperature radome applications
 p0379 A74-35841
- CREASEY, R. P.
 Propulsion/aircraft design matching experience
 p0471 N74-32423
- CREEL, T. R., JR.
 Low-speed aerodynamic characteristics of a
 hypersonic research airplane concept having a 70
 deg swept delta wing
 [NASA-TN-X-71974] p0466 N74-31485
- CRESS, H. A.
 Ship-helicopter system analysis
 [AD-774764] p0305 N74-21629
- CREWS, S. T.
 An unsteady wake model for a hingeless rotor
 p0127 A74-18140
- Concepts for a theoretical and experimental study
 of lifting rotor random loads and vibrations
 (further experiments with progressing/regressing
 rotor flapping modes), Phase 7-C
 [NASA-CR-114711] p0160 N74-14759
- CRIBBINS, P. D.
 The energy dilemma and its impact on air
 transportation
 [NASA-CR-135993] p0067 N74-11743
- CRICHLAW, W. J.
 High cycle fatigue properties of titanium in
 aircraft application p0116 A74-16513
- CRINI, P.
 Analysis of stall flutter of a helicopter radar
 blade
 [NASA-CR-2322] p0139 N74-13708
 Dynamic stall
 [NASA-CR-136473] p0139 N74-13709
 Investigation of nonlinear inviscid and viscous
 flow effects in the analysis of dynamic stall
 [NASA-CR-2335] p0245 N74-18646
- CROCE, R. P.
 Holographic multicolor moving map display (system
 definition)
 [AD-772155] p0241 N74-18083
- CROCKER, H. J.
 The experimental response of simple structures to
 simulated sonic booms p0021 A74-11814
 Investigation of the characteristics of tubular
 microphone windscreens for in-duct fan sound
 power measurements p0023 A74-12126
- CROWK, A. E.
 Longitudinal response of an aircraft due to a
 trailing vortex pair p0013 A74-11343
- CROWKHITE, J. D.
 Static and dynamic helicopter airframe analysis
 with NASTRAN p0153 N74-14616
- CROOK, M. A.
 The effects of aircraft noise in schools around
 London Airport p0336 A74-32591
- CROSS, M. L.
 Ground contamination by fuel jettisoned from
 aircraft p0149 N74-14283
- CROSS, R. G., JR.
 Airborne warning and control system /AWACS/
 [AIAA PAPER 74-241] p0130 A74-18655
- CROUCH, R. W.
 Transmission of sound through a two-dimensional
 shielding jet
 [AIAA PAPER 73-1002] p0026 A74-12221
- CROW, R. H.
 Turbojet aircraft engine test cell pollution
 abatement study
 [AD-768287] p0146 N74-13957
- CROW, S. C.
 Aircraft vortex wake descent and decay under real
 atmospheric effects
 [AD-771311] p0238 N74-17767
- CRUTZEN, P.
 Gas-phase nitrogen and methane chemistry in the
 atmosphere p0255 N74-19053
 [AP-10]
- CRUTZEN, P. J.
 Gas-phase nitrogen and methane chemistry in the
 atmosphere p0015 A74-11513
- CSEHCSEITZ, T. A.
 Non-linear helicopter rotor lifting surface theory
 p0363 N74-26431
 Nonlinear helicopter rotor lifting surface theory,
 part 1
 [AD-781885] p0473 N74-32453
- CUADRA, E.
 Legal and institutional analysis of aircraft and
 airport noise and apportionment of authority
 between Federal, State, and local governments
 [PB-225149/46A] p0287 N74-19898
- CUBBISON, R. W.
 Wind tunnel and flight performance of the YF-12
 inlet system
 [AIAA PAPER 74-621] p0376 A74-35388

- CUESTA ALVAREZ, M.
The energy crisis of fuel and the procedures of
cruising flight p0422 A74-38315
- CUMMINGS, B. T.
The next step is straight up p0023 A74-12129
- CUMMINS, J. B.
Acoustic characteristics of a gas turbine exhaust
model [ASME PAPER 73-WA/GT-5] p0071 A74-13296
- CUNNINGHAM, A. H., JR.
A detailed investigation of flight buffeting
response at subsonic and transonic speeds [AIAA PAPER 74-358] p0264 A74-26668
An oscillatory kernel function method for lifting
surfaces in mixed transonic flow [AIAA PAPER 74-359] p0264 A74-26669
- CURRAN, W. M.
Microwave landing system integration study.
Volume 1: Summary report [AD-775703] p0361 A74-26149
Microwave landing system integration study.
Volume 3: Appendices [AD-775724] p0361 A74-26155
- CURRIE, M. G.
Simplified navigation for unmanned aircraft p0175 A74-20098
- CURTICE, W. L., III
Commercial quality video recorders for airborne
military applications p0217 A74-22530
- CURTNER, K. L.
F-14 optimum flight modes, volume 1 [AD-775246] p0326 A74-21665
- CURRY, K. B.
Turbine blade pyrometer system in the control of
the Concorde engine p0278 A74-28309
Turbine blade pyrometer system in the control of
the Concorde engine p0458 A74-43214
- CUTLER, A. J. B.
Deposition and corrosion in gas turbines;
Proceedings of the Conference, London, England,
December 6, 7, 1972 p0080 A74-14563
- CVACH, E.
Suppression of flutter on interfering lifting
surfaces by the use of active controls [AIAA PAPER 74-404] p0266 A74-26703
- CVACH, E. B.
Suppression of flutter on interfering lifting
surfaces by the use of active controls p0411 A74-28473
Suppression of flutter on interfering lifting
surfaces by the use of active controls [AD-779770] p0441 A74-29372
- CYPKIN, M. B.
Aircraft and systems reliability p0129 A74-18599
- CZARNECKI, S.
Acoustical model investigations of two versions of
an airport noise suppressor p0340 A74-33274
- CZECZOWICZ, M.
Acoustical model investigations of two versions of
an airport noise suppressor p0340 A74-33274
- CZINCZENBERG, J.
Preliminary design of civil and military aircraft
at Avions Marcel Dassault-Breguet Aviation p0471 A74-32422
- CZYRYCA, E. J.
Investigation of the fatigue behavior of large
propellers [AD-769466] p0194 A74-16603
- D**
- D'APPOLITO, J. A.
Reduced order filtering with applications in
hybrid navigation p0023 A74-12177
Error model identification and performance
predictions for airborne direct ranging Loran p0024 A74-12178
- D'ATTORRE, L.
Three dimensional supersonic flow field analysis
of the B-1 airplane by a finite difference
technique and comparison with experimental data [AIAA PAPER 74-189] p0136 A74-18877
- DADD, G. J.
Mixed compression air intakes for operation at
Mach 2.2 p0437 A74-39981
- DAFFER, G. B.
Simulation of the landing and take-off of a VTOL
aircraft on a ship in a random sea [AIAA PAPER 74-302] p0209 A74-22803
- DAFTARIAN, K.
Dynamic response of the landing mat to aircraft
landing p0369 A74-26768
- DAGGETT, D. E.
A conceptual definition study for a digital
avionics information system: Approach 1, volume 1 [AD-771736] p0250 A74-18691
A conceptual definition study for a digital
avionics information system: Approach 1, volume 2 [AD-771755] p0250 A74-18692
- DAHLSTROM, E.
Pilot workload-efficiency of military aircraft
systems with one or two man crew p0320 A74-30820
- DALHAMER, W. A.
An investigation of airborne displays and controls
for Search And Rescue (SAR). Volume 8: Army
MEDDEVAC avionics capability study [AD-773611] p0288 A74-20059
- DANANIA, R. B.
An investigation of the trailing vorticity behind
a STOL aircraft [AD-774571] p0299 A74-20677
- DANONTE, M.
Noise problems in airport design and in civil
aircraft operation p0171 A74-19476
- DARCY, V. J.
The design of an optimal adaptive
lateral-directional flight control system for a
high-performance aircraft p0095 A74-11824
- DARLOW, M. S.
Torsional stability analysis of a gas-turbine
powered helicopter drive system [ASME PAPER 74-GT-54] p0272 A74-27447
- DAS, A.
On some basic and new aspects about the drag
problem of wings and bodies in supersonic flows p0155 A74-14713
- DASH, S.
Analysis and design of three dimensional
supersonic nozzles. Volume 1: Nozzle-exhaust
flow field analysis by a reference plane
characteristics technique [NASA-CR-132350] p0061 A74-11113
- DASTIN, S.
Improved manufacturing of the F-14A composite
horizontal stabilizer p0083 A74-14739
Improved manufacturing of the F-14A composite
horizontal stabilizer p0316 A74-30323
Carbon fibres can be cost-competitive - An example p0436 A74-39902
- DASTIN, S. J.
Design and fabrication of a mixed composite wing box p0083 A74-14749
- DAT, R.
The lifting surface theory applied to fixed wings
and propellers [ONERA, TP NO. 1298] p0005 A74-10999
Calculation of the dynamic characteristics of a
helicopter structure by the method of branch modes p0129 A74-18291
On the use of branch modes for the calculation of
helicopter structural dynamic characteristics [NASA-TT-P-15713] p0407 A74-27503
- DAUGHERTY, J. W.
Study of the electrostatic field and charge
distribution in a vortex seeded with dust [AD-766815] p0059 A74-10941
Study of the electrostatic field and charge
distribution in a vortex seeded with dust p0245 A74-18643
- DAUGHERTY, C. C.
Drop testing naval aircraft and the VSD landing

- gear dynamic test facility
[AIAA PAPER 74-343] p0263 A74-26658
- DAUNIT, R. E.
Cobra window design analysis and no glare canopy
design
[AD-778165] p0408 N74-27508
- DAVENPORT, R. E.
Test results from the Langley high Reynolds number
cryogenic transonic tunnel.
[AIAA PAPER 74-631] p0376 A74-35395
Aerodynamic characteristics of three slender
sharp-edge 74 degrees swept wings at subsonic,
transonic, and supersonic Mach numbers
[NASA-TN-D-7631] p0463 N74-31416
- DAVENPORT, F. J.
STOL tactical aircraft investigation. Volume 2,
part 2: A lifting line analysis method for
jet-flapped wings
[AD-766877] p0058 N74-10937
STOL tactical aircraft investigation. Volume 3:
Takeoff and landing performance ground rules for
powered lift STOL transport aircraft
[AD-766640] p0058 N74-10938
- DAVENPORT, O. E.
Buckling of orthotropic, curved, sandwich panels
in shear and axial compression
p0013 A74-11340
- DAVENPORT, W. R.
The Garrett-AlResearch variable-cycle TFE731
turbofan engine
[SAE PAPER 730918] p0017 A74-11577
- DAVID, G.
Some transmission characteristics of AEROSAT-type
air traffic control systems
p0174 A74-19957
- DAVID, L. J.
An experimental investigation of an acoustic
method for measuring gas mass flow
[AD-766419] p0046 N74-10340
- DAVIDSON, D. L.
Emission measurements of a J93 turbojet engine
[AD-766648] p0066 N74-11605
- DAVIES, G. F.
Turbojet aircraft engine test cell pollution
abatement study
[AD-768287] p0146 N74-13957
- DAVIES, H.
Short take-off and landing
p0078 A74-14505
- DAVIES, I.
Air and fuel monitoring for gas turbines
p0081 A74-14565
- DAVIES, W. D. T.
AN/SPN-42 automatic carrier landing system
p0374 A74-35209
- DAVIS, D. F.
Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 2: Design data
[AD-781807] p0490 N74-33462
Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 3: Stress, fatigue and
fracture, cost and material data
[AD-781808] p0490 N74-33463
Advanced metallic structures: Air superiority
fighter wing design for improved cost, weight
and integrity. Volume 4: Baseline damage
tolerance evaluation
[AD-781809] p0490 N74-33464
- DAVIS, D. G. E.
The influence of noise requirements on STOL
aircraft engine design
p0291 N74-20423
- DAVIS, G.
In-flight escape system for heavy helicopters
p0301 N74-20772
- DAVIS, J.
A study of the effect of flight density and
background noise on V/STOL acceptability
[NASA-CR-2197] p0161 N74-14765
- DAVIS, J. E.
Automatic Flight Control System development for
U.S. Army heavy lift helicopter
[AIAA PAPER 74-25] p0135 A74-18865
A computer program for aircraft optimal control
problems
[AD-767919] p0145 N74-13750
- DAVIS, J. S.
Airports for the 80s; Proceedings of the Fourth
World Airports Conference, London, England,
April 3-5, 1973
p0078 A74-14501
- DAVIS, J. W.
Optimization of wave cancellation in variable
porosity transonic wind tunnel flows
[NASA-TN-D-7432] p0060 N74-11097
- DAVIS, L. L.
Violations of system safety principles in the
cockpit
p0208 A74-22635
- DAVIS, R. E.
Input description for Jameson's three-dimensional
transonic airfoil analysis program
[NASA-TN-X-71919] p0281 N74-19640
- DAVIS, R. T.
A study of compressible potential and asymptotic
viscous flows for corner region
p0204 A74-23205
- DAVIDOVA, H. A.
The heat flux to a waverider of simple
configuration and its L/D ratio
p0384 A74-36571
- DAY, J. E.
Qualitative effects of cycle variables on turbine
engine performance and stability
[AIAA PAPER 73-1315] p0012 A74-11310
- DAY, L. E.
A pylon to decrease the effects of external stores
on the stability of aircraft
[AD-767913] p0145 N74-13749
- DAYMAN, E., JR.
Ground testing and simulation. II - Aerodynamic
testing and simulation: Saving lives, time, and
money
p0336 A74-32322
- DE BEAUCHENE, J.-P.
Safety during automatic landing with poor visibility
p0178 A74-20422
- DE BOOY, K.
A new aircraft/ship mating system
[AIAA PAPER 74-303] p0183 A74-21292
- DE LA TORRE CURSACH, J. E.
Problems of stress corrosion in the case of
aluminum alloys employed in aerospace technology
p0076 A74-14018
- DE VRIES, O.
The deformation of a vortex sheet behind a swept
back wing - Comparison of measurements and
calculations
[ICAS PAPER 74-33] p0449 A74-41334
- DEAL, L. J., JR.
An experimental study of a vane controlled jet
flap gust alleviation system
[AD-777987] p0405 N74-27488
- DEAL, P. L.
Fixed-base simulation study of decoupled controls
during approach and landing of a STOL transport
airplane
[NASA-TN-D-7363] p0187 N74-15703
Simulation of decelerating landing approaches on
an externally blown flap STOL transport airplane
[NASA-TN-D-7463] p0326 N74-21658
- DEAN, H. W.
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0394 A74-37488
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage
p0496 N74-34496
- DEAN, P. D.
A new anechoic facility for supersonic hot jet
noise research at Lockheed-Georgia
p0315 A74-30092
- DEBEAUCHENE, J. P.
Safety during automatic landing with poor visibility
[NASA-TT-F-15716] p0410 N74-28101
- DEBELLEVAL, J. P.
Representation of hot jet turbulence by means of
its infrared emission
[NASA-TT-F-15233] p0151 N74-14383
- DEBOGDAN, C. E.
Some comparisons of the flow characteristics of a

- turbofan compressor system with and without inlet pressure distortion p0380 A74-36188
- DECAMP, R. W.
Incremental growth vehicle /IGV/
[AIAA PAPER 74-989] p0429 A74-38746
- DECASPERIS, A. J.
The 1.5-kW fuel cell powerplant
[AD-767302] p0107 N74-12744
- DECHY, D.
Noise silencers at military test stands p0227 A74-25322
- DECKERT, W. B.
Evaluation of V/STOL research aircraft design
[SAE PAPER 730947] p0016 A74-11557
Integrated propulsion/energy transfer control systems for lift-fan V/STOL aircraft p0291 N74-20416
- DECOUFLET, J.
Emission of gaseous pollutants by turbojet engines - The Olympus case p0122 A74-17305
- DEETS, D. A.
Design and flight experience with a digital fly-by-wire control system in an F-8 airplane p0464 N74-31450
- DEFFER, G.
Low speed handling with prototype-Concorde p0320 A74-30819
- DEFIORE, T. A.
Statistical review of counting accelerometer data for Navy and Marine fleet aircraft from 1 January 1962 to July 1973
[AD-767648] p0106 N74-12736
Statistical review of counting accelerometer data for Navy and Marine fleet aircraft
[AD-778645] p0416 N74-28531
- DEGERMAN, D. A.
User report on automatic test equipment p0075 A74-13813
- DEGTIAREV, G. L.
Transient processes in an aircraft stabilization system with jet-driven flywheels p0398 A74-37656
- DEJONG, J. B.
Technical evaluation report on the AGARD Specialists Meeting on Design Against Fatigue [AGARD-AR-71] p0495 N74-34488
- DEJONGE, J. B.
A standardized load sequence for flight simulation tests on transport aircraft wing structures [LBP-FB-106/73] p0097 N74-11841
- DEKONING, A. U.
A mathematical theory of plasticity for strain hardening materials exhibiting initial anisotropy [MLR-TR-72117-U] p0067 N74-11719
- DELANEY, B. T.
United States Air Force aircraft pollution emissions [AD-769482] p0201 N74-17374
- DELANEY, C. L.
Technology forecasting - Aircraft hazard detection p0015 A74-11499
- DELAURIER, J. D.
An experimental investigation of the aerodynamic characteristics of stepped-wedge airfoils at low speeds [AIAA PAPER 74-1015] p0454 A74-42037
- DELBIDGE, J.
The C-5 weight control program and its influence on structural efficiency [SAE PAPER 1008] p0435 A74-39880
- DELBRY, J.
Experimental study of shock-wave reflection upon boundary layer transition [ONERA, TP NO. 1284] p0006 A74-11072
Experimental and theoretical study of the transonic flow past a half-wing p0224 A74-25321
- DELGUIDICE, P.
Analysis and design of three dimensional supersonic nozzles. Volume 1: Nozzle-exhaust flow field analysis by a reference plane characteristics technique [NASA-CR-132350] p0061 N74-11113
- DELLAWAY, T. K.
The remote airport - A study of access feasibility p0216 A74-23353
- DELUCA, J.
Wind tunnel and flight development of the F-14 subsonic/transonic maneuvering configuration [AIAA PAPER 74-618] p0376 A74-35386
- DELUCIA, R. A.
Rotor burst protection program: Statistics on aircraft gas turbine engine rotor failures that occurred in US commercial aviation during 1972 [NASA-CR-136900] p0304 N74-21399
- DEMARCHI, J.
Control-by-wire actuator model development for AFCAS [AD-772588] p0253 N74-18715
- DEMETRI, E. P.
Low NOx emission combustor for automobile gas turbine engines [PB-222340/2] p0052 N74-10746
- DEMIANENKO, V. S.
Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities p0312 A74-29493
- DEMIDOVICH, V. M.
Evaluation of the friction power in nonisothermal flows of lubricants in clearings of aircraft ball bearings and of their thermal behavior p0481 A74-45467
- DEMPSTER, J. B.
Effect of proof load application on fatigue test results p0367 N74-26471
- DENEFF, G. V.
Wing fuselage structural/concept study for a subsonic transport aircraft [SAE PAPER 730886] p0123 A74-17533
- DEISOV, V. E.
Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
- DENNING, R. M.
Optimum engines for military V/STOL aircraft p0289 N74-20403
- DEQUE, R.
Use of simulation for the development of Concorde p0197 N74-16733
- DERBYSHIRE, T.
V/STOL lift fan commercial short haul transports: Continuing conceptual design study [NASA-CR-2437] p0467 N74-31495
- DESAL, A. B.
Study of casing treatment effects in axial flow compressors [ASME PAPER 74-GT-89] p0273 A74-27472
- DESAL, R.
Performance bound of an aircraft lateral control system using the microwave scanning beam landing system p0433 A74-39485
- DESIMONE, D. H.
U.S. Navy development of a mission specific fighter helmet p0211 A74-23529
- DESJARDINS, S.
Crashworthy Army helicopter crew and troop seating systems p0211 A74-23534
- DESJARDINS, S. P.
Vehicle crashworthiness p0124 A74-17776
- DESTUYNDER, R.
Exploitation of spectral density curves in the case of wind tunnel flutter measurement p0005 A74-11000
Unsteady aerodynamic forces induced by the aeroelastic vibrations of a jet engine in a pod [ONERA, TP NO. 1424] p0483 A74-46596
- DESTUYNDER, R. M.
Some tunnel-wall effects on transonic flutter [AIAA PAPER 74-406] p0266 A74-26705
- DETERVILLE, R. J.
Development of teledyne video recording systems - Progression of state of the art in film recording p0217 A74-22540
- DEVANNA, L. R.
Human factors experiments for data link [AD-760401] p0049 N74-10625
- DEVARAKONDA, V. K.
Engineering evaluation of age life extension, T-10 harnesses, risers and T-10 troop chest reserve parachute canopies. Supplement 1: 1964 - 1965 year classes [AD-767711] p0144 N74-13743

- DEVOS, D. M.
Low speed wind tunnel measurements on a two-dimensional flapped wing model using tunnel wall boundary layer control at the wing-wall junctions
[NLR-TR-70050-U] p0488 N74-33440
- DEVRIES, P. B., JR.
Forward air controller: Tactical air command pilot communication orientation
[AD-771071] p0244 N74-18637
- DENEY, R. G.
The impact of conversion to the metric measurement system on aircraft maintenance at base level
[AD-769186] p0191 N74-15733
- DEY, D.
Problems of pilot-automatic control interactions in flight control
[ILR-4-1973] p0326 N74-21663
- DEY, S.
Two-dimensional wind tunnel test on a variable-camber airfoil with distributed suction boundary-layer control
[AD-766304] p0038 N74-10033
- DIAMOND, R. D.
Automatic Flight Control System development for U.S. Army heavy lift helicopter
[AIAA PAPER 74-25] p0135 A74-18865
- DIBELIUS, H. R.
Status of state air emission regulations affecting gas turbines
[ASME PAPER 73-WA/GT-8] p0072 A74-13299
- DICARLO, D. J.
The lateral/directional stability characteristics of a four-propeller tilt-wing V/STOL model in low-speed steep descent
[NASA-TN-X-70242] p0472 N74-32439
- DICKINSON, P. J.
Computer prediction of aircraft noise
p0137 A74-19051
- DIEHL, L. A.
The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel
[NASA-TN-X-2958] p0153 N74-14650
Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel
[NASA-TN-X-2959] p0154 N74-14651
- DIETRICH, D. A.
Performance of a model cascade thrust reverser for short-haul applications
[NASA-TN-X-71614] p0500 N74-35202
- DIETZ, C. G.
Development of a graphite horizontal stabilizer
[AD-768869] p0164 N74-14783
- DIETZ, C. R.
Simplified aircraft performance methods: Power required for single and tandem rotor helicopters in hover and forward flight
[AD-768769] p0163 N74-14777
- DIETZ, W. C.
Influence of prototype concept and cost ceilings on airframe design and manufacture of the YF-16 lightweight fighter
[SAE PAPER 730888] p0019 A74-11600
Preliminary design aspects of design-to-cost for the YF-16 prototype fighter
p0465 N74-31460
- DIEUDONNE, J. E.
Motion software for a synergistic six-degree-of-freedom motion base
[NASA-TN-D-7350] p0060 N74-11096
- DIEUDONNE, R.
Measurements of gusts on Concorde
p0226 A74-25320
Gust measurements on Concorde
[NASA-TT-F-15837] p0467 N74-31494
- DIGGES, K. E.
Summary of the air cushion landing system on the de Havilland Buffalo aircraft
p0316 A74-30142
- DIGUNARTHI, R. V.
Theoretical studies of tone noise from a fan rotor
[NASA-CR-2354] p0051 N74-10735
- DILLENIUS, H. F. E.
An analytical method valid up to the critical speed for predicting store separation characteristics from modern aircraft
[AIAA PAPER 74-775] p0399 A74-37800
- Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps
[NASA-CR-2358] p0196 N74-16719
- DINIC, D.
Presentation and aerodynamic characteristics of aircraft models derived from an optimal disposition of rectangular biplane wings according to studies of Toussaint, Benadovic, and Denis
p0484 A74-46675
- DINGLE, G. K.
Development of a low-cost composite die using High-Energy-Rate Forming (HERF)
[AD-771957] p0242 N74-18145
- DINI, D.
Aircraft cabin pressure and temperature control through reliable fluidic circuits
p0378 A74-35720
- DISSEN, H.
The performance behaviour of a bypass engine in multiparameter control
p0292 N74-20445
- DITTEHAUSER, J. W.
In-flight testing of a flight control multiplex system in the NC-131 H total in-flight simulator
[AD-774049] p0302 N74-20907
- DIXON, C. J.
Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 1: Experimental research
[AD-771290] p0232 N74-17710
Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation
[AD-771304] p0232 N74-17711
- DIXON, G. J.
The Garrett-AiResearch variable-cycle TFE731 turbofan engine
[SAE PAPER 730918] p0017 A74-11577
- DIXON, I.
Gross voided flame arresters for fuel tank explosion protection
[AD-777898] p0409 N74-27540
- DJURIC, M. P.
A new method of bulkhead analysis in aircraft structures
[SAE PAPER 740388] p0310 A74-28752
- DOAK, P. B.
Analysis of acoustic radiation in a jet flow environment
p0461 A74-44314
- DOBBINS, A.
Structural analysis of light aircraft using NASTRAN
[AIAA PAPER 74-257] p0130 A74-18664
- DOBYNS, A.
Advanced composite lattice structure for improved structural integrity
[AIAA PAPER 74-357] p0264 A74-26667
- DOCKSWELL, S.
US Army helicopter hydraulic servocylinder reliability and maintainability investigation
[AD-767243] p0142 N74-13731
US Army helicopter rod end bearing reliability and maintainability investigation
[AD-768843] p0190 N74-15724
- DODGE, H. W.
Solid-state power controllers for B-1 flight test
p0425 A74-38575
- DODGE, S.
Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 N74-19651
- DORFNER, G.
The influence of the control concept for V/STOL engines on their static and dynamic performance characteristics
p0290 N74-20415
- DOLLIHGH, S. E.
Subsonic and supersonic longitudinal stability and control characteristics of an aft tail fighter configuration with cambered and uncambered wings and uncambered fuselage
[NASA-TN-X-3078] p0463 N74-31419
- DORAL, A. P.
Emission measurements of a J93 turbojet engine
[AD-766648] p0066 N74-11605
- DOMINICK, F. L.
Flight evaluation of four low airspeed indicating

- systems
p0345 A74-34839
- DOMOTENKO, N. T.
Lubricating systems of gas turbine engines
[AD-773493] p0288 N74-20161
- DOMACHIE, M. J., JR.
Forgings for jet engines - More quality at less cost
p0348 A74-34874
- DONALDSON, C. D.
Some analyses of the chemistry and diffusion of
SST exhaust materials during phase 3 of the wake
period
[NASA-CR-132323] p0053 N74-10863
- DONALDSON, C. DUP.
A method of calculating aircraft wake velocity
profiles and comparison with full-scale
experimental measurements
[AIAA PAPER 74-39] p0132 A74-18747
- DONAVAN, P. E.
Model study of the propagation of sound from
V/STOL aircraft into urban environs
p0315 A74-30093
- DONE, G. T. S.
A simplified approach to helicopter ground resonance
p0348 A74-34881
- DONHAM, R. E.
Hingeless rotor theory and experiment on vibration
reduction by periodic variation of conventional
controls
p0396 A74-37507
- Hingeless rotor theory and experiment on vibration
reduction by periodic variation of conventional
controls
p0497 N74-34515
- DONOHUE, J.
Introduction to advanced systems monitor
[SAE PAPER 730953] p0016 A74-11556
- DONOVAN, J.
Transportation noise - It's measurement and
evaluation
p0008 A74-11198
- DOOLITTLE, D. B.
Hybrid aircraft for heavy lift
[AHS PREPRINT 814] p0389 A74-36623
- DORATO, P.
Short-time parameter optimization with flight
control application
p0482 A74-45720
- DORSCH, R.
Flap noise prediction method for a powered lift
system
[AIAA PAPER 73-1028] p0006 A74-11051
- DORSCH, R. G.
Effect of configuration variation on externally
blown flap noise
[AIAA PAPER 74-190] p0180 A74-20775
- Externally blown flap noise research
[SAE PAPER 740468] p0352 A74-35011
- Externally blown flap noise research
[NASA-TN-X-71541] p0329 N74-22631
- DOUGHERTY, J. D.
Application of military human factors techniques
to general aviation accident prevention
p0004 A74-10880
- DOUGHERTY, J. J., III
Analysis of criteria for on-condition maintenance
for helicopter transmissions
[AD-773024] p0252 N74-18707
- DOUGLAS, R. E.
The impact of long service on the fatigue of
transport aircraft: Airworthiness aspects
p0367 N74-26475
- DOUGLASS, W. E.
Dynamic flow distortion in subsonic air inlets
p0437 A74-39987
- DOVE, B. L.
An induction into the design of flight test
instrumentation systems
p0360 N74-25935
- DOW, M. B.
Service evaluation of aircraft composite
structural components
p0084 A74-14774
- Service evaluation of aircraft composite
structural components
[NASA-TN-X-71944] p0284 N74-19667
- DOWELL, E. E.
Derivation of aerodynamic kernel functions
p0004 A74-10572
- Flutter computer program and lifting surface
theory with boundary layer
[NASA-CR-136559] p0155 N74-14707
- DOYLE, B. W.
Sampling a turbine engine exhaust for average
emissions
[ASME PAPER 73-WA/GT-9] p0072 A74-13300
- DOYLE, G. R., JR.
Stability and dynamic behavior of two tethered
balloon systems
[AD-766439] p0043 N74-10070
- DRAKE, D. A.
A technique for measuring oscillatory aerodynamic
control surface hinge moments from forced
response characteristics
[ARC-CP-1253] p0247 N74-18663
- DRAPER, G. T.
STOL tactical aircraft investigation. Volume 3:
Performance ground rules and methods. Book 1:
Takeoff and landing ground rules
[AD-766942] p0057 N74-10928
- STOL tactical aircraft investigation. Volume 6:
Air cushion and ground mobility study
[AD-767300] p0143 N74-13736
- DRAPIER, C.
Development of cold headable titanium alloys for
the 'Concorde' supersonic jet
p0117 A74-16554
- DREES, J. E.
The scissors rotor
[AHS PREPRINT 812] p0388 A74-36621
- DREWSMAN, J. E.
Transmission thermal mapping (UH-1 main rotor
transmission)
[AD-777803] p0408 N74-27515
- DREWEY, J. E.
Supersonic mixing and combustion studies of ducted
hydrogen-air flows at an inlet air Mach number
of 2.6
[AIAA PAPER 73-1320] p0012 A74-11313
- DREXLER, J.
Black-box philosophy in reliability of aircraft
structures
p0279 A74-28432
- Geometrical study of the conditions of initiation
of sudden cracks of quasi-brittle type
p0280 A74-28526
- DREYFUSS, D. J.
Cost comparisons of advanced air traffic
management systems
[R-1319-DOT] p0065 N74-11436
- DREYLING, E.
An airline's experience on turbulence
p0233 N74-17727
- DRIVER, C.
Advanced supersonic transport design developments
[AIAA PAPER 74-987] p0429 A74-38744
- DROWSEK, M. G.
The application of electron beam welding for major
titanium structures
p0227 A74-25363
- DROSJACK, M. J.
An analysis of vibration diagnostics for
helicopter power trains
p0432 A74-39198
- Vibration signal analysis techniques
[AD-776397] p0359 N74-25604
- DROUILLET, P. E.
Provisional signal formats for the discrete
address beacon system
[ATC-30] p0048 N74-10620
- DU FREU, A. W.
The Type 3B altitude measurement system
p0122 A74-17276
- DUBLIN, M.
Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
6: Implementation schedule, development costs,
operational costs, benefit assessment, impact on
company organization, spin-off assessment (Phase
2, Tasks 3 to 8)
[NASA-CR-132406] p0414 N74-28513
- DUBS, F.
Aircraft noise and sound suppression
p0224 A74-24671
- DUREBNER, G.
Flight noise reduction in propeller-driven aircraft
p0089 A74-15962

PERSONAL AUTHOR INDEX

EDWARDS, J. W.

- DUEWEKE, J. J.**
Takeoff and landing analysis computer program
(TOLA). Part 3: Users manual
[AD-781758] p0490 N74-33461
- DUGGER, G. L.**
Supersonic combustion ramjets
p0432 A74-39372
- DUGGER, P. H.**
Photographic pyrometry in an aeroballistic range
p0030 A74-12752
- DUHL, D. N.**
Application of powder metallurgy in gas turbine
aircraft engines
p0084 A74-14765
- DUKES, R. E.**
Evaluation and redesign of FAA altimeter pack
[AD-769540] p0192 N74-16164
- DUNBAR, W. R.**
DC-9 noise retrofit feasibility. Volume 1: Lower
goal noise, performance and cost evaluation
[AD-776127] p0472 N74-32437
- DUNCAN, R. M.**
Applications of the high strength alloy
Ti-4Al-4Mo-2Sn-0.5Si in European aircraft projects
p0116 A74-16450
- DUNHAM, R. E., JR.**
Vortex wake research
p0233 N74-17733
- DUNMYER, W. D.**
A detailed investigation of flight buffeting
response at subsonic and transonic speeds
[AIAA PAPER 74-358] p0264 A74-26668
- DUNN, J.**
The F-89 hydraulic actuator combinatorial geometry
representation
[AD-781996] p0498 N74-34547
- DUNN, J. M. H.**
The influence of non-linear longitudinal
aerodynamic characteristics on the power
spectral response of aircraft to atmospheric
turbulence
p0182 A74-21105
- DUPRIEZ, P.**
Calculation, design, and testing of a model of
transonic flutter
p0224 A74-25326
- DURIE, D. S. L.**
A compact derotator design
p0218 A74-23718
- DUROLLET, A.**
Standardization of testing benches.
[AD-777208] p0370 N74-27302
- DUVALL, D. S.**
Fabrication and repair of titanium engine
components by welding
p0084 A74-14768
- DVORAK, P. A.**
A viscous potential flow interaction analysis
method for multi-element infinite swept wings,
volume 2
[NASA-CR-137550] p0470 N74-32413
- DVORAK, R.**
A concept for designing transonic blade cascades
p0431 A74-38930
- DYBVAD, E. L.**
Helicopter gross weight and center of gravity
measurement system
[AD-771955] p0239 N74-17775
- DYER, C. R.**
The energy dilemma and its impact on air
transportation
[NASA-CR-135993] p0067 N74-11743
- DYMENT, A.**
Example of aerodynamic instability under
supercritical conditions about profiles
p0223 A74-25319
- DIYON, R. B.**
Cost impact of mission requirements on future
engine design selection
[AIAA PAPER 73-1186] p0031 A74-12922
- DZALBA-LYNDIS, S.**
Aerospace sandwich materials. I
p0479 A74-44989
- E**
- EARL, T. D.**
ACLS for a commercial transport
[SAE PAPER 740452] p0349 A74-34984
- EASTON, W.**
V/STOL tilt rotor aircraft study. Volume 10:
Performance and stability test of A 1-14.622
Proude scaled Boeing Vertol Model 222 tilt rotor
aircraft (Phase 1)
[NASA-CR-114603] p0142 N74-13727
- EASTERBROOK, W. G.**
Cruise drag results from high speed wind tunnel
tests of NASA Refan JT8D engine nacelles on the
Boeing 727-200
[NASA-CR-134546] p0247 N74-18673
- EATOCK, H. C.**
Low speed wind tunnel flow field results for JT8D
refan engines on the Boeing 727-200
[NASA-CR-134630] p0353 N74-25537
- EATON, C.**
Designing small gas turbine engines for low noise
and clean exhaust
[AIAA PAPER 73-1154] p0003 A74-10507
- EATON, C.**
Low NOx emission combustor for automobile
[PB-222075/4] p0052 N74-10745
- EATON, C.**
Structural analysis of light aircraft using NASTRAN
[AIAA PAPER 74-257] p0130 A74-18664
- EBENFELT, H.**
Some experiences from the use of an LCC approach
p0181 A74-20944
- EBERT, H.**
Aviation turbine fuel and its lubricating qualities
p0020 A74-11739
- EBERT, H.**
Corrosion on aircraft - Evaluation, examination,
and elimination. II
p0460 A74-44069
- ECER, A.**
Suitability of the finite element method for
analysis of unsteady flow around oscillating
airfoils
p0014 A74-11439
- ECER, A.**
Analysis of three-dimensional unsteady flow around
oscillating wings
[AIAA PAPER 74-184] p0135 A74-18838
- ECER, A.**
Analysis of moving body problems in aerodynamics
p0432 A74-39346
- ECER, A.**
Numerical calculations of velocity and pressure
distribution around oscillating airfoils
[NASA-CR-2368] p0194 N74-16704
- ECKERT, W. T.**
Low-speed wind tunnel investigation of the
lateral-directional characteristics of a
large-scale variable wing-sweep fighter model in
the high-lift configuration
[NASA-TM-X-62306] p0103 N74-12714
- ECKHOLDT, D. C.**
A survey of AFFDL parameter estimation efforts and
future plans
p0355 N74-25571
- ECONOMU, M. A.**
Use of a pitot-static probe for determining wing
section drag in flight at Mach numbers from 0.5
to approximately 1.0
[NASA-TM-X-56025] p0441 N74-29370
- EDGINGTON, W. A.**
A lifting line analysis of nonplanar wings
p0281 A74-19639
- EDMONSON, R. E.**
B-1 cost/weight trade methodology
p0115 A74-16447
- EDOUARD, P.**
Surveillance in flight of aircraft systems
p0431 A74-39004
- EDSE, R.**
Supersonic combustion and burning in ramjet
combustors
[AD-770061] p0201 N74-17648
- EDWARDS, G.**
The technical aspects of supersonic civil
transport aircraft
p0260 A74-25800
- EDWARDS, G.**
Looking ahead with hindsight /The Sixty-Second
Wilbur and Orville Wright Memorial Lecture/
p0321 A74-31245
- EDWARDS, J. W.**
MLS program - Phase II
p0076 A74-14132

- The national Microwave Landing System
FAA progress report on MLS Phase II
The national microwave landing system /MLS/
[SAE PAPER 740345]
MLS program: Phase 2
p0169 A74-19317
p0220 A74-22690
p0307 A74-28726
p0102 N74-12631
- EDWARDS, V.
Specifications for composites - Phenolic and
silicone resins
p0313 A74-29787
- EDWARDS, V. E.
A comparative study of two model reference,
adaptive aircraft control systems
p0374 A74-35237
- EFIMOVCHIKIN, G. E.
Method of calculating the air tightness of the
vacuum system in a turbine with a water - jet
ejector
[BLL-CE-TRANS-5646-(9022.09)]
p0110 N74-13136
- EGEN, R. A.
Ship-helicopter system analysis
[AD-774764]
p0305 N74-21629
- EGGERS, J. M.
Supersonic combustion of hydrogen injected
perpendicular to a ducted vitiated airstream
[AIAA PAPER 73-1322]
p0012 A74-11314
- EGGLESTON, L. A.
Requirements for explosion-proof electrical
equipment in Air Force hangers
[AD-767600]
p0109 N74-12969
- EGOROV, V. V.
Determining the scale of rigidity and estimating
the degree of nonsimilarity of elastic models of
wings with a low aspect ratio
p0390 A74-36805
- EGOROVA, N. V.
Alloys for helicopter rotor-blade spars
p0343 A74-34145
- EGORYCHEV, V. A.
Equipment for aircraft and helicopter technical
servicing
p0169 A74-19370
- EHLERS, F. E.
A finite difference method for the solution of the
transonic flow around harmonically oscillating
wings
[AIAA PAPER 74-543]
p0339 A74-33138
- EJIRI, H.
Measurements of rolling moments acting on the
stabilizer of T-tails oscillating in yaw
[NAL-TR-324]
p0158 N74-14744
- EL-MESSIRI, I. A.
The divided combustion chamber concept and design
for control of SI engine exhaust air pollutant
emissions
p0165 N74-15454
- ELLIOTT, D. A., JR.
Summary of propeller design procedures and data.
Volume 3: Hub, actuator, and control designs
[AD-776998]
p0360 N74-25614
- ELLIOTT, G. A.
Small Turbine Advanced Gas Generators for future
engine requirements
[AHS PREPRINT 872]
p0387 A74-36607
- ELLIS, D. R.
Direct force control for light airplanes
[AIAA PAPER 74-862]
p0453 A74-41809
- ELLIS, J. R.
Laminated metallic structure - An approach to
fracture control
p0083 A74-14754
- ELLISON, H. P.
Sliding-seal electron-beam welding of titanium
p0083 A74-14752
- ELLISON, T. A.
Avionics design for maintainability - Are we
gaining or losing
[SAE PAPER 730882]
p0123 A74-17531
- ELBELAND, S. G. L.
Static aeroelastic effects on the aerodynamics of
the Saab 37 Viggen aircraft, a comparison
between calculations, wind tunnel tests and
flight tests
[ICAS PAPER 74-55]
p0451 A74-41354
- ELOE, E. E.
A helicopter flight performance system using an
LSI microprocessor
[AD-765680]
p0041 N74-10054
- ELSANKER, W. K.
STOL tactical aircraft investigation, externally
blown flap, Volume 5, part 3: Stability and
control derivative accuracy requirements and
effects of augmentation system design
[AD-767182]
p0146 N74-13757
- STOL tactical aircraft investigation-externally
blown flap. Volume 5: Flight control
technology. Part 2: Simulation studies/flight
control system validation
[AD-770449]
p0199 N74-16752
- ELSASSER, T. E.
Low cost supersonic expendable turbine engines
[SAE PAPER 730910]
p0017 A74-11583
- ELSENBAER, A.
Measurements in a three dimensional incompressible
turbulent boundary layer in an adverse pressure
gradient under infinite swept wing conditions
[NLR-TR-72092-U]
p0109 N74-12995
- ELSNER, R. W.
Simplified navigation for unmanned aircraft
p0175 A74-20098
- ELSON, B. M.
USAF evaluating helicopter IFR aids
p0319 A74-30749
- EMBULAEVA, A. F.
Investigation of the motion of a controlled body
in a resisting medium under transient conditions
p0220 A74-23076
- EMERLING, S. J.
Free-flight investigation of the stability and
control characteristics of a STOL model with an
externally blown jet flap
[NASA-TN-D-7411]
p0324 N74-21649
- EMPEY, R. W.
Tail-rotor thrust on a 5.5-foot helicopter model
in ground effect
[AHS PREPRINT 802]
p0388 A74-36616
- ENEVOLDSON, E. K.
Flight evaluation of advanced control systems and
displays on a general aviation airplane
[NASA-TN-D-7703]
p0407 N74-27499
- ENGBRECHT, W. J.
Flight tests of gated, low-light-level television
for search and rescue
p0217 A74-22532
- ENGELHANN, W. H.
Emergency air start system for the F-14B flight
test aircraft
[AIAA PAPER 73-1252]
p0010 A74-11273
- ENGLAR, R. J.
Investigation into and application of the high
velocity circulation control wall jet for high
lift and drag generation on STOL aircraft
[AIAA PAPER 74-502]
p0338 A74-33102
- Circulation control: A bibliography of NSRDC
research and selected outside references
[AD-775284]
p0327 N74-21666
- Subsonic wind tunnel investigation of the high
lift capability of a circulation control wing on
a 1/5-scale T-2C aircraft model
[AD-781856]
p0491 N74-33466
- ENGLE, R. M.
Analysis of crack propagation under variable
amplitude loading using the Willenborg
retardation model
[AIAA PAPER 74-369]
p0265 A74-26677
- ENGLIN, B. A.
Adsorption resins in jet fuels
p0221 A74-23517
- Antivear properties of jet fuels obtained by
blending nonalkalized hydrorefined with
straight-run components
p0479 A74-45000
- ENGLISH, R. B.
V/STOL demonstrator vehicle for ejector thrust
augmentation technology
[AIAA PAPER 74-995]
p0453 A74-41663
- ENGLUND, D. R., JR.
Modularized instrument system for turbojet engine
test facilities
p0277 A74-28296
- ENIS, C. P.
Photographic pyrometry in an aeroballistic range
p0030 A74-12752
- ENTINE, G.
Development and testing of a cadmium telluride
high temperature (750 F) infrared fire detector

- [AD-773324] p0287 N74-19714
EPIFANOV, V. M.
 Calculation of aerodynamic characteristics of
 bodies with relatively large trailing sections
 p0087 A74-15575
- EPPLER, E.**
 Results of the combined application of boundary
 layer and profile theory
 [NASA-TT-F-15416] p0254 N74-18917
 Direct calculation of airfoils from pressure
 distribution
 [NASA-TT-F-15417] p0281 N74-19641
- ERBACHER, E. A.**
 Design and fabrication of a mixed composite wing box
 p0083 A74-14749
- ERDMAN, V. J.**
 How Eastern Airlines uses nondestructive
 evaluation to assure quality of specific jet
 engine hardware
 p0343 A74-34287
- ERF, B. K.**
 Composite materials inspection
 p0457 A74-43164
 Nondestructive holographic techniques for
 structures inspection
 [AD-774758] p0303 N74-21105
- ERICKSON, L. L.**
 Transonic single-mode flutter and buffet of a low
 aspect ratio wing having a subsonic airfoil shape
 [NASA-TN-D-7346] p0153 N74-14631
- ERICSSON, L. E.**
 High altitude delta wing unsteady aerodynamics
 [AIAA PAPER 74-817] p0400 A74-37824
- ERIKSSON, I.**
 Helicopter noise
 [FOA-3-C-3685-E4] p0105 N74-12722
- ERKELENS, L. J.**
 Comparison of Fokker F-28 wind tunnel and flight
 data, A summary
 [NLR-TR-73007-U] p0368 N74-26486
- ERLE, L. L.**
 OH-6A design and operational flight loads study
 [AD-775832] p0331 N74-22690
- ERLICH, E.**
 Methods of visualization of the leading edge
 separation bubble and analysis of results
 [ONERA, TP NO. 1295] p0005 A74-10997
- ERLMEIER, E.**
 Supersonic fuels from medium oils produced by the
 thermal cracking of crude oil residues
 [DVLK-SONDDR-301] p0136 A74-18925
- ERMOLENKO, S. D.**
 Calculation of the aerodynamic characteristics of
 a wing system moving at subsonic speed near land
 or smooth water surface
 p0131 A74-18681
- ESCH, P.**
 The Alpha Jet wind tunnel model for aeroelastic
 investigations
 p0318 A74-30599
- ESCHER, W. J. D.**
 Hydrogen - Make-sense fuel for an American
 supersonic transport
 [AIAA PAPER 74-163] p0169 A74-19353
 Prospects for liquid hydrogen fueled commercial
 aircraft
 [PR-37] p0295 N74-20647
- ETKIN, B.**
 Progress in aerospace sciences. Volume 14
 p0025 A74-12203
 Measurement of turbulence inputs for V/STOL
 approach paths in a simulated planetary boundary
 layer
 [UTIAS-189] p0066 N74-11661
- EUDAILY, R. B.**
 Feasibility study of the transonic biplane concept
 for transport aircraft application
 [NASA-CR-132462] p0495 N74-34477
- EULA, A.**
 The civil supersonic aircraft
 p0310 A74-28786
- EULA, E.**
 Engine condition monitoring - The Alitalia approach
 p0180 A74-20825
- EUVARD, D.**
 A direct method for computing the steady flow at
 Mach number one past a given wing airfoil
 p0118 A74-16963
- EVANS, D. G.**
 Some comparisons of the flow characteristics of a
 turbofan compressor system with and without
 inlet pressure distortion
 p0380 A74-36188
- EVANS, D. J.**
 Application of powder metallurgy in gas turbine
 aircraft engines
 p0084 A74-14765
- EVANS, D. J. I.**
 The development of thermomechanical processes for
 advanced dispersion strengthened alloys
 p0342 A74-33622
- EVANS, J. P. O.**
 The case for digital techniques applied to
 powerplant controls
 p0458 A74-43212
- EVERS, R. V.**
 An automated tape layup system /ATLAS/
 p0379 A74-35838
- EZEKIEL, S.**
 A two-component laser Doppler velocimeter for
 periodic flow fields
 p0267 A74-26916
- F**
- FABIAN, G. J.**
 In-flight testing of a flight control multiplex
 system in the NC-131 H total in-flight simulator
 [AD-774049] p0302 N74-20907
- PACKRELL, J. E.**
 The flow field and pressure distribution of an
 isolated road wheel
 [IC-AERO-72-14] p0155 N74-14706
- FAESCH, J.**
 The use of chromium anodic protection /the BP 4
 process/ for the detection of metallurgical
 anomalies in light alloys
 p0227 A74-25351
- FAGAN, C. H.**
 Cold-weather flight tests of an OH-58 helicopter
 equipped with an elastomeric-bearing main rotor
 [AD-772935] p0253 N74-18716
- FAGE, E.**
 Subsonic blocking in double-flow nozzles
 p0311 A74-29310
- FAIZ, R. L.**
 A design analysis of CH-54B main rotor hub
 fabricated from composite materials
 [AD-774270] p0300 N74-20689
- FALARSKI, M. D.**
 Acoustic characteristics of a large-scale
 augmentor wing model at forward speed
 [NASA-TN-X-2940] p0041 N74-10052
 Aerodynamic characteristics of a large-scale model
 with a swept wing and a jet flap having an
 expandable duct
 [NASA-TN-X-62281] p0095 N74-11826
 Wind tunnel investigation of a large-scale 25 deg
 swept-wing jet transport model with an external
 blowing triple-slotted flap
 [NASA-TN-X-62197] p0141 N74-13721
 Acoustic characteristics of a large-scale wind
 tunnel model of an upper-surface blown flap
 transport having two engines
 [NASA-TN-X-62319] p0189 N74-15719
- FALCO, M.**
 Aircraft symmetric flight optimization
 p0209 A74-23091
- FALCONE, J. P.**
 Concept for a multiple personnel airport system
 [AD-771945] p0244 N74-18640
- FALKENSTEIN, W. A.**
 Methodologies for predicting avionic system
 capability and weight in CTOL and VTOL
 fighter/attack aircraft 1975 to 1995
 [SAWE PAPER 1002] p0435 A74-39877
- FALKNER, V. L.**
 Flight evaluation of a Mach 3 cruise longitudinal
 autopilot
 [AIAA PAPER 74-910] p0402 A74-37890
- FANUCCI, J. B.**
 Flight performance of a circulation controlled STOL
 [AIAA PAPER 74-994] p0429 A74-38749
 Nonlinear helicopter rotor lifting surface theory,
 part 1
 [AD-781885] p0473 N74-32453

- FARASSAT, P.**
The acoustic far-field of rigid bodies in arbitrary motion p0224 A74-24375
- FABINACCI, A. L.**
High level container [AD-766306] p0054 N74-10899
- FABIS, D. W.**
Are existing navoids adequate for commercial STOL operations in coming STOL environments p0346 A74-34847
- FARLEY, J. P.**
Shipboard operations of Harrier p0320 A74-30823
- FARBER, S. W., JR.**
A method of automatically stabilizing helicopter sling loads [NASA-TN-D-7593] p0413 N74-28506
- FARR, A. P.**
System for evaluation of F-15 inlet dynamic distortion p0277 A74-28287
- FARRAH, J. R.**
Research and design of a seventy-six (76) foot span aircraft maintenance hanger with quarter shell endwalls [AD-770299] p0200 N74-17001
- FARRAR, P. A.**
Development of optimal control modes for advanced technology propulsion systems [AD-767425] p0112 N74-13514
- FARRELL, P. A.**
PORTMAN programs for the determination of generalised air forces on interfering lifting surfaces oscillating in subsonic flow [ARL/SM-REPT-345] p0246 N74-18655
- FARRELL, R.**
Development and testing of a cadmium telluride high temperature (750 F) infrared fire detector [AD-773324] p0287 N74-19714
- FATHY, A.**
Effect of unsteady loading on rotor noise p0073 A74-13792
- FATHY, A. F. A.**
The unsteady circulation distribution in rotors and its application to noise studies p0152 N74-14437
- FATHULLIN, E. P.**
Transient processes in an aircraft stabilization system with jet-driven flywheels p0398 A74-37656
- FAULKNER, R.**
Aircraft requirements for low/medium density markets [NASA-CR-137373] p0282 N74-19651
- FAULKNER, R. B.**
The cost of noise reduction in intercity commercial helicopters p0210 A74-23328
- FAVIER DE COULOMB, C.**
General theory of stratified media - Application to research concerning the correction of aircraft radome aberration p0377 A74-35494
- FAVIER, D.**
Instantaneous velocity measurements in the near wake of a helicopter rotor p0425 A74-38633
- FAVRE, J.-P.**
Advanced composite materials - Solution to problems of structure weight reduction [ONERA, TP NO. 1313] p0228 A74-24315
- FAWKE, A. J.**
Digital computer simulation of the dynamic response of a twin-spool turbofan with mixed exhausts p0020 A74-11617
- FEATHERSTONE, D. H.**
Air-ground communications in the upgraded third generation ATC system p0215 A74-22684
- FEDOSOVA, A. B.**
Free vibrations of dynamically inhomogeneous airfoil cascades in potential flow p0482 A74-45936
- FEILER, C. E.**
Effects of forward velocity and acoustic treatment on inlet fan noise [NASA-TN-X-71591] p0445 N74-30249
- FEINBERG, P.**
Evaluation of MIL-L-23699 lubrication oil performance in the J79 engine [AD-776535] p0361 N74-26073
- FELDMAN, N. E.**
Cost comparisons of advanced air traffic management systems [E-1319-DOT] p0065 N74-11436
- FELDT, W. T.**
Bending-torsional flutter of a cantilevered wing containing a tip mass and subjected to a transverse follower force p0398 A74-37648
- FELLEMAN, P. G.**
Digital fly-by-wire - Computers lead the way p0377 A74-35629
- FELLER, R. P.**
Effect of sweep angle on the pressure distributions and effectiveness of the ogee tip in diffusing a line vortex [NASA-CR-132355] p0094 N74-11822
Vortex modification by mass injection and by tip geometry variation [AD-771966] p0232 N74-17715
- FELT, L.**
Active flutter suppression - A flight test demonstration [AIAA PAPER 74-402] p0266 A74-26701
- FELTHAM, R. G.**
Aircraft accident data recording systems: System evaluation and data recovery p0390 A74-36657
- FEO, G.**
Engine cycle selection for commercial STOL aircraft p0290 N74-20408
- FERGUSON, H. L.**
The 1.5-kW fuel cell powerplant [AD-767302] p0107 N74-12744
- FERLET, G.**
Application to zone navigation /R/Nav/ of hybrid navigation systems p0029 A74-12446
- FERNANDEZ, R.**
The present technics of air transportation p0280 A74-28487
- FERRARESE, J. A.**
Influence of runway traction on operation of jet transport aircraft [AIAA PAPER 74-958] p0427 A74-38724
- FERRARI, E.**
A first generation of L-Band avionics for AEROSAT p0024 A74-12192
- FERRILL, K. R.**
Instrumentation specification for climatic laboratory tests [AD-771053] p0237 N74-17763
- FERRI, A.**
Sonic boom analysis for high altitude flight at high Mach number [AIAA PAPER 73-1034] p0026 A74-12224
The jet engine design that can drastically reduce oxides of nitrogen [AIAA PAPER 74-160] p0133 A74-18797
Analysis and design of three dimensional supersonic nozzles. Volume 3: A design technique for multiple nozzle configurations [NASA-CR-132352] p0061 N74-11115
Analysis and design of three dimensional supersonic nozzles. Volume 4: Similarity laws for nozzle flows [NASA-CR-132353] p0061 N74-11116
Analysis of wall modification in a transonic wind tunnel [AD-767629] p0109 N74-12971
Reduction of NO formations by premixing p0148 N74-14272
- FFOWES WILLIAMS, J. E.**
Nonlinear generation of secondary waves in fluids p0344 A74-34352
- FICHTL, G. H.**
Nonstationary atmospheric boundary layer turbulence simulation [AIAA PAPER 74-587] p0340 A74-33166
- FIDELL, S.**
Effects of discontinuation of nocturnal aircraft noise p0315 A74-30084
- FIELD, H.**
General avionics progress

PERSONAL AUTHOR INDEX

FOERBSCHING, H.

- FIELDING, J. p0318 A74-30592
Manufacturing exercise involved in the redesign of the Hawker Siddeley Trident /tri-jet/ fuselage p0115 A74-16445
- FIGGE, P. A.
Air Superiority Fighter wing structure design for improved cost, weight and integrity p0262 A74-26652
[AIAA PAPER 74-337]
Advanced metallic structures: Air superiority fighter wing design for improved cost weight and integrity. Volume 2: Criteria sensitivity study [AD-781811] p0473 N74-32451
Advanced metallic structure: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Materials test program [AD-781812] p0490 N74-33460
- FIGGE, I. E.
Advanced composite lattice structure for improved structural integrity [AIAA PAPER 74-357] p0264 A74-26667
Low-weight, impact-resistant helicopter drive shafts p0348 A74-34919
Composite material geodesic structures - A structural concept for increased helicopter rotor blade survivability [AHS PREPRINT 884] p0387 A74-36613
- FIGGE, I. E., SR.
Development of manufacturing methods for ballistically tolerant fiberglass tubular bellcranks [AD-775818] p0331 N74-22701
- FILETTI, E. G.
Gas turbine engine mainshaft roller bearing-system analysis [ASME PAPER 73-LUB-J] p0030 A74-12710
- FINANCE, M.
Endurance tests on glasses of transport aircraft p0209 A74-22659
- FINKOV, M.
Selection of landing fields [AD-772051] p0287 N74-19894
- FINK, D. E.
YF-17 evolved from previous data base p0276 A74-27848
Carrier designs for space shuttle orbiter being refined p0311 A74-28791
Hybrid heavy-lift vehicle under study p0421 A74-38140
- FINK, M. P.
Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot [NASA-TN-D-7474] p0283 N74-19665
- FINK, H. O.
Aircraft noise in urban areas. Measurement and evaluation [DGLR-PAPER-74-013] p0368 N74-26481
- FINSTON, M.
Magnetic balance and suspension systems for use with wind tunnels p0025 A74-12204
- FIGRE, A. W.
Ground testing and simulation. II - Aerodynamic testing and simulation: Saving lives, time, and money p0336 A74-32322
- FIGURELLO, M. R.
Problems in avionics life-cycle analysis [P-5136] p0328 N74-22597
- FIRTH, D.
High intensity sound in a lined duct p0336 A74-32593
- FIRTH, D. A.
A model of two-dimensional, incompressible flow through a cascade of airfoils with allowance for the viscous displacement effect [ASME PAPER 74-GT-126] p0271 A74-27422
- FISCHER, H.
Improvement of the downflow conditions behind an integrated shrouded propeller p0124 A74-17801
- FISHBACH, L. M.
A simplified life-cycle cost comparison of various engines for small helicopter use [NASA-TN-X-71517] p0256 N74-19405
- FISHER, A. V.
Selection of cutting conditions in the machining axial-flow compressor blades on an assembled rotor p0029 A74-12424
- FISHER, B. D.
Flight investigation of the VPR and IPR landing approach characteristics and terminal area airspace requirements for a light STOL airplane [NASA-TN-X-3008] p0354 N74-25562
- FISHER, C. A.
Design of crashworthy aircraft cabins based on dynamic buckling p0090 A74-15971
- FISHER, E. H.
Exact solutions for conical mixed flow rotors. Part 2: Cambered blades of finite thickness [NEL-524-PT-2] p0109 N74-12989
- FISZDON, W.
Progress in aerospace sciences. Volume 14 p0025 A74-12203
- FITZSIMMONS, R. D.
AST - A fifth engine for environmental consideration [SAE PAPER 730899] p0018 A74-11590
Concorde - Testing the market p0377 A74-35632
- FLANDERS, J. D.
The single-engine turboprop in the northern frontier p0185 A74-21821
- FLANDERS, T. A.
The architecture of a turbine engine control p0458 A74-43209
- FLANNELLY, W. G.
Application of antiresonance theory to helicopters p0394 A74-37491
Identification of structural parameters from helicopter dynamic test data p0396 A74-37505
Identification of structural parameters from helicopter dynamic test data p0497 N74-34513
- FLEDEL, H.
A low power night photo system for high speed unmanned aircraft p0423 A74-38535
- FLEEMAN, E. L.
Aerodynamic forces and moments on a slender body with a jet plume for angles of attack up to 180 degrees [AIAA PAPER 74-110] p0133 A74-18776
- FLEETER, S.
Fluctuating forces appropriate for the calculation of discrete frequency noise generation in subsonic turbo machines p0204 A74-23108
The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component [AIAA PAPER 74-530] p0339 A74-33127
A unique supersonic inlet unsteady aerodynamic cascade experiment [AIAA PAPER 74-622] p0376 A74-35389
- FLETCHER, R. S.
The environment and the gas turbine p0185 A74-21874
A preliminary study on the influence of fuel staging on nitric oxide emissions from gas turbine combustors p0150 N74-14301
- FLINN, E. H.
Comments for panel discussion on full scale vs reduced-scale wind tunnel testing of V/STOL aircraft p0207 A74-22475
- FLOWER, J. W.
The determination of ice deposition on slender wings An experimental technique and simplified theory [ICAS PAPER 74-41] p0450 A74-41342
- FLYNN, J. E.
Application of powder metallurgy in gas turbine aircraft engines p0084 A74-14765
- FOELSCH, T.
Measured and calculated neutron spectra and dose equivalent rates at high altitudes; relevance to SST operations and space research [NASA-TN-D-7715] p0500 N74-35219
- FOERBSCHING, H.
Prediction of unsteady airloads for the solution of the panel flutter problem of nosecones and conical shell structures

- POERSTEL, H.
Acclimatized wind track for measurement of oxygen
isotope fractionation in isolated leaves and in
leaf models
[JUL-349-PC] p0241 A74-17961
- POGG, R. G.
The effect of engine component noise on V/STOL
aircraft noise contours
[NASA-CR-114687] p0297 A74-20667
- POGY, W.
A new ILS localizer for regional airports
p0136 A74-18901
- POHLEN, G. M.
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] p0193 A74-16249
- POMBONNE, P.
ICAO and the future landing system
p0311 A74-29252
- POHIN, V. M.
Investigation of the influence of vortex
generators on turbulent boundary layer separation
p0389 A74-36632
- PONAREV, A. S.
Calculation of transonic gas flows past
axisymmetric bodies and lifting wing profiles
p0390 A74-36826
- PONK, G. J.
Investigation of the fail-safe properties of civil
aircraft
p0366 A74-26463
- FORD, D. G.
Maneuver criteria evaluation program
[AD-782209] p0491 A74-33472
- FORD, J. C.
JP-4 thermal stability survey
[AD-767591] p0112 A74-13501
- FORGAN, D. H.
Application of dispersive networks in
data-transmission receivers
p0311 A74-29353
- FORMALSKII, A. M.
Controllability and stability of systems with
restricted resources
p0380 A74-36154
- FORNEY, D. M., JR.
Failure experience with and failure anticipation
in titanium components
p0116 A74-16476
- FORTER, L. E., JR.
Thermal parameters as a predictor of precipitation
type for Kinceloe AFB, Michigan
[AD-754927] p0048 A74-10611
- FOSHER, J. J.
Implementation considerations with PSK modulation
p0424 A74-38558
- FOSS, J. P.
Research on free and impinging jets for the
development of STOL aircraft
[NASA-CR-138031] p0287 A74-19902
- FOSS, R. L.
Propulsion technology advances needed for a quiet
supersonic transport
[SAE PAPER 730898] p0018 A74-11591
- FOSTER, D. N.
A review of the low speed aerodynamic
characteristics of aircraft with powered lift
systems
p0364 A74-26448
- FOSTER, J. D.
Jet transport energy management for minimum fuel
consumption and noise impact in the terminal area
[AIAA PAPER 74-811] p0400 A74-37821
- FOSTER, R. D.
Analysis of maneuverability effects on rotor/wing
design characteristics
[AD-776981] p0359 A74-25609
- FOSTER, R. E.
Texas airport systems plan - air passenger demand
model: Model test and evaluation
[AD-772471] p0294 A74-20630
- FOUDRIAT, E. C.
Aircraft 4-D constant velocity control system
p0342 A74-33812
- FOULDS, A. B.
Control system considerations for helicopter gas
turbines
p0458 A74-43210
- FOULTON, K. T.
MRCA progress report
p0086 A74-15151
- FOURNIER, R. H.
Stability and control characteristics at Mach
numbers from 0.20 to 4.63 of a cruciform
air-to-air missile with triangular canard
controls and a trapezoidal wing
[NASA-TN-X-3070] p0487 A74-33432
- FOWLER, C. A.
GCA radars - Their history and state of development
p0373 A74-35127
- FOX, C. H., JR.
Application of an improved unified
subsonic-supersonic potential flow method for
the aerodynamic analysis of aircraft
configurations
[AIAA PAPER 74-186] p0135 A74-18841
- FOX, W. J.
Flight study of a vehicle operational status and
monitoring system
[NASA-TN-D-7546] p0141 A74-13725
- FOXWORTH, T. G.
Another look at landing and stopping criteria
[AIAA PAPER 74-956] p0427 A74-38722
- FRADENBURGH, E.
Panel discussion on wind tunnel testing
p0207 A74-22474
- FRADENBURGH, E. A.
Dynamic model wind tunnel tests of a
variable-diameter, telescoping-blade rotor
system (TRAC rotor)
[AD-771037] p0237 A74-17764
- FRANK, R. L.
Current developments in Loran-D
p0317 A74-30359
- FRANKE, P.
Technology of passenger clearance in air
transportation using various clearance methods
p0269 A74-27211
- FRANKLIN, D. L.
Air-to-air tracking techniques to evaluate
aircraft handling qualities
p0345 A74-34838
- FRANKLIN, J. A.
Flight-path and airspeed control during landing
approach for powered-lift aircraft
[NASA-TN-D-7791] p0495 A74-34481
- FRANZMEYER, F. K.
Noise limit values in the case of aircraft
[DGLR PAPER 74-015] p0270 A74-27363
- FRASCA, R. L.
Noise limit values of aircraft
[DGLR-PAPER-74-015] p0368 A74-26482
- FRASCA, R. L.
Noise reduction programs for DC-8 and DC-9 airplanes
p0397 A74-37548
- FRASER, D. C.
Digital fly-by-wire - Computers lead the way
p0377 A74-35629
- FRAYSSE, J. M.
The new radar control stations of the French
airspace
p0311 A74-29251
- FRAZIER, J. W.
Effect of modified seat angle on air to air weapon
system performance under high acceleration
[AD-770271] p0198 A74-16747
- FREDERICK, D. K.
Analysis and design of a capsule landing system
and surface vehicle control system for Mars
exploration
[NASA-CR-136069] p0059 A74-11077
- FREDLAKE, J. J.
A control concept combining the best of the
current hydromechanical and electronic
technologies
[SAE PAPER 740380] p0309 A74-28745
- FREDRICKSON, C.
Engine/airframe interface dynamics experience
p0396 A74-37506
- FREEMAN, D. B.
Engine/airframe interface dynamics experience
p0497 A74-34514
- FREEMAN, D. B.
Angle of attack computation system

PERSONAL AUTHOR INDEX

GAIDACHUK, V. E.

- [AD-771183/1GA] p0255 N74-19107
- FRERMAN, G. A.
STOL tactical aircraft investigation-externally
blown flap. Volume 4: Analysis of wind tunnel
data
[AD-772774] p0251 N74-18704
- FRERMAN, G. E.
Development of design, test, and acceptance
criteria for Army helicopter transparent
enclosures
[AD-772936] p0284 N74-19675
- FRIESLEBEN, H. C.
Aerosat and Marsat: Satellites for mobile services
p0059 N74-11018
- FRENCH, R. F.
Test techniques and equipment for the development
of aircraft engine components resistant to bird
ingestion
p0434 A74-39742
- FRYRE, O. L.
Advanced metallic structures: Cargo wing design
for improved cost, weight, and integrity
[AD-782258] p0497 N74-34523
- FRIBERG, E. G.
U.S. aerospace industry at the crossroads
p0020 A74-11610
- FRIEDMAN, P.
Flap-lag dynamics of hingeless helicopter blades
at moderate and high advance ratios
p0496 N74-34495
- FRIEDMAN, R.
Noise tests on an externally blown flap with the
engine in front of the wing
[NASA-TN-X-2942] p0094 N74-11813
- FRIEDMANN, P.
Some conclusions regarding the aeroelastic
stability of hingeless helicopter blades in
hover and in forward flight
p0022 A74-11844
- Aeroelastic stability of periodic systems with
application to rotor blade flutter
[AIAA PAPER 74-417] p0267 A74-26713
- Flap-lag dynamics of hingeless helicopter blades
at moderate and high advance ratios
p0393 A74-37487
- FRIEDRICH, L. A.
Impact resistance of fiber composite blades used
in aircraft turbine engines
[NASA-CR-134502] p0049 N74-10726
- FRIES, J. R.
Development of an independent altitude monitor
concept
[AD-775454] p0474 N74-33116
- FRINT, H. K.
Dynamic test of gears manufactured by advanced
forging techniques
[AD-765491] p0047 N74-10484
- FRTZEN, J. S.
Galvanic corrosion effects associated with
graphite composites/metal joints
[LR-26088] p0254 N74-18813
- FROELICH, A. J.
Power conditioning system for FAA air route
traffic control centers
p0102 N74-12636
- FROELICH, A. J., JR.
Power conditioning system for FAA Air Route
Traffic Control Centers
p0077 A74-14133
- FRUIDURE, P.
A commutation on antenna systems covering standard
aircraft and balloons
p0469 N74-31685
- FRUMHLET, H.
MBB BO 105 - Concept and worldwide use of a modern
helicopter. I
p0479 A74-45098
- FRY, C. A.
A design study to standardize collective-stick
controls in US Army helicopters: A Human
Factors Engineering (HFE) evaluation
[AD-773688] p0286 N74-19689
- FRY, C. M.
Identification of aircraft stability and control
parameters using hierarchical state estimation
p0260 A74-25759
- Identification of aircraft stability and control
parameters using multilevel, hierarchical
estimation
- FRY, M. F.
Importance of the means of engine condition
surveillance
p0356 N74-25581
- PUBARA, D. M. J.
Geodetic analysis of Skylab altimetry preliminary
data - SL/2 EREP pass 9
[E74-10086] p0062 N74-11197
- FUCHS, H. V.
Introduction to aerodynamic noise theory
p0025 A74-12207
- Analysis of axisymmetric turbulence relevant to
jet noise
p0172 A74-19631
- FUHS, A. E.
External burning assisted projectile - Theory and
experiment
[AIAA PAPER 73-1193] p0009 A74-11234
- Instrumentation for airbreathing propulsion;
Proceedings of the Symposium, U.S. Naval
Postgraduate School, Monterey, Calif., September
19-21, 1972
p0277 A74-28283
- Pollution control of airport engine test facilities
p0149 N74-14285
- FUJIEDA, H.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 N74-14764
- FUJIMORI, Y.
Shear and moment response of the airplane wing to
nonstationary turbulence
p0364 N74-26440
- FUJITA, H.
Unsteady lift and radiated sound from a wake
cutting airfoil
p0477 A74-44405
- FULCHER, R. W.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] p0044 N74-10202
- FUSSEY, D. E.
A shock tube study of the formation of carbon
particles during the pyrolysis of hydrocarbons
p0229 A74-25213

G

- GABEL, R.
Current loads technology for helicopter rotors
p0054 N74-10910
- GABRIELLI, G.
Buckling loads and minimum weight of compressed
curved ribbed aluminum alloy panels
p0118 A74-16822
- An experimental study of box beam wing structures
subjected to torsion
p0378 A74-35719
- GACHEGOV, H. A.
Determination of the gas temperature in front of
the turbine of a bypass turbofan engine
p0087 A74-15721
- GADETSKII, V. E.
Investigation of the influence of vortex
generators on turbulent boundary layer separation
p0389 A74-36632
- GAFFIN, H. O.
A conceptual definition study for a digital
avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
- A conceptual definition study for a digital
avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- GAFFIN, W. O.
The influence of engine technology advancements on
aircraft economics
[SAE PAPER 730960] p0269 A74-27256
- GAGLIARDI, R. M.
Acquisition signal design for satellite-aircraft
communications
[AIAA PAPER 74-437] p0275 A74-27807
- GAGOSZ, R. M.
Nondestructive holographic techniques for
structures inspection
[AD-774758] p0303 N74-21105
- GAIDACHUK, V. E.
Experimental study of metal-plastic couplings in
tension
p0130 A74-18648

- Experimental investigation of glass-plastic and metal-plastic joints under shear p0131 A74-18697
- GAJIC, D.**
A contribution to the determination of a short takeoff p0485 A74-46710
- GALE, C. H.**
Flight evaluation of two segment approaches for jet transport noise abatement [NASA-CR-114735] p0200 N74-16995
- GALKIN, V. P.**
Buckling of rods under creep conditions p0391 A74-36834
- GALLAGHER, H. H.**
Titanium flamecutting reduces airframe costs p0118 A74-16760
- GALLAGHER, J. P.**
Methods for analyzing fatigue crack growth rate behavior associated with flight-by-flight loading [AIAA PAPER 74-367] p0264 A74-26675
- GALLAGHER, J. T.**
Use of simulators in the design and development of flight control systems [SAE PAPER 730933] p0016 A74-11567
- GALLINGTON, R. W.**
Vortex shedding from the ram wing vehicle [AD-767234] p0105 N74-12727
- GALLOT, J.**
Prediction of helicopter rotor loads p0055 N74-10911
- GALLOWAY, T. L.**
Propulsion system sizing for powered lift and mechanical flap quiet aircraft [SAE PAPER 740455] p0349 A74-34983
Computer programs for estimating aircraft takeoff and landing performance [NASA-TN-X-62333] p0196 N74-16720
- GALVAS, M. R.**
FORTRAN program for predicting off-design performance of centrifugal compressors [NASA-TN-D-7487] p0037 N74-10024
- GAMBUCCI, B.**
Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps [NASA-TN-X-62320] p0141 N74-13720
- GANESAN, N.**
Evaluation of aircraft internal noise [SAE PAPER 740360] p0309 A74-28737
Torsion of prismatic shell by finite difference approach p0314 A74-29906
- GANGL, E. C.**
Air Force findings and recommendations on digital aircraft avionics p0423 A74-38523
- GANGLE, J. J.**
New materials in the aerospace industries p0342 A74-33682
- GANS, G.**
status and development tendencies of titanium processing p0064 N74-11339
- GACHKAR, G. H.**
A study of lifting rotor flapping response peak distribution in atmospheric turbulence p0210 A74-23329
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 1 [NASA-CR-114707] p0160 N74-14755
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 2 [NASA-CR-114708] p0160 N74-14756
- GARBER, V.**
Remotely piloted vehicles for the Army p0480 A74-45307
- GARCIA, F., JR.**
Shuttle sonic boom - Technology and predictions [AIAA PAPER 73-1039] p0026 A74-12225
- GARDNER, C. G.**
Engineering appraisal of Southwest Research Institute magnetic crack definer applied to CH47 rotor blades [AD-769068] p0163 N74-14778
- GARDNER, L. H.**
STOL tactical aircraft investigation. Volume 6: Air cushion landing system study [AD-766644] p0058 N74-10940
- GARKUNOV, D. H.**
Enhancement of durability of aircraft design elements /2nd revised and enlarged edition/ p0337 A74-32775
- GARNICAREK, R.**
Analysis of the aerodynamic characteristics of devices for increasing wing lift. 3: Influence of ground proximity on the aerodynamic characteristics of the flaps [NASA-TT-P-15762] p0405 N74-27483
- GARNER, H. D.**
Applications of fluidics to light aircraft instrumentation and control [SAE PAPER 740351] p0308 A74-28731
Development and flight tests of a gyro-less wing leveler and directional autopilot [NASA-TN-D-7460] p0256 N74-19282
- GARNER, W. S., JR.**
The expanding liability of air traffic controllers p0307 A74-28573
- GARODZ, L. J.**
The measurement of the DC-7 trailing vortex system using the tower fly-by technique [FAA-RD-73-141] p0104 N74-12718
- GARRARD, W. L.**
A comparative study of two model reference, adaptive aircraft control systems p0374 A74-35237
- GARREN, J. F., JR.**
Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings [NASA-TN-D-7524] p0410 N74-28102
- GARETT, L. E.**
Fatigue-test acceleration with flight-by-flight loading and heating to simulate supersonic-transport operation [NASA-TN-D-7380] p0099 N74-12261
- GARROCO, C. A.**
Feasibility study of an Integrated Program for Aerospace vehicle Design (IPAD). Volume 1. Summary [NASA-CR-132401] p0413 N74-28508
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 2: Characterization of the IPAD system (Phase 1, Task 1) [NASA-CR-132402] p0414 N74-28509
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 3: Engineering creative/evaluation processes (Phase 1, Task 2) [NASA-CR-132403] p0414 N74-28510
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 4: Design of the IPAD system. Part 1: IPAD system design requirements (Phase 1, Task 2) [NASA-CR-132404] p0414 N74-28511
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 5: Design of the IPAD system. Part 2: System design. Part 3: General purpose utilities (Phase 1, Task 2) [NASA-CR-132405] p0414 N74-28512
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 6: Implementation schedule, development costs, operational costs, benefit assessment, impact on company organization, spin-off assessment (Phase 2, Tasks 3 to 8) [NASA-CR-132406] p0414 N74-28513
- GASPAROVIC, M.**
Calculation of the characteristics of multistage axial turbomachines p0001 A74-10029
- GASSNER, E.**
Flight-by-flight tests with notched specimens using a wing upper surface load spectrum [LBF-PB-104/72] p0097 N74-11839
Review of investigations on aeronautical fatigue in the Federal Republic of Germany, May 1969 - June 1973 [LBF-S-108] p0097 N74-11843
- GAUDET, L.**
Measurements of the drag of some characteristic aircraft excrescences immersed in turbulent

PERSONAL AUTHOR INDEX

GIANSANTE, N.

- boundary layers p0156 N74-14714
- GAUKHAN, Y. N.
Optimal capabilities of hypersonic passenger aircraft on kerosene fuel [AD-767887] p0143 N74-13737
- GAUKROGER, D. R.
A technique for measuring oscillatory aerodynamic control surface hinge moments from forced response characteristics [ARC-CP-1253] p0247 N74-18663
- GAUL, J. W.
Automatic Flight Control System development for U.S. Army heavy lift helicopter [AIAA PAPER 74-25] p0135 A74-18865
- GAULT, J. D.
Risk analysis - A program management tool p0182 A74-20987
- GAUTHIER, C. M.
The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices [AD-768199] p0146 N74-13903
- GAUTHREAUX, S. A., JR.
Radar techniques for Air Force applications in avoidance of bird-aircraft collisions and improvement of flight safety [AD-754981] p0043 N74-10068
- GAVIN, T. J.
X-22A fixed-base ground simulator facility [AD-769942] p0200 N74-16997
- GAWAIN, T. B.
An alternative formulation of the lifting line wing equation and its solution [AD-771981] p0232 N74-17719
- GERBHARDT, J. C.
Simulation of the landing and take-off of a VTOL aircraft on a ship in a random sea [AIAA PAPER 74-302] p0209 A74-22803
- GEDDES, J. P.
The light-weight high-performance YF-17 p0089 A74-15953
The Fairchild Industries A-10 - Designed for close air support p0184 A74-21726
- GEDNEY, R.
Airborne profiling of ice thickness using a short pulse radar [NASA-TM-X-71481] p0063 N74-11204
- GEDNEY, R. T.
Airborne profiling of ice thickness using a short pulse radar p0124 A74-17810
- GEE, S. W.
Terminal guidance system [NASA-CASE-PHC-10049-1] p0111 N74-13420
- GEER, J. F.
Uniform asymptotic solutions for the two-dimensional potential field about a slender body p0392 A74-37268
- GEIER, B.
Installation for the investigation of the buckling characteristics of thin-walled structural components p0311 A74-29105
- GEISSLER, W.
Calculation of potential flow about axially symmetric fuselages, annular profiles and engine inlets [NASA-TT-P-15213] p0139 N74-13707
- GELDER, T. F.
Holographic studies of shock waves within transonic fan rotors [ASME PAPER 74-GT-46] p0272 A74-27439
- GELFAND, B. E.
Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29459
- GENT, H.
The quantitative description of a traffic control process p0403 A74-37921
- GENTRY, G. L., JR.
Wind-tunnel investigation of an externally blown flap STOL transport model including and investigation of wall effects
- [NASA-TM-X-3009] p0493 N74-34462
- GENZEL, J.-P.
Remote sensing of the earth's resources - Applications, benefits, methods p0008 A74-11204
- GEORGE, W. K.
Investigation of the large scale coherent structure in a jet and its relevance to jet noise [NASA-CR-138908] p0407 N74-27505
- GEORGESCU BUBUNTIA, N.
Biodegradation of materials used in the construction of utilitarian aircraft p0219 A74-22522
- GEPHART, L. S.
Flight test safety analysis of the all weather landing system /ANLS/ program p0182 A74-20974
- GERA, J.
A method of automatically stabilizing helicopter sling loads [NASA-TN-D-7593] p0413 N74-28506
- GERADIN, H.
Finite element analysis of supersonic panel flutter p0069 A74-13001
- GERBER, K.
Diffusion welding of structural components for aeronautics and astronautics p0227 A74-25024
- GERDES, R. M.
The use of an aircraft test stand for VTOL handling qualities studies [NASA-TM-X-62218] p0418 N74-28737
- GERHARDT, H.-J.
Improvement of the downflow conditions behind an integrated shrouded propeller p0124 A74-17801
- GERKEN, G. J.
Piloted power approach simulation p0347 A74-34853
- GERKEN, W. E.
STOL tactical aircraft investigation. Volume 5, part 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps [AD-766642] p0098 N74-11847
- GERLACH, O. H.
Progress in the mathematical modelling of flight in turbulence p0232 N74-17725
- GERSTEN, K.
Does research in the field of aeronautics have a future p0259 A74-25723
The flow over a porous body: A singular perturbation problem with two parameters [AD-775072] p0324 N74-21644
- GESTLAUER, J.
Aeronautical aspects of the employment of Omega and Loran C in general aviation p0268 A74-27098
- GEYER, G. B.
Evaluation of the structural integrity of an aircraft loading walkway under severe fuel-spill fire conditions [PAA-RD-73-144] p0104 N74-12716
- GHIA, K. N.
A study of compressible potential and asymptotic viscous flows for corner region p0204 A74-23205
- GIALLANZA, C. P.
Potential conflict prediction and associated functions for oceanic air traffic control automation [AD-767453] p0112 N74-13427
- GIALLANZA, F. V.
Potential conflict prediction and associated functions for oceanic air traffic control automation [AD-767453] p0112 N74-13427
- GIANFORCARO, N.
Control-by-wire actuator model development for APCAS [AD-772538] p0253 N74-18715
- GIANNINI, R. J.
A cylindrical phased-array antenna for ATC interrogation p0001 A74-10018
- GIANSANTE, N.
Identification of structural parameters from helicopter dynamic test data

- Identification of structural parameters from helicopter dynamic test data p0396 A74-37505
p0497 N74-34513
- GIBB, R. M.
T-38/F-5 improved escape system development and qualification testing p0214 A74-23557
- GIBSON, J. S.
Non-engine aerodynamic noise - The limit to aircraft noise reduction p0074 A74-13796
Recent developments at the ultimate noise barrier [ICAS PAPER 74-59] p0451 A74-41358
V/STOL noise prediction and reduction [LG73ER0062] p0056 N74-10921
Non-engine aerodynamic noise investigation of a large aircraft [NASA-CR-2378] p0495 N74-34482
- GIESING, J. P.
Comment on 'A finite-element method for calculating aerodynamic coefficients of a subsonic airplane' p0343 A74-33815
- GILL, P. L.
A corrosion inhibiting coating for structural airframe fasteners [SAE PAPER 730902] p0018 A74-11588
- GILL, P. B.
On the design and evaluation of flight control systems p0463 N74-31442
- GILL, J. C.
Advanced technology thrust vectoring exhaust systems [AIAA PAPER 73-1304] p0011 A74-11303
- GILLES, R.
Integrated logistics support and acquisition management /ILS-AM/ panel for aviation-crew systems equipment changes p0222 A74-23549
- GILLESPIE, E. A.
XFV-12A V/STOL fighter/attack aircraft p0320 A74-30822
- GILLESPIE, J., JR.
An experimental and analytical investigation of the potential flow field, boundary layers, and drag of various helicopter fuselage configurations [AD-777798] p0408 N74-27514
- GILLETTE, W. B.
Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process [NASA-CR-132392] p0415 N74-28516
Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 3: Support of the design process [NASA-CR-132393] p0415 N74-28517
Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 5: Catalog of IPAD technical program elements [NASA-CR-132395] p0415 N74-28519
- GILLEY, B. W.
Photographic pyrometry in an aeroballistic range p0030 A74-12752
- GILMAN, J., JR.
A wind-tunnel investigation of a B-52 model flutter suppression system [AIAA PAPER 74-401] p0265 A74-26700
- GILSON, C.
General Dynamics lightweight fighter p0183 A74-21320
- GILSON, C. M.
Hawker's new Hawk p0335 A74-31878
- GILTINAN, T. L.
An experimental investigation of an acoustic method for measuring gas mass flow [AD-766419] p0046 N74-10340
- GILYARD, G. B.
Some stability and control aspects of airframe/propulsion system interactions on the YF-12 airplane [ASME PAPER 73-WA/AERO-4] p0071 A74-13246
Flight evaluation of a Mach 3 cruise longitudinal autopilot [AIAA PAPER 74-910] p0402 A74-37890
Determination of propulsion-system-induced forces and moments of a Mach 3 cruise aircraft p0357 N74-25591
- GINHESTAD, D. W.
High transonic speed transport aircraft study [NASA-CR-114658] p0235 N74-17750
- GINN, E. C.
The operation of the Bell 212 under instrument flight rules p0348 A74-34879
- GINSBURG, G. S.
Infrared inspection of electrical equipment [C-208-2] p0110 N74-13198
- GIORDANO, T. A.
The effect of helicopter noise on communication and hearing [AD-767222] p0112 N74-13450
- GIBARD, A.
Dosage of minority stratospheric constituents, of the order of 1 ppb, by absorption spectrometry p0340 A74-33313
- GIRAUD, M.
Transonic flow around slender bodies p0046 N74-10440
- GIULIANETTI, D.
Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps [NASA-TN-X-62320] p0141 N74-13720
- GIVENS, R. B.
A low cost telemetry system [PB-222403/8] p0044 N74-10165
- GLADSTONE, R. J.
Some user benefits achievable from an advanced air traffic management system [R-1320-DOT] p0065 N74-11435
- GLASER, J. J.
Data requirements on turbulence in the earth's atmospheric shear layer for STOL design criteria p0234 N74-17737
- GLASGOW, C. S.
Improving aircraft productivity - We all have a part of the action p0076 A74-13976
- GLASGOW, E. R.
Integrated airframe-nozzle performance for designing twin-engine fighters [AIAA PAPER 73-1303] p0011 A74-11302
- GLASS, I. I.
Recent developments in sonic-boom simulation using shock tubes p0115 A74-16384
- GLASS, M. E.
AH-1G design and operational flight loads study [AD-775838] p0331 N74-22700
- GLASS, R. E.
Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114691] p0189 N74-15716
Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft [NASA-CR-114689] p0249 N74-18685
Noise measurements taken at LAX during operational evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114690] p0249 N74-18686
- GLEASON, C. C.
Technology for the reduction of aircraft turbine engine pollutant emissions [ICAS PAPER 74-31] p0457 A74-43125
- GLEND, W. L. B.
Design of a powered elevator control system [NASA-CR-114727] p0188 N74-15712
- GLENDINNING, I.
Aircraft requirements for low/medium density markets [NASA-CR-137373] p0282 N74-19651
- GLENN, R. D.
Development of a LASL whole-air sampler for WB-57F aircraft [LA-5491-MS] p0474 N74-32903
- GLOSS, B. B.
Canard-wing lift interference related to maneuvering aircraft at subsonic speeds [NASA-TN-X-2897] p0094 N74-11819
Effect of canard location and size on canard-wing interference and aerodynamic center shift related to maneuvering aircraft at transonic speeds [NASA-TN-D-7505] p0411 N74-28474

PERSONAL AUTHOR INDEX

GOODWIN, V. L.

- Effect of spanwise blowing on leading-edge vortex
bursting of a highly swept aspect ratio 1.18
delta wing
[NASA-TM-X-71987] p0441 N74-29367
- GLUSHCHENKO, N. I.
A study of the combined vibrations of the
disk-blade system of a turboprop engine turbine
wheel p0126 A74-18088
- GLUSHKOV, N. N.
A variation of the aerodynamic shape of a body
which leads to a decrease in its drag p0363 A74-36499
- GOBELTZ, J.
Wind-tunnel investigations aimed at devising tests
of aircraft spin p0223 A74-25316
- Review of developments in test techniques using
free-floating models p0223 A74-25317
- Wind tunnel investigations aimed at devising tests
of aircraft spin
[NASA-TT-F-15726] p0405 N74-27479
- GODDARD, K. F.
The design of automatic flight control systems to
reduce the effects of atmospheric disturbances p0234 N74-17743
- GODSHALL, P. A.
Artificial development of an atmospheric boundary
layer flow model in a wind tunnel p0139 N74-13701
- GOELLER, W.
Potential uses for the Kiebitz tethered rotor
platform p0318 A74-30596
- GOERLICH, H.
On the reliability of results from the tower test
for free flight tests
[NASA-TT-F-15174] p0095 N74-11827
- GOGGINS, W. B.
New concepts in AMTI radar - Nulling effects of
Doppler filter/multi-element horn array p0121 A74-17252
- GOGOLIN, V. P.
Resolution of a conflict between weight and
component resistance in an aircraft p0398 A74-37652
- GOKA, T.
Microwave landing system requirements for STOL
operations
[AIAA PAPER 74-997] p0430 A74-38751
- Preliminary assessment of the microwave landing
system requirements for STOL operations
[NASA-TM-X-62310] p0064 N74-11431
- GOLD, H.
A simplified fuel control approach for low-cost
aircraft gas turbines
[SAE PAPER 730388] p0004 A74-10802
- GOLD, T.
A head-up display for all-weather approach and
landing of tilt-wing V/STOL aircraft
[AIAA PAPER 74-952] p0452 A74-41656
- GOLDAEV, I. P.
Heat transfer investigation in a high-temperature
gas flow spreading over a plane surface p0131 A74-18684
- GOLDBERG, J.
Design of a fault tolerant airborne digital
computer. Volume 1: Architecture
[NASA-CR-132252] p0240 N74-17909
- Design of a fault tolerant airborne digital
computer. Volume 2: Computational requirements
and technology
[NASA-CR-132253] p0254 N74-18842
- GOLDFARB, W.
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design
[NASA-CR-132394] p0415 N74-28518
- GOLDMAN, H. Y.
Aircraft air intake regulator
[AD-772021] p0243 N74-18416
- GOLDMAN, R. G.
Highly noise suppressed bypass 6 engine for STOL
application
[AIAA PAPER 73-1031] p0021 A74-11799
- GOLDSMITH, H. A.
Aerodynamic/structural interactions in the design
of the Concorde nacelle p0226 A74-25364
- The development of aircraft as influenced by the
shortage of materials and fuel p0381 A74-36319
- GOLDSMITH, J. S.
Hydrogen-methane fuel control systems for turbojet
engines
[NASA-CR-121247] p0193 N74-16493
- GOLDSTEIN, A.
Criteria for the siting of major airports p0080 A74-14516
- GOLDSTEIN, M.
Effect of anisotropic turbulence on aerodynamic
noise p0004 A74-10798
- Unsteady lift forces on highly cambered airfoils
moving through a gust
[AIAA PAPER 74-88] p0133 A74-18807
- Unified approach to aerodynamic sound generation
in the presence of solid boundaries p0452 A74-41411
- GOLDSTEIN, S. E.
Trimmed drag and maximum flight efficiency of aft
tail and canard configurations
[AIAA PAPER 74-69] p0134 A74-18813
- GOLDWATER, B. M., JR.
Criticism of FAA handling of collision avoidance
systems p0220 A74-22681
- GOLIAKOV, L. P.
On the modes of icing of symmetrical lifting
surfaces p0136 A74-18987
- GOLLINGS, D. H.
A simplified criterion to certify light aircraft
for flight in icing conditions
[SAE PAPER 740349] p0308 A74-28729
- GOLOVATNIK, G. I.
Flow patterns of fuselage-wing models at
supercritical angles of attack p0391 A74-37143
- GOMEZ, A. R.
Advanced tooling techniques using a thermoplastic
compound p0436 A74-39898
- GOMEZ, J., JR.
Research toward development feasibility of an
advanced technology V/STOL propeller system p0290 N74-20414
- GONOR, A. L.
Theory of hypersonic flow about a wing p0025 A74-12205
- Some results of an optical study of supersonic
spatial flows p0223 A74-24396
- Investigation of new wing shapes for hypersonic
flight p0311 A74-29035
- GOOCH, J. M.
0-0-1% - Q. A. by objectives
[AHS PREPRINT 851] p0386 A74-36597
- GOODE, M. W.
A study of light airplane pilot landing performance
[SAE PAPER 740350] p0308 A74-28730
- GOODMAN, A.
Evaluation of effectiveness of various devices for
attenuation of trailing vortices based on model
tests in a large towing basin
[NASA-CR-2202] p0188 N74-15710
- GOODMAN, T. E.
A criterion for assessing wind-tunnel wall
interference at Mach I p0090 A74-15972
- GOODMANSON, L. T.
Recent advances in aerodynamics for transport
aircraft. I p0080 A74-14521
- Where are we headed in air transport? p0102 N74-12669
- GOODWIN, P. K.
An analytical method valid up to the critical
speed for predicting store separation
characteristics from modern aircraft
[AIAA PAPER 74-775] p0399 A74-37800
- GOODWIN, V. L.
Properties of beryllium reinforced titanium matrix
composites p0379 A74-35826

- GOODYKOONTZ, J.
Nozzle geometry and forward velocity effects on noise for CTOL engine-over-the-wing concept
p0314 A74-30076
- Forward velocity effects on jet noise with dominant internal noise source
p0314 A74-30077
- Aerodynamic and acoustic performance of ejectors for engine-under-the-wing concepts
[AIAA PAPER 74-950] p0452 A74-41655
- GOODYKOONTZ, J. H.
Effect of configuration variation on externally blown flap noise
[AIAA PAPER 74-190] p0180 A74-20775
- GORADIA, S. R.
Laminar stall prediction and estimation of the maximum lift coefficient
p0477 A74-44418
- GORBATENKO, S. A.
Calculation and analysis of aircraft motion
[NASA-TT-P-757] p0159 N74-14751
- GORCHAKOV, G. I.
The light-scattering matrix and types of optical weather
p0004 A74-10783
- GORDON, R.
On the calculation of non-linear aerodynamic characteristics and the near vortex wake
[ICAS PAPER 74-27] p0449 A74-41329
- GORE, D. A.
Holographic multicolor moving map display (system definition)
[AD-772155] p0241 N74-18083
- GORILOV, D. N.
Random movement of a wing of finite span in an incompressible liquid
p0312 A74-29497
- GORENBERG, N. B.
Analysis of maneuverability effects on rotor/wing design characteristics
[AD-779448] p0443 N74-29401
- GORI, G.
Laboratory for automatic processing of analog signals
p0419 N74-29361
- GORMONT, R. E.
A mathematical model of unsteady aerodynamics and radial flow for application to helicopter rotors
[AD-767240] p0106 N74-12738
- GORNOSTAI, V. I.
Accelerating test stand for rotating elements of turbomachines
p0089 A74-15930
- GORODETSKII, S. S.
A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in
p0126 A74-18085
- An investigation of the degree of damage to gas turbine engine turbine blades after service life
p0481 A74-45410
- GORSHKOV, N. F.
Results of measurements of the slight atmospheric pressure increase on the earth surface under an overflying aircraft
p0312 A74-29484
- GOSLING, A. J.
A shock tube study of the formation of carbon particles during the pyrolysis of hydrocarbons
p0229 A74-25213
- GOSNE, B.
Contribution of computer simulation to the development of aeronautical equipment or systems
p0213 A74-22662
- GOSSETT, T. D.
The use of an aircraft test stand for VTOL handling qualities studies
[NASA-TN-X-62218] p0418 N74-28737
- GOTO, N.
On the dynamics of human pilots in marginally controllable systems
p0209 A74-23203
- GOTTILIEB, J. J.
Recent developments in sonic-boom simulation using shock tubes
p0115 A74-16384
- Sonic boom research at UTIAS
p0483 A74-46239
- GOTTSCHLICH, H.
Digital fly-by-wire control system with selfdiagnosing failure detection
p0464 N74-31451
- GOUET, H.
Ground lighting equipment
[NASA-TT-P-15176] p0060 N74-11092
- GOULD, D.
Additional studies, variable camber wing, phase 1
[AD-779041] p0443 N74-29396
- GOULD, D. G.
Estimates of the stability derivatives of a helicopter from flight measurements
[ICAS PAPER 74-49] p0451 A74-41349
- Modification of V/STOL instrument approach geometry as a means of compensating for along-track wind effects
[NRC-13842] p0256 N74-19281
- Estimates of the lateral-directional stability derivatives of a helicopter from flight measurements
[NRC-13882] p0283 N74-19662
- GOURGEON, P.
Standardization of testing benches
[AD-777208] p0370 N74-27302
- GOT, R.
The German law for protection against the noise of aircraft
p0128 A74-18265
- GRABER, E. J., JR.
The effect of inlet temperature and pressure distortion on turbojet performance
[AIAA PAPER 73-1316] p0012 A74-11311
- GRACEY, C.
Aircrow automated escape system simulation model
[AD-783517] p0499 N74-34555
- GRAEF, J. D.
Development of requirements for, and evaluation of, manufacturer advanced design aircraft
[SAE PAPER 730948] p0124 A74-17541
- Assessment of the application of advanced technologies to subsonic CTOL transport aircraft
[NASA-CR-132461] p0441 N74-29375
- GRATICH, J. E.
One-dimensional analysis of compressible ejector flows applicable to V/STOL aircraft design
[AIAA PAPER 73-1184] p0031 A74-12921
- GRAHAM, D.
A direct procedure for partitioning scanning workload with a flight director
p0183 A74-21336
- Aircraft dynamics and automatic control
p0320 A74-31219
- GRAHAM, D. K.
Cockpit switching study: Test and validation of a design procedure for multifunction switching controls
[AD-783956] p0499 N74-34554
- GRAHAM, D. L.
Potential use of work hardening aluminum alloy X5090 sheet in civil aircraft
[SAE PAPER 740398] p0310 A74-28757
- GRAHAM, J. A. R.
Turbulent trailing vortex with central jet or wake
[ICAS PAPER 74-40] p0450 A74-41341
- GRAHL, K.
Off-design behavior for axial flow compressor stages with invariable and variable geometry blades
[AD-767265] p0112 N74-13513
- GRAIVORONSKII, V. A.
A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body
p0129 A74-18632
- GRANDE, R.
Exhaust noise field generated in the JT8D core engine - noise floor presented by the internal noise sources
p0221 A74-23105
- GRANT, F. C.
A buoyant tornado-probe concept incorporating an inverted lifting device
[NASA-TN-D-7335] p0047 N74-10584
- GRANT, G.
Erosion prediction in turbomachinery due to environmental solid particles
[AIAA PAPER 74-16] p0132 A74-18732

PERSONAL AUTHOR INDEX

GROBHAN, J.

- GRANT, G. E.
Two-color dual-beam backscatter laser Doppler velocimeter
p0076 A74-14093
- GRANTHAM, W. D.
Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane [NASA-TN-D-7463]
p0326 A74-21658
- GRATIBUX, E.
Laboratory for automatic processing of analog signals
p0419 A74-29361
- GRATZER, L. B.
Recent advances in aerodynamics for transport aircraft. I
p0080 A74-14521
- GRAVELLE, J. A.
A new jet engine thrust measuring system - An advancement in flight test engineering
p0460 A74-43613
- GRAVES, D. E.
The new Advanced Airborne Command Post [AIAA PAPER 74-240]
p0130 A74-18654
- GRAVES, E. B.
Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing [NASA-TM-X-3070]
p0487 A74-33432
- GRAY, D. L.
A transonic study of active flutter suppression based on an aerodynamic energy concept [AIAA PAPER 74-403]
p0266 A74-26702
- GRAY, D. T.
Three-axis adjustable loading structure [NASA-CASE-PBC-10051-1]
p0110 A74-13129
- GRAY, H. R.
Hot-salt stress-corrosion of titanium alloys as related to turbine engine operation
p0117 A74-16600
- GRAY, R.
A technique for measuring oscillatory aerodynamic control surface hinge moments from forced response characteristics [ARC-CP-1253]
p0247 A74-18663
- GRAY, R. B.
Studies in low speed flight [AD-768858]
p0190 A74-15728
- GRAY, V. H.
Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data [AIAA PAPER 73-1001]
p0006 A74-11050
- GREATER, F. B.
The role of certification in freeing the environment from aircraft noise nuisance
p0074 A74-13797
- GREEN, J. P., III
Underwater escape from helicopters
p0211 A74-23535
- GREGOR, R.
Jet engine soot emission measured at altitude
p0317 A74-30397
- GREEN, E. A.
L-1011 secondary power systems - Design and function [SAE PAPER 740466]
p0351 A74-35004
- GREEN, M. W.
Design of a fault tolerant airborne digital computer. Volume 1: Architecture [NASA-CR-132252]
p0240 A74-17909
- GREGG, G. E.
Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines [NASA-CR-2338]
p0141 A74-13724
- GREGORIOU, G.
Reciprocal influence of a body of finite length and a wing at mid-wing position at subsonic speed [BMVG-FBWT-73-33]
p0231 A74-17707
- GREGORY, N.
Low-speed aerodynamic characteristics of NACA 0012 aerofoil section. Including the effects of upper-surface roughness simulating hoar frost [ARC-R/M-3726]
p0231 A74-17709
- NPL 9615 and NACA 0012: A comparison of aerodynamic data [ARC-CP-1261]
p0247 A74-18665
- Aerodynamic characteristics of NPL 9626 and NPL 9627, further aerofoils designed for helicopter rotor use [ARC-CP-1262]
p0247 A74-18666
- GREGORY, B. A.
Some tunnel-wall effects on transonic flutter [AIAA PAPER 74-406]
p0266 A74-26705
- GREGORY, W. H.
F-14, A-6 assembly woes seen easing
p0348 A74-34929
- GRETHER, W. F.
Optical factors in aircraft windshield design as related to pilot visual performance [AD-767203]
p0106 A74-12733
- GREY, J.
Aircraft fuel conservation: An AIAA view; Proceedings of a Workshop Conference, Reston, Va., March 13-15, 1974
p0430 A74-38898
- GRIZANOV, B. A.
A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in
p0126 A74-18085
- GRIEB, H.
V/STOL propulsion systems [AGARD-AR-64]
p0256 A74-19404
- Investigation of the relative merits of different power plants for STOL-aircraft with blown flap application
p0289 A74-20406
- Technical evaluation report on 42nd Propulsion and Energetics Panel Meeting on V/STOL Propulsion Systems
p0292 A74-20433
- GRIFFIN, C. P.
Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability [AHS PREPRINT 884]
p0367 A74-36613
- GRIFFITH, E. D.
Low noise propeller technology demonstration [AD-779773]
p0443 A74-29395
- GRIFFITH, W. E., II
Helicopter icing handling qualities [AHS PREPRINT 844]
p0385 A74-36595
- US Army helicopter icing tests
p0460 A74-43623
- GRIGOR'EV, L. S.
A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades
p0131 A74-18686
- GRIGOR'EVA, T. P.
Control of an elastic aircraft
p0128 A74-18271
- GRIGOREVA, T. P.
Control of an elastic aircraft
p0314 A74-30073
- GRISARD, J.-C.
The automatic approach of helicopters and STOL airplanes
p0210 A74-23398
- Automatic approach of helicopters and STOL aircraft
p0229 A74-25362
- GRISHIN, V. I.
The stress concentration in a stretched plate reinforced by a central belt and having an aperture
p0390 A74-36816
- GROBECKER, A. J.
United States Department of Transportation research program for high altitude pollution
p0148 A74-14273
- GROBER, K. W.
Wind conditions at the Cologne/Bonn airport and possibilities of forecasting them
p0022 A74-11835
- GROBHAN, J.
Forecast of jet engine exhaust emissions for future high altitude commercial aircraft
p0275 A74-27773
- Design and evaluation of combustors for reducing aircraft engine pollution
p0150 A74-14302
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft [NASA-TM-X-71509]
p0243 A74-18400
- Jet engine exhaust emissions of high altitude commercial aircraft projected to 1990 [NASA-TM-X-3007]
p0294 A74-20591

- GRODZOVSKII, G. L.
Experimental investigation of optimal fuselage
nose parts for supersonic passenger aircraft
p0382 A74-36451
- GROENSKEL, K. E.
A systematic approach to the study of the
connection between emission and ambient air
concentrations
p0149 N74-14293
- GROESBECK, D.
Geometry considerations for jet noise shielding
with CTOL engine-over-the-wing concept
[AIAA PAPER 74-568] p0344 A74-34798
Aerodynamic and acoustic performance of ejectors
for engine-under-the-wing concepts
[AIAA PAPER 74-950] p0452 A74-41655
Geometry considerations for jet noise shielding
with CTOL engine-over-the-wing concept
[NASA-TN-X-71562] p0355 N74-25568
- GROOTHOF, C. C.
The application of fracture mechanics to the
design of the barrel and driver tube of a
hypersonic gun tunnel
p0002 A74-10484
- GROSE, G. G.
Flight/propulsion control integration aspects of
energy management
[SAE PAPER 740480] p0349 A74-34978
- GROSS, H.
Reliability efforts in large European programs for
military and commercial aircraft development
p0483 A74-46292
- GROSS, J. P.
The flow over a porous body: A singular
perturbation problem with two parameters
[AD-775072] p0324 N74-21644
- GROSSMITH, S.
A flight investigation of the STOL characteristics
of an augmented jet flap STOL research aircraft
[NASA-TN-X-62334] p0329 N74-22637
- GROSZEK, A.
Automatic balancing of an aircraft
p0124 A74-17804
- GROTH, H. W.
Sonic inlet noise attenuation and performance with
a J-85 turbojet engine as a noise source
[AIAA PAPER 74-91] p0133 A74-18768
Sonic inlet noise attenuation and performance with
a J-85 turbojet engine as a noise source
[NASA-TN-X-71488] p0152 N74-14384
- GROVE, R. D.
A real-time digital program for estimating
aircraft stability and control parameters from
flight test data by using the maximum likelihood
method
[NASA-TN-X-2788] p0146 N74-13882
- GROVES, R. V.
Bandwidth filtering effects on PSK modulation
p0424 A74-38559
- GRUEBEL, G.
A generalized comparison sensitivity concept for
sensitivity reduction in control system design
p0374 A74-35249
- GRUSZCZYNSKI, D.
An attempt at describing the steady-state
performance characteristic of a turbojet engine
by a formulated relationship
p0184 A74-21784
- GRUSZCZYNSKI, E.
New structural materials for jet engine components
p0460 A74-43768
- GRYAZNOV, B. A.
An investigation of the degree of damage to gas
turbine engine turbine blades after service life
p0481 A74-45410
- GRYSON, P.
Example of aerodynamic instability under
supercritical conditions about profiles
p0223 A74-25319
- GRZEDZINSKI, J.
Aerodynamic interference in a system of two
harmonically oscillating airfoils in an
incompressible flow
p0447 A74-41041
- GU, A. L.
Prediction of gear-mesh-induced high-frequency
vibration spectra in geared power trains
[AD-777496] p0369 N74-26493
- GUERNICK, D.
Gas turbine engine mainshaft roller bearing-system
analysis
[ASME PAPER 73-LUB-J] p0030 A74-12710
- GUBIN, S. A.
Some features of the behavior of liquid drops
during supersonic flight of a wedge-shaped body
through a two-phase medium
p0312 A74-29459
- GUDMUNDSON, S. E.
Supersonic and transonic wind tunnel tests on a
slender ogive-cylinder body single and in
combination with cruciform wings and tails of
different sizes
[FFA-AU-772] p0231 N74-17704
Supersonic and transonic wind tunnel tests on
slender ogive-cylinder body single and in
combination with cruciform wings and tails of
different sizes
[FFA-AU-772-SUPPL] p0231 N74-17705
- GUENTHER, U.
Operational problems with the aircraft type Tu-134
in the case of a use of the aircraft turbine
fuel TS-1
p0020 A74-11740
- GUILLOT, G.
Study and stabilization of lateral motion of
modern transport aircraft
p0330 N74-22684
- GUINN, W. A.
V/STOL noise prediction and reduction
[LG73ER0062] p0056 N74-10921
- GULDINANN, W.
Air traffic confronted with dangers inherent in
the trends of evolution
p0228 A74-24896
- GUPFA, A.
Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 2:
Small-scale development testing of augmentor
wing critical ducting components
[NASA-CR-114623] p0236 N74-17753
- GUPTA, B. P.
Analytical investigation of the aerodynamic
stability of helical vortices shed from a
hovering rotor
[AD-773026] p0252 N74-18705
- GUPTA, H. M.
On-line two-level gust alleviation control system
for aircraft in an unknown environment
p0433 A74-39495
- GUPTA, N. K.
Automatic control of a helicopter with a hanging
load
[NASA-CR-136504] p0140 N74-13715
Automatic transitions of a tilt-rotor aircraft,
part 1. Automatic control of a helicopter with
a hanging load, part 2
p0363 N74-26432
- GURGANIOUS, J. T.
UH-1 ground handling wheel adapter bars for OH-58
helicopters. Prototype design, fabrication, and
user test
[AD-778199] p0443 N74-29616
- GUSTAFSON, A. J., JR.
Effects of helicopter external loads on sling
properties
[AD-774267] p0300 N74-20690
- GUSTAVSON, R. G.
STOL tactical aircraft investigation-externally
blown flap. Volume 6: Air cushion landing
system trade study
[AD-770448] p0199 N74-16753
- GUSTAVSSON, L.
A computer program for the prediction of
aerodynamic characteristics of wing-body-tail
combinations at subsonic and supersonic speeds,
part 2
[FFA-AU-635-PT-2] p0294 N74-20636
- GUTIERREZ, O. A.
Assessment of jets as acoustic shields by
comparison of single- and multitube suppressor
nozzle data
[AIAA PAPER 73-1001] p0006 A74-11050
Noise tests of a high-aspect-ratio slot nozzle
with various V-gutter target thrust reversers
p0315 A74-30098

- Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers [NASA-TM-X-71470] p0039 N74-10037
- Performance of a model cascade thrust reverser for short-haul applications [NASA-TM-X-71614] p0500 N74-35202
- GUTHMAN, J. H.
A cylindrical phased-array antenna for ATC interrogation p0001 A74-10018
- GUTWEIN, J.
A first generation of L-Band avionics for AEROSAT p0024 A74-12192
- GUYOT, P.
Short haul aircraft adaptation to the use of short landing fields p0290 N74-20411
- GWIN, L. B.
Optimal aeroelastic design of an oblique wing structure [AIAA PAPER 74-349] p0277 A74-28173
- ## H
- HABIB, I. S.
Unsteady flow of power-law fluids p0004 A74-10573
- HACKER, P. T.
An evaluation of the relative fire hazards of jet A and jet B for commercial flight [NASA-TM-X-71437] p0049 N74-10709
- Bibliography on aircraft fire hazards and safety. Volume 1: Hazards. Part 1: Key numbers 1 to 817 [NASA-TM-X-71553-VOL-1-PT-1] p0406 N74-27491
- Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524 [NASA-TM-X-71553-VOL-2-PT-1] p0406 N74-27492
- HACKETT, J. B.
High lift testing in closed wind tunnels [AIAA PAPER 74-641] p0376 A74-35405
- HACKLINGER, H.
Design problems of military aircraft as affected by turbulence p0234 N74-17735
- HACKMAN, L. B.
Military aircraft p0002 A74-10496
- HACKMAN, R. B.
A study of the effect of flight density and background noise on V/STOL acceptability [NASA-CR-2197] p0161 N74-14765
- HADCOCK, R. B.
Design and fabrication of a mixed composite wing box p0083 A74-14749
- HADDAD, R. K.
Study of stability of large maneuvers of airplanes [NASA-CR-2447] p0442 N74-29382
- HAEFNER, K. B.
Fluidic emergency roll control system [NASA-CR-114588] p0040 N74-10048
- HAUSER, E.
Effects of new approach procedures on cockpit design and chances for realization [NASA-TT-F-15613] p0355 N74-25565
- HAFER, I.
Problems of quality of flight of future transport aircraft in course of development p0210 A74-23396
- Problems concerning the flying qualities of future transport aircraft p0225 A74-24894
- HAFTHA, R. T.
On repetitive flutter calculations in structural design [AIAA PAPER 74-141] p0133 A74-18789
- A comparison of two types of structural optimization procedures for satisfying flutter requirements [AIAA PAPER 74-405] p0266 A74-26704
- HAGELSTEIN, J. O.
S-61 helicopter as a mobile intensive care unit p0456 A74-42922
- HAGENHAUER, D. J.
Nondestructive detection of hydrides and alpha-case in titanium alloys p0116 A74-16482
- HAGENHANN, W.
An analytic approximate calculation of the nonlinear landing impact motions and loads on aircraft with both rigid and elastic wing structure [DGLR PAPER 73-078] p0120 A74-17185
- HAGLUND, C.
Remote control of aircraft and weapon system using a new method [POA-2-A-2553-E4] p0105 N74-12723
- Visit report on the flying and space Equipment Exhibition in Paris 1971 [POA-2-C-2494-M6] p0113 N74-13690
- HAHN, H.
Prevention of transition over a backward step by suction p0013 A74-11339
- HAHNEMANN, H. W.
Annular slot and frontal slot flow p0001 A74-10033
- HAIDL, G.
Active flutter suppression on wings with external stores p0354 N74-25555
- HAINLINE, B. C.
The effect of runway traction on commercial airplane stopping systems [SAE PAPER 740500] p0349 A74-34976
- HALEY, J. C.
Reduction of environmental testing and analysis costs through simulation p0380 A74-36037
- HALPPENNY, P. F.
Utility analysis in weight control p0124 A74-17740
- HALL, A. A.
Definition of study objectives for integrated crew module development [AD-769065] p0162 N74-14773
- HALL, D.
Eclipse flight of Concorde 001 p0030 A74-12515
- HALL, R. L.
Infrared inspection of electrical equipment [C-208-2] p0110 N74-13198
- HALL, T. W.
General aviation cost impact study. Volume 1: Executive summary [AD-771603] p0239 N74-17779
- General aviation cost impact study. Volume 2: Research methodology [AD-771606] p0239 N74-17780
- General aviation cost impact study. Volume 3: Planning guide [AD-771759] p0239 N74-17781
- HALLER, S.
Alpha Jet - A German-French joint venture p0274 A74-27520
- HALLOCK, J. W.
Analysis of predicted aircraft wake vortex transport and comparison with experiment [AIAA PAPER 74-506] p0339 A74-33105
- HALSBY, N. D.
Methods for the design and analysis of jet-flapped airfoils [AIAA PAPER 74-188] p0134 A74-18833
- HAMBY, H. G., III
An experimental study of the effect of a low speed external flow on a coanda effect flap [AD-774393] p0300 N74-20684
- HAMILTON, E. J.
Study of the single body yawed-wing aircraft concept [NASA-CR-137483] p0405 N74-27485
- HANNARSKJOLD, K.
Demands for air transport - 1980-1990 p0078 A74-14502
- HAMMER, H. S.
Reliability demonstration testing using failure-free trials p0181 A74-20950
- HAMMER, T. S.
HLH Ground Support Equipment (GSE) preliminary investigation [AD-768842] p0190 N74-15725
- HANNERSCHMIDT, U.
The Ioran C procedure p0268 A74-27095
- HAMMESFAHR, R. D.
A comparative economic analysis of a lighter-than-air logistics system [AD-769205] p0194 N74-16694

- HAMMOND, C. E.**
Application of unsteady lifting surface theory to
propellers in forward flight
[AIAA PAPER 74-419] p0276 A74-28169
An application of Floquet theory to prediction of
mechanical instability p0395 A74-37496
- HAMMOND, D. L.**
One-dimensional analysis of compressible ejector
flows applicable to V/STOL aircraft design
[AIAA PAPER 73-1184] p0031 A74-12921
V/STOL demonstrator vehicle for ejector thrust
augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663
- HAN, S. O. T. H.**
Comparison of Fokker F28 'Fellowship' wind tunnel
and flight data - A summary p0430 A74-38796
Comparison of Fokker F-28 wind tunnel and flight
data, A summary
[NLR-TR-73007-U] p0368 N74-26486
- HANAHURA, Y.**
Stall flutter of a thin aerofoil with leading edge
separation p0374 A74-35269
- HANAWA, T.**
Dynamic responses of the structural model with
built-up wings and a fuselage (1)
[NAL-TR-350] p0330 N74-22673
- HANCOCK, G. J.**
Some experimental results of the effect of a
streamwise vortex on a two-dimensional wing
p0321 A74-31247
- HANDELSMAN, M.**
Electromagnetic effects of aircraft wake-active
feuillet interaction p0174 A74-19915
- HANDLEY, J. C.**
Combustion generated noise in turbopropulsion
systems
[AD-768615] p0166 N74-15666
- HANFF, E. S.**
Measurement of dynamic cross-derivatives due to
pitching and yawing
[AIAA PAPER 74-611] p0380 A74-36044
- HANING, R.**
Control-by-wire actuator model development for APCAS
[AD-772588] p0253 N74-18715
- HANINK, D. K.**
An approach toward optimizing material cost and
part function in advanced powerplants
[SAE PAPER 730909] p0123 A74-17535
- HANKE, C. R.**
The influence of wing loading on turbofan powered
STOL transports with and without externally
blown flaps
[NASA-CR-2320] p0140 N74-13718
- HANKE, D.**
Flight-mechanics problems during landing approach
with direct lift control, exemplified by HFB 320
Hansa
[NASA-TT-F-15614] p0355 N74-25566
- HANKINE, J. R.**
Definition of study objectives for integrated crew
module development
[AD-769065] p0162 N74-14773
- HANKS, M. L.**
US Army helicopter icing tests p0460 A74-43623
- HANNAN, P. W.**
A cylindrical phased-array antenna for ATC
interrogation p0001 A74-10018
The Hazeltine Doppler microwave landing system -
Specialized techniques and features
[AIAA PAPER 74-905] p0402 A74-37886
- HANNAN, W. P.**
Secondary power systems
[SAE PAPER 740465] p0351 A74-35005
- HANSEN, K. A.**
Electromagnetic proof stressing of bonded airplane
structure p0343 A74-34294
- HANSEN, S. D.**
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1A:
Summary
[NASA-CR-132390] p0415 N74-28514
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 3:
Support of the design process p0415 N74-28517
[NASA-CR-132393]
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design p0415 N74-26518
[NASA-CR-132394]
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 7: IPAD
benefits and impact p0416 N74-28521
[NASA-CR-132397]
- HANSFORD, R. E.**
Torsion-flap-lag coupling on helicopter rotor blades
p0022 A74-11843
- HANSON, D. B.**
The spectrum of rotor noise caused by atmospheric
turbulence p0397 A74-37537
Spectrum of rotor noise caused by atmospheric
turbulence p0430 A74-38854
Noise and wake structure measurements in a
subsonic tip speed fan
[NASA-CR-2323] p0036 N74-10020
The spectrum of turbomachine rotor noise caused by
inlet guide vane wakes and atmospheric turbulence
p0151 N74-14379
- HANSON, M. P.**
Experimental and theoretical investigation of
HT-S/PMR-PI composites for application to
advanced aircraft engines p0228 A74-24868
Graphite-polyimide composite for application to
aircraft engines
[NASA-TN-D-7698] p0370 N74-27412
- HARDEN, D. F.**
Army autorotational accidents p0301 N74-20771
- HARDEN, T. H.**
Navy's Fleet Satellite and GAPPILLER Satellite
Communications programs p0268 A74-27137
- HARDIN, B. O.**
Effects of strain amplitude on the shear modulus
of soils
[AD-757516] p0046 N74-10404
- HARDIN, J. C.**
Airframe noise - The next aircraft noise barrier
[AIAA PAPER 74-949] p0452 A74-41654
- HARDING, J.**
Integrated logistics support and acquisition
management /ILS-AM/ panel for aviation-crew
systems equipment changes p0222 A74-23549
- HARDRATH, H. F.**
Fracture mechanics /Dryden Lecture/
[AIAA PAPER 74-230] p0135 A74-18858
A unified technology plan for fatigue and fracture
design p0366 N74-26465
- HARDY, G. E.**
A flight investigation of a terminal area
navigation and guidance concept for STOL aircraft
[NASA-TN-X-62375] p0474 N74-33114
- HARDY, E. D.**
Use of laser-powered optical proximity probe in
advanced turbofan engine development p0278 A74-28303
- HARDY, J. W.**
An application of some aspects of optimal control
p0215 A74-23598
- HARDY, W. G. S.**
The effects of Reynolds number on rotor stall
p0203 A74-22457
- HARKONEN, D. L.**
Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 1: Static
testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752
Static performance and noise tests on a thrust
reverser for an augmentor wing aircraft
[NASA-CR-137561] p0472 N74-32438
Static noise tests on augmentor wing jet STOL
research aircraft (C8A Buffalo) p0489 N74-33455
[NASA-CR-137520]
Test of acoustic tone source and propulsion
performance of C8A Buffalo suppressor nozzle

PERSONAL AUTHOR INDEX

HEAD, V. L.

- [NASA-CR-137521] p0489 N74-33456
- HARLANBERT, W. B.
A quiet propeller for commuter and general
aviation aircraft
[SAE PAPER 740359] p0308 A74-28736
- HARLAN, R. B.
A passive gust alleviation system for light aircraft
[AIAA PAPER 74-773] p0399 A74-37798
- HARMS, G.
Procedures for recovering flight vehicles
[DGLR PAPER 74-038] p0456 A74-42872
- HARMSSEN, S.
Vertical take-off and landing aircraft
p0127 A74-18178
- HARPER, T. L.
Definition of study objectives for integrated crew
module development
[AD-769065] p0162 N74-14773
- HARPUK, M. F.
The effect of active control systems on structural
design criteria
p0354 N74-25552
- HARRINGTON, C. A., III
Design of a control system to stabilize the aft
fuselage of a B-52 bomber in the presence of a
random wind gust
[AD-779081] p0442 N74-29392
- HARRINGTON, D. E.
Cold-flow performance of several variations of a
ram-air-cooled plug nozzle for supersonic-cruise
aircraft
[NASA-TM-X-3110] p0500 N74-35203
- HARRIS, F. D.
Panel prepared comments for the ABS mid-east
region symposium
p0204 A74-22473
- HARRIS, J. E.
Control of supersonic wind-tunnel noise by
laminarization of nozzle-wall boundary layer
[NASA-TM-X-2879] p0062 N74-11119
- HARRIS, J. H.
An experimental investigation of the aerodynamic
characteristics of stepped-wedge airfoils at low
speeds
[AIAA PAPER 74-1015] p0454 A74-42037
- HARRIS, R. L.
A study of light airplane pilot landing performance
[SAE PAPER 740350] p0308 A74-28730
- HARRIS, R. L., SR.
Simulation and flight evaluation of a heads-up
display for general aviation
[SAE PAPER 740347] p0308 A74-28727
- An exploratory simulation study of a head-up
display for general aviation lightplanes
[NASA-TM-D-7456] p0097 N74-11837
- HARRIS, W. L., SR.
Experimental investigation of sonic boom
propagation through variable flow fields
p0115 A74-16385
- HART-SMITH, L. J.
Non-classical adhesive-bonded joints in practical
aerospace construction
[NASA-CR-112238] p0101 N74-12555
- HART, A. B.
Deposition and corrosion in gas turbines;
Proceedings of the Conference, London, England,
December 6, 7, 1972
p0080 A74-14563
- HART, C. E.
Advanced Metallic Air Vehicle Structure Program
[AIAA PAPER 74-336] p0262 A74-26651
- HARTMAN, R. H.
Gearbox noise reduction - Prediction and
measurement of mesh-frequency vibrations within
an operating helicopter rotor-drive gearbox
[ASME PAPER 73-DET-31] p0341 A74-33404
- HARTMANN, A.
Mixing of gas and air jets in jet engines
[AD-773908] p0293 N74-20450
- HARVEY, J. K.
The flow field and pressure distribution of an
isolated road wheel
[IC-AERO-72-14] p0155 N74-14706
- HARVEY, J. W.
The dynamic stability of wing-mounted engine
installations for turboprop-powered aircraft
[ASME PAPER 74-GT-52] p0272 A74-27445
- HARVEY, K. E.
The effect of cyclic feathering motions on dynamic
rotor loads
p0394 A74-37492
- HARVEY, W. D.
Control of supersonic wind-tunnel noise by
laminarization of nozzle-wall boundary layer
[NASA-TM-X-2879] p0062 N74-11119
- HARVICK, W. P.
Analysis of maneuverability effects on rotor/wing
design characteristics
[AD-779448] p0443 N74-29401
- HASBROOK, A. H.
Peripheral vision - A factor for improved
instrument design
p0218 A74-23542
- In-flight performance of civilian pilots using
moving-aircraft and moving-horizon attitude
indicators
[AD-773450] p0287 N74-20054
- HASHIGUCHI, K.
Dynamical pressure distribution in aerodynamic
bearing
p0023 A74-11899
- HASHIN, ?
A fatigue failure criterion for fiber reinforced
materials
p0178 A74-20478
- HASSE, R. A.
Fuel system requirements for light aircraft
turbocharged reciprocating engines
[SAE PAPER 740382] p0309 A74-28747
- HASTINGS, E. C., JR.
Preliminary results of flight tests of vortex
attenuating splines
[NASA-TM-X-71928] p0294 N74-20637
- HATCHER, J. F.
Helicopter command instrument systems
[ABS PREPRINT 822] p0389 A74-36626
- HAUGHNEY, L. C.
Study of airborne science experiment management
concepts for application to space shuttle.
Volume 3: Appendixes
[NASA-TM-X-62289] p0053 N74-10783
- HAWK, T. R.
A comparative economic analysis of a
lighter-than-air logistics system
[AD-769205] p0194 N74-16694
- HAWKINS, G. O.
A numerical vortex box technique for calculations
in lifting surface theory
p0244 N74-18642
- HAY, J.
Laboratory for automatic processing of analog
signals
p0419 N74-29361
- HAYASE, G.
An integrated approach to structural weight
estimation
[SAE PAPER 730936] p0016 A74-11564
- HAYASHI, H. M.
Development of an independent altitude monitor
concept
[AD-775454] p0474 N74-33116
- HAYDEN, J. S.
Helicopter icing spray system qualification
[AD-775803] p0330 N74-22688
- HAYDEN, R. E.
Investigation of acoustic effects of leading-edge
serrations on airfoils
p0317 A74-30392
- HAYDUK, R. J.
Light aircraft crash safety program
[SAE PAPER 740353] p0308 A74-28733
- HAYES, R. D.
Application of advances in structures and
materials to the design of the YF-17 airplane
[SAE PAPER 730891] p0123 A74-17534
- HAYS, A.
Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 N74-19651
- HAZARD, H. R.
Conversion of fuel nitrogen to NOx in a compact
combustor
[ASME PAPER 73-WA/GT-2] p0071 A74-13293
- HAZARD, K.
Antenna modeling of the KC-135
[AD-769913] p0200 N74-16960
- HEAD, V. L.
Flight velocity effects on jet noise of several
variations of a 48-tube suppressor installed on

- a plug nozzle
[NASA-TN-X-2919] p0165 N74-15465
- REARD, R. R.
External blowing flap technology on the
USAF/McDonnell Douglas YC-15 /ANST/ program
[SAE PAPER 730915] p0017 A74-11579
- REARD, R. J.
Advanced engine control program
[AD-773660] p0293 N74-20451
- REATH-SMITH, J. R.
Influence of heat on crack propagation and
residual strength and its relation to the
supersonic aircraft fatigue problem
p0229 A74-24423
- REATH, R. E., II
Optimal incomplete feedback control of linear
stochastic systems
[AD-766878] p0064 N74-11378
- REATHCOTE, R. E.
The design and development of the Gen engine
p0437 A74-40008
- REBEENSTREIT, W. J.
An approach to the design of integrated life
support systems for two new USAF aircraft
p0211 A74-23532
Integrated life support system: Design study
medium STOL transport
[AD-773589] p0285 N74-19683
- REBERT, J.
STOL tactical aircraft investigation
[SAE PAPER 730913] p0017 A74-11581
- REBERT, J., JR.
STOL tactical aircraft investigation. Volume 1:
Configuration definition
[AD-766941] p0057 N74-10927
STOL tactical aircraft investigation. Volume 3:
Performance ground rules and methods. Book 1:
Takeoff and landing ground rules
[AD-766942] p0057 N74-10928
STOL tactical aircraft investigation. Volume 3:
Performance ground rules and methods. Book 2:
Takeoff and landing digital computer program
[AD-766943] p0058 N74-10936
STOL tactical aircraft investigation. Volume 5:
Flight control technology
[AD-767364] p0143 N74-13735
STOL tactical aircraft investigation. Volume 6:
Air cushion and ground mobility study
[AD-767300] p0143 N74-13736
- REDMAN, S. G.
Computation of vortex models for wings at high
angle of attack in incompressible flow
[FFA-AU-653] p0036 N74-10013
- REDRICK, I. G.
Fatigue and fracture considerations for tactical
aircraft
p0282 N74-19656
- REDRICK, J. K.
Minimum time and minimum fuel flight path
sensitivity
p0342 A74-33811
Sensitivity of suboptimal fixed-range flight paths
[AIAA PAPER 74-813] p0400 A74-37822
- REER, O.
Air traffic control
p0128 A74-18182
- REFFLEY, R. K.
Closed loop analysis of manual flare and landing
[AIAA PAPER 74-834] p0401 A74-37833
- REFFER, J. W.
Vortex-induced heating to cone flaps at Mach 6
p0223 A74-24958
Effect of geometry variations on lee-surface
vortex-induced heating for flat-bottom
three-dimensional bodies at Mach 6
[NASA-TN-D-7447] p0045 N74-10318
- REGIER, H. R.
Engine condition monitor system to detect foreign
object damage and crack development
p0279 A74-28320
- REHMAN, R.
Quiet engine program: Turbine noise suppression.
Volume 2: Treatment selection, installation,
and test results
[NASA-CR-134586] p0256 N74-19401
- REIDELBERG, L. J.
Highly noise suppressed bypass 6 engine for STOL
application
[AIAA PAPER 73-1031] p0021 A74-11799
- Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine
[AIAA PAPER 73-1217] p0030 A74-12495
Investigation of noise from full-scale high bypass
engine and blown flap system
[SAE PAPER 740467] p0352 A74-35012
Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine
[NASA-TN-X-71466] p0039 N74-10042
- REIGHWAY, J. E.
Airborne profiling of ice thickness using a short
pulse radar
p0124 A74-17810
Airborne profiling of ice thickness using a short
pulse radar
[NASA-TN-X-71481] p0063 N74-11204
- REIL, W. H.
Flat rolled beta titanium alloys for airframe
application
p0116 A74-16449
- REINSHAN, H. W.
Cost effective built-in test for advanced aircraft
electrical systems
p0075 A74-13808
Fiber optics as applied to Advanced Aircraft
Electrical Systems
p0425 A74-38576
- REISE, G.
Comparative study of various flight vehicle
propulsion systems, using an air-to-air missile
as an example
[DGLR PAPER 73-068] p0120 A74-17177
- REISSIGER, J.
New developments in aircraft instrumentation
p0280 A74-28435
- RELDENBRAND, R. W.
Reduction of noise from small turbopropulsion
engines
[AIAA PAPER 74-59] p0179 A74-20760
- HELLSTROM, G.
Noise shielding aircraft configurations - A
comparison between predicted and experimental
results
[ICAS PAPER 74-58] p0451 A74-41357
- RELM, L.
A new pneumatic hybrid control system
p0174 A74-19884
- HELMBRECHT, W. P.
An investigation of airborne displays and controls
for Search And Rescue (SAR). Volume 9: Project
Sea Scanner avionics and sensor system
[AD-770548] p0199 N74-16754
- HENDER, D. R.
The ablation performance of foams in a low heat flux
p0045 N74-10263
- HENDERSON, C. E.
Lithium soap dispersions as drag-reducing
hydraulic fluids
[ASLE PREPRINT 73LC-5B-2] p0027 A74-12316
- HENDERSON, H. E.
Results of the flight noise measurement program
using a standard and modified SH-3A helicopter
[NASA-TN-D-7330] p0096 N74-11836
- HENDERSON, L. S., JR.
Mod-metric tested for bias
[AD-760081] p0054 N74-10904
- HENDERSON, R. E.
Aircraft gas turbine pollutant limitations
oriented toward minimum effect on engine
performance
p0150 N74-14304
- HENDERSON, W. P.
Lateral-directional stability characteristics of a
wing-fuselage configuration at angles of attack
up to 44 deg
[NASA-TN-X-3087] p0463 N74-31421
The effect of canard and vertical tails on the
aerodynamic characteristics of a model with a 59
deg sweepback wing at a Mach number of 0.30
[NASA-TN-X-3088] p0469 N74-32412
- HENDRICKSON, I. G.
Electromagnetic proof stressing of bonded airplane
structure
p0343 A74-34294

- HENGEN, L. H.
Aeroelastic-stability characteristics of a V/STOL tilt-rotor aircraft with hingeless blades - Correlation of analysis and test [ABS PREPRINT 835] p0385 A74-36590
- HENNESSY, R. T.
Color perception in the transitional zones of tricolor Glide-Slope Indicators (GSI's) [AD-771422] p0237 N74-17762
- HENNEY, M. L.
The users' requirements p0360 N74-25934
- HENRICH, J. E.
Continental Land Mass Air Traffic Control (COLM ATC) [NASA-CR-132831] p0048 N74-10619
- HENRY, C. J.
Control failure simulations of the PHM hydrofoil craft using a 1/20-scale dynamic model with automatic control [AD-766098] p0046 N74-10338
- HENSCHEL, F.
Computation of minimum-noise takeoff flight paths by varying the thrust and the inclination angle of the flight path p0337 A74-32902
Minimum noise climbout trajectories of a VTOL aircraft p0392 A74-37284
- HENSHAW, J.
Low-weight, impact-resistant helicopter drive shafts p0348 A74-34919
- HENSLEY, R. K.
Evaluation of damage tolerance in aircraft structures [AIAA PAPER 74-347] p0263 A74-26661
- HEPLER, L. J.
Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities [AD-776360] p0359 N74-25613
- HEPPER, R. R.
The S-3A - A new dimension in airborne sea control [AIAA PAPER 74-239] p0137 A74-19205
- HERBERT, J., JR.
STOL tactical aircraft investigation. Volume 2: Design compendium [AD-767561] p0143 N74-13733
STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis [AD-767363] p0143 N74-13734
- HERBST, W.
Advancements in future fighter aircraft p0466 N74-31483
- HERMANN, R.
Corrosion on aircraft - Evaluation, examination, and elimination. II p0460 A74-44069
- HERMES, P. E.
Microwave landing system integration study. Volume 1: Summary report [AD-775703] p0361 N74-26149
Microwave landing system integration study. Volume 3: Appendices [AD-775724] p0361 N74-26155
- HERPFE, E.
Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods [BNVG-FBWT-73-27] p0195 N74-16705
- HERRMANN, G.
Bending-torsional flutter of a cantilevered wing containing a tip mass and subjected to a transverse follower force p0398 A74-37648
- HERSH, A. S.
Investigation of acoustic effects of leading-edge serrations on airfoils p0317 A74-30392
- HERSKOVITZ, A.
CH-47A design and operational flight loads study [AD-772949] p0251 N74-18700
- HERTWIG, W.
Calculation and observance of landing parameters for the aircraft IL-62 and their effect on the safety factor p0185 A74-22270
- HESSTVEDT, E.
Effect of supersonic transport upon the ozone layer, studied in a two-dimensional photochemical model with transport p0148 N74-14278
- HEUER, D. E.
Pneumomechanical critical speed control for gas turbine engine shafts [AD-772823] p0256 N74-19407
- HEWES, D. E.
An exploratory simulation study of a head-up display for general aviation lightplanes [NASA-TN-D-7456] p0097 N74-11837
Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft [NASA-TN-X-71921] p0296 N74-20657
- HEYER, J. F.
Escape system concepts need reexamining p0320 A74-30824
- HEYSON, H. E.
Theoretical and experimental investigation of the performance of a fan-in-wing VTOL configuration [NASA-TN-D-7498] p0094 N74-11823
The effect of wind tunnel wall interference on the performance of a fan-in-wing VTOL model [NASA-TN-D-7518] p0254 N74-18895
- HEYWOOD, J. E.
Parameters controlling nitric oxide emissions from gas turbine combustors p0149 N74-14291
- HIATT, D. L.
The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary [AD-768850] p0471 N74-32429
- HIBBARD, R. E.
An evaluation of the relative fire hazards of jet A and jet B for commercial flight [NASA-TN-X-71437] p0049 N74-10709
- HICKEY, D. H.
Aspects of large-scale, subsonic, wind-tunnel design for propulsion noise research [AIAA PAPER 73-1279] p0011 A74-11291
- HICKS, R. H.
Shuttle sonic boom - Technology and predictions [AIAA PAPER 73-1039] p0026 A74-12225
- HIDMA, A.
Fighter requirements and developments p0430 A74-38793
- HIGGINS, T. P.
Study of quiet turbofan STOL aircraft for short haul transportation [NASA-CR-2355] p0096 N74-11835
- HIGHT, R. D.
The F-15 design considerations p0465 N74-31470
- HIGHLAND, H. J.
Winter Simulation Conference, Washington, D.C., January 14-16, 1974, Proceedings. Volume 2 p0179 A74-20662
- HIGTON, D. R.
Some engine and aircraft design considerations affecting noise p0291 N74-20421
- HILAIRE, G.
Study of the speed of fatigue crack propagation in the case of light alloys and titanium alloys p0228 A74-24297
- HILBORN, E. H.
Human factors experiments for data link [AD-760401] p0049 N74-10625
- HILDEBRAND, R. H.
Objective determination of the noise level in Doppler spectra [TR-32] p0044 N74-10155
- HILDEBRANDT, L. H.
Summary of the air cushion landing system on the de Havilland Buffalo aircraft p0316 A74-30142
- HILDING, L.
Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order F-function [NASA-CR-2340] p0038 N74-10031
- HILL, G. C.
Conceptual design of a lift fan plus lift/cruise fighter aircraft [AIAA PAPER 74-969] p0428 A74-38734
- HILL, J. H.
Experimental investigations of strongly swept turbine cascades with low speed flow p0280 A74-28457

- HILL, P. W.
Aerodynamic design evolution of the YF-16
[AIAA PAPER 74-935] p0479 A74-45100
- HILL, R.
Ultraviolet and near-infrared spectral analysis of a burner-can burn-through flame
[FAA-NA-73-86] p0053 N74-10866
The influence of engine-ducted by-pass air on a burner-can burn-through flame
[FAA-NA-73-87] p0101 N74-12574
The feasibility of detecting a burner-can burn-through by means of CO, CO₂, pressure, and air temperature levels in a jet engine nacelle
[AD-775304] p0475 N74-33225
- HILL, W. G.
A color schlieren system
p0124 A74-17806
- HILLARD, S. E.
Determination of critical nondimensional parameters in aircraft dynamic response to random input
[NASA-CR-2361] p0193 N74-16322
- HILLS, R.
The need for a large transonic wind tunnel in Europe - A summary of the report of an A.G.A.B.D. working group /LAWS/
[AIAA PAPER 74-630] p0376 A74-35394
- HILST, G. B.
Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake period
[NASA-CR-132323] p0053 N74-10863
A preliminary sensitivity analysis of the coupled diffusion and chemistry model
[NASA-CR-132369] p0107 N74-12821
- HILTON, D. A.
Rotating-blade vortex noise
p0203 A74-22470
The noise environment of a school classroom due to the operation of utility helicopters
p0397 A74-37541
Results of the flight noise measurement program using a standard and modified SH-3A helicopter
[NASA-TM-D-7330] p0096 N74-11836
The noise environment of a school classroom due to the operation of utility helicopters
[NASA-TM-X-71957] p0296 N74-20659
Comparison of acoustic performance of five muffler configurations on a small helicopter
[NASA-TM-D-7495] p0325 N74-21652
- HINDERS, U. A.
Design-to-cost for the A-10 close air support aircraft
[AIAA PAPER 74-963] p0427 A74-38728
- HINDMAN, E. E., II
Project Foggy Cloud 4, phase 1. Evaluation of warm fog dissipation techniques
[AD-766086] p0047 N74-10597
- HINDS, G. E.
A conceptual definition study for a digital avionics information system: Approach 1, volume 1
[AD-771736] p0250 N74-18691
A conceptual definition study for a digital avionics information system: Approach 1, volume 2
[AD-771755] p0250 N74-18692
- HINDSON, W. S.
Progress in the development of a versatile airborne simulator for V/STOL aircraft
p0335 A74-31895
Estimates of the stability derivatives of a helicopter from flight measurements
[ICAS PAPER 74-49] p0451 A74-41349
Modification of V/STOL instrument approach geometry as a means of compensating for along-track wind effects
[NRC-13842] p0256 N74-19281
Estimates of the lateral-directional stability derivatives of a helicopter from flight measurements
[NRC-13862] p0283 N74-19662
- HINES, J. D.
A computer program for aircraft optimal control problems
[AD-767919] p0145 N74-13750
- HINES, R. W.
Benefits of advanced propulsion technology for the advanced supersonic transport
[SAE PAPER 730896] p0018 A74-11593
- Influence of noise constraints on supersonic transport engine design
[AIAA PAPER 73-1295] p0032 A74-12943
- HINTERKREUSER, R. G.
A study of the effect of flight density and background noise on V/STOL acceptability
[NASA-CR-2197] p0161 N74-14765
Acoustical properties of a model rotor in nonaxial flight
[NASA-CR-114749] p0248 N74-18678
Civil helicopter noise assessment study
Boeing-Vertol model 347
[NASA-CR-132420] p0354 N74-25563
- HIROSE, K.
Design and development of the gust wind tunnel at the National Aerospace Laboratory
[NAL-TR-335] p0287 N74-19891
- HIRSCH, R.
Effect of transient phenomena on the responses of aircraft to gusts and comparison between calculations and experiments
p0223 A74-25308
- HIRSCHBERG, M. S.
Open and closed loop stability of hingeless rotor helicopter air and ground resonance
p0395 A74-37501
Open and closed loop stability of hingeless rotor helicopter air and ground resonance
[AD-772826] p0251 N74-18703
- HIRT, W. J.
Nozzle development for the upper surface - Blown jet flap on the YC-14 airplane
[SAE PAPER 740469] p0351 A74-35003
- HIXSON, W. C.
Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost
[AD-767028] p0057 N74-10930
Orientation-error accidents in regular Army UH-1 aircraft during fiscal year 1970: Relative incidence and cost
[AD-768307] p0144 N74-13742
- HO, F.
Implementation of grease lubrication into U.S. Army helicopter tail rotor gearboxes - Preliminary results
p0391 A74-36906
- HO, T.-L.
Effect of frictional heating on brake materials
p0461 A74-44161
- HOAD, D. E.
Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators
[NASA-TM-D-7670] p0493 N74-34461
- HOBBART, G. K.
Microwave landing system integration study. Volume 1: Summary report
[AD-775703] p0361 N74-26149
Microwave landing system integration study. Volume 3: Appendices
[AD-775724] p0361 N74-26155
- HOBBITT, F. E.
Effect of yaw damper on lateral gust loads in design of the L-1011 transport
p0353 N74-25551
- HOCH, R.
Performance and noise aspects of supersonic transport
p0074 A74-13798
- HODGE, C. G.
The effect of inlet-noise suppression on propulsion system design
[AIAA PAPER 73-1294] p0032 A74-12942
Development of noise-reduction concepts for 727 and 737 airplanes
p0397 A74-37546
- HODGE, W. F.
Effects of flight instrumentation errors on the estimation of aircraft stability and control derivatives
p0357 N74-25585
- HODGES, D. E.
Nonlinear bending and torsion of rotating beams with application to linear stability of hingeless helicopter rotors
p0101 N74-12545
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] p0494 N74-34475

- HODGES, G. E.**
Active flutter suppression - A flight test demonstration
[AIAA PAPER 74-002] p0266 A74-26701
- HODGES, J. C.**
Definition of study objectives for integrated crew module development
[AD-769065] p0162 N74-14773
- HOEG, J. G.**
Recent developments in shipboard V/STOL testing
p0381 A74-36227
- HOEGMAN, B.**
Proposal for a visual system of simulating a landing
[FOA-2-C-2509-E4] p0111 N74-13423
- HOELSCHER, H.**
Systematic sound insulation investigations
[NBB-UH-06-74-0] p0368 N74-26483
- HOELSCHER, H. H.**
Systematic investigations in the field of noise shielding
[DGLR PAPER 74-021] p0271 A74-27365
- HOEPFNER, D. W.**
Fracture mechanics applications in materials selection, fabrication sequencing and inspection
[AIAA PAPER 72-383] p0090 A74-15968
- HOEPFMAN, H. H.**
Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region
[LA-UR-73-1304] p0293 N74-20527
- HOEPFMAN, W. C.**
Analysis of aided inertial navigation systems performance on international routes
p0175 A74-20096
- Navigation and guidance requirements for commercial VTOL operations
[NASA-CR-132423] p0444 N74-30093
- A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables
[AD-782490] p0491 N74-33470
- HOEPFMAN, R.**
Quieter propellers for general aviation - Present situation, future outlook
[DGLR PAPER 74-023] p0271 A74-27366
- HOEPFMAN, L. G.**
A direct procedure for partitioning scanning workload with a flight director
p0183 A74-21336
- Analytical design and simulation evaluation of an approach flight director system for a jet STOL aircraft
[NASA-CR-114697] p0330 N74-22676
- Vehicle design considerations for active control application to subsonic transport aircraft
[NASA-CR-2408] p0494 N74-34476
- HOEPFMAN, H. A.**
Army autorotational accidents
p0301 N74-20771
- HOFTON, A.**
HS.146 progress report
p0274 A74-27634
- Those Concorde economics again
p0378 A74-35668
- HOGGER, J. R.**
The effect of non-symmetric flight on aircraft high angle of attack handling qualities and departure characteristics
[AIAA PAPER 74-792] p0400 A74-37812
- HOB, B. H.**
Design of a flight director/configuration management system for piloted STOL approaches
[NASA-CR-114688] p0189 N74-15715
- HOENHESER, K. H.**
An unsteady wake model for a hingeless rotor
p0127 A74-18140
- On the use of first order rotor dynamics in multiblade coordinates
[AHS PREPRINT 831] p0384 A74-36586
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 1
[NASA-CR-114707] p0160 N74-14755
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations, Phase 2
[NASA-CR-114708] p0160 N74-14756
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (the effects of some rotor feedback systems on rotor-body dynamics), Phase 7-A
[NASA-CR-114709] p0160 N74-14757
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (identification of lifting rotor system parameters from transient response data), Phase 7-B
[NASA-CR-114710] p0160 N74-14758
- Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (further experiments with progressing/regressing rotor flapping modes), Phase 7-C
[NASA-CR-114711] p0160 N74-14759
- Methods studies toward simplified rotor-body dynamics, part 1
[NASA-CR-137570] p0495 N74-34483
- Computer experiments on periodic systems identification using rotor blade transient flapping-torsion responses at high advance ratio
p0496 N74-34492
- HORN, F. W.**
Helicopter inspection design requirements
[AD-769061] p0163 N74-14781
- HOLDEN, J. D.**
Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors
[AIAA PAPER 73-1249] p0009 A74-11270
- Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions
[AIAA PAPER 74-41] p0132 A74-18749
- HOLDEN, W. H. T.**
The remote airport - A study of access feasibility
p0216 A74-23353
- HOLLISTER, G. S.**
Applications of composite materials
p0002 A74-10494
- HOLLAWAY, R. B.**
Advanced controls for commercial transport aircraft
[SAE PAPER 740453] p0352 A74-35008
- HOLLEMAN, E. C.**
Initial results from flight testing a large, remotely piloted airplane model
[NASA-TM-X-56024] p0247 N74-18671
- HOLLEY, B. B.**
Control of supersonic wind-tunnel noise by laminarization of nozzle-wall boundary layer
[NASA-TM-X-2879] p0062 N74-11119
- HOLLEY, W. E.**
Multi-input, multi-output regulator design for constant disturbances and non-zero set points with application to automatic landing in a crosswind
[NASA-CR-136618] p0164 N74-15378
- HOLLISTER, W. M.**
Analysis of aided inertial navigation systems performance on international routes
p0175 A74-20096
- Navigation and guidance requirements for commercial VTOL operations
[NASA-CR-132423] p0444 N74-30093
- HOLLOWAY, P. F.**
Shuttle sonic boom - Technology and predictions
[AIAA PAPER 73-1039] p0026 A74-12225
- HOLLOWAY, R. B.**
Introduction of CCV technology into airplane design
p0466 N74-31481
- HOLM, D. P.**
Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability
[AD-772744] p0254 N74-18719
- HOLM, R. W.**
Specified finite series control for three-dimensional, multi-phase, optimal reentry
[AD-777266] p0370 N74-27359
- HOLMES, R. H.**
Airplane nacelle composite structure technology
p0185 A74-22102
- HOLSTEIN, W.**
Design study of an electronic landing display for STOL aircraft
[NASA-TT-F-15618] p0361 N74-26151
- HOLT, F. S.**
New concepts in AMTI radar - Nulling effects of Doppler filter/multi-element horn array
p0121 A74-17252

- HOLT, J. H.
Safe separation in controlled flight
p0337 A74-33065
- HOLTMAN, R. L.
The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component
[AIAA PAPER 74-530] p0339 A74-33127
A unique supersonic inlet unsteady aerodynamic cascade experiment
[AIAA PAPER 74-622] p0376 A74-35389
Test of a supersonic compressor cascade, volume 1
[AD-756870] p0052 N74-10749
Test of a supersonic compressor cascade, volume 2
[AD-756871] p0052 N74-10750
- HOLZHAUSER, C. A.
Evaluation of V/STOL research aircraft design
[SAE PAPER 730947] p0016 A74-11557
- HOLZMAN, J. K.
Preliminary results of flight tests of the propulsion system of the YF-12 airplane at Mach numbers to 3.0
[AIAA PAPER 73-1314] p0033 A74-12951
Flight-measured inlet pressure transients accompanying engine compressor surges on the F-111A airplane
[NASA-TN-D-7696] p0362 N74-26251
- HONDA, T. S.
Fluidic emergency roll control system
[NASA-CR-114588] p0040 N74-10048
- HONE, H. T.
Development of cargo slings with nondestructive checkout systems
[AD-777497] p0369 N74-26492
- HONG, S. B.
Wind tunnel and flight development of the F-14 subsonic/transonic maneuvering configuration
[AIAA PAPER 74-618] p0376 A74-35386
- HOOGHEBIDE, J.
Information content of different runway lighting patterns
[NASA-TT-F-15179] p0060 N74-11094
- HOOVER, W. C.
AST - A fifth engine for environmental consideration
[SAE PAPER 730899] p0018 A74-11590
- HOPKINS, J.
Fully automatic LORAN C for commercial airlines
p0316 A74-30356
- HORIKAWA, Y.
Simulation study on flare control system by optimization theory
[NAL-TR-312] p0040 N74-10046
- HORN, W.
The influence of a high velocity fluid environment on the static and dynamic stability of thin cylindrical shell structures
p0072 A74-13321
- HORNE, W. B.
Elements affecting runway traction
[SAE PAPER 740496] p0350 A74-34988
- HORTENBACH, J.
Further measurements on satellite-link fading at low altitudes above irregular terrain
[REPT-4/73] p0240 N74-17893
- HOSER, J. J.
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 2: Characterization of the IPAD system (Phase 1, Task 1)
[NASA-CR-132402] p0414 N74-28509
Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 3: Engineering creative/evaluation processes (Phase 1, Task 2)
[NASA-CR-132403] p0414 N74-28510
- HOSHIYA, S.
Flexural rigidity of a thin walled build-up rotor for jet engine. Measurement by static load test and vibration test and calculation by finite element method
[NAL-TR-329] p0293 N74-20572
- HOSIER, R. W.
The prediction of rotor rotational noise using measured fluctuating blade loads
[AHS PREPRINT 801] p0387 A74-36615
- HOTOPP, W.
Acclimatized wind track for measurement of oxygen isotope fractionation in isolated leaves and in leaf models
- [JUL-949-PC] p0241 N74-17961
- HOUBOLT, J. C.
Survey on effect of surface winds on aircraft design and operation and recommendations for needed wind research
[NASA-CR-2360] p0099 N74-12317
On turbulence environment and design criteria
p0233 N74-17734
Updated gust design values for use with AFFDL-70-106
[AD-778821] p0412 N74-28493
- HOUGHTON, R. W.
Bird strike and the radar properties of birds
p0028 A74-12389
- HOUMOUZIADIS, J.
The behavior of axial compressor cascades in the case of deviations from purely cylindrical flow
p0001 A74-10030
- HOUSE, E. E., JR.
Adhesive bonding increases fatigue life of wing joint
[AIAA PAPER 74-382] p0265 A74-26687
- HOUSE, J. E.
High temperature solid state pressure transducers for military jet engine environments
[AD-774753] p0303 N74-21047
- HOUSE, T. L.
Helicopter reliability testing
[AHS PREPRINT 860] p0386 A74-36600
An overview of US Army helicopter structures reliability and maintainability
[AGARD-R-613] p0249 N74-18682
- HOUSER, D. R.
An analysis of vibration diagnostics for helicopter power trains
p0432 A74-39198
Vibration signal analysis techniques
[AD-776397] p0359 N74-25604
- HOUSNER, J. E.
Flutter analysis of swept-wing subsonic aircraft with parameter studies of composite wings
[NASA-TN-D-7539] p0469 N74-32356
- HOWARD, F. G.
Wind tunnel test of low boom equivalent body at Mach 4
[NASA-TN-X-72013] p0488 N74-33438
- HOWARD, J. C.
Display requirements for the final approach and landing phase of an RPV mission
[NASA-TN-X-62346] p0354 N74-25561
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806] p0409 N74-27872
- HOWARD, R. W.
Automatic flight controls in fixed wing aircraft - The first 100 years
p0129 A74-18296
- HOWDEN, J. W.
Power complex - A suitable case for treatment
p0458 A74-43206
- HOWE, D.
Performance characteristics of short haul transport aircraft intended to operate from reduced length runways
[CRANFIELD-AERO-18] p0140 N74-13716
The weight, economic and noise penalties of short haul transport aircraft resulting from the reduction of balanced field length
[CRANFIELD-AERO-24] p0330 N74-22672
Aircraft design studies: E67 tilt-wing executive aircraft
[CRANFIELD-AERO-23] p0467 N74-31490
- HOWELL, D. A. S.
The prediction of loading actions on high speed semi-rigid helicopters
p0055 N74-10914
- HOWELL, J. D.
Navigation and guidance requirements for commercial VTOL operations
[NASA-CR-132423] p0444 N74-30093
- HOWELL, W. E.
Bonded composite to metal scarf joint performance in an aircraft landing gear drag strut
[NASA-TN-X-71995] p0467 N74-31504
- HOWICK, R. E.
A primary radar automatic track extractor
p0028 A74-12402
- HOWLAND, O. E.
The new Douglas 'Minipac' ejection seat
p0321 A74-31795

PERSONAL AUTHOR INDEX

HUNT, R. E.

- HOWLETT, J. J.
Ground based helicopter simulation p0215 A74-22454
- HOWLETT, L. C.
An instrument for nitric oxide measurements in the stratosphere p0341 A74-33428
- HOWSER, P.
Acoustic-emission detection system p0478 A74-44928
- HSIN, C. C.
A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables [AD-782490] p0491 N74-33470
- HSU, T. H.
Effects of compressive overloads on fatigue crack growth [AIAA PAPER 74-365] p0264 A74-26674
- HUANG, J. Y.
Steady state decoupling and design of linear multivariable systems p0380 A74-36115
- HUANG, S.-C.
The automatic aircraft guidance law for mid-air collision avoidance p0183 A74-21340
- HUANG, T. L.
Heat transfer modeling for curing process of composite rotor blade [AHS PREPRINT 852] p0386 A74-36598
- HUBBARD, H. H.
A review of air transport noise p0438 A74-40087
- HUBBARD, R. T. J.
Applications of the high strength alloy Ti-4Al-4Mo-2Sn-0.5Si in European aircraft projects p0116 A74-16450
- HUBBARTT, J.
Potential flow studies of lift-fan inflow interference phenomena [AD-773194] p0255 N74-18949
- HUBER, H. B.
Rotor aeroelastic stability coupled with helicopter body motion p0394 A74-37495
Rotor aeroelastic stability coupled with helicopter body motion p0496 N74-34503
- HUBER, J.
Nitinol as a fastener material p0176 A74-20208
- HUBER, R. R.
Application of modern control theory to the analysis of aircraft autoland performance using a scanning beam guidance system p0374 A74-35236
- HUBER, R. R., JR.
Optimal control aircraft landing analysis [AD-776316] p0358 N74-25601
Optimal control aircraft landing analysis p0412 N74-28497
- HUDSON, R. L.
A low cost telemetry system [PB-222403/8] p0044 N74-10165
- HUDSON, R. E.
The experimental response of simple structures to simulated sonic booms p0021 A74-11814
- HUEBNER, W. E.
Development of cargo slings with nondestructive checkout systems [AD-777497] p0369 N74-26492
- HUTTER, U.
Propellers and helicopter blades of fiber-reinforced synthetic resin materials [NASA-TT-P-15859] p0467 N74-31493
- HUFF, R. G.
Jet exhaust noise suppressor [NASA-CASE-LEW-11286-1] p0406 N74-27490
- HUFF, R. W.
U.S. Navy VTOL automatic landing system development program [AHS PREPRINT 823] p0389 A74-36627
- HUFF, W. W., JR.
Modern engineering methods in aircraft preliminary design p0471 N74-32425
- HUFFMAN, G. D.
Airfoil design for high tip speed compressors [AIAA PAPER 73-1248] p0009 A74-11269
Test of a supersonic compressor cascade, volume 1 [AD-756870] p0052 N74-10749
Test of a supersonic compressor cascade, volume 2 [AD-756871] p0052 N74-10750
- HUFFMAN, J. K.
Investigation of the static lift capability of a low-aspect-ratio wing operating in a powered ground-effect mode [NASA-TM-X-3031] p0412 N74-28483
Lateral-directional stability characteristics of a wing-fuselage configuration at angles of attack up to 44 deg [NASA-TM-X-3087] p0463 N74-31421
- HUFFMAN, J. L.
US Army helicopter hydraulic servocylinder reliability and maintainability investigation [AD-767243] p0142 N74-13731
US Army helicopter rod end bearing reliability and maintainability investigation [AD-768843] p0190 N74-15724
US Army helicopter hydraulic system reliability and maintainability investigation. Volume 1: Document deficiency analysis [AD-773022] p0252 N74-18709
US Army helicopter hydraulic system reliability and maintainability investigation. Volume 2: Supplemental design guide [AD-773023] p0252 N74-18710
- HUFFMAN, R. L.
DFW AIRTRANS transit system simulation [AIAA PAPER 74-878] p0401 A74-37863
- HUG, H. L.
Application and design of relays for commercial aircraft p0344 A74-34775
- HUGHES, A. C.
C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry [NASA-CR-134184] p0189 N74-15717
- HUGHES, C. W.
Flight test of a hingeless flexbeam rotor system [AD-783393] p0498 N74-34525
- HUGON, P.
Integrated navigation in the air and on the sea p0029 A74-12449
- HUIZING, G. E.
Transonic shock-free aerofoil design by an analytic hodograph method [AIAA PAPER 74-539] p0339 A74-33136
- HULL, D. G.
Application of parameter optimization methods to trajectory optimization [AIAA PAPER 74-825] p0400 A74-37829
- HUMMEL, D.
Nonlinear airfoil theory with allowance for ground effects p0121 A74-17270
Recent contributions to the solution of nonlinear aerodynamic interference problems [ICAS PAPER 74-26] p0449 A74-41328
- HUMPHRIES, D. E.
Digital computing and the display requirements in modern aircraft. II - Modern display techniques p0403 A74-37923
- HUNNYCUTT, T. B., III
Aerodynamic comparison of two double-slotted rudders [AD-774432] p0294 N74-20644
- HUNT, D. L.
Research and design of a seventy-six (76) foot span aircraft maintenance hanger with quarter shell endwalls [AD-770299] p0200 N74-17001
- HUNT, F. L.
Vibration amplitudes produced in St. David's Cathedral by Concorde sonic bangs [AEC-R/M-3736] p0257 N74-19565
- HUNT, G. K.
Similarity requirements for aeroelastic models of helicopter rotors [AEC-CP-1245] p0161 N74-14767
- HUNT, R. E.
Truck noise via diesel exhaust and air intake noise [PB-222624/9] p0052 N74-10742
Failure analysis of helicopter external cargo-handling systems [AD-767254] p0142 N74-13729

HUNTER, I. M.

PERSONAL AUTHOR INDEX

HUNTER, I. M.
Properties of air-derived and ground-derived
aircraft landing guidance concepts
p0007 A74-11102

HUNTER, J. E.
Survivable flight control system Fly-by-Wire
flight testing
p0346 A74-34842

HUNTLEY, R.
Landing transition paths which optimize fuel, time
or distance for jet-lift VTOL transport aircraft
in steep approaches
[ARC-R/M-3732]
p0416 N74-28527

HUPP, R.
Control-by-wire actuator model development for AFCAS
[AD-772588]
p0253 N74-18715

HURD, R. L.
Improved fastener systems for fatigue and sealing
redundancy of low shear transfer joints
[SAE PAPER 730901]
p0018 A74-11589

HURDLE, P. M.
Use of cross-correlation measurements to
investigate noise generating regions of a real
jet engine and a model jet
p0329 N74-22650

HURLEY, M. J.
Feasibility study of an Integrated Program for
Aerospace vehicle Design (IPAD). Volume 1.
Summary
[NASA-CR-132401]
p0413 N74-28508

Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
4: Design of the IPAD system. Part 1: IPAD
system design requirements (Phase 1, Task 2)
[NASA-CR-132404]
p0414 N74-28511

Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
5: Design of the IPAD system. Part 2: System
design. Part 3: General purpose utilities
(Phase 1, Task 2)
[NASA-CR-132405]
p0414 N74-28512

Feasibility study of an Integrated Program for
Aerospace-vehicle Design (IPAD) system. Volume
6: Implementation schedule, development costs,
operational costs, benefit assessment, impact on
company organization, spin-off assessment (Phase
2, Tasks 3 to 8)
[NASA-CR-132406]
p0414 N74-28513

HURWICZ, R.
Ablation
p0119 A74-17103

HUSBAND, E. G.
C-5A/orbiter wind tunnel testing and analysis:
Piggyback ferry
[NASA-CR-134184]
p0189 N74-15717

HUTCHINSON, R. L.
Structural analysis of flexible airfield pavements
p0392 A74-37343

HUTIN, P.
A new approach to gust alleviation of a flexible
aircraft using an open loop device
p0235 N74-17745

HUTTON, P. G.
The drag of externally carried stores: Its
prediction and alleviation
p0157 N74-14729

HUYETT, R. A.
Design, test, and acceptance criteria for Army
helicopter transparent enclosures
[AD-767242]
p0107 N74-12739

HWANG, Y. M.
The radiation from slots in truncated
dielectric-covered surfaces
[NASA-CR-2397]
p0417 N74-28709

HYATT, M. V.
Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for airframe applications
[AD-772736]
p0255 N74-19184

IAKIMOV, I. U. L.
Influence of the atmosphere in the fall of bodies
into water
p0070 A74-13176

IARECHUK, I. U. P.
Determination of the efficiency of the
longitudinal control systems of an elastic

flight vehicle

IASINSKII, P. G.
Analytical design of optimal monolithic panels
p0384 A74-36576
p0130 A74-18642

ICHIKAWA, T.
Note on the aerodynamic theory of oscillating
T-tails. I - Theory of wings oscillating in yaw
and sideslip
p0088 A74-15747

Note on the aerodynamic theory of oscillating
T-tails. II
p0204 A74-24058

Measurements of rolling moments acting on the
stabilizer of T-tails oscillating in yaw
[NAL-TR-324]
p0158 N74-14744

IDRAC, J.
Meteorological characteristics of a measuring
channel
p0360 N74-25936

IGARASHI, J.
Location of aircraft by an acoustic method
p0069 A74-13028

IGNATEV, S. G.
Contribution to the theory of the sonic flow past
a profile
p0389 A74-36630

IKEGAWA, M.
Lifting surface problems analysis
p0223 A74-24473

Finite element technique in lifting surface problems
p0432 A74-39344

IKRATH, K.
High frequency radio emission and reception by
forest trees and by helicopter using hybrid
electromagnetic antenna couplers
[AD-773909]
p0287 N74-19822

IL'INSKII, V. V.
Some specific characteristics of small gas
turbines and the modeling problems of their wind
tunnel testing
p0131 A74-18682

ILES, J. E.
Vectored thrust V/STOL shipboard testing
p0172 A74-19498

ILIC, M.
Extremal centering and loading of horizontal tail
surfaces
p0484 A74-46695

ILICHEV, V. D.
Reciprocal-action computational systems for
complex calculations in aeromechanics
p0393 A74-37394

ILIFF, K. W.
Identification of aircraft stability and control
derivatives in the presence of turbulence
p0356 N74-25575

ILINA, S. A.
Application of fusible temperature indicators for
measuring heat flows to models in wind tunnels
p0383 A74-36458

ILLINGER, J. L.
Effect of adhesive on the impact resistance of
laminated plastics for windshield applications
[AD-769735]
p0193 N74-16259

IMIG, L. A.
Fatigue of supersonic transport materials using
simulated flight-by-flight loading
p0004 A74-10616

Fatigue-test acceleration with flight-by-flight
loading and heating to simulate
supersonic-transport operation
[NASA-TN-D-7380]
p0099 N74-12261

IMPELLIZZERI, L. F.
Structural fatigue analysis and testing for
fighter aircraft
p0282 N74-19655

INCE, P.
Aircraft simulator motion and the order of merit
of flight attitude and steering guidance displays
p0082 A74-14598

INDULKAR, C. S.
A photo-electric position-following mechanism
p0176 A74-20129

INGEBO, R. D.
Forecast of jet engine exhaust emissions for
future high altitude commercial aircraft
p0275 A74-27773

- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft [NASA-TN-X-71509] p0243 N74-18400
- Jet engine exhaust emissions of high altitude commercial aircraft projected to 1990 [NASA-TN-X-3007] p0294 N74-20591
- INGELSE, A. O.
Design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-767242] p0107 N74-12739
- INWIS, R. C.
Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps [NASA-TN-X-62320] p0141 N74-13720
- A flight investigation of the STOL characteristics of an augmented jet flap STOL research aircraft [NASA-TN-X-62334] p0329 N74-22637
- Flight-path and airspeed control during landing approach for powered-lift aircraft [NASA-TN-D-7791] p0495 N74-34481
- INOUE, S.
Titanium structural brazing p0480 A74-45260
- IRVING, F. G.
The feasibility of an aircraft propelled by solar energy [AIAA PAPER 74-1042] p0456 A74-42055
- ISARV, V. K.
Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
- ISCHROTT, A.
Determination of the movement of the apparent phase centers of aircraft antennas for calibrating the ZDBS interferometer p0469 N74-31704
- ISHIGAKI, T.
Simulation study of transient performance matching of turbofan engine using an analogue computer to evaluate its usefulness as design tool [ASME PAPER 74-GT-50] p0272 A74-27442
- ISHII, Y.
Location of aircraft by an acoustic method p0069 A74-13028
- ISOGAI, K.
Note on the aerodynamic theory of oscillating T-tails. I - Theory of wings oscillating in yaw and sideslip p0088 A74-15747
- Lifting-surface theory for an oscillating T-tail p0119 A74-17012
- Note on the aerodynamic theory of oscillating T-tails. II p0204 A74-24058
- Unsteady transonic flow over oscillating circular-arc airfoils [AIAA PAPER 74-360] p0264 A74-26670
- Measurements of rolling moments acting on the stabilizer of T-tails oscillating in yaw [NAL-TR-324] p0158 N74-14744
- ISRAEL, D. R.
AEROSAT overview p0024 A74-12189
- Future air traffic control - Ground, cockpit, or space [AIAA PAPER 74-262] p0131 A74-18669
- Collision avoidance systems p0220 A74-22682
- A discrete address beacon system p0221 A74-23785
- ITALIANE, J. J.
Aircraft life cycle profitability - The manufacturer's challenge [AIAA PAPER 74-280] p0180 A74-20836
- ITOH, H.
Simulation study of transient performance matching of turbofan engine using an analogue computer to evaluate its usefulness as design tool [ASME PAPER 74-GT-50] p0272 A74-27442
- IUB, G. H.
An approach to optimal design of passenger aircraft p0088 A74-15731
- IUSHIN, A. IA.
Investigation of heat transfer at the surface of a two-step wedge in supersonic flow p0070 A74-13188
- IVANOV, B. F.
Calculation of wing flutter with allowance for the kinematic constraint between the bending strains in the wing and the aileron deflection p0481 A74-45472
- Calculation of wing flutter with allowance for the kinematic constraint between the total strain and aileron deflection p0482 A74-45473
- IVANOV, M. IA.
Calculation of supersonic flow past conical bodies p0174 A74-19935
- IVANOV, V. L.
High temperature cooled gas turbines (analysis and design) [AD-766031] p0051 N74-10740
- IVERSEN, J. D.
Trailing vortex effects on following aircraft p0174 A74-19778
- IVLEV, S. P.
Manual of the aviation engineer p0403 A74-37999
- IWASAKI, A.
The stability of flexibly supported, externally pressurized gas journal bearings - Case of a rigid rotor p0082 A74-14623
- IWASHITA, K.
Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range [NAL-TR-313] p0045 N74-10322
- IWATSUBO, T.
Vibrations of asymmetric rotors supported by asymmetric bearings p0070 A74-13094
- J**
- JACKSON, A. H., JR.
O-fan propulsion for short haul transports p0291 N74-20424
- JACKSON, C. H., JR.
Investigation of the static lift capability of a low-aspect-ratio wing operating in a powered ground-effect mode [NASA-TN-X-3031] p0412 N74-28483
- JACKSON, D. R.
Investigation of a stored energy launch system for gliders [AIAA PAPER 74-1047] p0456 A74-42059
- JACKSON, J.
Design and fabrication of an augmentor wing model for acoustic tests [NASA-CR-134518] p0241 N74-17960
- JACKSON, L. R.
The case for a high-speed research airplane - Results from an in-house study [AIAA PAPER 74-988] p0429 A74-38745
- JACKSON, R. P.
Putting all our noise technology to work p0119 A74-17049
- JACOBI, C. H.
Application of acrylic based room temperature curing adhesives to structural helicopter bondments p0380 A74-35994
- JACOBSEN, R. A.
Hot-wire anemometry for in-flight measurement of aircraft wake vortices p0460 A74-43621
- JACOBSON, I. D.
Analysis of passenger acceptance of commercial flights having characteristics similar to STOL p0085 A74-15046
- Magnus characteristics of arbitrary rotating bodies [AGARD-AG-171] p0139 N74-13710
- Effects of aircraft design on STOL ride quality: A simulator study [NASA-CR-140059] p0473 N74-32443
- JACOBSON, M. J.
Oil canning of metallic panels in thermal-acoustic environments [AIAA PAPER 74-982] p0428 A74-38740
- JAKUBOWSKI, J.
Fabrication of boron-hybrid swashplates [AHS PREPRINT 850] p0386 A74-36596

JAHAIL, J. D.

PERSONAL AUTHOR INDEX

- JAHAIL, J. D.
Government responsibility for damages in airplane
crash cases when weather is a factor p0126 A74-18098
- JAHNS, D. O. H.
Structural loads and gust criteria p0234 A74-17739
- JAHNS, B. C.
A linearized theory for the unsteady motions of a
wing in curved flight [AD-769671] p0187 A74-15705
- JAHNS, B. C.
Design, test, and acceptance criteria for Army
helicopter transparent enclosures [AD-767242] p0107 A74-12739
- JAHNS, R. H.
Analytical studies of two-element airfoil systems
[AD-775538] p0324 A74-21645
- JANESON, A.
Iterative solution of transonic flows over
airfoils and wings, including flows at Mach 1 p0459 A74-43451
Three dimensional flows around airfoils with shocks p0480 A74-45226
- JANI, A.
Study of unsteady flows around a pointed airfoil
by conformal transformation p0432 A74-39300
- JANSA, K.
Explanations and remarks on standards for flight
mechanics p0178 A74-20522
- JANSSEN, T. L.
Shell instability analysis applied to a radome p0311 A74-28963
- JANSSENS, G.
Supersonic compressor test facility p0129 A74-18603
- JANTS, J. W.
STOL tactical aircraft investigation. Volume 1:
Configuration definition (medium STOL transport
with vectored thrust/mechanical flaps) [AD-766637] p0056 A74-10925
- JANTZEN, R.
Wear determination in Boeing 747 engines p0077 A74-14363
Aviation fuels and lubricants p0128 A74-18180
Aviation turbine oils - Research objectives and
results [DFVLR-SONDDR-344] p0481 A74-45427
Spectroscopic analysis of wear metals based on the
examination of oil from aircraft engines [ESRO-TT-23] p0303 A74-21080
- JARVIS, C. R.
A digital fly-by-wire technology development
program using an F-8C test aircraft [AIAA PAPER 74-28] p0179 A74-20755
- JARZEBOWSKI, W.
Simulation studies of an airport noise silencer p0184 A74-21641
- JASKE, C. E.
Consolidated presentation of fatigue data for
design applications [SAE PAPER 740277] p0274 A74-27511
- JATZEN, B.
An analysis of the acquisition of the F-111A
simulators [AD-769202] p0194 A74-16693
- JAUCH, P.
The state of application of composite materials in
aeronautics p0072 A74-13364
- JEANS, L. L.
Application of damage tolerance technology to
advanced metallic fighter wing structure [AIAA PAPER 74-29] p0132 A74-18738
- JENNINGS, C. E.
Feasibility study of the transonic biplane concept
for transport aircraft application. [NASA-CR-132462] p0495 A74-34477
- JENNY, R.
Helicopter windlass rescue with the Alouette III p0184 A74-21705
- JENNY, R. W.
Brake control system modification, augmentor Wing
Jet STOL Research Airplane (AWJSRA) [NASA-CR-137530] p0441 A74-29374
- JENSEN, R. S.
Uses of a visual landing system in primary flight
training p0082 A74-14599
- JESSE, R. E.
Determination of ice shapes and their effect on
the aerodynamic characteristics for the
unprotected tail of the A 300 [ICAS PAPER 74-42] p0450 A74-41343
- JESSEN, G. E.
A broad view of Navy S-3A testing [AIAA PAPER 74-943] p0426 A74-38716
- JESSEN, K.
S-61 helicopter as a mobile intensive care unit p0456 A74-42922
- JESSON, F.
Eurocontrol evaluation of the Standard Elektrik
Lorenz /SEL/ Doppler VOR-DME and Decca Omnitrac
computing, navigation and display system for
area navigation. Phase III - Flight trials
1971-1972 p0091 A74-16075
- JINHA, T.
Elastic, plastic behavior of a rotor. I - Analysis
of an axisymmetric rotor whose radius varies in
axial direction p0082 A74-14620
- JOATTON, R.
Stratosphere contamination by aircraft and
mathematical models p0122 A74-17312
First results of environmental tests on board
Concorde 001 p0340 A74-33312
- JOBE, C. E.
The numerical solution of the asymptotic equations
of trailing edge flow p0456 A74-42797
- JOHNCK, R. P.
Digital fly-by-wire control system with
selfdiagnosing failure detection p0464 A74-31451
- JOGLEKAR, M. M.
An analysis of fixed wing-prop rotor interference
for folding prop rotor aircraft [AD-778823] p0441 A74-29371
- JOHANVIES, R. P.
B-52 control configured vehicles program p0464 A74-31452
- JOHE, C. H.
Damage threshold determination of light walls
submitted to single or repeated bangs, part 1
[ISL-35/72-PT-1] p0053 A74-10846
- JOHNS, A. L.
Flight velocity effects on jet noise of several
variations of a twelve-chute suppressor
installed on a plug nozzle [NASA-TN-X-2918] p0166 A74-15466
- JOHNS, R. H.
Impact testing on composite fan blades p0438 A74-40502
- JOHNSON, A. L.
The effects of ionospheric scintillation on
satellite communications p0259 A74-25670
- JOHNSON, B. V.
Noise and wake structure measurements in a
subsonic tip speed fan [NASA-CR-2323] p0036 A74-10020
- JOHNSON, C. D.
Techniques for reducing the vibration of rocket
launchers mounted on helicopters [AD-767237] p0105 A74-12729
Vibration absorbers for rocket launchers mounted
on helicopters: Analytical analysis and
implementation techniques [AD-774845] p0328 A74-22558
- JOHNSON, C. R.
Control of air traffic by aid of satellites p0100 A74-12354
- JOHNSON, D. B.
Impact of new separation standards p0482 A74-45547
- JOHNSON, D. E.
Turbulence flight director analysis and
preliminary simulation [NASA-CR-140487] p0488 A74-33445
- JOHNSON, E. T.
Small Turbine Advanced Gas Generators for future

- engine requirements
[AHS PREPRINT 872] p0387 A74-36607
- JOHNSON, H. K.
Parameterization of helicopter rotor broadband
noise from experimental data p0206 A74-22469
- JOHNSON, J. E.
Aerodynamic damping of vibrating helicopter rotors
[AD-775929] p0358 N74-25598
- JOHNSON, R. B., JR.
Helicopter drive system load analysis
[AD-775858] p0331 N74-22697
- JOHNSON, R. L.
Fretting in aircraft turbine engines
[NASA-TN-X-71606] p0475 N74-33228
- Sealing technology for aircraft gas turbine engines
[NASA-TN-X-71607] p0475 N74-33229
- JOHNSON, S. E.
CH 54A design and operational flight loads study
[AD-773551] p0286 N74-19686
- JOHNSON, W.
Aerodynamic problems in the calculation of
helicopter airloads p0203 A74-22456
- Theory and comparison with tests of two full-scale
propellers p0395 A74-37497
- Dynamics of tilting propeller aircraft in cruise
flight [NASA-TN-D-7677] p0407 N74-27500
- Analytical model for tilting propeller aircraft
dynamics, including blade torsion and coupled
bending modes, and conversion mode operation
[NASA-TN-X-62369] p0467 N74-31498
- Perturbation solutions for the influence of
forward flight on helicopter rotor flapping
stability [NASA-TN-X-62361] p0467 N74-31501
- JOHNSON, W. A.
Configuration management during transition for a
powered lift STOL aircraft [AIAA PAPER 74-836] p0401 A74-37834
- Design of a flight director/configuration
management system for piloted STOL approaches
[NASA-CR-114688] p0189 N74-15715
- Analysis and moving base simulation of transition
configuration management aspects of a powered
lift aircraft [NASA-CR-114698] p0330 N74-22671
- JOHNSTON, D. E.
The effect of non-symmetric flight on aircraft
high angle of attack handling qualities and
departure characteristics [AIAA PAPER 74-792] p0400 A74-37812
- JOHNSTON, G. R.
Galvanic corrosion effects associated with
graphite composites/metal joints [LR-26088] p0254 N74-18813
- JOHNSTON, G. W.
Measurement of turbulence inputs for V/STOL
approach paths in a simulated planetary boundary
layer [UTIAS-189] p0066 N74-11661
- JOHNSTON, J. F.
Comparison of flight data and analysis for
hingeless rotor regressive inplane mode stability
p0395 A74-37499
- JOHNSTON, R. E.
STOL tactical aircraft investigation. Volume 1:
Configuration definition [AD-766941] p0057 N74-10927
- JOHNSTON, W. R.
New materials and structures [ICAS PAPER 74-21] p0449 A74-41323
- JOLITZ, G.
Air traffic control/collision avoidance system
interface simulation, phase 2 [FAA-NA-73-40] p0100 N74-12361
- JONES, A. L.
An investigation of airborne displays and controls
for Search And Rescue (SAR). Volume 8: Army
HEDEVAC avionics capability study [AD-773611] p0288 N74-20059
- JONES, C. E.
Effects of aircraft design on STOL ride quality:
A simulator study [NASA-CR-140059] p0473 N74-32443
- JONES, D. S.
A linear model of a finite amplitude Helmholtz
instability p0335 A74-32057
- JONES, G.
Effects of discontinuation of nocturnal aircraft
noise p0315 A74-30084
- JONES, J. G.
Application of energy management concepts to
flight-path control in turbulence p0235 N74-17744
- JONES, J. H.
Shuttle sonic boom - Technology and predictions
[AIAA PAPER 73-1039] p0026 A74-12225
- JONES, J. M.
Impact of microwave landing system on safety
p0219 A74-22639
- JONES, J. P.
Rotor aerodynamics and acoustics - The next phase
p0203 A74-22465
- JONES, J. R.
Dynamic flow distortion in subsonic air inlets
p0437 A74-39987
- JONES, R.
Control of helicopter vibration using the dynamic
antiresonant vibration isolator [SAE PAPER 730892] p0019 A74-11597
- JONES, R. E.
Advanced technology for reducing aircraft engine
pollution [ASME PAPER 73-WA/AERO-2] p0071 A74-13244
- Use of an air-assisted fuel nozzle to reduce idle
emissions of a J88 engine combustor [NASA-TN-X-2946] p0067 N74-11738
- Design and evaluation of combustors for reducing
aircraft engine pollution p0150 N74-14302
- JONES, R. T.
Transonic transport wings - Oblique or swept
Aircraft design for flight below the sonic boom
speed limit p0119 A74-17048
- Single wing supersonic aircraft
[NASA-CASE-ARC-10470-3] p0483 A74-46240
- JONES, W. L.
Highly noise suppressed bypass 6 engine for STOL
application [AIAA PAPER 73-1031] p0021 A74-11799
- Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine [AIAA PAPER 73-1217] p0030 A74-12495
- Investigation of noise from full-scale high bypass
engine and blown flap system [SAE PAPER 740467] p0352 A74-35012
- Effect of exhaust nozzle configuration on
aerodynamic and acoustic performance of an
externally blown flap system with a quiet 6:1
bypass ratio engine [NASA-TN-X-71466] p0039 N74-10042
- JONES, W. P.
Application to rotary wings of a simplified
aerodynamic lifting surface theory for unsteady
compressible flow p0394 A74-37494
- Aircraft trailing vortex instabilities
[ICAS PAPER 74-34] p0450 A74-41335
- Research on aircraft dynamics for subsonic flight
[AD-765657] p0042 N74-10061
- Research on aircraft dynamics for subsonic flight
[AD-770540] p0197 N74-16738
- JONGHEEEL, J. W.
Impact of increasing secondary power requirements
on engine and accessory system design [SAE PAPER 740495] p0349 A74-34977
- JOOS, R.
Light hoverable combat aircraft - Wind tunnel tests
p0319 A74-30600
- JORDAN, J. B.
Development and flight test progress of the YF-17
[AIAA PAPER 74-941] p0452 A74-41652
- JORDAN, L.
User's manual for ILSLOC: Simulation for
derogation effects on the localizer portion of
the instrument landing system [AD-768049] p0151 N74-14361
- JORDAN, P. F.
Structure of Betz vortex cores

- On lifting wings with parabolic tips p0090 A74-15970
- JORDEN, D. K. p0478 A74-44930
Cost - The emerging aerospace technology
[AIAA PAPER 73-1327] p0013 A74-11318
- JOSEPH, D. J.
Comparison of the flying qualities of the A-7D
aircraft with the requirements of MIL-F-8785B ASG
[AD-768390] p0161 A74-14768
- JOSEPHS, L. C., III
The team leader's role in design to cost
preliminary design p0471 A74-32426
- JOSHI, A.
The automatic aircraft guidance law for mid-air
collision avoidance p0183 A74-21340
- JOUSSEMET, C.
Microelectronic phase shifters in X and Q bands
[BLL-PO-2988-(9022.81)] p0192 A74-15906
- JOYNER, T. E.
Airborne Ka band satellite communications terminal
development p0424 A74-38560
- JUDD, T. M.
A modified design concept, utilizing deck motion
prediction, for the A-7E automatic carrier
landing system [AD-767691] p0144 A74-13739
- JUDGE, R. F. A.
Design and evaluation of aircraft pavements - 1971
p0022 A74-11874
- JURGENSEN, R. J.
Titanium - The bridge to composites p0116 A74-16451
- JUNE, R. R.
Commercial aircraft p0002 A74-10495
Design and fabrication of an aeroelastic flap
element for a Short TakeOff and Landing (STOL)
aircraft model [NASA-CR-132339] p0104 A74-12717
- JURLETT, M.
Antonov's transport plane [AD-777661] p0369 A74-26494

K

- KACHURINA, G. V.
Adsorption resins in jet fuels p0221 A74-23517
- KACPZYNSKI, J. J.
Viscous effects in transonic flow past airfoils
[ICAS PAPER 74-19] p0448 A74-41321
An experimental analysis and buffet investigation
of the shockless lifting airfoil no. 1 [NRC-13673] p0155 A74-14708
Drag of supercritical airfoils in transonic flow
p0156 A74-14719
An experimental analysis and buffet investigation
of the shockless lifting airfoil no. 1 [AD-772727] p0247 A74-18668
- KACZAREK, H.
Some problems associated with noise attenuation at
jet engine test facilities p0172 A74-19629
- KAESTNER, R.
On the effect of reliability of simulation results
on the methodology of flight testing and
simulation [NASA-TT-F-15175] p0098 A74-12015
- KAHANNA, V.
Processing of operational data recorded on flight
report cards p0377 A74-35664
- KAHN, D.
User's manual for ILSLOC: Simulation for
derogation effects on the localizer portion of
the instrument landing system [AD-768049] p0151 A74-14361
- KAHN, L.
What do aircraft reliability statistics prove
p0275 A74-27674
- KAI, T.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 A74-14764

- KAISER, J. E.
The acoustics of aircraft engine-duct systems
[AIAA PAPER 73-1153] p0025 A74-12215
- KALASHNIKOV, N. I.
Satellite communications systems [JPRS-54505] p0044 A74-10153
- KALATAIN, E. N.
Additives for lubrication oils used with foreign
gas-turbine aviation engines - Survey of patents
p0219 A74-23518
- KALBEN, P.
Analysis and design of three dimensional
supersonic nozzles. Volume 2: Numerical
program for analysis of nozzle-exhaust flow fields
[NASA-CR-132351] p0061 A74-11114
- KALDSCHMIDT, G.
A 727 airplane center duct inlet low speed
performance confirmation model test for refanned
JT8D engines, phase 2 [NASA-CR-134534] p0236 A74-17755
- KALHAN, T. P.
Comment on 'A finite-element method for
calculating aerodynamic coefficients of a
subsonic airplane' p0343 A74-33815
- KAMINSKAS, R. A.
Nuclear instrument landing system [SAN-828-2] p0288 A74-20232
- KAMINSKI, B. E.
Harmco 5208/T300 - A graphite-epoxy system
engineered for high-performance aircraft
structures p0082 A74-14732
- KAMINSKY, A. D.
Interrogation scheduling algorithms for a discrete
address beacon system [ATC-19] p0065 A74-11432
- KANA, D. D.
Electromechanical simulation of helicopter blade
responses to random excitation during forward
flight [ASME PAPER 73-DET-28] p0341 A74-33401
- KANAI, K.
On-line two-level gust alleviation control system
for aircraft in an unknown environment p0433 A74-39495
- KANDIL, O. A.
Nonlinear prediction of the aerodynamic loads on
lifting surfaces [AIAA PAPER 74-503] p0338 A74-33103
- KANE, E. J.
A study to determine the feasibility of a low
sonic boom supersonic transport [NASA-CR-2332] p0188 A74-15713
- KANESHIRO, R. S.
STOL tactical aircraft investigation: Externally
blown flap. Volume 1: Configuration definition
[AD-772738] p0251 A74-18697
- KANIA, P.
The Alpha Jet programme p0136 A74-18902
- KANTOROVICH, V. L.
Peculiarities in operation of the orienting system
for a T-airborne magnetometer p0302 A74-21026
- KANTZ, E. F.
Test plan report for catapult fatigue. Test of
the model E-2 A/B airplane [AD-765708] p0042 A74-10059
- KAO, E. C.
Some aspects of airfoil stall in low-speed flow
p0275 A74-27844
- KAPINOS, V. E.
Heat transfer of a disk rotating in a casing
[NASA-TT-F-15199] p0101 A74-12572
- KAPLAN, R. E.
On the generation of jet noise p0329 A74-22663
- KAPLAN, V. A.
Radomes of microwave antennas - Radio engineering
design and calculation p0426 A74-38692
- KAPP, MR.
The aeronautical aspects of an employment of Ioran
C and Omega p0268 A74-27097
- KAPPLER, W. F., JR.
Evaluation of the automatic JBD (Jet Blast
Deflector) system

- [AD-775665] p0358 A74-25595
- KAPRALOV, V. S.
Effect of erosive wear on the fatigue life of
cantilever blades of axial-flow compressors of
aircraft turbojet engines p0399 A74-37681
- KARADINAS, G.
Designing transonic turbine blades by the
hodograph method p0437 A74-40002
- KARANCHETI, K.
Aerodynamic design of a rotor blade for minimum
noise radiation [AIAA PAPER 74-571] p0340 A74-33155
- KARCHNER, A. S.
Noise tests on an externally blown flap with the
engine in front of the wing [NASA-TN-X-2942] p0094 A74-11813
- KARLASHOV, A. V.
Fatigue strength of an aluminum alloy in petroleum
jet fuels at various temperatures p0268 A74-27078
- Differentiation of corrosion damage by the
severity of its effects upon the resistance to
fatigue and corrosion-fatigue disintegration of
aircraft skin elements p0456 A74-42792
- KARLINSKI, K.
Diffusion welding in aviation technology
[NASA-TT-F-15568] p0328 A74-22138
- KARNARKAR, J. S.
Realization of a horizontal collision avoidance
system p0175 A74-20099
- KAROK, W.
A new approach to the design of quick release
boxes for single point parachute harnesses p0212 A74-23552
- KAS'IANOV, V. A.
On the modes of icing of symmetrical lifting
surfaces p0136 A74-18987
- KASSOS, T.
A computer model for economic analysis of army
aircraft RAM improvement proposals [AD-778751] p0442 A74-29390
- KASTNER, T. H.
Putting the computer in its place p0172 A74-19497
- KATCHER, H.
Crack growth retardation under aircraft spectrum
loads p0218 A74-22501
- KATHEN, H.
VFW 614, quiet short haul airliner
[AIAA PAPER 74-937] p0426 A74-38713
- KATZ, P.
Sample rate selection for aircraft digital control
[AIAA PAPER 74-885] p0401 A74-37867
- KAUFMAN, H.
Digital adaptive flight controller development
p0176 A74-20120
- Digital adaptive model following control p0183 A74-21338
- Digital system identification and its application
to digital flight control p0342 A74-33768
- Digital adaptive model following flight control
[AIAA PAPER 74-886] p0402 A74-37868
- KAUFMAN, R. O., SR.
Manufacture of hollow airfoils for elastic fluid
turbines - Rokor [ASME PAPER 73-WA/GT-12] p0072 A74-13303
- KAUTE, E. F.
Catapult fatigue test of the model C-2A airplane
[AD-775615] p0358 A74-25597
- KAVERAK, I.
Flow noise spectra from cylinders and aerofoils
p0023 A74-12127
- KAWAGUCHI, A. S.
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1A:
Summary [NASA-CR-132390] p0415 A74-28514
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1B:
Concise review [NASA-CR-132391] p0415 A74-28515
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design [NASA-CR-132394] p0415 A74-28518
- Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 6:
IPAD system development and operation [NASA-CR-132396] p0415 A74-28520
- KAWAI, R.
Vibrations of asymmetric rotors supported by
asymmetric bearings p0070 A74-13094
- KAWAI, R. T.
Impact of increasing secondary power requirements
on engine and accessory system design [SAE PAPER 740495] p0349 A74-34977
- KAWCZYNSKI, M.
Use of containers and pallets in air cargo transport
p0270 A74-27295
- KAYNES, I. W.
Gust loads on Comet aircraft [ARC-CP-1247] p0250 A74-18689
- KAZA, K. R. V.
Effect of steady state coning angle and damping on
whirl flutter stability p0090 A74-15967
- KAZIN, S. B.
NASA/GE quiet engine A acoustic test results
[NASA-CR-121175] p0050 A74-10732
- Radially leaned outlet guide vanes for fan source
noise reduction [NASA-CR-134486] p0065 A74-11597
- KEANE, G. C.
The effect of helicopter noise on communication
and hearing [AD-767222] p0112 A74-13450
- KEBA, I. V.
The aircraft engine M-14V26 p0480 A74-45269
- KECK, H. F.
A control concept combining the best of the
current hydromechanical and electronic
technologies [SAE PAPER 740380] p0309 A74-28745
- KEDDIE, A. W. C.
Relative air pollution emissions from an airport
in the UK and neighbouring urban areas p0148 A74-14282
- KEEGAN, R. H.
Flight test safety analysis of the all weather
landing system /AWLS/ program p0182 A74-20974
- KEHRER, W. T.
Design evolution of the Boeing 2707-300 supersonic
transport. Part 2: Design impact of handling
qualities criteria, flight control system
concepts, and aeroelastic effects on stability
and control p0465 A74-31468
- KEILBACH, J. B.
Low NOx emission combustor for automobile
[PB-222075/4] p0052 A74-10745
- KEITH, T. G., JR.
Subsonic flow into a downstream facing inlet
p0317 A74-30401
- KELDISH, V. V.
Separation of a shock wave from the edge of a
V-shaped backswept wing p0384 A74-36513
- KELLERER, H.
status and development tendencies of titanium
processing p0064 A74-11339
- KELLEY, H. J.
Differential-turning optimality criteria
[AIAA PAPER 74-23] p0132 A74-18737
- Aircraft symmetric flight optimization p0209 A74-23091
- Differential-turning tactics [AIAA PAPER 74-815] p0400 A74-37823
- 3-D energy management for supersonic aircraft p0432 A74-39472
- KELLEY, H. L.
Flight investigation of effects of a fan-in-fin
yaw control concept on helicopter flying-quality
characteristics [NASA-TN-D-7452] p0249 A74-18688
- KELLEY, W. W.
Stability characteristics of skewed wing aircraft

- [AIAA PAPER 74-772] p0399 A74-37797
- KELLY, A. J.**
Electromagnetic effects of aircraft wake-active
feuillet interaction p0174 A74-19915
- KELLY, D. L.**
Application of hydrogen to commercial transports
[SAB PAPER 740451] p0349 A74-34985
Multistage aerospace craft
[NASA-CASE-IMP-02263] p0054 N74-10907
- KELLY, J. R.**
Flight investigation of manual and automatic VTOL
decelerating instrument approaches and landings
[NASA-TN-D-7524] p0410 N74-28102
- KELLY, M. W.**
Aspects of large-scale, subsonic, wind-tunnel
design for propulsion noise research
[AIAA PAPER 73-1279] p0011 A74-11291
The role of wind tunnel testing in the development
of advanced rotary-wing aircraft p0207 A74-22472
- KELLY, R. J.**
System design and flight test results of the
Bendix/Bell MLS category II/III elevation
approach guidance function
[AIAA PAPER 74-909] p0402 A74-37889
- KELSEY, R. A.**
Effect of polymer coatings on fatigue strength of
aluminum alloy 2024 box beams
[NASA-CR-114699] p0193 N74-16250
- KEMP, M. E.**
Lift and moment for arbitrary power-law upwash in
oscillating subsonic unsteady thin-airfoil theory
p0204 A74-23227
- KEMSLEY, D. S.**
Effects of corrodents on the fatigue life of an
ultra-high strength steel p0478 A74-44538
- KENDALL, D. A.**
Odor intensity and characterization studies of
exhaust from a turbojet engine combustor
[AIAA PAPER 73-1278] p0011 A74-11290
- KENDELL, R.**
The development of electrical systems for
powerplant control p0457 A74-43203
- KENIGSBERG, I. J.**
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage p0394 A74-37488
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage p0496 N74-34496
- KENINGSBERG, I. J.**
CH-53 A flexible frame vibration analysis/test
correlation
[AD-772569] p0252 N74-18711
- KENNEBECK, W.**
High frequency radio emission and reception by
forest trees and by helicopter using hybrid
electromagnetic antenna couplers
[AD-773909] p0287 N74-19822
- KENNEDY, F. E., JR.**
A thermal, thermoelastic, and wear simulation of a
high-energy sliding contact problem
[ASME PAPER 73-108-6] p0027 A74-12333
- KENNEDY, J. R.**
Helicopter tow tests of the US Coast Guard's air
delivery container for oil spill containment
barrier [AD-774898] p0327 N74-21669
- KENNEDY, L. A.**
Modeling of gas turbine combustors p0014 A74-11434
- KENT, H. C.**
Hydrofluidic servoactuator development
[AD-766308] p0047 N74-10491
- KENTON, R. E.**
Weapon system costing methodology for aircraft
airframes and basic structures. Volume 1: Cost
methods research and development
[AD-783639] p0501 N74-35362
- KERN, J.**
Aviation fuels and lubricants p0128 A74-18180
- KERNES, G. I.**
Investigation of the reactions of skin panels in
relation to duration of acoustical loading
p0443 N74-29800
- KERR, A. W.**
An interdisciplinary approach to integrated
rotor/body mathematical modeling p0205 A74-22453
Rotor moment control with flap-moment feedback
[AHS PREPRINT 842] p0385 A74-36593
Integrated rotor/body loads prediction p0055 N74-10916
Application of an interdisciplinary rotary wing
aircraft analysis to the prediction of
helicopter maneuver loads [AD-779449] p0443 N74-29402
- KERR, C., JR.**
STOL tactical aircraft investigation. Volume 6:
Air cushion and ground mobility study
[AD-767300] p0143 N74-13736
- KERR, R. I.**
Optimization of aircraft structures with multiple
stiffness requirements p0166 N74-15612
- KESLING, P. H.**
Hingeless circulation control rotor blade design
[AHS PREPRINT 813] p0388 A74-36622
- KESSELYAK, M.**
An improved-performance control system for
low-speed flight [AIAA PAPER 74-1039] p0455 A74-42052
- KESSLER, T. J.**
A color schlieren system p0124 A74-17806
- KETCHAM, S. J.**
Feasibility study of use of polysulfide sealants
for corrosion protection of spot welded aluminum
alloys p0084 A74-14771
- KETCHAM, T.**
Transportation noise - It's measurement and
evaluation p0008 A74-11198
- KETTERER, E. J.**
Status of state air emission regulations affecting
gas turbines [ASME PAPER 73-WA/GT-8] p0072 A74-13299
- KEY, R. E.**
Titanium structural brazing p0480 A74-45260
Brazed titanium fail-safe structures p0480 A74-45261
- KEYES, J. W.**
Off-center-line shock interference heating
patterns on basic shapes in hypersonic flows
[NASA-TN-X-2866] p0098 N74-12091
- KHYSER, G. L.**
U.S. Navy VTOL automatic landing system
development program [AHS PREPRINT 823] p0389 A74-36627
- KHACHIKIAN, E. D.**
Equipment for aircraft and helicopter technical
servicing p0169 A74-19370
- KHAIKIN, M. D.**
Antiwear properties of jet fuels obtained by
blending nonalkalized hydrorefined with
straight-run components p0479 A74-45000
- KHAIMOVICH, I. A.**
Parameters of RF flight navigation aids and their
measurement p0169 A74-19371
Manual of the aviation engineer p0403 A74-37999
- KHARCHENKO, A. G.**
Piecewise smooth approximation method for sensor
data p0391 A74-37149
- KHAYIN, M. D.**
Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- KHO, Y. G.**
Comparison of Fokker F-28 wind tunnel and flight
data, A summary [NLR-TR-73007-U] p0368 N74-26486
- KHOKHLACHEVA, M. V.**
Antiwear properties of jet fuels obtained by
blending nonalkalized hydrorefined with

- straight-run components p0479 A74-45000
- KHOT, N. S.
Design of optimum structures to impulse type loading
[AIAA PAPER 74-345] p0263 A74-26659
- KHRAPOVITSKII, V. G.
Calculation of the aerodynamic characteristics of
a wing system moving at subsonic speed near land
or smooth water surface p0131 A74-18681
- KIDA, T.
Minimum induced drag of non-planar ground effect
wings with small tip clearance p0279 A74-28421
- KIDD, D. L.
AH-1G design and operational flight loads study
[AD-775838] p0331 A74-22700
- KIDD, R. E.
Wake turbulence - The invisible killer p0078 A74-14498
- KIDWELL, J. C.
Analysis of maneuverability effects on rotor/wing
design characteristics [AD-776981] p0359 A74-25609
- KIRPER, P. W.
Model study of C-5A landings on AH2 landing mat
[AD-767231] p0109 A74-12970
- KIRKBUSCH, B.
A method of designing supercritical lift profiles
[DGLR PAPER 73-081] p0120 A74-17187
- KIELY, E. F.
Dynamic model wind tunnel tests of a
variable-diameter, telescoping-blade rotor
system (TRAC rotor) [AD-771037] p0237 A74-17764
- KIRSEL, J. B.
Cobra window design analysis and no glare canopy
design [AD-778165] p0408 A74-27508
- KIETZEB, J. E.
Microwave dielectric waveguide data bus system for
aircraft interior data transfer p0424 A74-38564
- KIKUCHI, T.
Some effects of center of gravity locations of
added mass on transonic flutter characteristics
of low aspect ratio and sweptback thin
cantilever wing [NAL-TR-314] p0040 A74-10047
- An experimental investigation on the transonic
flutter characteristics of the cantilever
swept-back wing with airfoil section and
comparison with the thin cantilever swept-back
wing [NAL-TR-361] p0495 A74-34480
- KILEY, E. F.
Integrated, universal pilot warning/collision
avoidance display p0377 A74-35567
- KILGORE, R. A.
Test results from the Langley high Reynolds number
cryogenic transonic tunnel [AIAA PAPER 74-631] p0376 A74-35395
- KIMBALL, K. A.
Army autorotational accidents p0301 A74-20771
- KIMBLE, K. R.
An approximate solution of unsteady transonic flow
problems [AD-783621] p0500 A74-34718
- KIHNS, L. J.
YC-14 engine installation features
[AIAA PAPER 74-972] p0428 A74-38737
- KINF, R. D.
Computer aided test design today p0076 A74-14127
- KING, A. E.
Spray cooled generators and design-to-cost at
Westinghouse [SAE PAPER 730878] p0019 A74-11605
- KING, R. E.
A wideband shallow cavity-backed sleeve dipole
aircraft antenna [AD-778930] p0418 A74-28719
- KING, R. J.
Community acceptance of helicopter noise:
Criteria and application [NASA-CR-132430] p0355 A74-25567
- KING, R. E.
Engineering appraisal of Southwest Research
Institute magnetic crack definer applied to CH47
rotor blades [AD-769068] p0163 A74-14778
- KINGERY, R.
Instrumentation for airbreathing propulsion;
Proceedings of the Symposium, U.S. Naval
Postgraduate School, Monterey, Calif., September
19-21, 1972 p0277 A74-28283
- KINNIE, I. G.
Conference on Satellite Systems for Mobile
Communications and Surveillance [AD-767369] p0109 A74-12884
- KIPKE, K.
Investigations concerning yawed caret wings in the
hypersonic domain p0072 A74-13548
- KIRAN, N. S.
Two-dimensional wind tunnel test on a
variable-camber airfoil with distributed suction
boundary-layer control [AD-766304] p0038 A74-10033
- KIRCHHOFF, U.
Problems of pilot-automatic control interactions
in flight control [ILR-4-1973] p0326 A74-21663
- KIRK, C. L.
Random vibration with non-linear damping p0129 A74-18297
- KIRK, D.
Nonlinear parameter identification: Ballistic
range experience applicable to flight testing p0356 A74-25580
- KIRK, B. J.
An investigation of airborne displays and controls
for Search And Rescue (SAR). Volume 9: Project
Sea Scanner avionics and sensor system [AD-770548] p0199 A74-16754
- An investigation of airborne displays and controls
for Search And Rescue (SAR). Volume 8: Army
HEDEVAC avionics capability study [AD-773611] p0288 A74-20059
- KIRKBY, W. T.
Influence of heat on crack propagation and
residual strength and its relation to the
supersonic aircraft fatigue problem p0229 A74-24423
- Examples of aircraft failure p0332 A74-23415
- KIRKHAM, P. S.
The case for a high-speed research airplane -
Results from an in-house study [AIAA PAPER 74-988] p0429 A74-38745
- KIRKLAND, K. C.
Truck noise via diesel exhaust and air intake noise
[PB-222624/9] p0052 A74-10742
- KIRKMAN, K.
Simulation of wake vortices descending in a stably
stratified atmosphere [AD-783750] p0499 A74-34715
- KIRKMAN, K. L.
Evaluation of effectiveness of various devices for
attenuation of trailing vortices based on model
tests in a large towing basin [NASA-CR-2202] p0188 A74-15710
- KIRKPATRICK, D. L. I.
Initial-design optimisation on civil and military
aircraft p0465 A74-31477
- KIRKWOOD, T. F.
Some user benefits achievable from an advanced air
traffic management system [2-1320-DOT] p0065 A74-11435
- KIRSCHBLAT, A.
Determination of the allowable tolerances for the
asymmetries of a free rolling vehicle [TAE-185] p0323 A74-21637
- KIRWIN, J. E.
Fuel system requirements for light aircraft
turbocharged reciprocating engines [SAE PAPER 740382] p0309 A74-28747
- KISATSKY, P. J.
Evaluation of the adhesive bonding processes used
in helicopter manufacture. Part 4:
Nondestructive inspection of adhesive bonds
using holographic techniques [AD-765455] p0047 A74-10480

- KISSLING, R.
A new type of electronic landing system for regional airports [DGLR-PAPER-73-020] p0112 A74-13424
- KITAGAWA, T.
An aircraft exterior coating system and surface pretreatment p0125 A74-17862
- KITAHARA, K.
Design and development of the gust wind tunnel at the National Aerospace Laboratory [NAL-TR-335] p0287 A74-19891
- KITZBILLER, C. T.
Supersonic combustion and burning in ramjet combustors [AD-770061] p0201 A74-17648
- KLAPPROTH, J. F.
Quiet engine program flight engine design study [NASA-CR-134660] p0475 A74-33226
- KLATT, K.
Forgotten airport aesthetics p0089 A74-15864
- KLECKNER, H. P.
Propulsion requirements for powered-lift aircraft [AIAA PAPER 73-1214] p0031 A74-12928
- KLEIN, A.
Minimum induced drag of wings with given lift and root-bending moment p0259 A74-25747
- KLEIN, H. C.
Survival radio performance tests p0215 A74-23538
- KLEIN, J. A.
V/STOL aircraft control/display concept for maximum operational effectiveness p0464 A74-31455
- KLEIN, L.
A first generation of L-Band avionics for AEROSAT p0024 A74-12192
- KLEIN, R. E.
Turbulence flight director analysis and preliminary simulation [NASA-CR-140487] p0488 A74-33445
- KLEIN, R. E.
Design of a flight director/configuration management system for piloted STOL approaches [NASA-CR-114688] p0189 A74-15715
Analytical design and simulation evaluation of an approach flight director system for a jet STOL aircraft [NASA-CR-114697] p0330 A74-22676
- KLEIN, S. W.
Aircraft force projection model. Volume 1: Users guide to AFPM [AD-767946] p0145 A74-13751
- KLEIN, V.
On some problems related to the identification of aircraft parameters p0227 A74-24842
Status and future of determination of aerodynamic derivatives from flight data [ICAS PAPER 74-48] p0451 A74-41348
- KLEIS, S. J.
Research on free and impinging jets for the development of STOL aircraft [NASA-CR-138031] p0287 A74-19902
- KLEPPEIS, J. E.
Disk geometry MHD generator for high voltage high power aircraft requirements [AD-775749] p0362 A74-26255
- KLINBERG, J. E.
Calculation of separated flows at subsonic and transonic speeds p0118 A74-16965
- KLINKER, F.
A linear array of blade antennas as an aircraft antenna for satellite communication p0469 A74-31686
- KLIUSHKIN, A. P.
Evaluation of the friction power in nonisothermal flows of lubricants in clearings of aircraft ball bearings and of their thermal behavior p0481 A74-45467
- KLOMPAS, H.
Theory of rotor dynamics with coupling of disk and blade flexibility and support structure asymmetry [ASME PAPER 74-GT-159] p0274 A74-27494
- KLOMOWSKA, H. E.
Inverting the mapping function
- KLOOS, J.
Static aeroelastic effects on the aerodynamics of the Saab 37 Viggen aircraft, a comparison between calculations, wind tunnel tests and flight tests [ICAS PAPER 74-55] p0451 A74-41354
- KLOS, L. C.
A conceptual definition study for a digital avionics information system: Approach 1, volume 1 [AD-771736] p0250 A74-18691
A conceptual definition study for a digital avionics information system: Approach 1, volume 2 [AD-771755] p0250 A74-18692
- KLOTZ, G. D.
Emergency Evacuation and Survival Equipment Deployment for transport aircraft /ESED/ p0214 A74-23554
- KLOTZ, J. W.
Objectives for interim military landing systems p0220 A74-22689
- KLUJBER, P.
Sonic inlet technology development and application to STOL propulsion [SAE PAPER 740458] p0349 A74-34981
- KLUNKER, E. B.
Computation of transonic flow about lifting wing-cylinder combinations p0318 A74-30403
- KLUSSMANN, W.
Investigation of the relative merits of different power plants for STOL-aircraft with blown flap application p0289 A74-20406
- KLYACHKINA, A. L.
Problem of the application of turbofan engines in air transport. Methods of increase in efficiency of turbofan engine with high bypass ratios [AD-773292] p0293 A74-20453
- KNEZEVIC, D.
Fluidics and its application in aircraft and spacecraft p0484 A74-46688
- KNIGHT, C. J.
Throughflow theory for turbomachines [AD-766537] p0065 A74-11602
- KNIGHT, J. T., JR.
Helicopter downwash data [AD-780754] p0468 A74-31518
- KNOOP, P. A.
Advanced instructional provisions and automated performance measurement p0260 A74-25973
- KNORR, W.
Manufacture of titanium and titanium alloy semifinished products p0064 A74-11338
- KNOWLES, G. E.
Material thickness control through process refinement [AIAA PAPER 74-375] p0265 A74-26682
- KNOX, R. H.
Microwave dielectric waveguide data bus system for aircraft interior data transfer p0424 A74-38564
- KOBATAKE, H.
Location of aircraft by an acoustic method p0069 A74-13028
- KOBES, J.
Development and problems of testing prepreps for the Czechoslovakian aircraft industry p0280 A74-28528
- KOBISKE, A.
Numerical calculations of velocity and pressure distribution around oscillating airfoils [NASA-CR-2368] p0194 A74-16704
- KOCH, G. W.
Helicopter weight, size, and performance program [AD-771140] p0240 A74-17783
- KOCFER, D. G.
Prediction of optical landing guidance system performance in Cat. 3-a minimum weather [AD-773830] p0289 A74-20237
- KODIS, R. D.
The detection of aircraft wake vortices p0233 A74-17731
- KORHLER, R.
Determination of the derivatives of longitudinal

- motion of an aircraft from flight data by a model with automatic parameter adjustment [KSRU-TT-8] p0298 N74-20675
- Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment [HAE-LIB-TRANS-1740] p0407 N74-27506
- KOELLER, E. G.
Computer-aided design and drafting /CADD/ - An advanced designer's tool [SAE PAPER 730934] p0016 A74-11566
- KOENIG, D. G.
Acoustic characteristics of a large-scale augmentor wing model at forward speed [NASA-TN-X-2940] p0041 N74-10052
Wind tunnel investigation of a large-scale 25 deg swept-wing jet transport model with an external blowing triple-slotted flap [NASA-TN-X-62197] p0141 N74-13721
Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines [NASA-TN-X-62319] p0189 N74-15719
- KOENIG, R. J.
Aircraft noise retrofit feasibility program results and applications p0396 A74-37534
Aircraft noise retrofit feasibility program objectives and scope p0396 A74-37535
- KOENNER, H.
Investigations concerning wing-fuselage interference in the case of subsonic velocity p0136 A74-18897
- KOENNER, W.
On the problem of rain erosion on a moving body flying at supersonic speed [DFVLR-SONDDR-349] p0117 A74-16727
- KOGARKO, S. N.
Some features of the behavior of liquid drops during supersonic flight of a wedge-shaped body through a two-phase medium p0312 A74-29459
- KOGLER, R. A.
A limited analysis of an F-4C aircraft with a high-gain control augmentation system and comparison with flight test data [AD-772673] p0251 N74-18698
- KOHL, R. E.
Model experiments to evaluate vortex dissipation devices proposed for installation on or near aircraft runways [NASA-CR-132365] p0241 N74-17959
- KOHLER, G.
Tail rotor design guide [AD-775391] p0327 N74-21671
- KOHLER, H.
Differential method for testing the optical standards of cockpit windshields p0005 A74-10937
- KOHLMAN, D. L.
Flight test results for an advanced technology light airplane wing [SAE PAPER 740368] p0345 A74-34801
Spoilers for roll control of light airplanes [AIAA PAPER 74-861] p0401 A74-37850
Evaluation of spoilers for light aircraft flight path control p0434 A74-39867
Direct force control for light airplanes [AIAA PAPER 74-862] p0453 A74-41809
Flight test data for a Cessna Cardinal [NASA-CR-2337] p0159 N74-14752
- KOHF, J. S.
Model tests and analysis of prop-rotor dynamics for tilt-rotor aircraft p0205 A74-22461
- KOIKE, H.
The stability of flexibly supported, externally pressurized gas journal bearings - Case of a rigid rotor p0082 A74-14623
- KOLINA, N. P.
Investigation of heat transfer at the surface of a two-step wedge in supersonic flow p0070 A74-13188
- KOLK, W. R.
Cabin pressure control - An exercise in nonlinear design
- KOHATSU, K. p0373 A74-35208
Dynamic responses of the structural model with built-up wings and a fuselage (1) [NAL-TR-350] p0330 N74-22673
- KOHISSAROVA, V. S.
Alloys for helicopter rotor-blade spars p0343 A74-34145
- KONDO, H.
Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range [NAL-TR-313] p0045 N74-10322
- KONDRASHKIN, N. N.
Interconnections in grounding and shielding devices for electronic equipment p0227 A74-25027
- KONDRATOVA, A. V.
Modification of convective clouds by jets [AD-776730] p0361 N74-26130
- KONG, H.
Aerodynamic noise from porous propeller fans p0073 A74-13793
- KONOVALOV, V. I.
A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel p0126 A74-18088
- KONSTANTINOVICH, K. N.
The problem of increasing the operational precision of electrolytic sensors p0276 A74-27898
- KONTROVICH, P.
Cost comparisons of advanced air traffic management systems [R-1319-DOT] p0065 N74-11436
- KOPKOV, G. A.
Realization of the power amplification effect in a ramjet unit by applying the principle of boundary layer separation p0175 A74-20069
- KORAN, A. O.
LDF powered balloon program [AD-768673] p0162 N74-14770
- KORDZINSKI, M.
The Viper turbojet engines. I p0432 A74-39418
- KORN, J. A.
The effect of inlet distortion on the performance and stability of the low-speed spool of a turbofan engine [AIAA PAPER 74-234] p0135 A74-18855
- KOROLEV, V. I.
Longitudinal static stability of vehicles with two lifting wings p0405 N74-27473
Motion of vehicle with lifting airfoils over rippled water surface [JPSS-62337] p0405 N74-27478
- KORRELL, P.
The Soviet radio navigation procedure RSBN p0461 A74-44071
- KORS, D. L.
Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270
- KORSAK, A. J.
Reachable sets for tracking p0321 A74-31643
- KORTE, D. R.
A unique approach to the development of a light helicopter automatic flight control system [SAE PAPER 740348] p0308 A74-28728
- KORZH, N. D.
Determination of the gas temperature in front of the turbine of a bypass turbofan engine p0087 A74-15721
- KORZOV, V. I.
Reflection-measuring aircraft instruments. II - Spectral albedometer p0276 A74-27894
- KOTEL'NIKOV, A. I.
Investigation of machining errors caused by geometrical inaccuracies of the bench in rotary milling of turbine blade profiles p0091 A74-16306
- KOTLYAREVSKIY, L. N.
Determining the accuracy in registry by highly

- sensitive airborne magnetometers p0302 N74-21028
- KOTOB, S.
Digital system identification and its application to digital flight control p0342 A74-33768
- KOUYOUBJIAN, R. G.
Diffraction by a perfectly conducting rectangular cylinder which is illuminated by an array of line sources [NASA-CR-2405] p0417 N74-28706
The radiation from slots in truncated dielectric-covered surfaces [NASA-CR-2397] p0417 N74-28709
The dyadic diffraction coefficient for a curved edge [NASA-CR-2401] p0417 N74-28710
- KOVAL', I. U. G.
On the modes of icing of symmetrical lifting surfaces p0136 A74-18987
- KOVAL', M. A.
A method of calculating the flow around a wing of arbitrary planform, positioned on a cylindrical body p0129 A74-18632
- KOVALENKO, I. M.
Semi-Markovian models in problems of designing flight-vehicle control systems p0228 A74-24324
- KOVASZNAV, L. S. G.
Unsteady lift and radiated sound from a wake cutting airfoil p0477 A74-44405
- KOVICH, G.
Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft) [NASA-TM-X-2903] p0037 N74-10022
Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft) [NASA-TM-X-2905] p0037 N74-10027
- KOVYUNENKO, V. M.
Determination of the aerodynamic characteristics of bodies of complex shape in a free-molecular flow with allowance for shading p0204 A74-23233
Determination of the aerodynamic characteristics of a complexly shaped body in a free molecular flow with consideration of shadowing effects p0483 A74-46181
- KOWALEWICZ, A.
Simulation studies of an airport noise silencer p0184 A74-21641
- KOWALIK, J. S.
Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD) . Volume 2: The design process [NASA-CR-132392] p0415 N74-28516
- KOZACHENKO, A. I.
Study of elastoplastic deformation with friction in hydrocarbon media [AD-765997] p0049 N74-10717
- KOZHEVNIKOV, I. U. V.
Influence of measurement errors on the regression relationships of engine characteristics p0260 A74-25979
- KOZIOL, J. S., JR.
Evaluation of ILS localizer signal specification during ground rollout [AD-765761] p0049 N74-10623
- KOZLOSKI, P. J.
HSH Ground Support Equipment (GSE) preliminary investigation [AD-768842] p0190 N74-15725
- KRAIKO, A. M.
Calculation of supersonic flow past conical bodies p0174 A74-19935
- KRAMER, C.
Improvement of the downflow conditions behind an integrated shrouded propeller p0124 A74-17801
- KRASILSHCHIKOV, L. B.
Reflection-measuring aircraft instruments. II - Spectral albedometer p0276 A74-27894
- KRASOVSKII, A. A.
Automatic flight control systems and their analytic design p0228 A74-24325
- KRAUS, E. F.
Pilotage error and residual attention - The evaluation of a performance control system in airborne area navigation p0087 A74-15630
- KRAUSE, E.
Analysis of viscous flow over swept wings [ICAS PAPER 74-20] p0449 A74-41322
- KRAVCHENKO, V. P.
Determination of the critical speed for the flexural-torsional flutter of an airplane wing by a numerical method p0483 A74-46591
- KRAVETS, A. S.
Lubricating systems of gas turbine engines [AD-773493] p0288 A74-20161
- KRANCZYK, M.
Adaptation of measuring and inspection instruments to the measurement of standard blades of aircraft-engine turbines and compressors p0460 A74-43767
- KREINDLER, E.
Implicit model decoupling approach to VTOL flight control design [RE-469] p0245 A74-18644
New methods for command and stability augmentation via optimal control [RE-472] p0370 N74-27172
- KREISSLEMEIER, G.
A generalized comparison sensitivity concept for sensitivity reduction in control system design p0374 A74-35249
- KREMER, K. L.
Ultrasonic inspection of titanium airframe components p0116 A74-16479
- KRETTZ, M.
Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration p0396 A74-37504
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1 [NASA-CR-114693] p0141 N74-13722
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 2 [NASA-CR-114694] p0141 N74-13723
Analytical study of stresses recorded in the DH 2011 rotor blades [NASA-CR-137527] p0407 N74-27501
Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration p0497 N74-34512
- KRISHNAMOORTHY, V.
Jet noise reduction technique for military reconnaissance/surveillance aircraft. Phase 1: Bench/wind tunnel tests [AD-774748] p0300 N74-20691
- KRISHNAPPA, G.
Acoustic tests on a fan-in-wing model: Effects of an extended inlet [NRC-13898] p0442 N74-29376
- KRIZ, R. D.
A sailplane wing constructed of foam core and polyester fiberglass skin [AIAA PAPER 74-258] p0130 A74-18665
- KROOP, R. H.
Aviation fuel spill containment using absorbent materials [AD-776762] p0361 N74-26242
- KROPAC, O.
Random vibration of aircraft undercarriages with nonlinear characteristics p0321 A74-31705
- KROTOKOV, D. P.
A variation of the aerodynamic shape of a body which leads to a decrease in its drag p0383 A74-36499
- KROTKY, J.
Requirements on the purity of aircraft fuels p0178 A74-20524
Current state of development of lubricating oils for aircraft turbine engines p0280 A74-28434
- KRUCHENOK, I. L.
The aircraft engine M-14V26 p0480 A74-45269
- KRUPP, W. E.
Fracture mechanics applications in materials

- selection, fabrication sequencing and inspection
[AIAA PAPER 72-383] p0090 A74-15968
- KREZYANOWSKI, A.
A method for weight/cost trade-offs in preliminary
air vehicle design
[SAE PAPER 1017] p0435 A74-39887
- KSIEH, P. Y.
An analysis of fixed wing-propeller interference
for folding propeller aircraft
[AD-778823] p0441 N74-29371
- KUBBAT, W.
Automatic control aspects of a control-configured
aircraft with allowance for maneuver load control
[DGLR PAPER 73-121] p0121 A74-17216
- KUCHTA, J. H.
Summary of fire and explosion manual for aircraft
accident investigation
p0211 A74-23543
Fire and explosion manual for aircraft accident
investigators
[AD-771191/46A] p0250 N74-18694
- KUDELSKI, R.
Aircraft on-board equipment for dynamic
measurements with piezoelectric sensors
p0270 A74-27293
- KUDRIASHEV, L. I.
Integral methods for the investigation of
temperature fields in complex-configuration
structure components of aircraft and their engines
p0260 A74-25995
- KUECHMANN, D.
Progress in aerospace sciences. Volume 14
p0025 A74-12203
- KUENKLER, H.
Problem of adapting an intake to a turbojet engine
for extremely high flight Mach numbers
p0122 A74-17272
- KUENZI, E. W.
Design parameters for torsion of sandwich strips
having trapezoidal, rectangular, and triangular
cross sections
[AD-771824] p0244 N74-18549
- KUETTNER, R.
Aircraft servicing and the network technique. II
p0338 A74-33094
- KUHNER, H. B.
Effectiveness evaluation of STOL transport
operations (phase 2)
[NASA-CR-137481] p0326 N74-21660
- KUTHAU, A. R.
Analysis of passenger acceptance of commercial
flights having characteristics similar to STOL
p0085 A74-15046
- KUKEL, J.
Mechanical component failure prognosis study
[AD-771033] p0238 N74-17765
Advanced torque measurement system
[AD-773021] p0252 N74-18706
- KUKHTA, K. IA.
Determination of the critical speed for the
flexural-torsional flutter of an airplane wing
by a numerical method
p0483 A74-46591
- KULAGIN, V. V.
Determination of the gas temperature in front of
the turbine of a bypass turbofan engine
p0087 A74-15721
- KULFAN, R. H.
High transonic speed transport aircraft study
[NASA-CR-114658] p0235 N74-17750
Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0405 N74-27485
- KULKARNI, P. A.
Instability of rotors in MHD journal bearings
p0014 A74-11445
- KULLA, D.
Effect of upper-surface blowing on static
longitudinal stability of a swept wing
p0477 A74-44419
- KULWICKI, P. V.
High acceleration cockpit: The maneuvering
countermeasure
[AD-770287] p0198 N74-16743
- KUMAR, P.
Statistical properties of vertical shear of
lateral velocity
p0274 A74-27529
- KUNASAKA, K.
Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0405 N74-27485
- KUMETH, L. J.
Transonic Aircraft Technology /TACT/ program
[AIAA PAPER 74-620] p0376 A74-35387
- KUROTO, V. H.
STOL tactical aircraft investigation, externally
blown flap, Volume 5, part 3: Stability and
control derivative accuracy requirements and
effects of augmentation system design
[AD-767182] p0146 N74-13757
- KUNKEL, B. A.
Thermal and chemical fog dissipation: Results of
field experiments at Vandenberg AFB, California
during July 1972
[AD-768671] p0164 N74-15367
- KUNSTADT, E.
Study of reverse-flow characteristics of a tip fan
and an ejector
[AD-770080] p0198 N74-16744
- KURUKKASSERIL, V. I.
Buckling of orthotropic circular plates
p0085 A74-14972
- KUO, C.-C.
Subsonic potential aerodynamics for complex
configurations - A general theory
p0177 A74-20280
- KUO, P. S.
Blade dynamics analysis using NASTRAN
p0153 N74-14599
- KUPCIS, E. A.
The results of a high-speed wind tunnel test to
investigate the effects of the NASA refan JT8D
engine nacelles on the stability and control
characteristics of the Boeing 727 airplane
[NASA-CR-134545] p0196 N74-16726
The results of a low-speed wind tunnel test to
investigate the effects of the Refan JT8D engine
target thrust reverser on the stability and
control characteristics of the Boeing 727-200
airplane
[NASA-CR-134699] p0494 N74-34467
- KUROCHKA, G. F.
Analysis of the longitudinal disturbed motion of a
surface skimmer
[AD-765992] p0046 N74-10326
- KUROSAKA, M.
On the flow field of a rapidly oscillating airfoil
in a supersonic flow
p0267 A74-26960
- KURPA, L. V.
Structure of solutions to basic bending and
vibration problems for plates of complex shape
p0482 A74-45592
- KURZE, J.
Noise generation and the design of bypass lift jet
engines
p0005 A74-10984
- KUSENBERGER, F. H.
Residual stresses in gas turbine engine components
from Barkhausen noise analysis
[ASME PAPER 74-GT-51] p0272 A74-27444
- KUSKO, A.
Power conditioning system for FAA Air Route
Traffic Control Centers
p0077 A74-14133
Power conditioning system for FAA air route
traffic control centers
p0102 N74-12636
- KUSTAREV, Y. S.
Characteristics of cascades of slotted sections of
adjustable guide vanes of axial-flow turbines
[AD-773900] p0293 N74-20452
- KUTATSEVA, E. I.
Alloys for helicopter rotor-blade spars
p0343 A74-34145
- KUTSCHENREUTER, P. H., JR.
The planar pressure pulse generator - A new
dynamic distortion generator
[AIAA PAPER 73-1317] p0012 A74-11312
- KUZMAK, G. H.
Calculation of the static stability of aircraft at
large angles of attack
p0383 A74-36454
Optimally fast-acting control of aircraft roll in
the presence of constraints on the angle of
aileron deflection and the deflection rate
p0389 A74-36634
- KUZNETSOV, N. D.
The problem of optimal design of gas-turbine engines

- Problem of the optimal design of gas-turbine engines
p0126 A74-18083
p0481 A74-45408
- KVATERNIK, R. G.**
Experimental and analytical studies in tilt-rotor
aeroelasticity
p0395 A74-37498
Studies in tilt-rotor VTOL aircraft aeroelasticity
p0282 N74-19649
- KVITKA, V. Y.**
Investigation of the reactions of skin panels in
relation to duration of acoustical loading
p0443 N74-29800
- KVITKI, V. E.**
Aircraft acoustics
p0225 A74-24998
- KYLSTRA, J.**
Information content of different runway lighting
patterns
[NASA-TT-F-15179]
p0060 N74-11094
- LA ROSE, R. L.**
Application of damage tolerance technology to
advanced metallic fighter wing structure
[AIAA PAPER 74-29]
p0132 A74-18738
- LAANANEN, D. E.**
A digital simulation technique for crashworthy
analysis of aircraft seats
[SAE PAPER 740371]
p0309 A74-28742
- LABACOEZ, J. V.**
A review of the X-22A variable stability aircraft
and research facility
[AD-774142]
p0300 N74-20688
- LABERGE, J. G.**
Measurement of dynamic cross-derivatives due to
pitching and yawing
[AIAA PAPER 74-611]
p0380 A74-36044
- LABOURETTE, R.**
Exploitation of spectral density curves in the
case of wind tunnel flutter measurement
p0005 A74-11000
- LABROUERE, T. E.**
Finite element solution of the incompressible flow
over an airfoil in a nonuniform stream
p0014 A74-11426
The deformation of a vortex sheet behind a swept
back wing - Comparison of measurements and
calculations
[ICAS PAPER 74-33]
p0449 A74-41334
A numerical method for the determination of the
vortex sheet location behind a wing in
incompressible flow
[NLR-TR-72091-U]
p0294 N74-20642
- LACHMAN, Z.**
Development and problems of testing prepreps for
the Czechoslovakian aircraft industry
p0280 A74-28528
- LADENHANN, J.**
Longitudinal motion of an airliner during steep
approach
[NASA-TT-F-15616]
p0355 N74-25564
- LADSON, C. L.**
Development of a computer program to obtain
ordinates for NACA-6 and 6A-series airfoils
[NASA-TN-X-3069]
p0487 N74-33431
- LAGER, J. R.**
Commercial aircraft
p0002 A74-10495
- LAKOBY, C.**
Theoretical solution of high subsonic flow past
two-dimensional cascades of airfoils
[ASME PAPER 74-GT-91]
p0273 A74-27474
- LAKSHMINARAYANA, B.**
Characteristics of the wake behind a cascade of
airfoils
p0123 A74-17495
- LAETIONOV, A. G.**
Measuring the radiation of a vertical gas jet
p0015 A74-11500
- LALLENANT, P.**
Various mechanisms applied to the Concorde main
landing gear
p0178 A74-20548
- LAN, R. C.**
Noise - The technical aspects
p0079 A74-14513
- LANAR, J. E.**
Theoretical and experimental longitudinal
aerodynamic characteristics of an aspect ratio
0.25 sharp-edge delta wing at subsonic,
supersonic, and hypersonic speeds
[NASA-TN-D-7651]
p0463 N74-31414
Extension of leading-edge-suction analogy to wings
with separated flow around the side edges at
subsonic speeds
[NASA-TR-R-428]
p0493 N74-34459
- LANAR, W. E.**
The role of preliminary design in reducing
development, production and operational costs of
aircraft systems
p0465 N74-31459
- LAMB, M. J.**
U.S. Navy development of a mission specific
fighter helmet
p0211 A74-23529
- LANBERT, R. F.**
Acoustic fatigue design data, part 3
[AGARDGRAPH-162-PT-3]
p0257 N74-19550
- LANERS, J. P.**
Design for departure prevention in the YF-16
[AIAA PAPER 74-794]
p0400 A74-37814
- LAMPARD, D.**
A shock tube study of the formation of carbon
particles during the pyrolysis of hydrocarbons
p0229 A74-25213
- LANSON, R. T.**
Alcor - A high altitude pressurized sailplane /1/
p0459 A74-43470
Alcor - A high altitude pressurized sailplane /2/
p0459 A74-43471
- LAN, C. E.**
A quasi-vortex-lattice method in thin wing theory
p0477 A74-44417
An analytical investigation of wing-jet interaction
[NASA-CR-138140]
p0488 N74-33436
- LAN, B. C.**
An analytical investigation of wing-jet interaction
[NASA-CR-138140]
p0323 N74-21633
- LANCASTER, O.**
Objectives for a course in aircraft gas turbines
[ASME PAPER 74-GT-98]
p0273 A74-27480
- LANDAHL, R.**
Research on the sonic boom problem. Part 2: Flow
field measurement in wind tunnel and calculation
of second order P-function
[NASA-CR-2340]
p0038 N74-10031
- LANDER, J. A.**
Recent technology advances in thrust vectoring
systems
p0290 N74-20410
- LANDERS, R. B. A.**
The improvement in Mach number distribution and
reduction of pressure fluctuations in the
transonic working section of wind tunnel S.1
[WE-TR-925]
p0045 N74-10303
- LANDGREEN, A. J.**
Rotor wakes - Key to performance prediction
p0203 A74-22455
A systematic study of helicopter rotor stall using
model rotors
[AHS PREPRINT 804]
p0388 A74-36618
Experimental investigation of model
variable-geometry and ogee tip rotors
[NASA-CR-2275]
p0245 N74-18645
- LANDT, J. A.**
RHP-induced skin currents on aircraft
[UCRL-75426]
p0492 N74-33750
- LANE, S. E.**
Measured jet noise compared to California noise
codes and health criteria
p0014 A74-11424
Reply to criticisms by V. E. Callaway of papers
MM1 and MM11 at the 86th Meeting of the ASA
p0391 A74-37061
- LANG, C. R.**
Development of design, test, and acceptance
criteria for Army helicopter transparent
enclosures
[AD-772936]
p0284 N74-19675
- LANGDON, F. J.**
The effects of aircraft noise in schools around
London Airport
p0336 A74-32591
- LANGE, G.**
Failure of helicopter turbines due to the

- employment of a steel in a corrodible condition in combination with a design unsuited for the material
p0178 A74-20498
- LANGE, H. H.
Flight-mechanics problems during landing approach with direct lift control, exemplified by HPB 320 Bansa
[NASA-TT-P-15614] p0355 N74-25566
- LANGE, R. H.
Advanced structural materials application for high-subsonic-speed transports
[SAE PAPER 730887] p0019 A74-11601
Feasibility study of the transonic biplane concept for transport aircraft application
[NASA-CR-132462] p0495 N74-34477
- LANGFELD, W.
Supersonic flow past sharp- and blunt-nosed conical bodies at angles of attack from 0 to 45 deg
[DGLR PAPER 73-080] p0120 A74-17186
- LANGENBUCHER, V.
Noise phenomena in the case of helicopter rotors and possibilities for noise reduction
[DGLR PAPER 74-024] p0270 A74-27364
Helicopter rotor noise and possibilities for its reduction
[NBB-UD-118-74-0] p0368 N74-26485
- LANGFELDER, E.
Designing for maneuverability: Requirements and limitations
p0471 N74-32424
- LANGLEBEN, R. A.
V/STOL demonstrator vehicle for ejector thrust augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663
- LANGLEY, E.
The future of carbon fibres
p0317 A74-30380
- LANGWEIL, L.
Wake Vortex Avoidance System program (WVAS)
p0233 N74-17732
- LAPP, H. S.
A low power night photo system for high speed unmanned aircraft
p0423 A74-38535
- LAPRIE, J.-C.
Turbo-machine numerical control using the ASHODEE 01 prototype
p0431 A74-39007
- LAPYGIN, V. I.
Investigation of new wing shapes for hypersonic flight
p0311 A74-29035
- LARCHE, M.
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1
[NASA-CR-114693] p0141 N74-13722
March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 2
[NASA-CR-114694] p0141 N74-13723
Analytical study of stresses recorded in the DH 2011 rotor blades
[NASA-CR-137527] p0407 N74-27501
- LARCOMBE, E. J.
Initial-design optimisation on civil and military aircraft
p0465 N74-31477
- LARGE, J. B.
Noise - The technical aspects
p0079 A74-14513
- LARRABEE, E. E.
Lateral control and sailplane design considerations to optimize altitude gain while thermalling
[AIAA PAPER 74-1004] p0454 A74-42032
- LARSON, I. D.
A simple antenna system approach for mobile SATCOM terminals
p0424 A74-38557
- LARSON, T. J.
A simplified flight-test method for determining aircraft takeoff performance that includes effects of pilot technique
[NASA-TN-D-7603] p0195 N74-16717
- LARUE, P.
Pyrotechnic pulse generators for in-flight structural tests
p0382 A74-36353
- Pyrotechnic bonkers for structural tests in flight
[ONERA, TP NO. 1389 E] p0478 A74-44953
- LASAGNA, P. L.
Preliminary measurements of aircraft aerodynamic noise
[AIAA PAPER 74-572] p0344 A74-34332
- LASCHKA, B.
Determination of ice shapes and their effect on the aerodynamic characteristics for the unprotected tail of the A 300
[ICAS PAPER 74-42] p0450 A74-41343
- LASHKOV, I. A.
Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft
p0382 A74-36451
- LASHMET, P. E.
Analysis and design of a capsule landing system and surface vehicle control system for Mars exploration
[NASA-CR-136069] p0059 N74-11077
- LASSITER, L. W.
Advanced structural materials application for high-subsonic-speed transports
[SAE PAPER 730887] p0019 A74-11601
Effects of compressive overloads on fatigue crack growth
[AIAA PAPER 74-365] p0264 A74-26674
- LATKA, V. I.
Heat transfer investigation in a high-temperature gas flow spreading over a plane surface
p0131 A74-18684
- LAU, E. K.
Solid particle erosion of graphite-epoxy composites
p0402 A74-37920
- LAUDANSKI, L.
Observable changes of load sample function due to structural elasticity
p0321 A74-31745
- LAUDENHAN, E. C.
STOL tactical aircraft investigation. Volume 1: Configuration definition
[AD-766941] p0057 N74-10927
STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 1: Takeoff and landing ground rules
[AD-766942] p0057 N74-10928
STOL tactical aircraft investigation. Volume 2: Design compendium
[AD-767561] p0143 N74-13733
STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis
[AD-767363] p0143 N74-13734
- LAUFER, J.
On the generation of jet noise
p0329 N74-22663
- LAUGHERY, J. A.
Assessment of the influence of inlet and aftbody/nozzle performance on total aircraft drag
p0157 N74-14726
- LAURENS, E.
The motorization of short take-off and landing aircraft
p0289 N74-20405
- LAVAL, P.
Experimental and theoretical study of the transonic flow past a half-wing
p0224 A74-25321
- LAVESON, J. I.
Forward air controller: Tactical air command pilot communication orientation
[AD-771071] p0244 N74-18637
- LAVRENT'EV, I. A.
Influence of the intrinsic motion of the conveyance on the frequency selection system
p0261 A74-26326
- LAV, W. G.
Advanced concepts for rotary wing and V/STOL aircraft escape systems
p0301 N74-20766
- LAWRENCE, D.
The measurement of the DC-7 trailing vortex system using the tower fly-by technique
[FAA-RD-73-141] p0104 N74-12718
- LAWRENCE, J. H., JR.
Windshield bird strike structure design criteria
[AD-779729] p0442 N74-29393
- LAWSON, T. V.
Problems of chemical pollution by aircraft. The airport and its immediate environment

- LAYNOR, W. G. p0148 N74-14281
 Use of ARTS-III in aircraft accident investigation p0208 A74-22637
 Use of ARTS III in aircraft accident investigation p0482 A74-45544
- LAYTON, G. P.
 NASA Flight Research Center scale F-15 remotely piloted research vehicle program p0459 A74-43603
- LAZENBY, S. D.
 Lasers - Ranger and marked target seeker p0118 A74-16756
- LAZZARINO, L.
 Civil aviation research and development p0378 A74-35718
- LE BALLEUR, J. C.
 Experimental study of shock-wave reflection upon boundary layer transition [ONERA, TP NO. 1284] p0006 A74-11072
- LE BERRER, P.
 Temperature, winds, and turbulence at SST flight levels p0122 A74-17311
- LE ROY, P. Y.
 Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy [ONERA, TP NO. 1373] p0318 A74-30513
- LE SORUR, H. E.
 Certification of helicopters for flight in instrument meteorological conditions p0348 A74-34877
- LEA, P. K.
 Foam and aeration characteristics of commercial aircraft lubricants [ASLE PREPRINT 74AM-1A-1] p0307 A74-28676
- LEACH, J. E., JR.
 Development of a low-cost composite die using High-Energy-Rate Forming (HERF) [AD-771957] p0242 N74-18145
- LEACH, J. F.
 First results of environmental tests on board Concorde 001 p0340 A74-33312
- LEAN, D.
 Technical evaluation report on AGARD Flight Mechanics Panel Symposium on Flight in Turbulence [AGARD-AR-67] p0294 N74-20639
- LEATHAM, A. L.
 Two numerical methods to solve realistic air-to-air combat differential games [AIAA PAPER 74-22] p0132 A74-18736
- LEBACQZ, J. V.
 An experimental investigation of STOL lateral-directional flying qualities and roll control power requirements using the variable stability X-22A aircraft [AHS PREPRINT 841] p0385 A74-36592
 Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 1: Technical results p0299 N74-20678 [AD-774728]
 Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 2: background information p0299 N74-20679 [AD-774729]
 Application of a Kalman filter identification technique to flight data from the X-22A variable stability V/STOL aircraft p0356 N74-25578
- LEBEDEV, V. P.
 Realization of the power amplification effect in a ramjet unit by applying the principle of boundary layer separation p0175 A74-20069
- LEEIGA, V. A.
 Investigation of the effect of grids on the characteristics of a turbulent flow [AD-765999] p0046 N74-10328
- LECAHN, R. P.
 Putting the computer in its place p0172 A74-19497
- LECLAIRE, R. C.
 LDF powered balloon program [AD-768673] p0162 N74-14770
- LEDBETTER, R. H.
 The behavior of flexible airfield pavements under loads: Theory and experiments [AD-766480] p0061 N74-11102
- LEE, A.
 Experimental studies of rotational noise in forward flight p0206 A74-22471
- LEE, B.
 Range-rate from DME-air data measurements p0024 A74-12182
- LEE, J. L.
 STOL tactical aircraft investigation. Volume 4: Analysis of wind tunnel data: Vected thrust/mechanical flaps and internally blown jet flaps [AD-76641] p0098 N74-11846
- LEE, E.
 Noise and emission outlook for military engines [AIAA PAPER 73-1156] p0120 A74-17175
- LEECH, J. W.
 Experimental and data analysis techniques for deducing collision-induced forces from photographic histories of engine rotor fragment impact/interaction with a containment ring [NASA-CR-134548] p0243 N74-18399
- LEEDON, D. K.
 A simulation study of the force mix problem in close air support operations [AD-766879] p0102 N74-12699
- LEESE, G. W.
 Helicopter downwash data [AD-780754] p0468 N74-31518
- LEFEBVRE, D.
 Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques [AD-783269] p0498 N74-34550
- LEFEBVRE, A. H.
 The environment and the gas turbine p0185 A74-21874
 A preliminary study on the influence of fuel staging on nitric oxide emissions from gas turbine combustors p0150 N74-14301
 A proposed method for calculating film-cooled wall temperatures in gas turbine combustion chambers [CRANFIELD-SME-4] p0152 N74-14440
- LEGGAT, L. J.
 Tip load modulation as a source of discrete tone fan noise p0073 A74-13791
- LEHMAN, C. A.
 Helmets and head protection in USAF ejections 1968-1972 p0210 A74-23528
- LEHMAN, G. M.
 Development of a graphite horizontal stabilizer [AD-768869] p0164 N74-14783
 Development of a graphite horizontal stabilizer [AD-782646] p0491 N74-33473
- LEHE, H. F.
 Reaction modes occurring at detonation of explosive gas mixture due to detached shock front from a blunt mockup at supersonic speeds [ISL-28/72] p0067 N74-11740
- LEIBACH, H.
 Comparative appraisal of propulsion systems for VTOL-aircraft p0289 N74-20402
- LEIBY, D. W.
 A systems engineering approach to effective engine condition monitoring p0278 A74-28316
- LEISS, F.
 Flight control p0128 A74-18181
- LEIZERAKH, A. A.
 Collection of problems on airplane piloting /4th revised and enlarged edition/ p0170 A74-19372
- LELAND, T. J. W.
 Recent studies of tire braking performance p0125 A74-17898
- LEMANSKI, A. J.
 Transmission thermal mapping (CH-47C forward rotor transmission) [AD-767875] p0143 N74-13732
- LEMANSKII, A. A.
 Effect of differences between the antennas of a Doppler velocity meter on its operational accuracy

- LENNIOS, A. S.
Rotary wing design methodology p0023 A74-11994
- LENNON, G. H.
Plan for developing structural criteria for composite airframes p0054 N74-10909
- Study of structural criteria for composite airframes. Volume 3: Bibliography p0181 A74-20945
[AD-767569] p0105 N74-12726
Study of structural criteria for composite airframes. Volume 1: Evaluation [AD-767706] p0147 N74-14238
Study of structural criteria for composite airframes. Volume 2: Current/criteria/selected rationale review and evaluation [AD-767707] p0147 N74-14239
- LENNONIER, P.-M.
Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow p0069 A74-13041
- LENA, P.
Eclipse flight of Concorde 001 p0030 A74-12515
- LENNING, G. A.
Flat rolled beta titanium alloys for airframe application p0116 A74-16449
- LENOBT, P.
An attempt at describing the steady-state performance characteristic of a turbojet engine by a formulated relationship p0184 A74-21784
- LEONARD, D. A.
Measurement of gas turbine exhaust pollutants by Raman spectroscopy [AIAA PAPER 73-1276] p0010 A74-11288
- LEONARD, L.
Characterization of carburized Vasco X-2 steel [AD-782362] p0500 N74-34952
- LEONARDI, S. J.
Microfog lubricant application system for advanced turbine engine components, phase 3 [NASA-CR-121271] p0050 N74-10730
- LENNER, E.
Practical design of minimum weight aircraft structures for strength and flutter requirements [AIAA PAPER 74-986] p0429 A74-38743
- LESHEMSKI, S. J.
Multi-axial low cycle fatigue test rig p0077 A74-14158
- LESNIK, A.
Protection of civil aviation aircraft against fire p0421 A74-38149
- LESLEY, R. R.
Powered lift for longer field lengths and longer missions [SAE PAPER 740502] p0433 A74-39650
- LESSEN, M.
The stability of a trailing line vortex. I - Inviscid theory p0337 A74-33049
- LESTER, R. C.
An improved exceedance theory for combined random stresses with application to aircraft gust response p0152 N74-14569
- LETHUI, H.
Effect of transient phenomena on the responses of aircraft to gusts and comparison between calculations and experiments p0223 A74-25308
- LETKO, W.
Rotating-blade vortex noise p0203 A74-22470
- LETSINGER, G. R.
STOL tactical aircraft investigation. Volume 2, part 1: Aerodynamic technology (design compendium, vectored thrust/mechanical flaps) [AD-766639] p0057 N74-10926
- LEVENETS, B.
Composite-material helicopter rotor hubs [AD-771973] p0238 N74-17772
- LEVERTON, J. W.
An investigation of impulsive rotor noise using a model rotor p0206 A74-22467
- A comparison of the noise characteristics of full scale and model helicopter rotors p0206 A74-22468
- Helicopter noise - Can it be adequately rated p0438 A74-40092
- LEVINE, H.
Nonlinear crack analysis with finite elements [AD-766558] p0067 N74-11722
- LEVINSKY, E. S.
STOL tactical aircraft investigation. Volume 2: Design compendium [AD-767561] p0143 N74-13733
- LEVINTAN, R. M.
The Q-Fan Demonstrator Engine [AIAA PAPER 73-1215] p0031 A74-12929
Research toward development feasibility of an advanced technology V/STOL propeller system p0290 N74-20414
- LEVISON, W. R.
Tactile display for aircraft control [AD-767763] p0144 N74-13741
Tactile display for aircraft control [AD-783690] p0498 N74-34538
- LEVITT, K. E.
Design of a fault tolerant airborne digital computer. Volume 1: Architecture [NASA-CR-132252] p0240 N74-17909
- LEVY, S. A.
Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for aircraft applications [AD-770350] p0201 N74-17278
- LEWIS, A. M.
Power complex - A suitable case for treatment p0458 A74-43206
- LEWIS, D. A.
International user charges and their impact on world-wide implementation of ATC systems p0222 A74-22686
- LEWIS, D. E.
A simplified approach for estimating manufacturing cost at the part level [SAE PAPER 730908] p0017 A74-11584
- LEWIS, D. V.
Digital computer techniques for engine/airframe simulation [AHS PREPRINT 874] p0387 A74-36609
- LEWIS, G. D.
Swirling flow combustion - Fundamentals and application [AIAA PAPER 73-1250] p0009 A74-11271
- LEWIS, L. D.
An electronic full-authority engine fuel control system p0458 A74-43211
- LEWIS, R. B., II
Determining helicopter instrument flight capability p0346 A74-34848
U.S. Army helicopter icing qualification program [AIAA PAPER 74-942] p0426 A74-38715
- LEWIS, R. I.
Experimental investigations of strongly swept turbine cascades with low speed flow p0280 A74-28457
Exact solutions for conical mixed flow rotors. Part 2: Cambered blades of finite thickness [NEL-524-PT-2] p0109 N74-12989
- LEWIS, R. W.
Effect of adhesive on the impact resistance of laminated plastics for windshield applications [AD-769735] p0193 N74-16259
- LEYMAN, C. S.
Prediction of supersonic aircraft aerodynamic characteristics p0365 N74-26450
- LEYNAERT, J.
A study of the Concorde air intake in yaw [ICAS PAPER 74-50] p0451 A74-41350
Aerodynamic aspects of the problems of air-intakes and exhaust for a supersonic transport aircraft [NAL-TR-194] p0159 N74-14748
Engine installation aerodynamics p0365 N74-26453
- LEZBERG, E. A.
Emission calculations for a scramjet powered hypersonic transport [NASA-TN-X-71464] p0100 N74-12445
- LIARD, B.
Adhesive bonding in the aviation industry and in

- other industrial sectors
p0479 A74-44991
- LIARD, P.
Design and development support for critical helicopter applications in Ti-6Al-4V alloy
p0115 A74-16448
Influence of the degree of fail-safe achieved, using the internal pressure indicator (BIM), on the flight safety during a specified service life of main rotor blades of SA 321 and SA 330 helicopters
p0367 N74-26469
- LIBBY, P. A.
Technical evaluation report on AGARD Technical Meeting on Atmospheric Pollution by Aircraft Engines
[AGARD-AR-63]
p0164 N74-15349
The fluid dynamics aspects of air pollution related to aircraft operations
[AGARD-AR-55]
p0361 N74-26104
- LICHTFIELD, B.
Economic consequences of airport development
p0080 A74-14515
- LICHT, L.
Gas-lubricated foil bearings for high speed turboalternator - Construction and performance
[ASME PAPER 73-LUB-5]
p0027 A74-12332
- LICHTENSTEIN, J. H.
Computed lateral power spectral density response of conventional and STOL airplanes to random atmospheric turbulence
[NASA-TN-D-7444]
p0237 N74-17759
- LIEBENBERG, D.
Eclipse flight of Concorde 001
p0030 A74-12515
- LIEBENBERG, D. H.
Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region
[LA-UR-73-1304]
p0293 N74-20527
- LIEBOWITZ, E.
Fracture mechanics of aircraft structures
[AGARD-AG-176]
p0331 N74-23413
- LIEVENS, C.
Critical analyses and laboratory research work at the stage of aircraft preliminary design
[ONERA, TP NO. 1291]
p0312 A74-29467
- LIFSCHITS, I. B.
A time-saving method for calculating subsonic flows at airfoils
p0384 A74-36559
Contribution to the theory of the sonic flow past a profile
p0389 A74-36630
- LIKINS, P. W.
Dynamic analysis of a system of hinge-connected rigid bodies with nonrigid appendages
p0085 A74-15003
- LILLEY, G. M.
On the theory of jet noise and its applications
[AIAA PAPER 73-987]
p0026 A74-12218
Noise - Future targets
p0381 A74-36318
On the noise from jets
p0329 N74-22655
- LINCH, U. H. D.
Two numerical methods to solve realistic air-to-air combat differential games
[AIAA PAPER 74-22]
p0132 A74-18736
- LIND, J. R.
Cost comparisons of advanced air traffic management systems
[R-13-9-DOT]
p0065 N74-11436
- LING, P. F.
A thermal, thermoelastic, and wear simulation of a high-energy sliding contact problem
[ASME PAPER 73-LUB-6]
p0027 A74-12333
Effect of frictional heating on brake materials
p0461 A74-44161
- LINK, E.
Quasi-visual flight navigation
p0219 A74-22519
- LIPCHIN, L. TS.
Reliability of aircraft navigation computers
p0180 A74-20905
- LIPCHIN, TS. H.
Reliability of aircraft navigation computers
p0180 A74-20905
- LIPSON, H. I.
GCA radars - Their history and state of development
p0373 A74-35127
- LISS, A. ID.
Investigation of the effect of induction damping of vortices in their interaction with a wing
p0087 A74-15708
Consideration of control elasticity in calculating the deformation of gyroplane rotor blades
p0398 A74-37662
- LISSAMAN, P. B. S.
Aircraft vortex wake descent and decay under real atmospheric effects
[AD-771311]
p0238 N74-17767
- LISTON, R. A.
Operational evaluation of the SK-5 air cushion vehicle in Alaska
[AD-768781]
p0162 N74-14772
- LITT, S. P.
The Hazeltine Doppler microwave landing system - Specialized techniques and features
[AIAA PAPER 74-905]
p0402 A74-37886
- LITTLE, R. C.
Lithium soap dispersions as drag-reducing hydraulic fluids
[ASLE PREPRINT 73LC-5B-2]
p0027 A74-12316
- LITVINOVA, V. D.
Turbulence studies on a high-altitude sounding aircraft
p0392 A74-37234
- LIU, D. T.
In-flight stabilization of externally slung helicopter loads
[AD-769063]
p0162 N74-14774
- LIU, J. T. C.
Developing large-scale wavelike eddies and the near jet noise field
p0267 A74-26948
- LIVINGSTON, C. L.
Prediction of stability and control characteristics of rotorcraft
p0205 A74-22452
- LJUNGSTROM, B. L. G.
Experimental study of viscous flow on multiple element airfoils
[ICAS PAPER 74-46]
p0451 A74-41346
- LLOYD-JONES, D. J.
What's wrong with airline earnings
p0075 A74-13973
- LLOYD, D. E.
Application of Monte Carlo methods to estimation of collision risks associated with ATC separation standards
[RAE-TR-73104]
p0256 N74-19283
- LOCKHART, B. J.
Test of LOX compatibility for asphalt and concrete runway materials
[NASA-TM-X-64086]
p0059 N74-11091
- LOCKIE, D.
The F-15 air superiority fighter electromagnetic compatibility program
p0460 A74-43913
- LOCKS, M. O.
Simulation of dispatch reliability for a fleet of large commercial aircraft
p0181 A74-20952
- LOCKWOOD, V. E.
Effect of trailing-edge flap deflection on the lateral and longitudinal-stability characteristics of a supersonic transport model having a highly-swept arrow wing
[NASA-TM-X-71936]
p0295 N74-20652
- LODYGIN, N. A.
Application of fusible temperature indicators for measuring heat flows to models in wind tunnels
p0383 A74-36458
- LOBEHELT, E.
Structural materials of aeronautics and astronautics
p0128 A74-18190
- LOEHR, E.
The jet-flapped wing in ground proximity with special allowance for large angle of attack and large jet flap angle
p0121 A74-17221
- LOEVE, W.
Appraisal of wing aerodynamic design methods for subsonic flight speed
p0365 N74-26451

PERSONAL AUTHOR INDEX

LUNSDEN, R. B.

- LOEWENSTEIN, M.
HO and O3 measurements in the lower stratosphere
from a U-2 aircraft p0373 A74-35121
- LOEWY, R. G.
A review of aerodynamic and dynamic VSTOL model
testing p0205 A74-22458
Analytical investigation of the aerodynamic
stability of helical vortices shed from a
hovering rotor [AD-773026] p0252 N74-18705
- LOGAN, W. A.
Analysis of predicted aircraft wake vortex
transport and comparison with experiment
[AIAA PAPER 74-506] p0339 A74-33105
Analysis of predicted aircraft wake vortex
transport and comparison with experiment.
Volume 2: Appendixes p0498 N74-34537
[AD-783665]
Analysis of predicted aircraft wake vortex
transport and comparison with experiment.
Volume 1: Wake vortex predictive system study
[AD-783649] p0499 N74-34716
- LOGAN, T. R.
Costs and benefits of composite material
applications to a civil STOL aircraft
[AIAA PAPER 74-964] p0427 A74-38729
- LOH, J. H.
A display of energy-maneuverability performance
information for fighter aircraft
[AIAA PAPER 74-814] p0453 A74-41797
- LOKAY, V. I.
High temperature cooled gas turbines (analysis and
design) [AD-766031] p0051 N74-10740
Aviation gas turbine engines (selected portions)
[AD-756810] p0052 N74-10751
- LONDON, A.
Improved manufacturing of the F-14A composite
horizontal stabilizer p0083 A74-14739
Improved manufacturing of the F-14A composite
horizontal stabilizer p0316 A74-30323
- LOPEZ RUIZ, J. L.
STOL aircraft with blown wings p0209 A74-22785
- LOPEZ, H. L.
A theoretical method for calculating the
aerodynamic characteristics of arbitrary
jet-flapped wings. Volume 1: The elementary
vortex distribution jet-wing lifting surface
theory [AD-773939] p0281 N74-19646
- LORD, R. J.
Ultrasonic inspection of titanium airframe
components p0116 A74-16479
Quantitative evaluation of the effect of
mechanical processing on the effectiveness of
penetrant inspection p0378 A74-35669
- LORENZ-MEYER, W.
Ten years transonic wind tunnel of the AVA
Goettingen p0021 A74-11808
- LORESON, E. W.
A pylon to decrease the effects of external stores
on the stability of aircraft [AD-767913] p0145 N74-13749
- LOSCHKE, P. C.
Flight evaluation of advanced control systems and
displays on a general aviation airplane
[NASA-TN-D-7703] p0407 N74-27499
- LOSCUTOFF, W. V.
Study of dynamics of X-14B VTOL aircraft
[NASA-CR-138185] p0326 N74-21661
- LOTH, J. L.
Flight performance of a circulation controlled STOL
[AIAA PAPER 74-994] p0429 A74-38749
- LOTZ, H.
Problems of V/STOL aircraft connected with the
propulsion system as experienced on the Do 31
experimental transport aircraft p0292 N74-20430
- LOTZE, A.
Active flutter suppression on wings with external
stores
- LOUDON, W. L.
Confined space atmosphere purification unit p0354 N74-25555
p0212 A74-23550
- LOUIS, J. F.
Disk geometry MHD generator for high voltage high
power aircraft requirements [AD-775749] p0362 N74-26255
- LOVAT, G.
Theoretical and experimental study of boundary
layer blowing at the hinge of a lift-augmenting
flap [ONERA, TP NO. 1367] p0422 A74-38311
- LOVE, J. E.
Flight study of a vehicle operational status and
monitoring system [NASA-TN-D-7546] p0141 N74-13725
- LOVELACE, A. M.
Advanced composites [AIAA PAPER 74-242] p0180 A74-20834
- LOVENHAB, D. B.
CTL - A programming language for automatic testing
p0075 A74-13815
- LOWAK, H.
Flight-by-flight tests with notched specimens
using a wing upper surface load spectrum
[LBP-FB-104/72] p0097 N74-11839
A standardized load sequence for flight simulation
tests on transport aircraft wing structures
[LBP-FB-106/73] p0097 N74-11841
- LOWRY, D. W.
Application of advanced composites to helicopter
airframe structures [AHS PREPRINT 880] p0387 A74-36510
- LUBIN, G.
Improved manufacturing of the F-14A composite
horizontal stabilizer p0083 A74-14739
Improved manufacturing of the F-14A composite
horizontal stabilizer p0316 A74-30323
Carbon fibres can be cost-competitive - An example
p0436 A74-39902
- LUCAS, J. J.
Continuous seam diffusion bond titanium spar
evaluation [AD-780029] p0468 N74-31515
- LUCAS, R. M.
Small gas turbines for helicopters /Halford
Memorial Lecture/ p0451 A74-41397
- LUCE, L.
VITAL II p0177 A74-20275
- LUDWIG, L. P.
Improved circumferential shaft seal for aircraft
gear transmissions [NASA-TN-D-7130] p0147 N74-14138
Sealing technology for aircraft gas turbine engines
[NASA-TN-X-71607] p0475 N74-33229
- LUKE, J. E.
A similarity parameter for scaling dynamic inlet
distortion [ASME PAPER 73-WA/AERO-3] p0071 A74-13245
- LUKHANIN, V. E.
An algorithm for rational selection of the
parameters of nonlinearly deforming thin-walled
framework elements p0130 A74-18645
- LUKIC, S.
Idealization and determination of the inertial
characteristics of the structure of a flight
vehicle p0484 A74-46696
- LUN, K.
Progress in the development of a versatile
airborne simulator for V/STOL aircraft p0335 A74-31895
- LUNANNICK, S.
Test characteristics of a welded rotor in a
36,000-rpm Lundell alternator [NASA-TN-X-2944] p0064 N74-11304
- LUNSDAINE, E.
Effect of unsteady loading on rotor noise p0073 A74-13792
- LUNSDEN, R. B.
The identification of aircraft powerplant dynamic
response from flight tests using power spectral
techniques

LUNDE, T.

PERSONAL AUTHOR INDEX

[RAE-TR-73049] p0105 N74-12725
LUNDE, T.
 High cycle fatigue properties of titanium in aircraft application p0116 A74-16513
LUNDQUIST, G. R.
 Energy problems in air transportation p0171 A74-19479
LUNDSTROM, G.
 Ice and landing surface demoulding: Replica fabrication [PFA-MEMO-90] p0047 N74-10541
LURIE, A. I.
 Measuring the radiation of a vertical gas jet p0015 A74-11500
LUSABDI, R. J.
 The determination of non-symmetric vehicle stability parameters from response data p0139 N74-13702
LUSTY, A. H., JR.
 A display of energy-maneuverability performance information for fighter aircraft [AIAA PAPER 74-814] p0453 A74-41797
LOTZ, O.
 Propulsion system installations p0127 A74-18179
LUU, T.-S.
 Development of a method of discretized-distribution singularities for the study of compressible and incompressible flows p0119 A74-16968
LYLE, J. P., JR.
 Properties of high-strength aluminum P/M products p0227 A74-24225
LYMAN, V.
 Laminar stall prediction and estimation of the maximum lift coefficient p0477 A74-44418
LYNCH, E. J.
 Three-axis adjustable loading structure [NASA-CASE-FRC-10051-1] p0110 N74-13129
LYNCH, T. L.
 Instrumentation specification for climatic laboratory tests [AD-771053] p0237 N74-17763
LYNCH, U. H. D.
 Differential game barriers and their application in air-to-air combat [AD-766890] p0113 N74-13696
 Differential game barriers and their application in air-to-air combat p0304 N74-21187
 Takeoff and landing analysis computer program (TOLA). Part 3: Users manual [AD-781758] p0490 N74-33461
LYNN, M.
 ABST - The approach to the STOL transport of the US p0021 A74-11776
LYNWANDER, P.
 Spring overriding aircraft clutch [AD-766309] p0044 N74-10073
 Development of helicopter engine seals [NASA-CR-134647] p0410 N74-28229
LYON, C. A.
 Reduction of noise from small turbopropulsion engines [AIAA PAPER 74-59] p0179 A74-20760
LYONS, J. P.
 High acceleration cockpit: The maneuvering countermeasure [AD-770287] p0198 N74-16743
LYSENKOV, A. L.
 Protection of an optical sensor against vibration of the flight vehicle p0276 A74-27899
LITWIN, R. T.
 Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover [AHS PREPRINT 843] p0385 A74-36594

M

MACCREADY, P. B., JR.
 Aircraft vortex wake descent and decay under real atmospheric effects [AD-771311] p0238 N74-17767
MACDONALD, G. D.
 Aircraft fatigue and structural integrity in the Royal Air Force from a maintenance engineering

viewpoint p0367 N74-26474
MACDONALD, H. I.
 Improved cost effectiveness of helicopters through a two-point design criterion [AHS PREPRINT 811] p0388 A74-36620
MACF, W. D.
 AGARD flight test instrumentation series. Volume 5: Magnetic recording of flight test data [AGARDOGRAPH-160-VOL-5] p0254 N74-18833
MACF, H.
 Study of condensation phenomena in the ISL laser wind tunnel using light diffusion [ISL-RT-19/72] p0060 N74-11099
MACF, K. D.
 Prediction of aircraft gas turbine NO_x emission dependence on engine operating parameters and ambient conditions [AIAA PAPER 73-1275] p0010 A74-11287
MACIORA, J. G.
 Sliding-seal electron-beam welding of titanium p0083 A74-14752
MACKE, R. J.
 A study of methods which predict supersonic flow fields from body geometry, distance, and Mach number [NASA-TN-D-7387] p0038 N74-10030
MACKINNON, D.
 Performance bound of an aircraft lateral control system using the microwave scanning beam landing system p0433 A74-39485
MACLEOD, D. B.
 A small high-performance videotape recorder for military airborne applications p0217 A74-22535
MACHARTIN, I. P.
 The aerodynamics of a turbine cascade with supersonic discharge and trailing edge blowing [JSM3 PAPER 74-GT-120] p0271 A74-27419
MACWILKINSON, D. G.
 A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14711
 Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft. Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation [NASA-CR-2333] p0248 N74-18679
 Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft: Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data [NASA-CR-2334] p0248 N74-18680
 Feasibility study of the transonic biplane concept for transport aircraft application [NASA-CR-132462] p0495 N74-34477
MADDALOW, D. V.
 Air transportation - Energy cost-effective or not [AIAA PAPER 74-959] p0427 A74-38725
MADDOX, S. A.
 Extension of a vortex-lattice method to include the effects of leading-edge separation p0204 A74-23332
MADELAIN, G.
 Particle sampling and size analysis in the ejection zone of the Olympus jet engine at ground level p0122 A74-17306
MADELUNG, G.
 A status summary of the MRC project p0212 A74-23596
MADER, H.-J.
 Weight control and how we look at it [SAWE PAPER 1004] p0435 A74-39878
MAGEE, J. F.
 V/STOL tilt rotor aircraft study: Wind tunnel tests of a full scale hingeless prop/rotor designed for the Boeing Model 222 tilt rotor aircraft [NASA-CR-114664] p0188 N74-15711
MAGGIN, B.
 Air transportation noise technology overview [AIAA PAPER 73-1152] p0003 A74-10506
MAGLIERI, D. J.
 A review of air transport noise

- MAGLIOZZI, B.
Noise and wake structure measurements in a
subsonic tip speed fan
[NASA-CR-2323] p0036 N74-10020
- MAGNO, P.
Air and space hi-jacking p0031 A74-12878
- MAGNUS, R.
Transonic lift augmentation of two-dimensional
supercritical aerofoils by means of aft camber,
slot blowing and jet flaps, in high Reynolds
number flow p0448 A74-41313
Transonic drag due to lift of planar jet-flapped
airfoils p0156 N74-14720
- MAHAR, M. R.
Engineering evaluation of age life extension, T-10
harnesses, risers and T-10 troop chest reserve
parachute canopies. Supplement 1: 1964 - 1965
year classes p0144 N74-13743
[AD-767711]
- MAIBORODA, L. A.
The atmosphere and flight vehicle motion control p0212 A74-23693
- MAIERSPERGER, W. P.
Zeppelins - Not again p0176 A74-20167
- MAIKAPAR, G. I.
Application of fusible temperature indicators for
measuring heat flows to models in wind tunnels p0383 A74-36458
- MAINE, E. R., JR.
Dynamic measurement of avionic antennas p0469 N74-31702
- MAINES, J. D.
Applications of surface wave devices p0170 A74-19388
- MAIOBOV, A. V.
Manual of the aviation engineer p0403 A74-37999
- MAITI, M.
Integral equation solutions for simply supported
polygonal plates p0483 A74-46071
- MAKASHOV, E. M.
Calculation and analysis of aircraft motion
[NASA-TT-F-757] p0159 N74-14751
- MAKI, R. L.
Low-speed wind tunnel investigation of the
lateral-directional characteristics of a
large-scale variable wing-sweep fighter model in
the high-lift configuration p0103 N74-12714
[NASA-TM-X-62306]
- MAKSUTOVA, M. K.
Aviation gas turbine engines (selected portions)
[AD-756810] p0052 N74-10751
- MAK'NEV, V. I.
Influence of the method of hole machining on the
fatigue strength of aircraft structural materials p0270 A74-27343
- MALATINO, R.
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage p0394 A74-37488
Correlation of finite-element structural dynamic
analysis with measured free vibration
characteristics for a full-scale helicopter
fuselage p0496 N74-34496
- MALAVARD, L.
Optimization of lift and propulsion systems by the
method of singularities p0480 A74-45203
- MALIKOWSKI, P.
Control-by-wire actuator model development for APCAS
[AD-772588] p0253 N74-18715
- MALKIEWICZ, A. F.
An investigation of cost factors relating to class
4 aircraft modifications p0191 N74-15730
[AD-769195]
- MALLON, A.
Airborne testing of advanced multisensor aircraft p0460 A74-43612
- MALOBICKY, R. L.
Development of design, test, and acceptance
criteria for Army helicopter transparent
enclosures p0284 N74-19675
[AD-772936]
- MALTHAN, L. V.
A perspective on short-haul STOL
[SAE PAPER 740503] p0349 A74-34975
- MALVER, F. S.
An investigation of airborne displays and controls
for Search And Rescue (SAR). Volume 9: Project
Sea Scanner avionics and sensor system
[AD-770548] p0199 N74-16754
- MALYSHEV, V. V.
Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- MAHADDA, R.
Minimum induced drag of a hemi-circular ground
effect wing p0090 A74-15966
Minimum induced drag of semi-elliptic ground
effect wing p0335 A74-32297
- MAHADEV, V. S.
Investigation of machining errors caused by
geometrical inaccuracies of the bench in rotary
milling of turbine blade profiles p0091 A74-16306
- MAHADA, R.
The minimum induced drag of the hemi-elliptic
ground effect wing p0231 N74-17700
- MANGANO, G. J.
Rotor burst protection program: Statistics on
aircraft gas turbine engine rotor failures that
occurred in US commercial aviation during 1972
[NASA-CR-136900] p0304 N74-21396
- MANI, R.
The jet density exponent issue for the noise of
heated subsonic jets p0422 A74-38393
Aircraft/engine jet noise control - A survey
[AIAA PAPER 74-947] p0426 A74-38718
- MANN, J. Y.
Effects of corrosions on the fatigue life of an
ultra-high strength steel p0478 A74-44538
- MANN, H. J.
Subsonic annular wing theory with application to
flow about nacelles p0470 N74-32414
[NASA-TM-D-7630]
- MANN, W. A.
The impact of conversion to the metric measurement
system on aircraft maintenance at base level
[AD-769186] p0191 N74-15733
- MANNING, S. D.
Plan for developing structural criteria for
composite airframes p0181 A74-20945
Study of structural criteria for composite
airframes. Volume 3: Bibliography p0105 N74-12726
[AD-767569]
Study of structural criteria for composite
airframes, Volume 1: Evaluation p0147 N74-14238
[AD-767706]
Study of structural criteria for composite
airframes. Volume 2: Current/criteria/selected
rationale review and evaluation p0147 N74-14239
[AD-767707]
- MARCHAL, R.
Subsonic blocking in double-flow nozzles p0311 A74-29310
- MARCHAND, M.
Evaluation of lateral displacement of SLS antennas p0382 A74-36427
- MARCHINSKI, L. J.
Design to cost at work for helicopter systems
[AHS PREPRINT 810] p0388 A74-36619
Aircraft structures designed to cost
[AIAA PAPER 74-962] p0427 A74-38727
- MARCHIONNA, E. R.
The effect of water injection on nitric oxide
emissions of a gas turbine combustor burning
ASTM Jet-A fuel p0153 N74-14650
[NASA-TM-X-2958]
Effect of water injection on nitric oxide
emissions of a gas turbine combustor burning
natural gas fuel p0154 N74-14651
[NASA-TM-X-2959]
Effect of increased fuel temperature on emissions
of oxides of nitrogen from a gas turbine

- combustor burning ASTM jet-A fuel
[NASA-TN-X-2931] p0166 N74-15659
- MARCHMAN, J. P., III
Vortex age as a wake turbulence scaling parameter
[AIAA PAPER 74-36] p0132 A74-18745
Heat transfer effects on a delta wing in subsonic flow
p0381 A74-36240
- MARCHUKOV, B. A.
Servomechanisms of aircraft instruments - Dynamics of servomechanisms in the presence of dry friction and retardation
p0421 A74-38043
- MARCOUX, C.
Influence of the degree of fail-safe achieved, using the internal pressure indicator (BIM), on the flight safety during a specified service life of main rotor blades of SA 321 and SA 330 helicopters
p0367 N74-26469
- MARCY, R. D.
Gas generator design for a wide variety of APU applications
[AIAA PAPER 73-1169] p0031 A74-12916
- MARDAN-BEY, O. H.
An optimal control approach to airplane stability augmentation systems design
p0195 N74-16712
- MARESCA, C.
Instantaneous velocity measurements in the near wake of a helicopter rotor
p0425 A74-38633
- MARGASON, R. J.
Pressure distribution on a vectored-thrust V/STOL fighter in the transition-speed range
[NASA-TN-X-2867] p0246 N74-18658
- MARGOLIS, M. H.
World-wide Navy program controls aircraft contamination
p0069 A74-13017
- MAREPKA, R. J.
Roll-plane analysis of on-aircraft antennas
p0169 A74-19228
Roll plane analysis of on-aircraft antennas
[NASA-CR-136815] p0200 N74-16953
A study of KC-135 aircraft antenna patterns
[NASA-CR-138585] p0369 N74-26663
Numerical solutions to some on-aircraft antenna pattern problems
[AD-777977] p0409 N74-27639
A technique to combine the geometrical theory of diffraction and the moment method
[AD-777976] p0409 N74-27640
Flush-mounted antennas radiating on aircraft type surfaces
[NASA-CR-2403] p0417 N74-28707
- MARIEN, H. R.
C-130 landing on XM-18B landing mat, Oak Grove Auxiliary Air Field, North Carolina
[AD-775365] p0328 N74-21910
- MARINELLI, J. L.
Designing for noise and emission control in general aviation
[AIAA PAPER 73-1158] p0003 A74-10509
- MARIS, R. F.
State versus federal regulation of commercial aeronautics
p0307 A74-28572
- MARSHAN, T.
Prediction of supersonic aircraft aerodynamic characteristics
p0365 N74-26450
- MARONOWITZ, O.
Equipment procured reliability and real-life survival
p0181 A74-20954
- MARSON, R.
Practical aspects of electrostatic stabilization
p0261 A74-26411
- MAROSCHER, G.
Control-by-wire actuator model development for AFCAS
[AD-772588] p0253 N74-18715
- MARQUART, D. E.
Further studies on speech intelligibility with frequency-modulation communication systems under fading conditions
[REPT-5-73] p0200 N74-16903
- MARR, R. L.
Assessment of model testing of a tilt-propotor
- VTOL aircraft
p0205 A74-22460
- Handling qualities evaluation of the XV-15 tilt rotor aircraft
[AHS PREPRINT 840] p0385 A74-36591
- MARRS, C. C.
Static performance and noise tests on a thrust reverser for an augmentor wing aircraft
[NASA-CR-137561] p0472 N74-32438
Static noise tests on augmentor wing jet STOL research aircraft (C8A Buffalo)
[NASA-CR-137520] p0489 N74-33455
Test of acoustic tone source and propulsion performance of C8A Buffalo suppressor nozzle
[NASA-CR-137521] p0489 N74-33456
- MARSDEN, D. J.
Gemini - A variable geometry sailplane
[AIAA PAPER 74-1035] p0455 A74-42049
- MARSHALL, D. E.
Comparison of electrical generating systems based on IDG and VSCF techniques in two types of aircraft
p0473 N74-32482
- MARSHALL, D. L.
UTTAS flight test - Real-time data analysis
[AHS PREPRINT 864] p0386 A74-36604
- MARSHALL, J. R.
Vortex age as a wake turbulence scaling parameter
[AIAA PAPER 74-36] p0132 A74-18745
- MARSHALL, R. L.
Impact of emission regulations on gas turbine combustor design
[AIAA PAPER 73-1155] p0003 A74-10508
- MARSHALLSAY, P. G.
The improvement in Mach number distribution and reduction of pressure fluctuations in the transonic working section of wind tunnel S.1
[WRE-TN-925] p0045 N74-10303
- MARTINSEN, R. F.
Another look at landing and stopping criteria
[AIAA PAPER 74-956] p0427 A74-38722
- MARTIN, C.
Simplified assembly of F-15 stressed
p0003 A74-10546
F-15 test progress. I - F-15 offers superior maneuverability
p0224 A74-24668
F-15 performance. II - Simplicity is stressed in F-15 operations, maintenance
p0259 A74-25675
F-15 performance. III - New fighter to have ground attack role
p0261 A74-26399
- MARTIN, D. J., JR.
Motion software for a synergistic six-degree-of-freedom motion base
[NASA-TN-D-7350] p0060 N74-11096
- MARTIN, F. R.
Design and evaluation of aircraft pavements - 1971
p0022 A74-11874
- MARTIN, H.
The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers
[ECAC-PR-72-045] p0098 N74-11973
- MARTIN, J.
A suggestion for improving flap effectiveness by heat addition
[ARC-CP-1252] p0246 N74-18662
- MARTIN, R.
Aircraft noise in urban areas. Measurement and evaluation
[DGLR-PAPER-74-013] p0368 N74-26481
- MARTIN, W. E.
Fiber and integrated optic communication technology
[AD-771402] p0240 N74-17902
- MARTINEZ CABRERA, J. A.
Noise, an urgent problem with a slow solution
p0005 A74-11001
- MARTON, Z.
A new pneumatic hybrid control system
p0174 A74-19884
- MASEFIELD, P.
Fuel state - Expensive
p0377 A74-35496
- MASON, D. R.
The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft

- [ASME PAPER 74-GT-52] p0272 A74-27445
BASON, J. P.
 Application of unsteady lifting surface theory to
 propellers in forward flight
 [AIAA PAPER 74-419] p0276 A74-28169
- BASSON, A.**
 Propeller tests in the large sonic wind tunnel of
 Mondane-Avrieux
 [NASA-TT-P-15704] p0413 N74-28501
- BASTIN, C. W.**
 Automatic numerical generation of body-fitted
 curvilinear coordinate system for field
 containing any number of arbitrary
 two-dimensional bodies p0432 A74-39286
- BATESCU, D.**
 Calculation method for the supersonic spanwise
 twisted rectangular wings p0088 A74-15820
- BATZLAN, H. B.**
 A compiler-compiler system for avionic test
 languages p0074 A74-13804
- BATHENA, B.**
 Control-by-wire actuator model development for AFCAS
 [AD-772588] p0253 N74-18715
- BATHENY, W. W.**
 Flight investigation of approach and flare from
 simulated breakout altitude of a subsonic jet
 transport and comparison with analytical models
 [NASA-TN-D-7645] p0284 N74-19672
- BATHS, D. C.**
 Progress in core engine and turbine noise technology
 [AIAA PAPER 74-948] p0426 A74-38719
- BATHS, M. A., JR.**
 SAAB digital flight control
 [AIAA PAPER 74-26] p0179 A74-20754
- BATLEY, B.**
 Acoustic-emission detection system p0478 A74-44928
- BATHAND, C.**
 Drag of lifting bodies for pilots at high altitude
 p0157 N74-14731
- BATSCHAT, K.**
 Comments concerning noise indices/results of the
 study of aircraft noise in Munich conducted by
 the German Research Community are taken into
 account/
 [DGLR PAPER 74-014] p0271 A74-27367
- BATSUKI, H.**
 Recent status on development of the turbofan
 engine in Japan
 [ASME PAPER 74-GT-39] p0272 A74-27432
- BATTEL, A.**
 Numerical computations of wake vortices behind
 lifting surfaces
 [ICAS PAPER 74-28] p0449 A74-41330
- BATHS, R. E.**
 A study of high temperature fuels and lubricants
 on supersonic aircraft/engine system performance
 [SAE PAPER 740473] p0433 A74-39648
- BATHS, P. R., JR.**
 Lightweight, variable solidity knitted parachute
 fabric
 [NASA-CASE-LAR-10776-1] p0038 N74-10034
- BATHS, W. T.**
 Typical plane strain fracture toughness of
 aircraft materials p0332 N74-23443
- BATHYS, C. G.**
 An analysis of fixed wing-proprotor interference
 for folding propotor aircraft
 [AD-778823] p0441 N74-29371
- BATTIA, A.**
 STOL tactical aircraft investigation. Volume 1:
 Configuration definition
 [AD-766941] p0057 N74-10927
- BATTINGLY, E.**
 Falconry as a means of reducing bird-aircraft
 strike hazards at Whiteman Air Force Base,
 Missouri
 [AD-774568] p0299 N74-20682
- BATZ, R. J.**
 Turbine engine exhaust nozzle performance
 [AIAA PAPER 73-1302] p0032 A74-12947
- BAUND, D. J.**
 STOL tactical aircraft investigation. Volume 5,
 part 1: Flight control technology: System
 analysis and trade studies for a medium STOL
 transport with vectored thrust/mechanical flaps
 [AD-76642] p0098 N74-11847
- BAURER, O. F.**
 Oil canning of metallic panels in thermal-acoustic
 environments
 [AIAA PAPER 74-982] p0428 A74-38740
- BAURER, R. S.**
 Skyjacking and airport security p0127 A74-18100
- BAUS, J. R.**
 Noise characteristics of jet flap type exhaust flows
 [NASA-CR-2342] p0236 N74-17756
- BAVRILIS, F.**
 Comparison of surface-vorticity method with
 surface-source method and with an exact solution
 for two-dimensional potential flow around two
 adjacent lifting airfoils p0086 A74-15047
- BAIRY, A. R.**
 Compact video tape recorders of exceptional
 performance and reliability p0217 A74-22534
- BAIWELL, R. D. J.**
 Influence of heat on crack propagation and
 residual strength and its relation to the
 supersonic aircraft fatigue problem p0229 A74-24423
- BAIRY, A. R.**
 The role of the major fatigue test in the
 acceptance, certification and safe utilisation
 of strike aircraft p0283 N74-19658
- BAIRY, A. R.**
 Fail-safe philosophy: An introduction to the
 symposium p0366 N74-26460
- BAIRY, F. W.**
 STOL tactical aircraft investigation. Volume 2,
 part 1: Aerodynamic technology (design
 compendium, vectored thrust/mechanical flaps)
 [AD-766639] p0057 N74-10926
- BAIRY, G. D.**
 The chemistry of fuel deposits and their precursors
 [AD-773630] p0289 N74-20399
- BAIRY, J. E.**
 FAA JT3D quiet nacelle retrofit feasibility
 program. Volume I-1: Lower goal design,
 fabrication and ground testing
 [AD-775453] p0471 N74-32430
- BAIRY, R. J.**
 Investigation of advanced structural concepts for
 fuselage [AD-773597] p0285 N74-19684
- BAIRY, D. J.**
 The impact of area navigation on flight control
 systems and displays p0122 A74-17277
- BAIRY, S. C.**
 A real-time digital program for estimating
 aircraft stability and control parameters from
 flight test data by using the maximum likelihood
 method
 [NASA-TN-X-2788] p0146 N74-13882
- BAIRY, A. W., JR.**
 Calculation of the boundary-layer flow in the
 windward symmetry plane of a spherically blunted
 axisymmetric body at angle of attack, including
 stream line-swallowing effects
 [AD-768340] p0147 N74-13992
- BAIRY, F. R.**
 The chemistry of fuel deposits and their precursors
 [AD-773630] p0289 N74-20399
- BAIRY, M. G.**
 Q-PAHSTM for general aviation aircraft
 [NASA-CR-114665] p0142 N74-13726
- BAIRY, V. G.**
 Asymptotic behavior of the solution of the
 Navier-Stokes equations near fins p0088 A74-15779
- BAIRY, V. V.**
 Measurement of pressure on an oscillating aileron
 in transonic flow
 [AD-769982] p0197 N74-16739
- BAIRY, E. E.**
 Aviation fuel spill containment using absorbent
 materials [AD-776762] p0361 N74-26242
- MCALLISTER, R. S.**
 Annotated bibliography of reports
 [AD-766458] p0102 N74-12701

- MCANALLY, R. W.
Air Superiority Fighter wing design for cost and weight reduction
[AIAA PAPER 74-338] p0263 A74-26653
- MCAULAY, R. J.
An optimum interference detector for DABS monopulse data editing
[ESD-TR-73-253] p0048 A74-10621
- MCAULIA, E. J.
The effects of interference on monopulse performance
[AD-769336] p0192 A74-15876
- MCBARROW, J. P.
High transonic speed transport aircraft study
[NASA-CR-114658] p0235 A74-17750
Study of the single body yaved-wing aircraft concept
[NASA-CR-137483] p0405 A74-27485
V/STOL lift fan commercial short haul transports: Continuing conceptual design study
[NASA-CR-2437] p0467 A74-31495
- MCBRAYER, P. R.
The F-15 air superiority fighter electromagnetic compatibility program
p0460 A74-43913
- MCCARTY, J. E.
Application of advanced structures and materials to transport aircraft fuselages
[AIAA PAPER 74-340] p0263 A74-26655
Analytical and experimental investigation of aircraft metal structures reinforced with filamentary composites. Phase 3: Major component development
[NASA-CR-2122] p0153 A74-14625
Advanced metallic structure: Cargo fuselage design for improved cost, weight, and integrity
[AD-781814] p0473 A74-32456
- MCCARTY, J. L.
Recent studies of tire braking performance
p0125 A74-17898
- MCCARTY, R. S.
Hydraulic-to-pneumatic power supply for aircraft fluidic systems
[AD-778764] p0417 A74-28550
- MCCLOUD, J. L., III
Studies of a large-scale jet-flap rotor in the 40-by 80-foot wind tunnel
p0206 A74-22464
Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration
p0396 A74-37504
Multicyclic jet-flap control for alleviation of helicopter blade stresses and fuselage vibration
p0497 A74-34512
- MCCLORE, R. B.
The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component
[AIAA PAPER 74-530] p0339 A74-33127
A unique supersonic inlet unsteady aerodynamic cascade experiment
[AIAA PAPER 74-622] p0376 A74-35389
Test of a supersonic compressor cascade, volume 1
[AD-756870] p0052 A74-10749
Test of a supersonic compressor cascade, volume 2
[AD-756871] p0052 A74-10750
- MCCONNELL, C. W.
Application of the lateral and longitudinal (coupled) equations of motion to an inertially-slender aircraft in unsymmetric, rectilinear flight
[AD-774435] p0295 A74-20645
- MCCONNELL, J. C.
Atmospheric ozone - Possible impact on stratospheric aviation
p0175 A74-20039
Possible effects of a fleet of supersonic transports on the stratospheric ozone shield
p0176 A74-20125
- MCCORMICK, B. W.
The dynamic behavior of an aircraft encountering aircraft wake turbulence
[AIAA PAPER 74-774] p0399 A74-37799
- MCCRARY, L. E.
Thick ion-vapor-deposited aluminum coatings for irregularly shaped aircraft and spacecraft parts
p0260 A74-25813
- MCCROSKEY, W. J.
Unsteady viscous flow on oscillating airfoils
[AIAA PAPER 74-182] p0179 A74-20774
- MCDANIEL, O.
Nonlinear acoustic phenomena in the presence of absorptive liners in circular ducts
p0315 A74-30090
- MCDONALD, R. H.
F-15 Eagle flight control system
p0347 A74-34854
- MCELREATH, K. W.
V/STOL aircraft control/display concept for maximum operational effectiveness
p0464 A74-31455
- MCELROY, C. R.
Background information and user guide for MIL-S-83691
[AD-780523] p0490 A74-33459
- MCELROY, M. B.
Atmospheric ozone - Possible impact on stratospheric aviation
p0175 A74-20039
- MCGARTY, T. P.
The effect of interfering signals on the performance of angle of arrival estimates
p0174 A74-19908
An optimum interference detector for DABS monopulse data editing
[ESD-TR-73-253] p0048 A74-10621
- MCGEE, L. A.
En route position and time control of aircraft using Kalman filtering of radio aid data
[NASA-TN-D-7509] p0100 A74-12360
- MCGHEE, R. J.
Low speed aerodynamic characteristics of a 17 percent thick airfoil section designed for general aviation applications
[NASA-TN-D-7428] p0094 A74-11821
Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow
[NASA-TN-X-3060] p0487 A74-33430
- MCHENRY, H. L.
Evaluation of damage tolerance in aircraft structures
[AIAA PAPER 74-347] p0263 A74-26661
Brazed titanium fail-safe structures
p0480 A74-45261
- MCHUGH, P. J.
V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A 1-14.622 Proude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1)
[NASA-CR-114603] p0142 A74-13727
- MCILWHEE, E. B.
Effects of helicopter external loads on sling properties
[AD-774267] p0300 A74-20690
- MCINTIRE, W. L.
Cost of ownership for propulsion system of powered lift aircraft
p0292 A74-20427
- MCKAIG, M. B.
The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary
[AD-768850] p0471 A74-32429
- MCKENZIE, K. T.
The prediction of loading actions on high speed semi-rigid helicopters
p0055 A74-10914
- MCKINLAY, W. H.
The evolution of electronic displays for civil and military aircraft
p0184 A74-21729
- MCKINNEY, L. W.
Canard-wing lift interference related to maneuvering aircraft at subsonic speeds
[NASA-TN-X-2897] p0094 A74-11819
- MCLAIN, R. D.
Heavy-lift helicopter engine control system
[AHS PREPRINT 870] p0386 A74-36605
- MCLANE, R. C.
Energy management display
p0346 A74-34844
- MCLAUGHLIN, M. D.
A flight investigation with a STOL airplane flying curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 A74-33452
- MCLMORE, H. C.
Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport
[NASA-TN-X-71960] p0365 A74-26457

- MCNAHON, H. E.**
Studies in low speed flight
[AD-768858] p0190 N74-15728
Potential flow studies of lift-fan inflow
interference phenomena
[AD-773194] p0255 N74-18949
- MCNAHON, H. P.**
Static noise measurement of full scale jet engines
p0434 A74-39740
- MCNAMUS, R. M. P.**
Experience with a low altitude turbulence model
for autoland certification
p0234 N74-17738
- MCMASTERS, J. H.**
An analytic survey of low-speed flying devices -
Natural and man-made
[AIAA PAPER 74-1019] p0454 A74-42040
Some opportunities for progress in ultra-light
aeronautics
[AIAA PAPER 74-1034] p0455 A74-42048
- MCNULTY, T. C.**
Flight evaluation of advanced control systems and
displays on a general aviation airplane
[NASA-TN-D-7703] p0407 N74-27499
- MCNULTY, W. M.**
Airfield erosion control for C-5A aircraft
operations
[AD-774484] p0301 N74-20904
- MCNAHARA, J. E.**
The fuel crisis and the controller
p0173 A74-19726
- MCNARY, C. A.**
Acoustic backscatter radar system for tracking
aircraft trailing vortices
p0477 A74-44420
- MCRUER, D.**
Aircraft dynamics and automatic control
p0320 A74-31219
- MCRUER, D. T.**
Analytical design and simulation evaluation of an
approach flight director system for a jet STOL
aircraft
[NASA-CR-114697] p0330 N74-22676
- MCWILLIAMS, S.**
A truly airworthy video disc recorder/reproducer
results in unique capabilities
p0218 A74-22553
- MEAD, P. H.**
Reliability in avionics
p0077 A74-14142
- MEADOR, B. H.**
Advance airborne system for maintenance monitoring
[SAE PAPER 730955] p0269 A74-27255
- MEDEAR, R. T.**
Geometry program for aerodynamic lifting surface
theory
[NASA-TN-X-62309] p0093 N74-11810
Plotting program for aerodynamic lifting surface
theory
[NASA-TN-X-62321] p0158 N74-14739
Normal loads program for aerodynamic lifting
surface theory
[NASA-TN-X-62326] p0231 N74-17702
Improvements to the kernel function method of
steady, subsonic lifting surface theory
[NASA-TN-X-62327] p0487 N74-33429
- MEDEIROS, A. A.**
Reduction of JT8D powered aircraft noise by engine
refanning
[SAE PAPER 740490] p0352 A74-35009
Reduction of JT8D powered aircraft noise by engine
refanning
[NASA-TN-X-71536] p0331 N74-23342
- MEDEWID, D. W.**
Test characteristics of a welded rotor in a
36,000-rpm Lundell alternator
[NASA-TN-X-2944] p0064 N74-11304
- MEECHAM, W. C.**
Use of cross-correlation measurements to
investigate noise generating regions of a real
jet engine and a model jet
p0329 N74-22650
- MEESTER-BROEFTJES, H. A.**
Air pollution from airports
[TR-595-73] p0111 N74-13318
- MEHALIC, C. E.**
The effect of inlet temperature and pressure
distortion on turbojet performance
[AIAA PAPER 73-1316] p0012 A74-11311
- MEHRA, R. K.**
Maximum likelihood identification of aircraft
stability and control derivatives
p0209 A74-23327
Case studies in Aircraft Parameter Identification
p0225 A74-24840
- MEIER, R. C.**
Improved cost effectiveness of helicopters through
a two-point design criterion
[AHS PREPRINT 811] p0388 A74-36620
- MEISENBURG, E.**
Supersonic fuels from medium oils produced by the
thermal cracking of crude oil residues
[DPVLR-SONDDER-301] p0136 A74-18925
- MEISSNER, C. W., JR.**
A roll-pitch interaction simulator and a control
position command encoder for remote piloting of
spin-entry research models
[NASA-TN-D-7361] p0059 N74-11059
- MEITNER, P. L.**
Water table tests of proposed heat transfer
tunnels for small turbine vanes
[NASA-TN-X-3073] p0353 N74-25536
- MELCOR, M. A.**
The Lockheed L-1011 Tristar fatigue and fail-safe
development program
p0366 N74-26462
- MELEDY, T. A.**
'SWEEP' - An interdisciplinary approach to a
structure weight estimating program
[SAE PAPER 1016] p0435 A74-39886
- MELLBERG, K.**
Use of synthetic radar information - Operational
and technical aspects
p0028 A74-12403
- MELLOR, A. H.**
Simplified physical model of spray combustion in a
gas turbine engine
p0015 A74-11451
Atmospheric pollution by aircraft engines
[AD-769655] p0201 N74-17376
- MELNIKOV, B. N.**
Reduction of aircraft noise in the vicinity of
airports
[NASA-TT-F-15237] p0189 N74-15718
- MELTS, I. O.**
A gradient method of control correction for the
solution of a boundary value problem
p0383 A74-36505
- MELZER, E.**
Wind tunnel testing with engine simulation for
V/STOL airplanes
p0290 N74-20409
- MELZER, W.**
Some results of an experimental study of the
Aerodyne concept by Dornier System GmbH
[DGLR PAPER 73-069] p0120 A74-17178
Continuing the Aerodyne experimental study
p0318 A74-30597
- MELZIG, H. D.**
Escape measures for combat helicopter crews
p0301 N74-20770
- MEN'SHIKH, N. L.**
Integral methods for the investigation of
temperature fields in complex-configuration
structure components of aircraft and their engines
p0260 A74-25995
- MENDELL, R. B.**
Measured and calculated neutron spectra and dose
equivalent rates at high altitudes; relevance to
SST operations and space research
[NASA-TN-D-7715] p0500 N74-35219
- MENDEHALL, M. R.**
Calculation of the longitudinal aerodynamic
characteristics of STOL aircraft with
externally-blown jet-augmented flaps
[NASA-CR-2358] p0196 N74-16719
- MENNIE, D.**
Military and aerospace
p0126 A74-18050
- MERCER, C. E.**
Exhaust-nozzle characteristics for a twin-jet
variable-wing-sweep fighter airplane model at
Mach numbers to 2.2
[NASA-TN-X-2947] p0416 N74-28524
- MEREN, L. F.**
Advanced enroute air traffic control radar system
/ARSR-3/
p0025 A74-12198

- MERKULOV, B. L.**
 Calculation of the loads and strains on a swept wing with mechanical analog devices
 p0390 A74-36804
- MERONEY, R. H.**
 Wind tunnel and field investigations of shapes for balloon shelters
 [NCAR-TN/EDD-82]
 p0036 N74-10016
- MERONEY, W. A.**
 Integrated maintenance and readiness data processing for the CASEE simulation model
 [AD-771416]
 p0238 N74-17766
- MERRILL, G. L.**
 Study of small turbofan engines applicable to general-aviation aircraft
 [NASA-CR-114630]
 p0049 N74-10725
- MERRILL, S. W.**
 Fluid power for aircraft: Modern hydraulic technology /2nd edition/
 p0214 A74-23376
- MERRIMAN, J. E.**
 Effects of forward velocity and acoustic treatment on inlet fan noise
 [NASA-TN-X-71591]
 p0445 N74-30249
- MERRITT, L. R.**
 Impact of runway traction on possible approaches to certification and operation of jet transport aircraft
 [SAE PAPER 740497]
 p0350 A74-34987
- MERTAGH, L. J.**
 Two-dimensional wind tunnel test on a variable-camber airfoil with distributed suction boundary-layer control
 [AD-766304]
 p0038 N74-10033
- Investigation of the suction system and boundary-layer characteristics on a high-lift, BLC L-19 test aircraft
 [AD-766305]
 p0042 N74-10063
- An investigation of the trailing vorticity behind a STOL aircraft
 [AD-774571]
 p0299 N74-20677
- MERY, P.**
 Interest and feasibility study of atmospheric turbulence and thermal gradients simulation
 p0064 N74-11380
- MERE, A. W.**
 Realization of a horizontal collision avoidance system
 p0175 A74-20099
- METHA, K. C.**
 Study of the effect of dilution on the lubricity of hydrotreated jet engine fuels
 p0336 A74-32600
- METZGER, F. B.**
 Noise and wake structure measurements in a subsonic tip speed fan
 [NASA-CR-2323]
 p0036 N74-10020
- METZGER, R. F.**
 Improved cost effectiveness of helicopters through a two-point design criterion
 [AHS PREPRINT 811]
 p0388 A74-36620
- MEYER, A. G.**
 Spring overriding aircraft clutch
 [AD-766309]
 p0044 N74-10073
- MEYER, F. H., JR.**
 Recent Air Force electronic systems corrosion problems
 [NACE PAPER 24]
 p0375 A74-35279
- MEYER, P. R.**
 Engineering feasibility study of ultrasonic applications for aircraft manufacture
 [AD-774305]
 p0303 N74-21084
- MEYER, G. E.**
 Bird control at the airport
 p0080 A74-14523
- MEYERS, W. G.**
 Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers
 [AD-766450]
 p0043 N74-10072
- MIAGKOV, V. I.**
 Realization of the power amplification effect in a ramjet unit by applying the principle of boundary layer separation
 p0175 A74-20069
- MIAO, W. L.**
 Rotor aeroelastic stability coupled with helicopter body motion
 p0496 N74-34503
- MIAO, W.-L.**
 Rotor aeroelastic stability coupled with helicopter body motion
 p0394 A74-37495
- MICALE, R. C.**
 Dynamics of slung bodies utilizing a rotating wheel for stability
 p0127 A74-18141
- MICHAEL, G. J.**
 Development of optimal control modes for advanced technology propulsion systems
 [AD-767425]
 p0112 N74-13514
- MICHAEL, A.**
 Introduction to aerodynamic noise theory
 p0025 A74-12207
- MICHEL, A.**
 Problems associated with the implementation of an air-ground data link
 p0226 A74-25360
- MIDDLEBROOKS, J. E.**
 V/STOL lift fan commercial short haul transports: Continuing conceptual design study
 [NASA-CR-2437]
 p0467 N74-31495
- MIDDLETON, D. B.**
 A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft
 [NASA-TN-D-7497]
 p0284 N74-19671
- MIDGLEY, P. J.**
 Recent experience from BAC aircraft for NATO
 p0465 N74-31469
- MIGDAL, D.**
 Effect of exhaust deflectors on the design of lift plus lift/cruise V/STOL aircraft
 [SAE PAPER 730959]
 p0015 A74-11554
- MIHAIL, A.**
 Reliability and maintainability of jet engines
 p0316 A74-30347
- Reliability and maintainability of aircraft jet engines. I
 p0431 A74-38908
- MIKHAILENKO, V. M.**
 Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells
 p0088 A74-15784
- MIKHAILOV, V. V.**
 Flow past a triangular wing with blunted edges in the case of strong compression in the shock layer
 p0384 A74-36560
- MIKO, R. J.**
 Experimental reel response system for high performance simplified aerial refueling store
 [AD-771389]
 p0240 N74-17799
- MIKUS, T.**
 Parameters controlling nitric oxide emissions from gas turbine combustors
 p0149 N74-14291
- MILENKOVIC, V.**
 In-flight symmetrical maneuvers of a flight vehicle
 p0484 A74-46697
- MILEY, S. J.**
 The use of gliders for airfoil section research and development
 [AIAA PAPER 74-1008]
 p0454 A74-42034
- On the design of airfoils for low Reynolds numbers
 [AIAA PAPER 74-1017]
 p0454 A74-42038
- MILLER, A. H.**
 A digital Mark XII IFF reply evaluator for the F-15
 p0425 A74-38565
- MILLER, B. A.**
 Effect of subsonic inlet lip geometry on predicted surface and flow Mach number distributions
 [NASA-TN-D-7446]
 p0093 N74-11812
- MILLER, C. O.**
 Use of ARTS-III in aircraft accident investigation
 p0208 A74-22637
- Use of ARTS III in aircraft accident investigation
 p0482 A74-45544
- MILLER, C. W.**
 V/STOL lift fan commercial short haul transports: Continuing conceptual design study
 [NASA-CR-2437]
 p0467 N74-31495
- MILLER, D. R.**
 The remote airport - A study of access feasibility
 p0216 A74-23353
- MILLER, E. K.**
 EMP-induced skin currents on aircraft
 [UCRL-75426]
 p0492 N74-33750

PERSONAL AUTHOR INDEX

MIYAHOTO, Y.

- MILLER, G.
Similarity parameters and their sensitivity for
transonic airframe exhaust nozzle interactions
[AD-768988] p0159 A74-14746
- MILLER, G. E., JR.
Fixed-base simulation study of decoupled controls
during approach and landing of a STOL transport
airplane
[NASA-TN-D-7363] p0187 A74-15703
- MILLER, L. W.
Branch-and-bound and heuristic approaches to a
sequencing problem with team-size requirements
[P-5152] p0288 A74-20176
- MILLER, M. P.
Structural fabrication of metal-matrix composites
p0379 A74-35824
- MILLER, M. J.
The measurement of the DC-7 trailing vortex system
using the tower fly-by technique
[FAA-RD-73-141] p0104 A74-12718
- MILLER, R. E., JR.
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1A:
Summary
[NASA-CR-132390] p0415 A74-28514
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1B:
Concise review
[NASA-CR-132391] p0415 A74-28515
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 6:
IPAD system development and operation
[NASA-CR-132396] p0415 A74-28520
- MILLET, H.
Pyrotechnic pulse generators for in-flight
structural tests
p0382 A74-36353
Pyrotechnic bonkers for structural tests in flight
[ONERA, TP NO. 1389 E] p0478 A74-44953
- MILLIKEN, R. J.
A methodology for boost-glide transport technology
planning
[NASA-CR-2346] p0249 A74-18681
- MILLS, H. A.
Aircraft fatigue and structural integrity in the
Royal Air Force from a maintenance engineering
viewpoint
p0367 A74-26474
- MILWS, P.
STOL tactical aircraft investigation. Volume 1:
Configuration definition (medium STOL transport
with vectored thrust/mechanical flaps)
[AD-766637] p0056 A74-10925
STOL tactical aircraft investigation. Volume 6:
Air cushion landing system study
[AD-766644] p0058 A74-10940
- MINECK, R. E.
Pressure distribution on a vectored-thrust V/STOL
fighter in the transition-speed range
[NASA-TN-X-2867] p0246 A74-18658
Effect of ground proximity on the longitudinal
aerodynamic characteristics of an aspect-ratio-1
wing with and without wing-tip blowing
[NASA-TN-X-3048] p0412 A74-28475
- MINHAS, P. U.
Boundary value problems of two-dimensional
isentropic gas flow
p0014 A74-11430
- MINKLER, W. P.
V/STOL lift fan commercial short haul transports:
Continuing conceptual design study
[NASA-CR-2437] p0467 A74-31495
- MINKNER, K. V.
Fuel for supersonic passenger aircraft
[AD-778801] p0419 A74-29207
- MINOR, J. C.
Ship-helicopter system analysis
[AD-774764] p0305 A74-21629
- MIODUSHEVSKII, P. V.
Reproduction of interactions between aerodynamic
loads and deformation in the strength analysis
of structures
p0390 A74-36649
- MIRICK, P. H.
Effect of blade design parameters on helicopter
stall boundaries
[AHS PREPRINT 833] p0384 A74-36588
Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0393 A74-37483
- Control load envelope shaping by live twist
p0394 A74-37493
- Dynamic stall modeling and correlation with
experimental data on airfoils and rotors
p0495 A74-34491
- MIROSHIN, R. W.
A two-component statistical model for processing
data from a rarefied-gas experiment
p0204 A74-23572
- MISLER, R. B.
Deck heating effects due to VTOL jet exhaust
impingement
[AIAA PAPER 73-1182] p0008 A74-11227
- MITCHELL, D. L.
Survey of solid state reflective/transmissive
display media
[AD-767644] p0109 A74-12938
- MITCHELL, G. A.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] p0295 A74-20646
Effect of inlet ingestion of a wing tip vortex on
turbojet stall margin
[NASA-TN-X-71610] p0500 A74-35201
- MITCHELL, J. G.
A new test capability for propulsion system testing
[AIAA PAPER 73-1283] p0032 A74-12939
- MITCHELL, J. T.
The ac power controllers for solid state
distribution system. Volume 1: Design,
development, fabrication, and test of hybrid
devices
[AD-768199] p0146 A74-13903
- MITCHELL, H. A.
V/STOL propulsion systems
[AGARD-AR-64] p0256 A74-19404
Optimum engines for military V/STOL aircraft
p0289 A74-20403
Technical evaluation report on 42nd Propulsion and
Energetics Panel Meeting on V/STOL Propulsion
Systems
p0292 A74-20433
- MITCHELL, W.
Dynamic simulation of CONFLOW - A facility to
provide hot-gas ground testing of air-breathing
missiles under simulated flight conditions
[AIAA PAPER 73-1281] p0011 A74-11292
- MITCHELL, W. S.
Aircraft/ship interface problems - The U.S. Navy's
program
[AIAA PAPER 74-305] p0183 A74-21294
- MITCHNER, J. L.
Study of dynamics of X-14B VTOL aircraft
[NASA-CR-138185] p0326 A74-21661
- MITRYAEV, I. M.
Determination of the forces in the kinematic pairs
of a landing gear mechanism
[AD-773877] p0285 A74-19678
- MITTAG, C. P.
Evaluation of the Teledyne Ryan model 622
terrain-following radar system installed on
OH-58A helicopter
[AD-775806] p0331 A74-22837
- MITTELUNG, K.
Changes in flutter results by stiffening some
degrees of freedom
[TR-195] p0188 A74-15709
- MIWA, S.
Balancing of a flexible rotor. III - Universal
state of balance of a flexible rotor
irrespective of its bearing stiffness
p0082 A74-14622
- MIXSON, J. S.
Current structural vibration problems associated
with noise
p0330 A74-22668
- MIYACHI, T.
Flexural rigidity of a thin walled build-up rotor
for jet engine. Measurement by static load test
and vibration test and calculation by finite
element method
[NAL-TR-329] p0293 A74-20572
- MIYAI, Y.
Minimum induced drag of non-planar ground effect
wings with small tip clearance
p0279 A74-28421
- MIYAHOTO, Y.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory

- [NAL-TR-319] p0161 B74-14764
- MIYASAWA, K.**
Recent status on development of the turbofan engine in Japan
[ASME PAPER 74-GT-39] p0272 A74-27432
- MISUNO, A.**
High lift characteristics of an airfoil placed in a narrow channel p0457 A74-43143
- MRITARIAN, A. H.**
On the modes of icing of symmetrical lifting surfaces p0136 A74-18987
- MRITUNOV, A. S.**
Flow of hydrogen-oxygen mixtures around blunted bodies moving at high velocity p0186 A74-22304
- MODABBER, S.**
Determination of the movement of the apparent phase centers of aircraft antennas for calibrating the ZDBS interferometer p0469 B74-31704
- MOELLER, W.**
Problems of future high-temperature corrosion research and testing p0080 A74-14564
- MOHLER, S. C.**
Analysis of route widths in the domestic airspace p0317 A74-30360
- MOIR, E. K.**
Integrated life support system: Design study medium STOL transport
[AD-773589] p0285 B74-19683
- MORRY, M.**
Integral equation method for calculation of subsonic flow past airfoils in a ventilated wind tunnel - Comparison with NAE high Reynolds number measurements
[AIAA PAPER 74-83] p0133 A74-18764
Transonic lift augmentation of two-dimensional supercritical aerofoils by means of aft camber, slot blowing and jet flaps, in high Reynolds number flow
[ICAS PAPER 74-11] p0448 A74-41313
- MORSEYCKI, G. A.**
Aerodynamics of rotating disks p0091 A74-16039
- MOLINIER, R.**
Development of cold headable titanium alloys for the 'Concorde' supersonic jet p0117 A74-16554
Recent developments and utilization criteria of titanium alloys in the aircraft industry p0218 A74-23962
- MOLLAN, C. I.**
The HS146 - A new dimension in short-haul profitability p0456 A74-42725
- MOLNAR, J. H.**
Microwave landing system integration study. Volume 1: Summary report
[AD-775703] p0361 B74-26149
Microwave landing system integration study. Volume 3: Appendices
[AD-775724] p0361 B74-26155
- MOLUSIS, J. A.**
Analytical study to define a helicopter stability derivative extraction method, volume 1
[NASA-CR-132371] p0248 A74-18674
Analytical study to define a helicopter stability derivative extraction method, volume 2
[NASA-CR-132372] p0248 A74-18675
- MOLUSIS, J. H.**
Helicopter derivative identification from analytic models and flight test data p0356 B74-25579
- MONFORT, J.**
Systems integration - Avionics of tomorrow p0227 A74-25361
- MONGILLO, A. L., JR.**
CH 54A design and operational flight loads study
[AD-773551] p0286 B74-19686
- MONK, J. R.**
STOL tactical aircraft investigation. Volume 4: Analysis of wind tunnel data: Vectored thrust/mechanical flaps and internally blown jet flaps
[AD-766641] p0098 B74-11846
- MONNERIE, B.**
Buffeting tests with a swept wing in the transonic range p0223 A74-25310
Theoretical and experimental study of boundary layer blowing at the hinge of a lift-augmenting flap
[ONERA, TP NO. 1367] p0422 A74-38311
Buffeting tests with a swept wing in the transonic range
[NASA-TT-P-15803] p0416 B74-28522
- MONTANA, P. S.**
Helicopter/technology program: Fiscal 1973
[AD-776580] p0359 B74-25611
- MONTGOMERY, P. J.**
Noise generated by quiet engine fans. 2: Fan A
[NASA-TM-X-3066] p0444 B74-30240
- MONTLEONE, R. A.**
Investigation of the maneuverability of the S-67 winged helicopter
[AD-767559] p0106 B74-12735
- MONTGOMERY, R.**
Adaptive systems research in the NASA p0175 A74-20095
- MONTGOMERY, R. C.**
A self-reorganizing digital flight control system for aircraft
[AIAA PAPER 74-21] p0133 A74-18808
Management of analytical redundancy in digital flight control systems for aircraft
[AIAA PAPER 74-887] p0422 A74-38249
- MONTOLA, E. J.**
Research instrumentation requirements for flight/wind-tunnel tests of the YF-12 propulsion system and related flight experience p0277 A74-28285
- MONTOLA, L. C.**
Flight experience with a pivoting traversing boundary-layer probe
[NASA-TM-X-56022] p0192 B74-16102
Use of a pitot-static probe for determining wing section drag in flight at Mach numbers from 0.5 to approximately 1.0
[NASA-TM-X-56025] p0441 B74-29370
- MONTREY, E. E.**
Design parameters for torsion of sandwich strips having trapezoidal, rectangular, and triangular cross sections
[AD-771824] p0244 B74-18549
- MOOK, D. T.**
Extension of a vortex-lattice method to include the effects of leading-edge separation p0204 A74-23332
Nonlinear prediction of the aerodynamic loads on lifting surfaces
[AIAA PAPER 74-503] p0338 A74-33103
- MOON, L. F.**
Jet noise modeling - Experimental study and models for the noise and turbulence fields
[AIAA PAPER 74-3] p0131 A74-18723
- MOORE, D. C.**
Metallic and other material resources p0381 A74-36317
- MOORE, G. D.**
The friction and wear characteristics of plasma-sprayed NiO-CaF₂ in rubbing contact with a ceramic matrix
[ASLE PREPRINT 73LC-1B-3] p0027 A74-12306
- MOORE, J. H.**
Aerodynamic aspects of gas turbine blade corrosion p0081 A74-14567
- MOORE, M. T.**
A similarity parameter for scaling dynamic inlet distortion
[ASME PAPER 73-WA/AERO-3] p0071 A74-13245
- MOORE, P. D.**
Tracking systems for flight development of today's commercial aircraft p0348 A74-34858
- MOORE, R. D.**
Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft)
[NASA-TM-X-2903] p0037 B74-10022
Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft)
[NASA-TM-X-2905] p0037 B74-10027

- Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages [NASA-TN-X-2926] p0050 N74-10734
- MOORE, R. F.
What keeps wide body jets down on the ground p0075 A74-13974
- MOORE, R. G.
Fuel system requirements for small gas turbine engines [SAE PAPER 740381] p0309 A74-28746
- MOOREFIELD, S. A.
Polyimides for advanced radomes p0082 A74-14738
- MOOZ, W. E.
Energy trends and their future effects upon transportation [P-5046] p0068 N74-11791
- MORAKIS, J. C.
The advanced OPLE for search and rescue p0221 A74-23787
- MORDELLET, R.
Structural research with the aim of adapting the design to the materials p0229 A74-25359
- MORGAN, D.
The feasibility of an aircraft propelled by solar energy [AIAA PAPER 74-1042] p0456 A74-42055
- MORGAN, H. G.
Airframe noise - The next aircraft noise barrier [AIAA PAPER 74-949] p0452 A74-41654
- MORGAN, H. T., JR.
National airspace system enroute stage A system engineering and analysis, investigation of system problems, capacity testing [AD-778479] p0444 N74-30104
- MORGAN, J. D.
A linear model of a finite amplitude Helmholtz instability p0335 A74-32057
- MORIN, S.
User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system [AD-768049] p0151 N74-14361
- MORINO, L.
Subsonic potential aerodynamics for complex configurations - A general theory p0177 A74-20280
- MORISSET, J.
Tupolev 144 and Concorde - The official performances are compared for the first time p0013 A74-11346
- Fly-by-wire controls are on the way p0378 A74-35743
- Tupolev 144 and Concorde: The official performances are compared for the first time [NASA-TT-F-15446] p0283 N74-19661
- MORITA, H.
Some considerations on the performance of the fan jet engine [NAL-TR-317] p0193 N74-16486
- MORITA, T.
Some effects of center of gravity locations of added mass on transonic flutter characteristics of low aspect ratio and sweptback thin cantilever wing [NAL-TR-314] p0040 N74-10047
- An experimental investigation on the transonic flutter characteristics of the cantilever swept-back wing with airfoil section and comparison with the thin cantilever swept-back wing [NAL-TR-361] p0495 N74-34480
- MORRIS, G. J.
Improved silicone fluids as candidate gas turbine engine oils for minus 40 F to 465 F temperature range [AD-767898] p0148 N74-14246
- MORRIS, O. A.
Wind tunnel test of low boom equivalent body at Mach 4 [NASA-TN-X-72013] p0488 N74-33438
- MORRIS, P.
On the theory of jet noise and its applications [AIAA PAPER 73-987] p0026 A74-12218
- MORRIS, R. L.
The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps [NASA-CR-2320] p0140 N74-13718
- MORRISON, J. A.
An operational look at the two-segment approach [AIAA PAPER 74-979] p0428 A74-38738
- MORRISON, T. B.
Turbine engine fuel control reliability and maintainability analysis [AD-771030] p0243 N74-18405
- MORRISS, D. P.
Aerodynamic/structural interactions in the design of the Concorde nacelle p0226 A74-25364
- MORROW, T. H.
Improved methods for construction and maintenance of runway pavement surfaces [SAE PAPER 740498] p0350 A74-34986
- MORTON, D.
Swept wing-body combination at subsonic speeds fuselage loads and pressure distributions for a swept wing-body combination at supersonic speeds [ARA-34] p0245 N74-18649
- MORTON, H. L.
Impact of emission regulations on gas turbine combustor design [AIAA PAPER 73-1155] p0003 A74-10508
- MOSER, A.
Inviscid wake-airfoil interaction on multielement high lift systems p0127 A74-18143
- MOSIER, S. A.
An experimental investigation of techniques for reducing objectionable exhaust emissions [AIAA PAPER 73-1324] p0012 A74-11316
- MOSKATOV, G. K.
Reliability of adaptive systems p0181 A74-20919
- Semi-Markovian models in problems of designing flight-vehicle control systems p0228 A74-24324
- MOSKO, J. D.
Speech intelligibility testing with the modified rhyme test in aviation type noise [AD-765470] p0044 N74-10159
- MOTYCKA, D. L.
An analytical and experimental study of inlet ground vortices [AIAA PAPER 73-1313] p0011 A74-11309
- MOTYKA, P. E.
A classical approach to the design of model-following control systems [AIAA PAPER 74-913] p0402 A74-37893
- MOUILLE, R.
Progress in France in the last ten years in the field of helicopters - Prospects for the ten years to come p0007 A74-11097
- MOULE, G. L.
The reduction of garbling in secondary surveillance radar p0170 A74-19391
- MOUNTFORD, L. A.
The implications for air transportation of energy shortage p0171 A74-19486
- MOURAD, A. G.
Geodetic analysis of Skylab altimetry preliminary data - SL/2 EREP pass 9 [E74-10086] p0062 N74-11197
- MOURET, D. J.
Structural aspects of current RPV's [AIAA PAPER 74-346] p0263 A74-26660
- MOYER, R. D.
Reduction of environmental testing and analysis costs through simulation p0380 A74-36037
- MOWFORTH, E.
The low technology airship p0423 A74-38499
- MOXAM, L. E.
Westland design philosophy on the Lynx for instrument and all-weather flying p0348 A74-34878
- MOY, H. R.
Recovery system for an advanced performance ejection seat p0214 A74-23555

- MOYER, C. B.
Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment [NASA-CR-137531] p0418 A74-29016
- MOYERS, C. V.
Test of LOX compatibility for asphalt and concrete runway materials [NASA-TM-X-64086] p0059 A74-11091
- MOZER, H.
A new ILS localizer for regional airports p0136 A74-18901
- MRAZEK, J. G.
Considerations in the design of a digital flight control function for a high performance aircraft p0423 A74-38533
- MUEBE, C. R.
Recent advances in air traffic control radars p0169 A74-19315
- MUEHLBAUER, G.
Quieter propellers for general aviation - Present situation, future outlook [DGLR PAPER 74-023] p0271 A74-27366
- MUELLER, B.
The HUDAS-P crash recorder for the Alpha Jet p0319 A74-30601
- MUELLER, E.-A.
Comments concerning noise indices /results of the study of aircraft noise in Munich conducted by the German Research Community are taken into account/ [DGLR PAPER 74-014] p0271 A74-27367
- MUELLER, R.
Investigations concerning wing-fuselage interference in the case of subsonic velocity p0136 A74-18897
- MUENZBERG, E. G.
Aerodynamic problems of turbojet propulsion systems, repercussions on gas turbine development p0177 A74-20313
- MULALLY, A. R.
High transonic speed transport aircraft study [NASA-CR-114658] p0235 A74-17750
- MULAREZ, E. J.
Measurements of liner cooling effectiveness within a full scale double-annular ram-induction combustor [NASA-TN-D-7689] p0362 A74-26389
- MULDER, J. A.
Aircraft performance measurements in nonsteady flights p0225 A74-24856
- MULHOLLAND, D. R.
A cost-effective approach for flight experiments - Application of Airborne Science aircraft experience to the Shuttle Sortie Lab p0031 A74-12829
Study of airborne science experiment management concepts for application to space shuttle. Volume 3: Appendixes [NASA-TM-X-62289] p0053 A74-10783
- MULLER, G. L.
An analytical and experimental study of inlet ground vortices [AIAA PAPER 73-1313] p0011 A74-11309
- MULLER, J.
The Bole balloons and air safety p0129 A74-18596
- MULLETT, L. R.
Access to airports p0079 A74-14509
- MULLEY, W. G.
Advanced integrated modular instrumentation system p0377 A74-35560
- MULLOWNEY, P. R., JR.
The design, fabrication and evaluation of the aural angle of attack/stall warning system [AD-767663] p0145 A74-13748
- MULQUIN, J. J.
Conceptual options for future aircraft-ship operations [AIAA PAPER 74-300] p0182 A74-21290
- MURCH, C. L.
Isolated airfoil - TIP vortex interaction noise [AIAA PAPER 74-194] p0134 A74-18831
Community acceptance of helicopter noise: Criteria and application [NASA-CR-132430] p0355 A74-25567
- MURGER, P.
Analysis of acoustic radiation in a jet flow environment p0461 A74-44314
- MURINA, A. G.
Aircraft acoustics p0225 A74-24998
- MURRAY, J. A.
Effective methods for fabrication of large polyimide-matrix aircraft components p0084 A74-14780
- MURACO, P. P.
A basic, highly maintainable airborne video tape recorder/reproducer p0217 A74-22533
- MURAD, R. J.
Low NOx emission combustor for automobile gas turbine engines [PB-222340/2] p0052 A74-10746
- MURAKAMI, J. K.
High transonic speed transport aircraft study [NASA-CR-114658] p0235 A74-17750
Study of the single body yawed-wing aircraft concept [NASA-CR-137483] p0405 A74-27485
- MURAKAMI, Y.
Design and development of the gust wind tunnel at the National Aerospace Laboratory [NAL-TR-335] p0287 A74-19891
- MURAYAMA, T.
Rolling motion of variable sweep aircrafts. II p0086 A74-15446
Feedback control of an airplane with time varying gain p0086 A74-15447
- MURMAN, E. M.
A relaxation method for calculating transonic flows with detached bow shocks p0119 A74-16970
- MUROTA, T.
Elastic, plastic behavior of a rotor. I - Analysis of an axisymmetric rotor whose radius varies in axial direction p0082 A74-14620
- MURPHY, E. J.
High frequency radio emission and reception by forest trees and by helicopter using hybrid electromagnetic antenna couplers [AD-773909] p0287 A74-19822
- MURPHY, R. D.
Wind modification over the flight decks of high-speed ships [AIAA PAPER 74-301] p0182 A74-21291
V/STOL demonstrator vehicle for ejector thrust augmentation technology [AIAA PAPER 74-995] p0453 A74-41663
- MURRAY, M. T.
Use of two-dimensional unsteady flow theory with low aspect-ratio blades [ARL/M-17] p0241 A74-17983
Blade-rate force fluctuations of a propeller in non-uniform flow [ARL/M-33A] p0247 A74-18667
- MURRILL, R. J.
Dynamic model wind tunnel tests of a variable-diameter, telescoping-blade rotor system (TRAC rotor) [AD-771037] p0237 A74-17764
- MURROW, T. R.
Solid-state power controllers for B-1 flight test p0425 A74-38575
- MURTHY, G. K.
Pyrogenic ignition system for afterburners p0437 A74-40001
- MURTHY, R. V. M.
Life enhancement of turbine blades p0436 A74-39971
- MURTHY, V. K.
Cumulative fatigue damage theory and models [AD-774529] p0304 A74-21569
- MUSATOV, V. V.
The use of computer technology in civil aviation p0215 A74-23698
- MUTCH, J. J.
The potential for energy conservation in commercial air transport [R-1360-NSF] p0244 A74-18606
Transportation energy use in the United States: A statistical history, 1955 - 1971 [R-1394-NSF] p0244 A74-18607
- MUTTER, R.
V/STOL tilt rotor aircraft study. Volume 10:

- Performance and stability test of A 1-14.622
Froude scaled Boeing Vertol Model 222 tilt rotor
aircraft (Phase I)
[NASA-CR-114603] p0142 N74-13727
- MYERS, A.
Lycomings LTS 101 - Low cost turbine power in the
600 hp class
[SAE PAPER 730911] p0017 A74-11582
- MYERS, K. R.
Turning characteristics of the Bell 100 ton
surface effect ship
[AD-767680] p0145 N74-13753
- MYTSYHOV, V. V.
Manual of the aviation engineer p0403 A74-37999
- MYSOV, B. I.
Some current problems and prospects for
development of rotary-wing aircraft p0130 A74-18641
- Determination of the basic parameters of light
helicopters on the basis of the treatment and
analysis of statistical data p0131 A74-18694
- N**
- NA, T. Y.
Unsteady flow of power-law fluids p0004 A74-10573
- Solution of the non-linear differential equations
for finite bending of a thin-walled tube by
parameter differentiation p0279 A74-28420
- NABER, D. G.
Anticipatory anti-blackout system p0212 A74-23551
- NABER, M.
External burning assisted projectile - Theory and
experiment
[AIAA PAPER 73-1193] p0009 A74-11234
- NABIULLIN, R. M.
Estimation of the effect of unsteadiness in
calculating flutter in aircraft with small
aspect ratio wings in an incompressible flow p0389 A74-36646
- Method of calculating the nonstationary
aerodynamic loads on a thin wing of finite
aspect ratio undergoing elastic harmonic
vibrations in subsonic flow p0390 A74-36815
- NAGAHATSU, A.
Elastic, plastic behavior of a rotor. I - Analysis
of an axisymmetric rotor whose radius varies in
axial direction p0082 A74-14620
- NAGARAJA, K. S.
One-dimensional analysis of compressible ejector
flows applicable to V/STOL aircraft design
[AIAA PAPER 73-1184] p0031 A74-12921
- V/STOL demonstrator vehicle for ejector thrust
augmentation technology
[AIAA PAPER 74-995] p0453 A74-41663
- NAGASAWA, Y.
Concerning the performance data of a reverberation
chamber
[NASA-TT-P-15371] p0240 N74-17958
- NAGATA, J. I.
Engineering flight test: AH-1G helicopter with
model 212 tail rotor. Part 2: Performance and
handling qualities
[AD-776360] p0359 N74-25613
- NAGY, A. E.
Acoustic backscatter radar system for tracking
aircraft trailing vortices p0477 A74-44420
- NAKAI, E.
Some effects of center of gravity locations of
added mass on transonic flutter characteristics
of low aspect ratio and sweptback thin
cantilever wing
[NAL-TR-314] p0040 N74-10047
- An experimental investigation on the transonic
flutter characteristics of the cantilever
swept-back wing with airfoil section and
comparison with the thin cantilever swept-back
wing
[NAL-TR-361] p0495 N74-34480
- HANDY, A. E.
Study of the effect of dilution on the lubricity
of hydrotreated jet engine fuels p0336 A74-32600
- NANGIA, R. K.
Three-dimensional wave interactions in supersonic
intakes p0436 A74-39980
- NARANG, J. R.
Study of the effect of dilution on the lubricity
of hydrotreated jet engine fuels p0336 A74-32600
- NARAYAN, K. Y.
Effects of yaw on a Gothic wing at supersonic speeds p0342 A74-33733
- NARDI, G.
Aircraft cabin pressure and temperature control
through reliable fluidic circuits p0378 A74-35720
- NARVENSON, P. L.
Electronic display mechanization for monitoring
aircraft parameters
[SAE PAPER 730956] p0015 A74-11555
- NASH-WEBBER, J. L.
Motorless flight research, 1972
[NASA-CR-2315] p0041 N74-10051
- NASH, J. F.
Analysis of flow-reversal delay for a pitching
airfoil
[AIAA PAPER 74-183] p0134 A74-18835
- Additional three-dimensional boundary-layer
computations for a finite swept wing
[NASA-CR-132335] p0038 N74-10029
- NAUGLE, D. F.
Pollution emission analysis of selected Air Force
aircraft
[ASME PAPER 74-ENAS-30] p0431 A74-39130
- United States Air Force aircraft pollution emissions
[AD-769482] p0201 N74-17374
- NAUMOVA, M. P.
Optimal parameters of three-layer plates and
shells with a honeycomb filler under combined
heating and compression p0482 A74-45615
- NAURATH, D. A.
The status of the F-14A airborne mission recorder
requirements and utilization p0216 A74-22529
- NAVE, L. E.
Sea level side loads in high-area-ratio rocket
engines
[AIAA PAPER 73-1284] p0032 A74-12940
- NAYFER, A. H.
The acoustics of aircraft engine-duct systems
[AIAA PAPER 73-1153] p0025 A74-12215
- Nonlinear prediction of the aerodynamic loads on
lifting surfaces
[AIAA PAPER 74-503] p0338 A74-33103
- Finite-amplitude waves in cylindrical lined ducts
[AIAA PAPER 74-553] p0339 A74-33145
- NAZARENKO, P. V.
Study of elastoplastic deformation with friction
in hydrocarbon media
[AD-765997] p0049 N74-10717
- NEAL, G. T.
Assessment of model testing of a tilt-propeller
VTOL aircraft p0205 A74-22460
- NEEDHAM, J. F.
OH-6A design and operational flight loads study
[AD-775832] p0331 N74-22690
- NEEL, C. B.
Study of airborne science experiment management
concepts for application to space shuttle.
Volume 3: Appendixes
[NASA-TN-X-62289] p0053 N74-10783
- NEER, M. E.
Supersonic mixing and combustion studies of ducted
hydrogen-air flows at an inlet air Mach number
of 2.6
[AIAA PAPER 73-1320] p0012 A74-11313
- NEFF, J. R.
Vertical-plane pendulum absorbers for minimizing
helicopter vibratory loads p0395 A74-37502
- NEFF, R. H.
Effects of fabrication defects on boron/epoxy
composites
[AIAA PAPER 74-352] p0264 A74-26664
- NEHEZ, J. J.
Multiple channel same frequency repeater flight test

- WEITZEL, R. E. p0424 A74-38556
Quiet engine program flight engine design study
[NASA-CR-134660] p0475 A74-33226
- WELLS, W. P., JR.
Preliminary performance estimates of a highly
maneuverable remotely piloted vehicle
[NASA-TN-D-7551] p0248 A74-18677
Preliminary performance estimates of an oblique,
all-wing, remotely piloted vehicle for
air-to-air combat
[NASA-TN-D-7731] p0413 A74-28507
- WELSEN, H. D.
Development of noise-reduction concepts for the
707 airplane p0396 A74-37533
Developmental design, fabrication, and test of
acoustic suppressors for fans of high bypass
turbofan engines
[NASA-CR-2338] p0141 A74-13724
- WELSON, A. W.
Development of a reduced smoke combustor for the
JT3D engine
[SAE PAPER 740484] p0350 A74-34995
- WELSON, L. W.
The Lockheed L-1011 Tristar fatigue and fail-safe
development program p0366 A74-26462
- WELSON, R. C.
Aerodynamic forces and moments on a slender body
with a jet plume for angles of attack up to 180
degrees
[AIAA PAPER 74-110] p0133 A74-18776
The dynamic behavior of an aircraft encountering
aircraft wake turbulence
[AIAA PAPER 74-774] p0399 A74-37799
- WELSON, W.
Use of simulators in the design and development of
flight control systems
[SAE PAPER 730933] p0016 A74-11567
- WERNICK, J. P.
Advance airborne system for maintenance monitoring
[SAE PAPER 730955] p0269 A74-27255
- WERNI, J. P.
Analysis of the flow about delta wings with
leading edge separation at supersonic speeds
[NASA-CR-132358] p0158 A74-14745
- WERNADKA, V. F.
The feasibility of a fluidic respiratory flow meter
[NASA-CR-132296] p0241 A74-18096
- WERRI, L. E.
Evaluation of the structural integrity of an
aircraft loading walkway under severe fuel-spill
fire conditions
[FAA-RD-73-144] p0104 A74-12716
- WETHERY, S.
Military aircraft and airport noise and
opportunities for reduction without inhibition
of military missions
[PB-223637/0GA] p0145 A74-13752
- WETZLES, W. E.
Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter p0395 A74-37503
Evaluation of a stall-flutter spring-damper
pushrod in the rotating control system of a
CH-54B helicopter p0497 A74-34511
- WEUNAN, P.
A STOL terminal area navigation system
[NASA-TN-X-62348] p0444 A74-30095
A flight investigation of a terminal area
navigation and guidance concept for STOL aircraft
[NASA-TN-X-62375] p0474 A74-33114
- WEUNAN, P. D.
Study of the single body yaved-wing aircraft concept
[NASA-CR-137483] p0405 A74-27485
- WEUNAN, P. D.
High transonic speed transport aircraft study
[NASA-CR-114658] p0235 A74-17750
- WEUNAN, R. E.
Minimizing boundary layer bleed for a mixed
compression inlet
[AIAA PAPER 73-1270] p0030 A74-12497
Minimizing boundary layer bleed for a mixed
compression inlet
[NASA-TN-X-71461] p0045 A74-10321
- WEUNAN, P. G.
Design of a fault tolerant airborne digital
computer. Volume 1: Architecture
[NASA-CR-132252] p0240 A74-17909
- WEVEZHINA, T. P.
Measurement of pressure on an oscillating aileron
in transonic flow
[AD-769982] p0197 A74-16739
- WEW, A.
Endurance test on flexible steel wire rope for
aircraft controls at various pulley rope
diameter ratios
[AQD/D-14] p0416 A74-28528
- WEWART, J. E.
Evaluating and controlling erosion in aircraft
turbine engines p0434 A74-39749
- WEWHOUSE, E.
Some results from applying a cost-effectiveness
model for evaluating aviation weather
dissemination techniques
[AD-777441] p0410 A74-28082
- WEWMAN, E. G.
Turbulent trailing vortex with central jet or wake
[ICAS PAPER 74-40] p0450 A74-41341
- WEWMAN, E. L.
An innovative approach to airport planning
p0127 A74-18099
- WEWMAN, P. A.
Computation of transonic flow about lifting
wing-cylinder combinations p0318 A74-30403
Input description for Jameson's three-dimensional
transonic airfoil analysis program
[NASA-TN-X-71919] p0281 A74-19640
- WEWMAN, E. L.
The single-engine turboprop in the northern frontier
p0185 A74-21821
- WEWSON, D.
User's manual for ILSLOC: Simulation for
derogation effects on the localizer portion of
the instrument landing system
[AD-768049] p0151 A74-14361
- WEWSON, J. P.
Application of dispersive networks in
data-transmission receivers p0311 A74-29353
- WEWTON, D. W.
A simplified criterion to certify light aircraft
for flight in icing conditions
[SAE PAPER 740349] p0308 A74-28729
- NGUYEN, L. T.
Simulation of decelerating landing approaches on
an externally blown flap STOL transport airplane
[NASA-TN-D-7463] p0326 A74-21658
- NIBLITT, L. T.
Structural representation in aeroelastic
calculations
[ABC-B/M-3729] p0257 A74-19563
- NICHOLAS, E. B.
Aerospace vehicle hazards protection program:
Detectors materials fuel vulnerability
[AD-776301] p0359 A74-25603
- NICHOLS, E. S.
An approach toward optimizing material cost and
part function in advanced powerplants
[SAE PAPER 730909] p0123 A74-17535
- NICHOLS, J. B.
Hybrid aircraft for heavy lift
[AHS PREPRINT 814] p0389 A74-36623
- NICHOLS, E. A.
Minimum time and minimum fuel flight path
sensitivity p0342 A74-33811
Sensitivity of suboptimal fixed-range flight paths
[AIAA PAPER 74-813] p0400 A74-37822
- NICHOLSON, R. A.
AIRTRANS operational readiness test p0074 A74-13807
- NICKSON, T. B.
Design integration and noise studies for jet STOL
aircraft. Task 7A: Augmentor wing cruise
blowing valveless system. Volume 1: System
design and test integration
[NASA-CR-114621] p0235 A74-17751
- NICOLAIDES, J. D.
Performance estimates for powered parafoil systems
[AD-779926] p0468 A74-31514

PERSONAL AUTHOR INDEX

OBBERT, B.

- NICOLOFF, G. B.
STOL tactical aircraft investigation. Volume 1:
Configuration definition
[AD-766941] p0057 N74-10927
- NIEBERDING, W. C.
Modularized instrument system for turbojet engine
test facilities p0277 A74-28296
- NIELSEN, J. N.
Ingestion and dispersion of engine exhaust
products by trailing vortices for supersonic
flight in the stratosphere
[AIAA PAPER 74-42] p0134 A74-18815
An analytical method valid up to the critical
speed for predicting store separation
characteristics from modern aircraft
[AIAA PAPER 74-775] p0399 A74-37800
- NIELSEN, U.
A new system for recording aircraft attitude
p0091 A74-16246
- NIESSEN, P. R.
Control theory analysis of a three-axis VTOL
flight director
[NASA-TN-X-69960] p0248 N74-18676
Flight investigation of manual and automatic VTOL
decelerating instrument approaches and landings
[NASA-TN-D-7524] p0410 N74-28102
- NIGAM, W. C.
Response of a light airplane to ground induced
vibration environment p0314 A74-29903
- NIKIFORUK, P. M.
On-line two-level gust alleviation control system
for aircraft in an unknown environment p0433 A74-39495
- NILSSON, B.
Optimization of air routes with a view to
minimizing the risk of collision p0421 A74-38098
- NILSSON, L.
Identification tests with optical sights and
reconnaissance aids in helicopters
[FOA-2-C-2533-D8/E1/M6] p0104 N74-12721
- NIPPERT, D. A.
Application of interactive graphics to the
avionics evaluation program
[AD-775372] p0328 N74-21847
- NISBET, J. W.
Transonic transport wings - Oblique or swept
p0119 A74-17048
High transonic speed transport aircraft study
[NASA-CR-114658] p0235 N74-17750
Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0405 N74-27485
- NISHIO, K.
Real-time simulation of jet engines with digital
computer
[ASME PAPER 74-GT-19] p0271 A74-27418
- NISHT, M. I.
Investigation of the characteristics of flows past
plates at large angles of attack p0070 A74-13183
- NISSIN, R.
Flutter suppression and gust alleviation using
active controls
[NASA-CR-138658] p0363 N74-26424
- NIVEN, J. I.
Orientation-error accidents in regular Army
aircraft during fiscal year 1970: Relative
incidence and cost
[AD-767028] p0057 N74-10930
Orientation-error accidents in regular Army UH-1
aircraft during fiscal year 1970: Relative
incidence and cost
[AD-768307] p0144 N74-13742
- NIVA, K.
Concerning the performance data of a reverberation
chamber
[NASA-TT-F-15371] p0240 N74-17958
- NIXON, D.
The high subsonic flow around a two-dimensional
airfoil with a trailing edge control surface
p0182 A74-21104
Transonic flow around symmetric airfoils at zero
incidence p0204 A74-23331
A two-dimensional airfoil with a control surface
oscillating at low frequency in high subsonic flow
p0456 A74-42694
- NOBLE, E. C.
High transonic speed transport aircraft study
[NASA-CR-114658] p0235 N74-17750
- NOLTING, D. L.
Predicting lateral hover, flying qualities with
paper pilot
[AD-775704] p0353 N74-25543
- NOONAN, K. W.
Low speed aerodynamic characteristics of NACA 6716
and NACA 4416 airfoils with 35 percent-chord
single-slotted flaps
[NASA-TN-X-2623] p0323 N74-21634
- NORBURY, J. P.
The aerodynamics of a turbine cascade with
supersonic discharge and trailing edge blowing
[ASME PAPER 74-GT-120] p0271 A74-27419
- NORBURY, J. R.
Electromagnetic proof stressing of bonded airplane
structure p0343 A74-34294
- NORDMARK, G. E.
Effect of polymer coatings on fatigue strength of
aluminum alloy 2024 box beams
[NASA-CR-114699] p0193 N74-16250
- NORDQUIST, W. S., JR.
Fog clearing using helicopter downdrafts: A
numerical model
[AD-771038] p0242 N74-18280
- NORRIS, L. F.
The development of thermomechanical processes for
advanced dispersion strengthened alloys p0342 A74-33622
- NORVELL, J. P.
AH-1G design and operational flight loads study
[AD-775838] p0331 N74-22700
- NOSEK, S. E.
Cold-flow performance of several variations of a
ram-air-cooled plug nozzle for supersonic-cruise
aircraft
[NASA-TN-X-3110] p0500 N74-35203
- NOURY, R.
AN/SPN-42 automatic carrier landing system
p0374 A74-35209
- NOVAKOVIC, J.
Constrained torsion of closed thin-walled structures
p0485 A74-46722
- NOVOSELOV, V. S.
On the application of theory of Markov processes
to the evaluation of state of dynamic systems
and to control of aircraft oscillations
[NASA-TT-F-15817] p0472 N74-32441
- NOVOZHILOV, G. V.
The creative life of S. V. Il'yushin
[NASA-TT-F-15622] p0332 N74-23509
- NUSENT, J.
Flight-measured inlet pressure transients
accompanying engine compressor surges on the
F-111A airplane
[NASA-TN-D-7696] p0362 N74-26251
- NULK, R. A.
Reliability and choosing number of prototypes
p0181 A74-20938

0

- O'CONNOR, W. M.
Evaluation of advanced air vehicle designs in the
USAF
[SAE PAPER 730945] p0016 A74-11558
- O'LONE, R. G.
Boeing freezes AMST prototype design p0224 A74-24132
- O'QUIGLEY, S.
Jet engine emissions p0073 A74-13730
- OATES, G. C.
The use of desk top computers in the teaching of
aircraft gas turbines
[ASME PAPER 74-GT-115] p0273 A74-27484
Throughflow theory for turbomachines
[AD-766537] p0065 N74-11602
- OATES, G. S., JR.
Evaluation of a new jet flap propulsive-lift
system for turbofan-powered STOL transports
[AIAA PAPER 74-993] p0453 A74-41662
- OBBERT, B.
Comparison of Fokker F28 'Fellowship' wind tunnel
and flight data - A summary p0430 A74-38796

- OBLANAS, J.
Evaluation of the lidar technique of determining
slant range visibility for aircraft landings
operations
[AD-776054] p0358 N74-25596
- OBRLEN, K. R. A.
The impact of long service on the fatigue of
transport aircraft: Airworthiness aspects
p0367 N74-26475
- OBRYN, T. C.
A study of light airplane pilot landing performance
[SAE PAPER 740350] p0308 A74-28730
- OCKEY, R.
Remote sensing of the earth's resources -
Applications, benefits, methods
p0008 A74-11204
- OCOMOR, J. T.
Aircraft range optimization using singular
perturbations
[NASA-CR-140519] p0493 N74-34465
- ODANIYA, M.
Rolling motion of variable sweep aircrafts. II
p0086 A74-15446
- OENBERG, G.
Proposal for a visual system of simulating a landing
[FOA-2-C-2509-E4] p0111 N74-13423
- OTTING, R. B.
Preliminary wind tunnel noise measurements of a
semi-span wing with an upper-surface blown-flap
[AIAA PAPER 74-191] p0134 A74-18832
- OTZEL, G. H.
Papers presented at the Lightning and Static
Electricity Conference (1972). Structure of
lightning noise - especially above HF.
Triggered lightning and its application to
rockets and aircraft
[AD-771464] p0255 N74-19271
- OFFERMAN, D.
Functional tests of a cryo-cooled mass
spectrometer ion source in a supersonic wind
tunnel
p0080 A74-14548
- OGAWA, A.
Flexural rigidity of a thin walled build-up rotor
for jet engine. Measurement by static load test
and vibration test and calculation by finite
element method
[NAL-TR-329] p0293 N74-20572
- OGAWA, T.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 N74-14764
- OGDEN, W.
In-flight escape system for heavy helicopters
p0301 N74-20772
- OGORKIEWICZ, R. M.
Deflection of carbon fibre/acrylic foam sandwich
beams
p0002 A74-10322
- OGREN, H. D.
Hydrofluidic yaw SAS analysis design and development
[AD-777804] p0408 N74-27510
- OGREN, S.
Some experiences from the use of an LCC approach
p0181 A74-20944
- OHASHI, H.
High lift characteristics of an airfoil placed in
a narrow channel
p0457 A74-43143
- OHAYON, R.
Influence of sloshing in wing tip tanks on the
vibration natural modes of an aircraft
[ICAS PAPER 74-15] p0448 A74-41317
- OKAPUU, U.
Some results from tests on a high work axial gas
generator turbine
[ASME PAPER 74-GT-81] p0273 A74-27467
- OKREFF, J. V.
Sonic inlet technology development and application
to STOL propulsion
[SAE PAPER 740458] p0349 A74-34981
- Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 1: Static
testing of augmentor noise and performance
[NASA-CR-114622] p0236 N74-17752
- Static performance and noise tests on a thrust
reverser for an augmentor wing aircraft.
[NASA-CR-137561] p0472 N74-32438
- Static noise tests on augmentor wing jet STOL
research aircraft (C8A Buffalo)
[NASA-CR-137520] p0489 N74-33455
- Test of acoustic tone source and propulsion
performance of C8A Buffalo suppressor nozzle
[NASA-CR-137521] p0489 N74-33456
- OKUMOTO, V. H.
STOL tactical aircraft investigation-externally
blown flap. Volume 5: Flight control
technology. Part 2: Simulation studies/flight
control system validation
[AD-770449] p0199 N74-16752
- OLHAUSEN, J. H., JR.
The use of a navigation platform for performance
flight testing
p0345 A74-34841
- OLIER, C.
Some transmission characteristics of AEROSAT-type
air traffic control systems
p0174 A74-19957
- OLIN, I. D.
Dynamic measurement of avionic antennas
p0469 N74-31702
- OLIVER, J. H.
Methods for reducing vibrations of equipment
mounted on helicopter external stores stations
[AD-768774] p0162 N74-14771
- OLKIN, S. I.
Effect of prior creep on durability of AK4-1-T1
alloy
p0383 A74-36510
- OLLERHEAD, J. B.
Noise burden factor - New way of rating airport
noise
p0118 A74-16898
- OLONE, R. G.
Tilt-rotor aircraft nears final design
p0319 A74-30748
- OLSEN, R.
Remotely piloted vehicles - Necessity, wishful
thinking, or plaything
p0077 A74-14362
- OLSON, G. A.
A methodology for boost-glide transport technology
planning
[NASA-CR-2346] p0249 N74-18681
- OLSSON, W. J.
Cost impact of mission requirements on future
engine design selection
[AIAA PAPER 73-1186] p0031 A74-12922
- OLSTAD, W. B.
Developing a technology base in planetary entry
aerothermodynamics
p0030 A74-12799
- OLSTER, R. F.
Low-weight, impact-resistant helicopter drive shafts
p0348 A74-34919
- OMURA, M.
Aerodynamic design of airfoil sections
p0430 A74-38848
- ONEILL, J. H.
Aerospace vehicle hazards protection program:
Detectors materials fuel vulnerability
[AD-776301] p0359 N74-25603
- ONKEN, R.
Digital fly-by-wire control system with
selfdiagnosing failure detection
p0464 N74-31451
- ONO, K.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 N74-14764
- ONYONWU, R. O.
A numerical study of the effects of aircraft
manoeuvres on the focusing of sonic booms
[AD-775095] p0326 N74-21664
- OPPENHEIM, A. K.
Factors controlling pollutant emissions from gas
turbine engines
p0149 N74-14292
- ORRILLY, C. L.
Low-speed aerodynamic characteristics of NACA 0012
aerofoil section. Including the effects of
upper-surface roughness simulating hoar frost
[ABC-R/M-3726] p0231 N74-17709
- ORLIK-BUECKENHANN, K. J.
Dynamic stability testing of aircraft - Needs
versus capabilities
p0262 A74-26477

- Measurement of dynamic cross-derivatives due to pitching and yawing
[AIAA PAPER 74-611] p0380 A74-36044
- ORLOFF, K. L.
Two-color dual-beam backscatter laser Doppler velocimeter p0076 A74-14093
- Par-field wake-vortex characteristics of wings
[AIAA PAPER 74-505] p0339 A74-33104
- Laser velocimeter measurements of the helicopter rotor-induced flow field
[AHS PREPRINT 800] p0387 A74-36614
- Axial flow measurements in trailing vortices
p0425 A74-38626
- ORMISTON, R. A.
The effects of second order blade bending on the angle of attack of hingeless rotor blades p0022 A74-11846
- An unsteady wake model for a hingeless rotor p0127 A74-18140
- Helicopter modelling /18th Henson and Stringfellow Lecture/
p0129 A74-18299
- Tail-rotor thrust on a 5.5-foot helicopter model in ground effect
[AHS PREPRINT 802] p0388 A74-36616
- Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] p0494 A74-34475
- ORNSBEE, A. I.
Low-speed aerodynamic characteristics of a 13.1-percent-thick, high-lift airfoil
[SAE PAPER 740366] p0345 A74-34800
- OROSKO, M. B.
T-38/P-5 improved escape system development and qualification testing p0214 A74-23557
- ORTWERTH, P. J.
Free jet engine testing: Wind tunnel starting
[AD-776318] p0360 A74-25790
- OSBORN, W. H.
Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages
[NASA-TM-X-2926] p0050 A74-10734
- OSDER, S.
Modification of prototype fly-by-wire system to investigate fiber-optic multiplexed signal transmission techniques
[AD-783269] p0498 A74-34550
- OSECHKIN, V. V.
Possibility of investigating the spatial distribution of atmospheric ozone with the aid of an ozonometer installed in the cockpit of an aircraft p0311 A74-28847
- OSHCHEPKOV, V. S.
Investigation of the effect of supports on the bottom pressure and pitching moment of bodies of revolution at an angle of attack p0312 A74-29496
- OSIPOV, V. A.
A problem of designing the optimal external contours of an aircraft p0087 A74-15709
- Designing aerodynamic ducts according to given conditions p0260 A74-25998
- OSOKIN, E. I.
Equipment for aircraft and helicopter technical servicing p0169 A74-19370
- OSTAPENKO, E. A.
Investigation of new wing shapes for hypersonic flight p0311 A74-29035
- OTHELING, W. L., JR.
Optimal trajectories of high thrust aircraft p0374 A74-35234
- OTRUSINIK, P.
Processing of operational data recorded on flight report cards p0377 A74-35664
- OTTO, H.
A contribution to the nonlinear lift and pitching moment properties of slender wing-body combinations p0373 A74-35098
- OZUJIAUX, R.
Experimental study of the aerodynamic noise of airfoils p0224 A74-25327
- OWCZARSKI, W. A.
Fabrication and repair of titanium engine components by welding p0084 A74-14768
- OWENS, H. G.
STOL tactical aircraft investigation: Externally blown flap. Volume 1: Configuration definition
[AD-772738] p0251 A74-18697
- OWENS, J. K.
Flight testing a highly instrumented sailplane
[AIAA PAPER 74-1023] p0454 A74-42042
- OYENS, C. W. A.
International airworthiness requirements for sailplanes p0430 A74-38794
- OZAKI, T.
Feedback control of an airplane with time varying gain p0086 A74-15447

P

- PAAS, J. H.
NASA/GE quiet engine A acoustic test results
[NASA-CR-121175] p0050 A74-10732
- PAGE, J. A.
Modified centrifuge technique for hydrolytic stability of neopentyl polyol ester lubricants p0259 A74-25717
- PACKARD, R. G.
Fatigue concepts for concrete airport pavement design p0392 A74-37342
- PACKMAN, P. F.
Fracture toughness and ndt requirements for aircraft design p0085 A74-15033
- PADAKANNAYA, R.
The vortex lattice method for the rotor-vortex interaction problem
[NASA-CR-2421] p0488 A74-33433
- PADBERG, D. J.
Fretting resistant coatings for titanium alloys p0117 A74-16592
- PADDOCK, J. P.
HO and O3 measurements in the lower stratosphere from a U-2 aircraft p0373 A74-35121
- PAEZ, C.
Developing the 'backbone' of the P-14
[AIAA PAPER 74-371] p0265 A74-26678
- PAGE, K.
Turbine corrosion - Rig evaluation and engine experience p0081 A74-14583
- PAILLET, F.
The stability of a trailing line vortex. I - Inviscid theory p0337 A74-33049
- PAINTER, J. A.
A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas aircraft
[NASA-CR-114677] p0188 A74-15714
- PAINTER, W. D.
HPL-10 lifting body flight control system characteristics and operational experience
[NASA-TM-X-2956] p0159 A74-14753
- PALAYRETT, B.
Civil air navigation equipment, on the ground and in the air p0007 A74-11094
- PALFREY, J. G.
Studies in low speed flight
[AD-768858] p0190 A74-15728
- PALMER, P. I.
Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines
[NASA-CR-2338] p0141 A74-13724
- PALMER, J. A.
Air Force concepts for RPV application p0480 A74-45308
- PALMER, J. P.
STOL tactical aircraft investigation. Volume 4: Analysis of wind tunnel data: Vectored thrust/mechanical flaps and internally blown jet

- flaps
[AD-766641] p0098 N74-11846
- PAB, Y. S.
A method for studying near- and far-field noise characteristics of impinging jets
[AIAA PAPER 74-569] p0339 A74-33153
- PANAGHIEV, V. E.
Parameters of RF flight navigation aids and their measurement p0169 A74-19371
- PANCHENKOV, A. N.
Motion of an airfoil with variable distance from a barrier p0405 N74-27472
- PANTHELEV, A. K.
A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel p0126 A74-18088
- PAPATHAKOS, L. C.
Use of an air-assisted fuel nozzle to reduce idle emissions of a Jt8d engine combustor
[NASA-TN-X-2946] p0067 N74-11738
- PAPP, P. P.
STOL tactical aircraft investigation-externally blown flap. Volume 4: Analysis of wind tunnel data
[AD-772774] p0251 N74-18704
- PARASHONOV, P. I.
Organization and planning of production at aircraft engine-building plants
[AD-775780] p0362 N74-26421
- PARANJPE, P. A.
Pyrogenic ignition system for afterburners p0437 A74-40001
- PARASCHIVOIU, I.
The aerodynamic characteristics of some variable geometry wing forms, derived from delta wings, gothic and mild-ogee wings p0088 A74-15810
- PARK, K. E.
Microwave landing system requirements for STOL operations
[AIAA PAPER 74-997] p0430 A74-38751
Preliminary assessment of the microwave landing system requirements for STOL operations
[NASA-TN-X-62310] p0064 N74-11431
- PARKER, B. D.
High integrity ATC data links p0170 A74-19392
- PARKER, J.
Relative air pollution emissions from an airport in the UK and neighbouring urban areas p0148 N74-14282
- PARKER, J. A.
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] p0193 N74-16249
- PARKER, J. L.
An analysis of the effects of internally blown jet flaps on an advanced fighter aircraft design
[AIAA PAPER 74-970] p0428 A74-38735
- PARKER, L. C.
General aviation air traffic pattern safety analysis
[NASA-TN-X-69455] p0111 N74-13422
- PARKER, P. H., JR.
Air cushion landing system performance on a tenth-scale model Jindivik RPV
[AD-774389] p0299 N74-20683
- PARKS, D. L.
Development of an independent altitude monitor concept
[AD-775454] p0474 N74-33116
- PARLETT, L. P.
Free-flight wind tunnel investigation of a four-engine sweptwing upper-surface blown transport configuration
[NASA-TN-X-71932] p0296 N74-20656
Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap
[NASA-TN-D-7411] p0324 N74-21649
Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport
[NASA-TN-X-71960] p0365 N74-26457
- PARRISH, R. V.
Motion software for a synergistic six-degree-of-freedom motion base
[NASA-TN-D-7350] p0060 N74-11096
- PARTHASARATHY, R.
Aerodynamic sound generation due to vortex-aerofoil interaction p0093 N74-11804
- PASHINTSEV, V. T.
Approximate optimal control of the banking angle in the problem of hypersonic vehicle return p0389 A74-36645
- PASLEY, L. H.
The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps
[NASA-CR-2320] p0140 N74-13718
- PASLEY, R. L.
Nondestructive testing of aircraft wheels at Eastern Airlines p0343 A74-34288
- PASSANI, J. P.
Study and stabilization of lateral motion of modern transport aircraft p0330 N74-22684
- PATEL, M. H.
Some experimental results of the effect of a streamwise vortex on a two-dimensional wing p0321 A74-31247
- PATEL, S. H.
Analysis and testing of aeroelastic model stability augmentation systems
[NASA-CR-132345] p0093 N74-11807
Analysis and testing of stability augmentation systems
[NASA-CR-132349] p0093 N74-11809
- PATEL, T. S.
Wing profile with rotating flap in shear flow p0320 A74-31097
- PATEL, V. C.
A simple integral method for the calculation of thick axisymmetric turbulent boundary layers p0279 A74-28423
- PATERSON, J. H.
A survey of drag prediction techniques applicable to subsonic and transonic aircraft design p0155 N74-14711
C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry
[NASA-CR-134184] p0189 N74-15717
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft. Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation
[NASA-CR-2333] p0248 N74-18679
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft: Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data
[NASA-CR-2334] p0248 N74-18680
- PATERSON, R. W.
Isolated airfoil - TIP vortex interaction noise
[AIAA PAPER 74-194] p0134 A74-18831
- PATHAK, P. H.
The radiation from slots in truncated dielectric-covered surfaces
[NASA-CR-2397] p0417 N74-28709
The dyadic diffraction coefficient for a curved edge
[NASA-CR-2401] p0417 N74-28710
- PATIERNO, J.
YF-17 design concepts
[AIAA PAPER 74-936] p0452 A74-41651
- PATRICK, R. P.
Cockpit air filtration requirements of the B-1 in a nuclear dust environment
[AD-766711] p0042 N74-10065
- PATTERSON, J. C., JR.
Lift-induced wing-tip vortex attenuation
[AIAA PAPER 74-38] p0135 A74-18852
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] p0365 N74-26456
- PATTERSON, R. W.
Weight estimates for Quiet/STOL aircraft
[SAWE PAPER 1001] p0434 A74-39876
- PATTHAIK, A.
Characterization of carburized Vasco X-2 steel
[AD-782362] p0500 N74-34952
- PAU, L. F.
Optimization of air routes with a view to minimizing the risk of collision

- PAUL, W. F. p0421 A74-38098
Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter
- PAUL, W. F. p0395 A74-37503
Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter
- PAULER, G. L. p0497 N74-34511
Simulation of dispatch reliability for a fleet of large commercial aircraft
- PAULI, P. A. p0181 A74-20952
The use of an aircraft test stand for VTOL handling qualities studies [NASA-TN-X-62218]
- PAULON, J. p0418 N74-28737
Supersonic compressor test facility
- PAULENKO, V. P. p0129 A74-18603
The power plants of vertical takeoff and landing aircraft [AD-778791]
- PAVLOV, V. A. p0419 N74-29225
Multi-hinge rudder unit design with allowance for rudder deflection
- PAVLOV, V. A. p0398 A74-37663
Stability of the tail surfaces
- PAVLOVIC, B. p0453 A74-41770
An automatic brake control system for aircraft
- PAISON, E. B., JR. p0484 A74-46685
The real and imaginary parts of the complex viscoelastic modulus for boron fiber reinforced plastics /BFRP/
- PAYNE, C. E. p0315 A74-30095
The design and development of the Gem engine
- PAYNE, J. C. p0437 A74-40008
Launching of small inflated balloons from cargo aircraft [AD-766428]
- PEACE, J. W. p0043 N74-10069
A modular turbofan design for high availability and low life cycle cost [AIAA PAPER 73-1189]
- PEAKE, D. J. p0009 A74-11231
Transonic lift augmentation of two-dimensional supercritical aerofoils by means of aft camber, slot blowing and jet flaps, in high Reynolds number flow [ICAS PAPER 74-11]
- PEARSON, M. K. p0448 A74-41313
Investigation of a stored energy launch system for gliders [AIAA PAPER 74-1047]
- PEASE, E. p0456 A74-42059
Lycomings LTS 101 - Low cost turbine power in the 600 hp class [SAE PAPER 730911]
- PECAR, J. A. p0017 A74-11582
Continental Land Mass Air Traffic Control (COLM ATC) [NASA-CR-132831]
- PEDERSEN, G. J. p0048 N74-10619
INTER-NOISE 73; Proceedings of the International Conference on Noise Control Engineering, Copenhagen, Denmark, August 22-24, 1973
- PEGG, R. J. p0073 A74-13789
The prediction of rotor rotational noise using measured fluctuating blade loads [AHS PREPRINT 801]
- PEGG, R. J. p0387 A74-36615
The noise environment of a school classroom due to the operation of utility helicopters
- PEGG, R. J. p0397 A74-37541
Results of the flight noise measurement program using a standard and modified SH-3A helicopter [NASA-TN-D-7330]
- PEGG, R. J. p0096 N74-11836
The noise environment of a school classroom due to the operation of utility helicopters [NASA-TN-X-71957]
- PEGG, R. J. p0296 N74-20659
Comparison of acoustic performance of five muffler configurations on a small helicopter [NASA-TN-D-7495]
- PEIRCE, S. D. p0325 N74-21652
Evaluation of voice recorders for aircraft [AD-770517]
- PELEGRI, M. J. p0200 N74-16906
Automatisms in supersonic transport
- PELIKAN, R. J. p0433 A74-39520
Evaluation of aircraft departure divergence criteria with a six-degree-of-freedom digital simulation program [AIAA PAPER 74-68]
- PELOUCH, J. J., JR. p0136 A74-18382
Bibliography on aircraft fire hazards and safety. Volume 1: Hazards. Part 1: Key numbers 1 to 817 [NASA-TN-X-71553-VOL-1-PT-1]
- PELOUCH, J. J., JR. p0406 N74-27491
Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524 [NASA-TN-X-71553-VOL-2-PT-1]
- PENLAND, J. A. p0406 N74-27492
Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing [NASA-TN-X-71974]
- PENNER, J. E. p0466 N74-31485
Atmospheric ozone - Possible impact on stratospheric aviation
- PENNINGTON, J. H. p0175 A74-20039
RPV potential for naval applications
- PEPPLER, T. P. p0481 A74-45309
Fluid power and control requirements for the U.S. Army heavy lift helicopter [SAE PAPER 730988]
- PERACCHIO, A. A. p0269 A74-27253
Progress in core engine and turbine noise technology [AIAA PAPER 74-948]
- PERALTA, B. p0426 A74-38719
The refining of turbine fuels by modern hydrotreating [AIAA PAPER 74-162]
- PERDZOCK, E. C. p0133 A74-18798
Improving Mean-Time-Between-Maintenance-Actions - A recommended system approach
- PERLHUTTER, E. p0424 A74-38555
Nonstationary atmospheric boundary layer turbulence simulation [AIAA PAPER 74-587]
- PEROV, M. G. p0340 A74-33166
A device for measuring the power of an aircraft wheel brake
- PEROV, V. A. p0213 A74-24027
Protection of an optical sensor against vibration of the flight vehicle
- PERRAIS, M. p0276 A74-27899
Restoration in the laboratory of the effects of kinetic heating on the structure of the Concorde aircraft
- PERRAIS, M. p0216 A74-22670
Laboratory simulation of kinetic heating effects on the structure of Concorde aircraft
- PERRETTA, L. A. p0237 N74-17760
Holographic multicolor moving map display (system definition) [AD-772155]
- PERRY, B., III p0241 N74-18083
The effects of an autopilot on airplane responses to turbulence with emphasis on tail loads [NASA-TN-D-7231]
- PERRY, B., III p0104 N74-12719
Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence
- PERRY, R. p0234 N74-17742
Comparisons of Soviet and US technology [AD-771004]
- PERRY, R. p0244 N74-18627
A Dassault Dossier: Aircraft Position in France [AD-774598]
- PERRY, T. P. p0299 N74-20681
Advancements in the test and evaluation of naval weapon systems
- PERRY, W. H. p0459 A74-43604
Requirements for the helicopter instrument rating
- PERRY, W. H. p0348 A74-34880
Requirements for the helicopter instrument rating

- PERSHIN, A. P.
Heat transfer investigation in a high-temperature gas flow spreading over a plane surface
p0131 A74-18684
- PERSSON, G. E.
An analysis of the longitudinal dynamics of a STOL transport in landing approach
[AD-774434] p0301 A74-20696
- PERSSON, A.
Proposal for a visual system of simulating a landing
[FOA-2-C-2509-E4] p0111 A74-13423
- PERULLI, M.
Representation of hot jet turbulence by means of its infrared emission
[NASA-TT-P-15233] p0151 A74-14383
- PERUMAL, P. V. K.
Lift and moment prediction for an oscillating airfoil with a moving separation point
[ASME PAPER 74-GT-28] p0272 A74-27426
- PERVUSHIN, G. E.
Application of fusible temperature indicators for measuring heat flows to models in wind tunnels
p0383 A74-36458
- PETERKA, J. A.
A wind model for an elevated STOL-port configuration
[NASA-CR-2450] p0418 A74-28734
- PETERS, B. C.
Magnesium-yttrium alloys, scale-up and evaluation
[AD-771039] p0242 A74-18183
- PETERS, D. A.
The effects of second order blade bending on the angle of attack of hingeless rotor blades
p0022 A74-11846
Hingeless rotor frequency response with unsteady inflow
p0393 A74-37482
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] p0494 A74-34475
- PETERS, G. J.
Interactive computer graphics application of the bi-cubic parametric surface to engineering design problems
p0344 A74-34761
- PETERSON, A. A.
Heat transfer modeling for curing process of composite rotor blade
[AHS PREPRINT 852] p0386 A74-36598
- PETERSON, M. B.
Effect of frictional heating on brake materials
p0461 A74-44161
- PETIT, J. E.
Analysis, design and test of thrust reverser and thrust vectoring systems for STOL transport aircraft
[AIAA PAPER 73-1218] p0456 A74-42849
- PETRAITS, J. J.
The single-engine turboprop in the northern frontier
p0185 A74-21821
- PETROV, V. V.
Servomechanisms of aircraft instruments - Dynamics of servomechanisms in the presence of dry friction and retardation
p0421 A74-38043
- PETRUSCO, R. J.
Microfog lubricant application system for advanced turbine engine components, phase 3
[NASA-CR-121271] p0050 A74-10730
- PETTY, J. S.
Work unit 08 (V/STOL aerodynamics)
[AD-771811] p0232 A74-17718
- PEZZANI, G.
Airports evolution and qualification
p0171 A74-19481
- PFENNINGER, W.
Prevention of transition over a backward step by suction
p0013 A74-11339
- PHILIPS, A. E., III
Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration
[NASA-TN-D-7399] p0096 A74-11832
Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flap
[NASA-TN-D-7526] p0283 A74-19663
Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap
[NASA-TN-D-7411] p0324 A74-21649
- PHILIPS, J. R.
Performance of a ballute decelerator towed behind a jet airplane
[NASA-TN-X-56019] p0160 A74-14760
- PHILIPPE, J. J.
Unsteady viscous flow on oscillating airfoils
[AIAA PAPER 74-182] p0179 A74-20774
- PHILLIPS, C. F., JR.
New radars for ATC
p0482 A74-45545
- PHILLIPS, W. S.
Crashworthy landing gear study
[AD-765489] p0042 A74-10060
- PHILLIPS, R. W.
STOL tactical aircraft investigation, externally blown flap. Volume 5, part 1: Control system mechanization trade studies
[AD-767181] p0146 A74-13756
- PHILLIPS, W. R.
Analysis and experimental studies of the control of hang gliders
[AIAA PAPER 74-1030] p0455 A74-42045
Study of a control system to alleviate aircraft response to horizontal and vertical gusts
[NASA-TN-D-7278] p0095 A74-11825
- PHILLIPS, W. R.
Turbulent trailing vortex with central jet or wake
[ICAS PAPER 74-40] p0450 A74-41341
- PHILPOT, P.
A device for generating an artificial boundary layer in a short axial distance in a supersonic flow
p0452 A74-41398
- PIANKO, M.
Considerations regarding the regulation of aircraft noise
p0226 A74-25358
- PIAZZOLI, G.
Pyrotechnic pulse generators for in-flight structural tests
p0382 A74-36353
Pyrotechnic bonkers for structural tests in flight
[ONE2A, TP NO. 1389 E] p0478 A74-44953
- PICKETT, G. F.
Effects of non-uniform inflow on fan noise
p0397 A74-37542
- PICKNETT, R. G.
Ground contamination by fuel jettisoned from aircraft
p0149 A74-14283
- PIENDEL, J. J.
An automated interactive design system for advanced gas turbines
[ASME PAPER 74-GT-82] p0273 A74-27468
- PIERCE, R. T.
Papers presented at the Lightning and Static Electricity Conference (1972). Structure of lightning noise - especially above HF. Triggered lightning and its application to rockets and aircraft
[AD-771464] p0255 A74-19271
- PIERCE, R. H.
An experimental investigation of techniques for reducing objectionable exhaust emissions
[AIAA PAPER 73-1324] p0012 A74-11316
- PIERS, W. J.
Calculation of the displacement effect in two-dimensional subsonic attached flow around aerofoils. Examples of calculations using measured displacement thicknesses
[NLR-TR-72116-U] p0195 A74-16707
- PIETERSEN, O. B. H.
A linear array of blade antennas as an aircraft antenna for satellite communication
p0469 A74-31686
- PIPKO, A.
Nonlinear crack analysis with finite elements
[AD-766558] p0067 A74-11722
- PIGBAUD, P. D.
Method of calculation of annual overall efficiency of modern wind-power plants
[NASA-TT-P-15310] p0191 A74-15748
- PIKE, G. R. S.
Three computer programmes to calculate the steady or unsteady subsonic characteristics of lifting surfaces in ground effect
[ATN-7401] p0441 A74-29368
- PILMER, A. F.
Experimental study of metal-plastic couplings in

- tension
Experimental investigation of glass-plastic and metal-plastic joints under shear p0130 A74-18648
- PINSHTAIN, V. G.
Interaction between an overexpanded gas jet and a flat obstacle p0131 A74-18697
- PINCKNEY, R. L.
Helicopter rotor blades p0391 A74-37138
- Cost effective composite structures p0002 A74-10498
- Application of carbon fibers to helicopters p0084 A74-14778
p0436 A74-39910
- PINCONBE, B. P.
Aircraft auxiliary power systems study. A main generation channel for a V/STOL strike aircraft p0474 A74-32483
- PINO, L.
Experimental reel response system for high performance simplified aerial refueling store [AD-771389] p0240 A74-17799
- PINSKER, W. J.
Some observations on manoeuvre stability and longitudinal control [ABC-B-3730] p0250 A74-18690
- PIPER, R. L.
Control aspects of aircraft type cycloconverters p0474 A74-32486
- PISH, M. D.
Requirements for explosion-proof electrical equipment in Air Force hangers [AD-767600] p0109 A74-12969
- PITIS, I.
Biodegradation of materials used in the construction of utilitarian aircraft p0219 A74-22522
- PITMAN, W. A.
Advanced structural concepts for transport aircraft wings [AIAA PAPER 74-339] p0263 A74-26654
- PITTSBERRY, J. L.
Application of interactive graphics to the avionics evaluation program [AD-775372] p0328 A74-21847
- PIVKO, S.
Complete mechanical energy utilization in aeronautical propulsion systems p0274 A74-27611
- PIVOVAROV, V. A.
Life of fatigue cracks on rotor blades of turbines in gas turbine engines [AD-767947] p0152 A74-14447
- PISALI, R. A.
A theoretical study of the application of jet flap circulation control for reduction of rotor vibratory forces [NASA-CR-137515] p0416 A74-28525
- PIZZICHERI, C. J.
STOL tactical aircraft investigation. Volume 6: Air cushion landing system study [AD-766644] p0058 A74-10940
- PLAETSCHKE, E.
Computation of minimum-noise takeoff flight paths by varying the thrust and the inclination angle of the flight path p0337 A74-32902
- Minimum noise climbout trajectories of a VTOL aircraft p0392 A74-37284
- PLAKS, A.
Improved cost effectiveness of helicopters through a two-point design criterion [AHS PREPRINT 811] p0388 A74-36620
- PLANSHEVSKII, B. A.
Asymptotic behavior of the solution of the Navier-Stokes equations near fins p0088 A74-15779
- PLATE, E. J.
Wind tunnel and field investigations of shapes for balloon shelters [NCR-TH/EDD-82] p0036 A74-10016
- PLATZ, R.
A new type of sail plane [NASA-TT-F-15920] p0472 A74-32440
- PLATZER, H. F.
Theoretical investigation of supersonic flow past oscillating cascades with subsonic leading-edge locus [AIAA PAPER 74-14] p0135 A74-18843
- PLEBAN, E. J.
Some comparisons of the flow characteristics of a turbofan compressor system with and without inlet pressure distortion p0380 A74-36188
- PLESS, W. H.
Acoustic emissions used to nondestructively determine crack locations in aircraft structural fatigue specimen p0343 A74-34290
- PLETSCHACHER, P.
New German-Swiss aircraft project - Master-Porter PD-01 p0314 A74-29830
- PLETT, E. G.
Noise generation by ducted combustion systems [AIAA PAPER 73-1024] p0026 A74-12223
- Jet engine exhaust noise due to rough combustion and nonsteady aerodynamic sources p0075 A74-13958
- Noise due to jet motion caused by internal unsteadiness p0398 A74-37550
- Noise generation by cylindrical spoilers immersed in an air duct [AD-767336] p0142 A74-13730
- Research on noise generated by ducted air-fuel combustion systems [AD-767337] p0152 A74-14445
- PLEVIN, J.
An earth resources aircraft facility p0069 A74-12974
- PLIZAK, B. T.
Aircraft avionics environmental control analysis procedures for optimized life cycle cost p0434 A74-39741
- PLON, H.
Use of conventional equipment to measure the effective perceived noise level of aircraft p0411 A74-28399
- PLUCINSKY, J. C.
Designing small gas turbine engines for low noise and clean exhaust [AIAA PAPER 73-1154] p0003 A74-10507
- PLUMBLEE, H. E.
Analysis of acoustic radiation in a jet flow environment p0461 A74-44314
- PLUMER, J. A.
Lightning effects on general aviation aircraft [FAA-WA-73-32(2)] p0039 A74-10040
- Lightning effects on general aviation aircraft [FAA-WD-73-99] p0099 A74-12167
- Analysis and calculation of lightning-induced voltages in aircraft electrical circuits [NASA-CR-2349] p0160 A74-14754
- Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages [NASA-CR-2350] p0189 A74-15720
- POCILUYKO, S.
Composite material geodesic structures - A structural-concept for increased helicopter rotor blade survivability [AHS PREPRINT 884] p0387 A74-36613
- PODSHIPKOV, V.
Technology of passenger clearance in air transportation using various clearance methods p0269 A74-27211
- POPERL, D. J.
Thermodynamic and transport properties of air and its products of combustion with ASTM-A-1 fuel and natural gas at 20, 30, and 40 atmospheres [NASA-TN-D-7488] p0101 A74-12575
- POGODIN, A. S.
Noise suppressing devices p0180 A74-20904
- POISSON-QUINTON, P.
Critical analyses and laboratory research work at the stage of aircraft preliminary design [ONERA, TP NO. 1291] p0312 A74-29467
- POLEBICHEK, E. P.
Calculating pressure in combustion chamber of pulsejet engine during filling process [AD-766045] p0051 A74-10737
- POLFREMAN, P. W.
Air and fuel monitoring for gas turbines

- POLI, C. p0081 A74-14565
Dynamics of slung bodies utilizing a rotating wheel for stability p0127 A74-18141
- POLIAKOV, A. A.
Enhancement of durability of aircraft design elements /2nd revised and enlarged edition/ p0337 A74-32775
- POLIAKOVA, N. A.
Automation of measurements and of data processing for experiments in an IL-18 aircraft laboratory p0276 A74-27884
- POLLACK, A. S.
Reliability and choosing number of prototypes p0181 A74-20938
- POLLARD, F. B.
Emergency Evacuation and Survival Equipment Deployment for transport aircraft /EESD/ p0214 A74-23554
- POLLARD, J. S.
A comparison of the noise characteristics of full scale and model helicopter rotors p0206 A74-22468
- POLLITT, J. B.
The case for engine flying test beds p0172 A74-19499
- POLUSHKIN, Y. F.
Calculation and analysis of aircraft motion [NASA-TT-P-757] p0159 N74-14751
- PONDHAREFF, N. A.
STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis [AD-767363] p0143 N74-13734
- PONOMAREV, A. T.
The behavior of a wing panel in a stream of gas under transient conditions p0088 A74-15757
- PONTELLO, A. P.
A test method for nondestructive testing of fuel filtration equipment using thermography p0341 A74-33521
Development of NDT/I for integral wing fuel tank structures using infrared thermography [AD-767366] p0288 N74-20060
- POOL, A.
AGARD flight test instrumentation series. Volume 5: Magnetic recording of flight test data [AGARDOGRAPH-160-VOL-5] p0254 N74-18833
AGARD flight test instrumentation services. Volume 1: Basic principles of flight test instrumentation engineering [AGARDOGRAPH-160-VOL-1] p0360 N74-25933
- POOLE, D. J.
High intensity sound in a lined duct p0336 A74-32593
- POOLE, H. B.
Development and flight tests of a gyro-less wing leveler and directional autopilot [NASA-TN-D-7460] p0256 N74-19282
- POPE, H. J.
Prepared for overhauling the RB211 p0086 A74-15150
- POPE, J. M.
Propeller modulation effects on a scanning beam microwave landing system [NASA-TN-X-62368] p0468 N74-31617
- POPESCU-CASTELLIN, M. D.
Dynamic stability of straight airplane wings regarded as thin-walled bars p0072 A74-13362
- POPESCU, N. D.
Dynamic stability of sweptback aircraft wings under the action of variable aerodynamic forces p0185 A74-22225
- POPOV, V. A.
Evaluation of the operations contained in algorithms carried out by digital controller computers p0130 A74-18638
- POPOFF, I. G.
NO and O3 measurements in the lower stratosphere from a U-2 aircraft p0373 A74-35121
- POPYTALOV, S. A.
The behavior of a wing panel in a stream of gas under transient conditions p0088 A74-15757
- PORTER, J. L.
Flight/propulsion control integration aspects of energy management [SAE PAPER 740480] p0349 A74-34978
- POSTLEWAITE, J.
Prediction and measurement of propulsion system performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
- POSTLEWAITE, J. B.
Exhaust system interaction program [AD-769086] p0159 N74-14747
- POTAPOVA, L. A.
Interference of a sweptback wing and the fuselage at transonic speeds p0391 A74-36839
- POTTER, J. B.
Digital flight control research [NASA-CR-2433] p0489 N74-33448
- POTTHAST, A. J.
An interdisciplinary approach to integrated rotor/body mathematical modeling p0205 A74-22453
Rotor moment control with flap-moment feedback [AHS PREPRINT 842] p0385 A74-36593
- POUSSON, J. B.
Manufacturing methods for self-sealing fuel lines [AD-778083] p0411 N74-28243
- POVENMIRE, H. K.
Incremental transfer effectiveness of a ground-based general aviation trainer p0260 A74-25969
- POVEROMO, L. M.
Effective methods for fabrication of large polyamide-matrix aircraft components p0084 A74-14780
- Powell, C. A.
Effects of a traffic noise background on judgements of aircraft noise [NASA-TN-X-71938] p0304 N74-21308
- Powell, D. C.
Meteorological information for vertical and short take-off and land (V/STOL) operations in built-up urban areas: An analysis [FAA-RD-72-135] p0056 N74-10920
- Powell, J. D.
Sample rate selection for aircraft digital control [AIAA PAPER 74-885] p0401 A74-37867
- POWER, L. J.
Application of modern control theory to the design of optimum aircraft controllers p0433 A74-39496
- POYNEER, B. D.
Multi-surface system for the CCV B-52 [AIAA PAPER 74-126] p0135 A74-18851
Control Configured Vehicle Ride Control (CCV RCS). B-52 control system analysis, synthesis, and design [AD-767590] p0142 N74-13728
- POZNIAKOV, V. M.
Distortions in aerial photographs due to internal refraction p0218 A74-23450
- POZESKY, M. T.
The discrete address beacon system - Development, transition, and introduction p0220 A74-22683
- PRAATT, K. G.
Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence p0234 N74-17742
- PRAVAZ, M. B.
Paratroop harness TOTAL, PARAQUICK canopy release and EPA-36 chronobarometric parachute opener p0212 A74-23553
- PREDTECHENSKII, G.
By-pass engines [AD-772723] p0257 N74-19413
- PREISSER, J. S.
A method for studying near- and far-field noise characteristics of impinging jets [AIAA PAPER 74-569] p0339 A74-33153
- PRELEWICZ, D. A.
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (identification of lifting rotor system parameters from transient response data), Phase 7-B [NASA-CR-114710] p0160 N74-14758

- Computer experiments on periodic systems
identification using rotor blade transient
flapping-torsion responses at high advance ratio
p0496 H74-34492
- PREMONT, R. J.
Impact resistance of composite fan blades
[NASA-CR-134515] p0099 H74-12285
- PRESS, A. R.
Investigation of the possibility of use of
vibroacoustical signals for purposes of
diagnostics in aeronautical engineering
p0444 H74-29875
- PRESTON, J. L., JR.
Impact resistance of fiber composite blades used
in aircraft turbine engines
[NASA-CR-134502] p0049 H74-10726
- PRIAKHIN, I. I.
Fatigue strength of an aluminum alloy in petroleum
jet fuels at various temperatures
p0268 A74-27078
- PRICE, D. B.
Management of analytical redundancy in digital
flight control systems for aircraft
[AIAA PAPER 74-887] p0422 A74-38249
- PRICE, R.
STOL tactical aircraft investigation. Volume 5:
Flight control technology
[AD-767364] p0143 H74-13735
- PRICE, L. J.
Full-scale aircraft cabin flammability tests of
improved fire-resistant materials
[NASA-TN-X-58141] p0411 H74-28423
- PRION, R. G.
Flexibility in computer-assisted radar -
Controlled interceptions
p0028 A74-12406
- PRITT, R. L. T.
Graphite composite landing gear components - side
brace assembly and torque link for A37-B aircraft
[AD-769041] p0163 H74-14779
- PROBST, R.
Concrete or black top
p0089 A74-15866
- PROKHACH, E. E.
Evaluation of the influence of errors in
specifying boundary conditions on the accuracy
of the determination of temperature fields in
infinite cylinders
p0130 A74-18635
- PROKOPENKO, P.
To assist the Sportsman-helicopter pilot in blind
flight
[AD-772650] p0251 H74-18699
- PROSHINA, T. D.
Calculation of the surface of a minimum-drag wing
with a shock-free leading edge
p0390 A74-36818
- PROVOROV, V. P.
Nonuniqueness of the solution to the problem of
viscous interaction on an axisymmetric body
p0070 A74-13179
- PRUDNIKOV, A. G.
Mixing and combustion processes in jet engines
[AD-766030] p0051 H74-10741
- PRUITT, V. R.
Flight/propulsion control integration aspects of
energy management
[SAE PAPER 740480] p0349 A74-34978
- PRUSLIN, D. R.
Empirical assessment of ATCRBS
[ATC-16] p0164 H74-15379
- PRUST, R. W., JR.
Cold-air study of the effect on turbine stator
blade aerodynamic performance of coolant
ejection from various trailing-edge slot
geometries. 1: Experimental results
[NASA-TN-X-3000] p0231 H74-17699
- PUGH, P. G.
The drag of externally carried stores: Its
prediction and alleviation
p0157 H74-14729
- PUNARIC, B.
Use of the Magnus effect for large augmentation of
wing lift on modern aircraft during takeoff and
landing
p0485 A74-46715
- PULS, J.
Study of unconventional gyroscopic apparatus. I
p0029 A74-12444
- PURDY, D. R.
Composite structures
p0447 A74-41262
Advanced material applications to subsonic
transport aviation
[ICAS PAPER 74-22] p0449 A74-41324
Development of a graphite horizontal stabilizer
[AD-768869] p0164 H74-14783
- PURSEL, R. R.
A feasibility study and preliminary evaluation of
the use of a biased glide slope technique for
noise abatement approach
[FAA-RD-73-153] p0048 H74-10618
- PUTNAM, T. W.
Flight experience with the decelerating noise
abatement approach
[NASA-TN-X-56020] p0104 H74-12720
- PUTNAM, L. E.
Exploratory investigation at Mach numbers from
0.40 to 0.95 of the effects of jets blown over a
wing
[NASA-TN-D-7367] p0036 H74-10014
An analytical study of the effects of jets located
more than one jet diameter above a wing at
subsonic speeds
[NASA-TN-X-71965] p0353 H74-25533
- PUTNAM, T. W.
Preliminary measurements of aircraft aerodynamic
noise
[AIAA PAPER 74-572] p0344 A74-34332
- PYLE, J. S.
Review of drag measurements from flight tests of
manned aircraft with comparisons to wind-tunnel
predictions
p0158 H74-14735
Performance of a ballute decelerator
towed behind
a jet airplane
[NASA-TN-X-56019] p0160 H74-14760
- Q
- QUAN, R. A.
STOL tactical aircraft investigation, externally
blown flap. Volume 2: Design compendium
[AD-770110] p0199 H74-16751
STOL tactical aircraft investigation-externally
blown flap. Volume 4: Analysis of wind tunnel
data
[AD-772774] p0251 H74-18704
- QUAST, A.
Possibilities of an airborne television system
[ESRO-TT-20] p0301 H74-20819
- QUECK, U.
The Dolphin airship with an undulating propulsion
system and its many uses as crane and
operational aircraft
p0423 A74-38497
- QUIGG, H. T.
Reduction of pollutants from aircraft turbine by
fuel selection and prevaporization
[AD-769099] p0166 H74-15468
- QUIGLEY, R. C.
A flight investigation of the STOL characteristics
of an augmented jet flap STOL research aircraft
[NASA-TN-X-62334] p0329 H74-22637
- QUILLICI, E.
Forty years of civil aviation, 1931 - 1971
p0159 H74-14750
- QUILLEVERE, A.
Emission of gaseous pollutants by turbojet engines
- The Olympus case
p0122 A74-17305
- QUINCEY, V. G.
Aerodynamic characteristics of NPL 9626 and NPL
9627, further aerofoils designed for helicopter
rotor use
[ARC-CP-1262] p0247 H74-18666
- QUINN, R.
Full-scale tests of an augmentor VTOL concept
[AIAA PAPER 73-1185] p0008 A74-11229
Compact thrust augmentors for V/STOL aircraft
p0291 H74-20819
- QUIRING, K. D.
Holographic multicolor moving map display
p0377 A74-35563

R

- RAAB, M.
A new ILS localizer for regional airports
p0136 A74-18901
- RABARY, J.
Automation and flight management in commercial aviation
p0433 A74-39499
- RABBE, M.
Aircraft components from remelted steels - Design and development
p0125 A74-17887
- RACHOVITSKY, E.
Opportunities in flight/propulsion control coupling /FPCC/
[SAE PAPER 740482]
p0433 A74-39649
- RADCHENKO, E. D.
Antiwear properties of jet fuels obtained by blending nonalkalized hydrorefined with straight-run components
p0479 A74-45000
- RADE, M.
Influence of turbulence on helicopter design and operation
p0234 N74-17736
- RADECKI, K.
Quiet engine program: Turbine noise suppression. Volume 2: Treatment selection, installation, and test results
[NASA-CR-134586]
p0256 N74-19401
- RADFORD, R. C.
An experimental investigation of STOL lateral-directional flying qualities and roll control power requirements using the variable stability X-22A aircraft
[AHS PREPRINT 841]
p0385 A74-36592
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 1: Technical results
[AD-774728]
p0299 N74-20678
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 2: Background information
[AD-774729]
p0299 N74-20679
- A review of the X-22A variable stability aircraft and research facility
[AD-774142]
p0300 N74-20688
- RADKEY, R. L.
An analysis of the impact of cabin floor angle restrictions on L/D for a typical supersonic transport
[NASA-CR-132508]
p0494 N74-34469
- RAE, W. H., JR.
Some comments on V/STOL wind tunnel testing in the transition flight region
p0215 A74-22477
- RAPAPLIANTS, A. A.
Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft
p0382 A74-36451
- RAJ, R.
Characteristics of the wake behind a cascade of airfoils
p0123 A74-17495
- RAJPREET, T.
Statistical analysis of aircraft noise levels
p0173 A74-19638
- RAKHIMOV, R.
Nonstationary vibrations of a rigidly supported flexible rotor of variable mass
p0125 A74-17851
- RAMACHANDRAN, S.
Estimation of nonlinear aerodynamic derivatives of a variable geometry fighter aircraft from flight data
[AIAA PAPER 74-790]
p0399 A74-37810
- RAMAKRISHNAN, R.
The prediction of rotor rotational noise using measured fluctuating blade loads
[AHS PREPRINT 801]
p0387 A74-36615
- RAMAHURTI, V.
Torsion of prismatic shell by finite difference approach
p0314 A74-29906
- RAMBAUD, M.
Aircraft components from remelted steels - Design and development
p0125 A74-17887
- RAMIREZ GOMEZ, F.
Problems of stress corrosion in the case of aluminum alloys employed in aerospace technology
p0076 A74-14018
- RAMIREZ, A., JR.
Longitudinal response of an aircraft due to a trailing vortex pair
p0013 A74-11343
- RAMSDELL, J. V.
Meteorological information for vertical and short take-off and land (V/STOL) operations in built-up urban areas: An analysis
[FAA-RD-72-135]
p0056 N74-10920
- RAMSEY, C.
Art of the Stretch 8. I
p0177 A74-20274
- RAMSEY, J. C.
STOL tactical aircraft investigation. Volume 2: Design compendium
[AD-767561]
p0143 N74-13733
- STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis
[AD-767363]
p0143 N74-13734
- RAMSEY, V. W.
Acoustic scattering from an aircraft trailing vortex
p0193 N74-16377
- RANDOLPH, R. E.
Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft
[AD-769041]
p0163 N74-14779
- RANG, R. R.
Oscillations in an adaptive aircraft control system
p0262 A74-26440
- RANIERI, J.
Investigation of the effect of torsional natural frequency on stall-induced dynamic loading
[AD-776415]
p0353 N74-25544
- RAO, B. R.
Longitudinal response of an aircraft due to a trailing vortex pair
p0013 A74-11343
- Application to rotary wings of a simplified aerodynamic lifting surface theory for unsteady compressible flow
p0394 A74-37494
- RAO, B. V. A.
Instability of rotors in MHD journal bearings
p0014 A74-11445
- Torsion of prismatic shell by finite difference approach
p0314 A74-29906
- RAO, G. V. R.
Theoretical studies of tone noise from a fan rotor
[NASA-CR-2354]
p0051 N74-10735
- RAO, S. S.
Optimization of complex structures to satisfy static, dynamic and aeroelastic requirements
p0318 A74-30453
- RATCLIFFE, S.
Collision avoidance and the future of air traffic control
p0007 A74-11101
- The quantitative description of a traffic control process
p0403 A74-37921
- RATLIFF, P. C.
Advanced enroute air traffic control radar system /ARSR-3/
p0025 A74-12198
- RATHER, R. S.
Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology
[NASA-CR-132253]
p0254 N74-18842
- RAUBER, L. A.
Survey of solid state reflective/transmissive display media
[AD-757644]
p0109 N74-12938
- RAVAUD, R. R.
Aircraft engines - Progress made in France over ten years, and possibilities for the ten years to come
p0006 A74-11093
- RAVENHILLE, R. L.
High acceleration cockpit: The maneuvering

- countermeasure
[AD-770287] p0198 N74-16743
- BAVETTI, A.
Buckling loads and minimum weight of compressed
curved ribbed aluminum alloy panels p0118 A74-16822
- BAVIER, M. M.
Theory and practice of avionics reliability p0129 A74-18597
- BAVIER, R. S.
A numerical solution for the heat transfer between
an axi-symmetric air jet and a heated plate
[AD-767266] p0112 N74-13510
- RAY, B. F.
STOL tactical aircraft investigation. Volume 2,
part 1: Aerodynamic technology (design
compendium, vectored thrust/mechanical flaps)
[AD-766639] p0057 N74-10926
- RAY, E. J.
Test results from the Langley high Reynolds number
cryogenic transonic tunnel
[AIAA PAPER 74-631] p0376 A74-35395
- RAY, K. S.
Plotting program for aerodynamic lifting surface
theory [NASA-TN-X-62321] p0158 N74-14739
Normal loads program for aerodynamic lifting
surface theory [NASA-TN-X-62326] p0231 N74-17702
- RAZUMOVSKAYA, A. I.
Hologram study of gas flow in a ballistic wind
tunnel p0013 A74-11414
- REBEL, J. M.
Recent developments in shipboard V/STOL testing p0381 A74-36227
- REBONT, J.
Instantaneous velocity measurements in the near
wake of a helicopter rotor p0425 A74-38633
- REDD, L. T.
A wind-tunnel investigation of a B-52 model
flutter suppression system [AIAA PAPER 74-401] p0265 A74-26700
- REDEKER, G.
The calculation of the buffeting limits of swept
wings p0005 A74-10985
- REDEHANN, H.
QTOL-Europlane p0077 A74-14361
Dornier/Dassault-Breguet Alpha Jet p0313 A74-29829
- REDDED, D. D.
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1A:
Summary [NASA-CR-132390] p0415 N74-28514
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 1B:
Concise review [NASA-CR-132391] p0415 N74-28515
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 4:
IPAD system design [NASA-CR-132394] p0415 N74-28518
Feasibility study of an Integrated Program for
Aerospace Vehicle Design (IPAD). Volume 6:
IPAD system development and operation [NASA-CR-132396] p0415 N74-28520
- REDING, J. P.
High altitude delta wing unsteady aerodynamics
[AIAA PAPER 74-817] p0400 A74-37824
- REDLIER, H. W.
The Hazeltine Doppler microwave landing system -
Specialized techniques and features
[AIAA PAPER 74-905] p0402 A74-37886
- REED, I. S.
Adaptive arrays p0316 A74-30319
- REED, R. D.
BPRVs - The first and future flights p0261 A74-26410
- REEDER, J. P.
New design and operating techniques for improved
terminal area compatibility [SAE PAPER 740454] p0349 A74-34982
- REETHOP, G.
Nonlinear acoustic phenomena in the presence of
absorptive liners in circular ducts p0315 A74-30090
- REGGIORI, A.
An approximate method for the calculation of the
pressure distribution on a wing-cone configuration
p0175 A74-20046
- REIBACH, C.
Numerical investigation of vortex sheets issuing
from a separation line near the leading edge
p0128 A74-18289
Calculation of flows around zero thickness wings
with evolutive vortex sheets [NASA-TT-F-15183] p0094 N74-11815
- REICH, D.
Effect of artificial stability on aircraft
performance [NASA-TT-F-15953] p0472 N74-32442
- REICHERT, G.
Rotary-wing aircraft p0127 A74-18177
Loads prediction methods for hingeless rotor
helicopters p0055 N74-10915
Influence of turbulence on helicopter design and
operation p0234 N74-17736
- REICHMANN, R.
Required flight-path variometer - The quiet
revolution in gliding p0336 A74-32482
- REID, L.
Effects of increased leading-edge thickness on
performance of a transonic rotor blade
[NASA-TN-D-7489] p0037 N74-10025
- REID, T. F.
STOL tactical aircraft investigation. Volume 6:
Air cushion and ground mobility study
[AD-767300] p0143 N74-13736
- REILLY, H. J.
Crashworthy Army helicopter crew and troop seating
systems p0211 A74-23534
- REIN, J. A.
Description of six degree of freedom rigid
aircraft mathematical models [NRE-TN-901(WR/D)] p0187 N74-15702
- REINHART, T. J., JR.
Composite to metal bonding using structural
thermosetting adhesives p0085 A74-14786
- REINSCH, W. A.
B-1 cost/weight trade methodology p0115 A74-16447
- RELLER, J. O., JR.
Study of airborne science experiment management
concepts for application to space shuttle.
Volume 3: Appendixes [NASA-TN-X-62289] p0053 N74-10783
- RENAUD, A.
Helicopter applications at sea p0173 A74-19690
- RENGSTORFF, A. E.
STOL tactical aircraft investigation. Volume 3:
Takeoff and landing performance ground rules for
powered lift STOL transport aircraft
[AD-766640] p0058 N74-10938
- RENSLAER, D. J.
Considerations for STOL landing ground rules
[AIAA PAPER 74-996] p0429 A74-38750
STOL tactical aircraft investigation, externally
blown flap. Volume 1: Configuration
definition. Supplement 1: Aerodynamic trades of
flap and roll control system [AD-767179] p0145 N74-13754
STOL tactical aircraft investigation, externally
blown flap. Volume 3: Performance methods and
landing rules [AD-767180] p0146 N74-13755
STOL tactical aircraft investigation, externally
blown flap. Volume 2: Design compendium
[AD-770110] p0199 N74-16751
STOL tactical aircraft investigation: Externally
blown flap. Volume 1: Configuration definition
[AD-772738] p0251 N74-18697
- BENSHAW, J. H.
Propulsion integration for a hybrid
propulsive-lift system [SAE PAPER 740471] p0351 A74-35002

- BEPIC, E. E.
A methodology for boost-glide transport technology planning
[NASA-CR-2346] p0249 N74-18681
- BESHOTKO, E.
Flap noise prediction method for a powered lift system
[AIAA PAPER 73-1028] p0006 A74-11051
Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept
[AIAA PAPER 74-568] p0344 A74-34798
Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept
[NASA-TN-X-71562] p0355 N74-25568
- BRUBUSH, D. E.
Exhaust-nozzle characteristics for a twin-jet variable-wing-sweep fighter airplane model at Mach numbers to 2.2
[NASA-TN-X-2947] p0416 N74-28524
- BRUKAUF, P. J.
Development of a turbine inlet gas temperature measurement and control system using a fluidic temperature sensor
[AIAA PAPER 73-1251] p0010 A74-11272
Preliminary results of flight tests of the propulsion system of the YF-12 airplane at Mach numbers to 3.0
[AIAA PAPER 73-1314] p0033 A74-12951
- REVELL, J. D.
The calculation of aerodynamic noise generated by large aircraft at landing approach p0397 A74-37540
Low noise propeller technology demonstration [AD-779773] p0443 N74-29395
- REVINOV, V. N.
Some current problems and prospects for development of rotary-wing aircraft p0130 A74-18641
Determination of the basic parameters of light helicopters on the basis of the treatment and analysis of statistical data p0131 A74-18694
- REYLE, S. P.
Truck noise via diesel exhaust and air intake noise [PB-222624/9] p0052 N74-10742
- REYNARD, K. A.
Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UH-1 helicopter [AD-773652] p0288 N74-20080
- RHO, O.
Three-dimensional compressible boundary layer flow over a yawed cone with mass injection p0146 N74-13960
- RHOADES, W. W.
A semi-empirical method for predicting subsonic diffuser performance [AIAA PAPER 73-1272] p0010 A74-11285
- RHODES, A. W.
Some considerations of the influence of fatigue in the design of strike aircraft p0282 N74-19653
- RHODES, O. L.
Methods and costs associated with outfitting light aircraft for remote sensing applications [NASA-TN-X-69938] p0236 N74-17754
- RHOTEN, R. P.
Optimal controller design for high performance aircraft undergoing large disturbance angles [NASA-CR-138130] p0324 N74-21648
- RIABCHENKO, V. N.
An algorithm for rational selection of the parameters of nonlinearly deforming thin-walled framework elements p0130 A74-18645
- RIABCHENKO, V. P.
Unsteady aerodynamic characteristics of cascades of arbitrary profiles vibrating in the potential flow of an incompressible fluid p0222 A74-24378
- RIABOV, A. N.
Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
- RIAZANOV, I. A.
Automatic control systems for flight-vehicle engines p0229 A74-24995
- RIBAUD, Y.
Theoretical and experimental studies of a high pressure ratio centrifugal compressor at reduced rotating speed [ICAS PAPER 74-37] p0450 A74-41338
- RICCIOUS, E.
Fixed wing aircraft p0127 A74-18176
Design optimization of the VAK 191B and its evaluation based on results from the hardware realization and test data p0466 N74-31479
- RICE, C.
Launching of small inflated balloons from cargo aircraft [AD-766428] p0043 N74-10069
- RICE, C. B.
LDP powered balloon program [AD-768673] p0162 N74-14770
- RICE, C. G.
Effects of a traffic noise background on judgements of aircraft noise [NASA-TN-X-71938] p0304 N74-21308
- RICE, E. E.
Supersonic combustion and burning in ramjet combustors [AD-770061] p0201 N74-17648
- RICE, E. V.
Underwater escape from helicopters p0211 A74-23535
- RICE, J. L.
Keyed joint performance under heavy load aircraft [AD-766706] p0061 N74-11101
- RICE, R. C.
Consolidated presentation of fatigue data for design applications [SAE PAPER 740277] p0274 A74-27511
- RICH, M. J.
Application of advanced composites to helicopter airframe structures [AHS PREPRINT 880] p0387 A74-36610
- RICHARDS, B. E.
Turbulent heat transfer measurements in a Mach 15 flow [EUROMECH PREPRINT 73-2] p0089 A74-15949
- RICHARDS, E. J.
Noise burden factor - New way of rating airport noise p0118 A74-16898
- RICHARDSON, H.
The chemistry of fuel deposits and their precursors [AD-773630] p0289 N74-20399
- RICHARDSON, E. L.
The refining of turbine fuels by modern hydrotreating [AIAA PAPER 74-162] p0133 A74-18798
- RICHMOND, J. H.
Computer analysis of aircraft and shuttle antennas [NASA-CR-138605] p0369 N74-26666
- RICHTER, G.
Contribution to the study of noise from jet aircraft during flight p0437 A74-39983
- RICHTER, T. J.
Design considerations for the calculator, altitude ML-646 (IE-1/UM) [AD-766699] p0063 N74-11295
- RIDGLEY, G. F.
Application of advanced composites to helicopter airframe structures [AHS PREPRINT 880] p0387 A74-36610
- RIDLEY, B. A.
An instrument for nitric oxide measurements in the stratosphere p0341 A74-33428
- RIPENBARK, E. E.
The F-15 design considerations p0465 N74-31470
- RILEY, D. E.
Determination of stability derivatives of isolated rigid tail assemblies in sideslip and steady roll [AIAA PAPER 74-1038] p0455 A74-42051
- RINGER, T. R.
ACV icing problems p0091 A74-16240
- RIPPEL, H. C.
Investigation of sliding-surface bearings of screw pumps utilized on the navy distillate fuel oil conversion program [AD-771453] p0242 N74-18146

- RITTER, J. E., JR.
The friction and wear characteristics of plasma-sprayed NiO-CaF₂ in rubbing contact with a ceramic matrix
[ASLE PREPRINT 73LC-1B-3] p0027 A74-12306
- RIX, W. J.
Models in the design of fuel systems p0118 A74-16758
- ROBERTS, G. H.
Relative air pollution emissions from an airport in the UK and neighbouring urban areas p0148 A74-14282
- ROBERTS, R.
Atmospheric pollution by aircraft engines
[AD-769655] p0201 A74-17376
- ROBERTS, S. C.
Flight performance of a circulation controlled STOL
[AIAA PAPER 74-994] p0429 A74-38749
- ROBERTS, W. G.
Glass windshields for wide bodied aircraft p0348 A74-34884
- ROBERTS, W. H.
Low speed wind tunnel flow field results for JT8D refan engines on the Boeing 727-200
[NASA-CR-134630] p0353 A74-25537
- ROBERTSON, G.
Naval Air Test Center adopts real-time telemetry processing p0478 A74-44729
- ROBERTSON, S. J.
Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes
[AD-783665] p0498 A74-34537
Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 1: Wake vortex predictive system study
[AD-783649] p0499 A74-34716
- ROBINSON, P.
Component noise variables of a light observation helicopter
[NASA-CR-114761] p0297 A74-20662
- ROBINSON, W. C.
Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations
[AD-773734] p0284 A74-19676
- ROCKAFELLOW, R. I.
T-38 structural flight loads data for June 1970 through December 1971
[AD-758891] p0408 A74-27507
- RODDEN, W. P.
Comment on 'A finite-element method for calculating aerodynamic coefficients of a subsonic airplane' p0343 A74-33815
- RODERICK, W. E. B.
Progress in the development of a versatile airborne simulator for V/STOL aircraft p0335 A74-31895
Handling qualities evaluation of the XV-15 tilt rotor aircraft
[AHS PREPRINT 840] p0385 A74-36591
- RODZEVICH, V. A.
Response speed of a correlator in an extremal system for aircraft wheel braking p0213 A74-24022
- RODRIGUES, A.
Drop and static tests on a tenth-scale model of an Air Cushion Landing System (ACLS)
[AD-770026] p0198 A74-16742
- ROE, H. H.
Air Force STOL tactical aircraft investigation - Evaluation of externally blown flaps
[SAE PAPER 730914] p0017 A74-11580
STOL tactical aircraft investigation, externally blown flap. Volume 2: Design compendium
[AD-770110] p0199 A74-16751
- ROECK, G. D.
OH-6A design and operational flight loads study
[AD-775832] p0331 A74-22690
- ROEHRS, R. J.
Ultrasonic inspection of titanium airframe components p0116 A74-16479
Quantitative evaluation of the effect of mechanical processing on the effectiveness of penetrant inspection
- ROEMER, A.
Corrosion on aircraft - Evaluation, examination, and elimination. II p0460 A74-44069
- ROEPCKE, F. A.
Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration
[NASA-CR-114621] p0235 A74-17751
- ROESCH, P.
A passive gust alleviation system for light aircraft
[AIAA PAPER 74-773] p0399 A74-37798
- ROESCHER, E. A.
Study of dynamics of X-14B VTOL aircraft
[NASA-CR-138185] p0326 A74-21661
- ROFFE, G.
Analysis and design of three dimensional supersonic nozzles. Volume 4: Similarity laws for nozzle flows
[NASA-CR-132353] p0061 A74-11116
Similarity parameters and their sensitivity for transonic airframe exhaust nozzle interactions
[AD-768988] p0159 A74-14746
- ROGACHEV, G. V.
Computation of the aerodynamic characteristics of a rectangular wing with plates moving at low subsonic speed near a screen
[JPRS-60353] p0039 A74-10036
- ROGAN, J. E.
Ablation p0119 A74-17103
- ROGER, C.
Study of Moire measuring techniques for wind tunnel model deformation
[AD-766892] p0063 A74-11298
- ROGER, K. L.
Active flutter suppression - A flight test demonstration
[AIAA PAPER 74-402] p0266 A74-26701
- ROGERS, D. B.
Effect of modified seat angle on air to air weapon system performance under high acceleration
[AD-770271] p0198 A74-16747
- ROGERS, D. G.
Thermal parameters as a predictor of precipitation type for Kincheloe AFB, Michigan
[AD-754927] p0048 A74-10611
- ROGERS, J. G.
Development of design criteria for sensor displays
[AD-774725] p0303 A74-21049
- ROGERS, J. R.
Two dimensional air cushion landing system peripheral jet configuration study
[AD-769494] p0191 A74-15729
Two dimensional air cushion landing system peripheral jet confirmation study
[AD-771616] p0237 A74-17761
- ROGERS, R. A.
Flight evaluation of two segment approaches for jet transport noise abatement
[NASA-CR-114735] p0200 A74-16995
- ROGERS, R. C.
Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream
[AIAA PAPER 73-1322] p0012 A74-11314
- ROGERS, V. A. B.
The design of the WG-13 p0262 A74-26566
- ROGOZIN, Y. A.
Computation of the aerodynamic characteristics of a rectangular wing with plates moving at low subsonic speed near a screen
[JPRS-60353] p0039 A74-10036
- ROHLING, W. J.
The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps
[NASA-CR-2320] p0140 A74-13718
- ROHY, D. A.
Turbine inlet gas temperature sensor for engine control
[AD-765193] p0046 A74-10461
Turbine blade temperature measurement system: Operation manual
[SOLAB-P/N-106751] p0241 A74-18097
- ROLLS, L. S.
Integrated propulsion/energy transfer control

- systems for lift-fan V/STOL aircraft
p0291 N74-20416
- ROE, J.
On the calculation of non-linear aerodynamic characteristics and the near vortex wake
[ICAS PAPER 74-27] p0449 A74-41329
- ROZANOVA, O. A.
The heat-resistant deformable aluminum alloy D21
p0439 A74-40767
- ROZDOT, J.
Digital adaptive model following control
p0183 A74-21338
- ROZIN, V. D.
Determination of the gas temperature in front of the turbine of a bypass turbofan engine
p0087 A74-15721
- ROONEY, E. C.
Development of techniques to measure in-flight drag of a US Navy fighter airplane and correlation of flight measured drag with wind tunnel data
p0158 N74-14734
- ROOS, R.
Calculation of instationary pressure distributions and generalized aerodynamic forces with the doublet-lattice method
[NLR-TR-72037-U] p0054 N74-10906
- ROSA, D. H.
Tactile display for aircraft control
[AD-783690] p0498 N74-34538
- ROSCOE, S. H.
Simulator tests of pilotage error in area navigation with vertical guidance - Effects of descent angle and display scale factor
p0081 A74-14595
Control authority with a flight performance controller
p0081 A74-14596
Motion relationships in aircraft attitude and guidance displays - A flight experiment
p0081 A74-14597
Aircraft simulator motion and the order of merit of flight attitude and steering guidance displays
p0082 A74-14598
Pilotage error and residual attention - The evaluation of a performance control system in airborne area navigation
p0087 A74-15630
Incremental transfer effectiveness of a ground-based general aviation trainer
p0260 A74-25969
- ROSE, R. E.
The shock adjustment concept - A new method for improved supersonic air data sensing
p0346 A74-34845
- ROSE, S. H.
Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UH-1 helicopter
[AD-773652] p0288 N74-20080
- ROSEN, G.
Matched propulsion for advanced vehicles
[ICAS PAPER 74-36] p0450 A74-41337
- ROSEN, J. H.
Jet engine soot emission measured at altitude
p0317 A74-30397
- ROSENBAUM, K.
Engineering aspects with satellite communication terminals in aircraft
[REPT-7-72] p0192 N74-15842
- ROSENBAUM, B.
Effect of anisotropic turbulence on aerodynamic noise
p0004 A74-10798
- ROSENBAUM, R.
Survey of aircraft subcritical flight flutter testing methods
[NASA-CR-132479] p0494 N74-34468
- ROSENBLATT, R.
The HUDAS-F crash recorder for the Alpha Jet
p0319 A74-30601
- ROSKAN, J.
Flight test results of a separate surface wing-leveling system
[SAB PAPER 740369] p0309 A74-28740
Spoilers for roll control of light airplanes
[AIAA PAPER 74-861] p0401 A74-37850
- ROSS, D. H.
Tactile display for aircraft control
- [AD-757763] p0144 N74-13741
- ROSS, G. E.
Fly-by-wire - What does it weigh
[SAB PAPER 1018] p0435 A74-39888
- ROSS, J. H.
Nonflammable fibrous materials for aeronautical systems
p0379 A74-35807
- ROSS, S. H.
Fungus resistance of polyvinyl acetate latex dust control material
[AD-767256] p0111 N74-13286
- ROSS, T. H.
Design to cost during the requirements, development and test phases of systems acquisition
p0479 A74-45003
- ROSSBACH, D. R.
Sensing jet engine performance and incipient failure with electrostatic probes
[AD-766653] p0066 N74-11606
- ROSSI, G.
A method for measuring the dynamic stability Cyr in a subsonic wind tunnel
[REPT-1427] p0187 N74-15701
- ROSSIGNOL, G. A.
Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers
[AD-766450] p0043 N74-10072
- ROSSOW, V. J.
On the inviscid rolled-up structure of lift-generated vortices
p0090 A74-15964
Apparatus for span loading to alleviate wake-vortex hazard behind aircraft
[NASA-CASE-ARC-10801-1] p0471 N74-32428
- ROSTOCKI, S. J.
Military airborne video recording: Requirements, utilization and techniques; Proceedings of the Seminar, Dayton, Ohio, April 3-5, 1973
p0216 A74-22526
- ROTH, A.
A fatigue failure criterion for fiber reinforced materials
p0178 A74-20478
- ROTHSCHILD, D.
Implicit model decoupling approach to VTOL flight control design
[RE-469] p0245 N74-18644
New methods for command and stability augmentation via optimal control
[RE-472] p0370 N74-27172
- ROTT, H.
Progress in aerospace sciences. Volume 14
p0025 A74-12203
- ROUCOUS, R.
Study of unsteady flows around a pointed airfoil by conformal transformation
p0432 A74-39300
- ROWAN, J. C.
Comment on 'A finite-element method for calculating aerodynamic coefficients of a subsonic airplane'
p0343 A74-33815
- ROY, K. J.
Reduced order filtering with applications in hybrid navigation
p0023 A74-12177
- ROY, P. A.
Low-weight, impact-resistant helicopter drive shafts
p0348 A74-34919
- ROZENBERG, A. H.
Influence of the method of hole machining on the fatigue strength of aircraft structural materials
p0270 A74-27343
- ROZENBERG, O. A.
Influence of the method of hole machining on the fatigue strength of aircraft structural materials
p0270 A74-27343
- ROZENBLAT, H.
Take-off velocities
[AD-771632] p0239 N74-17776
- ROZHKOV, I. V.
Antiwear properties of jet fuels obtained by blending nonalkalized hydrotreated with straight-run components
p0479 A74-45000
- RUBERTUS, D. P.
Considerations in the design of a digital flight

PERSONAL AUTHOR INDEX

SAPRONOV, IU. D.

- control function for a high performance aircraft
p0423 A74-38533
- RUDD, J. L.
Analysis of crack propagation under variable
amplitude loading using the Willenborg
retardation model
[AIAA PAPER 74-369] p0265 A74-26677
- RUDISILL, C. S.
Derivatives of eigenvalues and eigenvectors for a
general matrix p0311 A74-28967
- RUDIUK, A.
Noise measurements of the jet and piston engines
on the Lala-1 experimental airplane p0270 A74-27296
- RUDOLPH, F. F.
Effects of Ti-6Al-4V alloy metallurgical
structures on ultrasonic response characteristics
p0116 A74-16477
- RUDOLPH, J. F.
Aircraft wake turbulence p0207 A74-22627
- RUEGSEGGER, H. C.
The expanding liability of air traffic controllers
p0307 A74-28573
- RUFF, A. W.
Metallurgical analysis of wear particles and
wearing surfaces
[AD-778340] p0409 A74-27920
- RUHL, J. H.
Improved fastener systems for fatigue and sealing
redundancy of low shear transfer joints
[SAE PAPER 730901] p0018 A74-11589
- RUHLIN, C. L.
Some tunnel-wall effects on transonic flutter
[AIAA PAPER 74-406] p0266 A74-26705
- RULIS, R. J.
Influence of noise requirements on STOL propulsion
system designs p0001 A74-10148
Influence of noise requirements on STOL propulsion
system designs p0291 A74-20422
- RUMBARGER, J. H.
Gas turbine engine mainshaft roller bearing-system
analysis
[ASME PAPER 73-LUB-J] p0030 A74-12710
- RUMIANTSEVA, Z. P.
Air transport. Volume 3 p0421 A74-38049
- RUMMEL, K. G.
Investigation and analysis of reliability and
maintainability problems associated with Army
aircraft engines
[AD-772950] p0256 A74-19411
- RUMPLER, E.
MBB BO 105 - Concept and worldwide use of a modern
helicopter. I p0479 A74-45098
- RUNCIMAN, W. J.
STOL tactical aircraft investigation. Volume 2,
part 1: Aerodynamic technology (design
compendium, vectored thrust/mechanical flaps)
[AD-766639] p0057 A74-10926
- RUNNELS, J. W.
Design integration and noise studies for jet STOL
aircraft. Task 7C: Augmentor wing cruise
blowing valveless system. Volume 2:
Small-scale development testing of augmentor
wing critical ducting components
[NASA-CR-114623] p0236 A74-17753
- RUNSTADLER, P. W., JR.
Modeling a high pressure ratio centrifugal
compressor using a low speed of sound gas
[AD-767241] p0152 A74-14444
- RUNYAN, H. L.
Application of unsteady lifting surface theory to
propellers in forward flight
[AIAA PAPER 74-419] p0276 A74-28169
- RUO, S. Y.
Calculation of unsteady transonic aerodynamics for
oscillating wings with thickness (computer
program)
[NASA-CR-132477] p0487 A74-33427
- RUPP, W.
The advanced OPLE for search and rescue
p0221 A74-23787
- RUSCOE, M. J. H.
The development of thermomechanical processes for
advanced dispersion strengthened alloys
p0342 A74-33622
- RUSHTON, K. E.
Dynamic relaxation solution of three dimensional
subsonic compressible oscillatory flow
p0014 A74-11428
- RUSSELL, R. E.
A positive approach to the problems of aircraft
noise
[AIAA PAPER 73-1157] p0026 A74-12227
Aircraft community noise research and development
- A historical overview p0397 A74-37545
- RUSSELL, T. E.
A study of high temperature fuels and lubricants
on supersonic aircraft/engine system performance
[SAE PAPER 740473] p0433 A74-39648
- RUSSELL, W. E.
Navigation in the upgraded third generation system
p0220 A74-22680
- RUSSKIKH, A.
The quality of the fuel p0021 A74-11741
- RUTAN, B.
Aerodynamic design approach to the stall/spin
problem - The VariViggen
[SAE PAPER 740391] p0310 A74-28755
- RYACHEV, V. L.
Structure of solutions to basic bending and
vibration problems for plates of complex shape
p0482 A74-45592
- RYAN, J. L.
A flight investigation with a STOL airplane flying
curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 A74-33452
- RYBAKOV, K. V.
Filtration of aviation fuels p0421 A74-38046
- RYDER, D. E.
Redundant actuator development study
[NASA-CR-114730] p0325 A74-21655
- RYLSKII, G. I.
Flight control of airplanes and helicopters
[AD-767943] p0143 A74-13738
- RYLSKY, G. I.
Flight control of airplanes and helicopters
[AD-777297] p0368 A74-26488
- RZHAVIN, L. N.
A study of the combined vibrations of the
disk-blade system of a turboprop engine turbine
wheel p0126 A74-18088

S

- SABADASH, V. P.
Heat transfer investigation in a high-temperature
gas flow spreading over a plane surface
p0131 A74-18684
- SABATELLA, J. A.
Benefits of advanced propulsion technology for the
advanced supersonic transport
[SAE PAPER 730896] p0018 A74-11593
Influence of noise constraints on supersonic
transport engine design
[AIAA PAPER 73-1295] p0032 A74-12943
- SACHS, G.
The effect of velocity-dependent pitching moments
on longitudinal stability p0261 A74-26047
- SAELHAN, B.
Wing shear material p0008 A74-11175
- SAPARIEV, M. S.
Determination of the shear stresses in spar walls
in the design of a wing on the basis of a plate
analogy p0260 A74-25984
- SAPER, E. B.
Aircraft noise reduction - Alternatives versus cost
p0008 A74-11199
- SAFFMAN, P. G.
The structure and decay of trailing vortices
p0447 A74-41044
- SAPRONOV, IU. D.
Design of uniformly long-lived structures of
minimum weight p0381 A74-36304

- SAGALOVICH, V. B.**
Mixing and combustion processes in jet engines
[AD-766030] p0051 N74-10741
- SAGATA, S.**
An aircraft exterior coating system and surface pretreatment p0125 A74-17862
- SAGE, A. P.**
Identification of aircraft stability and control parameters using hierarchical state estimation p0260 A74-25759
Identification of aircraft stability and control parameters using multilevel, hierarchical estimation p0356 N74-25581
- SAGITA, Y.**
Simulation study of transient performance matching of turbofan engine using an analogue computer to evaluate its usefulness as design tool [ASME PAPER 74-GT-50] p0272 A74-27442
- SAGNER, E.**
Modeling dynamic stall on an oscillating airfoil p0224 A74-25329
- SAINSBURY-CARTER, J. B.**
NASTRAN data generation of helicopter fuselages using interactive graphics p0153 N74-14621
- SAINTSBURY, J. A.**
Designing small gas turbine engines for low noise and clean exhaust [AIAA PAPER 73-1154] p0003 A74-10507
Low NOx emission combustor for automobile [PB-222075/4] p0052 N74-10745
- SAITO, K.**
An aircraft exterior coating system and surface pretreatment p0125 A74-17862
- SAITO, Y.**
Experimental study on the characteristics of an isolated swept-back aerofoil with two parallel side-walls p0069 A74-12971
- SAKAGUCHI, H.**
Experimental investigation of two-dimensional cascade performance with blunt trailing edge blade sections at transonic inlet Mach number range [NAL-TR-313] p0045 N74-10322
- SALB, F. E.**
Foam and aeration characteristics of commercial aircraft lubricants [ASLE PREPRINT 74AM-1A-1] p0307 A74-28676
- SALEMANN, V.**
Prediction and measurement of propulsion system performance [ASME PAPER 73-WA/AERO-5] p0481 A74-45366
Exhaust system interaction program [AD-769086] p0159 N74-14747
- SALEME, E.**
Nonlinear crack analysis with finite elements [AD-766558] p0067 N74-11722
- SALENNE, C. T.**
Impact resistance of current design composite fan blades tested under short-haul operating conditions [NASA-CR-134533] p0247 N74-18672
- SALKIND, M. J.**
Applications of composite materials p0002 A74-10494
VTOL aircraft p0002 A74-10497
Fatigue and fracture considerations in critical titanium components p0367 N74-26470
- SALLEE, G. P.**
Performance versus cost tradeoffs - Initial look at alternatives [SAE PAPER 740494] p0350 A74-34989
Economic effects of propulsion system technology on existing and future transport aircraft [NASA-CR-134645] p0410 N74-28230
Assessment of the application of advanced technologies to subsonic CTOL transport aircraft [NASA-CR-132461] p0441 N74-29375
- SALMERS, S.**
Electronic displays and digital automatic control in advanced terminal area operations [AIAA PAPER 74-27] p0136 A74-18881
- SALTZMAN, E. J.**
Review of drag measurements from flight tests of manned aircraft with comparisons to wind-tunnel predictions p0158 N74-14735
- SALVETTI, A.**
Recent research activities at the Aeronautics Institute of the University of Pisa in the field of aircraft structure fatigue p0072 A74-13365
Theoretical and experimental research on vibrations of thin walled stiffened structures [ICAS PAPER 74-16] p0448 A74-41318
Fatigue behaviour of hat section stringer stiffened panels compressed in the post-buckling range [AD-773672] p0293 N74-20579
- SANABICH, E. E.**
Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine [AIAA PAPER 73-1217] p0030 A74-12495
Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine [NASA-TN-X-71466] p0039 N74-10042
- SANISIS, J. C.**
Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft [AD-769041] p0163 N74-14779
- SANOYLOVICH, G. V.**
General principles of designing control systems [NASA-TT-F-782] p0357 N74-25594
- SANPATH, P.**
Low NOx emission combustor for automobile [PB-222075/4] p0052 N74-10745
- SANS, E. W.**
Refan program. Phase 1: Summary report [NASA-TN-X-71456] p0040 N74-10043
- SAN FILIPPO, P. A.**
Short-time parameter optimization with flight control application p0482 A74-45720
- SAND, E.**
Summary of propeller design procedures and data. Volume 3: Hub, actuator, and control designs [AD-776998] p0360 N74-25614
- SANDAUER, J.**
Guidelines for selecting the parameters of a slab tailplane p0422 A74-38150
- SANDER, G.**
Finite element analysis of supersonic panel flutter p0069 A74-13001
- SANDERS, B. W.**
Airflow control system for supersonic inlets [NASA-CASE-LEN-11188-1] p0295 N74-20646
- SANDERS, H.**
Effective methods for fabrication of large polyamide-matrix aircraft components p0084 A74-14780
- SANDERS, L. R.**
Titanium - The bridge to composites p0116 A74-16451
Effects of fabrication defects on boron/epoxy composites [AIAA PAPER 74-352] p0264 A74-26664
- SANDERS, H. D.**
Quiet engine from NASA p0422 A74-38295
- SANDFORD, M. C.**
A transonic study of active flutter suppression based on an aerodynamic energy concept [AIAA PAPER 74-403] p0266 A74-26702
Status of two studies on active control of aeroelastic response at NASA Langley Research Center p0354 N74-25553
- SANDFORD, T. H.**
Wake induced loads on helicopter rotor blades p0103 N74-12708
- SANDIFER, J. P.**
Evaluation of methods for reducing fretting fatigue damage in 2024-T3 aluminum lap joints p0117 A74-16696
- SANDOR, G. H.**
Analysis and design of a capsule landing system

- and surface vehicle control system for Mars
exploration
[NASA-CR-136069] p0059 N74-11077
- SANGA, R. V.
The 747 fail-safe structural verification program
p0367 N74-26473
- SANLORENZO, E.
Study of Moire measuring techniques for wind
tunnel model deformation
[AD-766892] p0063 N74-11298
- SANNEHAN, R. A.
Tactile display for aircraft control
[AD-767763] p0144 N74-13741
Tactile display for aircraft control
[AD-783690] p0498 N74-34538
- SANTORO, E.
Numerical computations of wake vortices behind
lifting surfaces
[ICAS PAPER 74-28] p0449 A74-41330
- SARAVANAMUTTOO, B. I. H.
Digital computer simulation of the dynamic
response of a twin-spool turbofan with mixed
exhausts
p0020 A74-11617
- SARIN, V. B.
Transient aerodynamic characteristics of thin
curvilinear airfoils in cascade
p0482 A74-45928
- SAREV, V. V.
Aircraft air intake regulator
[AD-772021] p0243 N74-18416
- SARGENT, H. B.
Effect of configuration variation on externally
blown flap noise
[AIAA PAPER 74-190] p0180 A74-20775
- SASHEVSKII, V. V.
Adsorption resins in jet fuels
p0221 A74-23517
Antiwear properties of jet fuels obtained by
blending nonalkalized hydrorefined with
straight-run components
p0479 A74-45000
- SATCHWELL, B. W.
Thermal parameters as a predictor of precipitation
type for Kincheloe AFB, Michigan
[AD-754927] p0048 N74-10611
- SATO, W. D.
A low cost p-i-n diode phase shifter for airborne
phased-array antennas
p0321 A74-31611
- SAVAGE, H. F.
NO and O3 measurements in the lower stratosphere
from a U-2 aircraft
p0373 A74-35121
- SAVAGE, W. C.
Advanced environmental control system
p0424 A74-38552
- SAVELL, C. T.
The aero/acoustic response of finite chord blade
rows to circumferential inlet flow distortion in
an unsteady, compressible fluid
p0254 N74-18904
- SAVUSIA, M. G.
Air transport. Volume 3
p0421 A74-38049
- SAWKO, P. H.
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] p0193 N74-16249
- SAWYER, R. F.
The hydrogen fuel economy and aircraft propulsion
[AIAA PAPER 73-1319] p0125 A74-17905
Factors controlling pollutant emissions from gas
turbine engines
p0149 N74-14292
- SAWYER, R. H.
A flight investigation with a STOL airplane flying
curved, descending instrument approach paths
[NASA-TX-D-7669] p0489 N74-33452
- SAWYER, W. C.
External store effects on the stability of fighter
and interceptor airplanes
[NASA-TX-X-71935] p0296 N74-20658
- SAYER, E. J.
The use of ultra high strength titanium alloys in
a V/STOL military aircraft application - The H.
S. A. Barrier
p0115 A74-16446
- SAYER, R. B.
Nonlinear effects of spectrum loading on fatigue
crack growth in transport wings
[AIAA PAPER 74-984] p0428 A74-38742
- SAYIGH, A. A. M.
Deflection of carbon fibre/acrylic foam sandwich
beams
p0002 A74-10322
- SCACCIA, C.
Modeling of gas turbine combustors
p0014 A74-11434
- SCAGGS, W. E.
Supersonic mixing and combustion studies of ducted
hydrogen-air flows at an inlet air Mach number
of 2.6
[AIAA PAPER 73-1320] p0012 A74-11313
- SCANTLING, W. L.
Effect of spanwise blowing on leading-edge vortex
bursting of a highly swept aspect ratio 1.18
delta wing
[NASA-TX-X-71987] p0441 N74-29367
- SCARDINA, J. A.
Description and cost of a satellite-based oceanic
ATC system
p0025 A74-12193
- SCARDINO, W. M.
Composite to metal bonding using structural
thermosetting adhesives
p0085 A74-14786
- SCARLETT, J. J.
Air transport in Europe - Commercial trends and
prospects
p0382 A74-36327
- SCHAAP, E.
Quality exponent method for planning and
interpretation of results of full-scale,
low-cycle fatigue tests
[SAE PAPER 740218] p0274 A74-27501
- SCHARFER, J. W.
Noise generated by quiet engine fans. 2: Fan A
[NASA-TX-X-3066] p0444 N74-30240
- SCHAEZNER, G.
The effect of gusts and wind shear for automatic
STOL approach and landing
p0233 N74-17730
Flight path control equipment for producing curved
flight path profiles with microwave landing
systems
[NASA-TT-F-15608] p0361 N74-26150
Comparator of the influence of horizontal and
vertical gust interferences on aircraft
longitudinal motion
[NASA-TT-F-15801] p0445 N74-30425
- SCHAEFER, W. C.
Inflight thrust and base pressure survey on the
A-7 airplane
p0345 A74-34840
- SCHAPFAR, H.
Strong and weak shock waves. Experiments and
calculations
[ISL-NB-1/73] p0067 N74-11718
Calculation of the geometrical propagation of the
sonic boom along the flight path on the ground
under real atmospheric conditions with wind
[ISL-37/72] p0298 N74-20673
- SCHAFRANEK, D.
Longitudinal motion of an airliner during steep
approach
[NASA-TT-F-15616] p0355 N74-25564
- SCHATT, F.
Flight safety work and the DFVLR
p0208 A74-22632
- SCHATTENHANN, W.
Comparative simulator studies with the contact
analog channel display and with conventional
instruments
[ESRO-TT-15] p0302 N74-21044
- SCHAUB, O. W.
Crossflow-induced flow distortion and its
influence on the performance of a vertical axis
lifting fan
[ME-73-4] p0438 A74-40303
- SCHERIN, R. W.
Design and fabrication of an augmentor wing model
for acoustic tests
[NASA-CR-134518] p0241 N74-17960
- SCHREIBER, J.
A method of designing supercritical lift profiles
[DGLR PAPER 73-081] p0120 A74-17187
- SCHREINMAN, J.
Rotating-blade vortex noise

- Further analysis of broadband noise measurements for a rotating blade operating with and without its shed wake blown downstream [NASA-TN-D-7623] p0203 A74-22470
- SCHELHORN, A. E. In-flight testing of a flight control multiplex system in the NC-131 H total in-flight simulator [AD-774049] p0488 N74-33434
- SCHELLENBRECK, S. Visual landings in regional and local airports [NASA-TT-F-15177] p0302 N74-20907
- SCHENK, H. Comparison of conventional and electronic indicator instruments in a flight simulator and in a test aircraft [ESRO-TT-13] p0060 N74-11093
- SCHENK, R. D. A monitor display for automatically regulated steep approaches [NASA-TT-F-15615] p0302 N74-21042
- SCHICKERT, L. Eddy current inspection - Testing of aircraft-parts p0419 N74-29118
- SCHIFF, H. I. Possible effects of a fleet of supersonic transports on the stratospheric ozone shield p0341 A74-33471
- SCHIFF, L. B. Nonlinear aerodynamics of aircraft in high-angle-of-attack maneuvers [AIAA PAPER 74-85] p0176 A74-20125
- A study of the nonlinear aerodynamics of bodies in nonplanar motion [NASA-TX-R-421] p0133 A74-18765
- SCHIFF, S. S. The expanding liability of air traffic controllers p0158 N74-14741
- SCHIJVE, J. A standardized load sequence for flight simulation tests on transport aircraft wing structures [LRF-PB-106/73] p0307 A74-28573
- The prediction of fatigue crack propagation under service load-time histories [NLR-MP-73016-U] p0097 N74-11841
- SCHILLER, R. M. Study of casing treatment effects in axial flow compressors [ASME PAPER 74-GT-89] p0366 N74-26467
- SCHLEICH, J. P. Microwave landing system integration study. Volume 1: Summary report [AD-775703] p0273 A74-27472
- Microwave landing system integration study. Volume 3: Appendices [AD-775724] p0361 N74-26149
- SCHLIKE, P. W. Advanced ceramic seal program, phase 1 [AD-781004] p0361 N74-26155
- SCHLOSS, H. R. Applied research and development of adhesives for bonding filled carboxyl terminated polybutadienes to various substrates p0492 N74-34076
- SCHLOSSER, F. Calculation of the geometrical propagation of the sonic boom along the flight path on the ground under real atmospheric conditions with wind [ISL-37/72] p0316 A74-30313
- SCHLOTTHAWE, P. Investigations on rolling damping of slender wings [NASA-TT-F-15729] p0298 N74-20673
- SCHLUNDT, D. W. STOL tactical aircraft investigation: Externally blown flap. Volume 1: Configuration definition [AD-772738] p0362 N74-26423
- SCHMIDT, C. Contribution to the study of noise from jet aircraft during flight p0251 N74-18697
- SCHMIDT, E. A. The status of the F-14A airborne mission recorder requirements and utilization p0437 A74-39983
- SCHMIDT, G. The 'Materik' instrument landing system p0216 A74-22529
- SCHMIDT, J. Hingeless circulation control rotor blade design p0338 A74-33091
- [AHS PREPRINT 813] p0388 A74-36622
- SCHMIDT, U. Escape measures for combat helicopter crews p0301 N74-20770
- SCHMIDT, W. The Dolphin airship with undulating propulsion system - On-test-stand comparison with a helicopter p0021 A74-11743
- The Dolphin airship with undulating propulsion system - A new form of the evaluation factor p0185 A74-22272
- Air-traffic-control simulator for the training of ATC personnel p0216 A74-24052
- Dolphin airship with undulatory-flow propulsion - Dynamic lift p0338 A74-33096
- Dolphin airship with undulating propulsion - Action of the elastic drive blades p0461 A74-44073
- SCHMIDT, W. R. Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods [BMVG-FBWT-73-27] p0195 N74-16705
- SCHMITT, V. Experimental study of the internal noise in injector driven wind tunnels [ONERA, TP NO. 1315] p0128 A74-18288
- SCHMITZ, P. R. A simple, near-optimal takeoff control policy for a heavily loaded helicopter operating from a restricted area [AIAA PAPER 74-812] p0453 A74-41796
- SCHNEIDER, E. Weight control and how we look at it [SAWE PAPER 1004] p0435 A74-39878
- SCHNEIDER, W. The development and evaluation of weight-estimation formulas for aircraft design with the aid of methods of mathematical statistics and probability calculus p0175 A74-20049
- SCHOCKEY, P. D. Advanced composite F-5 fuselage component p0084 A74-14763
- SCHOEFER, W. Dynamic test of air data computers with simulated flight profiles p0124 A74-17736
- SCHOENSTADT, A. L. A nonlinear relay model for post stall oscillations [AD-769405] p0187 N74-15706
- SCHOENSTER, J. A. Acoustic loads on an externally blown flap system due to impingement of a TF-34 jet engine exhaust [NASA-TN-X-71950] p0295 N74-20651
- SCHOENHACK, W. The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments [NASA-TT-P-15532] p0297 N74-20668
- SCHOFIELD, B. L. Air-to-air tracking techniques to evaluate aircraft handling qualities p0345 A74-34838
- SCHOLEY, H. R. Analysis, design and test of thrust reverser and thrust vectoring systems for STOL transport aircraft [AIAA PAPER 73-1218] p0456 A74-42849
- SCHOLZ, T. G. Functional tests of a cryo-cooled mass spectrometer ion source in a supersonic wind tunnel p0080 A74-14548
- SCHRA, L. The application of fracture mechanics to the design of the barrel and driver tube of a hypersonic gun tunnel p0002 A74-10484
- SCHRECKER, G. O. Noise characteristics of jet flap type exhaust flows [NASA-CR-2342] p0236 N74-17756
- SCHUEHLE, A. L. The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines

PERSONAL AUTHOR INDEX

SCRUGGS, R. E.

- [NASA-CR-134609] p0296 N74-20661
- SCHUETZ, A. J.**
Navy participation in the development of airframe parameter identification techniques p0356 N74-25572
- SCHUETZ, D.**
Flight-by-flight tests with notched specimens using a wing upper surface load spectrum [LBP-PB-104/72] p0097 N74-11839
A standardized load sequence for flight simulation tests on transport aircraft wing structures [LBP-PB-106/73] p0097 N74-11841
A standardized flight-by-flight test program for the fatigue life evaluation of wing components of transport aircraft p0367 N74-26476
- SCHULER, J. M.**
A fixed-base ground simulator study of control and display requirements for VTOL instrument landings with a decelerating approach to a hover [AD-774750] p0299 N74-20680
- SCHULKE, G. J.**
An analysis of the acquisition of the F-111A simulators [AD-769202] p0194 N74-16693
- SCHULTZ, D. F.**
Spontaneous ignition in afterburner segment tests at an inlet temperature of 1240 K and a pressure of 1 atmosphere with ASTM Jet-A fuel [NASA-TN-X-2952] p0101 N74-12571
Measurements of liner cooling effectiveness within a full scale double-annular ram-induction combustor [NASA-TN-D-7689] p0362 N74-26389
- SCHULTZ, S.**
Investigations concerning the interference between annular wing and hub body in the case of annular wing/hub body configurations p0452 A74-41444
- SCHULZ, D.**
Optimization and design of the rear fuselage of the A 300 B aircraft structure p0166 N74-15614
- SCHULZ, R. B.**
A rational basis for determining the EMC capability of a system p0312 A74-29371
- SCHULZ, R. J.**
An analytical study of icing simulation for turbine engines in altitude test cells [AIAA PAPER 73-1280] p0032 A74-12938
- SCHULZ, U.**
Design and hover-flight testing of a deflection control system for the Aerodyne wingless, remote-controlled experimental flight vehicle [DGLR PAPER 73-070] p0120 A74-17179
Views regarding the validity of results from simulation testing in comparison with the results from actual flight test [NASA-TT-F-15172] p0056 N74-10922
- SCHULZ, W.**
Deutsche Gesellschaft fuer Luft- und Raumfahrt, Yearbook 1972 p0225 A74-24892
- SCHULZE, C.**
Designing with plastic resin matrix composite materials [DGLR PAPER 73-086] p0121 A74-17192
- SCHULZE, H.-K.**
Computation of minimum-noise takeoff flight paths by varying the thrust and the inclination angle of the flight path p0337 A74-32902
Minimum noise climbout trajectories of a VTOL aircraft p0392 A74-37284
- SCHUNACHER, G. A.**
System for evaluation of F-15 inlet dynamic distortion p0277 A74-28287
- SCHURATH, U.**
Photo-oxidation of aircraft engine emissions at low and high altitudes p0148 N74-14277
- SCHUREK, O.**
An empirical model for calculating the critical conditions of flame stabilization p0022 A74-11824
- SCHURINGA, T.**
Flight testing the Fokker F28 with advanced wing [AIAA PAPER 74-944] p0426 A74-38717
- SCHWARTZ, R. C.**
Application of nonlinear estimation theory to parameter identification of rigid and elastic aircraft p0342 A74-33778
Estimation of elastic aircraft parameters using the maximum likelihood method p0357 N74-25589
- SCHWARTZ, R.**
Experimental reel response system for high performance simplified aerial refueling store [AD-771389] p0240 N74-17799
- SCHWARTZ, I. R.**
Abating exhaust noises in jet engines [NASA-CASE-ABC-10712-1] p0474 N74-33218
- SCHWARTZ, M. H.**
BohrBond p0083 A74-14741
- SCHWEIKHARD, W. G.**
Research instrumentation requirements for flight/wind-tunnel tests of the YF-12 propulsion system and related flight experience p0277 A74-28285
- SCHWENK, W.**
Cooperative airframe/propulsion control for supersonic cruise aircraft [SAE PAPER 740478] p0351 A74-34998
A simplified flight-test method for determining aircraft takeoff performance that includes effects of pilot technique [NASA-TN-D-7603] p0195 N74-16717
- SCHWEIZER, G.**
Flight control p0128 A74-18181
- SCHWEHK, W.**
Nitinol as a fastener material p0176 A74-20208
- SCHWENT, G. V.**
A control concept combining the best of the current hydromechanical and electronic technologies [SAE PAPER 740380] p0309 A74-28745
- SCHWIND, R. G.**
The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation [NASA-CR-2344] p0036 N74-10019
- SCHARRA, J. J.**
Coupled rotor/airframe vibration prediction methods p0394 A74-37489
Coupled rotor/airframe vibration prediction methods p0496 N74-34497
- SCIBILIA, M. P.**
Drag of lifting bodies for pilots at high altitude p0157 N74-14731
- SCICCHITANO, E.**
Emergency air start system for the F-14B flight test aircraft [AIAA PAPER 73-1252] p0010 A74-11273
- SCOTT, P. P.**
Application of Monte Carlo methods to estimation of collision risks associated with ATC separation standards [RAE-TR-73104] p0256 N74-19283
- SCOTT, R. T., JR.**
A helicopter flight performance system using an LSI microprocessor [AD-765680] p0041 N74-10054
- SCRAWTON, R. S.**
Crashworthy landing gear study [AD-765489] p0042 N74-10060
- SCRUGGS, R. E.**
Analysis of flow-reversal delay for a pitching airfoil [AIAA PAPER 74-183] p0134 A74-18835
Additional three-dimensional boundary-layer computations for a finite swept wing [NASA-CR-132335] p0038 N74-10029
Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 1: Experimental research [AD-771290] p0232 N74-17710
Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation [AD-771304] p0232 N74-17711

- SCULLY, M. P.
Aerodynamic problems in the calculation of
helicopter airloads p0203 A74-22456
- SEARS, H. H.
Air-to-air fire control exposition, phase 3 (Expo 3)
[AD-775360] p0327 A74-21673
- SEARS, W. R.
On calculation of induced drag and conditions
downstream of a lifting wing p0275 A74-27846
- Research on helicopter noise
[AD-773385] p0285 A74-19677
- SECHLER, E. E.
The historical development of shell research and
design p0374 A74-35211
- SEDDON, J.
Research and development for future air transports
p0020 A74-11615
- The reduction of airframe costs with particular
reference to combat aircraft p0305 A74-21615
- SEDERSTROM, D. C.
Energy management display p0346 A74-34844
- F-14 optimum flight modes, volume 1
[AD-775246] p0326 A74-21665
- SEEGALL, H. I.
Turbine inlet gas temperature sensor for engine
control p0046 A74-10461
- SEELY, C. T.
Quiet engine program flight engine design study
[NASA-CR-134660] p0475 A74-33226
- SEELHAW, H.
Flight control p0128 A74-18181
- Views regarding the validity of results from
simulation testing in comparison with the
results from actual flight test p0056 A74-10922
- SEETHARAN, H. C.
A Fowler flap system for a high-performance
general aviation airfoil p0309 A74-28739
- SEEVERS, J. A.
Study of dynamics of X-14B VTOL aircraft
[NASA-CR-138185] p0326 A74-21661
- SEIBOLD, W.
Technical aspects of the VFW 614 p0225 A74-24895
- SEIDLER, F.
Flight-mechanics analysis of various flight
conditions of conventional aircraft. VIII/2 -
Mechanical foundations: Dynamic equations of
motion of the control systems p0021 A74-11744
- Aerodynamic analysis of various flight conditions
of conventional aircraft. IX - Aerodynamic
foundations /General Survey/ p0186 A74-22273
- Flight mechanical analysis of various flight
attitudes of conventional aircraft. X - Basic
aerodynamic principles /Aerodynamics of the
airfoil - Geometry of the airfoil/ p0338 A74-33097
- Aerodynamic analysis of different flight attitudes
of conventional aircraft. XI - Aerodynamic
principles /Aerodynamics of the wing: Forces and
moments of force of the air in the case of
rectilinear flight at low Mach numbers/ p0423 A74-38498
- SEKHON
Objective determination of the noise level in
Doppler spectra p0044 A74-10155
- SEKINE, S.
Some considerations on the performance of the fan
jet engine p0193 A74-16486
- SEKULIC, M.
Fluidics and its application in aircraft and
spacecraft p0484 A74-46688
- SEKURA, C. A.
Validity of aircraft noise data p0397 A74-37547
- SELAN, S. D.
The use of an aircraft test stand for VTOL
handling qualities studies
[NASA-TR-X-62318] p0418 A74-28737
- SELDEN, E. S.
Antenna modeling of the KC-135
[AD-769913] p0200 A74-16960
- SELIN, I. S.
Designing a dynamically stable body with lifting
surfaces for a follower load p0087 A74-15710
- SELLERS, J.
Generalized dynamic engine simulation techniques
for the digital computer p0481 A74-45378
- SELLMAN, E. W.
The background to propeller airplane noise
regulations
[SAE PAPER 740361] p0309 A74-28738
- SELLS, C. C. L.
Calculation of the induced velocity field on and
off the wing plane for a swept wing with given
load distribution p0161 A74-14766
- SENIOR, H. A.
Endurance test on flexible steel wire rope for
aircraft controls at various pulley rope
diameter ratios p0416 A74-28528
- SENSBURG, O.
Active flutter suppression on wings with external
stores p0354 A74-25555
- SERAPHIN, L.
Heat-resistant titanium alloys - Introduction of
the 651 A alloy p0125 A74-17891
- Recent developments and utilization criteria of
titanium alloys in the aircraft industry p0218 A74-23962
- Heat-resistant titanium alloys - Introduction of
the UT651A alloy p0219 A74-23963
- SEREBRIISKII, I. A. M.
Investigation of the influence of vortex
generators on turbulent boundary layer separation
p0389 A74-36632
- SERGEANT, R. J.
Three dimensional supersonic flow field analysis
of the B-1 airplane by a finite difference
technique and comparison with experimental data
[AIAA PAPER 74-189] p0136 A74-18877
- SESTOUR, G.
Utilization of titanium and its alloys in the
manufacture of helicopters and airplane frames
p0218 A74-23967
- Study of the speed of fatigue crack propagation in
the case of light alloys and titanium alloys
p0228 A74-24297
- SERVANTY, P.
Subsonic blocking in double-flow nozzles
p0311 A74-29310
- SERVICE, W.
STOL tactical aircraft investigation. Volume 1:
Configuration definition
[AD-766941] p0057 A74-10927
- SETZE, P. C.
The CP6-6 engine - The first million hours
p0436 A74-39965
- SEVART, F. D.
A wind-tunnel investigation of a B-52 model
flutter suppression system
[AIAA PAPER 74-401] p0265 A74-26700
- Analysis and testing of aeroelastic model
stability augmentation systems p0093 A74-11807
- Analysis and testing of stability augmentation
systems p0093 A74-11809
- Analysis of aeroelastic model stability
augmentation systems p0095 A74-11829
- SEVICH, G. J.
Integrated flight/propulsion control design
techniques starting with the engine
[SAE PAPER 740481] p0351 A74-34997
- SEVICK, M. M.
Determination of critical nondimensional
parameters in aircraft dynamic response to

- random input
[NASA-CR-2361] p0193 N74-16322
- SEWALL, W. G.
Low speed wind tunnel tests of a 1/9-scale model
of a variable-sweep advanced supersonic transport
[NASA-TN-X-71960] p0365 N74-26457
- SHAFI, L.
Scattering by a conducting aerofoil p0023 A74-11908
- SHAPFERNOCKER, W. H.
Current state-of-the-art for airbreathing
combustor measurements p0277 A74-28298
- SHAGAEV, A. A.
A time-saving method for calculating subsonic
flows at airfoils p0384 A74-36559
- SHAH, J. B.
Failure analyses of aircraft accidents. I p0398 A74-37634
- SHAH, R. C.
Exploratory investigation of rapid crack
propagation and crack arrest
[AD-778822] p0418 N74-29012
- SHAHADY, P. A.
Military aircraft noise
[AIAA PAPER 73-1291] p0032 A74-12941
Reduction of noise from small turbopropulsion
engines
[AIAA PAPER 74-59] p0179 A74-20760
- SHALDUKOV, K. M.
Symmetrical eigen forms of the vibrations of a
supporting surface and of an elastic fuselage
[AD-756285] p0043 N74-10067
- SHAMHARDANOV, F. A.
Automatic control systems for flight-vehicle engines p0229 A74-24995
- SHAN'KO, T. M.
Investigation of flow parameters in a turbine
stage with a nonuniform inlet p0002 A74-10255
- SHANBHAG, V. V.
Numerical studies of hypersonic delta wings with
detached shock waves
[ARC-CP-1277] p0412 N74-28487
- HANKO, T. M.
Study of flow in axial compressors p0457 A74-43132
- HANKS, R. E.
Preliminary results of flight tests of vortex
attenuating splines
[NASA-TN-X-71928] p0294 N74-20637
- HANNON, J. H.
A study to determine the applicability of noise
abatement approach procedures to McDonnell
Douglas Aircraft
[NASA-CR-114677] p0188 N74-15714
- HANNON, R. H.
The influence of operational experience on
aircraft escape system development
[AIAA PAPER 73-1340] p0013 A74-11387
The decline in USAF ejection survival rates p0214 A74-23556
- HAPIRO, A.
Terrain properties and topography from Skylab
altimetry
[E74-10043] p0062 N74-11164
Adaptation of computer programming to output form
of altimeter data
[E74-10087] p0062 N74-11198
- HAPIRO, E. B.
Design of a fault tolerant airborne digital
computer. Volume 2: Computational requirements
and technology
[NASA-CR-132253] p0254 N74-18842
- HAPIRO, B.
New jumbo jets must speak in whispers - Certifying
the Lockheed 1011 p0125 A74-17856
- HAPIRO, S. E.
NEPCOMP - The Navy Engine Performance Program
[ASME PAPER 74-GT-83] p0273 A74-27469
- HAPIRO, W.
Investigation of sliding-surface bearings of screw
pumps utilized on the navy distillate fuel oil
conversion program
[AD-771453] p0242 N74-18146
- HAPLEY, J. J.
FAA certification of the S-58T helicopter for
instrument flight. II p0172 A74-19492
- SHARAPOV, L. E.
Influence of the compressor characteristic on
gas-turbine engine operation under variable
pressure conditions at the exit section of the
propelling nozzle p0088 A74-15733
- SHARIFULLINA, L. K.
Calculation of wing flutter with allowance for the
kinematic constraint between the bending strains
in the wing and the aileron deflection p0481 A74-45472
- SHARP, P. S.
Background information and user guide for
MIL-S-83691
[AD-780523] p0490 N74-33459
- SHARPES, R. E.
Model support roll balance and roll coupling p0066 N74-11681
- SHAW, C. S.
Wind tunnel investigation of simulated helicopter
engine exhaust interacting with windstream
[NASA-TN-X-3016] p0237 N74-17758
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] p0410 N74-28233
- SHAW, H.
The effects of water, pressure, and equivalence
ratio on nitric oxide production in gas turbines
[ASME PAPER 73-WA/GT-1] p0071 A74-13292
- SHAW, R. J.
Minimizing boundary layer bleed for a mixed
compression inlet
[AIAA PAPER 73-1270] p0030 A74-12497
Minimizing boundary layer bleed for a mixed
compression inlet
[NASA-TN-X-71461] p0045 N74-10321
- SHCHERBAKOV, I. A. E.
The problem of increasing the operational
precision of electrolytic sensors p0276 A74-27898
- SHCHERBINA, A. A.
Vibrations and stability of a helicopter with a
two-blade main rotor p0438 A74-40406
- SHERTS, C. J.
B-1 central air data computer p0425 A74-38580
- SHEPTEL, L. V.
Calculation and analysis of aircraft motion
[NASA-TT-F-757] p0159 N74-14751
- SHELTON, E. M.
Aviation turbine fuels, 1972 p0065 N74-11592
- SHEN, C. C.
A theoretical method for calculating the
aerodynamic characteristics of arbitrary
jet-flapped wings. Volume 1: The elementary
vortex distribution jet-wing lifting surface
theory
[AD-773939] p0281 N74-19646
- SHEN, C. N.
Analysis and design of a capsule landing system
and surface vehicle control system for Mars
exploration
[NASA-CR-136069] p0059 N74-11077
- SHERMAN, D. A.
Effects of STOL thrust reversers and powered lift
on inlet flow quality
[SAE PAPER 740457] p0351 A74-35007
- SHERMAN, W. L.
Preliminary study of a possible automatic landing
system
[NASA-TN-D-7611] p0419 N74-29119
- SHERSHUKOV, V. D.
Influence of measurement errors on the regression
relationships of engine characteristics p0260 A74-25979
- SHESTAKOV, V. Z.
Effect of the structural elasticity of an aircraft
on safety and comfort during flights in a
turbulent atmosphere p0398 A74-37673
- SHIBUYA, A.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 N74-14764
- SHIGEMI, T.
Research on the transonic aerofoil sections at the

- National Aerospace Laboratory, Japan
[ICAS PAPER 74-12] p0448 A74-41314
- SHILOV, A. A.
Dynamic model of a parachute and determination of its characteristics p0389 A74-36635
- SHINIZU, A. B.
Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment [NASA-CR-137531] p0418 A74-29016
- SHINDO, S.
Design and development of the gust wind tunnel at the National Aerospace Laboratory [NAL-TR-335] p0287 A74-19891
- SHINNERS, S. M.
Adaptive and nonlinear control systems in aerospace applications p0373 A74-35206
- SHINOHARA, K.
Stall flutter of a thin aerofoil with leading edge separation p0374 A74-35269
- SHIPLEY, R.
The future of secondary surveillance radar in air traffic control p0078 A74-14499
- SHIPMAN, D.
Modelization applied to helicopters [SAE PAPER 730893] p0019 A74-11596
- SHIPMAN, K. W.
Helicopter blade-tip stability in forward flight p0195 A74-16711
- SHIRKEY, M. D.
The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200 [NASA-CR-134503] p0093 A74-11808
- SHISHKO, R.
Technological change through product improvement in aircraft turbine engines [AD-769911] p0201 A74-17519
- SHIVASHANKARA, B. M.
Combustion generated noise in turbopropulsion systems [AD-768615] p0166 A74-15666
- SHIVERS, J. P.
Rotating-blade vortex noise p0203 A74-22470
- Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot [NASA-TN-D-7474] p0283 A74-19665
- Preliminary static tests of a simulated upper-surface blown jet-flap configuration utilizing a full-size turbofan engine [NASA-TN-X-71931] p0294 A74-20638
- SHKADOV, L. M.
A variation of the aerodynamic shape of a body which leads to a decrease in its drag p0383 A74-36499
- Index of the relative technical perfection level of long-range aircraft jet engines p0390 A74-36791
- An index of the relative level of technical perfection of an airframe p0390 A74-36814
- Statistical estimate of the characteristics of a proposed aircraft by Monte Carlo method p0393 A74-37393
- SEKOL'NYI, E. P.
The atmosphere and flight vehicle motion control p0212 A74-23693
- SHNIGLEVSKIY, I. P.
Application of quaternions to rigid body rotation problems [NASA-TT-P-15414] p0418 A74-29040
- SEHLENBERGER, C. A.
Inviscid wake-airfoil interaction on multielement high lift systems p0127 A74-18143
- SHOBBER, H. A.
Advanced controls for commercial transport aircraft [SAE PAPER 740453] p0352 A74-35008
- SHOOHAN, H. L.
Hazard function monitoring of airline components p0181 A74-20967
- SHOPE, W. W.
A solid-state converter for measurement of aircraft noise and sonic boom p0261 A74-26345
- SHOREY, R. R.
Design to cost during the requirements, development and test phases of systems acquisition p0479 A74-45003
- SHRAGER, J. J.
A summary of helicopter vorticity and wake turbulence publications with an annotated bibliography [AD-780053] p0472 A74-32435
- SHRIDER, K. R.
Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 2: Appendixes [AD-783665] p0498 A74-34537
- Analysis of predicted aircraft wake vortex transport and comparison with experiment. Volume 1: Wake vortex predictive system study [AD-783649] p0499 A74-34716
- SHUEY, K. C.
The ac power controllers for solid state distribution system. Volume 1: Design, development, fabrication, and test of hybrid devices [AD-768199] p0146 A74-13903
- SHULTS, J. M.
Material selection procedures for advanced transport aircraft [SAE PAPER 730884] p0019 A74-11602
- Material selection and evaluation for advanced metallic aircraft structures [AIAA PAPER 74-373] p0265 A74-26680
- SHUMILKINA, E. A.
Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft p0382 A74-36451
- SHUNK, R. A.
Airfield erosion control for C-5A aircraft operations [AD-774484] p0301 A74-20904
- SHVETS, YU. I.
Investigation of flow parameters in a turbine stage with a nonuniform inlet p0002 A74-10255
- Study of flow in axial compressors p0457 A74-43132
- SIBERRY, E.
Instruments of flight: A guide to the pilot's flight panel of a modern airliner p0426 A74-38694
- SIBERT, E. G.
The role of local planning authorities in relation to the siting and development of airports p0080 A74-14517
- SIBLEY, R. K.
Engine condition monitoring as a part of the propulsion management concept p0278 A74-28314
- SICKA, R. W.
Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UR-1 helicopter [AD-773652] p0288 A74-20080
- SICLARI, E.
Sonic boom analysis for high altitude flight at high Mach number [AIAA PAPER 73-1034] p0026 A74-12224
- SIDDOH, T. R.
Tip load modulation as a source of discrete tone fan noise p0073 A74-13791
- SIEGEL, M. A.
Cost - The emerging aerospace technology [AIAA PAPER 73-1327] p0013 A74-11318
- SIGALLA, A.
The problem of installing a modern high bypass engine on a twin jet transport aircraft p0157 A74-14727
- SIGMAN, R.
Potential flow studies of lift-fan inflow interference phenomena [AD-773194] p0255 A74-18949
- SILCOX, R. J.
Wind tunnel dynamic analysis of an oscillating airfoil [AIAA PAPER 74-259] p0130 A74-18666
- SILLS, T. D.
An approach to aeroengine tradeoff factors

PERSONAL AUTHOR INDEX

SKOVORODIN, G. B.

- [SAE PAPER 740493] p0350 A74-34990
- SILVERMAN, B. A.
Thermal and chemical fog dissipation: Results of field experiments at Vandenberg AFB, California during July 1972 [AD-768671] p0164 A74-15367
- SILVERMAN, P.
Vortex cases - At a turbulent crossroads p0126 A74-18097
- SILVERSTEIN, S. H.
Processing of titanium tubes - An approach to helicopter blade spar manufacturing [AHS PREPRINT 853] p0386 A74-36599
- SILVERTHORN, L. J.
Aeroelastic stability of periodic systems with application to rotor blade flutter [AIAA PAPER 74-417] p0267 A74-26713
Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0393 A74-37487
Flap-lag dynamics of hingeless helicopter blades at moderate and high advance ratios p0496 A74-34495
- SIN, A. G.
Results of a feasibility study using the Newton-Raphson digital computer program to identify lifting body derivatives from flight data [NASA-TN-X-56017] p0094 A74-11814
- SIN, G.
Conventional take-off and landing p0078 A74-14503
- SINBIRSKII, D. P.
A film thermocouple with a platinum electrode for thermometry of gas turbine engine blades p0131 A74-18686
- SINCOX, C. D.
Jet noise suppression systems for high-speed aircraft [SAE PAPER 730897] p0018 A74-11592
- SINKINS, A. E.
Production data package 267 gallon external fuel tank [AD-767937] p0144 A74-13745
- SIMMONS, W. F.
Current and future materials usage in aircraft gas turbine engines [AD-756334] p0066 A74-11604
- SIMONS, H.
The Lockheed L-1011 Tristar fatigue and fail-safe development program p0366 A74-26462
- SIMONS, I. A.
Torsion-flap-lag coupling on helicopter rotor blades p0022 A74-11843
- SIMPSON, A.
Kron's method: An algorithm for the eigenvalue analysis of large-scale structural systems [ARC-R/M-3733] p0257 A74-19564
- SIMPSON, C. G.
Recent development in aircraft safety air traffic control and navigation p0208 A74-22628
- SIMPSON, R.
Aircraft requirements for low/medium density markets [NASA-CR-137373] p0282 A74-19651
- SIMPSON, R. L.
The separating turbulent boundary layer: an experimental study of an airfoil type [AD-771170/8GA] p0255 A74-18939
- SINAI, Y. L.
An investigation of a nonplanar vortex lattice method for wing calculations [CRANFIELD-AERO-17] p0037 A74-10023
- SINCOFF, E. Z.
The energy dilemma and its impact on air transportation [NASA-CR-135993] p0067 A74-11743
- SINGH, P. J.
The stability of a trailing line vortex. I - Inviscid theory p0337 A74-33049
- SINGLETARY, H. J.
The growing procedural problems of washing mammoth aircraft [AIAA PAPER 74-376] p0265 A74-26683
- SINGLETON, H. R.
Project/cost/benefit [PB-222339/4] p0068 A74-11801
- SINGLETON, R. E.
Analysis of flow-reversal delay for a pitching airfoil [AIAA PAPER 74-183] p0134 A74-18835
- SINGLEY, G. T., III
Crashworthy Army helicopter crew and troop seating systems p0211 A74-23534
- SINHA, P.
Digital flight control research [NASA-CR-2433] p0489 A74-33448
- SINNET, G. T.
The torsional flutter characteristics of a cantilevered airfoil cascade in a supersonic inlet flow field with a subsonic axial component [AIAA PAPER 74-530] p0339 A74-33127
A unique supersonic inlet unsteady aerodynamic cascade experiment [AIAA PAPER 74-622] p0376 A74-35389
Test of a supersonic compressor cascade, volume 1 [AD-756870] p0052 A74-10749
Test of a supersonic compressor cascade, volume 2 [AD-756871] p0052 A74-10750
- SIRIBIX, H.
Drag and separation p0157 A74-14722
- SIROTKIN, Y. A.
Aerodynamic calculation of blades in axial-flow turbomachines [AD-765932] p0051 A74-10739
- SIRYL, B. W.
Holographic multicolor moving map display (system definition) [AD-772155] p0241 A74-18083
- SISSINGH, G. J.
Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0396 A74-37507
Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls p0497 A74-34515
- SISTO, P.
Lift and moment prediction for an oscillating airfoil with a moving separation point [ASME PAPER 74-GT-28] p0272 A74-27426
- SITTERLING, R. B.
Aerodynamic noise from porous propeller fans p0073 A74-13793
- SITTEBLE, G. J.
HPL-10 lifting body flight control system characteristics and operational experience [NASA-TN-X-2956] p0159 A74-14753
- SIVIER, K. R.
Control authority with a flight performance controller p0081 A74-14596
Low-speed aerodynamic characteristics of a 13.1-percent-thick, high-lift airfoil [SAE PAPER 740366] p0345 A74-34800
- SJOLUND, J. R.
Hydrofluidic servoactuator development [AD-766308] p0047 A74-10491
- SKAUDAHL, H.
Nozzle development for the upper surface - Blown jet flap on the YC-14 airplane [SAE PAPER 740469] p0351 A74-35003
- SKIBIN, V. A.
Experimental investigation of the vibrations of a gas-turbine engine rotor p0023 A74-12012
- SKINNER, G. L.
Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities [AD-776360] p0359 A74-25613
- SKLEPUS, N. G.
Structure of solutions to basic bending and vibration problems for plates of complex shape p0482 A74-45592
- SKOROKHOD, V. V.
A simulator of wind gust disturbances p0213 A74-24024
- SKOVHOLT, R. L.
Solid state vertical scale instruments p0267 A74-26965
- SKOVORODIN, G. B.
Adsorption resins in jet fuels

- SKOWRONSKI, V. D.
Effect of modified seat angle on air to air weapon system performance under high acceleration
[AD-770271] p0221 A74-23517
- SKRIPNICHENKO, S.
Climbing performance
[AD-772052] p0198 A74-16747
- SKUBSCHEVSKII, L. S.
The testing of jet engines, chapters 5 and 6
[AD-768492] p0239 A74-17782
- SKUJINS, O.
A schlieren technique applied to rotor wake studies
p0166 A74-15467
- The stability of helical vortex filaments in the wake of a hovering rotor
[AD-766828] p0203 A74-22462
- The stability of helical vortex filaments in the wake of a hovering rotor
p0062 A74-11128
- p0140 A74-13713
- SKVORCHEVSKII, E. A.
Some specific characteristics of small gas turbines and the modeling problems of their wind tunnel testing
p0131 A74-18682
- SLETTEN, C. J.
New concepts in AMTI radar - Nulling effects of Doppler filter/multi-element horn array
p0121 A74-17252
- SLOOFF, J. W.
Calculation of the displacement effect in two-dimensional subsonic attached flow around aerofoils. Examples of calculations using measured displacement thicknesses
[NLR-TR-72116-U] p0195 A74-16707
- SMALL, D. B.
Flight test of the ski equipped Mohawk
p0184 A74-21820
- SMELTZER, D. B.
Wind tunnel and flight performance of the YP-12 inlet system
[AIAA PAPER 74-621] p0376 A74-35388
- SNETANA, F. O.
Development of computer programs to determine the aerodynamic characteristics of complete light aircraft
[NASA-CR-139690] p0487 A74-33426
- SMETHERS, R. G., JR.
Amphibian STOL and its facilities
[SAE PAPER 740488] p0350 A74-34993
- SMILES, K. A.
Effect of modified seat angle on air to air weapon system performance under high acceleration
[AD-770271] p0198 A74-16747
- SMILLIE, D. G.
Advanced material applications to subsonic transport aviation
[ICAS PAPER 74-22] p0449 A74-41324
- SMIRNOV, A. I.
Role of aerodynamic damping in problems of the flutter of sandwich panels and circular cylindrical shells
p0088 A74-15784
- SMITH, A. H.
The development of the WG-13
p0262 A74-26567
- SMITH, A. H. O.
High-lift aerodynamics /37th Wright Brothers Lecture/
[AIAA PAPER 74-939] p0426 A74-38714
- Remarks on methods for predicting viscous drag
p0156 A74-14718
- The power profile - a new type of airfoil
[AD-773655] p0286 A74-19690
- SMITH, C. C., JR.
Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration
[NASA-TN-D-7399] p0096 A74-11832
- Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flat
[NASA-TN-D-7526] p0283 A74-19663
- Preliminary static tests of a simulated upper-surface blown jet-flap configuration utilizing a full-size turbofan engine
[NASA-TN-X-71931] p0294 A74-20638
- Pressure distribution of a twin-engine upper-surface blown jet-flap model
[NASA-TN-X-71937] p0296 A74-20655
- SMITH, C. W.
An experimental investigation of leading-edge vortex augmentation by blowing
[NASA-CR-132415] p0281 A74-19643
- SMITH, D. B.
The ablation performance of foams in a low heat flux
p0045 A74-10263
- SMITH, D. L.
Jet propulsion for quiet aircraft
p0396 A74-37536
- SMITH, D. W.
A flight investigation of a terminal area navigation and guidance concept for STOL aircraft
[NASA-TN-X-62375] p0474 A74-33114
- SMITH, E. B.
Turbine noise generation and suppression
[ASME PAPER 73-WA/GT-7] p0071 A74-13298
- SMITH, E. V.
Analysis and design of a capsule landing system and surface vehicle control system for Mars exploration
[NASA-CR-136069] p0059 A74-11077
- SMITH, G. A.
Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities
[AD-776360] p0359 A74-25613
- SMITH, G. A.
Some user benefits achievable from an advanced air traffic management system
[R-1320-DOT] p0065 A74-11435
- SMITH, H. D.
Crash-resistant fuel tanks for helicopters and general aviation aircraft
[SAE PAPER 740358] p0308 A74-28735
- SMITH, H. G.
OH-6A design and operational flight loads study
[AD-775832] p0331 A74-22690
- SMITH, H. J. M.
Investigation and analysis of reliability and maintainability problems associated with Army aircraft engines
[AD-772950] p0256 A74-19411
- SMITH, H. W.
Finite element airplane cost analysis
[SAE PAPER 740390] p0310 A74-28754
- SMITH, J. H.
Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters
[AD-773025] p0252 A74-18708
- SMITH, J. R.
Aircraft/ship interface problems - The U.S. Navy's program
[AIAA PAPER 74-305] p0183 A74-21294
- SMITH, J. W.
Flight evaluation of a Mach 3 cruise longitudinal autopilot
[AIAA PAPER 74-910] p0402 A74-37890
- SMITH, K. R., JR.
Small V/STOL aircraft analysis. Volume 2: Appendices
[NASA-CR-114629] p0040 A74-10045
- Small V/STOL aircraft analysis, volume 1
[NASA-CR-2425] p0413 A74-28504
- SMITH, L. H., JR.
Some aerodynamic design considerations for high bypass ratio fans
p0437 A74-39989
- SMITH, M. A.
An approach to the development of meaningful design rules for fatigue-loaded CFRP components
p0313 A74-29783
- SMITH, R. E.
V/STOL flying qualities research using the X-22A
p0320 A74-30825
- An experimental investigation of STOL lateral-directional flying qualities and roll control power requirements using the variable stability X-22A aircraft
[AHS PREPRINT 841] p0385 A74-36592
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft. Volume 1: Technical results
[AD-774728] p0299 A74-20678
- Flight investigation of lateral-directional flying qualities and control power requirements for STOL landing approach using the X-22A aircraft.

- Volume 2: background information
[AD-774729] p0299 N74-20679
- A review of the X-22A variable stability aircraft and research facility
[AD-774142] p0300 N74-20688
- SMITH, R. H.
Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft
p0277 A74-28286
- Wind tunnel and flight performance of the YF-12 inlet system
[AIAA PAPER 74-621] p0376 A74-35388
- SMITH, R. L.
Aerodynamics of channel and ring wings
p0295 N74-20648
- SMITH, R. P.
Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover
[AHS PREPRINT 843] p0385 A74-36594
- SMITH, S. G.
Aircraft inertial system testing and evaluation in the United Kingdom
p0151 N74-14352
- SMITH, T. B.
Digital flight control research
[NASA-CR-2433] p0489 N74-33448
- SMITH, T. W.
Minimum life cycle costing for a V/STOL transport
[AD-768133] p0144 N74-13740
- SMITH, W.
The use of a rotating arm facility to study flight effects on jet noise
p0436 A74-39970
- SMITHEY, W.
External burning assisted projectile - Theory and experiment
[AIAA PAPER 73-1193] p0009 A74-11234
- SHOJKAL, E.
Technology of production of sandwich panels with aluminum honeycomb cores
p0178 A74-20523
- SHOLDEREN, S.
Progress in aerospace sciences. Volume 14
p0025 A74-12203
- SHYSLOV, V. I.
Some problems of the multi-point excitation technique in the experimental study of the vibrations of elastic structures
p0390 A74-36803
- SMYTH, W. A.
Investigation of advanced structural concepts for fuselage
[AD-773597] p0285 N74-19684
- SHAPP, E. L., III
A preliminary design of a remotely-controlled glider for a long-line operation
[AD-767379] p0144 N74-13744
- SHEDDEKEE, R. S.
A method of calculating aircraft wake velocity profiles and comparison with full-scale experimental measurements
[AIAA PAPER 74-39] p0132 A74-18747
- SHIDER, G.
A simplified method for studying the aerodynamic heating of axisymmetric bodies at an angle of attack
p0029 A74-12441
- SHOWBALL, E. E.
Engine aids and the metrologist syndrome
p0279 A74-28318
- SHYDER, L. E.
Supersonic unstalled flutter in fan rotors - Analytical and experimental results
[ASME PAPER 74-GT-40] p0272 A74-27433
- SODERHAW, P. T.
Investigation of acoustic effects of leading-edge serrations on airfoils
p0317 A74-30392
- SOEDER, R. H.
Some comparisons of the flow characteristics of a turbofan compressor system with and without inlet pressure distortion
p0380 A74-36188
- SOEHLER, B.
Investigation of the economic efficiency of surplus tanking of aircraft fuel
p0338 A74-33092
- SOERENSEN, H.
Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order P-function
[NASA-CR-2340] p0038 N74-10031
- SOFUR, Y.
Flexural rigidity of a thin walled build-up rotor for jet engine. Measurement by static load test and vibration test and calculation by finite element method
[NAL-TR-329] p0293 N74-20572
- SOISSONS, J.
The new constraints on military aircraft
p0226 A74-25357
- SOKOLSKY, S.
Aircraft noise relief potential at major hub airports
[AIAA PAPER 73-1164] p0026 A74-12217
- An economic assessment of STOL aircraft potential including terminal area environmental considerations. Volume 2: Appendices
[NASA-CR-114605] p0040 N74-10044
- An economic assessment of STOL aircraft potential including terminal area environmental considerations, volume 1
[NASA-CR-2424] p0406 N74-27497
- SOLHEIN, C. D.
Pave Spike Video Film Recorder
p0218 A74-22543
- SOLOMON, H.
A simulation approach for studying the interactions of noise, patronage, and economic viability for air transportation systems
[AIAA PAPER 73-1161] p0025 A74-12216
- SOLOMON, H. L.
An economic assessment of STOL aircraft potential including terminal area environmental considerations. Volume 2: Appendices
[NASA-CR-114605] p0040 N74-10044
- An economic assessment of STOL aircraft potential including terminal area environmental considerations, volume 1
[NASA-CR-2424] p0406 N74-27497
- SOMMERS, D. E.
Aerospace vehicle hazards protection program: Detectors materials fuel vulnerability
[AD-776301] p0359 N74-25603
- SONNEBORN, W.
Hub moment springs on two-bladed teetering rotors
p0395 A74-37500
- SONNEBORN, W. G. O.
Current developments in main rotors at Bell Helicopter Company
[AIAA PAPER 73-1160] p0003 A74-10511
- The scissors rotor
[AHS PREPRINT 812] p0388 A74-36621
- SORENSEN, H.
Effects of Reynolds number on swept-wing-body configurations with high lift devices at transonic speeds
[ICAS PAPER 74-05] p0447 A74-41307
- SORENSEN, J. A.
A unified approach to aircraft parameter identification
p0357 N74-25584
- SORENSEN, W. E.
Possibilities for improved supersonic inlet performance
[AIAA PAPER 73-1271] p0010 A74-11284
- SORENSEN, J. D.
Influence of boundary layer blowing on the low-speed aerodynamic performance of a 45 degree swept-wing airplane
[AIAA PAPER 74-269] p0131 A74-18674
- SOROKIN, V. G.
Dynamic creep of titanium alloy with 1.5 wt % Mn and 3% Al in high-velocity air streams
p0117 A74-16579
- SOSHOVSKII, A. A.
Parameters of RP flight navigation aids and their measurement
p0169 A74-19371
- SOUFFLOT, A.
Eclipse flight of Concorde 001
p0030 A74-12515
- SOULE, W. A.
An evaluation of sailplane drag coefficient parameters from flight test results
[AIAA PAPER 74-1020] p0454 A74-42041

- rain clutter
p0028 A74-12396
- STEVENS, W. A.
Additional three-dimensional boundary-layer
computations for a finite swept wing
[NASA-CR-132335] p0038 N74-10029
- STEWART, E. C.
Exploratory tests of a simple aero-mechanical ride
comfort system for lightly loaded aircraft
[NASA-TN-X-71921] p0296 N74-20657
- STICKLE, J. W.
NASA general aviation research overview
[SAE PAPER 740352] p0308 A74-28732
- STIGLITZ, I. G.
CONUS aeronautical radionavigation by satellite
[AIAA PAPER 74-439] p0275 A74-27809
- STILPHEANU, C.
Biodegradation of materials used in the
construction of utilitarian aircraft
p0219 A74-22522
- STIMELY, R. L.
An operational look at the two-segment approach
[AIAA PAPER 74-979] p0428 A74-38738
- STITT, L. E.
Reduction of JT8D powered aircraft noise by engine
refanning
[SAE PAPER 740490] p0352 A74-35009
Reduction of JT8D powered aircraft noise by engine
refanning
[NASA-TN-X-71536] p0331 N74-23342
- STOCKDALE, C. R.
Control Configured Vehicle Ride Control (CCV RCS).
B-52 control system analysis, synthesis, and
design
[AD-767590] p0142 N74-13728
- STOCKER, H.
STOL tactical aircraft investigation. Volume 1:
Configuration definition
[AD-766941] p0057 N74-10927
- STOCKMAN, W. O.
Calculation procedures for potential and viscous
flow solutions for engine inlets
[ASME PAPER 74-GT-3] p0271 A74-27411
- STOCKTON, R. J.
A low cost p-i-n diode phase shifter for airborne
phased-array antennas
p0321 A74-31611
- STOIBER, R.
A new ILS localizer for regional airports
p0136 A74-18901
- STOKES, R. F.
Aircraft inertial system testing and evaluation in
the United Kingdom
p0151 N74-14352
- STOLLERY, J. L.
Turbulent boundary layer growth at hypersonic speeds
[IC-AERO-73-04] p0061 N74-11112
- STONE, C. R.
Application of practical optimal control theory to
the C-5A load improvement control system (LICCS)
[AD-776297] p0358 N74-25602
- STONE, D. R.
Transonic aerodynamic characteristics associated
with variations in the geometry of the forward
portion of irregular planform wings
[NASA-CR-128781] p0038 N74-10028
- STONE, J. R.
Noise tests of a high-aspect-ratio slot nozzle
with various V-gutter target thrust reversers
p0315 A74-30098
Piloted power approach simulation
p0347 A74-34853
Noise tests of a high-aspect-ratio slot nozzle
with various V-gutter target thrust reversers
[NASA-TN-X-71470] p0039 N74-10037
- STONE, H.
Airworthiness philosophy developed from full-scale
testing
p0366 N74-26464
- STONE, M. B.
Circulation control: A bibliography of NSRDC
research and selected outside references
[AD-775284] p0327 N74-21666
- STONE, R. B.
Pilot error accidents in airline jet aircraft -
1958-1970
p0208 A74-22629
- STONE, R. H.
New application potential for lower cost, heavy
denier Kevlar-49 yarns
p0379 A74-35937
- STORRY, W. C.
Validity of aircraft noise data
p0397 A74-37547
- STOUT, E. G.
Study of quiet turboprop STOL aircraft for short
haul transportation
[NASA-CR-2355] p0096 N74-11835
- STOUT, E. J.
Adhesively bonded laminated metal structure
[SAE PAPER 740259] p0274 A74-27510
- STOW, R. C.
Tactical hybrid navigation scheme for mixed
community coordination
p0024 A74-12179
- STOWELL, H. E.
A design study to standardize collective-stick
controls in US Army helicopters: A Human
Factors Engineering (HFE) evaluation
[AD-773688] p0286 N74-19689
- STRACK, W. C.
Preliminary performance appraisal of Navy V/STOL
transport and search-type airplanes using
hydrogen fuel
[NASA-TN-X-71550] p0363 N74-26435
- STRABLE, W. C., JR.
Combustion generated noise in turbopropulsion
systems
[AD-768615] p0166 N74-15666
- STRAIGHT, D. H.
Cold-flow performance of several variations of a
ram-air-cooled plug nozzle for supersonic-cruise
aircraft
[NASA-TN-X-3110] p0500 N74-35203
- STRAND, T.
Exact method of designing airfoils with given
velocity distribution in incompressible flow
p0090 A74-15965
- STRAUBER, H.
Study of the temperature influence on induced flow
effects. Part 1: Test equipment for ground
effect investigations using circular hot air jets
[IFD-8/71-PT-1] p0097 N74-11844
Study of the temperature influence on induced flow
effects. Part 2: Influence of ground effects
on hot-air jet mixing in steady atmospheric air
[IFD-9/71-PT-2] p0097 N74-11845
- STRECKENBACH, J. H.
A positive approach to the problems of aircraft
noise
[AIAA PAPER 73-1157] p0026 A74-12227
Aircraft community noise research and development
- A historical overview
p0397 A74-37545
- STRICKLAND, J. H., JR.
The separating turbulent boundary layer: an
experimental study of an airfoil type
[AD-771170/86A] p0255 N74-18939
The separating turbulent boundary layer: An
experimental study of an airfoil type flow
p0281 N74-19637
- STRINGAS, E. J.
Aircraft/engine jet noise control - A survey
[AIAA PAPER 74-947] p0426 A74-38718
- STROH, T. H.
Improved circumferential shaft seal for aircraft
gear transmissions
[NASA-TN-D-7130] p0147 N74-14138
- STRONG, K. L.
A digital calculation of the response of a piloted
subsonic jet-transport airplane to severe
vertical gusts
p0412 N74-28498
- STRONG, R. A.
Noise levels in the CH-113A and CUH-1H helicopter
[DCIEN-73-R-993] p0407 N74-27504
- STROUGH, R. I.
V/STOL deflector duct profile study
p0291 N74-20417
- STRUBINSKII, V. V.
Nonlinear stability theory of the boundary layer
p0007 A74-11155
- STRUNKIN, V. A.
Aviation gas turbine engines (selected portions)
[AD-756810] p0052 N74-10751
- STUART, C.
Changes in the European air transport pattern
p0079 A74-14507

- STUART, J. L.
An experimentally based prediction of the static performance in the vertical direction of an air cushion landing system
[AD-774387] p0300 N74-20685
- STUBBS, S. M.
Model studies of crosswind landing-gear configurations for STOL aircraft p0066 N74-11680
- STUBENRAUCH, K. R.
Impact resistance of composite fan blades
[NASA-CR-134515] p0099 N74-12285
- STUCKEY, R. W.
Full-scale aircraft cabin flammability tests of improved fire-resistant materials
[NASA-TN-X-58141] p0411 N74-28423
- STUDWELL, V. E.
Prediction of airfoil shock location in transonic flow p0013 A74-11342
- STUECK, P. G.
LSO/pilot interaction simulator
[AD-765686] p0041 N74-10055
- STUELFNAGEL, T. R.
Helicopter safety p0211 A74-23541
Future of the light turbine helicopter p0313 A74-29572
- STURGEON, D. L. G.
'Kevlar' 49 woven and nonwoven fabric composites performance and applications p0438 A74-40505
- STURGEON, J. R.
Influence of pilot and aircraft characteristics on structural loads in operational flight
[AGARD-R-608] p0233 N74-17728
- STUSRUDE, R. W.
An approach toward optimizing material cost and part function in advanced powerplants
[SAE PAPER 730909] p0123 A74-17535
- STYCZEK, I. A.
Inverting the mapping function p0001 A74-10070
- STYRON, J. B.
Polyimides for advanced radomes p0082 A74-14738
- SUBRAHMANYAN, S.
Pyrogenic ignition system for afterburners p0437 A74-40001
- SUBRAMANIAN, N. R.
Transonic flow past lifting airfoils p0085 A74-14989
- SUCHSLAND, K. E.
Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment
[NASA-CR-137531] p0418 N74-29016
- SUCHY, K.
The use of magnetic recording in measurement systems for in-flight measurements p0279 A74-28433
- SUDEK, J.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] p0044 N74-10202
- SUGIYAMA, H.
Real-time simulation of jet engines with digital computer
[ASME PAPER 74-GT-19] p0271 A74-27418
- SUIT, W. T.
Lateral static and dynamic aerodynamic parameters of the Kestrel aircraft (XV-6A) extracted from flight data
[NASA-TN-D-7455] p0297 N74-20666
Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing
[NASA-TN-D-7470] p0325 N74-21653
Extraction of derivatives from flight data for several aircraft, using the LRC interactive computer system p0356 N74-25574
- SULLIVAN, C. P.
Effect of several metallurgical variables on the thermal fatigue behavior of superalloys p0004 A74-10622
- SULLIVAN, E., JR.
Study of wind effects on electrostatic autopilots p0317 A74-30395
- SULLIVAN, J. P.
A two-component laser Doppler velocimeter for periodic flow fields p0267 A74-26916
- SULLIVAN, R. D.
A method of calculating aircraft wake velocity profiles and comparison with full-scale experimental measurements
[AIAA PAPER 74-39] p0132 A74-18747
A program to compute the behavior of a three dimensional turbulent vortex
[AD-778433] p0418 N74-28782
- SULLIVAN, T. E.
Influence of flaps and engines on aircraft wake vortices p0478 A74-44425
- SULLIVAN, T. M.
Airport terminal planning p0079 A74-14508
- SUMMA, J. E.
Unsteady gas dynamics problems and aeroelastic applications related to flight vehicles
[AD-767605] p0106 N74-12734
- SUMNERFIELD, H.
Noise generation by ducted combustion systems
[AIAA PAPER 73-1024] p0026 A74-12223
Jet engine exhaust noise due to rough combustion and nonsteady aerodynamic sources p0075 A74-13958
Noise due to jet motion caused by internal unsteadiness p0398 A74-37550
Noise generation by cylindrical spoilers immersed in an air duct
[AD-767336] p0142 N74-13730
Research on noise generated by ducted air-fuel combustion systems
[AD-767337] p0152 N74-14445
- SUMMERS, R. E.
Application of the aerospace multiprocessor to the A-7D flight control system
[AD-768382] p0162 N74-14769
- SUN, C.-C.
Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions p0173 A74-19777
- SURBER, L. E.
Assessment of the influence of inlet and aftbody/nozzle performance on total aircraft drag p0157 N74-14726
- SURPKIS, D. E.
Full-scale aircraft cabin flammability tests of improved fire-resistant materials
[NASA-TN-X-58141] p0411 N74-28423
- SUSSER, A. G.
Minimizing hydrogen pick-up during electroplating of high-strength steels p0478 A74-44530
- SUSSMAN, M. B.
High transonic speed transport aircraft study
[NASA-CR-114658] p0235 N74-17750
- SUTHERLAND, H. E.
Data acquisition, processing, and control for advanced aircraft
[SAE PAPER 730957] p0124 A74-17542
- SUTTER, J. F.
Make no mistake about it - Air transport productivity demands a total and dedicated 'team effort' p0076 A74-13977
- SUTTON, T. G., SR.
Aerospace fluidics applications and circuit manufacture
[SAE PAPER 730880] p0019 A74-11604
- SUZUKI, K.
High lift characteristics of an airfoil placed in a narrow channel p0457 A74-43143
- SUZUKI, S.
Dynamic behaviour of cylinder with spring and concentrated mass collided with rigid body p0391 A74-37049
- SVEHLA, R. A.
Thermodynamic and transport properties of air and its products of combustion with ASTMA-A-1 fuel and natural gas at 20, 30, and 40 atmospheres
[NASA-TN-D-7488] p0101 N74-12575
- SWAMIDAS, A. S. J.
Buckling of orthotropic circular plates p0085 A74-14972

SWAN, W.
Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 A74-19651

SWAN, W. C.
Performance problems related to installation of
future engines in both subsonic and supersonic
transport aircraft p0436 A74-39967
The problem of installing a modern high bypass
engine on a twin jet transport aircraft p0157 A74-14727

SWANEY, T. G.
Shell instability analysis applied to a radome p0311 A74-28963

SWARTZ, G. B.
Cumulative fatigue damage theory and models
[AD-774529] p0304 A74-21569

SWATTON, S. C.
Study of advanced structural concepts for fuselage
[AD-772708] p0250 A74-18696

SWEET, R. E.
B-1 Crew Escape System p0211 A74-23533

SWEET, R. S.
Propulsion integration for a hybrid
propulsive-lift system [SAE PAPER 740471] p0351 A74-35002
Study of quiet turbofan STOL aircraft for short
haul transportation [NASA-CR-2355] p0096 A74-11835

SWEHLING, P.
Adaptive arrays p0316 A74-30319

SWIFT, T.
The application of fracture mechanics in the
development of the DC-10 fuselage p0332 A74-23428

SWIGART, R. J.
An experimental study of the validity of the
heat-field concept for sonic-boom alleviation
[NASA-CR-2381] p0245 A74-18648

SILTEBO, B. E.
A 727 airplane center duct inlet low speed
performance confirmation model test for refanned
JT8D engines, phase 2 [NASA-CR-134534] p0236 A74-17755

SYRE, R.
Development of cold headable titanium alloys for
the 'Concorde' supersonic jet p0117 A74-16554

SYSON, R. H.
Mathematical simulation of a vibrating light
aircraft piston engine and correlation with
engine flight test data [SAE PAPER 740383] p0310 A74-28748

SZALAI, K. J.
Design and flight experience with a digital
fly-by-wire control system in an F-8 airplane p0464 A74-31450

SZCZEPANIK, R.
Certain problems in estimating the rundown time of
an engine p0006 A74-11075

SZELIGA, R.
Development of parametrized computations for AST
study engines [SAE PAPER 730895] p0018 A74-11594

SZENCZYK, A. A.
The effects of wake splitter plates on the flow
past a circular cylinder in the range of R from
10,000 to 50,000 p0006 A74-11041

SZOPSKI, R.
Use of containers and pallets in air cargo transport p0270 A74-27295

SZUCS, A.
A new pneumatic hybrid control system p0174 A74-19884

SZUMANSKI, K.
Analysis of the use of an auxiliary wing on a
helicopter. II p0090 A74-16038

SZWARC, W. J.
Wind tunnel dynamic analysis of an oscillating
airfoil [AIAA PAPER 74-259] p0130 A74-18666

SZYDLOWSKI, J.
25 years after, why the Astafan p0319 A74-30690

SZYSZKO, C. J.
V/STOL deflector aerodynamic design criteria
[AIAA PAPER 73-1181] p0008 A74-11226

T

TABAKOFF, E.
Erosion prediction in turbomachinery due to
environmental solid particles [AIAA PAPER 74-16] p0132 A74-18732
A numerical solution for the heat transfer between
an axis-symmetric air jet and a heated plate
[AD-767266] p0112 A74-13510
Off-design behavior for axial flow compressor
stages with invariable and variable geometry
blades [AD-767265] p0112 A74-13513

TABOR, F.
The electromagnetic compatibility of aeronautical
communication and navigation systems with radio
frequency dielectric heaters and
superregenerative receivers [ECAC-PR-72-045] p0098 A74-11973

TACKER, L.
Digital fly-by-wire control system with
selfdiagnosing failure detection p0464 A74-31451

TAGLARINE, T.
Developing the 'backbone' of the F-14
[AIAA PAPER 74-371] p0265 A74-26678

TAI, T. C.
Transonic laminar viscous-inviscid interaction
over airfoils [AIAA PAPER 74-600] p0340 A74-33177

TAIG, I. C.
Applications of advanced composites in aircraft
structures p0479 A74-45045
Optimization of aircraft structures with multiple
stiffness requirements p0166 A74-15612

TAILLET, J.
Requirements and trends of collision avoidance
systems [ONERA, TP NO. 1337] p0220 A74-23393
Requirements and trends in collision avoidance
p0228 A74-25355

TAILLON, W. V.
Flight-test investigation of the aerodynamic
characteristics and flow interference effects
about the aft fuselage of the F-111A airplane
[NASA-TN-D-7563] p0246 A74-18657

TAKAHASHI, H.
Some effects of center of gravity locations of
added mass on transonic flutter characteristics
of low aspect ratio and sweptback thin
cantilever wing [NAL-TR-314] p0040 A74-10047

TAKAHORI, S.
Experimental investigation of two-dimensional
cascade performance with blunt trailing edge
blade sections at transonic inlet Mach number
range [NAL-TR-313] p0045 A74-10322

TAKAHASHI, S.
A method of obtaining transonic shock-free flow
around lifting aerofoils p0205 A74-24061

TAKAO, K.
Computerized design of transport airplane p0086 A74-15445

TAKIZAWA, H.
Ground operation tests of flying test bed for VTOL
aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 A74-14764

TALBOT, J. E.
Aircraft approach - A degree of bias p0458 A74-43205

TAN, C. K. W.
Discrete tones of isolated airfoils p0391 A74-37053

TANURA, A.
Dynamical pressure distribution in aerodynamic
bearing p0023 A74-11899

TAN, P.
A correlation study of in-flight vibration
measurements for patrol-type aircraft
[AD-777668] p0369 A74-26490

PERSONAL AUTHOR INDEX

TERRIO, P. G.

- TANABE, Y.**
Ground operation tests of flying test bed for VTOL aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 N74-14764
- TANAKA, H.**
Stall flutter of a thin aerofoil with leading edge separation p0374 A74-35269
- TANEJA, N.**
Aircraft requirements for low/medium density markets [NASA-CR-137373] p0282 N74-19651
- TANI, I.**
Progress in aerospace sciences. Volume 14 p0025 A74-12203
- TANIDA, Y.**
Experimental study on the characteristics of an isolated swept-back aerofoil with two parallel side-walls p0069 A74-12971
- TANIOKA, T.**
Aerodynamic design of airfoil sections p0430 A74-38848
The model mounting arrangements in the high speed wind-tunnel testing p0478 A74-44635
- TANNA, H. K.**
A new anechoic facility for supersonic hot jet noise research at Lockheed-Georgia p0315 A74-30092
- TANNER, C. S.**
Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114691] p0189 N74-15716
Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft [NASA-CR-114689] p0249 N74-18685
Noise measurements taken at LAI during operational evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114690] p0249 N74-18686
- TANNER, F. S.**
International airline views on the United States' plans for the upgraded third generation system p0220 A74-22685
- TANNER, H.**
New investigations for reducing the base drag of wings with a blunt trailing edge p0157 N74-14723
- TANNER, R. B.**
Tactile display for aircraft control [AD-767763] p0144 N74-13741
- TAPIA, M. E.**
Evaluation of the modified Bendix AAU 19A/A AIMS altimeter [AD-768722] p0164 N74-15115
- TARASOV, V. A.**
Response speed of a correlator in an extremal system for aircraft wheel braking p0213 A74-24022
- TARATIN, A. F.**
Use of methods based on compound control theory in landing-phase control of an aircraft p0221 A74-24017
- TARAYEV, A. I.**
Peculiarities in operation of the orienting system for a T-airborne magnetometer p0302 N74-21026
- TARDY, J.**
Use of simulation for the development of Concorde p0197 N74-16733
- TARSHIS, L. A.**
Strengths and failure mechanisms of a Co-15Cr-13TaC directionally solidified eutectic alloy p0337 A74-32812
- TARUSHKIN, V. T.**
On the application of theory of Markov processes to the evaluation of state of dynamic systems and to control of aircraft oscillations [NASA-TT-F-15817] p0472 N74-32441
- TARZANIN, F. J.**
Investigation of the effect of torsional natural frequency on stall-induced dynamic loading [AD-776415] p0353 N74-25544
- TARZANIN, F. J., JR.**
Control load envelope shaping by live twist p0394 A74-37493
- TATARA, A.**
The stability of flexibly supported, externally pressurized gas journal bearings - Case of a rigid rotor p0082 A74-14623
- TATE, R. B.**
Development of noise-reduction concepts for 727 and 737 airplanes p0397 A74-37546
- TAYLOR, J. D.**
What we do and what we need p0216 A74-22528
- TAYLOR, K. J.**
Aircraft avionics environmental control analysis procedures for optimized life cycle cost p0434 A74-39741
- TAYLOR, R. B.**
Helicopter vibration reduction with pendulum absorbers [ABS PREPRINT 830] p0384 A74-36585
- TAYLOR, R. E.**
Vanguard/PLACE experiment system design and test plan p0216 A74-23788
- TAYLOR, R. F.**
Practical design of minimum weight aircraft structures for strength and flutter requirements [AIAA PAPER 74-986] p0429 A74-38743
- TAYLOR, R. J.**
Turbine corrosion - Rig evaluation and engine experience p0081 A74-14583
- TAYLOR, R. P.**
Noise and emission outlook for military engines [AIAA PAPER 73-1156] p0120 A74-17175
Recent technology advances in thrust vectoring systems p0290 N74-20410
- TAYLOR, R. T.**
New design and operating techniques for improved terminal area compatibility [SAE PAPER 740454] p0349 A74-34982
- TEARE, P. A.**
Helicopter vibration reduction with pendulum absorbers [ABS PREPRINT 830] p0384 A74-36585
- TEDRICK, R. M.**
Reduction of noise from small turbopropulsion engines [AIAA PAPER 74-59] p0179 A74-20760
- TEER, J. G.**
Studies of the effects of sonic boom on birds [FAA-RD-73-148] p0039 N74-10039
- TEITELL, L.**
Fungus resistance of polyvinyl acetate latex dust control material [AD-767256] p0111 N74-13286
- TELIONIS, D. P.**
The acoustics of aircraft engine-duct systems. [AIAA PAPER 73-1153] p0025 A74-12215
- TEMPLE, M. G.**
Integrated maintenance and readiness data processing for the CASEE simulation model [AD-771416] p0238 N74-17766
- TEHREBAUM, S.**
Hazard function monitoring of airline components p0181 A74-20967
- THEODOSIADIS, R.**
Development of a graphite horizontal stabilizer [AD-768869] p0164 N74-14783
- TEREH, F.**
Generalized dynamic engine simulation techniques for the digital computer p0481 A74-45378
- TERENTEV, E. D.**
Hypersonic flow past a lifting wing p0312 A74-29437
- TERESHCHENKO, A. M.**
A problem of designing the optimal external contours of an aircraft p0087 A74-15709
- TERESHCHENKO, V. R.**
Fuel for supersonic passenger aircraft [AD-778601] p0419 N74-29207
- TERRIO, P. G.**
A low cost p-i-n diode phase shifter for airborne phased-array antennas p0321 A74-31611

- TERSTEGEN, J.**
Practical experience with a digital electrohydraulic actuator
[NASA-TT-P-15292] p0191 A74-15735
- TESAR, V.**
Investigations into the possibilities of applying the 'Aerodynamic Paradoxon' principle in fluidic devices p0174 A74-19859
- TESIC, M.**
Study of the polar curve of the G-2 aircraft, and summary of model tests carried out in the T-32 wind tunnel p0485 A74-46704
- TESTER, B. J.**
On the theory of jet noise and its applications [AIAA PAPER 73-987] p0026 A74-12218
- TETELIKOV, I. I.**
Flow patterns of fuselage-wing models at supercritical angles of attack p0391 A74-37143
- TETRAVIN, M.**
An empirical equation for prediction of transition location on cones in super-or hypersonic flight [AD-765692] p0038 A74-10032
- TRUFELBERGER, A.**
Selection of the economically optimal blade profile for axial fluid flow engines p0177 A74-20311
- TRUNISSEN, H. W.**
Measurement of turbulence inputs for V/STOL approach paths in a simulated planetary boundary layer [UTIAS-189] p0066 A74-11661
- THAIR, J. A.**
Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices p0075 A74-13842
Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices p0113 A74-13674
- THALER, G. J.**
Steady state decoupling and design of linear multivariable systems p0380 A74-36115
Steady-state decoupling and design of linear multivariable systems [NASA-CR-138815] p0409 A74-27715
- THAMES, P. C.**
Automatic numerical generation of body-fitted curvilinear coordinate system for field containing any number of arbitrary two-dimensional bodies p0432 A74-39286
- THEISEN, J. G.**
Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 1: Experimental research [AD-771290] p0232 A74-17710
Theoretical and experimental investigations of vortex lift control by spanwise blowing. Volume 2: Three-dimensional theory for vortex-lift augmentation [AD-771304] p0232 A74-17711
- THELANDER, J. A.**
The power profile - a new type of airfoil [AD-773655] p0286 A74-19690
- THERY, C.**
Sonic boom of supersonic aircraft p0343 A74-34208
Calculation of the geometrical propagation of the sonic boom along the flight path on the ground under real atmospheric conditions with wind [ISL-37/72] p0298 A74-20673
- THIBODEAUX, J. J.**
Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings [NASA-TN-D-7524] p0410 A74-28102
- THIBS, D. J.**
Effects of fabrication defects on boron/epoxy composites [AIAA PAPER 74-352] p0264 A74-26664
- THOMAS, A. H.**
A simulation study of the force mix problem in close air support operations p0102 A74-12699
- THOMAS, D.**
[AD-766879] p0102 A74-12699
On the effect of quieter aircraft engines on noise and number index /NNI/ values p0185 A74-22244
- THOMAS, J.**
A monitor display for automatically regulated steep approaches [NASA-TT-P-15615] p0419 A74-29118
- THOMAS, K. H.**
An automated interactive design system for advanced gas turbines [ASME PAPER 74-GT-82] p0273 A74-27468
- THOMAS, R. C.**
V/STOL aircraft control/display concept for maximum operational effectiveness p0464 A74-31455
- THOMAS, W. H.**
Design competence - The mainspring to cost reduction [AIAA PAPER 73-1187] p0008 A74-11230
- THOMPSON, D. H.**
A preliminary towing tank study of the trailing vortex generated by a rectangular wing, including the effects of several tip modifications [ARL/A-NOTE-342] p0323 A74-21636
- THOMPSON, D. S.**
Flow through a cascade of aerofoils p0432 A74-39355
Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for aircraft applications [AD-770350] p0201 A74-17278
Finite element analysis of the flow through a cascade of aerofoils [CUMED/A-TURBO/TR-45] p0255 A74-18920
- THOMPSON, F. W., JR.**
Advanced aircraft oxygen systems p0212 A74-23544
- THOMPSON, G. O.**
B-52 control configured vehicles program p0464 A74-31452
- THOMPSON, J. D.**
YC-15 powerplant system design and development [AIAA PAPER 74-973] p0453 A74-41658
- THOMPSON, J. F.**
Automatic numerical generation of body-fitted curvilinear coordinate system for field containing any number of arbitrary two-dimensional bodies p0432 A74-39286
Research in the area of the aerodynamics of rotors and propellers [AROD-T-3-23-E] p0286 A74-19688
- THOMPSON, J. W., JR.**
Uncertainty in gas turbine measurements [AIAA PAPER 73-1230] p0009 A74-11255
- THOMPSON, O. O.**
Lateral distribution of aircraft traffic [AD-765435] p0045 A74-10304
- THOMSON, A. G. R.**
Acoustic fatigue design data, part 3 [AGARDOGRAPH-162-PT-3] p0257 A74-19550
- THOMSON, R. G.**
Light aircraft crash safety program [SAE PAPER 740353] p0308 A74-28733
- THOR, W. A.**
An investigation of the rolling stability derivatives of a T-tail fighter configuration at high angles-of-attack p0347 A74-34852
- THORNE, L. G.**
Flight testing a highly instrumented sailplane [AIAA PAPER 74-1023] p0454 A74-42042
- THOURSEN, T. H.**
Aircraft force projection model. Volume 1: Users guide to AFPM [AD-767946] p0145 A74-13751
- THURSTON, D. B.**
Amphibian aircraft design [SAE PAPER 740395] p0310 A74-28756
- THYBAUT, J. P.**
Damage threshold determination of light walls submitted to single or repeated bangs, part 1 [ISL-35/72-PT-1] p0053 A74-10846
- TIHANSKY, D. P.**
Confidence assessment of military airframe cost predictions p0267 A74-26874

- TIJDEMAN, H.**
On the prediction of aerodynamic loads on oscillating wings in transonic flow
[AGARD-R-612] p0246 N74-18653
- TIKHOMIROV, V. I.**
Organization and planning of production at aircraft engine-building plants
[AD-775780] p0362 N74-26421
- TIKHONOV, W. D.**
Effect of geometric profile and cascade parameters on the critical flutter speed of a compressor blade packet
p0482 A74-45934
- TILL, R. D.**
X-22A fixed-base ground simulator facility
[AD-769942] p0200 N74-16997
- TINOFEEV, I. U. S.**
Distortions in aerial photographs due to internal refraction
p0218 A74-23450
- TINDLELL, R. H.**
F-74 inlet maneuvering capability
[AIAA PAPER 73-1273] p0010 A74-11286
- TING, C. T.**
A 727 airplane center duct inlet low speed performance confirmation model test for refanned JT8D engines, phase 2
[NASA-CR-134534] p0236 N74-17755
- TING, L.**
Sonic boom analysis for high altitude flight at high Mach number
[AIAA PAPER 73-1034] p0026 A74-12224
- TIPPER, D. H.**
Feederliner engine installation - Trends and problems
p0436 A74-39968
- TIRUNALESA, D.**
Theoretical analysis of the noise characteristics of an ejector jet
p0070 A74-13048
Effect of ejector spacing on ejector-jet noise characteristics
p0479 A74-45032
- TIULENEV, V. N.**
Experimental investigation of the vibrations of a gas-turbine engine rotor
p0023 A74-12012
- TOBAK, H.**
Nonlinear aerodynamics of aircraft in high-angle-of-attack maneuvers
[AIAA PAPER 74-85] p0133 A74-18765
- TOBIE, H. N.**
Electronic displays and digital automatic control in advanced terminal area operations
[AIAA PAPER 74-27] p0136 A74-18881
- TOCCI, R. C.**
Transmission thermal mapping (CH-47C forward rotor transmission)
[AD-767875] p0143 N74-13732
- TOCHER, C. A.**
The design application of aircraft securing and traversing systems to the surface effect ship
[AIAA PAPER 74-304] p0183 A74-21293
- TOKUBO, H.**
Some effects of center of gravity locations of added mass on transonic flutter characteristics of low aspect ratio and sweptback thin cantilever wing
[NAL-TR-314] p0040 N74-10047
- TOLNACHEVA, K. F.**
Application of fusible temperature indicators for measuring heat flows to models in wind tunnels
p0383 A74-36458
- TOLSTICH, I.**
Aircraft of the future
[NASA-TT-F-15424] p0284 N74-19669
- TORBACH, I.**
Observations of atmospheric effects on vortex wake behavior
p0090 A74-15963
- TORBACH, I. B.**
Aircraft vortex wake descent and decay under real atmospheric effects
[AD-771311] p0238 N74-17767
- TOBITA, A.**
Vibrations of asymmetric rotors supported by asymmetric bearings
p0070 A74-13094
- TOHLIN, K. H.**
C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry
[NASA-CR-134184] p0189 N74-15717
- TOHLIESON, J. G.**
Impact of emission regulations on future gas turbine engine combustors
[AIAA PAPER 73-1277] p0010 A74-11289
- TOMPKINS, G. W., JR.**
The aftermath of a hijacking - Passenger claims and insurance
p0127 A74-18101
- TOMIUK, B. I.**
Accelerating test stand for rotating elements of turbomachines
p0089 A74-15930
- TOOR, P. H.**
A review of some damage tolerance design approaches for aircraft structures
p0222 A74-22503
A unified engineering approach to the prediction of multiaxial fatigue fracture of aircraft structures
[AIAA PAPER 74-415] p0266 A74-26711
- TOPCHENYEV, Y. I.**
General principles of designing control systems
[NASA-TT-F-782] p0357 N74-25594
- TOPLIS, A. F.**
It's quiet in front
[AIAA PAPER 73-1159] p0003 A74-10510
- TOPOROV, V. G.**
An algorithm for rational selection of the parameters of nonlinearly deforming thin-walled framework elements
p0130 A74-18645
- TORISAKI, T.**
Recent status on development of the turbofan engine in Japan
[ASME PAPER 74-GT-39] p0272 A74-27432
Ground operation tests of flying test bed for VTOL aircraft at National Aerospace Laboratory
[NAL-TR-319] p0161 N74-14764
Some considerations on the performance of the fan jet engine
[NAL-TR-317] p0193 N74-16486
- TORKINGTON, C.**
The impact of long service on the fatigue of transport aircraft: Airworthiness aspects
p0367 N74-26475
- TORNGREN, L.**
Supersonic and transonic wind tunnel tests on a slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes
[FFA-AU-772] p0231 N74-17704
Supersonic and transonic wind tunnel tests on slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes
[FFA-AU-772-SUPPL] p0231 N74-17705
- TOTH, I. J.**
Metal matrix composite blade fabrication methods
p0379 A74-35823
- TOULOUSE, P.**
Safety objectives of onboard computers on civil aircraft
p0431 A74-39010
- TOURNEMINE, G.**
A direct method for computing the steady flow at Mach number one past a given wing airfoil
p0118 A74-16963
- TOWER, P. W.**
Pollution control of airport engine test facilities
p0149 N74-14285
- TOWER, T. H.**
Noise generation by cylindrical spoilers immersed in an air duct
[AD-767336] p0142 N74-13730
- TOWNSEND, D. P.**
A life study of AISI M-50 and Super Nitralloy spur gears with and without tip relief
[ASME PAPER 73-LUB-38] p0027 A74-12352
- TOWNSEND, J. C.**
Hypersonic aerodynamic characteristics of a family of power-law, wing body configurations
[NASA-TN-D-7427] p0102 N74-12705
- TOWNSEND, J. L.**
Impact of new MIL-F-9490D requirements on future flight control developments

- [AIAA PAPER 74-914] p0402 A74-37894
- TRAHM, P. C.
Airfoil design for high tip speed compressors
[AIAA PAPER 73-1248] p0009 A74-11269
- TRAH, C. T.
Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes
p0129 A74-18291
On the use of branch modes for the calculation of helicopter structural dynamic characteristics
[NASA-TT-F-15713] p0407 N74-27503
- TRAH, T. L.
A rapid computer aided transonic airfoil design method
[AIAA PAPER 74-501] p0338 A74-33101
- TREE, D. J.
The dynamic stability of wing-mounted engine installations for turboprop-powered aircraft
[ASME PAPER 74-GT-52] p0272 A74-27445
- TREICHEL, C. W.
Uses of a visual landing system in primary flight training
p0082 A74-14599
- TREMPER, W.
The Instrument Landing System for category I, II, and III operation
p0268 A74-27210
- TRENNKA, A. R.
A theoretical study of the application of jet flap circulation control for reduction of rotor vibratory forces
[NASA-CR-137515] p0416 N74-28525
- TREHOUTH, J. M.
Sodium sulphate induced rapid oxidation of a chromium-titanium-silicon coating on niobium alloy B-66
p0015 A74-11459
- TREPHL, W. B.
The influence of design to cost and prototyping on the A-10 aircraft
[SAE PAPER 730890] p0019 A74-11598
- TREXLER, C. A.
Performance of an inlet for an integrated scramjet concept
p0478 A74-44424
- TRICOT, R.
Heat-resistant titanium alloys - Introduction of the 651 A alloy
p0125 A74-17891
Recent developments and utilization criteria of titanium alloys in the aircraft industry
p0218 A74-23962
Heat-resistant titanium alloys - Introduction of the UT651A alloy
p0219 A74-23963
- TRIEBSTHIN, H.
Unsteady pressure distribution measurements involving a harmonically vibrating wing model in three-dimensional compressible flow
[DFVLR-SOHD-335] p0073 A74-13549
- TRIGGS, T. J.
Tactile display for aircraft control
[AD-767763] p0144 N74-13741
- TRIPOLI'SKII, S. S.
A study of the combined vibrations of the disk-blade system of a turboprop engine turbine wheel
p0126 A74-18088
- TRIPP, L. L.
Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 6: IPAD system development and operation
[NASA-CR-132396] p0415 N74-28520
- TROITSKII, N. F.
Antiwear properties of jet fuels obtained by blending nonalkalized hydrorefined with straight-run components
p0479 A74-45000
- TROUT, A. M.
The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel
[NASA-TM-X-2958] p0153 N74-14650
Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel
[NASA-TM-X-2959] p0154 N74-14651
- TRUETT, J. C.
Studies of the effects of sonic boom on birds
- [FAA-RD-73-148] p0039 N74-10039
- TSAL, M.-S.
Finite-amplitude waves in cylindrical lined ducts
[AIAA PAPER 74-553] p0339 A74-33145
- TSEN, L. F.
Distribution of turbulent kinetic energy in the wake of an airfoil in detached flow
p0069 A74-13041
- TSOUBANOS, C.
Preflight test simulation of superimposed integrated trajectory error displays
[AD-773823] p0286 N74-19687
- TSUKADA, S.
An aircraft exterior coating system and surface pretreatment
p0125 A74-17862
- TSYBUL'NIK, I. M.
Experimental study of metal-plastic couplings in tension
p0130 A74-18648
Experimental investigation of glass-plastic and metal-plastic joints under shear
p0131 A74-18697
- TUBBY, J.
Blade-rate force fluctuations of a propeller in non-uniform flow
[ARL/M/P-33A] p0247 N74-18667
- TUCCI, A. T.
Fabrication of advanced fibrous composite structures
[SME PAPER EM73-716] p0075 A74-13953
- TUCKER, R. H.
Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines
[NASA-CR-2338] p0141 N74-13724
- TUGARINOV, A. S.
A study of the damageability of turbine blades of aircraft gas-turbine engines after operational running in
p0126 A74-18085
An investigation of the degree of damage to gas turbine engine turbine blades after service life
p0481 A74-45410
- TULISIAK, G.
Test characteristics of a welded rotor in a 36,000-rpm Lundell alternator
[NASA-TM-X-2944] p0064 N74-11304
- TURA, J.
A review of aircraft measurement techniques
p0280 A74-28436
- TUHLINSON, R. R.
T-tail aerodynamics of the Super King Air
[SAE PAPER 740370] p0309 A74-28741
- TUNG, C.
Analysis of the flow about delta wings with leading edge separation at supersonic speeds
[NASA-CR-132358] p0158 N74-14745
- TUPOLEV, A. A.
Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft
p0382 A74-36451
Fuel for supersonic passenger aircraft
[AD-778801] p0419 N74-29207
- TUPPER, E.
Fracture mechanics aircraft structural design application and related research
p0078 A74-14461
- TURBIN, B. G.
Aircraft air intake regulator
[AD-772021] p0243 N74-18416
- TURCANU, C.
A model of convex programming for turbojet main parameter selection optimization
[ASME PAPER 74-GT-79] p0272 A74-27466
- TURCOTT, C. F.
The cost of a quality product
p0076 A74-13975
- TURNAGE, G. W.
Prediction of aircraft ground performance by evaluation of ground vehicle rut depths
[AD-775744] p0330 N74-22689
- TURNAGE, W. T.
Fiber optics as applied to Advanced Aircraft Electrical Systems
p0425 A74-38576
- TURNER, M. J.
Advanced flutter design techniques
[SAE PAPER 730935] p0016 A74-11565

- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD) . Volume 2: The design process [NASA-CR-132392] p0415 N74-28516
- TURSKI, C. E.
Solution of the non-linear differential equations for finite bending of a thin-walled tube by parameter differentiation p0279 A74-28420
- TWOHEY, W.
Calculation of the dynamic characteristics of a helicopter structure by the method of branch modes p0129 A74-18291
On the use of branch modes for the calculation of helicopter structural dynamic characteristics [NASA-TT-F-15713] p0407 N74-27503
- TYLER, J. S.
Maximum likelihood identification of aircraft stability and control derivatives p0209 A74-23327
Case studies in Aircraft Parameter Identification p0225 A74-24840
- TYLER, R. A.
Thrust performance of podded lift-fans in crossflow p0291 N74-20420
- TYRRE, L., JR.
Refrigerated containerized transport for 'Jumbo' jets p0119 A74-17007
- TYRRE, H.
Airframe maintenance and corrosion protection p0337 A74-32672
- TYZHOV, O. S.
Hypersonic flow past a lifting wing p0312 A74-29437
- U**
- UCHISHVILI, L. A.
Structure of solutions to basic bending and vibration problems for plates of complex shape p0482 A74-45592
- UEYAMA, K.
Aerodynamic design of airfoil sections p0430 A74-38848
- UHLIG, G. F.
Hot corrosion of metals, alloys and ceramics [AD-769340] p0191 N74-15829
- ULERY, H. B., JR.
Development of minimum pipe-cover requirements for C-5A and other aircraft loadings [AD-771174] p0241 N74-17963
- ULLMAN, D. G.
Effectiveness evaluation of STOL transport operations (phase 2) [NASA-CR-137481] p0326 N74-21660
- ULLIATT, C.
Secondary surveillance radar in ATC p0027 A74-12357
- ULTRIVANOV, I. P.
Transient processes in an aircraft stabilization system with jet-driven flywheels p0398 A74-37656
- UNGAR, A.
Waves in an elastic medium generated by a point source moving in an overlying fluid medium p0085 A74-14928
- URRUB, J. F.
Aerodynamic damping of vibrating helicopter rotors [AD-775929] p0358 N74-25598
- USTERREINER, K. H.
Selected problems regarding the formation of a simulation model [NASA-TT-F-15173] p0060 N74-11095
- UPENIEKS, H.
Man-powered flight - The oscillating wing machine p0077 A74-14262
- URASEK, D. C.
Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft) [NASA-TM-X-2903] p0037 N74-10022
Effects of increased leading-edge thickness on performance of a transonic rotor blade [NASA-TM-D-7489] p0037 N74-10025
Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft) [NASA-TM-X-2905] p0037 N74-10027
- Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages [NASA-TM-X-2926] p0050 N74-10734
- URBAN, C. H.
Evaluation of the structural integrity of an aircraft loading walkway under severe fuel-spill fire conditions [FAA-RD-73-144] p0104 N74-12716
- URBAN, L. A.
Parameter selection for multiple fault diagnostics of gas turbine engines [ASME PAPER 74-GT-62] p0272 A74-27452
- USAB, W. J.
Effects of STOL thrust reversers and powered lift on inlet flow quality [SAE PAPER 740457] p0351 A74-35007
- USKOV, G. V.
A gradient method of control correction for the solution of a boundary value problem p0383 A74-36505
- USOL'TSEV, A. A.
Investigation of the effect of induction damping of vortices in their interaction with a wing p0087 A74-15708
- UTTAN, B. J.
Error model identification and performance predictions for airborne direct ranging Loran p0024 A74-12178
- V**
- VACHASOV, E. P.
Analysis of the longitudinal disturbed motion of a surface skimmer [AD-765992] p0046 N74-10326
- VADSET, H. J.
The 727/3T8D refan side nacelle airloads [NASA-CR-134547] p0363 N74-26436
- VAETH, J. G.
The airship can meet the energy challenge p0176 A74-20166
- VAKHITOV, A. P.
The Ka-26 helicopter p0421 A74-38042
- VAKHITOV, M. B.
Designing a dynamically stable body with lifting surfaces for a follower load p0087 A74-15710
- VAKHOMCHIK, V. P.
Influence of unsteady-state conditions on the magnitude of aerodynamic forces in a cascade p0482 A74-45927
- VALID, R.
Influence of sloshing in wing tip tanks on the vibration natural modes of an aircraft [ICAS PAPER 74-15] p0448 A74-41317
- VALLERANI, E.
A simplified method for studying the aerodynamic heating of axisymmetric bodies at an angle of attack p0029 A74-12441
- VAN CAMP, V. V.
Hypersonic research airplane propulsion for boost and test [AIAA PAPER 74-990] p0429 A74-38747
- VAN CLEVE, G. C.
Inflight engine condition monitoring system p0278 A74-28315
- VAN DER DECKEN, J.
Light hoverable combat aircraft - Wind tunnel tests p0319 A74-30600
- VAN DER NEUT, A.
The interaction of local and overall buckling of thin-walled structures [ICAS PAPER 74-07] p0448 A74-41309
- VAN DOORN, J. T. M.
Comparison of Fokker F28 'Fellowship' wind tunnel and flight data - A summary p0430 A74-38796
- VAN HOLTER, T.
Computation of aerodynamic loads on helicopter rotorblades in forward flight, using the method of the acceleration potential [ICAS PAPER 74-54] p0451 A74-41353
- VAN LEEUWEN, H. P.
The application of fracture mechanics to the design of the barrel and driver tube of a hypersonic gun tunnel

- VAN NOBBAN, C. p0002 A74-10484
Implementation of the uniform flight test analysis system
- VANNOCKEN, R. L. p0347 A74-34855
Manufacturing Methods Technology (MM/T) for ballistic-tolerant flight control components [AD-766744] p0058 H74-10933
- VANBUREN, B. L. p0251 H74-18701
A program for computing the pressure distribution and aerodynamic coefficients for cambered thin supersonic wings of arbitrary planform with subsonic leading edges [AD-772952]
- VANCE, J. H. p0272 A74-27447
Torsional stability analysis of a gas-turbine powered helicopter drive system [ASAE PAPER 74-GT-54]
- VANDERHOFSDIJK, G. A. J. p0232 H74-17725
Progress in the mathematical modelling of flight in turbulence
- VANDERBERG, B. p0109 H74-12995
Measurements in a three dimensional incompressible turbulent boundary layer in an adverse pressure gradient under infinite swept wing conditions [NLR-TR-72092-U]
- VANDER, S. S. p0302 H74-21027
Construction of differentiating devices for an airborne magnetometer
- VANDERKOLK, R. J. p0081 A74-14595
Simulator tests of pilotage error in area navigation with vertical guidance - Effects of descent angle and display scale factor
- VANDERNEUT, A. p0197 H74-16737
Column failure of thin-walled compression members in aircraft wings as affected by wall imperfection and crushing [VTH-175]
- VANDERVAART, J. C. p0232 H74-17725
Progress in the mathematical modelling of flight in turbulence
- VANDESTEEN, G. p0039 H74-10038
Study of heaving motion in air cushion vehicles [NASA-TT-P-15106]
- VANDIERENDONCK, A. J. p0358 H74-25602
Application of practical optimal control theory to the C-5A load improvement control system (LICS) [AD-776297]
- A fly-by-wire flight control system for decoupled manual control p0464 H74-31443
- VANDIJK, G. H. p0283 H74-19659
Re-assessment of fatigue performance of fighter aircraft
- VANDOOEN, J. T. H. p0368 H74-26486
Comparison of Fokker F-28 wind tunnel and flight data, A summary [NLR-TR-73007-U]
- VANETSOV, L. A. p0126 A74-18090
Suitability of using titanium pipelines in the hydraulic systems of turbine engines
- VANGUNST, R. p0489 H74-33452
A flight investigation with a STOL airplane flying curved, descending instrument approach paths [NASA-TN-D-7669]
- VANHEIJINGEN, V. F. p0058 H74-10938
STOL tactical aircraft investigation. Volume 3: Takeoff and landing performance ground rules for powered lift STOL transport aircraft. [AD-766640]
- VANLENNER, E. p0159 H74-14749
Aviation needs and public concerns
- VANNAARSART, M. p0223 A74-25316
Wind-tunnel investigations aimed at devising tests of aircraft spin
- Wind tunnel investigations aimed at devising tests of aircraft spin p0405 H74-27479
[NASA-TT-P-15726]
- VANH, F. W. p0004 A74-10572
A 300 B static and fatigue tests
- VANH, W. D. p0117 A74-16755
General description of the rotorcraft flight simulation computer program (G-81) [AD-767239]
- VANNUTELLI, R. p0105 H74-12728
Transport vehicles - Weights and loads p0029 A74-12442
- VANOOSTERHON, T. p0305 H74-21614
Technical and operational aspects of externally-mounted aircraft equipment
- VASE, W. p0074 A74-13800
Airport noise monitoring systems
- VASENEV, L. G. p0312 A74-29493
Interference between a delta wing and a cylindrical body with a blunted nose portion at supersonic velocities
- VASIL'EV, IU. V. p0088 A74-15817
Torsion of conical thin-walled aircraft components
- VASIL'EVA, N. V. p0204 A74-23573
Construction of a displacement body in a rarefied gas on the basis of a statistical processing of experimental data
- VASILININ, V. H. p0276 A74-28075
Automated piloting of heavy aircraft
- VASS, L. S. p0173 A74-19727
A look at the British ATC scene. II
- VAUGHAN, V. L., JR. p0309 A74-28743
NASA, Langley Impact Dynamics Facility [SAB PAPER 740374]
- VAUSE, C. R. p0453 A74-41796
A simple, near-optimal takeoff control policy for a heavily loaded helicopter operating from a restricted area [AIAA PAPER 74-812]
- VAUSSI, P. p0173 A74-19684
Flexible lifting surfaces
- VAVRA, M. H. p0362 H74-26258
Calculating procedure of sea-level static performance of two-spool afterburning bypass jet engine [AD-776547]
- Calculating method for multi-stage axial compressors with impulse bladings and constant tip diameter [AD-778808] p0419 H74-29228
- VECA, A. C. p0042 H74-10064
Vibration effects on helicopter reliability and maintainability [AD-766307]
- VEKSLER, U. G. p0117 A74-16579
Dynamic creep of titanium alloy with 1.5 wt % Mn and 3% Al in high-velocity air streams
- VELDMAN, H. F. p0316 A74-30100
Flyover noise prediction from static data
- VELKOFF, H. R. p0059 H74-10941
Study of the electrostatic field and charge distribution in a vortex seeded with dust [AD-766815]
- VELTEN, E. p0121 A74-17205
Problems in data management for earth monitoring missions [DGLR PAPER 73-109]
- VENKATYA, V. B. p0263 A74-26659
Design of optimum structures to impulse type loading [AIAA PAPER 74-345]
- VENO, L. B. p0386 A74-36606
The impact of advanced turboshaft engine technology on T700-powered helicopter systems [AHS PREPRINT 871]
- VENSSEL, D. p0252 H74-18708
Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters [AD-773025]
- VENTRES, C. S. p0004 A74-10572
Derivation of aerodynamic kernel functions

- Flutter computer program and lifting surface theory with boundary layer
[NASA-CR-136559] p0155 A74-14707
- VERBRUGGE, R.
Progress in the techniques of free flight studies of catapulted models - Application to aircraft response to vertical gusts p0223 A74-25311
- VERDACCCHI, C.
Air and space hi-jacking p0031 A74-12878
- VERDOUW, A. J.
Impact of emission regulations on future gas turbine engine combustors
[AIAA PAPER 73-1277] p0010 A74-11289
- VERESS, S. A.
Evaluation of the helicopter as a camera platform p0078 A74-14480
- VERETTE, R. M.
Development and evaluation of methods of plane stress fracture analysis. Part 1: Review and evaluation of structural residual strength prediction techniques
[AD-767614] p0110 A74-13262
- VERGES, J. T.
Assessment of the application of advanced technologies to subsonic CTOL transport aircraft
[NASA-CR-132461] p0441 A74-29375
- VERKAMP, F. J.
Impact of emission regulations on future gas turbine engine combustors
[AIAA PAPER 73-1277] p0010 A74-11289
- VERSTYHN, H. A., JR.
NASA flight research on aircraft wake vortices and minimization concepts
[AIAA PAPER 74-953] p0427 A74-38721
- VETTER, H. C.
Incremental growth vehicle /IGV/
[AIAA PAPER 74-989] p0429 A74-38746
- VICIC, J. C.
Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UH-1 helicopter
[AD-773652] p0288 A74-20080
- VICK, G. L.
High temperature solid state pressure transducers for military jet engine environments
[AD-774753] p0303 A74-21047
- VICKERS, R. S.
Airborne profiling of ice thickness using a short pulse radar p0124 A74-17810
Airborne profiling of ice thickness using a short pulse radar
[NASA-TN-X-71481] p0063 A74-11204
- VICKI, F. J.
Non-destructive inspection of titanium jet engine disks p0116 A74-16480
- VIDAL, G.
Measurement of hot fatigue crack growth rate of AU2GN aluminium alloy
[ONERA, TP NO. 1373] p0318 A74-30513
- VIDAL, R. J.
On scaling transonic wind tunnel data p0319 A74-30750
- VINWEGGER, G.
Aerodynamic interference between fuselage and lifting jets emerging from its lower part p0290 A74-20413
- VIER, W. F., III
The planar pressure pulse generator - A new dynamic distortion generator
[AIAA PAPER 73-1317] p0012 A74-11312
- VIEZEN, W.
Evaluation of the lidar technique of determining slant range visibility for aircraft landings operations
[AD-776054] p0358 A74-25596
- VIGLA, D.
Particle sampling and size analysis in the ejection zone of the Olympus jet engine at ground level p0122 A74-17306
- VILDEGRUBE, L. S.
Effect of the body of a helicopter of single-prop or coaxial design on the optimal configuration of the main-rotor blades for hover-flight conditions p0389 A74-36631
- Consideration of the effect of the fuselage of a two-rotor helicopter of the transverse or longitudinal type when determining the optimal rotor blade configuration for hovering p0390 A74-36799
Optimal configuration of the rotor blades of a single-rotor helicopter during horizontal flight p0391 A74-36864
- VILENKIN, A. V.
Additives for lubrication oils used with foreign gas-turbine aviation engines - Survey of patents p0219 A74-23518
- VILETTO, J., JR.
Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations
[AD-773734] p0284 A74-19676
- VILLIERS, J.
The aeronautical satellites: Deluxe gadgets or system of the future p0029 A74-12448
- VINCENT, J. H.
STOL tactical aircraft investigation. Volume 5, part 2: Flight control technology: Piloted simulation of a medium STOL transport with vectored thrust mechanical flaps
[AD-766643] p0058 A74-10939
STOL tactical aircraft investigation. Volume 5, part 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps
[AD-766642] p0098 A74-11847
- VINOGRADOV, R. I.
Use of the method of variation of similarity constants in designing aircraft over the long term
[JPRS-61923] p0298 A74-20670
- VISCONTI, L. C.
The state of application of composite materials in aeronautics p0072 A74-13364
- VISWANATHAN, S. P.
Minimum induced drag of wings with given lift and root-bending moment p0259 A74-25747
- VITTEK, J.
Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 A74-19651
- VITUV, Z.
Experience gained from statistical testing of fatigue lives of model samples p0377 A74-35666
- VLAJINAC, M.
Magnetic balance and suspension systems for use with wind tunnels p0025 A74-12204
- VLIEGER, H.
Fail-safe characteristics of built-up sheet structures
[ICAS PAPER 74-08] p0448 A74-41310
- VLIETSTRA, J.
Computer-aided design; Proceedings of the Conference, Eindhoven, Netherlands, October 16-18, 1972 p0341 A74-33446
- VOGEL, J. W.
New jumbo jets must speak in whispers - Certifying the Lockheed 1011 p0125 A74-17856
- VOGT, M.
Acoustical model investigations of two versions of an airport noise suppressor p0340 A74-33274
- VOIGT, J.
The state of development of axial pumps with supercavitating cascades p0178 A74-20325
- VOL'NIR, A. S.
The behavior of a wing panel in a stream of gas under transient conditions p0088 A74-15757
- VOLK, S. I.
Method for calculating the impellers of centrifugal superchargers with allowance for the deformation of the cover plate p0089 A74-15933
- VOLYNSKII, M. S.
Mixing and combustion processes in jet engines

- [AD-766030] p0051 N74-10741
VOLZ, H.
 Problems with the aircraft/runway interface p0208 A74-22636
- VON BOHIN, L.**
 System evaluation as an objective for a research institute p0021 A74-11806
- VON GLAHN, U.**
 Nozzle geometry and forward velocity effects on noise for CTOL engine-over-the-wing concept p0314 A74-30076
 Forward velocity effects on jet noise with dominant internal noise source p0314 A74-30077
 Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept [AIAA PAPER 74-568] p0344 A74-34798
 Aerodynamic and acoustic performance of ejectors for engine-under-the-wing concepts [AIAA PAPER 74-950] p0452 A74-41655
- VONGERICHTEN, R. L.**
 Formulating military requirements p0289 N74-20404
- VONGLAHN, U.**
 Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept [NASA-TN-X-71562] p0355 N74-25568
- VOOREN, J. V. D.**
 Finite element solution of the incompressible flow over an airfoil in a nonuniform stream p0014 A74-11426
- VORACHEK, J. J.**
 Stability and dynamic behavior of two tethered balloon systems [AD-766439] p0043 N74-10070
- VOROBEV, A. Z.**
 Effect of prior creep on durability of AK4-1-T1 alloy p0383 A74-36510
- VOROBEV, N. F.**
 The problem of supersonic flow past intersecting wings p0307 A74-28644
- VORONKIN, N. P.**
 Differentiation of corrosion damage by the severity of its effects upon the resistance to fatigue and corrosion-fatigue disintegration of aircraft skin elements p0456 A74-42792
- VOSKRSENSKII, G. P.**
 Numerical solution of the problem of supersonic gas flow over the upper surface of a delta wing in the expansion region p0186 A74-22283
- VREBERG, J. P. B.**
 A linear array of blade antennas as an aircraft antenna for satellite communication p0469 N74-31686
- VUL, V. H.**
 Fuel for supersonic passenger aircraft [AD-778801] p0419 N74-29207
- VULPSON, N. I.**
 Modification of convective clouds by jets [AD-776730] p0361 N74-26130
- W**
- WAAN, R. J.**
 Calculation of instationary pressure distributions and generalized aerodynamic forces with the doublet-lattice method [NLR-TR-72037-U] p0054 N74-10906
- WACHS, M. A.**
 The main rotor bifilar absorber and its effect on helicopter reliability/maintainability [SAE PAPER 730894] p0019 A74-11595
- WADE, R.**
 Royal Air Force experience of the Harrier /Second Sir Sydney Camm Lecture/ p0262 A74-26564
- WAGLE, D. G.**
 'Kevlar' 49 woven and nonwoven fabric composites performance and applications p0438 A74-40505
- WAGNER, J.**
 Nozzle geometry and forward velocity effects on noise for CTOL engine-over-the-wing concept p0314 A74-30076
- WAGNER, R. A.**
 Noise levels of operational helicopters of the OH-6 type designed to meet the LOH mission [NASA-CR-114760] p0297 N74-20663
- WAGNER, S. H.**
 Problems of estimating the drag of a helicopter p0156 N74-14715
- WAHLSTROM, S. E.**
 Design of a fault tolerant airborne digital computer. Volume 2: Computational requirements and technology [NASA-CR-132253] p0254 N74-18842
- WAINWRIGHT, R.**
 Innovations in ATC communication systems p0126 A74-17984
- WAITES, W. L.**
 Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap [NASA-CR-114758] p0412 N74-28479
- WALCHLI, R. M.**
 A head-up display for all-weather approach and landing of tilt-wing V/STOL aircraft [AIAA PAPER 74-952] p0452 A74-41656
- WALCH, C. W.**
 S-3A initial operational test and evaluation p0172 A74-19496
- WALD, F.**
 Development and testing of a cadmium telluride high temperature (750 F) infrared fire detector [AD-773324] p0287 N74-19714
- WALDRON, E. T.**
 The response of aircraft camouflage lacquers to thermal radiation. Part 2: 6000 degrees K radiator and 800 ft/sec air flow [AD-776884] p0361 N74-26078
- WALDRON, W. D.**
 Investigation of rotor dynamic and high speed bearing technology for a 3 KW turbo-alternator [AD-765501] p0047 N74-10486
- WALKDEN, F.**
 High intensity sound in a lined duct p0336 A74-32593
- WALKER, D. Q.**
 Assessment of jets as acoustic shields by comparison of single- and multitube suppressor nozzle data [AIAA PAPER 73-1001] p0006 A74-11050
- WALKER, R. D.**
 Transmission thermal mapping (UH-1 main rotor transmission) [AD-777803] p0408 N74-27515
- WALKER, R. E.**
 Mixing of multiple dilution jets with a hot primary airstream for gas turbine combustors [AIAA PAPER 73-1249] p0009 A74-11270
- WALKER, R. H., JR.**
 Operational practicality of fly away ejection seats p0301 N74-20763
- WALKER, S. C.**
 Afterbody drag flight test of the A-7E airplane [AIAA PAPER 73-1306] p0032 A74-12948
- WALKO, L. C.**
 Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages [NASA-CR-2350] p0189 N74-15720
 A test technique for measuring lightning-induced voltages on aircraft electrical circuits [NASA-CR-2348] p0195 N74-16716
- WALL, D.**
 UR-1D filament-wound tubular-reinforced rotor blade [AD-772947] p0253 N74-18713
- WALLACE, J. A.**
 Structural finite element analysis aided by computer graphics [SAE PAPER 740389] p0310 A74-28753
- WALLACE, R. A.**
 Electronic display mechanization for monitoring aircraft parameters [SAE PAPER 730956] p0015 A74-11555
- WALSH, D. E.**
 Prediction of aircraft gas turbine NO_x emission dependence on engine operating parameters and ambient conditions [AIAA PAPER 73-1275] p0010 A74-11287
- WALSH, T. H.**
 New design and operating techniques for improved terminal area compatibility [SAE PAPER 740454] p0349 A74-34982

- WALTER, C. K.
A proposed pricing procedure for domestic airlines
p0340 A74-33298
- WALTER, H.
Computer-aided design in aircraft industry
p0341 A74-33450
- WALTER, H. L.
T-tail aerodynamics of the Super King Air
[SAE PAPER 740370] p0309 A74-28741
- WALTER, K. B.
Naplin - Planning aspects and their influence on
airport design
p0079 A74-14510
- WALTER, W. A.
An analytical and experimental study of inlet
ground vortices
[AIAA PAPER 73-1313] p0011 A74-11309
- WALTERS, C. D.
Analysis of predicted aircraft wake vortex
transport and comparison with experiment.
Volume 2: Appendixes
[AD-783665] p0498 A74-34537
- WALTERS, C. D.
Analysis of predicted aircraft wake vortex
transport and comparison with experiment.
Volume 1: Wake vortex predictive system study
[AD-783649] p0499 A74-34716
- WALTERS, R. E.
A schlieren technique applied to rotor wake studies
p0203 A74-22462
- The stability of helical vortex filaments in the
wake of a hovering rotor
[AD-766828] p0062 A74-11128
- WAN, F. I. H.
A direct method for linear dynamical problems in
continuous mechanics with random loads
p0070 A74-13164
- Effect of spanwise load-correlation on rotor blade
flapping
[AIAA PAPER 74-418] p0267 A74-26714
- WANDREY, C. D.
Flight test evaluation of a low cost electrostatic
autopilot
p0346 A74-34846
- WANG, J. S.
Investigation of the characteristics of tubular
microphone windscreens for in-duct fan sound
power measurements
p0023 A74-12126
- WANG, H.
Diffraction by a perfectly conducting rectangular
cylinder which is illuminated by an array of
line sources
[NASA-CR-2405] p0417 A74-28706
- WANG, T.
Nozzle development for the upper surface - Blown
jet flap on the XC-14 airplane
[SAE PAPER 740469] p0351 A74-35003
- WANNER, J. C.
Concept CCV and specifications
p0466 A74-31480
- WANNER, J.-C.
The CCV concept and specifications
[ONERA, TP NO. 1282] p0225 A74-25061
- WANNER, J.-C. L.
Piloting techniques and flying qualities of the
next generation of aircraft
p0212 A74-23595
- WARD, C. C.
Survey of trace metals in distillate fuels
p0177 A74-20217
- WARD, D. T.
Flight test investigation of the sailplane as a
post-stall research vehicle
[AIAA PAPER 74-951] p0427 A74-38720
- Flight testing a highly instrumented sailplane
[AIAA PAPER 74-1023] p0454 A74-42042
- WARD, H. R.
GCA radars - Their history and state of development
p0373 A74-35127
- WARD, H. D.
Application of practical optimal control theory to
the C-5A load improvement control system (LICS)
[AD-776297] p0358 A74-25602
- WARD, R. D.
Computer-aided design and drafting /CADD/ - An
advanced designer's tool
[SAE PAPER 730934] p0016 A74-11566
- WARDLE, N. L.
U.S. Navy Fleet Satellite Communications
- [AIAA PAPER 74-458] p0307 A74-28606
- WARLEY, D. H., III
Analysis of control surface augmentation in
high-performance aircraft by thrust vectoring
[AD-769495] p0190 A74-15726
- WARWAGIERIS, R. J.
Advancements in the test and evaluation of naval
weapon systems
p0459 A74-43604
- WARNER, D. W., JR.
A STOL terminal area navigation system
[NASA-TM-X-62348] p0444 A74-30095
- WARSI, Z. U. A.
Research in the area of the aerodynamics of rotors
and propellers
[AED-T-3-23-E] p0286 A74-19688
- WASHIZU, K.
On the dynamics of human pilots in marginally
controllable systems
p0209 A74-23203
- Lifting surface problems analysis
p0223 A74-24473
- Finite element technique in lifting surface problems
p0432 A74-39344
- WASSELL, A. B.
Development of pollution controls for Rolls-Royce
RB 211 and Olympus 593 engines
[SAE PAPER 740483] p0351 A74-34996
- The design and development of an advanced annular
combustor for civil application
p0437 A74-40000
- WASSERBAUER, J. F.
Minimizing boundary layer bleed for a mixed
compression inlet
[AIAA PAPER 73-1270] p0030 A74-12497
- Minimizing boundary layer bleed for a mixed
compression inlet
[NASA-TM-X-71461] p0045 A74-10321
- WASSON, M. F.
A theoretical method for calculating the
aerodynamic characteristics of arbitrary
jet-flapped wings. Volume 1: The elementary
vortex distribution jet-wing lifting surface
theory
[AD-773939] p0281 A74-19646
- WATANABE, A.
Simulation study on flare control system by
optimization theory
[NAL-TR-312] p0040 A74-10046
- WATERS, J. P.
Nondestructive holographic techniques for
structures inspection
[AD-774758] p0303 A74-21105
- WATERS, H. H.
Long range view of materials research for civil
transport aircraft
p0083 A74-14756
- Long range view of materials research for civil
transport aircraft
p0176 A74-20210
- Propulsion system sizing for powered
lift and
mechanical flap quiet aircraft
[SAE PAPER 740455] p0349 A74-34983
- Conceptual design of a lift fan plus lift/cruise
fighter aircraft
[AIAA PAPER 74-969] p0428 A74-38734
- WATSON, A.
User's manual for ILSLOC: Simulation for
derogation effects on the localizer portion of
the instrument landing system
[AD-768049] p0151 A74-14361
- WATSON, D. H.
A flight investigation of a terminal area
navigation and guidance concept for STOL aircraft
[NASA-TM-X-62375] p0474 A74-33114
- WATSON, J.
Investigation in energy transfer and energy
conversion for advanced power and propulsion
systems
[AD-771581] p0243 A74-18417
- WATTMAN, W. J.
Analysis and testing of stability augmentation
systems
[NASA-CR-132349] p0093 A74-11809
- WATTS, G. A.
Hingeless rotor vibration and loads at high
advance ratio
p0206 A74-22463

- WATTS, J. C.
Helicopter icing spray system qualification
[AD-775803] p0330 N74-22688
- WAY, W. W.
Advantages of aircraft system maturity
[SAE PAPER 730907] p0018 A74-11585
- WAYNICK, A. H.
Conference on Satellite Systems for Mobile
Communications and Surveillance
[AD-767369] p0109 N74-12884
- WEBB, J. B.
Selected results from the YF-16 wind tunnel test
program
[AIAA PAPER 74-619] p0380 A74-36046
- WEBB, W. L.
Development of a turbine inlet gas temperature
measurement and control system using a fluidic
temperature sensor
[AIAA PAPER 73-1251] p0010 A74-11272
- WEBER, H.
STOL tactical aircraft investigation. Volume 6:
Air cushion and ground mobility study
[AD-767300] p0143 N74-13736
- WEBER, H. A.
VTOL recirculation and impingement model testing
[AIAA PAPER 73-1183] p0008 A74-11228
- WEBER, K. E.
Galvanic corrosion effects associated with
graphite composites/metal joints
[LR-26088] p0254 N74-18813
- WEBSTER, C. S.
Modular construction - Fully optimised
p0076 A74-13978
- WEDDEN, P. R.
Design and development support for critical
helicopter applications in Ti-6Al-4V alloy
p0115 A74-16448
- WEEKS, T.
Analysis of wall modification in a transonic wind
tunnel
[AD-767629] p0109 N74-12971
- WEHLE, L. B.
Fatigue and fracture considerations for tactical
aircraft
p0282 N74-19656
- WEHMAN, R. E.
Functional command/control considerations for
ship-deployable tactical remotely-piloted
vehicle /RPV/
p0433 A74-39664
- WEHOPFER, S.
Turbine engine exhaust nozzle performance
[AIAA PAPER 73-1302] p0032 A74-12947
- WEIBERG, J. A.
Aeroelastic-stability characteristics of a V/STOL
tilt-rotor aircraft with hingeless blades -
Correlation of analysis and test
[AHS PREPRINT 835] p0385 A74-36590
- Takeoff and landing performance and noise
measurements of a deflected slipstream STOL
airplane with interconnected propellers and
rotating cylinder flaps
[NASA-TM-X-62320] p0141 N74-13720
- WEIDNER, J. P.
The case for a high-speed research airplane -
Results from an in-house study
[AIAA PAPER 74-988] p0429 A74-38745
- WEINSTEIN, A. I.
Thermal warm fog dissipation: Heat requirements
and projected utilization of a system for Travis
AFB, California
[AD-766247] p0048 N74-10605
- Thermal and chemical fog dissipation: Results of
field experiments at Vandenberg AFB, California
during July 1972
[AD-768671] p0164 N74-15367
- WEINSTEIN, W. D.
A new concept for angular rate flight control
sensors
[AIAA PAPER 74-868] p0401 A74-37855
- WEISE, K.
Noise reducing methods for STOL aircraft approach
and takeoff
[NASA-TT-P-15612] p0413 N74-28500
- WEISILLER, R. A.
Airfield erosion control for C-5A aircraft
operations
[AD-774484] p0301 N74-20904
- WEISS, R. D.
Emergency Evacuation and Survival Equipment
Deployment for transport aircraft /ESES/ /
p0214 A74-23554
- WEISS, W. L.
The application of fracture mechanics to the
design of damage-tolerant components for the
UTTAS helicopter
[AHS PREPRINT 882] p0387 A74-36611
- WEISSHAAR, T. A.
Influence of static aeroelasticity on oblique
winged aircraft
p0317 A74-30399
- WEISSMAN, C. C.
Preliminary aircraft design
[AGARD-LS-65] p0470 N74-32420
- Introduction to preliminary aircraft design
p0470 N74-32421
- WEISSMAN, R.
Status of design criteria for predicting departure
characteristics and spin susceptibility
[AIAA PAPER 74-791] p0399 A74-37811
- WEIST, G.
Investigation of the relative merits of different
power plants for STOL-aircraft with blown flap
application
p0289 N74-20406
- WELCH, A. J.
Simulation and flight test evaluation
p0347 A74-34851
- WELCH, J. K.
Experimental investigation of the effects of tip
clearance and end losses on axial compressor
performance
[AD-767656] p0112 N74-13511
- WELLMANN, J.
The effect of the Mach number on wave-drag
optimized fuselages and profiles in the case of
supersonic flow
p0447 A74-41032
- WELLS, C. D.
Analysis of maneuverability effects on rotor/wing
design characteristics
[AD-776981] p0359 N74-25609
- WELLS, R. C.
Potentials for advanced civil transport aircraft
/Third William Littlewood Memorial Lecture/
[SAE-SP-385] p0270 A74-27266
- WELLS, H. A.
A unique method for monitoring cabin air pollution
from engine oil in the EB-57 D aircraft
[AD-766701] p0057 N74-10932
- WELLS, R. D.
Engineering evaluation of age life extension, T-10
harnesses, risers and T-10 troop chest reserve
parachute canopies. Supplement 1: 1964 - 1965
year classes
[AD-767711] p0144 N74-13743
- WELLS, R. R.
New alloys for advanced metallic fighter-wing
structures
[AIAA PAPER 74-372] p0265 A74-26679
- WELLS, W. R.
Estimation of aircraft parameters in nonlinear
aerodynamic models
p0225 A74-24843
- Application of nonlinear estimation theory to
parameter identification of rigid and elastic
aircraft
p0342 A74-33778
- Estimation of nonlinear aerodynamic derivatives of
a variable geometry fighter aircraft from flight
data
[AIAA PAPER 74-790] p0399 A74-37810
- A survey of AFDDL parameter estimation efforts and
future plans
p0355 N74-25571
- Estimation of elastic aircraft parameters using
the maximum likelihood method
p0357 N74-25589
- WELP, D. W.
Effectiveness evaluation of STOL transport
operations (phase 2)
[NASA-CR-137481] p0326 N74-21660
- Application of interactive graphics to the
avionics evaluation program
[AD-775372] p0328 N74-21847
- WELTE, D.
Results and information obtained regarding

- aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development [NASA-TT-P-15533] p0298 N74-20669
- WENDL, E. J. Flight/propulsion control integration aspects of energy management [SAE PAPER 740480] p0349 A74-34978
- WENGLER, R. Airborne testing of advanced multisensor aircraft p0460 A74-43612
- WERNHOLD, W. F. Design and fabrication of a boron/aluminum composite wing box test specimen [AD-770203] p0197 N74-16741
- WENSLEY, J. B. Design of a fault tolerant airborne digital computer. Volume 1: Architecture [NASA-CR-132252] p0240 N74-17909
- WENTZ, W. H. Spoilers for roll control of light airplanes [AIAA PAPER 74-861] p0401 A74-37850
- WENTZ, W. H., JR. New airfoil sections for general aviation aircraft [SAE PAPER 730876] p0019 A74-11606
A Fowler flap system for a high-performance general aviation airfoil [SAE PAPER 740365] p0309 A74-28739
- WERCHNIAK, W. Investigation of the fatigue behavior of large propellers [AD-769466] p0194 N74-16603
- WERLE, H. On the flow around the leading edge of a lifting airfoil [ONERA, TP NO. 1294] p0005 A74-10996
- WEBER, J. B. Ice protection investigation for advanced rotary-wing aircraft [AD-771182/36A] p0250 N74-18693
- WEBER, H. K. Flight test of a hingeless flexbeam rotor system [AD-783393] p0498 N74-34525
- WESOLY, H. L. Wind tunnel tests of a 20 inch diameter 1.15 pressure ratio fan engine model [AIAA PAPER 73-1216] p0009 A74-11245
- WEST, G. S. The effects of wake splitter plates on the flow past a circular cylinder in the range of R from 10,000 to 50,000 p0006 A74-11041
- WEST, H. High intensity sound in a lined duct p0336 A74-32593
- WEST, T. C. Flight investigation of effects of a fan-in-fin yaw control concept on helicopter flying-quality characteristics [NASA-TN-D-7452] p0249 N74-18688
- WESTESSON, R. A. Turbulent lift. Comments on some preliminary wind tunnel tests [NASA-TT-P-15743] p0405 N74-27484
- WESTFALL, J. A. NASA general aviation research overview [SAE PAPER 740352] p0308 A74-28732
- WESTPHAL, J. L. Addition of an arbitrary body analysis capability to the Boeing TEA 236 finite element computer program [AD-774430] p0301 N74-20694
- WHARTON, E. VSCF generators p0474 N74-32485
- WHELAN, E. P. Sodium sulphate induced rapid oxidation of a chromium-titanium-silicon coating on niobium alloy B-66 p0015 A74-11459
- WHITAKER, H. P. Flight control systems research [NASA-CR-139595] p0463 N74-31427
- WHITBY, R. H. Precious resources and air transport - An airline view p0382 A74-36322
- WHITCOMB, R. T. Review of NASA supercritical airfoils [ICAS PAPER 74-10] p0448 A74-41312
- WHITE, A. H. Turbine engine fuel control reliability and maintainability analysis [AD-771030] p0243 N74-18405
Advanced engine control program [AD-773660] p0293 N74-20451
- WHITE, C. Failure modes, effects and criticality analysis (FMECA) of category III instrument landing system with traveling: Wave localizer antenna [U1-840912-100] p0164 N74-15380
- WHITE, C. G. Power plant controls - 'The system' p0457 A74-43202
- WHITE, E. C. Lightweight, variable solidity knitted parachute fabric [NASA-CASE-LAR-10776-1] p0038 N74-10034
- WHITE, F. Analysis, simulation, and piloted performance of advanced tandem-rotor helicopters in hover [AHS PREPRINT 843] p0385 A74-36594
- WHITE, G. R. Transfer of commercial technology p0316 A74-30119
- WHITE, J. A. Adhesive bonding increases fatigue life of wing joint [AIAA PAPER 74-382] p0265 A74-26687
- WHITE, J. S. Landing rates for mixed STOL and CTOL traffic [NASA-TN-D-7666] p0304 N74-21290
- WHITE, L. B. STOL tactical aircraft investigation. Volume 5: Flight control technology [AD-767364] p0143 N74-13735
- WHITE, L. C. Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot [NASA-TN-D-7474] p0283 N74-19665
Pressure distribution of a twin-engine upper-surface blown jet-flap model [NASA-TN-X-71937] p0296 N74-20655
- WHITE, L. J. Bilinear surface representation of radar scattering for aircraft [AD-766320] p0044 N74-10169
- WHITE, R. P., JR. An investigation of the vibratory and acoustic benefits obtainable by the elimination of the blade tip vortex p0022 A74-11845
- WHITE, W. F. Effect of compressibility on three-dimensional helicopter rotor blade flutter p0140 N74-13714
- WHITEHEAD, A. H., JR. Vortex-induced heating to cone flaps at Mach 6 p0223 A74-24958
Aeronautical fuel conservation possibilities for advanced subsonic transports [NASA-TN-X-71927] p0295 N74-20654
- WHITEHEAD, P. C. Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process [NASA-CR-132392] p0415 N74-28516
- WHITESIDE, T. C. D. Markings for propeller conspicuity [AGARD-AR-56] p0103 N74-12713
- WHITFIELD, J. D. Ground testing and simulation. I - Key to efficient development of aerospace systems p0335 A74-32321
- WHITFORD, P. Haplin - Management aspects p0079 A74-14512
- WHITNEY, C. A. STOL tactical aircraft investigation. Volume 1: Configuration definition [AD-766941] p0057 N74-10927
STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 1: Takeoff and landing ground rules [AD-766942] p0057 N74-10928
STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 2:

- Takeoff and landing digital computer program
[AD-766943] p0058 N74-10936
STOL tactical aircraft investigation. Volume 4:
Wind tunnel data analysis
[AD-767363] p0143 N74-13734
- WHITNEY, G.
Nondestructive holographic techniques for
structures inspection
[AD-774758] p0303 N74-21105
- WHITTLEY, D. C.
The augmentor wing - Powered-lift STOL a proven
concept
p0184 A74-21728
Ejector-powered lift systems for V/STOL aircraft
p0483 A74-46237
- WICK, E. E.
Electromagnetic compatibility considerations in
system integration
p0424 A74-38554
- WICKLUND, E. J.
Flight study of a vehicle operational status and
monitoring system
[NASA-TN-D-7546] p0141 N74-13725
- WIDHALL, S.
Experimental studies of rotational noise in
forward flight
p0206 A74-22471
- WIDNALL, S. E.
Prediction of unsteady airloads for oblique
blade-gust interaction in compressible flow
p0477 A74-44406
- WIELAND, K.
The development and flight testing of the
propulsion system of the VAK 191 B V/STOL strike
and reconnaissance aircraft
p0292 N74-20432
- WIELINGA, R. F.
Computer-aided design; Proceedings of the
Conference, Eindhoven, Netherlands, October
16-18, 1972
p0341 A74-33446
- WIESNER, W.
Tail rotor design guide
[AD-775391] p0327 N74-21671
- WIGGINS, E. W.
Manufacturing methods for self-sealing fuel lines
[AD-778083] p0411 N74-28243
- WILBY, P. G.
NPL 9615 and NACA 0012: A comparison of
aerodynamic data
[ARC-CP-1261] p0247 N74-18665
Aerodynamic characteristics of NPL 9626 and NPL
9627, further aerofoils designed for helicopter
rotor use
[ARC-CP-1262] p0247 N74-18666
- WILCOCK, G. W.
Control aspects of aircraft type cycloconvertors
p0474 N74-32486
- WILCOX, P. A.
Comparison of ground and flight test results using
a modified F106B aircraft
[AIAA PAPER 73-1305] p0011 A74-11304
Reynolds number effects on boattail drag of
exhaust nozzles from wind tunnel and flight tests
p0481 A74-45379
Reynolds number effects on boattail drag of
exhaust nozzles from wind tunnel and flight tests
[NASA-TN-X-71548] p0360 N74-25812
- WILD, J.
Present and future radar display techniques
p0028 A74-12382
- WILDHORN, S.
Some user benefits achievable from an advanced air
traffic management system
[R-1320-DOT] p0065 N74-11435
- WILHEM, D. P.
Development and evaluation of methods of plane
stress fracture analysis. Part 1: Review and
evaluation of structural residual strength
prediction techniques
[AD-767614] p0110 N74-13262
- WILHOLD, G. A.
Shuttle sonic boom - Technology and predictions
[AIAA PAPER 73-1039] p0026 A74-12225
- WILKE, E. A.
A method for preventing airplane stall/spin
[AIAA PAPER 74-863] p0401 A74-37851
- WILKINSON, K.
Practical design of minimum weight aircraft
structures for strength and flutter requirements
[AIAA PAPER 74-986] p0429 A74-38743
- WILKINSON, K. G.
RB 211 - The first eighteen months operating
experience /Sholto Douglas Memorial Lecture/
p0027 A74-12300
- WILKINSON, H. T.
Structural analysis of light aircraft using NASTRAN
p0153 N74-14594
- WILLBANKS, C. E.
Recovery characteristics of a single-shielded
self-aspirating thermocouple probe at low
pressure levels and subsonic speeds
p0027 A74-12280
An analytical study of icing simulation for
turbine engines in altitude test cells
[AIAA PAPER 73-1280] p0032 A74-12938
- WILLIAMS, B.
V/STOL lift fan commercial short haul transports:
Continuing conceptual design study
[NASA-CR-2437] p0467 N74-31495
- WILLIAMS, C. S.
Aircraft velocity measurement through
radar-altimeter echo: A theoretical investigation
[SLA-73-669] p0147 N74-14119
- WILLIAMS, D. A.
On some problems related to the identification of
aircraft parameters
p0227 A74-24842
- WILLIAMS, D. D.
Some aspects of inlet/engine flow compatibility
p0020 A74-11618
- WILLIAMS, E. T.
Hypersonic research airplane propulsion for boost
and test
[AIAA PAPER 74-990] p0429 A74-38747
- WILLIAMS, J.
Some noise requirements for large subsonic
wind-tunnels
p0216 A74-22479
General technical information
p0364 N74-26446
Supplementary contribution on aircraft performance
considerations for noise reduction
p0365 N74-26455
- WILLIAMS, J. E. E.
Impulsive sources of aerodynamic sound: Oral
script of the introductory review lecture
p0329 N74-22643
- WILLIAMS, J. H., JR.
Solid particle erosion of graphite-epoxy composites
p0402 A74-37920
- WILLIAMS, J. L.
Lateral static and dynamic aerodynamic parameters
of the Kestrel aircraft (IV-6A) extracted from
flight data
[NASA-TN-D-7455] p0297 N74-20666
Extraction from flight data of longitudinal
aerodynamic coefficients for F-8 aircraft with
supercritical wing
[NASA-TN-D-7470] p0325 N74-21653
Extraction of derivatives from flight data for
several aircraft, using the LRC interactive
computer system
p0356 N74-25574
- WILLIAMS, J. S.
Substitution of JP-5 aviation fuel for DF-2 diesel
under field conditions
[AD-777047] p0362 N74-26243
- WILLIAMS, L. E.
Adaptive control techniques without perturbation
for systems with inaccessible state variables
with application to a supersonic aircraft air
inlet control system
p0499 N74-34668
- WILLIAMS, M.
Astafan - A new concept from Turbomeca
p0229 A74-24697
VFW 614 - An appraisal of Germany's new short haul
jet
p0438 A74-40511
- WILLIAMS, R. E.
The implications for air transportation of energy
shortage
p0171 A74-19486
- WILLIAMS, R. E.
Some special Navy V/STOL testing problems /as
related to full scale simulation/
p0207 A74-22478

PERSONAL AUTHOR INDEX

WOHLERS, A. K.

- WILLIAMSON, R. G.
Thrust performance of podded lift-fans in crossflow
p0291 N74-20420
- WILLIAMSON, T.
Universal air-ground data link system
p0215 A74-23830
- WILLIGES, R. C.
Motion relationships in aircraft attitude and
guidance displays - A flight experiment
p0081 A74-14597
Aircraft simulator motion and the order of merit
of flight attitude and steering guidance displays
p0082 A74-14598
- WILLIS, R. E.
Performance considerations for terrain following
flight
p0346 A74-34843
- WILLNER, D.
A practical scheme for adaptive aircraft flight
control systems
p0357 N74-25588
- WILNOT, T. A.
Bird strike and the radar properties of birds
p0028 A74-12389
- WILSON, C. A.
The simulation and analysis of carrier landings
using a nonlinear pilot model
[AD-767679]
p0145 N74-13747
- WILSON, C. B.
Design of a powered wheel kit for OH/AH helicopters
[AD-779387]
p0443 N74-29627
- WILSON, D. F.
CH-54 B main gearbox thermal mapping program
[AD-772664]
p0253 N74-18712
- WILSON, F.
Development and testing of a cadmium telluride
high temperature (750 F) infrared fire detector
[AD-773324]
p0287 N74-19714
- WILSON, H. E.
Static and dynamic helicopter airframe analysis
with NASTRAN
p0153 N74-14616
- WILSON, J. C.
Wind tunnel investigation of simulated helicopter
engine exhaust interacting with windstream
[NASA-TN-X-3016]
p0237 N74-17758
Exhaust flow deflector
[NASA-CASE-LAR-11570-1]
p0410 N74-28233
- WILSON, J. W.
Measured and calculated neutron spectra and dose
equivalent rates at high altitudes; relevance to
SST operations and space research
[NASA-TN-D-7715]
p0500 N74-35219
- WILSON, R.
Description of six degree of freedom rigid
aircraft mathematical models
[WRR-TN-901(WR/D)]
p0187 N74-15702
- WILSON, R. W.
Creep fracture mechanisms in aluminum alloys
p0020 A74-11736
- WILSON, W. J.
S.S.T. flight-profile optimisation
p0422 A74-38158
- WIMPRESS, J. K.
Upper Surface Blowing technology as applied to the
YC-14 airplane
[SAE PAPER 730916]
p0017 A74-11578
- WINBLADE, R. L.
NASA general aviation research overview
[SAE PAPER 740352]
p0308 A74-28732
- WINDECK, T.
The Alpha Jet wind tunnel model for aeroelastic
investigations
p0318 A74-30599
- WINDSOR, R. I.
An experimental and analytical investigation of
the potential flow field, boundary layers, and
drag of various helicopter fuselage configurations
[AD-777798]
p0408 N74-27514
- WINEFORDNER, J. D.
Trace spectrometric flame analysis and gas
chromatographic detectors related to jet engine
oil analysis and gas detection
[AD-769298]
p0192 N74-15830
- WINFREY, S. W.
Preliminary study of a possible automatic landing
system
[NASA-TN-D-7611]
p0419 N74-29119
- WINGROVE, R. C.
Estimation of longitudinal aerodynamic
coefficients and comparison with wind-tunnel
values
p0356 N74-25577
Parameter estimation of powered-lift STOL aircraft
characteristics including turbulence and ground
effects
[NASA-TN-X-62382]
p0493 N74-34466
- WINNER, L.
Society for Information Display, International
Symposium and Exhibition, San Diego, Calif., May
21-23, 1974, Digest of Technical Papers
p0377 A74-35559
- WINNY, R. F.
Fatigue of composite structures: Experience
gained in the design of CFRP structures for
helicopters
p0368 N74-26479
- WINSLOW, L. J.
The effect of inlet-noise suppression on
propulsion system design
[AIAA PAPER 73-1294]
p0032 A74-12942
- WINTER, F. J., JR.
Controls and displays for helicopter IFR operation
- Pilot factor considerations
[AHS PREPRINT 825]
p0384 A74-36584
- WINTER, J.
Potential use of work hardening aluminum alloy
X5090 sheet in civil aircraft
[SAE PAPER 740398]
p0310 A74-28757
- WINTER, K. G.
Measurements of the drag of some characteristic
aircraft excrescences immersed in turbulent
boundary layers
p0156 N74-14714
- WIRT, L. S.
The design of sound absorptive materials to meet
special requirements
p0315 A74-30091
- WISE, C. E.
Turbobfan of the future
p0439 A74-40953
- WISLER, L. S.
Oscillations in an adaptive aircraft control system
p0262 A74-26440
- WITHERSPOON, J. W.
The influence of engine technology advancements on
aircraft economics
[SAE PAPER 730960]
p0269 A74-27256
- WITMER, E. A.
Application of the collision-imparted velocity
method for analyzing the responses of
containment and deflector structures to engine
rotor fragment impact
[NASA-CR-134494]
p0194 N74-16592
Experimental and data analysis techniques for
deducing collision-induced forces from
photographic histories of engine rotor fragment
impact/interaction with a containment ring
[NASA-CR-134548]
p0243 N74-18399
- WITT, R. E.
Sliding-seal electron-beam welding of titanium
p0083 A74-14752
- WITTEVEEN, H. D.
Recommended design procedure for VASI-2 systems
p0392 A74-37341
- WITTMAN, R. E.
Conference on Transparent Aircraft Enclosures
[AD-769344]
p0190 N74-15727
- WITZEL, J.
Graphite composite landing gear components - side
brace assembly and torque link for A37-B aircraft
[AD-769041]
p0163 N74-14779
- WOESTMAN, J. W.
Nonscratching windshield wiper blade
[AD-778759]
p0416 N74-28532
- WOPSY, S. C.
Atmospheric ozone - Possible impact on
stratospheric aviation
p0175 A74-20039
- WOHL, B.
Flight evaluation of two segment approaches for
jet transport noise abatement
[NASA-CR-114735]
p0200 N74-16995
- WOHLERS, A. K.
System integration in business aircraft avionics
[SAE PAPER 740346]
p0345 A74-34799

- WOLF, B.
Design optimization of the VAK 191B and its
evaluation based on results from the hardware
realisation and test data
p0466 A74-31479
- WOLF, J.
Studies of an elastic wing
p0184 A74-21781
The technological prospects for oscillating-wing
propulsion of ultralight gliders
[AIAA PAPER 74-1028] p0455 A74-42044
- WOLFF, J. L.
Microwave landing system integration study.
Volume 1: Summary report
[AD-775703] p0361 N74-26149
Microwave landing system integration study.
Volume 3: Appendices
[AD-775724] p0361 N74-26155
- WOLFF, R. A.
'Kevlar' 49 woven and nonwoven fabric composites
performance and applications
p0438 A74-40505
- WOLKOWITSCH, M.
The good and bad usages of air transport
p0391 A74-36941
- WOLLAK, H. J.
Aerosat and Marsat: Satellites for mobile services
p0059 N74-11018
- WOLLER, P. T.
Analysis of stratified and closely spaced jets
exhausting into a crossflow
[NASA-CR-132297] p0061 N74-11118
- WOMER, H. K.
The effect of WIPICS on the P4-B to H conversion
program
[AD-777256] p0408 N74-27509
- WOMER, W. H.
Pollution in the ground support environment
[AD-764854] p0048 N74-10602
- WONG, J. L.
A wideband shallow cavity-backed sleeve dipole
aircraft antenna
[AD-778930] p0418 N74-28719
- WONG, P. J.
Reachable sets for tracking
p0321 A74-31643
- WOOD, E. R.
Comments on significant development areas for
future V/STOL wind tunnel testing
p0207 A74-22476
AH-56A /AMCS/ compound helicopter vibration
reduction
[AHS PREPRINT 834] p0385 A74-36589
- WOOD, H. A.
Fracture mechanics aircraft structural design
application and related research
p0078 A74-14461
Spectrum of loading of aircraft
p0332 N74-23414
- WOOD, S. K.
The effect of inlet-noise suppression on
propulsion system design
[AIAA PAPER 73-1294] p0032 A74-12942
- WOOD, T. L.
Maneuver criteria evaluation program
[AD-782209] p0491 N74-33472
- WOODALL, J. P.
Quieting the JT3D powered 707
p0221 A74-22786
FAA aircraft retrofit feasibility program
[SAE PAPER 740489] p0350 A74-34992
- WOODBURY, M. G.
A simplified approach for estimating manufacturing
cost at the part level
[SAE PAPER 730908] p0017 A74-11584
- WOODCOCK, R. J.
Stall/spin seventy years later
p0344 A74-34699
- WOODFORD, J. B.
AEROSAT performance specifications
p0024 A74-12190
- WOODLEY, D. R.
Heavy Lift Helicopter main engines
[SAE PAPER 730920] p0123 A74-17537
- WOODWARD, F. A.
A viscous potential flow interaction analysis
method for multi-element infinite swept wings,
volume 2
[NASA-CR-137550] p0470 N74-32413
- WOOLARD, H. W.
Thin-airfoil theory of an ejector-flapped wing
section
[AIAA PAPER 74-187] p0134 A74-18834
A review of some Air Force STOL aircraft
aerodynamic prediction methods
[AIAA PAPER 74-992] p0429 A74-38748
- WOOLLEY, J. P.
Ingestion and dispersion of engine exhaust
products by trailing vortices for supersonic
flight in the stratosphere
[AIAA PAPER 74-42] p0134 A74-18815
- WORLEY, M. S.
Integrated life support system: Design study
medium STOL transport
[AD-773589] p0285 N74-19683
- WOROBEL, R.
Q-PANSTH for general aviation aircraft
[NASA-CR-114665] p0142 N74-13726
- WORSFOLD, R. D.
Maximum space utilization of a C47 aircraft for
remote sensing
p0226 A74-25399
- WORSHAM, J. R.
Noise and emission outlook for military engines
[AIAA PAPER 73-1156] p0120 A74-17175
- WORTHMAN, P. X.
The quest for high-lift
[AIAA PAPER 74-1018] p0454 A74-42039
A method for avoiding insect roughness on aircraft
[NASA-TT-F-15454] p0324 N74-21646
- WRAIGHT, P.
Eclipse flight of Concorde 001
p0030 A74-12515
- WRAY, W. O.
An experimental investigation of leading-edge
vortex augmentation by blowing.
[NASA-CR-132415] p0281 N74-19643
- WRIGHT, J. R.
FAA certification of the S-58T helicopter for
instrument flight. I
p0172 A74-19491
- WRIGHT, M. P.
In situ non-destructive testing of aircraft
structures by holographic interferometry
[RAE-TR-72218] p0197 N74-16734
- WROBLEWSKI, A. J.
Modern landing gear for aircraft
p0335 A74-31892
- WU, J.
Near-field trajectory of turbulent jets discharged
at various inclinations into a uniform crossflow
p0003 A74-10568
- WU, J. C.
Potential flow studies of lift-fan inflow
interference phenomena
[AD-773194] p0255 N74-18949
- WU, J. M.
An approximate solution of unsteady transonic flow
problems
[AD-783621] p0500 N74-34718
- WU, J.-M.
Prediction of airfoil shock location in transonic
flow
p0013 A74-11342
- WUENNEWBERG, H.
VSTOL aircraft stability and control experience
from methods and results of Do 31 flight tests
[NASA-TT-F-15531] p0325 N74-21651
- WURST, W.
Progress in aerospace sciences. Volume 14
p0025 A74-12203
Drag in hypersonic rarefied flow
p0157 N74-14730
- WULF, B.
Wind tunnel testing with engine simulation for
V/STOL airplanes
p0290 N74-20409
- WUSATOWSKI, T.
Modern landing gear for aircraft
p0335 A74-31892
- WYBORN, W.
The influence of a deflected central spike on the
aerodynamic coefficients of a rotationally
symmetric hypersonic body
[DLR-PB-69-37] p0103 N74-12706
- WYBOSKI, T. A.
V/STOL deflector aerodynamic design criteria
[AIAA PAPER 73-1181] p0008 A74-11226

- V/STOL deflector duct profile study p0291 N74-20417
- Y**
- YAFFER, H. L.**
T700 aims at low combat maintenance p0136 A74-18998
GE continues CP6 family growth p0261 A74-26398
GE ships final engine for flight-test B-1 p0321 A74-31275
- YAGGY, P. F.**
Comments on a theme - Full-scale versus small-scale wind tunnel testing of V/STOL p0207 A74-22480
Dynamic stall [NASA-CR-136473] p0139 N74-13709
Magnus characteristics of arbitrary rotating bodies [AGARD-AG-171] p0139 N74-13710
- YAKOLEVSKIY, V. V.**
Fuel for supersonic passenger aircraft [AD-778801] p0419 N74-29207
- YANKOVY, A.**
Fabrication of boron-hybrid swashplates [AHS PREPRINT 850] p0386 A74-36596
- YANTA, W. J.**
Turbulence measurements with a laser Doppler velocimeter [AD-766781] p0062 N74-11129
- YARBROUGH, S. H.**
Limit criteria for low cost airframe concepts [AD-777572] p0369 N74-26489
- YARROW, C. J.**
Interrupt times on constant frequency ac systems p0473 N74-32481
- YATES, E. C., JR.**
On repetitive flutter calculations in structural design [AIAA PAPER 74-141] p0133 A74-18789
- YATES, J. E.**
Calculation of initial vortex roll-up in aircraft wakes p0392 A74-37283
- YATES, R.**
Validity of aircraft noise data p0397 A74-37547
- YEAGER, E. T.**
General aviation cost impact study. Volume 1: Executive summary [AD-771603] p0239 N74-17779
General aviation cost impact study. Volume 2: Research methodology [AD-771606] p0239 N74-17780
General aviation cost impact study. Volume 3: Planning guide [AD-771759] p0239 N74-17781
- YEALY, J. F.**
Simplified Visual Approach Slope Indicator (VASI) [AD-767901] p0151 N74-14362
- YECHOUT, T.**
A digital multimode flight control system for tactical fighters p0423 A74-38551
- YEGHIAYAN, R. P.**
Experimental and data analysis techniques for deducing collision-induced forces from photographic histories of engine rotor fragment impact/interaction with a containment ring [NASA-CR-134548] p0243 N74-18399
- YEN, J.**
Hub moment springs on two-bladed teetering rotors p0395 A74-37500
- YENNI, K. R.**
Flight investigation of the VFR and IFR landing approach characteristics and terminal area airspace requirements for a light STOL airplane [NASA-TN-X-3008] p0354 N74-25562
Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings [NASA-TN-D-7524] p0410 N74-28102
- YEWART, M. S.**
Noise design goals for the next generation of aircraft p0022 A74-11816
- YERAZUNIS, S. W.**
Analysis and design of a capsule landing system and surface vehicle control system for Mars exploration
- [NASA-CR-136069] p0059 N74-11077
- YERMOLENKO, S. D.**
Computation of the aerodynamic characteristics of a rectangular wing with plates moving at low subsonic speed near a screen [JPRS-60353] p0039 N74-10036
- YFF, J.**
Rational calculation of design gust loads in relation to present and proposed airworthiness requirements p0234 N74-17740
- YIN, S. K.**
On the use of first order rotor dynamics in multiblade coordinates [AHS PREPRINT 831] p0384 A74-36586
Concepts for a theoretical and experimental study of lifting rotor random loads and vibrations (the effects of some rotor feedback systems on rotor-body dynamics), Phase 7-A [NASA-CR-114709] p0160 N74-14757
Methods studies toward simplified rotor-body dynamics, part 1 [NASA-CR-137570] p0495 N74-34483
- YINGLING, W. A.**
Cockpit air filtration requirements of the B-1 in a nuclear dust environment [AD-766711] p0042 N74-10065
- YOKOI, R.**
An investigation of corrugated metallic diaphragm capsules as used in aircraft instrument pressure elements p0423 A74-38403
- YOO, Y. S.**
Downwash-velocity potential method for oscillating surfaces using aerodynamic elements in subsonic and supersonic flows p0281 N74-19638
- YORE, R. E.**
A fly-by-wire flight control system for decoupled manual control p0464 N74-31443
- YOSHIHARA, H.**
Transonic lift augmentation of two-dimensional supercritical aerofoils by means of aft camber, slot blowing and jet flaps, in high Reynolds number flow [ICAS PAPER 74-11] p0448 A74-41313
Transonic drag due to lift of planar jet-flapped airfoils p0156 N74-14720
- YOST, J. O.**
Some aspects of inlet/engine flow compatibility p0020 A74-11618
- YOUNG, B.**
Aircraft response to turbulence-crew comfort assessments using power spectral density methods p0233 N74-17729
- YOUNG, B. K., JR.**
Solving an aluminum bracket failure p0313 A74-29609
- YOUNG, D. C.**
Preliminary results of flight tests of vortex attenuating splines [NASA-TN-X-71928] p0294 N74-20637
- YOUNG, E.**
Launching of small inflated balloons from cargo aircraft [AD-766428] p0043 N74-10069
- YOUNG, J. W.**
Optimal and suboptimal control technique for aircraft spin recovery [NASA-TN-D-7714] p0489 N74-33453
- YOUNG, L. L.**
Uses of a visual landing system in primary flight training p0082 A74-14599
- YOUNG, M. I.**
Stability and control of hingeless rotor helicopter ground resonance p0343 A74-33813
Open and closed loop stability of hingeless rotor helicopter air and ground resonance p0395 A74-37501
Open and closed loop stability of hingeless rotor helicopter air and ground resonance [AD-772826] p0251 N74-18703
- YOUNG, R. L.**
Maintainability analysis of major helicopter components

- [AD-769941] p0197 N74-16740
 YOUNG, W. L.
 Simulation and flight test evaluation p0347 A74-34851
- YOUNGS, J. M.
 Weapon system costing methodology for aircraft
 airframes and basic structures. Volume 1: Cost
 methods research and development [AD-783639] p0501 N74-35362
- YOUSEY, W. J.
 A conceptual definition study for a digital
 avionics information system: Approach 1, volume 1
 [AD-771736] p0250 N74-18691
 A conceptual definition study for a digital
 avionics information system: Approach 1, volume 2
 [AD-771755] p0250 N74-18692
- YU, C. L.
 Roll-plane analysis of on-aircraft antennas p0169 A74-19228
 A study of KC-135 aircraft antenna patterns [NASA-CR-138585] p0369 N74-26663
 A technique to combine the geometrical theory of
 diffraction and the moment method [AD-777976] p0409 N74-27640
 Flush-mounted antennas radiating on aircraft type
 surfaces [NASA-CR-2403] p0417 N74-28707
- YU, J. C.
 Air traffic control scheme through simulation p0179 A74-20663
- YU, Y. H.
 Aerodynamic design of a rotor blade for minimum
 noise radiation [AIAA PAPER 74-571] p0340 A74-33155
- YUAN, S. W.
 Experimental investigation of wing-tip vortex
 abatement [ICAS PAPER 74-35] p0450 A74-41336
- YUREV, V.
 Air mobile technical maintenance unit [AD-771786] p0239 N74-17778
- YUSOFF, S.
 Buckling and failure of flat stiffened panels [AIAA PAPER 74-409] p0266 A74-26708
- 2**
- ZABINSKY, J. M.
 Integrated propulsion systems for V/STOL transports
 [ASME PAPER 74-GT-118] p0273 A74-27486
 V/STOL lift fan commercial short haul transports:
 Continuing conceptual design study [NASA-CR-2437] p0467 N74-31495
- ZABKONICZ, W.
 Aircraft on-board equipment for dynamic
 measurements with piezoelectric sensors p0270 A74-27293
- ZABLIWA, Z. A.
 Composition and chemical stability of motor fuels
 [AD-770538] p0199 N74-16870
- ZABONOWSKI, L., JR.
 Restraint procedures for cargo loaded in vehicles
 to be air transported [AD-768172] p0146 N74-13954
- ZACH, P.
 Technical optimization p0227 A74-25038
- ZACH, R. K.
 Realization and flight tests of an integrated
 digital flight control system p0464 N74-31447
- ZACHARKIN, P. B.
 Pollution in the ground support environment
 [AD-764854] p0048 N74-10602
- ZAITSOV, I. I.
 Separation of a shock wave from the edge of a
 V-shaped backswept wing p0384 A74-36513
- ZAK, A. B.
 Structural dynamic response of AH-1G wing with
 XM35 weapon [AD-781973] p0491 N74-33468
- ZAKHAR'EV, L. M.
 Effect of differences between the antennas of a
 Doppler velocity meter on its operational accuracy p0023 A74-11994
- ZAKHAROV, A. G.
 Numerical method of calculating the aerodynamic
 characteristics of cambered and uncambered wings
- in supersonic flow p0391 A74-36827
- ZALMANZON, L. A.
 A study of the characteristics of measuring
 elements of pneumatic systems p0174 A74-19852
- ZALOVCIK, J. A.
 Vortex wake research p0233 N74-17733
- ZAMALIN, S. M.
 Calculation of certain geometric parameters of
 complex surfaces on Ural-4 computer [AD-772040] p0240 N74-17926
- ZABETSKY, E. V.
 A life study of AISI M-50 and Super Nitralloy spur
 gears with and without tip relief [ASME PAPER 73-LUB-38] p0027 A74-12352
- ZARZYCKI, J.
 On the effect of quieter aircraft engines on noise
 and number index /NNI/ values p0185 A74-22244
- ZASCHER, J. M.
 Gust velocities encountered by a 720-B type
 airplane and derived by means of a model for
 continuous turbulence [LBF-PB-105/73] p0097 N74-11840
- ZATRAVKN, N. A.
 The problem of increasing the operational
 precision of electrolytic sensors p0276 A74-27898
- ZAVERIUKHA, G. G.
 Determination of the fatigue life of structural
 elements for a biharmonic loading process p0393 A74-37385
- ZDORENKO, I. U. M.
 Investigation of flow parameters in a turbine
 stage with a nonuniform inlet p0002 A74-10255
- Study of flow in axial compressors p0457 A74-43132
- ZEPPERT, H.
 Cockpit design for crew coordination p0208 A74-22631
- ZEIDLER, H. M.
 Design of a fault tolerant airborne digital
 computer. Volume 2: Computational requirements
 and technology [NASA-CR-132253] p0254 N74-18842
- ZELAZNY, S. W.
 Jet noise modeling - Experimental study and models
 for the noise and turbulence fields [AIAA PAPER 74-3] p0131 A74-18723
- ZELENKAPIC, S.
 Determinant parameters defining the principal
 layout and design solution of a system for
 automatic control of the transfer ratio in a
 longitudinal flight control system p0485 A74-46708
- ZELJKOVIC, V.
 Determinant parameters defining the principal
 layout and design solution of a system for
 automatic control of the transfer ratio in a
 longitudinal flight control system p0485 A74-46708
- ZELTSEY, J. J.
 The Hazeltine Doppler microwave landing system -
 Specialized techniques and features [AIAA PAPER 74-905] p0402 A74-37886
- ZETKA, E. P.
 Methods and costs associated with outfitting light
 aircraft for remote sensing applications [NASA-TM-X-69938] p0236 N74-17754
- ZEBANOV, I. U. K.
 Solution of the equations of motion of a
 gyrohorizon compass at finite deviation angles
 from the meridian p0020 A74-11685
- ZHDANOV, V. V.
 Calculating pressure in combustion chamber of
 pulsejet engine during filling process [AD-766045] p0051 N74-10737
- ZHILIN, I. U. L.
 Sonic boom from an aircraft flying in a quiet
 atmosphere p0392 A74-37376
- ZHIRITSKII, G. S.
 Aviation gas turbine engines (selected portions)
 [AD-756810] p0052 N74-10751

PERSONAL AUTHOR INDEX

ZYKIN, P. G.

- ZHIRNOV, A. F.
Suitability of using titanium pipelines in the hydraulic systems of turbine engines
p0126 A74-18090
- ZHIVERTIN, V. B.
Calculation of wing flutter with allowance for the kinematic constraint between the total strain and aileron deflection
p0482 A74-45473
- ZHUKOVA, R. A.
Experimental investigation of optimal fuselage nose parts for supersonic passenger aircraft
p0382 A74-36451
- ZHURAVLEVA, A. M.
Coupled vibrations in turbomachines and gas-turbine engines
p0221 A74-22665
- ZIABREV, L. G.
Reproduction of interactions between aerodynamic loads and deformation in the strength analysis of structures
p0390 A74-36649
- ZIEBARTH, H. K.
Mechanical component failure prognosis study [AD-771033]
p0238 A74-17765
- ZIEGLER, H.
Analysis of stratified and closely spaced jets exhausting into a crossflow [NASA-CR-132297]
p0061 A74-11118
- ZIEGLER, H.
The development of third level air services in France
p0382 A74-36328
- ZIMMERMAN, R. J.
Application and design of relays for commercial aircraft
p0344 A74-34775
- ZIMMERMANN, G.
Comments concerning noise indices /results of the study of aircraft noise in Munich conducted by the German Research Community are taken into account/ [DGLR PAPER 74-014]
p0271 A74-27367
- ZINBERG, H.
Development of a graphite-epoxy tailboom for a high-performance armed helicopter
p0083 A74-14748
- ZIPKES, E.
Concrete or black top
p0089 A74-15866
- ZMIHORSKI, J.
Oil filtration in modern aircraft systems
p0335 A74-31894
The filtration of oil in modern aircraft installations. II
p0343 A74-33820
- ZOCHEER, H. J.
Full scale fatigue requirements for rational fatigue life prediction
p0282 A74-19657
Full-scale fatigue testing. A comparison with service experience and interpretation of test results
p0367 A74-26477
- ZOLA, J. C.
The application of fracture mechanics to the design of damage-tolerant components for the UTTAS helicopter [AHS PREPRINT 882]
p0387 A74-36611
- ZOLEZZI, B. A.
An approach toward optimizing material cost and part function in advanced powerplants [SAE PAPER 730909]
p0123 A74-17535
- ZOLOTOVA, N. V.
Shock wave shape associated with a nonsymmetric hypersonic flow around a circular cone
p0222 A74-24393
- ZONARS, D.
Transonic drag due to lift of planar jet-flapped airfoils
p0156 A74-14720
- ZOREA, C.
On the calculation of non-linear aerodynamic characteristics and the near vortex wake [ICAS PAPER 74-27]
p0449 A74-41329
- ZOBUNSKI, W. E.
Noise suppressor [NASA-CASE-LAR-11141-1]
p0470 A74-32418
- SOZULIA, V. B.
Control of laminar flow past a wing in free flight
p0086 A74-15567
- ZUCKERMAN, A. J.
A solid-state converter for measurement of aircraft noise and sonic boom
p0261 A74-26345
- ZWAAN, R. J.
On the prediction of aerodynamic loads on oscillating wings in transonic flow [AGARD-R-612]
p0246 A74-18653
- ZWAANSEVELD, J.
Comparison of various methods for calculating profile drag from pressure measurements in the near wake at subcritical speeds
p0156 A74-14721
- ZYKIN, P. G.
The strength and rigidity of structures at high aircraft velocities [AD-776743]
p0359 A74-25610


CORPORATE SOURCE INDEX

AERONAUTICAL ENGINEERING / A Special Bibliography

JANUARY 1975

1974 Cumulative Index

Typical Corporate Source Index Listing



The title of the document is used to provide a brief description of the subject matter. The page number and NASA or AIAA accession number are included in each entry to assist the user in locating the abstract in the abstract section of an individual supplement of *Aeronautical Engineering*. If applicable, a report number is also included as an aid in identifying the document.

A

AAI CORP., BALTIMORE, MD.
High level container
[AD-766306] p0054 N74-10899

ADMIRALTY RESEARCH LAB., TEDDINGTON (ENGLAND).
Use of two-dimensional unsteady flow theory with
low aspect-ratio blades
[ARL/M/N-17] p0241 N74-17983
Blade-rate force fluctuations of a propeller in
non-uniform flow
[ARL/M/P-33A] p0247 N74-18667

ADVANCED TECHNOLOGY LABS., INC., WESTBURY, N.Y.
Analysis and design of three dimensional
supersonic nozzles. Volume 1: Nozzle-exhaust
flow field analysis by a reference plane
characteristics technique
[NASA-CR-132350] p0061 N74-11113
Analysis and design of three dimensional
supersonic nozzles. Volume 2: Numerical
program for analysis of nozzle-exhaust flow
fields
[NASA-CR-132351] p0061 N74-11114
Analysis and design of three dimensional
supersonic nozzles. Volume 3: A design
technique for multiple nozzle configurations
[NASA-CR-132352] p0061 N74-11115
Analysis and design of three dimensional
supersonic nozzles. Volume 4: Similarity
laws for nozzle flows
[NASA-CR-132353] p0061 N74-11116
Analysis of wall modification in a transonic
wind tunnel
[AD-767629] p0109 N74-12971
Similarity parameters and their sensitivity for
transonic airframe exhaust nozzle interactions
[AD-768988] p0159 N74-14746

**ADVISORY GROUP FOR AEROSPACE RESEARCH AND
DEVELOPMENT, PARIS (FRANCE).**
Specialists Meeting on Helicopter Rotor
Prediction Methods
[AGARD-CP-122] p0054 N74-10908
Prediction of helicopter rotor loads
[AGARD-AR-56] p0055 N74-10911
Markings for propeller conspicuity
[AGARD-AR-56] p0103 N74-12713
Dynamic stall
[NASA-CR-136473] p0139 N74-13709
Magnus characteristics of arbitrary rotating
bodies
[AGARD-AG-171] p0139 N74-13710
Atmospheric Pollution by Aircraft Engines
[AGARD-CP-125] p0148 N74-14271

Aerodynamic Drag
[AGARD-CP-124] p0155 N74-14709
Technical evaluation report on AGARD Technical
Meeting on Atmospheric Pollution by Aircraft
Engines
[AGARD-AR-63] p0164 N74-15349
Roll plane analysis of on-aircraft antennas
[NASA-CR-136815] p0200 N74-16953
Flight in turbulence
[AGARD-CP-140] p0232 N74-17720
On the prediction of aerodynamic loads on
oscillating wings in transonic flow
[AGARD-R-612] p0246 N74-18653
Interfering lifting surfaces in unsteady
subsonic flow: Comparison between theory and
experiment
[AGARD-R-614] p0246 N74-18654
An overview of US Army helicopter structures
reliability and maintainability
[AGARD-R-613] p0249 N74-18682
AGARD flight test instrumentation series.
Volume 5: Magnetic recording of flight test
data
[AGARDOGRAPH-160-VOL-5] p0254 N74-18833
V/STOL propulsion systems
[AGARD-AR-64] p0256 N74-19404
Acoustic fatigue design data, part 3
[AGARDOGRAPH-162-PT-3] p0257 N74-19550
Design against fatigue
[AGARD-CP-141] p0282 N74-19652
V/STOL propulsion systems
[AGARD-CP-135] p0289 N74-20401
Technical evaluation report on 42nd Propulsion
and Energetics Panel Meeting on V/STOL
Propulsion Systems
[AGARD-CP-135] p0292 N74-20433
Technical evaluation report on AGARD Flight
Mechanics Panel Symposium on Flight in
Turbulence
[AGARD-AR-67] p0294 N74-20639
Noise mechanisms
[AGARD-CP-131] p0329 N74-22640
Fracture mechanics of aircraft structures
[AGARD-AG-176] p0331 N74-23413
Highlights, spring 1973
[AGARD-CP-131] p0332 N74-23500
Active control systems for load alleviation,
flutter suppression and ride control
[AGARDOGRAPH-175] p0353 N74-25550
AGARD flight test instrumentation services.
Volume 1: Basic principles of flight test
instrumentation engineering
[AGARDOGRAPH-160-VOL-1] p0360 N74-25933
The fluid dynamics aspects of air pollution
related to aircraft operations
[AGARD-AR-55] p0361 N74-26104
Prediction methods for aircraft aerodynamic
characteristics
[AGARD-LS-67] p0364 N74-26445
Aircraft Design Integration and Optimization,
Volume 1
[AGARD-CP-147-VOL-1] p0465 N74-31458
Antennas for avionics
[AGARD-CP-139] p0468 N74-31667
Preliminary aircraft design
[AGARD-LS-65] p0470 N74-32420
Introduction to preliminary aircraft design
[AGARD-LS-65] p0470 N74-32421
Technical evaluation report on the AGARD
Specialists Meeting on Design Against Fatigue
[AGARD-AR-71] p0495 N74-34488

**AERONAUTICAL QUALITY ASSURANCE DIRECTORATE,
OXBRIDGE (ENGLAND).**
Endurance test on flexible steel wire rope for
aircraft controls at various pulley rope

- diameter ratios
[AQD/D-14] p0416 N74-28528
- AERONAUTICAL RESEARCH ASSOCIATES OF PRINCETON, INC., N.J.
Some analyses of the chemistry and diffusion of SST exhaust materials during phase 3 of the wake period
[NASA-CR-132323] p0053 N74-10863
- Survey on effect of surface winds on aircraft design and operation and recommendations for needed wind research
[NASA-CR-2360] p0099 N74-12317
- A preliminary sensitivity analysis of the coupled diffusion and chemistry model
[NASA-CR-132369] p0107 N74-12821
- On turbulence environment and design criteria
p0233 N74-17734
- Updated gust design values for use with AFFDL-70-106
[AD-778821] p0412 N74-28493
- A program to compute the behavior of a three dimensional turbulent vortex
[AD-778433] p0418 N74-28782
- Survey of aircraft subcritical flight flutter testing methods
[NASA-CR-132479] p0494 N74-34468
- AERONAUTICAL RESEARCH INST. OF SWEDEN, STOCKHOLM.
Computation of vortex models for wings at high angle of attack in incompressible flow
[PFA-AU-653] p0036 N74-10013
- Research on the sonic boom problem. Part 2: Flow field measurement in wind tunnel and calculation of second order P-function
[NASA-CR-2340] p0038 N74-10031
- Ice and landing surface demoulding: Replica fabrication
[PFA-MEMO-90] p0047 N74-10541
- A quick look at the state-of-the-art in flight testing of certain aerodynamic parameters related to wind tunnel testing
[PFA-AU-966] p0158 N74-14740
- Supersonic and transonic wind tunnel tests on a slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes
[PFA-AU-772] p0231 N74-17704
- Supersonic and transonic wind tunnel tests on slender ogive-cylinder body single and in combination with cruciform wings and tails of different sizes
[PFA-AU-772-SUPPL] p0231 N74-17705
- A computer program for the prediction of aerodynamic characteristics of wing-body-tail combinations at subsonic and supersonic speeds, part 2
[PFA-AU-635-PT-2] p0294 N74-20636
- AERONAUTICAL RESEARCH LABS., MELBOURNE (AUSTRALIA).
FORTRAN programs for the determination of generalised air forces on interfering lifting surfaces oscillating in subsonic flow
[ARL/SM-REPT-345] p0246 N74-18655
- A preliminary towing tank study of the trailing vortex generated by a rectangular wing, including the effects of several tip modifications
[ARL/A-NOTE-342] p0323 N74-21636
- AERONAUTICAL SYSTEMS DIV., WRIGHT-PATTERSON AFB, OHIO.
Comparison of the flying qualities of the A-7D aircraft with the requirements of MIL-P-8785B
ASG
[AD-768390] p0161 N74-14768
- A limited analysis of an F-4C aircraft with a high-gain control augmentation system and comparison with flight test data
[AD-772673] p0251 N74-18698
- The F-15 design considerations
p0465 N74-31470
- The F-89 hydraulic actuator combinatorial geometry representation
[AD-781996] p0498 N74-34547
- AEROPROJECTS, INC., WEST CHESTER, PA.
Engineering feasibility study of ultrasonic applications for aircraft manufacture
[AD-774305] p0303 N74-21084
- AEROSPACE CORP., EL SEGUNDO, CALIF.
An economic assessment of STOL aircraft potential including terminal area environmental considerations. Volume 2: Appendices
[NASA-CR-114605] p0040 N74-10044
- Small V/STOL aircraft analysis. Volume 2: Appendices
[NASA-CR-114629] p0040 N74-10045
- An experimental study of the validity of the heat-field concept for sonic-boom alleviation
[NASA-CR-2381] p0245 N74-18648
- An economic assessment of STOL aircraft potential including terminal area environmental considerations, volume 1
[NASA-CR-2424] p0406 N74-27497
- Small V/STOL aircraft analysis, volume 1
[NASA-CR-2425] p0413 N74-28504
- A wideband shallow cavity-backed sleeve dipole aircraft antenna
[AD-778930] p0418 N74-28719
- AEROSPACE MEDICAL RESEARCH LABS., WRIGHT-PATTERSON AFB, OHIO.
Optical factors in aircraft windshield design as related to pilot visual performance
[AD-767203] p0106 N74-12733
- High acceleration cockpit: The maneuvering countermeasure
[AD-770287] p0198 N74-16743
- Effect of modified seat angle on air to air weapon system performance under high acceleration
[AD-770271] p0198 N74-16747
- AEROSPACE RESEARCH LABS., WRIGHT-PATTERSON AFB, OHIO.
Hot corrosion of metals, alloys and ceramics
[AD-769340] p0191 N74-15829
- Work unit 08 (V/STOL aerodynamics)
[AD-771811] p0232 N74-17718
- Compact thrust augmentors for V/STOL aircraft
p0291 N74-20419
- AEROSPACE SYSTEMS, INC., BURLINGTON, MASS.
Navigation and guidance requirements for commercial VTOL operations
[NASA-CR-132423] p0444 N74-30093
- A study of techniques for real-time, on-line optimum flight path control. Three dimensional minimum-time flight paths with two state variables
[AD-782490] p0491 N74-33470
- AEROSPATIALE USINES DE TOULOUSE (FRANCE).
Use of simulation for the development of Concorde
p0197 N74-16733
- AEROTHERM CORP., MOUNTAIN VIEW, CALIF.
Analytical modeling of intumescent coating thermal protection system in a JP-5 fuel fire environment
[NASA-CR-137531] p0418 N74-29016
- AEROVIRONMENT, INC., PASADENA, CALIF.
Aircraft vortex wake descent and decay under real atmospheric effects
[AD-771311] p0238 N74-17767
- AIR CORPORATIONS JOINT MEDICAL SERVICE (BEA/BOAC), LONDON (ENGLAND).
Pollution levels at London (Heathrow) Airport and methods for reducing them
p0149 N74-14284
- AIR FORCE ACADEMY, COLO.
Vortex shedding from the ram wing vehicle
[AD-767234] p0105 N74-12727
- A pylon to decrease the effects of external stores on the stability of aircraft
[AD-767913] p0145 N74-13749
- A computer program for aircraft optimal control problems
[AD-767919] p0145 N74-13750
- AIR FORCE AERO PROPULSION LAB., WRIGHT-PATTERSON AFB, OHIO.
JP-4 thermal stability survey
[AD-767591] p0112 N74-13501
- Aircraft gas turbine pollutant limitations oriented toward minimum effect on engine performance
p0150 N74-14304
- Free jet engine testing: Wind tunnel starting
[AD-776318] p0360 N74-25790
- AIR FORCE ARMAMENT LAB., EGLIN AFB, FLA.
Users manual for STICH (the Stodola in-core matrix): An in-core matrix operations computer program
[AD-770999] p0240 N74-17921
- AIR FORCE CAMBRIDGE RESEARCH LABS., L. G. HAWSCOM FIELD, MASS.
Launching of small inflated balloons from cargo

CORPORATE SOURCE INDEX

AIR FORCE INST. OF TECH.,

aircraft
[AD-766428] p0043 N74-10069

Thermal warm fog dissipation: Heat requirements and projected utilization of a system for Travis AFB, California
[AD-766247] p0048 N74-10605

LDF powered balloon program
[AD-768673] p0162 N74-14770

Thermal and chemical fog dissipation: Results of field experiments at Vandenberg AFB, California during July 1972
[AD-768671] p0164 N74-15367

AIR FORCE FLIGHT DYNAMICS LAB., WRIGHT-PATTERSON AFB, OHIO.

Sensing jet engine performance and incipient failure with electrostatic probes
[AD-766653] p0066 N74-11606

Control Configured Vehicle Ride Control (CCV RCS). B-52 control system analysis, synthesis, and design
[AD-767590] p0142 N74-13728

Assessment of the influence of inlet and aftbody/nozzle performance on total aircraft drag
[AD-767590] p0157 N74-14726

Two dimensional air cushion landing system peripheral jet confirmation study
[AD-771616] p0237 N74-17761

Operational practicality of fly away ejection seats
[AD-771616] p0301 N74-20763

Spectrum of loading of aircraft
[AD-771616] p0332 N74-23414

A survey of AFFDL parameter estimation efforts and future plans
[AD-771616] p0355 N74-25571

Estimation of elastic aircraft parameters using the maximum likelihood method
[AD-771616] p0357 N74-25589

Optimal control aircraft landing analysis
[AD-776316] p0358 N74-25601

Ejector blown lift/cruise flap wind tunnel investigation
[AD-777181] p0363 N74-26430

B-52 control configured vehicles program
[AD-777181] p0464 N74-31452

V/STOL aircraft control/display concept for maximum operational effectiveness
[AD-777181] p0464 N74-31455

The role of preliminary design in reducing development, production and operational costs of aircraft systems
[AD-777181] p0465 N74-31459

Takeoff and landing analysis computer program (TOLA). Part 3: Users manual
[AD-781758] p0490 N74-33461

AIR FORCE FLIGHT TEST CENTER, EDWARDS AFB, CALIF.

Background information and user guide for MIL-S-83691
[AD-780523] p0490 N74-33459

AIR FORCE INST. OF TECH., WRIGHT-PATTERSON AFB, OHIO.

Mod-metric tested for bias
[AD-760081] p0054 N74-10904

Estimation of an aeronautical equipment mission reliability
[AD-766886] p0058 N74-10935

Optimal incomplete feedback control of linear stochastic systems
[AD-766878] p0064 N74-11378

A simulation study of the force mix problem in close air support operations
[AD-766879] p0102 N74-12699

Differential game barriers and their application in air-to-air combat
[AD-766890] p0113 N74-13696

A preliminary design of a remotely-controlled glider for a long-line operation
[AD-767879] p0144 N74-13744

An investigation of pattern recognition of aircraft attitudes indicator displays
[AD-768345] p0147 N74-14126

Application of the aerospace multiprocessor to the A-7D flight control system
[AD-768382] p0162 N74-14769

An experimental investigation of a high lift device on the owl wing
[AD-769492] p0188 N74-15707

Analysis of control surface augmentation in high-performance aircraft by thrust vectoring
[AD-769495] p0190 N74-15726

Two dimensional air cushion landing system peripheral jet configuration study
[AD-769494] p0191 N74-15729

An investigation of cost factors relating to class 4 aircraft modifications
[AD-769195] p0191 N74-15730

The impact of conversion to the metric measurement system on aircraft maintenance at base level
[AD-769186] p0191 N74-15733

An analysis of the acquisition of the F-111A simulators
[AD-769202] p0194 N74-16693

A comparative economic analysis of a lighter-than-air logistics system
[AD-769205] p0194 N74-16694

An analysis of the phased inspection system for B-52H aircraft
[AD-769154] p0194 N74-16695

Drop and static tests on a tenth-scale model of an Air Cushion Landing System (ACLS)
[AD-770026] p0198 N74-16742

Study of reverse-flow characteristics of a tip fan and an ejector
[AD-770080] p0198 N74-16744

An experimental study of attenuation of shock waves in aircraft fuel tanks
[AD-769930] p0198 N74-16750

Toward the definition of escape and capture regions for a two aircraft pursuit-evasion game
[AD-770281] p0201 N74-17689

Aerodynamic comparison of two double-slotted rudders
[AD-774432] p0294 N74-20644

Application of the lateral and longitudinal (coupled) equations of motion to an inertially-slender aircraft in unsymmetric, rectilinear flight
[AD-774435] p0295 N74-20645

Air cushion landing system performance on a tenth-scale model Jindivik RPV
[AD-774389] p0299 N74-20683

An experimental study of the effect of a low speed external flow on a coanda effect flap
[AD-774393] p0300 N74-20684

An experimentally based prediction of the static performance in the vertical direction of an air cushion landing system
[AD-774387] p0300 N74-20685

Static two dimensional performance of a cushion fed air cushion landing system
[AD-774394] p0300 N74-20686

Addition of an arbitrary body analysis capability to the Boeing TEA 236 finite element computer program
[AD-774430] p0301 N74-20694

An analysis of the longitudinal dynamics of a STOL transport in landing approach
[AD-774434] p0301 N74-20696

Differential game barriers and their application in air-to-air combat
[AD-774436] p0304 N74-21187

Determination of the effects of mass and stiffness on the vibration response of ribbed panels subjected to random acoustic noise
[AD-774436] p0304 N74-21568

Predicting lateral hover, flying qualities with paper pilot
[AD-775704] p0353 N74-25543

Microwave landing system integration study. Volume 1: Summary report
[AD-775703] p0361 N74-26149

Microwave landing system integration study. Volume 3: Appendices
[AD-775724] p0361 N74-26155

Specified finite series control for three-dimensional, multi-phase, optimal reentry
[AD-777266] p0370 N74-27359

The effect of WIPICS on the F4-B to N conversion program
[AD-777256] p0408 N74-27509

Application of sampled-data control techniques in the design of an aircraft flutter mode controller
[AD-779078] p0442 N74-29389

Design of a control system to stabilize the aft fuselage of a B-52 bomber in the presence of a random wind gust

[AD-779081] p0442 N74-29392
 AIR FORCE MATERIALS LAB., WRIGHT-PATTERSON AFB, OHIO.
 A unique method for monitoring cabin air
 pollution from engine oil in the EB-57 D
 aircraft [AD-766701] p0057 N74-10932
 Improved silicone fluids as candidate gas
 turbine engine oils for minus 40 F to 465 F
 temperature range [AD-767898] p0148 N74-14246
 Conference on Transparent Aircraft Enclosures
 [AD-769344] p0190 N74-15727
 AIR FORCE PACKAGING EVALUATION AGENCY,
 WRIGHT-PATTERSON AFB, OHIO.
 Evaluation and redesign of FAA altimeter pack
 [AD-769540] p0192 N74-16164
 AIR FORCE SYSTEMS COMMAND, WRIGHT-PATTERSON AFB,
 OHIO.
 Simulating the system of automatic correction of
 aircraft coordinates on an analog computer
 [AD-765991] p0042 N74-10058
 Symmetrical eigen forms of the vibrations of a
 supporting surface and of an elastic fuselage
 [AD-756285] p0043 N74-10067
 Analysis of the longitudinal disturbed motion of
 a surface skimmer [AD-765992] p0046 N74-10326
 Investigation of the effect of grids on the
 characteristics of a turbulent flow
 [AD-765999] p0046 N74-10328
 Study of elastoplastic deformation with friction
 in hydrocarbon media [AD-765997] p0049 N74-10717
 Calculating pressure in combustion chamber of
 pulsejet engine during filling process
 [AD-766045] p0051 N74-10737
 Aerodynamic calculation of blades in axial-flow
 turbomachines [AD-765932] p0051 N74-10739
 High temperature cooled gas turbines (analysis
 and design) [AD-766031] p0051 N74-10740
 Mixing and combustion processes in jet engines
 [AD-766030] p0051 N74-10741
 Aviation gas turbine engines (selected portions)
 [AD-756810] p0052 N74-10751
 Turbulence near the tropopause in the presence
 of mountain waves [AD-766577] p0063 N74-11274
 The economic efficiency of raising the flying
 life and reliability of gas-turbine engines
 [AD-767027] p0065 N74-11601
 Optimal capabilities of hypersonic passenger
 aircraft on kerosene fuel [AD-767887] p0143 N74-13737
 Flight control of airplanes and helicopters
 [AD-767943] p0143 N74-13738
 Life of fatigue cracks on rotor blades of
 turbines in gas turbine engines [AD-767947] p0152 N74-14447
 The testing of jet engines, chapters 5 and 6
 [AD-768492] p0166 N74-15467
 Measurement of pressure on an oscillating
 aileron in transonic flow [AD-769982] p0197 N74-16739
 Take-off velocities [AD-771632] p0239 N74-17776
 Climbing performance [AD-772052] p0239 N74-17782
 Calculation of certain geometric parameters of
 complex surfaces on Ural-4 computer [AD-772040] p0240 N74-17926
 Aircraft air intake regulator [AD-772021] p0243 N74-18416
 To assist the Sportsman-helicopter pilot in
 blind flight [AD-772650] p0251 N74-18699
 A device for spreading small grain
 bait lure [AD-772053] p0255 N74-19144
 By-pass engines [AD-772723] p0257 N74-19413
 Determination of the forces in the kinematic
 pairs of a landing gear mechanism [AD-773877] p0285 N74-19678
 Selection of landing fields [AD-772051] p0287 N74-19894
 Lubricating systems of gas turbine
 engines [AD-773493] p0288 N74-20161

Mixing of gas and air jets in jet engines
 [AD-773908] p0293 N74-20450
 Characteristics of cascades of slotted sections
 of adjustable guide vanes of axial-flow turbines
 [AD-773900] p0293 N74-20452
 Problem of the application of turbofan engines
 in air transport. Methods of increase in
 efficiency of turbofan engine with high bypass
 ratios [AD-773292] p0293 N74-20453
 Impact of technology on cost reduction
 [AD-773292] p0305 N74-21618
 The strength and rigidity of structures at high
 aircraft velocities [AD-776743] p0359 N74-25610
 Modification of convective clouds by jets
 [AD-776730] p0361 N74-26130
 Organization and planning of production at
 aircraft engine-building plants [AD-775780] p0362 N74-26421
 Flight control of airplanes and helicopters
 [AD-777297] p0368 N74-26488
 Automation of the landing control of aircraft
 [AD-777174] p0369 N74-26491
 Antonov's transport plane [AD-777661] p0369 N74-26494
 Standardization of testing benches
 [AD-777208] p0370 N74-27302
 Fuel for supersonic passenger aircraft
 [AD-778801] p0419 N74-29207
 The power plants of vertical takeoff and landing
 aircraft [AD-778791] p0419 N74-29225
 AIR FORCE WEAPONS LAB., KIRTLAND AFB, N.MEX.
 Cockpit air filtration requirements of the B-1
 in a nuclear dust environment [AD-766711] p0042 N74-10065
 The behavior of flexible airfield pavements
 under loads: Theory and experiments
 [AD-766480] p0061 N74-11102
 United States Air Force aircraft pollution
 emissions [AD-769482] p0201 N74-17374
 Evaluation of runway skid-resistance
 characteristics at Minot Air Force Base, North
 Dakota [AD-773403] p0328 N74-21904
 C-130 landing on XM-18B landing mat, Oak Grove
 Auxiliary Air Field, North Carolina
 [AD-775365] p0328 N74-21910
 Aviation fuel spill containment using absorbent
 materials [AD-776762] p0361 N74-26242
 AIR TRANSPORT ASSOCIATION OF AMERICA, WASHINGTON,
 D.C.
 The apron-terminal complex: Analysis of
 concepts for evaluation of terminal buildings
 [FAA-RD-73-82] p0098 N74-12019
 AIRBORNE INSTRUMENTS LAB., DEER PARK, N.Y.
 Microwave Landing System (MLS) development plan
 as proposed by AIL during the technique
 analysis and contract definition phase of the
 national MLS development program. Part 3.0,
 Volume 3.2: Appendix A: System technique
 summary. Appendix B: Functional requirements
 summary. Appendix C: Detailed feasibility
 hardware specifications [FAA-RD-73-166-VOL-3.2] p0111 N74-13421
 Microwave Landing System (MLS) development plan
 as proposed by AIL during the technique
 analysis and contract definition phase of the
 national MLS development program. Part 1.0,
 Volume 1.1: Technique analysis program
 [FAA-RD-73-166-VOL-1.1] p0150 N74-14340
 Microwave Landing System (MLS) development plan
 as proposed by AIL during the technique
 analysis and contract definition phase of the
 national MLS development program. Part 1.0,
 Volume 1.2, Book 1: Post TACD development plan
 [FAA-RD-73-166-VOL-1.2-BK-1] p0150 N74-14341
 Microwave Landing System (MLS) development plan
 as proposed by AIL during the technique
 analysis and contract definition phase of the
 national MLS development program. Part 1.0,
 Volume 1.2, Book 2: Post TACD development plan
 [FAA-RD-73-166-VOL-1.2-BK-2] p0150 N74-14342
 Microwave Landing System (MLS) development plan
 as proposed by AIL during the technique
 analysis and contract definition phase of the

CORPORATE SOURCE INDEX

ARMY AIR MOBILITY RESEARCH AND DEVELOPMENT LAB.,

national HLS development program. Part 3.0, Volume 3.1, Book 1: Compilation of critical technical area reports
[FAA-BD-73-166-VOL-3.1-BK-1] p0150 N74-14343

Microwave Landing System (MLS) development plan as proposed by AIL during the technique analysis and contract definition phase of the national HLS development program. Part 3.0, Volume 3.1, Book 2: Compilation of critical technical area reports
[FAA-BD-73-166-VOL-3.1-BK-2] p0151 N74-14344

AIRCRAFT RESEARCH ASSOCIATION, LTD., BEDFORD (ENGLAND).
Swept wing-body combination at subsonic speeds fuselage loads and pressure distributions for a swept wing-body combination at supersonic speeds [ARA-34] p0245 N74-18649
External store aerodynamics for aircraft performance prediction p0365 N74-26454

AIRRESEARCH MFG. CO., LOS ANGELES, CALIF.
Advanced torque measurement system [AD-773021] p0252 N74-18706

AIRRESEARCH MFG. CO., PHOENIX, ARIZ.
Study of small turbofan engines applicable to general-aviation aircraft [NASA-CR-114630] p0049 N74-10725
Pneumomechanical critical speed control for gas turbine engine shafts [AD-772823] p0256 N74-19407
Product support program (ground power systems) [AD-777704] p0370 N74-27304
Hydraulic-to-pneumatic power supply for aircraft fluidic systems [AD-778764] p0417 N74-28550

AIRRESEARCH MFG. CO., TORRANCE, CALIF.
Mechanical component failure prognosis study [AD-771033] p0238 N74-17765

ALBUQUERQUE UNIV., N.MEX.
Falconry as a means of reducing bird-aircraft strike hazards at Whiteman Air Force Base, Missouri [AD-774568] p0299 N74-20682

ALUMINUM CO. OF AMERICA, NEW KENSINGTON, PA.
Effect of polymer coatings on fatigue strength of aluminum alloy 2024 box beams [NASA-CR-114699] p0193 N74-16250

AMERICAN AIRLINES, INC., NEW YORK.
Economic effects of propulsion system technology on existing and future transport aircraft [NASA-CR-134645] p0410 N74-28230
Assessment of the application of advanced technologies to subsonic CTOL transport aircraft [NASA-CR-132461] p0441 N74-29375

AMERICAN AIRLINES, INC., TULSA, OKLA.
Flight evaluation of two segment approaches for jet transport noise abatement [NASA-CR-114735] p0200 N74-16995

ANTENNA CORP. OF AMERICA, HARLEYSVILLE, PA.
Improvement of performance characteristics of a class of broadband circularly polarized antennas [AD-766473] p0059 N74-11065

APPLIED PHYSICS LAB., JOHNS HOPKINS UNIV., SILVER SPRING, MD.
A low cost telemetry system [PB-222403/8] p0044 N74-10165

ARKANSAS UNIV., LITTLE ROCK.
Transmission thermal mapping (UH-1 main rotor transmission) [AD-777803] p0408 N74-27515

ARMY AEROMEDICAL RESEARCH LAB., FORT RUCKER, ALA.
Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost [AD-767028] p0057 N74-10930
Parachute escape from helicopters [AD-772970] p0251 N74-18702
Army autorotational accidents p0301 N74-20771

ARMY AIR MOBILITY RESEARCH AND DEVELOPMENT LAB., CLEVELAND, OHIO.
PORTMAN program for predicting off-design performance of centrifugal compressors [NASA-TN-D-7487] p0037 N74-10024
A simplified life-cycle cost comparison of various engines for small helicopter use [NASA-TN-X-71517] p0256 N74-19405
Basic research requirements for V/STOL propulsion and drive-train components

Water table tests of proposed heat transfer tunnels for small turbine vanes [NASA-TN-X-3073] p0353 N74-25536
Measurements of liner cooling effectiveness within a full scale double-annular ram-induction combustor [NASA-TN-D-7689] p0362 N74-26389

ARMY AIR MOBILITY RESEARCH AND DEVELOPMENT LAB., FORT RUSTIS, VA.
General description of the rotorcraft flight simulation computer program (G-81) [AD-767239] p0105 N74-12728
The effects of sand particles on small, intricate mechanical components [AD-772977] p0253 N74-18718
Research toward development feasibility of an advanced technology V/STOL propeller system p0290 N74-20414
Effects of helicopter external loads on sling properties [AD-774267] p0300 N74-20690
Development of manufacturing methods for ballistically tolerant fiberglass tubular bellcranks [AD-775818] p0331 N74-22701
An experimental and analytical investigation of the potential flow field, boundary layers, and drag of various helicopter fuselage configurations [AD-777798] p0408 N74-27514
Evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a CH-54B helicopter p0497 N74-34511

ARMY AIR MOBILITY RESEARCH AND DEVELOPMENT LAB., HAMPTON, VA.
Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration [NASA-TN-D-7399] p0096 N74-11832
Wind tunnel investigation of simulated helicopter engine exhaust interacting with windstream [NASA-TN-X-3016] p0237 N74-17758
Pressure distribution on a vectored-thrust V/STOL fighter in the transition-speed range [NASA-TN-X-2867] p0246 N74-18658
Flight investigation of effects of a fan-in-fin yaw control concept on helicopter flying-quality characteristics [NASA-TN-D-7452] p0249 N74-18688
Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flap [NASA-TN-D-7526] p0283 N74-19663
Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps [NASA-TN-X-2623] p0323 N74-21634
Exhaust flow deflector [NASA-CASE-LAB-11570-1] p0410 N74-28233
Effect of ground proximity on the longitudinal aerodynamic characteristics of an aspect-ratio-1 wing with and without wing-tip blowing [NASA-TN-X-3048] p0412 N74-28475
Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators [NASA-TN-D-7670] p0493 N74-34461

ARMY AIR MOBILITY RESEARCH AND DEVELOPMENT LAB., HOFFETT FIELD, CALIF.
Acoustic characteristics of a large-scale augmentor wing model at forward speed [NASA-TN-X-2940] p0041 N74-10052
Integrated rotor/body loads prediction p0055 N74-10916
Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct [NASA-TN-X-62281] p0095 N74-11826
Low-speed wind tunnel investigation of the lateral-directional characteristics of a large-scale variable wing-sweep fighter model in the high-lift configuration [NASA-TN-X-62306] p0103 N74-12714
Wind tunnel investigation of a large-scale 25 deg swept-wing jet transport model with an external blowing triple-slotted flap

[NASA-TN-X-62197] p0141 N74-13721
Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines
[NASA-TN-X-62319] p0189 N74-15719
Dynamics of tilting proprotor aircraft in cruise flight
[NASA-TN-D-7677] p0407 N74-27500
Analytical model for tilting proprotor aircraft dynamics, including blade torsion and coupled bending modes, and conversion mode operation
[NASA-TN-X-62369] p0467 N74-31498
Perturbation solutions for the influence of forward flight on helicopter rotor flapping stability
[NASA-TN-X-62361] p0467 N74-31501
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] p0494 N74-34475
ARMY AVIATION SYSTEMS COMMAND, ST. LOUIS, MO.
Major Item Special Study (MISS). CH-54A T/R blade
[AD-766227] p0041 N74-10056
Major Item Special Study (MISS). CH-54A clutch assembly (APP)
[AD-766226] p0041 N74-10057
Major Item Special Study (MISS). CH-54A turbine engine
[AD-766228] p0051 N74-10738
Major Item Special Study (MISS), AH-1G 90 degree gearbox
[AD-767540] p0106 N74-12731
Major Item Special Study (MISS), CH-54A main rotor primary servo
[AD-767539] p0106 N74-12732
Major Item Special Study (MISS), AH-1G driveshaft assembly, main transmission to engine
[AD-768763] p0163 N74-14780
Major Item Special Study (MISS), AH-1G mast assembly
[AD-768764] p0163 N74-14782
Major Item Special Study (MISS) AH-1G driveshaft assy, main transmission to engine
[AD-770498] p0198 N74-16746
Major Item Special Study (MISS), AH-1G main transmission assy, universal
[AD-772983] p0250 N74-18695
Major item special study (MISS), CH-47A engine
[AD-772978] p0253 N74-18717
Major Item Special Study (MISS), CH-47A rotary wing head FWD
[AD-773718] p0286 N74-19691
Major Item Special Study (MISS), CH-47A alternating generator
[AD-773720] p0286 N74-19712
Major Item Special Study (MISS), CH-47A hydraulic servocylinder
[AD-775449] p0327 N74-21672
Major Item Special Study (MISS). CH-47A rotary wing blade
[AD-776419] p0359 N74-25605
Major Item Special Study (MISS). CH-47A Synchronizer shaft assembly
[AD-776418] p0359 N74-25606
Major Item Special Study (MISS), AH-1G gas turbine engine (T53-L-13B)
[AD-776939] p0370 N74-27300
Major item special study (MISS), OH-6 A tail rotor assembly
[AD-778166] p0408 N74-27512
A computer model for economic analysis of army aircraft BAM improvement proposals
[AD-778751] p0442 N74-29390
Major Item Special Study (MISS), OH-6A main rotor hub
[AD-781507] p0473 N74-32457
Major Item Special Study (MISS), OH-6A tail rotor transmission assembly
[AD-782926] p0498 N74-34526
Major Item Special Study (MISS), CH-47A auxiliary power unit (T62-T-2A)
[AD-782927] p0499 N74-34552
ARMY AVIATION SYSTEMS TEST ACTIVITY, EDWARDS AFB, CALIF.
Instrumentation specification for climatic laboratory tests
[AD-771053] p0237 N74-17763
Helicopter icing spray system qualification
[AD-775803] p0330 N74-22688
Evaluation of the Teledyne Ryan model 622 terrain-following radar system installed on OH-58A helicopter
[AD-775806] p0331 N74-22837
Engineering flight test: AH-1G helicopter with model 212 tail rotor. Part 2: Performance and handling qualities
[AD-776360] p0359 N74-25613
ARMY COLD REGIONS RESEARCH AND ENGINEERING LAB., HANOVER, N.H.
Operational evaluation of the SK-5 air cushion vehicle in Alaska
[AD-768781] p0162 N74-14772
ARMY CONSTRUCTION ENGINEERING RESEARCH LAB., CHAMPAIGN, ILL.
Keyed joint performance under heavy load aircraft
[AD-766706] p0061 N74-11101
ARMY ELECTRONICS COMMAND, FORT MONMOUTH, N.J.
Design considerations for the calculator, altitude ML-646 (X-1/UM)
[AD-766699] p0063 N74-11295
The effect of helicopter noise on communication and hearing
[AD-767222] p0112 N74-13450
Fog clearing using helicopter downdrafts: A numerical model
[AD-771038] p0242 N74-18280
Preflight test simulation of superimposed integrated trajectory error displays
[AD-773823] p0286 N74-19687
High frequency radio emission and reception by forest trees and by helicopter using hybrid electromagnetic antenna couplers
[AD-773909] p0287 N74-19822
Predictions of interference-reflection zones for scanning beam instrument landing systems
[AD-773822] p0289 N74-20235
ARMY ENGINEER TOPOGRAPHIC LABS., FORT BELVOIR, VA.
Studies of the Army aviation (V/STOL) environment. Report no. 9: Classification and world distribution of vegetation relative to V/STOL aircraft operations
[AD-773734] p0284 N74-19676
ARMY ENGINEER WATERWAYS EXPERIMENT STATION, VICKSBURG, MISS.
Lateral distribution of aircraft traffic
[AD-765435] p0045 N74-10304
Development of minimum pipe-cover requirements for C-5A and other aircraft loadings
[AD-771174] p0241 N74-17963
Prediction of aircraft ground performance by evaluation of ground vehicle rut depths
[AD-775744] p0330 N74-22689
Helicopter downwash data
[AD-780754] p0468 N74-31518
ARMY-FOREIGN SCIENCE AND TECHNOLOGY CENTER, CHARLOTTESVILLE, VA.
Composition and chemical stability of motor fuels
[AD-770538] p0199 N74-16870
Air mobile technical maintenance unit
[AD-771786] p0239 N74-17778
Reference manual on aviation materials
[AD-783739] p0498 N74-34534
ARMY LAND WARFARE LAB., ABERDEEN PROVING GROUND, MD.
UH-1 ground handling wheel adapter bars for OH-58 helicopters. Prototype design, fabrication, and user test
[AD-778199] p0443 N74-29616
Design of a powered wheel kit for UH/AH helicopters
[AD-779387] p0443 N74-29627
ARMY LIMITED WAR LAB., ABERDEEN PROVING GROUND, MD.
Evaluation of voice recorders for aircraft
[AD-770517] p0200 N74-16906
ARMY MATERIAL COMMAND, TEXARKANA, TEX.
Minimum life cycle costing for a V/STOL transport
[AD-768133] p0144 N74-13740
ARMY MATERIALS AND MECHANICS RESEARCH CENTER, WATERTOWN, MASS.
Effect of adhesive on the impact resistance of laminated plastics for windshield applications
[AD-769735] p0193 N74-16259
Typical plane strain fracture toughness of aircraft materials
p0332 N74-23443
ARMY MATERIAL SYSTEMS ANALYSIS AGENCY, ABERDEEN PROVING GROUND, MD.
Simplified aircraft performance methods: Power required for single and tandem rotor helicopters in hover and forward flight
[AD-768769] p0163 N74-14777

- Helicopter weight, size, and performance program
[AD-771140] p0240 N74-17783
- ARMY MEDICAL RESEARCH LAB., PORT KNOX, KY.
Speech intelligibility testing with the modified
rhyme test in aviation type noise
[AD-765470] p0044 N74-10159
- ARMY MISSILE COMMAND, REDSTONE ARSENAL, ALA.
Techniques for reducing the vibration of rocket
launchers mounted on helicopters
[AD-767237] p0105 N74-12729
- Methods for reducing vibrations of equipment
mounted on helicopter external stores stations
[AD-768774] p0162 N74-14771
- A program for computing the pressure
distribution and aerodynamic coefficients for
cambered thin supersonic wings of arbitrary
planform with subsonic leading edges
[AD-772952] p0251 N74-18701
- Vibration absorbers for rocket launchers mounted
on helicopters: Analytical analysis and
implementation techniques
[AD-774845] p0328 N74-22558
- ARMY NATICK LABS., MASS.
Engineering evaluation of age life extension,
T-10 harnesses, risers and T-10 troop chest
reserve parachute canopies. Supplement 1:
1964 - 1965 year classes
[AD-767711] p0144 N74-13743
- Concept for a multiple personnel airdrop system
[AD-771945] p0244 N74-18640
- The response of aircraft camouflage lacquers to
thermal radiation. Part 2: 6000 degrees K
radiator and 800 ft/sec air flow
[AD-776884] p0361 N74-26078
- ARMY TEST AND EVALUATION COMMAND, ABERDEEN PROVING
GROUND, MD.
Transportability
[AD-765456] p0044 N74-10229
- ARMY TRANSPORTATION ENGINEERING AGENCY, NEWPORT
NEWS, VA.
Restraint procedures for cargo loaded in
vehicles to be air transported
[AD-768172] p0146 N74-13954
- ARNOLD ENGINEERING DEVELOPMENT CENTER, ARNOLD AIR
FORCE STATION, TENN.
AEDC Fiscal Year 1974 Air Force technical
objective document
[AD-766719] p0068 N74-11803
- ARO, INC., ARNOLD AIR FORCE STATION, TENN.
An experimental investigation of an acoustic
method for measuring gas mass flow
[AD-766419] p0046 N74-10340
- Laminar heat transfer on sharp and blunt
ten-degree cones in conical and parallel
low-density flow
[AD-765546] p0053 N74-10869
- Emission measurements of a J93 turbojet engine
[AD-766648] p0066 N74-11605
- Calculation of the boundary-layer flow in the
windward symmetry plane of a spherically
blunted axisymmetric body at angle of attack,
including stream line-swallowing effects
[AD-768340] p0147 N74-13992
- Evaluation of a wind tunnel technique to
determine aircraft departure characteristics
[AD-776317] p0360 N74-25791
- AVCO CORP., WILMINGTON, MASS.
Analysis of stall flutter of a helicopter radar
blade
[NASA-CR-2322] p0139 N74-13708
- Investigation of nonlinear inviscid and viscous
flow effects in the analysis of dynamic stall
[NASA-CR-2335] p0245 N74-18646
- AVCO LYCOMING DIV., STRATFORD, CONN.
Spring overriding aircraft clutch
[AD-766309] p0044 N74-10073
- Blade dynamics analysis using NASTRAN
p0153 N74-14599
- Development of helicopter engine seals
[NASA-CR-134647] p0410 N74-28229
- AVCO-EVERETT RESEARCH LAB., EVERETT, MASS.
Disk geometry MHD generator for high voltage
high power aircraft requirements
[AD-775749] p0362 N74-26255
- AVIONS MARCEL DASSAULT-BREGUET AVIATION,
SAINT-CLOUD (FRANCE).
Research work and costs, the role of data
processing
p0305 N74-21617
- Preliminary design of civil and military
aircraft at Avions Marcel Dassault-Breguet
Aviation
p0471 N74-32422
- B**
- BATTELLE COLUMBUS LABS., LONG BEACH, CALIF.
Ship-helicopter system analysis
[AD-774764] p0305 N74-21629
- BATTELLE COLUMBUS LABS., OHIO.
Geodetic analysis of Skylab altimetry
preliminary data - SL/2 EREP pass 9
[E74-10086] p0062 N74-11197
- Current and future materials usage in aircraft
gas turbine engines
[AD-766334] p0066 N74-11604
- Design guide for the use of structural shapes in
aircraft applications. Part 1: Selection
criteria for structural shapes and tubing.
Part 2: Manufacturing methods for structural
shapes and tubing
[AD-769042] p0190 N74-15723
- General aviation cost impact study. Volume 1:
Executive summary
[AD-771603] p0239 N74-17779
- General aviation cost impact study. Volume 2:
Research methodology
[AD-771606] p0239 N74-17780
- General aviation cost impact study. Volume 3:
Planning guide
[AD-771759] p0239 N74-17781
- Effectiveness evaluation of STOL transport
operations (phase 2)
[NASA-CR-137481] p0326 N74-21660
- Application of interactive graphics to the
avionics evaluation program
[AD-775372] p0328 N74-21847
- BATTELLE-NORTHWEST, RICHLAND, WASH.
Meteorological information for vertical and
short take-off and land (V/STOL) operations in
built-up urban areas: An analysis
[FAA-BD-72-135] p0056 N74-10920
- BELL AEROSPACE CO., BUFFALO, N.Y.
Jet noise reduction technique for military
reconnaissance/surveillance aircraft. Phase
1: Bench/wind tunnel tests
[AD-774748] p0300 N74-20691
- BELL HELICOPTER CO., FORT WORTH, TEX.
Rotor system design and evaluation using a
general purpose helicopter flight simulation
program
p0055 N74-10913
- Advancement of proprotor technology. Task 1:
Design study summary
[NASA-CR-114682] p0096 N74-11833
- Advancement of proprotor technology. Task 2:
Wind-tunnel test results
[NASA-CR-114363] p0096 N74-11834
- Static and dynamic helicopter airframe analysis
with NASTRAN
p0153 N74-14616
- Cold-weather flight tests of an OH-58 helicopter
equipped with an elastomeric-bearing main rotor
[AD-772935] p0253 N74-18716
- AH-1G design and operational flight loads study
[AD-775838] p0331 N74-22700
- Analysis of maneuverability effects on
rotor/wing design characteristics
[AD-776981] p0359 N74-25609
- An analysis of fixed wing-proprotor interference
for folding proprotor aircraft
[AD-778823] p0441 N74-29371
- Maneuver criteria evaluation program
[AD-782209] p0491 N74-33472
- Flight test of a hingeless flexbeam rotor system
[AD-783393] p0498 N74-34525
- BETA INDUSTRIES, INC., DAYTON, OHIO.
Crashworthy landing gear study
[AD-765489] p0042 N74-10060
- BODENSEWERK GERÄTETECHNIK G.M.B.H., UEBERLINGEN
(WEST GERMANY).
Comparison of simulation and flight testing at
automatic STOL landing:
[NASA-TT-F-15171] p0056 N74-10923
- The effect of gusts and wind shear for automatic
STOL approach and landing
p0233 N74-17730

- Realization and flight tests of an integrated digital flight control system p0464 N74-31447
- BOEING AEROSPACE CO., SEATTLE, WASH.**
- STOL tactical aircraft investigation. Volume 1: Configuration definition (medium STOL transport with vectored thrust/mechanical flaps) [AD-766637] p0056 N74-10925
- STOL tactical aircraft investigation. Volume 2, part 1: Aerodynamic technology (design compendium, vectored thrust/mechanical flaps) [AD-766639] p0057 N74-10926
- STOL tactical aircraft investigation. Volume 2, part 2: A lifting line analysis method for jet-flapped wings [AD-766877] p0058 N74-10937
- STOL tactical aircraft investigation. Volume 3: Takeoff and landing performance ground rules for powered lift STOL transport aircraft [AD-766640] p0058 N74-10938
- STOL tactical aircraft investigation. Volume 5, part 2: Flight control technology: Piloted simulation of a medium STOL transport with vectored thrust mechanical flaps [AD-766643] p0058 N74-10939
- STOL tactical aircraft investigation. Volume 6: Air cushion landing system study [AD-766644] p0058 N74-10940
- STOL tactical aircraft investigation. Volume 4: Analysis of wind tunnel data: Vectored thrust/mechanical flaps and internally blown jet flaps [AD-766641] p0098 N74-11846
- STOL tactical aircraft investigation. Volume 5, part 1: Flight control technology: System analysis and trade studies for a medium STOL transport with vectored thrust/mechanical flaps [AD-766642] p0098 N74-11847
- Exhaust system interaction program [AD-769086] p0159 N74-14747
- Cyclic-stress analysis of notches for supersonic transport conditions [NASA-CR-132387] p0257 N74-19544
- Integrated life support system: Design study medium STOL transport [AD-773589] p0285 N74-19683
- Gross voided flame arresters for fuel tank explosion protection [AD-777898] p0409 N74-27540
- Exploratory investigation of rapid crack propagation and crack arrest [AD-778822] p0418 N74-29012
- Additional studies, variable camber wing, phase 1 [AD-779041] p0443 N74-29396
- Cockpit switching study: Test and validation of a design procedure for multifunction switching controls [AD-783956] p0499 N74-34554
- BOEING CO., PHILADELPHIA, PA.**
- Current loads technology for helicopter rotors p0054 N74-10910
- BOEING CO., SEATTLE, WASH.**
- The 727 noise retrofit feasibility. Volume 3: Upper goal flight testing and program summary [AD-768850] p0471 N74-32429
- BOEING CO., WICHITA, KANS.**
- Analysis and testing of aeroelastic model stability augmentation systems [NASA-CR-132345] p0093 N74-11807
- Analysis and testing of stability augmentation systems [NASA-CR-132349] p0093 N74-11809
- Analysis of aeroelastic model stability augmentation systems [NASA-CR-132354] p0095 N74-11829
- The influence of wing loading on turbofan powered STOL transports with and without externally blown flaps [NASA-CR-2320] p0140 N74-13718
- Developmental design, fabrication, and test of acoustic suppressors for fans of high bypass turbofan engines [NASA-CR-2338] p0141 N74-13724
- B-52 control configured vehicles program p0464 N74-31452
- Introduction of CCV technology into airplane design p0466 N74-31481
- FAA JT3D quiet nacelle retrofit feasibility program. Volume 1-1: Lower goal design, fabrication and ground testing [AD-775453] p0471 N74-32430
- BOEING COMMERCIAL AIRPLANE CO., REHNTON, WASH.**
- The problem of installing a modern high bypass engine on a twin jet transport aircraft p0157 N74-14727
- Aircraft lift and drag prediction and measurement. p0364 N74-26449
- Brake control system modification, augmentor Wing Jet STOL Research Airplane (AWJSRA) [NASA-CR-137530] p0441 N74-29374
- BOEING COMMERCIAL AIRPLANE CO., SEATTLE, WASH.**
- The results of low-speed wind tunnel tests to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727-200 [NASA-CR-134503] p0093 N74-11808
- Where are we headed in air transport? p0102 N74-12669
- Design and fabrication of an aeroelastic flap element for a Short TakeOff and Landing (STOL) aircraft model [NASA-CR-132339] p0104 N74-12717
- Evaluation of APC 77 martensitic stainless steel for airframe structural applications [AD-767597] p0110 N74-13263
- Analytical and experimental investigation of aircraft metal structures reinforced with filamentary composites. Phase 3: Major component development [NASA-CR-2122] p0153 N74-14625
- Design of a powered elevator control system [NASA-CR-114727] p0188 N74-15712
- A study to determine the feasibility of a low sonic boom supersonic transport [NASA-CR-2332] p0188 N74-15713
- The results of a high-speed wind tunnel test to investigate the effects of the NASA refan JT8D engine nacelles on the stability and control characteristics of the Boeing 727 airplane [NASA-CR-134545] p0196 N74-16726
- Advanced subsonic long-haul transport terminal area compatibility study. Volume 1: Compatibility assessment [NASA-CR-132367] p0196 N74-16729
- Advanced subsonic long-haul transport terminal area compatibility study. Volume 2: Research and technology recommendations [NASA-CR-132368] p0196 N74-16730
- Applicability of NASA (ARC) two-segment approach procedures to Boeing Aircraft [NASA-CR-114678] p0235 N74-17749
- High transonic speed transport aircraft study [NASA-CR-114658] p0235 N74-17750
- Design integration and noise studies for jet STOL aircraft. Task 7A: Augmentor wing cruise blowing valveless system. Volume 1: System design and test integration [NASA-CR-114621] p0235 N74-17751
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 1: Static testing of augmentor noise and performance [NASA-CR-114622] p0236 N74-17752
- Design integration and noise studies for jet STOL aircraft. Task 7C: Augmentor wing cruise blowing valveless system. Volume 2: Small-scale development testing of augmentor wing critical ducting components [NASA-CR-114623] p0236 N74-17753
- A 727 airplane center duct inlet low speed performance confirmation model test for refanned JT8D engines, phase 2 [NASA-CR-134534] p0236 N74-17755
- Design and fabrication of an augmentor wing model for acoustic tests [NASA-CR-134518] p0241 N74-17960
- Cruise drag results from high speed wind tunnel tests of NASA Refan JT8D engine nacelles on the Boeing 727-200 [NASA-CR-134546] p0247 N74-18673
- Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for airframe applications [AD-772736] p0255 N74-19184

- The 727 airplane side inlet low-speed performance confirmation model test for refanned JT8D engines
[NASA-CR-134609] p0296 N74-20661
- Redundant actuator development study
[NASA-CR-114730] p0325 N74-21655
- Low speed wind tunnel flow field results for JT8D refan engines on the Boeing 727-200
[NASA-CR-134630] p0353 N74-25537
- The 727/JT8D refan side nacelle airloads
[NASA-CR-134547] p0363 N74-26436
- The 747 fail-safe structural verification program
p0367 N74-26473
- Study of the single body yawed-wing aircraft concept
[NASA-CR-137483] p0405 N74-27485
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1A: Summary
[NASA-CR-132390] p0415 N74-28514
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1B: Concise review
[NASA-CR-132391] p0415 N74-28515
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 2: The design process
[NASA-CR-132392] p0415 N74-28516
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 3: Support of the design process
[NASA-CR-132393] p0415 N74-28517
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 4: IPAD system design
[NASA-CR-132394] p0415 N74-28518
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 5: Catalog of IPAD technical program elements
[NASA-CR-132395] p0415 N74-28519
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 6: IPAD system development and operation
[NASA-CR-132396] p0415 N74-28520
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 7: IPAD benefits and impact
[NASA-CR-132397] p0416 N74-28521
- Design evolution of the Boeing 2707-300 supersonic transport. Part 2: Design impact of handling qualities criteria, flight control system concepts, and aeroelastic effects on stability and control
p0465 N74-31468
- V/STOL lift fan commercial short haul transports: Continuing conceptual design study
[NASA-CR-2437] p0467 N74-31495
- Static performance and noise tests on a thrust reverser for an augmentor wing aircraft
[NASA-CR-137561] p0472 N74-32438
- Advanced metallic structure: Cargo fuselage design for improved cost, weight, and integrity
[AD-781814] p0473 N74-32456
- Development of an independent altitude monitor concept
[AD-775454] p0474 N74-33116
- Static noise tests on augmentor wing jet STOL research aircraft (C8A Buffalo)
[NASA-CR-137520] p0489 N74-33455
- Test of acoustic tone source and propulsion performance of C8A Buffalo suppressor nozzle
[NASA-CR-137521] p0489 N74-33456
- The results of a low-speed wind tunnel test to investigate the effects of the Refan JT8D engine target thrust reverser on the stability and control characteristics of the Boeing 727-200 airplane
[NASA-CR-134699] p0494 N74-34467
- BOEING VERVOL CO., PHILADELPHIA, PA.
A mathematical model of unsteady aerodynamics and radial flow for application to helicopter rotors
[AD-767240] p0106 N74-12738
- V/STOL tilt rotor aircraft study. Volume 10: Performance and stability test of A-14-622 Froude scaled Boeing Vertol Model 222 tilt rotor aircraft (Phase 1)
[NASA-CR-114603] p0142 N74-13727
- Transmission thermal mapping (CH-47C forward rotor transmission)
[AD-767875] p0143 N74-13732
- A study of the effect of flight density and background noise on V/STOL acceptability
[NASA-CR-2197] p0161 N74-14765
- V/STOL tilt rotor aircraft study: Wind tunnel tests of a full scale hingeless prop/rotor designed for the Boeing Model 222 tilt rotor aircraft
[NASA-CR-114664] p0188 N74-15711
- HLH Ground Support Equipment (GSE) preliminary investigation
[AD-768842] p0190 N74-15725
- Acoustical properties of a model rotor in nonaxial flight
[NASA-CR-114749] p0248 N74-18678
- Study of advanced structural concepts for fuselage
[AD-772708] p0250 N74-18696
- CH-47A design and operational flight loads study
[AD-772949] p0251 N74-18700
- Analysis of criteria for on-condition maintenance for helicopter transmissions
[AD-773024] p0252 N74-18707
- Design, fabrication, and flight test of the active arm external load stabilization system for cargo handling helicopters
[AD-773025] p0252 N74-18708
- Investigation and analysis of reliability and maintainability problems associated with Army aircraft engines
[AD-772950] p0256 N74-1941
- Tail rotor design guide
[AD-775391] p0327 N74-21671
- Investigation of the effect of torsional natural frequency on stall-induced dynamic loading
[AD-776415] p0353 N74-25544
- Civil helicopter noise assessment study
Boeing-Vertol model 347
[NASA-CR-132420] p0354 N74-25563
- Coupled rotor/airframe vibration prediction methods
p0496 N74-34497
- Rotor aeroelastic stability coupled with helicopter body motion
p0496 N74-34503
- Engine/airframe interface dynamics experience
p0497 N74-34514
- BOLT, BERANEK, AND NEWMAN, INC., CAMBRIDGE, MASS.
Tactile display for aircraft control
[AD-767763] p0144 N74-13741
- BONN UNIV. (WEST GERMANY).
Photo-oxidation of aircraft engine emissions at low and high altitudes
p0148 N74-14277
- BORST (HENRY V.) AND ASSOCIATES, ROSEMONT, PA.
Summary of propeller design procedures and data. Volume 1: Aerodynamic design and installation
[AD-774831] p0327 N74-21667
- Summary of propeller design procedures and data. Volume 2: Structural analysis and blade design
[AD-774836] p0327 N74-21668
- Summary of propeller design procedures and data. Volume 3: Hub, actuator, and control designs
[AD-776998] p0360 N74-25614
- BOWLES FLUIDICS CORP., SILVER SPRING, MD.
The feasibility of a fluidic respiratory flow meter
[NASA-CR-132296] p0241 N74-18096
- BRAUN (C. F.) AND CO., ALHAMBRA, CALIF.
Turbojet aircraft engine test cell pollution abatement study
[AD-768287] p0146 N74-13957
- BRISTOL UNIV. (ENGLAND).
Problems of chemical pollution by aircraft. The airport and its immediate environment
p0148 N74-14281
- Kron's method: An algorithm for the eigenvalue analysis of large-scale structural systems
[ARC-R/M-3733] p0257 N74-19564
- BRITISH AIRCRAFT CORP., PILTON (ENGLAND).
The effect of active control systems on structural design criteria
p0354 N74-25552
- Prediction of supersonic aircraft aerodynamic characteristics
p0365 N74-26450
- BRITISH AIRCRAFT CORP., PRESTON (ENGLAND).
Optimisation of aircraft structures with

- p0290 N74-20413
DEUTSCHE LUFTHANSA AKTIEGESELLSCHAFT, FRANKFURT AM MAIN (WEST GERMANY).
An airline's experience on turbulence
- p0233 N74-17727
DEVELOPMENTAL SCIENCES, INC., CITY OF INDUSTRY, CALIF.
Oblique wing remotely piloted research aircraft.
Volume 1: Development
[NASA-CR-114723] p0326 N74-21659
DORNIER-WERKE G.M.B.H., FRIEDRICHSHAFEN (WEST GERMANY).
Views regarding the validity of results from simulation testing in comparison with the results from actual flight test
[NASA-TT-P-15172] p0056 N74-10922
Collection of experimental data for aircraft afterbody drag in the transonic and supersonic range and comparison with theoretical calculation methods
[BNVG-PBWT-73-27] p0195 N74-16705
Problems of V/STOL aircraft connected with the propulsion system as experienced on the Do 31 experimental transport aircraft
- p0292 N74-20430
The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments
[NASA-TT-P-15532] p0297 N74-20668
Results and information obtained regarding aerodynamic jet interference associated with the Do 31 V/STOL jet transport aircraft and their application to future V/STOL development
[NASA-TT-P-15533] p0298 N74-20669
Near field and far field sound radiation from Do 31 V/STOL jet transport and possibilities for noise abatement in future V/STOL development
[NASA-TT-P-15534] p0324 N74-21650
VSTOL aircraft stability and control experience from methods and results of Do 31 flight tests
[NASA-TT-P-15531] p0325 N74-21651
DOUGLAS AIRCRAFT CO., INC., LONG BEACH, CALIF.
DC-9/JT8D refan, Phase 1
[NASA-CR-121252] p0050 N74-10729
Non-classical adhesive-bonded joints in practical aerospace construction
[NASA-CR-112238] p0101 N74-12555
Remarks on methods for predicting viscous drag
p0156 N74-14718
Development of a graphite horizontal stabilizer
[AD-768869] p0164 N74-14783
A theoretical method for calculating the aerodynamic characteristics of arbitrary jet-flapped wings. Volume 1: The elementary vortex distribution jet-wing lifting surface theory
[AD-773939] p0281 N74-19646
The power profile - a new type of airfoil
[AD-773655] p0286 N74-19690
The application of fracture mechanics in the development of the DC-10 fuselage
- p0332 N74-23428
DC-9 noise retrofit feasibility. Volume 1: Lower goal noise, performance and cost evaluation
[AD-776127] p0472 N74-32437
Development of a graphite horizontal stabilizer
[AD-782646] p0491 N74-33473
DOW CHEMICAL CO., MIDLAND, MICH.
Magnesium-yttrium alloys, scale-up and evaluation
[AD-771039] p0242 N74-18183
DOWTY ROTOL LTD., GLOUCESTER (ENGLAND).
The influence of noise requirements on STOL aircraft engine design
- p0291 N74-20423
DRAPER (CHARLES STARK) LAB., INC., CAMBRIDGE, MASS.
Aircraft range optimization using singular perturbations
[NASA-CR-140519] p0493 N74-34465
DYNALECTRON CORP., POINT MUGU, CALIF.
Static radar cross section of light aircraft.
Volume 2: Cherokee 140 at L-, S-, and C-bands
[AD-781791] p0492 N74-33652
- modern transport aircraft
- p0330 N74-22684
EDIZIONI MUSCO AERONAUTICO CAPRONI DI TALIEGO, ROSE (ITALY).
Forty years of civil aviation, 1931 - 1971
p0159 N74-14750
EDO CORP., COLLEGE POINT, N.Y.
Experimental reel response system for high performance simplified aerial refueling store
[AD-771389] p0240 N74-17799
ELECTRICITE DE FRANCE, CHATOU.
Interest and feasibility study of atmospheric turbulence and thermal gradients simulation
p0064 N74-11380
ELECTRO DEVELOPMENT CORP., LYNNWOOD, WASH.
Helicopter gross weight and center of gravity measurement system
[AD-771955] p0239 N74-17775
ELEKTRONIK FUER LUFTFAHRZEUGE G.M.B.H., STUTTGART (WEST GERMANY).
A new type of electronic landing system for regional airports
[DGLR-PAPER-73-020] p0112 N74-13424
ENGINEERING SCIENCES DATA UNIT, LONDON (ENGLAND).
Conversion factor for profile drag increment for part-span flaps
[ESDU-FLAPS-02.01.07-AMEND-A] p0035 N74-10002
Lift coefficient increment due to full-span split flap: Flap chord 0.15c
[ESDU-FLAPS-01.01.05-AMEND-A] p0035 N74-10003
Information on the use of data items in the series wings 02.04
[ESDU-WINGS-02.04.00-AMEND-A] p0035 N74-10004
Information on the use of data items on rolling moment derivatives of an aeroplane
[ESDU-AIRCRAFT-06.01.00] p0035 N74-10005
Effects of isolated body and wing-body interference on rolling moment due to sideslip
[ESDU-73006] p0035 N74-10007
The mean skin friction coefficient for a rough flat plate with a turbulent two-dimensional boundary layer in compressible adiabatic flow, with application to wedges, cylinders and cones
[ESDU-73016] p0035 N74-10008
Aerodynamic centre in two dimensional flow
[ESDU-AIRCRAFT-08.01.05-AMEND-A] p0035 N74-10010
Information on the use of data items in the series bodies 02.04
[ESDU-BODIES-02.04.00-AMEND-A] p0035 N74-10011
Subsonic performance data for NACA type submerged air intakes
[ESDU-66029] p0036 N74-10012
Drag of streamline solids of revolution (transition at nose)
[ESDU-BODIES-02.04.01-AMEND-A] p0045 N74-10311
Stability derivative. Contribution of full-span dihedral to rolling moment due to sideslip
[ESDU-AIRCRAFT-06.01.03-AMEND-A] p0093 N74-11805
Aerofoils having a specified form of upper-surface pressure distributions: Details and comments on design
[ESDU-71020] p0102 N74-12703
Approximate methods for estimation of cruise range and endurance: Aircraft with turbo-jet and turbo-fan engines
[ESDU-73019] p0103 N74-12709
Introduction to estimation of range and endurance: Aircraft with turbo-jet and turbo-fan engines
[ESDU-73018] p0103 N74-12710
Non dimensional methods for the measurement of hover performance of turbine engine helicopters
[ESDU-73027] p0103 N74-12711
Introduction to nondimensional methods for the measurement of performance of turbine-engined helicopters
[ESDU-73026] p0103 N74-12712
Performance of conical diffusers in incompressible flow
[ESDU-73024] p0109 N74-12986
Profile drag at the drag-rise condition of aerofoils having a specified form of upper-surface pressure distribution at this condition
[ESDU-67011] p0154 N74-14701
Appendix: A data item service for aircraft drag estimation
p0156 N74-14717

F

- Effect of cut-out on lift-curve slope
[ESDU-WINGS-01.01.04-AMEND-A] p0487 N74-33425
- Method for predicting the pressure distribution
on swept wings with subsonic attached flow
[ESDU-73012] p0492 N74-34446
- Adaptation of drag-rise charts in T. D. memor.
71019 to the mid-semi-span portion of swept
and tapered planforms
[ESDU-72027] p0492 N74-34447
- Lost range, fuel and time due to climb and
descent: aircraft with turbo-jet and
turbo-fan engines
[ESDU-74018] p0493 N74-34464
- ENVIRONMENTAL PROTECTION AGENCY, ARLINGTON, VA.
Legal and institutional analysis of aircraft and
airport noise and apportionment of authority
between Federal, State, and local governments
[PB-225149/4GA] p0287 N74-19898
- ENVIRONMENTAL PROTECTION AGENCY, RESEARCH TRIANGLE
PARK, N.C.
Noise source abatement technology and cost
analysis including retrofitting
[PB-224422/6GA] p0238 N74-17771
- ENVIRONMENTAL PROTECTION AGENCY, WASHINGTON, D.C.
Military aircraft and airport noise and
opportunities for reduction without inhibition
of military missions
[PB-223637/0GA] p0145 N74-13752
- Impact characterization of noise including
implications of identifying and achieving
levels of cumulative noise exposure
[PB-224408/5GA] p0238 N74-17769
- Review and analysis of present and planned FAA
noise regulatory actions and their
consequences regarding aircraft and airport
operations
[PB-224405/1GA] p0238 N74-17770
- ERLANGEN-MUENCHEN UNIV. (WEST GERMANY).
Manufacture and properties of titanium and
titanium alloys emphasizing their use in
aeronautics. Part 1: Manufacture and
processing
p0064 N74-11336
- ESCHER TECHNOLOGY ASSOCIATES, ST. JOHNS, MICH.
Prospects for liquid hydrogen fueled commercial
aircraft
[PR-37] p0295 N74-20647
- EUROPEAN SPACE RESEARCH ORGANIZATION, PARIS (FRANCE).
Investigation and application of two methods of
determining co-efficients of transfer
functions of longitudinal motion of aircraft
from measured input and output data
[ESRO-TT-2] p0041 N74-10053
- The performance behaviour of a bypass engine in
multiparameter control
p0292 N74-20445
- Determination of the derivatives of longitudinal
motion of an aircraft from flight data by a
model with automatic parameter adjustment
[ESRO-TT-8] p0298 N74-20675
- Possibilities of an airborne television system
[ESRO-TT-20] p0301 N74-20819
- Comparison of conventional and electronic
indicator instruments in a flight simulator
and in a test aircraft
[ESRO-TT-13] p0302 N74-21042
- Comparative simulator studies with the contact
analog channel display and with conventional
instruments
[ESRO-TT-15] p0302 N74-21044
- Spectroscopic analysis of wear metals based on
the examination of oil from aircraft engines
[ESRO-TT-23] p0303 N74-21080
- Optimization of a vibration generator in
conditions of external excitation
p0332 N74-23519
- Apparatus for the qualification of very low
frequency vibration exciters
p0332 N74-23520
- The prediction of the variation of modes
following modification to a structure
p0419 N74-29358
- Laboratory for automatic processing of analog
signals
p0419 N74-29361
- FEDERAL AVIATION ADMINISTRATION, ATLANTIC CITY, N.J.
A summary of helicopter vorticity and wake
turbulence publications with an annotated
bibliography
[AD-780053] p0472 N74-32435
- FEDERAL AVIATION ADMINISTRATION, WASHINGTON, D.C.
A synchronized discrete-address beacon system
[FAA-EH-74-3] p0049 N74-10622
- MLS program: Phase 2
p0102 N74-12631
- Power conditioning system for FAA air route
traffic control centers
p0102 N74-12636
- SRDS technical program document, fiscal year
1974. Engineering and development programs
p0113 N74-13682
- Wake Vortex Avoidance System program (WVAS)
p0233 N74-17732
- FIAT S.P.A., TORIN (ITALY).
Engine cycle selection for commercial STOL
aircraft
p0290 N74-20408
- FIBER SCIENCE, INC., GARDENA, CALIF.
UH-1D filament-wound tubular-reinforced rotor
blade
[AD-772947] p0253 N74-18713
- PIRESTONE COATED FABRICS CO., MAGNOLIA, ARK.
Evaluation of various sizes and configurations
of fuel tanks
[AD-777801] p0408 N74-27516
- FLORIDA UNIV., GAINESVILLE.
Trace spectrometric flame analysis and gas
chromatographic detectors related to jet
engine oil analysis and gas detection
[AD-769298] p0192 N74-15830
- FLOW RESEARCH, INC., KENT, WASH.
A viscous potential flow interaction analysis
method for multi-element infinite swept wings,
volume 2
[NASA-CR-137550] p0470 N74-32413
- FOCKE-WULF, BREMEN (WEST GERMANY).
Selected problems regarding the formation of a
simulation model
[NASA-TT-F-15173] p0060 N74-11095
- FOREST PRODUCTS LAB., MADISON, WIS.
Design parameters for torsion of sandwich strips
having trapezoidal, rectangular, and
triangular cross sections
[AD-771824] p0244 N74-18549
- PORSCHUNGSINSTITUT FUER HOCHFREQUENZPHYSIK,
WERTHHOVEN (WEST GERMANY).
Engineering aspects with satellite communication
terminals in aircraft
[REPT-7-72] p0192 N74-15842
- Further studies on speech intelligibility with
frequency-modulation communication systems
under fading conditions
[REPT-5-73] p0200 N74-16903
- Further measurements on satellite-link fading at
low altitudes above irregular terrain
[REPT-4/73] p0240 N74-17893
- FRANKFORD ARSENAL, PHILADELPHIA, PA.
Fungus resistance of polyvinyl acetate latex
dust control material
[AD-767256] p0111 N74-13286
- FRANKLIN INST. RESEARCH LABS., PHILADELPHIA, PA.
Investigation of sliding-surface bearings of
screw pumps utilized on the navy distillate
fuel oil conversion program
[AD-771453] p0242 N74-18146
- Nonscratching windshield wiper blade
[AD-778759] p0416 N74-28532
- FRANKLIN INST., PHILADELPHIA, PA.
Characterization of carburized Vasco X-2 steel
[AD-782362] p0500 N74-34952

G

- GENERAL APPLIED SCIENCE LABS., INC., WESTBURY, N.Y.
Study of Moire measuring techniques for wind
tunnel model deformation
[AD-766892] p0063 N74-11298
- GENERAL DYNAMICS/CONVAIR, SAN DIEGO, CALIF.
STOL tactical aircraft investigation. Volume 1:
Configuration definition
[AD-766941] p0057 N74-10927

- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 1: Takeoff and landing ground rules [AD-766942] p0057 N74-10928
- STOL tactical aircraft investigation. Volume 3: Performance ground rules and methods. Book 2: Takeoff and landing digital computer program [AD-766943] p0058 N74-10936
- STOL tactical aircraft investigation. Volume 2: Design compendium [AD-767561] p0143 N74-13733
- STOL tactical aircraft investigation. Volume 4: Wind tunnel data analysis [AD-767363] p0143 N74-13734
- STOL tactical aircraft investigation. Volume 5: Flight control technology [AD-767364] p0143 N74-13735
- STOL tactical aircraft investigation. Volume 6: Air cushion and ground mobility study [AD-767300] p0143 N74-13736
- Transonic drag due to lift of planar jet-flapped airfoils p0156 N74-14720
- Computer program to perform cost and weight analysis of transport aircraft. Volume 1: Summary [NASA-CR-132361] p0161 N74-14762
- Computer program to perform cost and weight analysis of transport aircraft. Volume 2: Technical volume [NASA-CR-132362] p0161 N74-14763
- Design and fabrication of a boron/aluminum composite wing box test specimen [AD-770203] p0197 N74-16741
- Feasibility study of an Integrated Program for Aerospace Vehicle Design (IPAD). Volume 1: Summary [NASA-CR-132401] p0413 N74-28508
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 2: Characterization of the IPAD system (Phase 1, Task 1) [NASA-CR-132402] p0414 N74-28509
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 3: Engineering creative/evaluation processes (Phase 1, Task 2) [NASA-CR-132403] p0414 N74-28510
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 4: Design of the IPAD system. Part 1: IPAD system design requirements (Phase 1, Task 2) [NASA-CR-132404] p0414 N74-28511
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 5: Design of the IPAD system. Part 2: System design. Part 3: General purpose utilities (Phase 1, Task 2) [NASA-CR-132405] p0414 N74-28512
- Feasibility study of an Integrated Program for Aerospace-vehicle Design (IPAD) system. Volume 6: Implementation schedule, development costs, operational costs, benefit assessment, impact on company organization, spin-off assessment (Phase 2, Tasks 3 to 8) [NASA-CR-132406] p0414 N74-28513
- Weapon system costing methodology for aircraft airframes and basic structures. Volume 1: Cost methods research and development [AD-783639] p0501 N74-35362
- GENERAL DYNAMICS/FORT WORTH, TEX.**
- Study of structural criteria for composite airframes. Volume 3: Bibliography [AD-767569] p0105 N74-12726
- Study of structural criteria for composite airframes. Volume 1: Evaluation [AD-767706] p0147 N74-14238
- Study of structural criteria for composite airframes. Volume 2: Current/criteria/selected rationale review and evaluation [AD-767707] p0147 N74-14239
- Aircraft antiskid analysis verification and refinement [AD-770300] p0198 N74-16749
- A conceptual definition study for a digital avionics information system: Approach 1, volume 1 [AD-771736] p0250 N74-18691
- A conceptual definition study for a digital avionics information system: Approach 1, volume 2 [AD-771755] p0250 N74-18692
- An experimental investigation of leading-edge vortex augmentation by blowing [NASA-CR-132415] p0281 N74-19643
- Preliminary design aspects of design-to-cost for the YF-16 prototype fighter p0465 N74-31460
- The team leader's role in design to cost preliminary design p0471 N74-32426
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 2: Design data [AD-781807] p0490 N74-33462
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Stress, fatigue and fracture, cost and material data [AD-781808] p0490 N74-33463
- Advanced metallic structures: Air superiority fighter wing design for improved cost, weight and integrity. Volume 4: Baseline damage tolerance evaluation [AD-781809] p0490 N74-33464
- GENERAL ELECTRIC CO., CINCINNATI, OHIO.**
- Remate lift fan study program, volume 4 [NASA-CR-121277] p0040 N74-10049
- NASA/GE quiet engine A acoustic test results [NASA-CR-121175] p0050 N74-10732
- Radially leaned outlet guide vanes for fan source noise reduction [NASA-CR-134486] p0065 N74-11597
- Technology for the reduction of aircraft turbine engine exhaust emissions p0149 N74-14300
- Hydrogen-methane fuel control systems for turbojet engines [NASA-CR-121247] p0193 N74-16493
- Quiet engine program: Turbine noise suppression. Volume 2: Treatment selection, installation, and test results [NASA-CR-134586] p0256 N74-19401
- Recent technology advances in thrust vectoring systems p0290 N74-20410
- Conceptual design studies of lift/cruise fans for military transports [NASA-CR-134636] p0444 N74-30239
- Quiet engine program flight engine design study [NASA-CR-134660] p0475 N74-33226
- GENERAL ELECTRIC CO., EVENDALE, OHIO.**
- Impact resistance of current design composite fan blades tested under short-haul operating conditions [NASA-CR-134533] p0247 N74-18672
- The effect of engine component noise on V/STOL aircraft noise contours [NASA-CR-114687] p0297 N74-20667
- GENERAL ELECTRIC CO., PITTSFIELD, MASS.**
- Lightning effects on general aviation aircraft [FAA-RD-73-99] p0099 N74-12167
- Analysis and calculation of lightning-induced voltages in aircraft electrical circuits [NASA-CR-2349] p0160 N74-14754
- Preliminary tests of vulnerability of typical aircraft electronics to lightning-induced voltages [NASA-CR-2350] p0189 N74-15720
- A test technique for measuring lightning-induced voltages on aircraft electrical circuits [NASA-CR-2348] p0195 N74-16716
- GENERAL ELECTRIC CO., SCHENECTADY, N.Y.**
- Fluidic emergency roll control system [NASA-CR-114588] p0040 N74-10048
- High sensitivity 1000P gas multiplication UV flame detector for aircraft [AD-766960] p0063 N74-11296
- GENERAL MOTORS CORP., INDIANAPOLIS, IND.**
- Test of a supersonic compressor cascade, volume 1 [AD-756870] p0052 N74-10749
- Test of a supersonic compressor cascade, volume 2 [AD-756871] p0052 N74-10750
- GEORGIA INST. FOR RESEARCH, ATLANTA.**
- Potential flow studies of lift-fan inflow interference phenomena

- [AD-773194] p0255 N74-18949
GEORGIA INST. OF TECH., ATLANTA.
 Effect of compressibility on three-dimensional helicopter rotor blade flutter p0140 N74-13714
 Combustion generated noise in turbopropulsion systems [AD-768615] p0166 N74-15666
 Studies in low speed flight [AD-768858] p0190 N74-15728
 Helicopter blade-tip stability in forward flight p0195 N74-16711
- GIRAIVONS DORAND CO., PARIS (FRANCE).**
 Analytical study of stresses recorded in the DH 2011 rotor blades [NASA-CR-137527] p0407 N74-27501
- GIRAIVONS DORAND CO., SURESHES (FRANCE).**
 March 1971 wind tunnel tests of the Dorand DH 2011 jet flap rotor, volume 1 [NASA-CR-114693] p0141 N74-13722
 March 1971 wind tunnel tests of the Dorand DH 2011 jet flap motor, volume 2 [NASA-CR-114694] p0141 N74-13723
- GOODYEAR AEROSPACE CORP., AKRON, OHIO.**
 Stability and dynamic behavior of two tethered balloon systems [AD-766439] p0043 N74-10070
- GOODYEAR AEROSPACE CORP., LITCHFIELD PARK, ARIZ.**
 Design, test, and acceptance criteria for Army helicopter transparent enclosures [AD-767242] p0107 N74-12739
- GRUMMAN AEROSPACE CORP., BETHPAGE, N.Y.**
 User's guide for a computer program to analyze the LEC 16 ft transonic dynamics tunnel cable mount system. [NASA-CR-132313] p0045 N74-10297
 Nonlinear crack analysis with finite elements [AD-766558] p0067 N74-11722
 Implicit model decoupling approach to VTOL flight control design [RE-469] p0245 N74-18644
 Fatigue and fracture considerations for tactical aircraft p0282 N74-19656
 New methods for command and stability augmentation via optimal control [RE-472] p0370 N74-27172
- H**
- HAMILTON STANDARD DIV., UNITED AIRCRAFT CORP., WINDSOR LOCKS, CONN.**
 Research toward development feasibility of an advanced technology V/STOL propeller system p0290 N74-20414
- HAMILTON STANDARD, WINDSOR LOCKS, CONN.**
 Noise and wake structure measurements in a subsonic tip speed fan [NASA-CR-2323] p0036 N74-10020
 Q-FANSTM for general aviation aircraft [NASA-CR-114665] p0142 N74-13726
 Q-fan propulsion for short haul transports p0291 N74-20424
- HAWKER SIDDELEY AVIATION, LTD., HATFIELD (ENGLAND).**
 Experience with a low altitude turbulence model for autoland certification p0234 N74-17738
- HAWKER SIDDELEY AVIATION, LTD., KINGSTON UPON THAMES (ENGLAND).**
 Aircraft auxiliary power systems study. A main generation channel for a V/STOL strike aircraft p0474 N74-32483
- HERCULES, INC., MAGNA, UTAH.**
 Graphite composite landing gear components - side brace assembly and torque link for A37-B aircraft [AD-769041] p0163 N74-14779
- HONEYWELL, INC., MINNEAPOLIS, MINN.**
 Hydrofluidic servoactuator development [AD-766308] p0047 N74-10491
 An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 9: Project Sea Scanner avionics and sensor system [AD-770548] p0199 N74-16754
 An investigation of airborne displays and controls for Search And Rescue (SAR). Volume 8: Army MEDEVAC avionics capability study [AD-773611] p0288 N74-20059
- F-14 optimum flight modes, volume 1** [AD-775246] p0326 N74-21665
 Application of practical optimal control theory to the C-5A load improvement control system (LICS) [AD-776297] p0358 N74-25602
 Hydrofluidic yaw SAS analysis design and development [AD-777804] p0408 N74-27510
 A fly-by-wire flight control system for decoupled manual control p0464 N74-31443
- HORIZONS, INC., CLEVELAND, OHIO.**
 Development of thermally stable poly (fluoroalkoxyphosphazene) transmission seals for the UH-1 helicopter [AD-773652] p0288 N74-20080
- HUGHES AIRCRAFT CO., CULVER CITY, CALIF.**
 Development of design criteria for sensor displays [AD-774725] p0303 N74-21049
- HUGHES HELICOPTERS, CULVER CITY, CALIF.**
 Component noise variables of a light observation helicopter [NASA-CR-114761] p0297 N74-20662
 Noise levels of operational helicopters of the OH-6 type designed to meet the LOH mission [NASA-CR-114760] p0297 N74-20663
- HUMAN ENGINEERING LABS., ABERDEEN PROVING GROUND, MD.**
 A design study to standardize collective-stick controls in US Army helicopters: A Human Factors Engineering (HFE) evaluation [AD-773688] p0286 N74-19689
- HUMAN FACTORS RESEARCH, INC., GOLETA, CALIF.**
 Color perception in the transitional zones of tricolor Glide-Slope Indicators (GSI's) [AD-771422] p0237 N74-17762
- HYDRONAUTICS, INC., LAUREL, MD.**
 Evaluation of effectiveness of various devices for attenuation of trailing vortices based on model tests in a large towing basin [NASA-CR-2202] p0188 N74-15710
 Model experiments to evaluate vortex dissipation devices proposed for installation on or near aircraft runways [NASA-CR-132365] p0241 N74-17959
 Simulation of wake vortices descending in a stably stratified atmosphere [AD-783750] p0499 N74-34715
- HYDROSPACE-CHALLENGER, INC., SAN DIEGO, CALIF.**
 Noise measurements obtained during engineering evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114691] p0189 N74-15716
 Noise measurements at Stockton Airport obtained during engineering evaluation of two-segment approaches in a 727-222 aircraft [NASA-CR-114689] p0249 N74-18685
 Noise measurements taken at LAX during operational evaluation of two-segment approaches in a 727-200 aircraft [NASA-CR-114690] p0249 N74-18686
- I**
- IIT RESEARCH INST., ANNAPOLIS, MD.**
 The electromagnetic compatibility of aeronautical communication and navigation systems with radio frequency dielectric heaters and superregenerative receivers [ECAC-PR-72-045] p0098 N74-11973
- ILLINOIS INST. OF TECH., CHICAGO.**
 Objective determination of the noise level in Doppler spectra [TR-32] p0044 N74-10155
- ILLINOIS UNIV., SAVOY.**
 The design and flight evaluation of a performance control system [AD-767786] p0144 N74-13746
- ILLINOIS UNIV., URBANA.**
 Structural dynamic response of AH-1G wing with XM35 weapon [AD-781973] p0491 N74-33468
- IMPERIAL COLL. OF SCIENCE AND TECHNOLOGY, LONDON (ENGLAND).**
 Turbulent boundary layer growth at hypersonic speeds [IC-AERO-73-04] p0061 N74-11112
 Force measurements on caret and delta wings over the incidence range 27 deg less than or equal

to alpha less than or equal to 55 deg at M 12.2
[IC-AERO-71-22] p0154 N74-14705
The flow field and pressure distribution of an
isolated road wheel
[IC-AERO-72-14] p0155 N74-14706
Heat and mass transfer in aircraft
propulsion p0305 N74-21591
[HTS/73/55]
INDUSTRIEANLAGEN-BETRIEBSGESELLSCHAFT H.B.H.,
OTTOBRUNN (WEST GERMANY).
Fatigue design practice p0282 N74-19654
Full scale fatigue requirements for rational
fatigue life prediction p0282 N74-19657
Full-scale fatigue testing. A comparison with
service experience and interpretation of test
results p0367 N74-26477

INFORMATION SYSTEMS, MENLO PARK, CALIF.
Antenna modeling of the KC-135
[AD-769913] p0200 N74-16960
INSTITUT FRANCO-ALLEMAND DE RECHERCHES, ST. LOUIS
(FRANCE).
Transonic flow around slender bodies p0046 N74-10440
Damage threshold determination of light walls
submitted to single or repeated bangs, part 1
[ISL-35/72-PT-1] p0053 N74-10846
Study of condensation phenomena in the ISL laser
wind tunnel using light diffusion
[ISL-BT-19/72] p0060 N74-11099
Strong and weak shock waves. Experiments and
calculations p0067 N74-11718
[ISL-BB-1/73]
Reaction modes occurring at detonation of
explosive gas mixture due to detached shock
front from a blunt mockup at supersonic speeds
[ISL-28/72] p0067 N74-11740
Calculation of the geometrical propagation of
the sonic boom along the flight path on the
ground under real atmospheric conditions with
wind p0298 N74-20673
[ISL-37/72]
INSTITUT FUER FLUGMECHANIK, BRUNSWICK (WEST GERMANY).
Escape measures for combat helicopter crews
p0301 N74-20770
INSTITUTE OF TRANSPORT AVIATION, PARIS (FRANCE).
Aviation needs and public concerns p0159 N74-14749
INSTRUMENT FLIGHT CENTER, RANDOLPH AFB, TEX.
Evaluation of the modified Bendix AAU 19A/A AIMS
altimeter p0164 N74-15115
[AD-768722]
Helicopter procedural innovations (unusual
attitudes) p0491 N74-33471
[AD-782204]
INTERNATIONAL BUSINESS MACHINES CORP.,
GAITHERSBURG, MD.
Continental Land Mass Air Traffic Control (COLS
ATC) p0048 N74-10619
[NASA-CR-132831]
INTERNATIONAL CIVIL AVIATION ORGANIZATION, MONTREAL
(QUEBEC).
Airworthiness Committee tenth meeting
[DOC-9065] p0039 N74-10035

J

JAPANESE AIR SELF-DEFENSE FORCE, TOKYO.
Concerning the performance data of a
reverberation chamber p0240 N74-17958
[NASA-TT-F-15371]
JET PROPULSION LAB., CALIF. INST. OF TECH., PASADENA.
Helicopter visual aid system p0067 N74-11691
JOINT PUBLICATIONS RESEARCH SERVICE, ARLINGTON, VA.
Computation of the aerodynamic characteristics
of a rectangular wing with plates moving at
low subsonic speed near a screen p0039 N74-10036
[JPRS-60353]
Satellite communications systems p0044 N74-10153
[JPRS-54505]
Turbulent flow in flexible pipes and ramjet
engines p0192 N74-15962
[JPRS-60785]
Science and transport p0257 N74-19623
[JPRS-61482]
Use of the method of variation of similarity
constants in designing aircraft over the long

term- p0298 N74-20670
[JPRS-61923]
Magnetometers p0302 N74-21022
[JPRS-61636]
Peculiarities in operation of the orienting
system for a T-airborne magnetometer p0302 N74-21026
Construction of differentiating devices for an
airborne magnetometer p0302 N74-21027
Determining the accuracy in registry by highly
sensitive airborne magnetometers p0302 N74-21028
Aerodynamics of airfoils p0405 N74-27471
[JPRS-62363]
Motion of an airfoil with variable distance from
a barrier p0405 N74-27472
Longitudinal static stability of vehicles with
two lifting wings p0405 N74-27473
Motion of vehicle with lifting airfoils over
rippled water surface p0405 N74-27478
[JPRS-62337]
Minima for landing aircraft p0407 N74-27502
[JPRS-62252]
JOINT TECHNICAL COORDINATING GROUP FOR AIR LAUNCHED
NON-NUCLEAR ORDNANCE.
Aircraft/Stores Compatibility Symposium
proceedings, volume 2 p0298 N74-20676
[AD-773814]

K

KAMAN AEROSPACE CORP., BLOOMFIELD, CONN.
Rotary wing design methodology p0054 N74-10909
Maintainability analysis of major helicopter
components p0197 N74-16740
[AD-769941]
KAMAN AIRCRAFT CORP., BLOOMFIELD, CONN.
Investigation of advanced structural concepts
for fuselage p0285 N74-19684
[AD-773597]
Identification of structural parameters from
helicopter dynamic test data p0497 N74-34513
KANNER (LEO) ASSOCIATES, REDWOOD CITY, CALIF.
Views regarding the validity of results from
simulation testing in comparison with the
results from actual flight test p0056 N74-10922
[NASA-TT-F-15172]
Comparison of simulation and flight testing at
automatic STOL landing p0056 N74-10923
[NASA-TT-F-15171]
Information content of different runway lighting
patterns p0060 N74-11094
[NASA-TT-F-15179]
Selected problems regarding the formation of a
simulation model p0060 N74-11095
[NASA-TT-F-15173]
On the reliability of results from the tower
test for free flight tests p0095 N74-11827
[NASA-TT-F-15174]
On the effect of reliability of simulation
results on the methodology of flight testing
and simulation p0098 N74-12015
[NASA-TT-F-15175]
Air pollution from airports p0111 N74-13318
[TR-595-73]
Calculation of potential flow about axially
symmetric fuselages, annular profiles and
engine inlets p0139 N74-13707
[NASA-TT-F-15213]
Reduction of aircraft noise in the vicinity of
airports p0189 N74-15718
[NASA-TT-F-15237]
Practical experience with a digital
electrohydraulic actuator p0191 N74-15735
[NASA-TT-F-15292]
The dynamic behavior of a digital
electrohydraulic actuator p0191 N74-15736
[NASA-TT-F-15295]
Results of the combined application of boundary
layer and profile theory p0254 N74-18917
[NASA-TT-F-15416]
Results and information obtained regarding
aerodynamic jet interference associated with
the Do 31 V/STOL jet transport aircraft and

their application to future V/STOL development
[NASA-TT-P-15533] p0298 N74-20669

Process and device for adaptation of sharp
leading edge airfoils to any speed, subsonic
or supersonic
[NASA-TT-P-15569] p0323 N74-21631

Near field and far field sound radiation from Do
31 V/STOL jet transport and possibilities for
noise abatement in future V/STOL development
[NASA-TT-P-15534] p0324 N74-21650

Diffusion welding in aviation technology
[NASA-TT-P-15568] p0328 N74-22138

Flight-mechanics problems during landing
approach with direct lift control, exemplified
by FFB 320 Hansa
[NASA-TT-P-15614] p0355 N74-25566

General principles of designing control systems
[NASA-TT-P-782] p0357 N74-25594

Flight path control equipment for producing
curved flight path profiles with microwave
landing systems
[NASA-TT-P-15608] p0361 N74-26150

Design study of an electronic landing display
for STOL aircraft
[NASA-TT-P-15618] p0361 N74-26151

Investigations on rolling damping of slender wings
[NASA-TT-P-15729] p0362 N74-26423

Wind tunnel investigations aimed at devising
tests of aircraft spin
[NASA-TT-P-15726] p0405 N74-27479

Analysis of the aerodynamic characteristics of
devices for increasing wing lift. 3:
Influence of ground proximity on the
aerodynamic characteristics of the flaps
[NASA-TT-P-15762] p0405 N74-27483

Turbulent lift. Comments on some preliminary
wind tunnel tests
[NASA-TT-P-15743] p0405 N74-27484

On the use of branch modes for the calculation
of helicopter structural dynamic characteristics
[NASA-TT-P-15713] p0407 N74-27503

Safety during automatic landing with poor
visibility
[NASA-TT-P-15716] p0410 N74-28101

Use of conventional equipment to measure the
effective perceived noise level of aircraft
[NASA-TT-P-15711] p0411 N74-28399

Buffeting tests with a swept wing in the
transonic range
[NASA-TT-P-15803] p0416 N74-28522

Investigation of the reactions of skin panels in
relation to duration of acoustical loading
[NASA-TT-P-15804] p0443 N74-29800

Investigation of the possibility of use of
vibroacoustical signals for purposes of
diagnostics in aeronautical engineering
[NASA-TT-P-15875] p0444 N74-29875

On the application of theory of Markov processes
to the evaluation of state of dynamic systems
and to control of aircraft oscillations
[NASA-TT-P-15817] p0472 N74-32441

Effect of artificial stability on aircraft
performance
[NASA-TT-P-15953] p0472 N74-32442

A new aviation for heavy transport
[NASA-TT-P-15935] p0489 N74-33446

KANSAS UNIV. CENTER FOR RESEARCH, INC., LAWRENCE.
Flight test data for a Cessna Cardinal
[NASA-CR-2337] p0159 N74-14752

Separate surface stability augmentation design
and development
[NASA-TT-P-15935] p0249 N74-18687

An analytical investigation of wing-jet
interaction
[NASA-CR-138140] p0323 N74-21633

An investigation of separate surface stability
augmentation systems for general aviation
aircraft
[NASA-CR-138120] p0324 N74-21647

The National Aeronautics and Space
Administration interdisciplinary studies in
space technology at the University of Kansas
[NASA-CR-140623] p0501 N74-35250

KANSAS UNIV., LAWRENCE.
An optimal control approach to airplane
stability augmentation systems design
[NASA-TT-P-15716] p0195 N74-16712

An analytical investigation of wing-jet
interaction

[NASA-CR-138140] p0488 N74-33436

KENTUCKY UNIV., LEXINGTON.
Effects of strain amplitude on the shear modulus
of soils
[AD-757516] p0046 N74-10404

KERNFORSCHUNGSANLAGE, JUELICH (WEST GERMANY).
Acclimatized wind track for measurement of
oxygen isotope fractionation in isolated
leaves and in leaf models
[JUL-949-PC] p0241 N74-17961

KETRON, INC., WAYNE, PA.
Integrated maintenance and readiness data
processing for the CASEE simulation model
[AD-771416] p0238 N74-17766

KRUPP (FRIED.) G.M.B.H., ESSEN (WEST GERMANY).
Manufacture of titanium and titanium alloy
semifinished products
[NASA-TT-P-15716] p0064 N74-11338

L

LABORATORIUM FUER BETRIEBSFESTIGKEIT, DARMSTADT
(WEST GERMANY).
Service loads on nose landing gears of the F-104
airplane
[LBF-TB-103/1972] p0056 N74-10924

Flight-by-flight tests with notched specimens
using a wing upper surface load spectrum
[LBF-PB-104/72] p0097 N74-11839

Gust velocities encountered by a 720-B type
airplane and derived by means of a model for
continuous turbulence
[LBF-PB-105/73] p0097 N74-11840

A standardized load sequence for flight
simulation tests on transport aircraft wing
structures
[LBF-PB-106/73] p0097 N74-11841

Review of investigations on aeronautical fatigue
in the Federal Republic of Germany, May 1969 -
June 1973
[LBF-S-108] p0097 N74-11843

Research reports from the Institute for Service
Reliability, issue 6
[NASA-TT-P-15716] p0332 N74-23491

A standardized flight-by-flight test program for
the fatigue life evaluation of wing components
of transport aircraft
[NASA-TT-P-15711] p0367 N74-26476

LEHIGH UNIV., BETHLEHEM, PA.
An improved exceedance theory for combined
random stresses with application to aircraft
gust response
[NASA-TT-P-15711] p0152 N74-14569

LIBRARY OF CONGRESS, WASHINGTON, D.C.
The Federal Government and energy: R and D
historical background
[NASA-TT-P-15711] p0102 N74-12687

LINCOLN LAB., MASS. INST. OF TECH., LEXINGTON.
Provisional signal formats for the discrete
address beacon system
[ATC-30] p0048 N74-10620

An optimum interference detector for DABS
monopulse data editing
[ESD-TR-73-253] p0048 N74-10621

Interrogation scheduling algorithms for a
discrete address beacon system
[ATC-19] p0065 N74-11432

ATC surveillance/communication analysis and
planning
[FAA-RD-73-161] p0100 N74-12356

Development of a discrete address beacon system
[FAA-RD-73-165] p0100 N74-12362

Empirical assessment of ATCRBS
[ATC-16] p0164 N74-15379

The effects of interference on monopulse
performance
[AD-769336] p0192 N74-15876

Prediction of optical landing guidance system
performance in Cat. 3-a minimum weather
[AD-773830] p0289 N74-20237

LINGUISTIC SYSTEMS, INC., CAMBRIDGE, MASS.
Study of heaving motion in air cushion vehicles
[NASA-TT-P-15106] p0039 N74-10038

Ground lighting equipment
[NASA-TT-P-15176] p0060 N74-11092

Visual landings in regional and local airports
[NASA-TT-P-15177] p0060 N74-11093

Modern beaconing in airports for bad weather
flights

- [NASA-TT-P-15178] p0065 N74-11433
Method of calculation of annual overall efficiency of modern wind-power plants
[NASA-TT-P-15310] p0191 N74-15748
A monitor display for automatically regulated steep approaches
[NASA-TT-P-15615] p0419 N74-29118
LITTLE (ARTHUR D.), INC., CAMBRIDGE, MASS.
Failure analysis of helicopter external cargo-handling systems
[AD-767254] p0142 N74-13729
LOCKHEED MISSILES AND SPACE CO., HUNTSVILLE, ALA.
Analysis of predicted aircraft wake vortex transport and comparison with experiment.
Volume 2: Appendixes
[AD-783665] p0498 N74-34537
Analysis of predicted aircraft wake vortex transport and comparison with experiment.
Volume 1: Wake vortex predictive system study
[AD-783649] p0499 N74-34716
LOCKHEED MISSILES AND SPACE CO., PALO ALTO, CALIF.
The influence of a deflected central spike on the aerodynamic coefficients of a rotationally symmetric hypersonic body
[DLR-FB-69-37] p0103 N74-12706
Development of engineering data on thick-section electron beam welded titanium
[AD-774051] p0303 N74-21151
LOCKHEED-CALIFORNIA CO., BURBANK.
Multistage aerospace craft
[NASA-CASE-IMP-02263] p0054 N74-10907
Study of quiet turbofan STOL aircraft for short haul transportation
[NASA-CR-2355] p0096 N74-11835
Ice protection investigation for advanced rotary-wing aircraft
[AD-771182/3GA] p0250 N74-18693
Galvanic corrosion effects associated with graphite composites/metal joints
[LR-26088] p0254 N74-18813
Effect of yaw damper on lateral gust loads in design of the L-1011 transport
p0353 N74-25551
The Lockheed L-1011 Tristar fatigue and fail-safe development program
p0366 N74-26462
Low noise propeller technology demonstration
[AD-779773] p0443 N74-29395
Analysis of maneuverability effects on rotor/wing design characteristics
[AD-779448] p0443 N74-29401
Application of an interdisciplinary rotary wing aircraft analysis to the prediction of helicopter maneuver loads
[AD-779449] p0443 N74-29402
Hingeless rotor theory and experiment on vibration reduction by periodic variation of conventional controls
p0497 N74-34515
LOCKHEED-GEORGIA CO., MARIETTA.
Additional three-dimensional boundary-layer computations for a finite swept wing
[NASA-CR-132335] p0038 N74-10029
V/STOL noise prediction and reduction
[LG73ER0062] p0056 N74-10921
A survey of drag prediction techniques applicable to subsonic and transonic aircraft design
p0155 N74-14711
C-5A/orbiter wind tunnel testing and analysis: Piggyback ferry
[NASA-CR-134184] p0189 N74-15717
Theoretical and experimental investigations of vortex lift control by spanwise blowing.
Volume 1: Experimental research
[AD-771290] p0232 N74-17710
Theoretical and experimental investigations of vortex lift control by spanwise blowing.
Volume 2: Three-dimensional theory for vortex-lift augmentation
[AD-771304] p0232 N74-17711
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft.
Phase 2: Wind tunnel test, analysis, and prediction techniques. Volume 1: Drag predictions, wind tunnel data analysis and correlation
[NASA-CR-2333] p0248 N74-18679
Correlation of full-scale drag predictions with flight measurements on the C-141A aircraft : Phase 2: Wind tunnel tests, analysis, and prediction techniques. Volume 2: Wind tunnel test and basic data
[NASA-CR-2334] p0248 N74-18680
Validation of new gust design procedures for military transports
[AD-775385] p0324 N74-21641
Small scale wind tunnel model investigation of hybrid high lift systems combining upper surface blowing with the internally blown flap
[NASA-CR-114758] p0412 N74-28479
Study of stability of large maneuvers of airplanes
[NASA-CR-2447] p0442 N74-29382
Calculation of unsteady transonic aerodynamics for oscillating wings with thickness (computer program)
[NASA-CR-132477] p0487 N74-33427
Feasibility study of the transonic biplane concept for transport aircraft application
[NASA-CR-132462] p0495 N74-34477
Non-engine aerodynamic noise investigation of a large aircraft
[NASA-CR-2378] p0495 N74-34482
Advanced metallic structures: Cargo wing design for improved cost, weight, and integrity
[AD-782258] p0497 N74-34523
LOS ALAMOS SCIENTIFIC LAB., N.MEX.
Temporal observations of the Lambda 5303 emission line profile during the 74 minute totality from the Concorde SST at the 30 June 1973 total solar eclipse: Preliminary intensity variations above an active region
[LA-UR-73-1304] p0293 N74-20527
Development of a LASL whole-air sampler for WB-57F aircraft
[LA-5491-HS] p0474 N74-32903
LOUGHBOROUGH UNIV. OF TECHNOLOGY (ENGLAND).
In place of congestion: Some observations on the transport of freight
[TT-7308] p0053 N74-10890
LTV AEROSPACE CORP., DALLAS, TEX.
Definition of study objectives for integrated crew module development
[AD-769065] p0162 N74-14773
Limit criteria for low cost airframe concepts
[AD-777572] p0369 N74-26489
S-3A graphite/epoxy spoiler development program
[AD-779069] p0444 N74-30013
Modern engineering methods in aircraft preliminary design
p0471 N74-32425
LTV AEROSPACE CORP., HAMPTON, VA.
A structural design for an Externally Blown Flap (EBF) medium STOL research aircraft
[NASA-CR-112249] p0353 N74-25548
LUCAS AEROSPACE LTD., BRADFORD (ENGLAND).
Interrupt times on constant frequency ac systems
p0473 N74-32481
LUCAS AEROSPACE LTD., HEHEL HEMPSTEAD (ENGLAND).
VSCF generators
p0474 N74-32485
LUFTFAHRT-BUNDESAMT, BRUNSWICK (WEST GERMANY).
Noise limit values of aircraft
[DGLR-PAPER-74-015] p0368 N74-26482
MAGNAVOX RESEARCH LABS., TORRANCE, CALIF.
Advanced tracking and data relay experiments study: Multinode transponder experiment equipment
[NASA-CR-132930] p0200 N74-16887
MARYLAND UNIV., COLLEGE PARK.
Artificial development of an atmospheric boundary layer flow model in a wind tunnel
p0139 N74-13701
MASSACHUSETTS INST. OF TECH., CAMBRIDGE.
Motorless flight research, 1972
[NASA-CR-2315] p0041 N74-10051
Parameters controlling nitric oxide emissions from gas turbine combustors
p0149 N74-14291
Application of the collision-imparted velocity method for analyzing the responses of containment and deflector structures to engine rotor fragment impact
[NASA-CR-134494] p0194 N74-16592

- Experimental and data analysis techniques for deducing collision-induced forces from photographic histories of engine rotor fragment impact/interaction with a containment ring
[NASA-CR-134548] p0243 N74-18399
- Aircraft requirements for low/medium density markets
[NASA-CR-137373] p0282 N74-19651
- A practical scheme for adaptive aircraft flight control systems
p0357 N74-25588
- Flight control systems research
[NASA-CR-139595] p0463 N74-31427
- Digital flight control research
[NASA-CR-2433] p0489 N74-33448
- MCDONNELL AIRCRAFT CO., ST. LOUIS, MO.
Structural fatigue analysis and testing for fighter aircraft
p0282 N74-19655
- Air-to-air fire control exposition, phase 3 (Expo 3)
[AD-775360] p0327 N74-21673
- Conceptual design studies of a V/STOL civil lift fan transport including effect of size and fan pressure ratio
[NASA-CR-2426] p0406 N74-27498
- Manufacturing methods for self-sealing fuel lines
[AD-778083] p0411 N74-28243
- MCDONNELL-DOUGLAS ASTRONAUTICS CO., HUNTINGTON BEACH, CALIF.
The ablation performance of foams in a low heat flux
p0045 N74-10263
- Vehicle design considerations for active control application to subsonic transport aircraft
[NASA-CR-2408] p0494 N74-34476
- MCDONNELL-DOUGLAS ASTRONAUTICS CO., ST. LOUIS, MO.
Forward air controller: Tactical air command pilot communication orientation
[AD-771071] p0244 N74-18637
- MCDONNELL-DOUGLAS CORP., LONG BEACH, CALIF.
A study to determine the applicability of noise abatement approach procedures to McDonnell Douglas Aircraft
[NASA-CR-114677] p0188 N74-15714
- Study of quiet turbofan STOL aircraft for short-haul transportation. Volume 1: Summary
[NASA-CR-2353] p0196 N74-16718
- Analytical studies of two-element airfoil systems
[AD-775538] p0324 N74-21645
- Aerodynamic prediction methods for aircraft at low speeds with mechanical high lift devices
p0364 N74-26447
- Airworthiness philosophy developed from full-scale testing
p0366 N74-26464
- Windshield bird strike structure design criteria
[AD-779729] p0442 N74-29393
- An analysis of the impact of cabin floor angle restrictions on L/D for a typical supersonic transport
[NASA-CR-132508] p0494 N74-34469
- MECHANICAL TECHNOLOGY, INC., LATHAM, N.Y.
Investigation of rotor dynamic and high speed bearing technology for a 3 KW turbo-alternator
[AD-765501] p0047 N74-10486
- Recommended design modifications to the CH-47 forward rotor drive gearbox
[AD-769062] p0162 N74-14775
- Prediction of gear-mesh-induced high-frequency vibration spectra in geared power trains
[AD-777496] p0369 N74-26493
- MESSERSCHMITT-BOELKOW G.M.B.H., OTTOBRUNN (WEST GERMANY).
Influence of turbulence on helicopter design and operation
p0234 N74-17736
- Noise reducing methods for STOL aircraft approach and takeoff
[NASA-TT-P-15612] p0413 N74-28500
- MESSERSCHMITT-BOELKOW-BLOHM G.M.B.H., HAMBURG (WEST GERMANY).
Optimization and design of the rear fuselage of the A 300 B aircraft structure
p0166 N74-15614
- MESSERSCHMITT-BOELKOW-BLOHM G.M.B.H., MUNICH (WEST GERMANY).
Propulsion system of the VJ 101 C VTOL aircraft:
Philosophy and practical experience p0292 N74-20428
- Active flutter suppression on wings with external stores
p0354 N74-25555
- Advancements in future fighter aircraft
p0466 N74-31483
- Designing for maneuverability: Requirements and limitations
p0471 N74-32424
- MESSERSCHMITT-BOELKOW-BLOHM G.M.B.H., OTTOBRUNN (WEST GERMANY).
Loads prediction methods for hingeless rotor helicopters
p0055 N74-10915
- status and development tendencies of titanium processing
p0064 N74-11339
- Problems of estimating the drag of a helicopter
p0156 N74-14715
- Reciprocal influence of a body of finite length and a wing at mid-wing position at subsonic speed
[BMVG-FBWT-73-33] p0231 N74-17707
- Systematic sound insulation investigations
[MBB-UH-06-74-0] p0368 N74-26483
- Helicopter rotor noise and possibilities for its reduction
[MBB-UD-118-74-0] p0368 N74-26485
- NETA SYSTEMS, INC., SANTA CLARA, CALIF.
Potential conflict prediction and associated functions for oceanic air traffic control automation
[AD-767453] p0112 N74-13427
- MICHIGAN STATE UNIV., EAST LANSING.
Research on free and impinging jets for the development of STOL aircraft
[NASA-CR-138031] p0287 N74-19902
- MIDWEST RESEARCH INST., KANSAS CITY, MO.
Program to improve the fracture toughness and fatigue resistance of aluminum sheet and plate for aircraft applications
[AD-770350] p0201 N74-17278
- MINISTRY OF DEFENCE (WEST GERMANY).
The hingeless rotor: A concept to increase mission effectiveness at reduced costs
p0305 N74-21616
- MINISTRY OF DEFENCE, LONDON (ENGLAND).
Technical evaluation report on Fluid Dynamics Panel Specialists' Meeting on Aerodynamic Drag
[AGARD-AR-58] p0054 N74-10905
- Technical Evaluation report
p0155 N74-14710
- Report on the Conference on Transparent Aircraft Enclosures
[AD-769372] p0199 N74-16755
- Materials for aerospace current research and development
[D-MAT-194] p0303 N74-21139
- The reduction of airframe costs with particular reference to combat aircraft
p0305 N74-21615
- Aircraft fatigue and structural integrity in the Royal Air Force from a maintenance engineering viewpoint
p0367 N74-26474
- Comparison of electrical generating systems based on IDG and VSCF techniques in two types of aircraft
p0473 N74-32482
- MISSISSIPPI STATE UNIV., STATE COLLEGE.
Two-dimensional wind tunnel test on a variable-camber airfoil with distributed suction boundary-layer control
[AD-766304] p0038 N74-10033
- Investigation of the suction system and boundary-layer characteristics on a high-lift, BLC L-19 test aircraft
[AD-766305] p0042 N74-10063
- Research in the area of the aerodynamics of rotors and propellers
[AROD-T-3-23-E] p0286 N74-19688
- An investigation of the trailing vorticity behind a STOL aircraft
[AD-774571] p0299 N74-20677
- Three-dimensional measurements of the velocity in the near flow field of a full-scale hovering rotor
[AD-781547] p0470 N74-32417

MISSOURI UNIV., COLUMBIA.

Adaptive control techniques without perturbation for systems with inaccessible state variables with application to a supersonic aircraft air inlet control system

p0499 N74-34668

MOBIL RESEARCH AND DEVELOPMENT CORP., PAULSBORO, N.J.

Microfog lubricant application system for advanced turbine engine components, phase 3 [NASA-CR-121271]

p0050 N74-10730

MOTORER-UND TURBINEN-UNION MUECHEN G.M.B.H. (WEST GERMANY).

Comparative appraisal of propulsion systems for VTOL-aircraft

p0289 N74-20402

Investigation of the relative merits of different power plants for STOL-aircraft with blown flap application

p0289 N74-20406

The influence of the control concept for V/STOL engines on their static and dynamic performance characteristics

p0290 N74-20415

N

NAGOYA UNIV. (JAPAN).

The minimum induced drag of the hemi-elliptic ground effect wing

p0231 N74-17700

NATIONAAL LUCHT-EN RUIMTEVAARTLABORATORIUM, AMSTERDAM (NETHERLANDS).

A standardized load sequence for flight simulation tests on transport aircraft wing structures [LBF-FB-106/73]

p0097 N74-11841

NATIONAL AERO- AND ASTRONAUTICAL RESEARCH INST., AMSTERDAM (NETHERLANDS).

Re-assessment of fatigue performance of fighter aircraft

p0283 N74-19659

NATIONAL AERONAUTICAL ESTABLISHMENT, OTTAWA (ONTARIO).

Reynolds number effects at low speeds on the maximum lift of two-dimensional aerofoil sections equipped with mechanical high lift devices

p0113 N74-13674

Drag of supercritical airfoils in transonic flow

p0156 N74-14719

An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1 [AD-772727]

p0247 N74-18668

Modification of V/STOL instrument approach geometry as a means of compensating for along-track wind effects [NRC-13842]

p0256 N74-19281

Estimates of the lateral-directional stability derivatives of a helicopter from flight measurements [NRC-13882]

p0283 N74-19662

NATIONAL AERONAUTICAL LAB., BANGALORE (INDIA).

Aerodynamic aspects of the problems of air-intakes and exhaust for a supersonic transport aircraft [NAL-TR-194]

p0159 N74-14748

Changes in flutter results by stiffening some degrees of freedom [TR-195]

p0188 N74-15709

Automatic flight control (1966-1973)

[NAL-BIBL-SER-51]

p0353 N74-25545

Bibliography on safety in aircraft operations (1970-1972)

p0353 N74-25547

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. AMES RESEARCH CENTER, HOFFETT FIELD, CALIF.

Acoustic characteristics of a large-scale augmentor wing model at forward speed [NASA-TN-X-2940]

p0041 N74-10052

Study of airborne science experiment management concepts for application to space shuttle. Volume 3: Appendixes [NASA-TN-X-62289]

p0053 N74-10783

Preliminary assessment of the microwave landing system requirements for STOL operations [NASA-TN-X-62310]

p0064 N74-11431

Geometry program for aerodynamic lifting surface theory

[NASA-TN-X-62309] p0093 N74-11810
Aerodynamic characteristics of a large-scale model with a swept wing and a jet flap having an expandable duct

[NASA-TN-X-62281] p0095 N74-11826
En route position and time control of aircraft using Kalman filtering of radio aid data [NASA-TN-D-7509] p0100 N74-12360

Low-speed wind tunnel investigation of the lateral-directional characteristics of a large-scale variable wing-sweep fighter model in the high-lift configuration

[NASA-TN-X-62306] p0103 N74-12714

Trends in transport aircraft avionics [NASA-TN-X-62322] p0104 N74-12715

Aerodynamic and noise measurements on a quasi-two dimensional augmentor wing model with lobe-type nozzles

[NASA-TN-X-62237] p0140 N74-13719

Takeoff and landing performance and noise measurements of a deflected slipstream STOL airplane with interconnected propellers and rotating cylinder flaps

[NASA-TN-X-62320] p0141 N74-13720

Wind tunnel investigation of a large-scale 25 deg swept-wing jet transport model with an external blowing triple-slotted flap

[NASA-TN-X-62197] p0141 N74-13721

Transonic single-mode flutter and buffet of a low aspect ratio wing having a subsonic airfoil shape

[NASA-TN-D-7346] p0153 N74-14631

Plotting program for aerodynamic lifting surface theory [NASA-TN-X-62321] p0158 N74-14739

A study of the nonlinear aerodynamics of bodies in nonplanar motion [NASA-TN-X-621] p0158 N74-14741

Acoustic characteristics of a large-scale wind tunnel model of an upper-surface blown flap transport having two engines

[NASA-TN-X-62319] p0189 N74-15719

Ames research facilities summary 1974

[NASA-TN-X-69411] p0192 N74-15939

Transparent fire resistant polymeric structures [NASA-CASE-ARC-10813-1] p0193 N74-16249

Computer programs for estimating aircraft takeoff and landing performance [NASA-TN-X-62333] p0196 N74-16720

Normal loads program for aerodynamic lifting surface theory [NASA-TN-X-62326] p0231 N74-17702

Preliminary performance estimates of a highly maneuverable remotely piloted vehicle [NASA-TN-D-7551] p0248 N74-18677

Integrated propulsion/energy transfer control systems for lift-fan V/STOL aircraft

p0291 N74-20416

Landing rates for mixed STOL and CTOL traffic [NASA-TN-D-7666] p0304 N74-21290

Sensitivity of transport aircraft performance and economics to advanced technology and cruise Mach number [NASA-TN-X-62336] p0325 N74-21654

A flight investigation of the STOL characteristics of an augmented jet flap STOL research aircraft [NASA-TN-X-62334] p0329 N74-22637

Display requirements for the final approach and landing phase of an BPV mission [NASA-TN-X-62346] p0354 N74-25561

Estimation of longitudinal aerodynamic coefficients and comparison with wind-tunnel values

p0356 N74-25577

Nonlinear parameter identification: Ballistic range experience applicable to flight testing

p0356 N74-25580

Dynamics of tilting propeller aircraft in cruise flight [NASA-TN-D-7677] p0407 N74-27500

G-load measuring and indicator apparatus [NASA-CASE-ARC-10806] p0409 N74-27872

Preliminary performance estimates of an oblique, all-wing, remotely piloted vehicle for air-to-air combat [NASA-TN-D-7731] p0413 N74-28507

The use of an aircraft test stand for VTOL handling qualities studies

[NASA-TN-X-62218] p0418 N74-28737
 A STOL terminal area navigation system
 [NASA-TN-X-62348] p0444 N74-30095
 Single wing supersonic aircraft
 [NASA-CASE-ARC-10470-3] p0445 N74-30414
 Analytical model for tilting prop rotor aircraft
 dynamics, including blade torsion and coupled
 bending modes, and conversion mode operation
 [NASA-TN-X-62369] p0467 N74-31498
 Perturbation solutions for the influence of
 forward flight on helicopter rotor flapping
 stability
 [NASA-TN-X-62361] p0467 N74-31501
 Propeller modulation effects on a scanning beam
 microwave landing system
 [NASA-TN-X-62368] p0468 N74-31617
 Apparatus for span loading to alleviate
 wake-vortex hazard behind aircraft
 [NASA-CASE-ARC-10801-1] p0471 N74-32428
 A flight investigation of a terminal area
 navigation and guidance concept for STOL
 aircraft
 [NASA-TN-X-62375] p0474 N74-33114
 Abating exhaust noises in jet engines
 [NASA-CASE-ARC-10712-1] p0474 N74-33218
 Improvements to the kernel function method of
 steady, subsonic lifting surface theory
 [NASA-TN-X-62327] p0487 N74-33429
 Parameter estimation of powered-lift STOL
 aircraft characteristics including turbulence
 and ground effects
 [NASA-TN-X-62382] p0493 N74-34466
 Hingeless helicopter rotor with improved stability
 [NASA-CASE-ARC-10807-1] p0494 N74-34475
 Flight-path and airspeed control during landing
 approach for powered-lift aircraft
 [NASA-TN-D-7791] p0495 N74-34481
 Rotorcraft dynamics
 [NASA-SP-352] p0495 N74-34489
 Some approximations to the flapping stability of
 helicopter rotors
 p0496 N74-34494
 Multicyclic jet-flap control for alleviation of
 helicopter blade stresses and fuselage vibration
 p0497 N74-34512
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
FLIGHT RESEARCH CENTER, EDWARDS, CALIF.
 Results of a feasibility study using the
 Newton-Raphson digital computer program to
 identify lifting body derivatives from flight
 data
 [NASA-TN-X-56017] p0094 N74-11814
 Flight experience with the decelerating noise
 abatement approach
 [NASA-TN-X-56020] p0104 N74-12720
 Three-axis adjustable loading structure
 [NASA-CASE-FRC-10051-1] p0110 N74-13129
 Terminal guidance system
 [NASA-CASE-FRC-10049-1] p0111 N74-13420
 Flight study of a vehicle operational status and
 monitoring system
 [NASA-TN-D-7546] p0141 N74-13725
 Review of drag measurements from flight tests of
 manned aircraft with comparisons to
 wind-tunnel predictions
 p0158 N74-14735
 HPL-10 lifting body flight control system
 characteristics and operational experience
 [NASA-TN-X-2956] p0159 N74-14753
 Performance of a ballute decelerator towed
 behind a jet airplane
 [NASA-TN-X-56019] p0160 N74-14760
 Flight experience with a pivoting traversing
 boundary-layer probe
 [NASA-TN-X-56022] p0192 N74-16102
 A simplified flight-test method for determining
 aircraft takeoff performance that includes
 effects of pilot technique
 [NASA-TN-D-7603] p0195 N74-16717
 Flight-test investigation of the aerodynamic
 characteristics and flow interference effects
 about the aft fuselage of the F-111A airplane
 [NASA-TN-D-7563] p0246 N74-18657
 Initial results from flight testing a large,
 remotely piloted airplane model
 [NASA-TN-X-56024] p0247 N74-18671
 Flight investigation of approach and flare from
 simulated breakout altitude of a subsonic jet
 transport and comparison with analytical models

[NASA-TN-D-7645] p0284 N74-19672
 Parameter estimation techniques and application
 in aircraft flight testing
 [NASA-TN-D-7647] p0355 N74-25569
 Identification of aircraft stability and control
 derivatives in the presence of turbulence
 p0356 N74-25575
 Determination of propulsion-system-induced
 forces and moments of a Mach 3 cruise aircraft
 p0357 N74-25591
 Flight-measured inlet pressure transients
 accompanying engine compressor surges on the
 F-111A airplane
 [NASA-TN-D-7696] p0362 N74-26251
 Flight evaluation of advanced control systems
 and displays on a general aviation airplane
 [NASA-TN-D-7703] p0407 N74-27499
 Use of a pitot-static probe for determining wing
 section drag in flight at Mach numbers from
 0.5 to approximately 1.0
 [NASA-TN-X-56025] p0441 N74-29370
 Design and flight experience with a digital
 fly-by-wire control system in an F-8 airplane
 p0464 N74-31450
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.
 Low speed phaselock speed control system
 [NASA-CASE-GSC-11127-1] p0044 N74-10202
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. JOHN
F. KENNEDY SPACE CENTER, COCOA BEACH, FLA.
 Test of LOX compatibility for asphalt and
 concrete runway materials
 [NASA-TN-X-64086] p0059 N74-11091
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
LANGLEY RESEARCH CENTER, LANGLEY STATION, VA.
 Exploratory investigation at Mach numbers from
 0.40 to 0.95 of the effects of jets blown over
 a wing
 [NASA-TN-D-7367] p0036 N74-10014
 Effect of blockage ratio on drag and pressure
 distributions for bodies of revolution at
 transonic speeds
 [NASA-TN-D-7331] p0036 N74-10015
 A study of methods which predict supersonic flow
 fields from body geometry, distance, and Mach
 number
 [NASA-TN-D-7387] p0038 N74-10030
 Lightweight, variable solidity knitted parachute
 fabric
 [NASA-CASE-LAR-10776-1] p0038 N74-10034
 Effect of geometry variations on lee-surface
 vortex-induced heating for flat-bottom
 three-dimensional bodies at Mach 6
 [NASA-TN-D-7447] p0045 N74-10318
 A buoyant tornado-probe concept incorporating an
 inverted lifting device
 [NASA-TN-D-7335] p0047 N74-10584
 A roll-pitch interaction simulator and a control
 position command encoder for remote piloting
 of spin-entry research models
 [NASA-TN-D-7361] p0059 N74-11059
 Motion software for a synergistic
 six-degree-of-freedom motion base
 [NASA-TN-D-7350] p0060 N74-11096
 Control of supersonic wind-tunnel noise by
 laminarization of nozzle-wall boundary layer
 [NASA-TN-X-2879] p0062 N74-11119
 Model studies of crosswind landing-gear
 configurations for STOL aircraft
 p0066 N74-11680
 Model support roll balance and roll coupling
 p0066 N74-11681
 Canard-wing lift interference related to
 maneuvering aircraft at subsonic speeds
 [NASA-TN-X-2897] p0094 N74-11819
 Low speed aerodynamic characteristics of a 17
 percent thick airfoil section designed for
 general aviation applications
 [NASA-TN-D-7428] p0094 N74-11821
 Theoretical and experimental investigation of
 the performance of a fan-in-wing VTOL
 configuration
 [NASA-TN-D-7498] p0094 N74-11823
 Study of a control system to alleviate aircraft
 response to horizontal and vertical gusts
 [NASA-TN-D-7278] p0095 N74-11825
 Hypersonic aerodynamic characteristics of an
 all-body research aircraft configuration
 [NASA-TN-D-7358] p0096 N74-11831

- Wind tunnel investigation of an upper surface blown jet-flap powered-lift configuration
[NASA-TN-D-7399] p0096 N74-11832
- Results of the flight noise measurement program using a standard and modified SH-3A helicopter
[NASA-TN-D-7330] p0096 N74-11836
- An exploratory simulation study of a head-up display for general aviation lightplanes
[NASA-TN-D-7456] p0097 N74-11837
- Off-center-line shock interference heating patterns on basic shapes in hypersonic flows
[NASA-TN-X-2866] p0098 N74-12091
- Fatigue-test acceleration with flight-by-flight loading and heating to simulate supersonic-transport operation
[NASA-TN-D-7380] p0099 N74-12261
- Hypersonic aerodynamic characteristics of a family of power-law, wing body configurations
[NASA-TN-D-7427] p0102 N74-12705
- The effects of an autopilot on airplane responses to turbulence with emphasis on tail loads
[NASA-TN-D-7231] p0104 N74-12719
- A real-time digital program for estimating aircraft stability and control parameters from flight test data by using the maximum likelihood method
[NASA-TN-X-2788] p0146 N74-13882
- Structural analysis of light aircraft using NASTRAN
p0153 N74-14594
- Fixed-base simulation study of decoupled controls during approach and landing of a STOL transport airplane
[NASA-TN-D-7363] p0187 N74-15703
- Vortex wake research
p0233 N74-17733
- Theoretical horizontal tail loads and associated aircraft responses of an autopilot-controlled jet transport flying in turbulence
p0234 N74-17742
- Wind tunnel investigation of simulated helicopter engine exhaust interacting with windstream
[NASA-TN-X-3016] p0237 N74-17758
- Computed lateral power spectral density response of conventional and STOL airplanes to random atmospheric turbulence
[NASA-TN-D-7444] p0237 N74-17759
- Pressure distribution on a vectored-thrust V/STOL fighter in the transition-speed range
[NASA-TN-X-2867] p0246 N74-18658
- Control theory analysis of a three-axis VTOL flight director
[NASA-TN-X-69960] p0248 N74-18676
- Flight investigation of effects of a fan-in-fin yaw control concept on helicopter flying-quality characteristics
[NASA-TN-D-7452] p0249 N74-18688
- The effect of wind tunnel wall interference on the performance of a fan-in-wing VTOL model
[NASA-TN-D-7518] p0254 N74-18895
- Development and flight tests of a gyro-less wing leveler and directional autopilot
[NASA-TN-D-7460] p0256 N74-19282
- Input description for Jameson's three-dimensional transonic airfoil analysis program
[NASA-TN-X-71919] p0281 N74-19640
- Wind tunnel investigation of a large-scale semispan model with an unswept wing and an upper-surface blown jet flap
[NASA-TN-D-7526] p0283 N74-19663
- Wind tunnel tests of a full-scale model of a light twin-engine airplane with fixed auxiliary airfoil or leading-edge slot
[NASA-TN-D-7474] p0283 N74-19665
- Service evaluation of aircraft composite structural components
[NASA-TN-X-71944] p0284 N74-19667
- A compilation and analysis of typical approach and landing data for a simulator study of an externally blown flap STOL aircraft
[NASA-TN-D-7497] p0284 N74-19671
- Preliminary results of flight tests of vortex attenuating splines
[NASA-TN-X-71928] p0294 N74-20637
- Preliminary static tests of a simulated upper-surface blown jet-flap configuration utilizing a full-size turbofan engine
[NASA-TN-X-71931] p0294 N74-20638
- Acoustic loads on an externally blown flap system due to impingement of a TF-34 jet engine exhaust
[NASA-TN-X-71950] p0295 N74-20651
- Effect of trailing-edge flap deflection on the lateral and longitudinal-stability characteristics of a supersonic transport model having a highly-swept arrow wing
[NASA-TN-X-71936] p0295 N74-20652
- Aeronautical fuel conservation possibilities for advanced subsonic transports
[NASA-TN-X-71927] p0295 N74-20654
- Pressure distribution of a twin-engine upper-surface blown jet-flap model
[NASA-TN-X-71937] p0296 N74-20655
- Free-flight wind tunnel investigation of a four-engine sweptwing upper-surface blown transport configuration
[NASA-TN-X-71932] p0296 N74-20656
- Exploratory tests of a simple aero-mechanical ride comfort system for lightly loaded aircraft
[NASA-TN-X-71921] p0296 N74-20657
- External store effects on the stability of fighter and interceptor airplanes
[NASA-TN-X-71935] p0296 N74-20658
- The noise environment of a school classroom due to the operation of utility helicopters
[NASA-TN-X-71957] p0296 N74-20659
- Effect of advanced aircraft noise reduction technology on the 1990 projected noise environment around Patrick Henry Airport
[NASA-TN-X-71953] p0296 N74-20660
- Lateral static and dynamic aerodynamic parameters of the Kestrel aircraft (XV-6A) extracted from flight data
[NASA-TN-D-7455] p0297 N74-20666
- Effects of a traffic noise background on judgements of aircraft noise
[NASA-TN-X-71938] p0304 N74-21308
- Low speed aerodynamic characteristics of NACA 6716 and NACA 4416 airfoils with 35 percent-chord single-slotted flaps
[NASA-TN-X-2623] p0323 N74-21634
- On the use of thick-airfoil theory to design airfoil families in which thickness and lift are varied independently
[NASA-TN-D-7579] p0323 N74-21635
- Free-flight investigation of the stability and control characteristics of a STOL model with an externally blown jet flap
[NASA-TN-D-7411] p0324 N74-21649
- Comparison of acoustic performance of five muffler configurations on a small helicopter
[NASA-TN-D-7495] p0325 N74-21652
- Extraction from flight data of longitudinal aerodynamic coefficients for F-8 aircraft with supercritical wing
[NASA-TN-D-7470] p0325 N74-21653
- Simulation of decelerating landing approaches on an externally blown flap STOL transport airplane
[NASA-TN-D-7463] p0326 N74-21658
- Current structural vibration problems associated with noise
p0330 N74-22668
- An analytical study of the effects of jets located more than one jet diameter above a wing at subsonic speeds
[NASA-TN-X-71965] p0353 N74-25533
- Status of two studies on active control of aeroelastic response at NASA Langley Research Center
p0354 N74-25553
- Flight investigation of the VFR and IFR landing approach characteristics and terminal area airspace requirements for a light STOL airplane
[NASA-TN-X-3008] p0354 N74-25562
- Extraction of derivatives from flight data for several aircraft, using the LRC interactive computer system
p0356 N74-25574
- Effects of flight instrumentation errors on the estimation of aircraft stability and control derivatives
p0357 N74-25585
- An induction into the design of flight test instrumentation systems
p0360 N74-25935

- Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] p0365 N74-26456
- Low speed wind tunnel tests of a 1/9-scale model of a variable-sweep advanced supersonic transport
[NASA-TN-X-71960] p0365 N74-26457
- A unified technology plan for fatigue and fracture design
[NASA-TN-D-7524] p0366 N74-26465
- Flight investigation of manual and automatic VTOL decelerating instrument approaches and landings
[NASA-TN-D-7524] p0410 N74-28102
- Exhaust flow deflector
[NASA-CASE-LAR-11570-1] p0410 N74-28233
- Effect of canard location and size on canard-wing interference and aerodynamic center shift related to maneuvering aircraft at transonic speeds
[NASA-TN-D-7505] p0411 N74-28474
- Effect of ground proximity on the longitudinal aerodynamic characteristics of an aspect-ratio-1 wing with and without wing-tip blowing
[NASA-TN-X-3048] p0412 N74-28475
- Investigation of the static lift capability of a low-aspect-ratio wing operating in a powered ground-effect mode
[NASA-TN-X-3031] p0412 N74-28483
- A method of automatically stabilizing helicopter sling loads
[NASA-TN-D-7593] p0413 N74-28506
- Exhaust-nozzle characteristics for a twin-jet variable-wing-sweep fighter airplane model at Mach numbers to 2.2
[NASA-TN-X-2947] p0416 N74-28524
- Preliminary study of a possible automatic landing system
[NASA-TN-D-7611] p0419 N74-29119
- Effect of spanwise blowing on leading-edge vortex bursting of a highly swept aspect ratio 1.18 delta wing
[NASA-TN-X-71987] p0441 N74-29367
- Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] p0445 N74-30421
- Theoretical and experimental longitudinal aerodynamic characteristics of an aspect ratio 0.25 sharp-edge delta wing at subsonic, supersonic, and hypersonic speeds
[NASA-TN-D-7651] p0463 N74-31414
- Aerodynamic characteristics of three slender sharp-edge 74 degrees swept wings at subsonic, transonic, and supersonic Mach numbers
[NASA-TN-D-7631] p0463 N74-31416
- Subsonic and supersonic longitudinal stability and control characteristics of an aft tail fighter configuration with cambered and uncambered wings and uncambered fuselage
[NASA-TN-X-3078] p0463 N74-31419
- Lateral-directional stability characteristics of a wing-fuselage configuration at angles of attack up to 44 deg
[NASA-TN-X-3087] p0463 N74-31421
- Low-speed aerodynamic characteristics of a hypersonic research airplane concept having a 70 deg swept delta wing
[NASA-TN-X-71974] p0466 N74-31485
- Progress in aircraft design since 1903
[NASA-TN-X-70319] p0467 N74-31499
- Bonded composite to metal scarf joint performance in an aircraft landing gear drag strut
[NASA-TN-X-71995] p0467 N74-31504
- Flutter analysis of swept-wing subsonic aircraft with parameter studies of composite wings
[NASA-TN-D-7539] p0469 N74-32356
- The effect of canard and vertical tails on the aerodynamic characteristics of a model with a 59 deg sweepback wing at a Mach number of 0.30
[NASA-TN-X-3088] p0469 N74-32412
- Subsonic annular wing theory with application to flow about nacelles
[NASA-TN-D-7630] p0470 N74-32414
- A streamline curvature method for design of supercritical and subcritical airfoils
[NASA-TN-D-7770] p0470 N74-32416
- Noise suppressor
[NASA-CASE-LAR-11141-1] p0470 N74-32418
- The lateral/directional stability characteristics of a four-propeller tilt-wing V/STOL model in low-speed steep descent
[NASA-TN-X-70242] p0472 N74-32439
- A modified Theodorsen epsilon-function airfoil design procedure
[NASA-TN-D-7741] p0487 N74-33428
- Low-speed aerodynamic characteristics of airfoil sections with rounded trailing edges in forward and reverse flow
[NASA-TN-X-3060] p0487 N74-33430
- Development of a computer program to obtain ordinates for NACA-6 and 6A-series airfoils
[NASA-TN-X-3069] p0487 N74-33431
- Stability and control characteristics at Mach numbers from 0.20 to 4.63 of a cruciform air-to-air missile with triangular canard controls and a trapezoidal wing
[NASA-TN-X-3070] p0487 N74-33432
- Further analysis of broadband noise measurements for a rotating blade operating with and without its shed wake blown downstream
[NASA-TN-D-7623] p0488 N74-33434
- Wind tunnel test of low boom equivalent body at Mach 4
[NASA-TN-X-72013] p0488 N74-33438
- A flight investigation with a STOL airplane flying curved, descending instrument approach paths
[NASA-TN-D-7669] p0489 N74-33452
- Optimal and suboptimal control technique for aircraft spin recovery
[NASA-TN-D-7714] p0489 N74-33453
- Extension of leading-edge-suction analogy to wings with separated flow around the side edges at subsonic speeds
[NASA-TN-R-428] p0493 N74-34459
- Longitudinal aerodynamic characteristics of an externally blown flap powered lift model with several propulsive system simulators
[NASA-TN-D-7670] p0493 N74-34461
- Wind-tunnel investigation of an externally blown flap STOL transport model including and investigation of wall effects
[NASA-TN-X-3009] p0493 N74-34462
- Measured and calculated neutron spectra and dose equivalent rates at high altitudes; relevance to SST operations and space research
[NASA-TN-D-7715] p0500 N74-35219
- NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
LEWIS RESEARCH CENTER, CLEVELAND, OHIO.
- Some design considerations for supersonic cruise mixed compression inlets
[NASA-TN-X-71460] p0037 N74-10021
- Performance of transonic fan stage with weight flow per unit annulus area of 208 kilograms per second per square meter (42.6 (lb/sec)/sq ft)
[NASA-TN-X-2903] p0037 N74-10022
- FORTRAN program for predicting off-design performance of centrifugal compressors
[NASA-TN-D-7487] p0037 N74-10024
- Effects of increased leading-edge thickness on performance of a transonic rotor blade
[NASA-TN-D-7489] p0037 N74-10025
- Comparison of predicted and measured low-speed performance of two 51 centimeter-diameter inlets at incidence angle
[NASA-TN-X-2937] p0037 N74-10026
- Performance of transonic fan stage with weight flow per unit annulus area of 198 kilograms per second per square meter (40.6 (lb/sec)/sq ft)
[NASA-TN-X-2905] p0037 N74-10027
- Noise tests of a high-aspect-ratio slot nozzle with various V-gutter target thrust reversers
[NASA-TN-X-71470] p0039 N74-10037
- Effect of exhaust nozzle configuration on aerodynamic and acoustic performance of an externally blown flap system with a quiet 6:1 bypass ratio engine
[NASA-TN-X-71466] p0039 N74-10042
- Refan program. Phase 1: Summary report
[NASA-TN-X-71456] p0040 N74-10043
- Minimizing boundary layer bleed for a mixed compression inlet
[NASA-TN-X-71461] p0045 N74-10321
- An evaluation of the relative fire hazards of jet A and jet B for commercial flight
[NASA-TN-X-71437] p0049 N74-10709

- Experimental evaluation of a TF30-P-3 turbofan engine in an altitude facility: Effect of steady-state temperature distortion
[NASA-TN-X-2921] p0049 N74-10722
- Performance of a single-stage transonic compressor with a blade-tip solidity of 1.5 and comparison with 1.3 and 1.7 solidity stages
[NASA-TN-X-2926] p0050 N74-10734
- Aircraft noise reduction technology
[NASA-TN-X-68241] p0055 N74-10917
- Airborne profiling of ice thickness using a short pulse radar
[NASA-TN-X-71481] p0063 N74-11204
- Test characteristics of a welded rotor in a 36,000-rpm Lundell alternator
[NASA-TN-X-2944] p0066 N74-11304
- Use of an air-assisted fuel nozzle to reduce idle emissions of a JT8D engine combustor
[NASA-TN-X-2946] p0067 N74-11738
- Effect of subsonic inlet lip geometry on predicted surface and flow Mach number distributions
[NASA-TN-D-7446] p0093 N74-11812
- Noise tests on an externally blown flap with the engine in front of the wing
[NASA-TN-X-2942] p0094 N74-11813
- Flight monitor for jet engine disk cracks and the use of critical length criterion of fracture mechanics
[NASA-TN-D-7483] p0099 N74-12187
- Emission calculations for a scramjet powered hypersonic transport
[NASA-TN-X-71464] p0100 N74-12445
- Spontaneous ignition in afterburner segment tests at an inlet temperature of 1240 K and a pressure of 1 atmosphere with ASTM jet-A fuel
[NASA-TN-X-2952] p0101 N74-12571
- Thermodynamic and transport properties of air and its products of combustion with ASTHA-A-1 fuel and natural gas at 20, 30, and 40 atmospheres
[NASA-TN-D-7488] p0101 N74-12575
- Improved circumferential shaft seal for aircraft gear transmissions
[NASA-TN-D-7130] p0147 N74-14138
- Design and evaluation of combustors for reducing aircraft engine pollution
[NASA-TN-X-2919] p0150 N74-14302
- Sonic inlet noise attenuation and performance with a J-85 turbojet engine as a noise source
[NASA-TN-X-71488] p0152 N74-14384
- The effect of water injection on nitric oxide emissions of a gas turbine combustor burning ASTM Jet-A fuel
[NASA-TN-X-2958] p0153 N74-14650
- Effect of water injection on nitric oxide emissions of a gas turbine combustor burning natural gas fuel
[NASA-TN-X-2959] p0154 N74-14651
- Flight velocity effects on jet noise of several variations of a 48-tube suppressor installed on a plug nozzle
[NASA-TN-X-2919] p0165 N74-15465
- Flight velocity effects on jet noise of several variations of a twelve-chute suppressor installed on a plug nozzle
[NASA-TN-X-2918] p0166 N74-15466
- Effect of increased fuel temperature on emissions of oxides of nitrogen from a gas turbine combustor burning ASTM jet-A fuel
[NASA-TN-X-2931] p0166 N74-15659
- Cold-air study of the effect on turbine stator blade aerodynamic performance of coolant ejection from various trailing-edge slot geometries. 1: Experimental results
[NASA-TN-X-3000] p0231 N74-17699
- Analog computer implementation of four instantaneous distortion indices
[NASA-TN-X-2993] p0243 N74-18397
- Forecast of jet engine exhaust emissions for future high altitude commercial aircraft
[NASA-TN-X-71509] p0243 N74-18400
- Wind tunnel blockage and support interference effects on winged-body models at Mach numbers from 0.6 to 1.0
[NASA-TN-X-3011] p0246 N74-18656
- A simplified life-cycle cost comparison of various engines for small helicopter use
[NASA-TN-X-71517] p0256 N74-19405
- Preliminary measurement of the airframe noise from an F-106B delta wing aircraft at low flyover speeds
[NASA-TN-X-71527] p0284 N74-19668
- Influence of noise requirements on STOL propulsion system designs
[NASA-TN-X-3007] p0291 N74-20422
- Jet engine exhaust emissions of high altitude commercial aircraft projected to 1990
[NASA-TN-X-3007] p0294 N74-20591
- Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] p0295 N74-20646
- Flight Reynolds number effects on a contoured boattail nozzle at subsonic speeds
[NASA-TN-X-3053] p0323 N74-21639
- Externally blown flap noise research
[NASA-TN-X-71541] p0329 N74-22631
- Reduction of JT8D powered aircraft noise by engine refanning
[NASA-TN-X-71536] p0331 N74-23342
- Water table tests of proposed heat transfer tunnels for small turbine vanes
[NASA-TN-X-3073] p0353 N74-25536
- Geometry considerations for jet noise shielding with CTOL engine-over-the-wing concept
[NASA-TN-X-71562] p0355 N74-25568
- Reynolds number effects on boattail drag of exhaust nozzles from wind tunnel and flight tests
[NASA-TN-X-71548] p0360 N74-25812
- Measurements of liner cooling effectiveness within a full scale double-annular ram-induction combustor
[NASA-TN-D-7689] p0362 N74-26389
- Preliminary performance appraisal of Navy V/STOL transport and search-type airplanes using hydrogen fuel
[NASA-TN-X-71550] p0363 N74-26435
- Graphite-polyimide composite for application to aircraft engines
[NASA-TN-D-7698] p0370 N74-27412
- Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] p0406 N74-27490
- Bibliography on aircraft fire hazards and safety. Volume 1: Hazards. Part 1: Key numbers 1 to 817
[NASA-TN-X-71553-VOL-1-PT-1] p0406 N74-27491
- Bibliography on aircraft fire hazards and safety. Volume 2: Safety. Part 1: Key numbers 1 to 524
[NASA-TN-X-71553-VOL-2-PT-1] p0406 N74-27492
- Flight velocity effects on the jet noise of several variations of a 104-tube suppressor nozzle
[NASA-TN-X-3049] p0410 N74-28240
- Cruise performance of an isolated 1.15 pressure ratio turbofan propulsion system simulator at Mach numbers from 0.6 to 0.85
[NASA-TN-X-3064] p0411 N74-28241
- Suppressor nozzle and airframe noise measurements during flyover of a modified F106B aircraft with underwing nacelles
[NASA-TN-X-71578] p0442 N74-29379
- Noise generated by quiet engine fans. 2: Fan A
[NASA-TN-X-3066] p0444 N74-30240
- Effects of forward velocity and acoustic treatment on inlet fan noise
[NASA-TN-X-71591] p0445 N74-30249
- Fretting in aircraft turbine engines
[NASA-TN-X-71606] p0475 N74-33228
- Sealing technology for aircraft gas turbine engines
[NASA-TN-X-71607] p0475 N74-33229
- Effect of inlet ingestion of a wing tip vortex on turbojet stall margin
[NASA-TN-X-71610] p0500 N74-35201
- Performance of a model cascade thrust reverser for short-haul applications
[NASA-TN-X-71614] p0500 N74-35202
- Cold-flow performance of several variations of a ram-air-cooled plug nozzle for supersonic-cruise aircraft
[NASA-TN-X-3110] p0500 N74-35203

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
LYNDON B. JOHNSON SPACE CENTER, HOUSTON, TEX.

Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] p0059 N74-10942

Full-scale aircraft cabin flammability tests of improved fire-resistant materials

- [NASA-TR-X-58141] p0411 N74-28423
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
MARSHALL SPACE FLIGHT CENTER, HUNTSVILLE, ALA.
 Optimization of wave cancellation in variable
 porosity transonic wind tunnel flows
 [NASA-TR-D-7432] p0060 N74-11097
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
MISSISSIPPI TEST FACILITY, BAY SAINT LOUIS.
 Methods and costs associated with outfitting
 light aircraft for remote sensing applications
 [NASA-TR-X-69938] p0236 N74-17754
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
Wallops Station, Wallops Island, VA.
 General aviation air traffic pattern safety
 analysis
 [NASA-TR-X-69455] p0111 N74-13422
- NATIONAL AERONAUTICS AND SPACE ADMINISTRATION,**
WASHINGTON, D.C.
 Aeronautics: Space in the seventies
 [NASA-EP-85] p0036 N74-10017
 Technical evaluation report on AGARD Flight
 Mechanics Panel Symposium on Flight in
 Turbulence
 [AGARD-AR-67] p0294 N74-20639
- NATIONAL AEROSPACE LAB., AMSTERDAM (NETHERLANDS).**
 Calculation of instationary pressure
 distributions and generalized aerodynamic
 forces with the doublet-lattice method
 [NLR-TR-72037-U] p0054 N74-10906.
- A mathematical theory of plasticity for strain
 hardening materials exhibiting initial
 anisotropy
 [NLR-TR-72117-U] p0067 N74-11719
 The future of short-haul air transport within
 Western Europe
 [REPT-SP-73-001] p0097 N74-11842
- Fatigue crack growth and residual strength of
 aluminium alloy sheet at temperatures down to
 -75C
 [NLR-TR-72096-U] p0099 N74-12248
- Measurements in a three dimensional
 incompressible turbulent boundary layer in an
 adverse pressure gradient under infinite swept
 wing conditions
 [NLR-TR-72092-U] p0109 N74-12995
- Comparison of various methods for calculating
 profile drag from pressure measurements in the
 near wake at subcritical speeds
 p0156 N74-14721
- Fatigue of spacecraft structures
 [ESRO-CR(P)-322] p0194 N74-16597
 Calculation of the displacement effect in
 two-dimensional subsonic attached flow around
 aerofoils. Examples of calculations using
 measured displacement thicknesses
 [NLR-TR-72116-U] p0195 N74-16707
 A numerical method for the determination of the
 vortex sheet location behind a wing in
 incompressible flow
 [NLR-TR-72091-U] p0294 N74-20642
 Technical and operational aspects of
 externally-mounted aircraft equipment
 p0305 N74-21614
 Appraisal of wing aerodynamic design methods for
 subsonic flight speed
 p0365 N74-26451
 The prediction of fatigue crack propagation
 under service load-time histories
 [NLR-EP-73016-U] p0366 N74-26467
 Comparison of Fokker F-28 wind tunnel and flight
 data, A summary
 [NLR-TR-73007-U] p0368 N74-26486
 A linear array of blade antennas as an aircraft
 antenna for satellite communication
 p0469 N74-31686
 Low speed wind tunnel measurements on a
 two-dimensional flapped wing model using
 tunnel wall boundary layer control at the
 wing-wall junctions
 [NLR-TR-70050-U] p0488 N74-33440
- NATIONAL AEROSPACE LAB., TOKYO (JAPAN).**
 Simulation study on flare control system by
 optimization theory
 [NAL-TR-312] p0040 N74-10046
 Some effects of center of gravity locations of
 added mass on transonic flutter
 characteristics of low aspect ratio and
 sweptback thin cantilever wing
 [NAL-TR-314] p0040 N74-10047
 Experimental investigation of two-dimensional
 cascade performance with blunt trailing edge
 blade sections at transonic inlet Mach number
 range
 [NAL-TR-313] p0045 N74-10322
 Measurements of rolling moments acting on the
 stabilizer of T-tails oscillating in yaw
 [NAL-TR-324] p0158 N74-14744
 Ground operation tests of flying test bed for
 VTOL aircraft at National Aerospace Laboratory
 [NAL-TR-319] p0161 N74-14764
 Some considerations on the performance of the
 fan jet engine
 [NAL-TR-317] p0193 N74-16486
 Design and development of the gust wind tunnel
 at the National Aerospace Laboratory
 [NAL-TR-335] p0287 N74-19891
 Flexural rigidity of a thin walled build-up rotor
 for jet engine. Measurement by static load
 test and vibration test and calculation by
 finite element method
 [NAL-TR-329] p0293 N74-20572
 Dynamic responses of the structural model with
 built-up wings and a fuselage (1)
 [NAL-TR-350] p0330 N74-22673
 Shear and moment response of the airplane wing
 to nonstationary turbulence
 p0364 N74-26440
 An experimental investigation on the transonic
 flutter characteristics of the cantilever
 swept-back wing with airfoil section and
 comparison with the thin cantilever swept-back
 wing
 [NAL-TR-361] p0495 N74-34480
- NATIONAL AVIATION FACILITIES EXPERIMENTAL CENTER,**
ATLANTIC CITY, N.J.
 Lightning effects on general aviation aircraft
 [FAA-NA-73-32(2)] p0039 N74-10040
 A feasibility study and preliminary evaluation
 of the use of a biased glide slope technique
 for noise abatement approach
 [FAA-RD-73-153] p0048 N74-10618
 Ultraviolet and near-infrared spectral analysis
 of a burner-can burn-through flame
 [FAA-NA-73-86] p0053 N74-10866
 Aircraft fuel system tests with gelled
 fuel-flowmeter calibration, fuel boost pump
 and jettison tests
 [FAA-NA-73-43] p0095 N74-11828
 Air traffic control/collision avoidance system
 interface simulation, phase 2
 [FAA-NA-73-40] p0100 N74-12361
 The influence of engine-ducted by-pass air on a
 burner-can burn-through flame
 [FAA-NA-73-87] p0101 N74-12574
 Evaluation of the structural integrity of an
 aircraft loading walkway under severe
 fuel-spill fire conditions
 [FAA-RD-73-144] p0104 N74-12716
 The measurement of the DC-7 trailing vortex
 system using the tower fly-by technique
 [FAA-RD-73-141] p0104 N74-12718
 Field evaluation of ARTS 2 B (TRACAB)
 [AD-768203] p0151 N74-14360
 Aerospace vehicle hazards protection program:
 Detectors materials fuel vulnerability
 [AD-776301] p0359 N74-25603
 National airspace system enroute stage A system
 engineering and analysis, investigation of
 system problems, capacity testing
 [AD-778479] p0444 N74-30104
 The feasibility of detecting a burner-can
 burn-through by means of CO, CO2, pressure,
 and air temperature levels in a jet engine
 nacelle
 [AD-775304] p0475 N74-33225
- NATIONAL BUREAU OF STANDARDS, WASHINGTON, D.C.**
 Metallurgical analysis of wear particles and
 veering surfaces
 [AD-778340] p0409 N74-27920

NATIONAL CENTER FOR ATMOSPHERIC RESEARCH, BOULDER, COLO.

Wind tunnel and field investigations of shapes for balloon shelters
[NCAR-TN/EDD-82] p0036 N74-10016

NATIONAL ENGINEERING LAB., EAST KILBRIDE (SCOTLAND).

Exact solutions for conical mixed flow rotors.
Part 2: Cambered blades of finite thickness
[NEL-524-PT-2] p0109 N74-12989

NATIONAL GAS TURBINE ESTABLISHMENT, PLYSTOCK (ENGLAND).

Some engine and aircraft design considerations affecting noise
p0291 N74-20421

NATIONAL PHYSICAL LAB., TEDDINGTON (ENGLAND).

Low-speed aerodynamic characteristics of NACA 0012 aerofoil section. Including the effects of upper-surface roughness simulating hoar frost
[ARC-B/M-3726] p0231 N74-17709

NPL 9615 and NACA 0012: A comparison of aerodynamic data
[ARC-CP-1261] p0247 N74-18665

Aerodynamic characteristics of NPL 9626 and NPL 9627, further aerofoils designed for helicopter rotor use
[ARC-CP-1262] p0247 N74-18666

NATIONAL RESEARCH COUNCIL OF CANADA, OTTAWA (ONTARIO).

Energy in transportation
p0113 N74-13675

An experimental analysis and buffet investigation of the shockless lifting airfoil no. 1
[NRC-13673] p0155 N74-14708
Thrust performance of podded lift-fans in crossflow
p0291 N74-20420

Quarterly Bulletin of the Division of Mechanical Engineering and the National Aeronautical Establishment, 1 January - 31 March 1974
[DME/NAE-1974(1)] p0332 N74-23483

Acoustic tests on a fan-in-wing model: Effects of an extended inlet
[NRC-13898] p0442 N74-29376

NATIONAL TRANSPORTATION SAFETY BOARD, WASHINGTON, D.C.

Aircraft accident report: Air Iowa, Incorporated, Beech E18S, N310WA, Davenport Iowa, 19 Apr. 1973
[NTSB-AAR-73-18] p0039 N74-10041

Aircraft incident report: Eastern Air Lines, Incorporated, Boeing 727-225, N8843E, Toledo, Ohio, 10 April 1973
[NTSB-AAR-73-17] p0040 N74-10050

Aircraft accident reports: Brief format, US Civil Aviation. Issue no. 1: 1973 accidents
[NTSB-BA-73-8] p0056 N74-10919

Aircraft accident report: Continental Airlines, Sabreliner model NA-265-60, N743R, Montrose, Colorado, 13 April 1973
[NTSB-AAR-73-19] p0095 N74-11830

Aircraft accident reports: Brief format, supplemental issue, 1972 accidents
[NTSB-BA-73-10] p0196 N74-16722

Aircraft accident report: Overseas National Airways, Inc., McDonnell Douglas, DC-8-63, N863P, Bangor, Maine, 20 June 1973
[NTSB-AAR-74-1] p0235 N74-17748

Aircraft accident report: Loftleidir Icelandic Airlines, Incorporated, Douglas DC-8-61, John F. Kennedy International Airport, Jamaica, New York, 23 June 1973
[NTSB-AAR-73-20] p0249 N74-18683

Aircraft accident report: Skyways International, Incorporated, Douglas DC-7C, N296 near the Miami International Airport, Dade County, Florida, 21 June 1973
[NTSB-AAR-74-2] p0249 N74-18684

Aircraft accident report: Brief format, US civil aviation, issue no. 3 of 1973 accidents
[NTSB-BA-74-1] p0297 N74-20664

Aircraft accident report: Delta Air Lines, Incorporated, Douglas DC-9-31, N975-BE, Boston, Massachusetts, 31 July 1973
[NTSB-AAR-74-3] p0297 N74-20665

Special study: US general aviation accidents involving fuel starvation, 1970 - 1972
[NTSB-AAS-74-1] p0325 N74-21657

Aircraft accident report: World Airways, Incorporated, DC-8-63P, N802WA, King Cove, Alaska, 8 September 1973
[NTSB-AAR-74-6] p0364 N74-26438

Aircraft accident report: Piedmont Airlines, Boeing 737, N751N, Greensboro, North Carolina, 28 October 1973
[NTSB-AAR-74-7] p0364 N74-26439

Aircraft accident report: Ozark Airlines, Incorporated, Fairchild Hiller FH-227B, N4215 near the Lambert-Saint Louis International Airport, Saint Louis, Missouri, 23 July 1973
[NTSB-AAR-74-5] p0413 N74-28503

Aircraft accident report: Trans World Airlines, Incorporated, Boeing 707-131B, N757TW, Los Angeles, California, 16 January 1974
[NTSB-AAR-74-10] p0489 N74-33447

NATIONAL WEATHER SERVICE, SILVER SPRING, MD.

Some results from applying a cost-effectiveness model for evaluating aviation weather dissemination techniques
[AD-777441] p0410 N74-28082

NATO MRCA DEVELOPMENT AND PRODUCTION MANAGEMENT AGENCY, MUNICH (WEST GERMANY).

Design problems of military aircraft as affected by turbulence
p0234 N74-17735

NAVAL AEROSPACE MEDICAL RESEARCH LAB., PENSACOLA, FLA.

Orientation-error accidents in regular Army aircraft during fiscal year 1970: Relative incidence and cost
[AD-767028] p0057 N74-10930

Annotated bibliography of reports
[AD-766458] p0102 N74-12701

Orientation-error accidents in regular Army UH-1 aircraft during fiscal year 1970: Relative incidence and cost
[AD-768307] p0144 N74-13742

NAVAL AIR DEVELOPMENT CENTER, WARMINSTER, PA.

Test plan report for catapult fatigue. Test of the model E-2 A/B airplane
[AD-765708] p0042 N74-10059

Statistical review of counting accelerometer data for Navy and Marine fleet aircraft from 1 January 1962 to July 1973
[AD-767648] p0106 N74-12736

Production data package 267 gallon external fuel tank
[AD-767937] p0144 N74-13745

Test plan for the hook bounce condition of the E-2A airplane arresting gear A frame
[AD-774084] p0300 N74-20692

Test plan for the hook bounce condition of the C-2A airplane arresting gear A frame
[AD-774083] p0301 N74-20693

Advanced concepts for rotary wing and V/STOL aircraft escape systems
p0301 N74-20766

In-flight escape system for heavy helicopters
p0301 N74-20772

Hook bounce test of the C-2A airplane arresting gear A frame
[AD-774085] p0328 N74-21902

Hook bounce test of the E-2A airplane arresting gear A frame
[AD-774086] p0328 N74-21903

Catapult fatigue test of the model C-2A airplane
[AD-775615] p0358 N74-25597

Program plan for investigation of model E-11C-1 airplane catapult and hold-back operations capacity
[AD-777435] p0369 N74-26495

Statistical review of counting accelerometer data for Navy and Marine fleet aircraft
[AD-778645] p0416 N74-28531

NAVAL AIR ENGINEERING CENTER, PHILADELPHIA, PA.

Pollution in the ground support environment
[AD-764854] p0048 N74-10602

NAVAL AIR PROPULSION TEST CENTER, TRENTON, N.J.

Development of NDT/I for integral wing fuel tank structures using infrared thermography
[AD-773466] p0288 N74-20060

Rotor burst protection program: Statistics on aircraft gas turbine engine rotor failures that occurred in US commercial aviation during 1972
[NASA-CR-136900] p0304 N74-21396

- Evaluation of MIL-L-23699 lubrication oil performance in the J79 engine
[AD-776535] p0361 N74-26073
- NAVAL AIR SYSTEMS COMMAND, WASHINGTON, D.C.
Development of techniques to measure in-flight drag of a US Navy fighter airplane and correlation of flight measured drag with wind tunnel data
p0158 N74-14734
- Formulating military requirements
p0289 N74-20404
- NAVAL AIR TEST CENTER, PATUXENT RIVER, MD.
Navy participation in the development of airframe parameter identification techniques
p0356 N74-25572
- NAVAL AIR TEST FACILITY, LAKEHURST, N.J.
Evaluation of the automatic JBD (Jet Blast Deflector) system
[AD-775665] p0358 N74-25595
- NAVAL CIVIL ENGINEERING LAB., PORT HUENEME, CALIF.
Substitution of JP-5 aviation fuel for DF-2 diesel under field conditions
[AD-777047] p0362 N74-26243
- NAVAL COASTAL SYSTEMS LAB., PANAMA CITY, FLA.
Helicopter tow tests of the US Coast Guard's air delivery container for oil spill containment barrier
[AD-774898] p0327 N74-21669
- NAVAL ELECTRONICS LAB. CENTER, SAN DIEGO, CALIF.
Fiber and integrated optic communication technology
[AD-771402] p0240 N74-17902
- NAVAL ORDINANCE LAB., WHITE OAK, MD.
An empirical equation for prediction of transition location on cones in super-or hypersonic flight
[AD-765692] p0038 N74-10032
- Turbulence measurements with a laser Doppler velocimeter
[AD-766781] p0062 N74-11129
- NAVAL POSTGRADUATE SCHOOL, MONTEREY, CALIF.
A helicopter flight performance system using an LSI microprocessor
[AD-765680] p0041 N74-10054
- LSO/pilot interaction simulator
[AD-765686] p0041 N74-10055
- Some performance characteristics of the Bell 100 ton surface effect ship
[AD-765689] p0042 N74-10062
- Aircraft fuel tank entry wall-projectile interaction studies
[AD-765667] p0043 N74-10066
- A study of supersonic flow past vibrating shells and cascades
[AD-765735] p0046 N74-10335
- Experimental investigation of the effects of tip clearance and end losses on axial compressor performance
[AD-767656] p0112 N74-13511
- A modified design concept, utilizing deck motion prediction, for the A-7E automatic carrier landing system
[AD-767691] p0144 N74-13739
- The simulation and analysis of carrier landings using a nonlinear pilot model
[AD-767679] p0145 N74-13747
- The design, fabrication and evaluation of the aural angle of attack/stall warning system
[AD-767663] p0145 N74-13748
- Turning characteristics of the Bell 100 ton surface effect ship
[AD-767680] p0145 N74-13753
- Pollution control of airport engine test facilities
p0149 N74-14285
- A nonlinear relay model for post stall oscillations
[AD-769405] p0187 N74-15706
- An alternative formulation of the lifting line wing equation and its solution
[AD-771981] p0232 N74-17719
- Hydraulic ram shock wave and cavitation effects on aircraft fuel cell survivability
[AD-772744] p0254 N74-18719
- Calculating procedure of sea-level static performance of two-spool afterburning bypass jet engine
[AD-776547] p0362 N74-26258
- An experimental study of a vane controlled jet flap gust alleviation system
[AD-777987] p0405 N74-27488
- Calculating method for multi-stage axial compressors with impluse bladings and constant tip diameter
[AD-778808] p0419 N74-29228
- NAVAL RESEARCH LAB., WASHINGTON, D.C.
Terrain properties and topography from Skylab altimetry
[E74-10043] p0062 N74-11164
- Adaptation of computer programming to output form of altimeter data
[E74-10087] p0062 N74-11198
- Survey of solid state reflective/transmissive display media
[AD-767644] p0109 N74-12938
- Dynamic measurement of avionic antennas
p0469 N74-31702
- NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER, ANNAPOLIS, MD.
Investigation of the fatigue behavior of large propellers
[AD-769466] p0194 N74-16603
- NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER, BETHESDA, MD.
Response predictions of helicopter landing platform for the USS BELKNAP (DLG-26) and USS GARCIA (DE-1040)-Class destroyers
[AD-766450] p0043 N74-10072
- Hydrodynamic forces on oscillating and nonoscillating smooth circular cylinders in crossflow
[AD-767022] p0062 N74-11125
- A linearized theory for the unsteady motions of a wing in curved flight
[AD-769671] p0187 N74-15705
- Circulation control: A bibliography of NSRDC research and selected outside references
[AD-775284] p0327 N74-21666
- Helicopter/technology program: Fiscal 1973
[AD-776580] p0359 N74-25611
- Subsonic wind tunnel investigation of the high lift capability of a circulation control wing on a 1/5-scale T-2C aircraft model
[AD-781856] p0491 N74-33466
- NAVAL TRAINING EQUIPMENT CENTER, ORLANDO, FLA.
Dynamics report for T-28B simplified flight simulator
[AD-774479] p0302 N74-20905
- NAVAL WEAPONS CENTER, CHINA LAKE, CALIF.
Project Foggy Cloud 4, phase 1. Evaluation of warm fog dissipation techniques
[AD-766086] p0047 N74-10597
- NAVAL WEAPONS LAB., DAHLGREN, VA.
Aircrew automated escape system simulation model
[AD-783517] p0499 N74-34555
- NEW MEXICO UNIV., ALBUQUERQUE.
Airfield erosion control for C-5A aircraft operations
[AD-774484] p0301 N74-20904
- NEW YORK UNIV., N.Y.
Analysis of the low-speed flow over a slender sharp edged delta wing at angles of attack
p0098 N74-12034
- Three-dimensional compressible boundary layer flow over a yawed cone with mass injection
p0146 N74-13960
- Reduction of NO formations by premixing
p0148 N74-14272
- NIELSEN ENGINEERING AND RESEARCH, INC., MOUNTAIN VIEW, CALIF.
The effects of leading-edge serrations on reducing flow unsteadiness about airfoils, an experimental and analytical investigation
[NASA-CR-2344] p0036 N74-10019
- Calculation of the longitudinal aerodynamic characteristics of STOL aircraft with externally-blown jet-augmented flaps
[NASA-CR-2358] p0196 N74-16719
- NORTH AMERICAN SYSTEMS CORP., LONDONDERRY, N.H.
Infrared inspection of electrical equipment
[C-208-2] p0110 N74-13198
- NORTH CAROLINA STATE UNIV., RALEIGH.
Development of computer programs to determine the aerodynamic characteristics of complete light aircraft
[NASA-CR-139690] p0487 N74-33426

NORTHEASTERN UNIV., BOSTON, MASS.

Parameter estimation using an a posteriori criterion

p0357 N74-25582

NORTHERN RESEARCH AND ENGINEERING CORP., CAMBRIDGE, MASS.

Low NOx emission combustor for automobile gas turbine engines

[PB-222340/2]

p0052 N74-10746

NORTHERN CORP., HAWTHORNE, CALIF.

Analysis of stratified and closely spaced jets exhausting into a crossflow

[NASA-CR-132297]

p0061 N74-11118

Development and evaluation of methods of plane stress fracture analysis. Part 1: Review and evaluation of structural residual strength prediction techniques

[AD-767614]

p0110 N74-13262

In-flight stabilization of externally slung helicopter loads

[AD-769063]

p0162 N74-14774

Advanced metallic structures: Air superiority fighter wing design for improved cost weight and integrity. Volume 2: Criteria sensitivity study

[AD-781811]

p0473 N74-32451

Advanced metallic structure: Air superiority fighter wing design for improved cost, weight and integrity. Volume 3: Materials test program

[AD-781812]

p0490 N74-33460

NORWEGIAN INST. FOR AIR RESEARCH, KJELLER.

A systematic approach to the study of the connection between emission and ambient air concentrations

p0149 N74-14293

NOTRE DAME UNIV., IND.

The determination of non-symmetric vehicle stability parameters from response data

p0139 N74-13702

Performance estimates for powered parafoil systems

[AD-779926]

p0468 N74-31514

O

OFFICE NATIONAL D'ETUDES ET DE RECHERCHES AEROSPATIALES, PARIS (FRANCE).

Aerospace activities

p0053 N74-10897

Aerodynamic problems of STOL aircraft

[NASA-TT-F-15182]

p0056 N74-10918

Drag and separation

p0157 N74-14722

A new approach to gust alleviation of a flexible aircraft using an open loop device

p0235 N74-17745

Engine installation aerodynamics

p0365 N74-26453

Propeller tests in the large sonic wind tunnel of Mondane-Avrieux

[NASA-TT-F-15704]

p0413 N74-28501

Buffeting tests with a swept wing in the transonic range

[NASA-TT-F-15803]

p0416 N74-28522

The prediction of the variation of modes following modification to a structure

p0419 N74-29358

Laboratory for automatic processing of analog signals

p0419 N74-29361

Concept CCV and specifications

p0466 N74-31480

OFFICE OF NAVAL RESEARCH, LONDON (ENGLAND).

Conference on Satellite Systems for Mobile Communications and Surveillance

[AD-767369]

p0109 N74-12884

Atmospheric pollution by aircraft engines

[AD-769655]

p0201 N74-17376

OHIO STATE UNIV. RESEARCH FOUNDATION, COLUMBUS.

Study of the electrostatic field and charge distribution in a vortex seeded with dust

[AD-766815]

p0059 N74-10941

Supersonic combustion and burning in ramjet combustors

[AD-770061]

p0201 N74-17648

OHIO STATE UNIV., COLUMBUS.

Bilinear surface representation of radar scattering for aircraft

[AD-766320]

p0044 N74-10169

The effects of hypersonic viscous interaction on static stability of slender bodies in simulated non-equilibrium flows

p0154 N74-14704

Roll plane analysis of on-aircraft antennas

[NASA-CR-136815]

p0200 N74-16953

Study of the electrostatic field and charge distribution in a vortex seeded with dust

p0245 N74-18643

Vibration signal analysis techniques

[AD-776397]

p0359 N74-25604

A study of KC-135 aircraft antenna patterns

[NASA-CR-138585]

p0369 N74-26663

Computer analysis of aircraft and shuttle antennas

[NASA-CR-138605]

p0369 N74-26666

Numerical solutions to some on-aircraft antenna pattern problems

[AD-777977]

p0409 N74-27639

A technique to combine the geometrical theory of diffraction and the moment method

[AD-777976]

p0409 N74-27640

Analysis of on-aircraft antenna patterns

[AD-777975]

p0409 N74-27641

Diffraction by a perfectly conducting rectangular cylinder which is illuminated by an array of line sources

[NASA-CR-2405]

p0417 N74-28706

Flush-mounted antennas radiating on aircraft type surfaces

[NASA-CR-2403]

p0417 N74-28707

The radiation from slots in truncated dielectric-covered surfaces

[NASA-CR-2397]

p0417 N74-28709

The dyadic diffraction coefficient for a curved edge

[NASA-CR-2401]

p0417 N74-28710

OKLAHOMA CITY AIR MATERIAL AREA, TINKER AFB, OKLA.

Effect of proof load application on fatigue test results

p0367 N74-26471

OKLAHOMA STATE UNIV., STILLWATER.

Optical controller design for high performance aircraft undergoing large disturbance angles

[NASA-CR-138130]

p0324 N74-21648

OKLAHOMA UNIV., NORMAN.

A lifting line analysis of nonplanar wings

p0281 N74-19639

Aerodynamics of channel and ring wings

p0295 N74-20648

OLD DOMINION UNIV., NORFOLK, VA.

The energy dilemma and its impact on air transportation

[NASA-CR-135993]

p0067 N74-11743

The air transportation/energy system

p0068 N74-11745

Energy conservation and air transportation

p0068 N74-11746

An initial step: A demonstration project

p0068 N74-11747

Conclusions and recommendations

p0068 N74-11748

OSLO UNIV. (NORWAY).

Effect of supersonic transport upon the ozone layer, studied in a two-dimensional photochemical model with transport

p0148 N74-14278

OST/FAA FLIGHT SERVICE STATION EVALUATION TEAM, WASHINGTON, D.C.

A proposal for the future of flight service stations. Volume 1: Summary

[PB-225052/0GA]

p0242 N74-18315

A proposal for the future of flight service stations. Volume 2: Cost analysis of the present flight service station system

[PB-225053/8GA]

p0242 N74-18316

A proposal for the future of flight service stations. Volume 3: Functional analysis of the FSS system

[PB-225054/6GA]

p0242 N74-18317

A proposal for the future of flight service stations. Volume 4: Proposed automated FSS system concept

[PB-225055/3GA]

p0243 N74-18318

A proposal for the future of flight service stations. Volume 5: Implementation concept for the proposed system

[PB-225056/1GA]

p0243 N74-18319

P

PARAMETRICS, INC., WALTHAM, MASS.
Development of self-contained portable unit for nondestructive compositional analysis of aircraft and space systems alloys
[AD-767226] p0110 N74-13265

PARSONS (RALPH M.) CO., LOS ANGELES, CALIF.
The apron-terminal complex: Analysis of concepts for evaluation of terminal buildings
[FAA-RD-73-82] p0098 N74-12019

PENNSYLVANIA STATE UNIV., UNIVERSITY PARK.
Determination of critical nondimensional parameters in aircraft dynamic response to random input
[NASA-CR-2361] p0193 N74-16322

Investigation of the large scale coherent structure in a jet and its relevance to jet noise
[NASA-CR-138908] p0407 N74-27505

Optimal control aircraft landing analysis
p0412 N74-28497

The vortex lattice method for the rotor-vortex interaction problem
[NASA-CR-2421] p0488 N74-33433

PHILLIPS PETROLEUM CO., BARTLESVILLE, OKLA.
Reduction of pollutants from aircraft turbine by fuel selection and prevaporization
[AD-769099] p0166 N74-15468

PHYSIKALISCH-TECHNISCHE BUNDESANSTALT, BRUNSWICK (WEST GERMANY).
Aircraft noise in urban areas. Measurement and evaluation
[DGLR-PAPER-74-013] p0368 N74-26481

PICATINNY ARSENAL, DOVER, N.J.
Evaluation of the adhesive bonding processes used in helicopter manufacture. Part 4: Nondestructive inspection of adhesive bonds using holographic techniques
[AD-765455] p0047 N74-10480

PISA UNIV. (ITALY).
A method for measuring the dynamic stability Cyr in a subsonic wind tunnel
[REPT-1427] p0187 N74-15701

Fatigue behaviour of hat section stringer stiffened panels compressed in the post-buckling range
[AD-773672] p0293 N74-20579

PPG INDUSTRIES, INC., CREIGHTON, PA.
Development of design, test, and acceptance criteria for Army helicopter transparent enclosures
[AD-772936] p0284 N74-19675

PRATT AND WHITNEY AIRCRAFT, EAST HARTFORD, CONN.
Impact resistance of fiber composite blades used in aircraft turbine engines
[NASA-CR-134502] p0049 N74-10726

Impact resistance of composite fan blades
[NASA-CR-134515] p0099 N74-12285

Air mobility fuel cell study
[AD-766757] p0107 N74-12742

The 1.5-kW fuel cell powerplant
[AD-767302] p0107 N74-12744

V/STOL deflector duct profile study
p0291 N74-20417

Advanced ceramic seal program, phase 1
[AD-781004] p0492 N74-34076

PRATT AND WHITNEY AIRCRAFT, WEST PALM BEACH, FLA.
Single-stage experimental evaluation of tandem-airfoil rotor stator blading for compressors. Part 6: Data and performance for stage D
[NASA-CR-134511] p0100 N74-12449

PRINCETON UNIV., N.J.
Noise generation by cylindrical spoilers immersed in an air duct
[AD-767336] p0142 N74-13730

Research on noise generated by ducted air-fuel combustion systems
[AD-767337] p0152 N74-14445

Flutter computer program and lifting surface theory with boundary layer
[NASA-CR-136559] p0155 N74-14707

PUGET SOUND UNIV., TACOMA, WASH.
Nasa remote sensing of sea ice in AIDJEX
p0063 N74-11223

PURDUE UNIV., LAFAYETTE, IND.
Unsteady fluid dynamic response of an axial-flow

compressor stage with distorted inflow
[AD-766084] p0051 N74-10736

R

RADIO CORP. OF AMERICA, BURLINGTON, MASS.
Helicopter inspection design requirements
[AD-769061] p0163 N74-14781

Holographic multicolor moving map display (system definition)
[AD-772155] p0241 N74-18083

RAND CORP., SANTA MONICA, CALIF.
Some user benefits achievable from an advanced air traffic management system
[R-1320-DOT] p0065 N74-11435

Cost comparisons of advanced air traffic management systems
[R-1319-DOT] p0065 N74-11436

Energy trends and their future effects upon transportation
[P-5046] p0068 N74-11791

Technological change through product improvement in aircraft turbine engines
[AD-769911] p0201 N74-17519

High-performance composite materials for vehicle construction: An elastoplastic analysis of crack propagation in a unidirectional composite
[AD-769867] p0201 N74-17626

The potential for energy conservation in commercial air transport
[R-1360-NSF] p0244 N74-18606

Transportation energy use in the United States: A statistical history, 1955 - 1971
[R-1391-NSF] p0244 N74-18607

Comparisons of Soviet and US technology
[AD-771004] p0244 N74-18627

Branch-and-bound and heuristic approaches to a sequencing problem with team-size requirements
[P-5152] p0288 N74-20176

A Dassault Dossier: Aircraft acquisition in France
[AD-774598] p0299 N74-20681

The flow over a porous body: A singular perturbation problem with two parameters
[AD-775072] p0324 N74-21644

Problems in avionics life-cycle analysis
[P-5136] p0328 N74-22597

RAO (G. V. R.) AND ASSOCIATES, SHERMAN OAKS, CALIF.
Theoretical studies of tone noise from a fan rotor
[NASA-CR-2354] p0051 N74-10735

RAYTHEON CO., WAYLAND, MASS.
Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 1: Executive summary
[FAA-RD-72-150-VOL-1] p0165 N74-15381

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 3: 1.1.1 performance validation
[FAA-RD-72-150-VOL-3] p0165 N74-15382

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technical analysis and contract definition phase of the national MLS development program, Volume 3A
[FAA-RD-72-150-VOL-3A] p0165 N74-15383

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 4: System considerations 1.1.2 through 1.1.5
[FAA-RD-72-150-VOL-4] p0165 N74-15384

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 5: Post TA/CD plans, management performance
[FAA-RD-72-150-VOL-5] p0165 N74-15385

Microwave Landing System (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the national MLS development program. Volume 6: Supporting studies, appendices D through N
[FAA-RD-150-VOL-6] p0165 N74-15386

Microwave landing system (MLS) development plan as proposed by Raytheon during the technique analysis and contract definition phase of the

- national HLS development program. Volume 3:
1.1.1 performance validation
[AD-773233] p0288 N74-20233
- Propeller modulation effects on a scanning beam
microwave landing system
[NASA-TN-X-62368] p0468 N74-31617
- RENSSELAER POLYTECHNIC INST., TROY, N.Y.
Analysis and design of a capsule landing system
and surface vehicle control system for Mars
exploration
[NASA-CR-136069] p0059 N74-11077
- RESEARCH INST. OF NATIONAL DEFENCE, STOCKHOLM
(SWEDEN).
Identification tests with optical sights and
reconnaissance aids in helicopters
[FOA-2-C-2533-D8/E1/M6] p0104 N74-12721
- Helicopter noise
[FOA-3-C-3685-E4] p0105 N74-12722
- Remote control of aircraft and weapon system
using a new method
[FOA-2-A-2553-E4] p0105 N74-12723
- Proposal for a visual system of simulating a
landing
[FOA-2-C-2509-E4] p0111 N74-13423
- Visit report on the flying and space Equipment
Exhibition in Paris 1971
[FOA-2-C-2494-M6] p0113 N74-13690
- RESEARCH TRIANGLE INST., RESEARCH TRIANGLE PARK, N.C.
Radar backscattering as a means for measuring
ocean surface parameters using S193 altimetry
and S190B photography
[E74-10092] p0063 N74-11202
- REYNOLDS METALS CO., RICHMOND, VA.
Program to improve the fracture toughness and
fatigue resistance of aluminum sheet and plate
for aircraft applications
[AD-770350] p0201 N74-17278
- ROCHESTER APPLIED SCIENCE ASSOCIATES, INC., N.Y.
Effect of sweep angle on the pressure
distributions and effectiveness of the ogee
tip in diffusing a line vortex
[NASA-CR-132355] p0094 N74-11822
- Vortex modification by mass injection and by tip
geometry variation
[AD-771966] p0232 N74-17715
- ROCHESTER UNIV., N.Y.
Analytical investigation of the aerodynamic
stability of helical vortices shed from a
hovering rotor
[AD-773026] p0252 N74-18705
- Visual elements in flight simulation
[AD-772586] p0253 N74-18714
- ROCKWELL INTERNATIONAL CORP., COLUMBUS, OHIO.
Control-by-wire actuator model development for
APCAS
[AD-772588] p0253 N74-18715
- ROCKWELL INTERNATIONAL CORP., DOWNNEY, CALIF.
A methodology for boost-glide transport
technology planning
[NASA-CR-2346] p0249 N74-18681
- ROCKWELL INTERNATIONAL CORP., LOS ANGELES, CALIF.
STOL tactical aircraft investigation, externally
blown flap. Volume 1: Configuration
definition. Supplement 1: Aerodynamic trades
of flap and roll control system
[AD-767179] p0145 N74-13754
- STOL tactical aircraft investigation, externally
blown flap. Volume 3: Performance methods
and landing rules
[AD-767180] p0146 N74-13755
- STOL tactical aircraft investigation, externally
blown flap. Volume 5, part 1: Control system
mechanization trade studies
[AD-767181] p0146 N74-13756
- STOL tactical aircraft investigation, externally
blown flap, Volume 5, part 3: Stability and
control derivative accuracy requirements and
effects of augmentation system design
[AD-767182] p0146 N74-13757
- STOL tactical aircraft investigation, externally
blown flap. Volume 2: Design compendium
[AD-770110] p0199 N74-16751
- STOL tactical aircraft investigation-externally
blown flap. Volume 5: Flight control
technology. Part 2: Simulation
studies/flight control system validation
[AD-770449] p0199 N74-16752
- STOL tactical aircraft investigation-externally
blown flap. Volume 6: Air cushion landing
system trade study
[AD-770448] p0199 N74-16753
- STOL tactical aircraft investigation:
Externally blown flap. Volume 1:
Configuration definition
[AD-772738] p0251 N74-18697
- STOL tactical aircraft investigation-externally
blown flap. Volume 4: Analysis of wind tunnel
data
[AD-772774] p0251 N74-18704
- Fighter technology demonstrator precursor
analysis and test. Volume 1: Baseline
development and technology identification
[AD-783636] p0497 N74-34517
- ROLLS-ROYCE, LTD., BRISTOL (ENGLAND).
Optimum engines for military V/STOL aircraft
p0289 N74-20403
- Pegasus engine operating experience in the
Harrier Aircraft
p0292 N74-20431
- ROYAL AIRCRAFT ESTABLISHMENT, BEDFORD (ENGLAND).
Measurements of the drag of some characteristic
aircraft excrescences immersed in turbulent
boundary layers
p0156 N74-14714
- The drag of externally carried stores: Its
prediction and alleviation
p0157 N74-14729
- Application of energy management concepts to
flight-path control in turbulence
p0235 N74-17744
- Some observations on manoeuvre stability and
longitudinal control
[ARC-R/M-3730] p0250 N74-18690
- A theoretical and experimental investigation of
the external-flow, jet-augmented flap
p0290 N74-20407
- A review of the low speed aerodynamic
characteristics of aircraft with powered lift
systems
p0364 N74-26448
- Autostabilization in VTOL aircraft: Results of
flight trials with SC 1
p0465 N74-31456
- ROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH (ENGLAND).
The identification of aircraft powerplant
dynamic response from flight tests using power
spectral techniques
[BAE-TR-73049] p0105 N74-12725
- On the nature of large clear air gusts near
storm tops
[ARC-CP-1248] p0111 N74-13402
- Aircraft inertial system testing and evaluation
in the United Kingdom
p0151 N74-14352
- Aircraft drag prediction for project appraisal
and performance estimation
p0156 N74-14716
- Calculation of the induced velocity field on and
off the wing plane for a swept wing with given
load distribution
[ARC-R/M-3725] p0161 N74-14766
- Similarity requirements for aeroelastic models
of helicopter rotors
[ARC-CP-1245] p0161 N74-14767
- In situ non-destructive testing of aircraft
structures by holographic interferometry
[BAE-TR-72218] p0197 N74-16734
- Influence of pilot and aircraft characteristics
on structural loads in operational flight
[AGARD-R-608] p0233 N74-17728
- The design of automatic flight control systems
to reduce the effects of atmospheric
disturbances
p0234 N74-17743
- A suggestion for improving flap effectiveness by
heat addition
[ARC-CP-1252] p0246 N74-18662
- A technique for measuring oscillatory
aerodynamic control surface hinge moments from
forced response characteristics
[ARC-CP-1253] p0247 N74-18663
- Gust loads on Comet aircraft
[ARC-CP-1247] p0250 N74-18689
- Application of Monte Carlo methods to estimation
of collision risks associated with ATC
separation standards
[BAE-TR-73104] p0256 N74-19283

- Structural representation in aeroelastic calculations
[ABC-R/H-3729] p0257 N74-19563
- Vibration amplitudes produced in St. David's Cathedral by Concorde sonic bangs
[ABC-R/H-3736] p0257 N74-19565
- A theoretical study of inaccuracies arising from the representation of a continuous gust spectrum by a programme of discrete loads in fatigue tests
[BR37134] p0257 N74-19567
- The role of the major fatigue test in the acceptance, certification and safe utilisation of strike aircraft
p0283 N74-19658
- Some engine and aircraft design considerations affecting noise
p0291 N74-20421
- Examples of aircraft failure
p0332 N74-23415
- General technical information
p0364 N74-26446
- Supplementary contribution on aircraft performance considerations for noise reduction
p0365 N74-26455
- Fail-safe aircraft structures, volume 1
[RAE-TR-73183-VOL-1] p0366 N74-26458
- Fail-safe philosophy: An introduction to the symposium
p0366 N74-26460
- Fail-safe aircraft structures, volume 2
[RAE-TR-73183-VOL-2] p0367 N74-26468
- Fatigue in carbon fibre reinforced plastic structures: A review of the problems
p0368 N74-26478
- Ground loads on the nose undercarriage of the F-104G aircraft
[RAE-LIB-TRANS-1744] p0406 N74-27494
- Determination of the derivatives of longitudinal motion of an aircraft from flight data by a model with automatic parameter adjustment
[RAE-LIB-TRANS-1740] p0407 N74-27506
- The flight control system for the Concorde supersonic civil transport aircraft
[RAE-LIB-TRANS-1615] p0413 N74-28502
- Contactors for improved aircraft electrical power distribution systems
[RAE-TR-73157] p0417 N74-28549
- On the design and evaluation of flight control systems
p0463 N74-31442
- Initial-design optimisation on civil and military aircraft
p0465 N74-31477
- Control aspects of aircraft type cycloconverters
p0474 N74-32486
- ROYAL NETHERLANDS AIRCRAFT FACTORIES FOKKER, AMSTERDAM.
Rational calculation of design gust loads in relation to present and proposed airworthiness requirements
p0234 N74-17740
- ROYAL NETHERLANDS AIRCRAFT FACTORIES FOKKER, SCHIPHOL-OOST.
Investigation of the fail-safe properties of civil aircraft
p0366 N74-26463
- ROYAL RADAR ESTABLISHMENT, MALVERN (ENGLAND).
Problems of long linear arrays in helicopter blades
p0468 N74-31684
- S**
- SACRAMENTO AIR MATERIAL AREA, MCCLELLAN AFB, CALIF.
Aircraft/Stores Compatibility Symposium Proceedings, Volume 1
[AD-773813] p0285 N74-19679
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 3
[AD-773815] p0285 N74-19680
- Aircraft/Stores Compatibility Symposium Proceedings, Volume 4
[AD-773816] p0285 N74-19681
- SAGE ACTION, INC., ITHACA, N.Y.
A correlation study of in-flight vibration measurements for patrol-type aircraft
[AD-777668] p0369 N74-26490
- SANDERS ASSOCIATES, INC., WASHUA, N.H.
Tactile display for aircraft control
[AD-783690] p0498 N74-34538
- SANDERS NUCLEAR CORP., WASHUA, N.H.
Tactile display for aircraft control
[AD-767763] p0144 N74-13741
- SANDIA LABS., ALBUQUERQUE, N.MEX.
Aircraft velocity measurement through radar-altimeter echo: A theoretical investigation
[SLA-73-669] p0147 N74-14119
- SANTA CLARA UNIV., CALIF.
Steady-state decoupling and design of linear multivariable systems
[NASA-CR-138815] p0409 N74-27715
- SCIENTIFIC TRANSLATION SERVICE, SANTA BARBARA, CALIF.
Aerodynamic problems of STOL aircraft
[NASA-TT-P-15182] p0056 N74-10918
- Calculation of flows around zero thickness wings with evolutive vortex sheets
[NASA-TT-P-15183] p0094 N74-11815
- Heat transfer of a disk rotating in a casing
[NASA-TT-P-15199] p0101 N74-12572
- The institute for Flight Mechanics, Braunschweig (081) and Stuttgart (027)
[NASA-TT-P-15197] p0139 N74-13706
- New technologies and profitability of helicopters
[NASA-TT-P-15195] p0140 N74-13717
- Representation of hot jet turbulence by means of its infrared emission
[NASA-TT-P-15233] p0151 N74-14383
- Experimental study of a wing profile with Fowler flaps and slats
[NASA-TT-P-15370] p0235 N74-17747
- Improvement of maneuverability at high subsonic speeds
[NASA-TT-P-15406] p0236 N74-17757
- Concerning the performance data of a reverberation chamber
[NASA-TT-P-15371] p0240 N74-17958
- Direct calculation of airfoils from pressure distribution
[NASA-TT-P-15417] p0281 N74-19641
- Tupolev 144 and Concorde: The official performances are compared for the first time
[NASA-TT-P-15446] p0283 N74-19661
- Stability and decay of free vortices behind a wing
[NASA-TT-P-15445] p0287 N74-19904
- The Do 31 landing loads during vertical landing and their consequences for future V/STOL developments
[NASA-TT-P-15532] p0297 N74-20668
- A method for avoiding insect roughness on aircraft
[NASA-TT-P-15454] p0324 N74-21646
- VSTOL aircraft stability and control experience from methods and results of Do 31 flight tests
[NASA-TT-P-15531] p0325 N74-21651
- Flight control problems for steep approaches
[NASA-TT-P-15617] p0406 N74-27493
- Propeller tests in the large sonic wind tunnel of Mondane-Avrieux
[NASA-TT-P-15704] p0413 N74-28501
- Application of quaternions to rigid body rotation problems
[NASA-TT-P-15414] p0418 N74-29040
- Comparison of the influence of horizontal and vertical gust interferences on aircraft longitudinal motion
[NASA-TT-P-15801] p0445 N74-30425
- Propellers and helicopter blades of fiber-reinforced synthetic resin materials
[NASA-TT-P-15859] p0467 N74-31493
- Gust measurements on Concorde
[NASA-TT-P-15837] p0467 N74-31494
- Flight operations and guide beam systems
[NASA-TT-P-15962] p0492 N74-34154
- SHEFFIELD UNIV. (ENGLAND).
Landing transition paths which optimize fuel, time or distance for jet-lift VTOL transport aircraft in steep approaches
[ABC-R/H-3732] p0416 N74-28527
- SOCIETE NATIONALE D'ETUDE ET DE CONSTRUCTION DE MOTEURS D'AVIATION, VILLAROCHE (FRANCE).
The motorization of short take-off and landing aircraft
p0289 N74-20405
- Low speed turbine gear box
p0291 N74-20418

SOCIETE NATIONALE INDUSTRIELLE AEROSPATIALE,
MARIGNAN (FRANCE).

Influence of the degree of fail-safe achieved,
using the internal pressure indicator (RIN),
on the flight safety during a specified
service life of main rotor blades of SA 321
and SA 330 helicopters

p0367 N74-26469

SOCIETE NATIONALE INDUSTRIELLE AEROSPATIALE, PARIS
(FRANCE).

Designers' need for general information from
analysis of fatigue test results and service
behavior

p0283 N74-19660

Short haul aircraft adaptation to the use of
short landing fields

p0290 N74-20411

Techniques oriented towards cost reduction

p0305 N74-21613

Interrelated aspects of service safety arising
from consideration of safe life, fail-safe,
manufacturing quality and maintenance procedures

p0366 N74-26461

New technologies and maintenance of helicopters

p0466 N74-31478

SOCIETE TECHNIQUE D'APPLICATION ET DE RECHERCHE
ELECTRONIQUE, HASSY (FRANCE).

A computation on antenna systems covering
standard aircraft and balloons

p0469 N74-31685

SOFTWARE ET ENGINEERING DES SYSTEMES D'INFORMATIQUE
ET D'AUTOMATIQUE, PARIS (FRANCE).

Software definition study for the Aeronautical
Satellite Communications Center. Volume 1:
Definition specifications. Part 1: General
presentation of the Aeronautical Satellite
Communications Center and its software

p0107 N74-12864

Software definition study for the Aeronautical
Satellite Communications Center. Volume 1:
Definition specifications. Part 2:
Description of operational and simulation
functions

p0107 N74-12865

Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 1: Software
organization and general description

p0108 N74-12866

Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 2:
Description of operational functions

p0108 N74-12867

Software definition study for the Aeronautical
Satellite Communications Center. Volume 2:
Programming specifications. Part 3:
Description of simulation function

p0108 N74-12868

Software definition study for the Aeronautical
Satellite Communications Center. Volume 3:
Definition of the means

p0108 N74-12869

Software definition study for the Aeronautical
Satellite Communications Center. Volume 4:
Planning

p0108 N74-12870

SOLAR, SAN DIEGO, CALIF.

Turbine inlet gas temperature sensor for engine
control

p0046 N74-10461

Turbine blade temperature measurement system:
Operation manual

p0241 N74-18097

SOUTH DAKOTA STATE UNIV., BROOKINGS.

The unsteady circulation distribution in rotors
and its application to noise studies

p0152 N74-14437

SOUTHAMPTON UNIV. (ENGLAND).

On the noise from jets

p0329 N74-22655

SOUTHERN METHODIST UNIV., DALLAS, TEX.

The separating turbulent boundary layer: an
experimental study of an airfoil type

p0255 N74-18939

The separating turbulent boundary layer: An
experimental study of an airfoil type flow

p0281 N74-19637

Identification of aircraft stability and control
parameters using multilevel, hierarchical
estimation

p0356 N74-25500

SOUTHWEST RESEARCH INST., SAN ANTONIO, TEX.

Requirements for explosion-proof electrical
equipment in Air Force hangers

p0109 N74-12969

Engineering appraisal of Southwest Research
Institute magnetic crack definer applied to
C-47 rotor blades

p0163 N74-14778

Aerodynamic damping of vibrating helicopter rotors

p0358 N74-25598

SPERRY RAND CORP., PHOENIX, ARIZ.

Angle of attack computation system

p0255 N74-19107

Modification of prototype fly-by-wire system to
investigate fiber-optic multiplexed signal
transmission techniques

p0498 N74-34550

STANDARD ELECTRIC LORENZ A.G., STUTTGART (WEST
GERMANY).

Aerosat and Harsat: Satellites for mobile
services

p0059 N74-11018

STANFORD RESEARCH INST., REDLO PARK, CALIF.

Design of a fault tolerant airborne digital
computer. Volume 1: Architecture

p0240 N74-17909

Design of a fault tolerant airborne digital
computer. Volume 2: Computational
requirements and technology

p0254 N74-18842

Papers presented at the Lightning and Static
Electricity Conference (1972). Structure of
lightning noise - especially above HF.

p0255 N74-19271

Triggered lightning and its application to
rockets and aircraft

p0289 N74-20399

The chemistry of fuel deposits and their
precursors

p0358 N74-25596

Evaluation of the lidar technique of determining
slant range visibility for aircraft landings
operations

p0093 N74-11804

STANFORD UNIV., CALIF.

Aerodynamic sound generation due to
vortex-aerofoil interaction

Nonlinear bending and torsion of rotating beams
with application to linear stability of
hingeless helicopter rotors

p0101 N74-12545

Unsteady gas dynamics problems and aeroelastic
applications related to flight vehicles

p0106 N74-12734

Automatic control of a helicopter with a hanging
load

p0140 N74-13715

Multi-input, multi-output regulator design for
constant disturbances and non-zero set points
with application to automatic landing in a
crosswind

p0164 N74-15378

Acoustic scattering from an aircraft trailing
vortex

p0193 N74-16377

Automatic transitions of a tilt-rotor aircraft,
part 1. Automatic control of a helicopter
with a hanging load, part 2

p0363 N74-26432

STERCO HFG. CO., LONGVIEW, TEX.

Truck noise via diesel exhaust and air intake
noise

p0052 N74-10742

STEVENS INST. OF TECH., BOBOKED, N.J.

Control failure simulations of the PHH hydrofoil
craft using a 1/20-scale dynamic model with
automatic control

p0046 N74-10338

STICHTING NATIONAAL LUCHT- EN

RUIMTEVAARTLABORATORIUM, DELFT (NETHERLANDS).

Stichting National Aerospace Laboratory, review
for the year 1972

p0053 N74-10891

STOCKHOLM UNIV. (SWEDEN).

Gas-phase nitrogen and methane chemistry in the

- atmosphere-
[AD-10] p0255 N74-19053
- SUNBA CORP., CULVER CITY, CALIF.
Development of a low-cost composite die using
High-Energy-Rate Forming (HERF)
[AD-771957] p0242 N74-18145
- OH-6A design and operational flight loads study
[AD-775832] p0331 N74-22690
- SYDNEY UNIV. (AUSTRALIA).
Three computer programmes to calculate the
steady or unsteady subsonic characteristics of
lifting surfaces in ground effect
[ADM-7401] p0441 N74-29368
- SYSTEM DEVELOPMENT CORP., SANTA MONICA, CALIF.
Cumulative fatigue damage theory and models
[AD-774529] p0304 N74-21569
- SYSTEMS ASSOCIATES, INC., LONG BEACH, CALIF.
US Army helicopter hydraulic servocylinder
reliability and maintainability investigation
[AD-767243] p0142 N74-13731
- US Army helicopter rod end bearing reliability
and maintainability investigation
[AD-768843] p0190 N74-15724
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 1:
Document deficiency analysis
[AD-773022] p0252 N74-18709
- US Army helicopter hydraulic system reliability
and maintainability investigation. Volume 2:
Supplemental design guide
[AD-773023] p0252 N74-18710
- SYSTEMS CONTROL, INC., PALO ALTO, CALIF.
A unified approach to aircraft parameter
identification
p0357 N74-25584
- SYSTEMS RESEARCH LABS., INC., DAYTON, OHIO.
Investigation in energy transfer and energy
conversion for advanced power and propulsion
systems
[AD-771581] p0243 N74-18417
- SYSTEMS TECHNOLOGY, INC., HAWTHORNE, CALIF.
Design of a flight director/configuration
management system for piloted STOL approaches
[NASA-CR-114688] p0189 N74-15715
- Analysis and moving base simulation of
transition configuration management aspects of
a powered lift aircraft
[NASA-CR-114698] p0330 N74-22671
- Analytical design and simulation evaluation of
an approach flight director system for a jet
STOL aircraft
[NASA-CR-114697] p0330 N74-22676
- Turbulence flight director analysis and
preliminary simulation
[NASA-CR-140487] p0488 N74-33445
- Vehicle design considerations for active control
application to subsonic transport aircraft
[NASA-CR-2408] p0494 N74-34476
- T**
- TACTICAL AIR WARFARE CENTER, EGLIN AFB, FLA.
Simplified Visual Approach Slope Indicator (VASI)
[AD-767901] p0151 N74-14362
- TECHNION - ISRAEL INST. OF TECH., HAIFA.
Determination of the allowable tolerances for
the asymmetries of a free rolling vehicle
[TAE-185] p0323 N74-21637
- Flutter suppression and gust alleviation using
active controls
[NASA-CR-138658] p0363 N74-26424
- TECHNISCHE HOCHSCHULE, DARENSTADT (WEST GERMANY).
Study of the temperature influence on induced
flow effects. Part 1: Test equipment for
ground effect investigations using circular
hot air jets
[IPD-8/71-PT-1] p0097 N74-11844
- Study of the temperature influence on induced
flow effects. Part 2: Influence of ground
effects on hot-air jet mixing in steady
atmospheric air
[IPD-9/71-PT-2] p0097 N74-11845
- TECHNISCHE HOCHSCHULE, DELFT (NETHERLANDS).
Quasi homogeneous approximations for the
calculation of wings with curved subsonic
leading edges flying at supersonic speeds
[VTN-173] p0195 N74-16708
- Column failure of thin-walled compression
members in aircraft wings as affected by wall
imperfection and crushing
[VTN-175] p0197 N74-16737
- TECHNISCHE UNIV., BERLIN (WEST GERMANY).
Problems of pilot-automatic control interactions
in flight control
[ILR-4-1973] p0326 N74-21663
- TECHNISCHE UNIVERSITÄT, BRUNSWICK (WEST GERMANY).
Flight control problems for steep approaches
[NASA-TT-F-15617] p0406 N74-27493
- TECHNOLOGY, INC., DAYTON, OHIO.
Helicopter drive system load analysis
[AD-775858] p0331 N74-22697
- T-38 structural flight loads data for June 1970
through December 1971
[AD-758891] p0408 N74-27507
- TECHTRAN CORP., GLEN BURNIE, MD.
Economics of air transport
[NASA-TT-F-15249] p0154 N74-14682
- Aircraft of the future
[NASA-TT-F-15424] p0284 N74-19669
- The creative life of S. V. Il'yushin
[NASA-TT-F-15622] p0332 N74-23509
- Longitudinal motion of an airliner during steep
approach
[NASA-TT-F-15616] p0355 N74-25564
- Effects of new approach procedures on cockpit
design and chances for realization
[NASA-TT-F-15613] p0355 N74-25565
- Noise reducing methods for STOL aircraft
approach and takeoff
[NASA-TT-F-15612] p0413 N74-28500
- A new type of sail plane
[NASA-TT-F-15920] p0472 N74-32440
- TECHTRAN CORP., SILVER SPRING, MD.
Calculation and analysis of aircraft motion
[NASA-TT-F-157] p0159 N74-14751
- Civil aviation in the USSR (the fiftieth
anniversary of its formation)
[NASA-TT-F-806] p0283 N74-19666
- TEER (JAMES G.) AND CO., COLLEGE STATION, TEX.
Studies of the effects of sonic boom on birds
[FAA-RD-73-148] p0039 N74-10039
- TELEDYNE RYAN AERONAUTICAL CO., SAN DIEGO, CALIF.
Catapult performance and interface requirements
for launch of BQM-34 vehicles
[AD-783935] p0499 N74-34686
- TELEDYNE SYSTEMS CO., WORTHINGTON, CALIF.
Investigation of application of
two-degree-of-freedom dry tuned-gimbal
gyroscopes to strapdown navigation systems
[NASA-CR-132419] p0304 N74-21289
- TENNESSEE UNIV. SPACE INST., TULLAHOMA.
Noise characteristics of jet flap type exhaust
flows
[NASA-CR-2342] p0236 N74-17756
- An approximate solution of unsteady transonic
flow problems
[AD-783621] p0500 N74-34718
- On the inlet vortex system
[NASA-CR-140182] p0500 N74-35194
- TEST GROUP (6585TH), HOLLoman AFB, N.MEX.
Antenna gain pattern measurements on a BQM-34P
target drone, volume 5
[AD-778075] p0409 N74-27642
- Static radar cross section of light aircraft.
Volume 1: Cessna 150 L at L-, S-, and C-bands
[AD-781825] p0491 N74-33648
- Static radar cross section of light aircraft.
Volume 2: Cherokee 140 at L-, S-, and C-bands
[AD-781791] p0492 N74-33652
- Static radar cross section of light aircraft.
Volume 3: Piper PA-18 super cub at L-, S-,
and C-bands
[AD-781792] p0492 N74-33653
- TEXAS A&M UNIV., COLLEGE STATION.
Research on aircraft dynamics for subsonic flight
[AD-765657] p0042 N74-10061
- Wake induced loads on helicopter rotor blades
p0103 N74-12708
- Research on aircraft dynamics for subsonic flight
[AD-770540] p0197 N74-16738
- A numerical vortex box technique for
calculations in lifting surface theory
p0244 N74-18642
- TEXAS INSTRUMENTS, INC., AUSTIN.
Failure modes, effects and criticality analysis
(FMECA) of category III instrument landing
system with traveling: Wave localizer antenna
[U1-840912-100] p0164 N74-15380

TEXAS TRANSPORTATION INST., COLLEGE STATION.

Texas airport systems plan - air passenger demand model: Model test and evaluation
[AD-772471] p0294 N74-20630

TEXAS UNIV., ARLINGTON.

A digital calculation of the response of a piloted subsonic jet-transport airplane to severe vertical gusts
p0412 N74-28498

TEXAS UNIV., AUSTIN.

Suppression of flutter on interfering lifting surfaces by the use of active controls
p0411 N74-28473

Suppression of flutter on interfering lifting surfaces by the use of active controls
[AD-779770] p0441 N74-29372

TORONTO UNIV. (ONTARIO).

Measurement of turbulence inputs for V/STOL approach paths in a simulated planetary boundary layer
[UTIAS-189] p0066 N74-11661

A numerical study of the effects of aircraft maneuvers on the focusing of sonic booms
[AD-775095] p0326 N74-21664

TRANSPORTATION SYSTEMS CENTER, CAMBRIDGE, MASS.

Evaluation of ILS localizer signal specification during ground rollout
[AD-765761] p0049 N74-10623

Human factors experiments for data link
[AD-760401] p0049 N74-10625

User's manual for ILSLOC: Simulation for derogation effects on the localizer portion of the instrument landing system
[AD-768049] p0151 N74-14361

The detection of aircraft wake vortices
p0233 N74-17731

A comparison of two L-band aircraft antennas for aeronautical satellite applications
p0469 N74-31688

TRW SYSTEMS GROUP, REDONDO BEACH, CALIF.

Nuclear instrument landing system
[SAN-828-2] p0288 N74-20232

TYCO LABS., INC., BALTHAM, MASS.

Development and testing of a cadmium telluride high temperature (750 F) infrared fire detector
[AD-773324] p0287 N74-19714

U

UNITED AIRCRAFT CORP., EAST HARTFORD, CONN.

Development of optimal control modes for advanced technology propulsion systems
[AD-767425] p0112 N74-13514

Experimental investigation of model variable-geometry and ogee tip rotors
[NASA-CR-2275] p0245 N74-18645

Nondestructive holographic techniques for structures inspection
[AD-774758] p0303 N74-21105

Helicopter derivative identification from analytic models and flight test data
p0356 N74-25579

The passage of an infinite swept airfoil through an oblique gust
[NASA-CR-2395] p0363 N74-26425

Dynamic analysis of multi-degree-of-freedom systems using phasing matrices
p0496 N74-34493

UNITED AIRCRAFT CORP., STRATFORD, CONN.

Vibration effects on helicopter reliability and maintainability
[AD-766307] p0042 N74-10064

Dynamic test of gears manufactured by advanced forging techniques
[AD-765491] p0047 N74-10484

Helicopter rotor loads predictions
p0055 N74-10912

Investigation of the maneuverability of the S-67 winged helicopter
[AD-767559] p0106 N74-12735

NASTRAN data generation of helicopter fuselages using interactive graphics
p0153 N74-14621

Dynamic model wind tunnel tests of a variable-diameter, telescoping-blade rotor system (TRAC rotor)
[AD-771037] p0237 N74-17764

The evaluation of a stall-flutter spring-damper pushrod in the rotating control system of a

CH-54B helicopter

[AD-771962] p0238 N74-17773

Aeroelastic analysis of a telescoping rotor blade
[AD-771963] p0239 N74-17774

Analytical study to define a helicopter stability derivative extraction method, volume 1
[NASA-CR-132371] p0248 N74-18674

Analytical study to define a helicopter stability derivative extraction method, volume 2
[NASA-CR-132372] p0248 N74-18675

CH-53 A flexible frame vibration analysis/test correlation
[AD-772569] p0252 N74-18711

CH-54 B main gearbox thermal mapping program
[AD-772664] p0253 N74-18712

CH 54A design and operational flight loads study
[AD-773551] p0286 N74-19686

A design analysis of CH-54B main rotor hub fabricated from composite materials
[AD-774270] p0300 N74-20689

Community acceptance of helicopter noise: Criteria and application
[NASA-CR-132430] p0355 N74-25567

Qualification test methods for helicopter cargo handling systems
[AD-776991] p0358 N74-25599

Fatigue and fracture considerations in critical titanium components
p0367 N74-26470

Development of cargo slings with nondestructive checkout systems
[AD-777497] p0369 N74-26492

Continuous seam diffusion bond titanium spar evaluation
[AD-780029] p0468 N74-31515

Dynamic stall modeling and correlation with experimental data on airfoils and rotors
p0495 N74-34491

Correlation of finite-element structural dynamic analysis with measured free vibration characteristics for a full-scale helicopter fuselage
p0496 N74-34496

UNITED AIRCRAFT OF CANADA, LTD., LOUGHEVILLE (QUEBEC).

Low NOx emission combustor for automobile
[PB-222075/4] p0052 N74-10745

UNITED STATES INDUSTRIES, INC., NEW YORK.

Unsteady fluid dynamic response of an axial-flow compressor stage with distorted inflow
[AD-766084] p0051 N74-10736

UNIVERSITY OF SOUTHERN CALIF., LOS ANGELES.

On the generation of jet noise
p0329 N74-22663

UTAH STATE UNIV., LOGAN.

Model study of C-5A landings on AS2 landing mat
[AD-767231] p0109 N74-12970

Dynamic response of the landing mat to aircraft landing
p0369 N74-26768

V

VEREINIGTE FLUGTECHNISCHE WERKE G.H.B.H., BREMEN (WEST GERMANY).

Design optimization of the VAK 191B and its evaluation based on results from the hardware realization and test data
p0466 N74-31479

VEREINIGTE FLUGTECHNISCHE WERKE-POMMER G.H.B.H., BREMEN (WEST GERMANY).

Fatigue of spacecraft structures
[ESRO-CR(P)-322] p0194 N74-16597

The development and flight testing of the propulsion system of the VAK 191 B V/STOL strike and reconnaissance aircraft
p0292 N74-20432

VIRGINIA UNIV., CHARLOTTESVILLE.

Downwash-velocity potential method for oscillating surfaces using aerodynamic elements in subsonic and supersonic flows
p0281 N74-19638

Effects of aircraft design on STOL ride quality: A simulator study
[NASA-CR-140059] p0473 N74-32443

VIXEE INC., ALBANY, N.Y.

A theoretical study of the application of jet flap circulation control for reduction of rotor vibratory forces
[NASA-CR-137515] p0416 N74-28525

W

WARREN SPRING LAB., STEVENAGE (ENGLAND).
Relative air pollution emissions from an airport
in the UK and neighbouring urban areas
p0148 H74-14282

WASHINGTON UNIV., SEATTLE.
Throughflow theory for turbomachines
[AD-766537] p0065 H74-11602
A prediction model for wake related sound
generation by single airfoils and subsonic
rotors p0187 H74-15700

WASHINGTON UNIV., ST. LOUIS, MO.
Concepts for a theoretical and experimental
study of lifting rotor random loads and
vibrations, Phase 1
[NASA-CR-114707] p0160 H74-14755

Concepts for a theoretical and experimental
study of lifting rotor random loads and
vibrations, Phase 2
[NASA-CR-114708] p0160 H74-14756

Concepts for a theoretical and experimental
study of lifting rotor random loads and
vibrations (the effects of some rotor feedback
systems on rotor-body dynamics), Phase 7-A
[NASA-CR-114709] p0160 H74-14757

Concepts for a theoretical and experimental
study of lifting rotor random loads and
vibrations (identification of lifting rotor
system parameters from transient response
data), Phase 7-B
[NASA-CR-114710] p0160 H74-14758

Concepts for a theoretical and experimental
study of lifting rotor random loads and
vibrations (further experiments with
progressing/regressing rotor flapping modes),
Phase 7-C
[NASA-CR-114711] p0160 H74-14759

Methods studies toward simplified rotor-body
dynamics, part 1
[NASA-CR-137570] p0495 H74-34483

Computer experiments on periodic systems
identification using rotor blade transient
flapping-torsion responses at high advance ratio
p0496 H74-34492

WEAPONS RESEARCH ESTABLISHMENT, SALISBURY
(AUSTRALIA).

The improvement in Mach number distribution and
reduction of pressure fluctuations in the
transonic working section of wind tunnel S.1
[WRE-TN-925] p0045 H74-10303

Description of six degree of freedom rigid
aircraft mathematical models
[WRE-TN-901(WR/D)] p0187 H74-15702

WEATHER WING (3RD), OFFUTT AFB, NEBR.
Thermal parameters as a predictor of
precipitation type for Kincheloe AFB, Michigan
[AD-754927] p0048 H74-10611

WEST VIRGINIA UNIV., MORGANTOWN.
The stability of helical vortex filaments in the
wake of a hovering rotor
[AD-766828] p0062 H74-11128

The stability of helical vortex filaments in the
wake of a hovering rotor
p0140 H74-13713

Non-linear helicopter rotor lifting surface theory
p0363 H74-26431

Nonlinear helicopter rotor lifting surface
theory, part 1
[AD-781885] p0473 H74-32453

WESTINGHOUSE ELECTRIC CORP., BALTIMORE, MD.
Cobra window design analysis and no glare canopy
design
[AD-778165] p0408 H74-27508

WESTINGHOUSE ELECTRIC CORP., LIMA, OHIO.
The ac power controllers for solid state
distribution system. Volume 1: Design,
development, fabrication, and test of hybrid
devices
[AD-768199] p0146 H74-13903

WESTLAND HELICOPTERS LTD., HAYES (ENGLAND).
Fatigue of composite structures: Experience
gained in the design of CFRP structures for
helicopters
p0368 H74-26479

WESTLAND HELICOPTERS, LTD., YEOVIL (ENGLAND).
The prediction of loading actions on high speed

semi-rigid helicopters

p0055 H74-10914

WHITTAKER CORP., SAN DIEGO, CALIF.
Low cost, fiber glass reinforced plastic fuel
tank, volume 1
[AD-766361] p0057 H74-10929

Low cost, fiber glass reinforced plastic fuel
tank, volume 2
[AD-766400] p0057 H74-10931

Manufacturing Methods Technology (MM/T) for
ballistic-tolerant flight control components
[AD-766744] p0058 H74-10933

Composite-material helicopter rotor hubs
[AD-771973] p0238 H74-17772

WISCONSIN UNIV., MADISON.
The divided combustion chamber concept and
design for control of SI engine exhaust air
pollutant emissions
p0165 H74-15454

WISCONSIN UNIV., MILWAUKEE.
Numerical calculations of velocity and pressure
distribution around oscillating airfoils
[NASA-CR-2368] p0194 H74-16704

WORLD METEOROLOGICAL ORGANIZATION, GENEVA
(SWITZERLAND).

Fifth session of Commission for Aeronautical
Meteorology
[WHO-322] p0100 H74-12330


CONTRACT NUMBER INDEX

JANUARY 1975

RONAUTICAL ENGINEERING / A Special Bibliography

4 Cumulative Index

Contract Number Index Listing



ings in this index are arranged alphanumerically by contract number. Under contract number, the accession numbers denoting documents that have produced as a result of research done under that contract are arranged in ending order with the IAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in either the or STAR section. Preceding the accession number is the page number in particular supplement in which the citation may be found.

OTHER PROJ. 7080
p0418 N74-29016
PROJ. G101
p0046 N74-10326
p0046 N74-10328
p0166 N74-15467
p0243 N74-18416
PROJ. 69DF
p0327 N74-21673
PROJ. 404L
p0361 N74-26149
p0361 N74-26155
PROJ. 406U
p0490 N74-33460
PROJ. 412A
p0285 N74-19683
PROJ. 437A
p0200 N74-17001
PROJ. 445-2
p0411 N74-28243
PROJ. 4860
p0473 N74-32451
p0473 N74-32456
p0497 N74-34523
PROJ. 487T
p0142 N74-13728
p0358 N74-25602
PROJ. 643A
p0056 N74-10925
p0057 N74-10926
p0057 N74-10927
p0057 N74-10928
p0058 N74-10936
p0058 N74-10937
p0058 N74-10938
p0098 N74-11847
p0143 N74-13733
p0143 N74-13734
p0143 N74-13735
p0143 N74-13736
p0145 N74-13754
p0146 N74-13755
p0146 N74-13756
p0146 N74-13757
p0199 N74-16751
p0199 N74-16752
p0199 N74-16753
p0251 N74-18697
p0251 N74-18704
PROJ. 649L
p0289 N74-20237
PROJ. 653A
p0098 N74-11846
PROJ. 683L
p0299 N74-20682
p0361 N74-26242
PROJ. 683M
p0046 N74-10404
p0061 N74-11102
p0107 N74-12742
p0109 N74-12969
p0109 N74-12970
p0301 N74-20904
p0328 N74-21904
p0328 N74-21910
p0330 N74-22689

AF PROJ. 1207
p0497 N74-34517
AF PROJ. 1366
p0299 N74-20677
AF PROJ. 1367
p0324 N74-21641
p0412 N74-28493
AF PROJ. 1368
p0369 N74-26489
p0501 N74-35362
AF PROJ. 1369
p0043 N74-10067
p0163 N74-14779
p0198 N74-16742
p0198 N74-16749
p0237 N74-17761
p0285 N74-19678
AF PROJ. 1471
p0300 N74-20691
AF PROJ. 1476
p0159 N74-14746
p0363 N74-26430
AF PROJ. 1929
p0500 N74-34718
AF PROJ. 1987
p0046 N74-10461
p0303 N74-21047
p0498 N74-34550
AF PROJ. 2567
p0240 N74-17921
AF PROJ. 3012
p0360 N74-25790
AF PROJ. 3048
p0112 N74-13501
p0287 N74-19714
p0288 N74-20161
p0359 N74-25603
p0409 N74-27540
AF PROJ. 3066
p0065 N74-11602
p0159 N74-14747
p0443 N74-29395
AF PROJ. 3145
p0146 N74-13903
p0362 N74-26255
AF PROJ. 4363
p0442 N74-29393
AF PROJ. 6065
p0468 N74-31514
AF PROJ. 6090
p0162 N74-14769
AF PROJ. 6091
p0328 N74-21847
AF PROJ. 6665
p0043 N74-10069
p0043 N74-10070
AF PROJ. 6670
p0358 N74-25596
AF PROJ. 7021
p0191 N74-15829
AF PROJ. 7064
p0232 N74-17718
AF PROJ. 7065
p0052 N74-10749
p0052 N74-10750

AF PROJ. 7071
p0304 N74-21569
p0418 N74-28782
AF PROJ. 7116
p0243 N74-18417
AF PROJ. 7184
p0106 N74-12733
p0198 N74-16743
AF PROJ. 7222
p0198 N74-16747
AF PROJ. 7345
p0148 N74-14246
AF PROJ. 7351
p0110 N74-13263
p0201 N74-17278
p0255 N74-19184
p0303 N74-21105
AF PROJ. 7360
p0057 N74-10932
p0110 N74-13265
AF PROJ. 7381
p0190 N74-15727
p0303 N74-21151
AF PROJ. 7605
p0048 N74-10605
p0164 N74-15367
AF PROJ. 7905
p0105 N74-12727
AF PROJ. 8219
p0441 N74-29371
AF PROJ. 8222
p0066 N74-11606
AF PROJ. 8225
p0302 N74-20907
AF PROJ. 8809
p0042 N74-10065
AF PROJ. 9536
p0192 N74-15830
AF PROJ. 9711
p0166 N74-15666
p0201 N74-17648
AF PROJ. 9769
p0044 N74-10169
p0491 N74-33470
AF PROJ. 9777
p0043 N74-10068
AF PROJ. 9778
p0144 N74-13746
p0244 N74-18637
AF PROJ. 9781
p0109 N74-12971
AF PROJ. 9782
p0441 N74-29372
AF PROJ. 9783
p0326 N74-21664
AF PROJECT 486U
p0132 A74-18738
p0262 A74-26652
p0265 A74-26679
AF PROJECT 828-9
p0083 A74-14752
AF PROJECT 2567
p0013 A74-11342
AF PROJECT 3066
p0012 A74-11316
p0071 A74-13245
AF PROJECT 4364
p0181 A74-20945
AF TASK 11
p0071 A74-13245
AF 19(628)-6080
p0382 A74-36427
AF 29(600)-2671
p0209 A74-23091
AF 49(638)-1207
p0209 A74-23091
AF-AFOSR-71-1998
p0266 A74-26703
AF-AFOSR-71-2092
p0447 A74-41044
AF-AFOSR-71-2145
p0449 A74-41329
AF-AFOSR-72-2274
p0115 A74-16384

AF-AFOSR-72-2299
p0125 A74-17905
AF-AFOSR-1710-69
p0044 N74-10169
AF-AFOSR-1880-70
p0192 N74-15830
AF-AFOSR-1885-70
p0326 N74-21664
AF-AFOSR-1902-70
p0201 N74-17648
AF-AFOSR-1974-71
p0043 N74-10068
AF-AFOSR-1998-71
p0441 N74-29372
AF-AFOSR-2200-72
p0149 N74-14292
AF-AFOSR-2273-72
p0357 N74-25588
AF-AFOSR-2299-72
p0149 N74-14292
AF-AFOSR-2365-72
p0166 N74-15666
AIR PROJ. 52022
p0417 N74-28550
ARO PROJ. PW5213
p0046 N74-10340
ARO PROJ. VF203
p0147 N74-13992
ARO PROJ. VM5206
p0147 N74-13992
AROD PROJ. 9055-E
p0358 N74-25598
ARPA ORDER 1322
p0087 A74-15644
ARPA ORDER 2108
p0144 N74-13741
p0498 N74-34538
ARPA ORDER 2158
p0240 N74-17902
AT (04-3)-828
p0288 N74-20232
AT (11-1)-3077
p0459 A74-43451
p0480 A74-45226
BMBW-BVII1-V17/72-KA-15
p0121 A74-17205
BMBW-WRK-197
p0080 A74-14548
CNR-115,980,0,3721
p0378 A74-35719
DA PROJ. 1F1-62201-A-119
p0163 N74-14781
DA PROJ. 1F1-62201-D-025
p0491 N74-33468
DA PROJ. 1F1-62202-A-97A
p0289 N74-20235
DA PROJ. 1F1-62203-A-33A
p0244 N74-18640
DA PROJ. 1F1-62203-A-119
p0284 N74-19676
DA PROJ. 1F1-62203-A-434
p0190 N74-15725
p0238 N74-17765
p0359 N74-25604
DA PROJ. 1F1-62203-A-435
p0162 N74-14774
p0300 N74-20690
DA PROJ. 1F1-62203-A-529
p0042 N74-10060
p0408 N74-27516
DA PROJ. 1F1-62203-AA-33
p0142 N74-13729
p0358 N74-25599
DA PROJ. 1F1-62204-A-139
p0237 N74-17764
DA PROJ. 1F1-62204-A-142
p0038 N74-10033
p0042 N74-10063
DA PROJ. 1F1-62204-A-170
p0331 N74-22700
DA PROJ. 1F1-62204-AA-41
p0106 N74-12738
p0232 N74-17715
DA PROJ. 1F1-62204-AA-42
p0252 N74-18705

CONTRACT NUMBER INDEX

DA PROJ. 1F1-62204-AA-43
p0327 H74-21671
DA PROJ. 1F1-62204-AA-44
p0408 H74-27510
DA PROJ. 1F1-62204-AA-82
p0251 H74-18700
p0286 H74-19686
p0331 H74-22690
DA PROJ. 1F1-62205-A-119
p0107 H74-12739
p0142 H74-13731
p0190 H74-15724
p0197 H74-16740
p0243 H74-18405
p0252 H74-18706
p0252 H74-18707
p0252 H74-18709
p0252 H74-18710
p0253 H74-18718
p0256 H74-19411
p0284 H74-19675
DA PROJ. 1F1-62205-A-529
p0239 H74-17775
DA PROJ. 1F1-62208-A-170
p0058 H74-10933
p0238 H74-17772
p0250 H74-18696
p0253 H74-18713
p0285 H74-19684
p0300 H74-20689
DA PROJ. 1F1-62208-AA-82
p0353 H74-25544
p0443 H74-29402
DA PROJ. 1F1-63204-D-38B
p0042 H74-10064
DA PROJ. 1F1-63204-D-157
p0106 H74-12735
p0239 H74-17774
DA PROJ. 1F1-63209-DB-33
p0252 H74-18708
p0369 H74-26492
DA PROJ. 1F1-63209-DB-38
p0253 H74-18716
DA PROJ. 1F2-62208-AB-9001
p0491 H74-33472
DA PROJ. 1F2-63207-DB-97
p0112 H74-13450
DA PROJ. 1F2-63211-D-157
p0498 H74-34525
DA PROJ. 1G1-62204-AA-72
p0331 H74-22697
DA PROJ. 1G1-62207-AA-71
p0152 H74-14444
p0293 H74-20451
DA PROJ. 1G1-62207-AA-72
p0047 H74-10484
p0143 H74-13732
p0162 H74-14775
p0327 H74-21667
p0327 H74-21668
p0360 H74-25614
p0369 H74-26493
p0408 H74-27515
DA PROJ. 1G1-62208-AA-72
p0253 H74-18712
DA PROJ. 1G6-63702-DG-10
p0107 H74-12744
DA PROJ. 1M2-62303-A-214
p0105 H74-12729
p0162 H74-14771
p0251 H74-18701
DA PROJ. 1M3-62303-A-214
p0328 H74-22558
DA PROJ. 1T0-61101-A-91A
p0112 H74-13450
p0287 H74-19822
DA PROJ. 1T0-61102-B-53A
p0063 H74-11295
p0242 H74-18280
DA PROJ. 1T0-62013-A-046
p0468 H74-31518
DA PROJ. 1T0-62105-A-329
p0111 H74-13286
p0193 H74-16259
DA PROJ. 1T6-65706-M-541
p0240 H74-17783
DA PROJ. 1X1-64206-D-378
p0359 H74-25609
p0443 H74-29401
DA PROJ. 200-10501-B-700
p0059 H74-10941

DA PROJ. 3A0-61102-B-71P
p0044 H74-10159
DA PROJ. 3A0-62110-A-819
p0251 H74-18702
DA PROJ. 4A0-62203-A-859
p0241 H74-17963
DA PROJ. 1728037
p0303 H74-21084
DA-ARO (D)-31-124-G-154
p0112 H74-13513
DA-ARO (D)-31-124-G-1144
p0215 A74-22477
DA-ARO (D)-31-124-71-G-112
p0251 H74-18703
DA-ARO (D)-31-124-71-G-153
p0197 H74-16738
DA-ARO (D)-31-124-71-G-177
p0190 H74-15728
DA-ARO (D)-31-124-72-G-631
p0255 H74-18939
DA-ARO (D)-31-124-71-G-112
p0343 A74-33813
DA-ARO (D)-124-G-154
p0132 A74-18732
DA-ARO (D)-124-71-G-112
p0395 A74-37501
DA-31-124-ARO (D)-246
p0059 H74-10941
DA-31-124-ARO (D)-375
p0341 A74-33401
DA-31-124-ARO (D)-471
p0477 A74-44406
DAAA25-72-C-0492
p0075 A74-13815
DAAB07-71-C-0300
p0267 A74-26916
DAAD05-71-C-0422
p0416 H74-28532
DAAD05-72-C-0284
p0408 H74-27508
DAAD05-73-C-0305
p0408 H74-27508
DAAG11-69-C-0626
p0242 H74-18183
DAAG17-72-C-0075
p0054 H74-10899
DAAG46-72-C-0073
p0288 H74-20080
DAAG46-72-C-0175
p0468 H74-31515
DAAG46-73-C-0028
p0242 H74-18145
DAAH02-73-C-0024
p0253 H74-18716
DAAJ01-71-C-0840
p0341 A74-33404
DAAJ01-72-C-0737
p0303 H74-21084
DAAJ01-73-C-0286
p0385 A74-36589
DAAJ01-73-C-0533
p0163 H74-14778
DAAJ01-73-C-0581
p0500 H74-34952
DAAJ02-67-C-0016
p0038 H74-10033
p0042 H74-10063
DAAJ02-68-C-0074
p0237 H74-17764
DAAJ02-69-C-0060
p0047 H74-10484
DAAJ02-70-C-0004
p0087 A74-15644
DAAJ02-70-C-0022
p0152 H74-14444
DAAJ02-70-C-0031
p0359 H74-25609
DAAJ02-70-C-0032
p0443 H74-29401
DAAJ02-70-C-0055
p0042 H74-10060
DAAJ02-70-C-0067
p0162 H74-14774
DAAJ02-71-C-0008
p0106 H74-12735
DAAJ02-71-C-0029
p0239 H74-17775
DAAJ02-71-C-0031
p0408 H74-27516
DAAJ02-71-C-0032
p0238 H74-17772

DAAJ02-71-C-0035
p0044 H74-10073
DAAJ02-71-C-0037
p0042 H74-10064
DAAJ02-71-C-0045
p0106 H74-12738
DAAJ02-71-C-0049
p0238 H74-17765
DAAJ02-71-C-0055
p0256 H74-19411
DAAJ02-71-C-0058
p0238 H74-17773
DAAJ02-71-C-0062
p0058 H74-10933
DAAJ02-71-C-0064
p0206 A74-22469
DAAJ02-71-D-0003
p0142 H74-13731
p0190 H74-15724
DAAJ02-72-C-0008
p0369 H74-26492
DAAJ02-72-C-0013
p0253 H74-18713
DAAJ02-72-C-0017
p0047 H74-10491
DAAJ02-72-C-0025
p0239 H74-17774
DAAJ02-72-C-0030
p0388 A74-36618
DAAJ02-72-C-0033
p0327 H74-21667
p0327 H74-21668
p0360 H74-25614
DAAJ02-72-C-0036
p0498 H74-34525
DAAJ02-72-C-0037
p0358 H74-25599
DAAJ02-72-C-0040
p0162 H74-14775
p0369 H74-26493
DAAJ02-72-C-0041
p0190 H74-15725
DAAJ02-72-C-0042
p0252 H74-18705
DAAJ02-72-C-0044
p0252 H74-18706
DAAJ02-72-C-0046
p0252 H74-18708
DAAJ02-72-C-0051
p0408 H74-27510
DAAJ02-72-C-0052
p0163 H74-14781
DAAJ02-72-C-0053
p0239 H74-17775
DAAJ02-72-C-0054
p0250 H74-18693
DAAJ02-72-C-0056
p0250 H74-18696
DAAJ02-72-C-0057
p0285 H74-19684
DAAJ02-72-C-0060
p0286 H74-19686
DAAJ02-72-C-0061
p0331 H74-22690
DAAJ02-72-C-0063
p0142 H74-13729
DAAJ02-72-C-0064
p0388 A74-36620
DAAJ02-72-C-0065
p0197 H74-16740
DAAJ02-72-C-0068
p0252 H74-18707
DAAJ02-72-C-0072
p0253 H74-18712
DAAJ02-72-C-0073
p0284 H74-19675
DAAJ02-72-C-0074
p0107 H74-12739
DAAJ02-72-C-0075
p0143 H74-13732
DAAJ02-72-C-0081
p0408 H74-27515
DAAJ02-72-C-0084
p0293 H74-20451
DAAJ02-72-C-0085
p0359 H74-25604
DAAJ02-72-C-0087
p0251 H74-18700
DAAJ02-72-C-0093
p0394 A74-37493
p0353 H74-25544

DAAJ02-72-C-0095
p0385 A74-36594
DAAJ02-72-C-0097
p0232 H74-17715
DAAJ02-72-C-0099
p0331 H74-22706
DAAJ02-72-C-0100
p0443 H74-29402
DAAJ02-72-C-0102
p0072 A74-13300
DAAJ02-72-C-0104
p0300 H74-20689
DAAJ02-72-C-0105
p0384 A74-36588
p0495 H74-34499
DAAJ02-72-C-0110
p0243 H74-18405
DAAJ02-73-C-0010
p0327 H74-21677
DAAJ02-73-C-0012
p0331 H74-22697
DAAJ02-73-C-0013
p0252 H74-18705
p0252 H74-18716
DAAJ02-73-C-0015
p0491 H74-33472
DAAK02-70-C-0518
p0107 H74-12744
DAAK02-72-C-0043
p0047 H74-10484
DAHC04
p0210 A74-23322
DAHC04-68-C-0003
p0286 H74-19688
p0470 H74-32411
DAHC04-69-C-0015
p0450 A74-41333
p0042 H74-10066
DAHC04-69-C-0016
p0112 H74-13516
DAHC04-69-C-0086
p0206 A74-22477
DAHC04-70-C-0050
p0358 H74-25599
DAHC04-70-C-0057
p0285 H74-19677
DAHC04-71-C-0048
p0394 A74-37488
p0496 H74-34499
DAHC04-72-A-0001
p0491 H74-33466
DAHC04-72-C-0040
p0134 A74-18833
DAJA37-72-C-1280
p0293 H74-20579
DGRST-69-0-1906
p0064 H74-11388
DI-14-16-0001-5351
p0039 H74-10039
DOT-CG-23223-A
p0305 H74-21622
DOT-FA-SS71-13
p0071 A74-13299
DOT-FA70WAI-175
p0098 H74-11977
DOT-FA71WA-2628
p0471 H74-32430
DOT-FA71WA-2635
p0164 H74-15388
DOT-FA71WA-2637
p0471 H74-32422
DOT-FA71WA-2728
p0396 A74-37533
DOT-FA72WA-656
p0039 H74-10044
p0099 H74-12166
DOT-FA72WA-2800
p0111 H74-13422
p0150 H74-14344
p0150 H74-14344
p0150 H74-14344
p0150 H74-14344
p0151 H74-14344
DOT-FA72WA-2803
p0165 H74-15388
p0165 H74-15388
p0165 H74-15388
p0165 H74-15388
p0165 H74-15388
p0165 H74-15388
p0288 H74-20233

CONTRACT NUMBER INDEX

DOT-FA72WA-2804
p0402 A74-37886
DOT-FA72WA-2851
p0112 H74-13427
DOT-FA72WA-2908
p0110 H74-13198
DOT-FA72WA-2950
p0098 H74-12019
DOT-FA72WA-3023
p0071 A74-13298
DOT-FA72WA-3099
p0056 H74-10921
DOT-FA72WA-3101
p0309 A74-28742
DOT-FA72WA-3116
p0397 A74-37548
p0472 H74-32437
DOT-FA72WA-3118
p0239 H74-17779
p0239 H74-17780
p0239 H74-17781
DOT-FA72WAI-238
p0039 H74-10039
DOT-FA72WAI-242
p0169 A74-19315
p0100 H74-12356
p0164 H74-15379
DOT-FA72WAI-261
p0048 H74-10620
p0048 H74-10621
p0065 H74-11432
p0100 H74-12362
p0192 H74-15876
DOT-FA72WAI-263
p0056 H74-10920
DOT-FA72WAI-283
p0410 H74-28082
DOT-FA73WA-3161
p0397 A74-37548
DOT-FA73WA-3192
p0401 A74-37851
DOT-FA73WA-3233
p0474 H74-33116
DOT-IA-FA-313
p0049 H74-10625
DOT-OS-00002
p0329 H74-22663
DOT-TSC-91
p0433 A74-39485
DOT-TSC-93
p0206 A74-22471
p0210 A74-23328
p0315 A74-30093
DOT-TSC-144
p0337 A74-33065
DOT-TSC-344
p0065 H74-11435
p0065 H74-11436
DOT-TSC-379
p0346 A74-34847
DOT-TSC-473
p0175 A74-20096
DOT-TSC-533
p0052 H74-10742
DOT-TSC-565
p0275 A74-27811
DOT-TSC-593
p0498 H74-34537
p0499 H74-34716
DOT-TSC-694
p0499 H74-34715
DRB-66-9603
p0073 A74-13791
DRB-4003-02
p0433 A74-39495
DRB-9781-04
p0433 A74-39495
DRHE-72/184
p0053 H74-10846
DRHE-72/337
p0298 H74-20673
DRHE-72/545
p0060 H74-11099
DRHE-72/1348
p0425 A74-38633
DSA900-73-C-0922
p0066 H74-11604
DSR PROJ. 55-23890
p0493 H74-34465
EPA-R-801284
p0015 A74-11451

EPA-68-04-0015
p0052 H74-10745
EPA-68-04-0017
p0052 H74-10746
ESTEC-1777/72-SK
p0107 H74-12864
p0107 H74-12865
p0108 H74-12866
p0108 H74-12867
p0108 H74-12868
p0108 H74-12869
p0108 H74-12870
ESTEC-1846/72-AA
p0194 H74-16597
FAA PROJ. 034-241-012
p0065 H74-11432
p0100 H74-12362
FAA PROJ. 052-241-050
p0100 H74-12361
FAA PROJ. 075-325-013
p0111 H74-13421
FAA PROJ. 132-422-062
p0410 H74-28082
FAA PROJ. 181-520-020
p0095 H74-11828
FAA PROJ. 181-522-010
p0101 H74-12574
p0475 H74-33225
FAA PROJ. 213-516-035
p0098 H74-11973
FAA PROJ. 214-531-090
p0472 H74-32435
FAA PROJ. 45334
p0471 H74-32429
FTD PROJ. T74-01-20
p0361 H74-26130
FTD PROJ. T74-01-67
p0362 H74-26421
F04606-73-A-0048
p0499 H74-34686
F04701-73-C-0074
p0418 H74-28719
F19628-71-C-0152
p0358 H74-25596
F19628-72-C-0219
p0043 H74-10070
F19628-73-C-0002
p0169 A74-19315
p0048 H74-10620
p0048 H74-10621
p0065 H74-11432
p0100 H74-12356
p0100 H74-12362
p0164 H74-15379
p0289 H74-20237
F29601-71-C-0116
p0109 H74-12969
F29601-71-C-0129
p0109 H74-12970
F29601-72-C-0024
p0301 H74-20904
F29601-72-C-0027
p0046 H74-10404
F29601-72-C-0083
p0107 H74-12742
F29601-73-C-0100
p0299 H74-20682
F29601-73-C-0133
p0492 H74-33652
F30602-72-C-0135
p0200 H74-16960
F33614-72-C-1769
p0110 H74-13262
F33615-61-C-1757
p0058 H74-10940
F33615-69-C-1337
p0399 A74-37800
F33615-70-C-1133
p0441 H74-29371
F33615-70-C-1212
p0084 A74-14768
F33615-70-C-1450
p0159 H74-14747
F33615-70-C-1515
p0243 H74-18417
F33615-70-C-1538
p0117 A74-16592
F33615-70-C-1636
p0057 H74-10929
p0057 H74-10931

F33615-70-C-1647
p0127 A74-18139
F33615-70-C-1763
p0024 A74-12178
F33615-70-C-1806
p0083 A74-14752
F33615-71-C-1084
p0287 H74-19714
F33615-71-C-1093
p0468 H74-31514
F33615-71-C-1109
p0198 H74-16749
F33615-71-C-1116
p0399 A74-37800
F33615-71-C-1144
p0349 A74-34978
F33615-71-C-1173
p0200 H74-17001
F33615-71-C-1280
p0255 H74-19107
F33615-71-C-1338
p0303 H74-21151
F33615-71-C-1349
p0183 A74-21336
F33615-71-C-1457
p0179 A74-20760
F33615-71-C-1508
p0163 H74-14779
F33615-71-C-1510
p0046 H74-10461
F33615-71-C-1550
p0110 H74-13263
F33615-71-C-1754
p0017 A74-11581
p0057 H74-10927
p0057 H74-10928
p0058 H74-10936
p0143 H74-13733
p0143 H74-13734
p0143 H74-13735
p0143 H74-13736
F33615-71-C-1757
p0056 H74-10925
p0057 H74-10926
p0058 H74-10937
p0058 H74-10938
p0058 H74-10939
p0098 H74-11846
p0098 H74-11847
F33615-71-C-1760
p0145 H74-13754
p0146 H74-13755
p0146 H74-13756
p0146 H74-13757
p0199 H74-16751
p0199 H74-16752
p0199 H74-16753
p0251 H74-18697
p0251 H74-18704
F33615-71-C-1766
p0052 H74-10749
p0052 H74-10750
F33615-71-C-1776
p0304 H74-21569
F33615-71-C-1840
p0300 H74-20691
F33615-71-C-1870
p0012 A74-11316
F33615-71-C-1874
p0457 A74-43164
p0303 H74-21105
F33615-71-C-1897
p0110 H74-13265
F33615-71-C-1900
p0146 H74-13903
F33615-71-C-1905
p0362 H74-26255
F33615-71-C-1926
p0266 A74-26701
F33615-71-C-1929
p0190 H74-15723
F33615-71-H-5002
p0359 H74-25603
F33615-72-C-1052
p0299 H74-20677
F33615-72-C-1063
p0418 H74-29012
F33615-72-C-1066
p0181 A74-20945
p0105 H74-12726
p0147 H74-14238

p0147 H74-14239
F33615-72-C-1082
p0065 H74-11602
F33615-72-C-1086
p0255 H74-18949
F33615-72-C-1090
p0402 A74-37894
F33615-72-C-1101
p0429 A74-38743
F33615-72-C-1119
p0427 A74-38720
p0454 A74-42042
F33615-72-C-1128
p0204 A74-23205
F33615-72-C-1163
p0349 A74-34978
F33615-72-C-1178
p0084 A74-14768
F33615-72-C-1179
p0303 H74-21047
F33615-72-C-1183
p0302 H74-20907
F33615-72-C-1185
p0019 A74-11602
p0265 A74-26680
F33615-72-C-1198
p0428 A74-38740
F33615-72-C-1202
p0201 H74-17278
F33615-72-C-1266
p0464 H74-31443
F33615-72-C-1269
p0063 H74-11296
F33615-72-C-1362
p0159 H74-14746
F33615-72-C-1375
p0399 A74-37800
F33615-72-C-1391
p0411 H74-28243
F33615-72-C-1450
p0123 A74-17533
F33615-72-C-1489
p0287 H74-19714
F33615-72-C-1597
p0409 H74-27540
F33615-72-C-1649
p0255 H74-19184
F33615-72-C-1748
p0011 A74-11302
F33615-72-C-1763
p0071 A74-13245
F33615-72-C-1891
p0132 A74-18738
p0262 A74-26652
p0265 A74-26679
p0473 H74-32451
p0490 H74-33460
F33615-72-C-1893
p0263 A74-26655
p0473 H74-32456
F33615-72-C-2008
p0358 H74-25602
F33615-72-C-2046
p0327 H74-21673
F33615-72-C-2081
p0328 H74-21847
F33615-72-C-2083
p0501 H74-35362
F33615-72-C-2116
p0392 A74-37283
p0418 H74-28782
F33615-72-C-2149
p0019 A74-11602
p0265 A74-26680
p0490 H74-33462
p0490 H74-33463
F33615-72-C-2152
p0256 H74-19407
F33615-72-C-2165
p0497 H74-34523
F33615-72-H-5008
p0250 H74-18694
F33615-72-1787
p0023 A74-12177
F33615-73-C-1244
p0250 H74-18691
p0250 H74-18692
F33615-73-C-2032
p0315 A74-30092
F33615-73-C-2045
p0443 H74-29395

CONTRACT NUMBER INDEX

F33615-73-C-3001
 p0019 A74-11602
 p0263 A74-26661
 p0265 A74-26680
 p0274 A74-27510
 p0480 A74-45261
 F33615-73-C-3013
 p0066 N74-11661
 F33615-73-C-3030
 p0442 N74-29393
 F33615-73-C-3047
 p0324 N74-21641
 F33615-73-C-3048
 p0412 N74-28493
 F33615-73-C-3051
 p0453 A74-41803
 F33615-73-C-3069
 p0429 A74-38746
 F33615-73-C-3097
 p0450 A74-41336
 F33615-73-C-3101
 p0400 A74-37812
 F33615-73-C-3108
 p0498 N74-34550
 F33615-73-C-3119
 p0500 N74-34718
 F33615-73-C-3126
 p0369 N74-26489
 F33615-73-C-3130
 p0349 A74-34978
 F33615-73-C-3135
 p0497 N74-34517
 F33615-73-C-4014
 p0204 A74-23205
 F33615-73-C-5160
 p0321 A74-31611
 F33657-70-C-0511
 p0011 A74-11302
 F33657-70-D-1161
 p0408 N74-27507
 F33657-71-C-1055
 p0136 A74-18877
 F33657-71-D-0662
 p0408 N74-27507
 F33657-72-C-0312
 p0285 N74-19683
 F33657-73-C-0058
 p0136 A74-18877
 F40600-72-C-0009
 p0063 N74-11298
 F40600-73-C-0004
 p0030 A74-12752
 F44620-68-C-0036
 p0106 N74-12734
 F44620-69-C
 p0174 A74-19778
 F44620-69-C-0089
 p0392 A74-37283
 F44620-69-C-0090
 p0267 A74-26916
 F44620-69-C-0096
 p0478 A74-44930
 F44620-69-C-0996
 p0090 A74-15970
 F44620-70-C-0105
 p0260 A74-25969
 p0144 N74-13746
 F44620-70-C-0116
 p0131 A74-18723
 F44620-70-E-0105
 p0082 A74-14599
 F44620-71-C-0077
 p0357 N74-25584
 F44620-71-C-0100
 p0178 A74-20478
 F44620-72-C-0001
 p0491 N74-33470
 F44620-72-C-0068
 p0244 N74-18637
 F44620-72-C-0079
 p0090 A74-15972
 F44620-73-C-0011
 p0201 N74-17519
 p0201 N74-17626
 p0244 N74-18627
 IPC PROJ. TE-73-4
 p0164 N74-15115
 IPC PROJ. TR/D-74-1
 p0491 N74-33471
 INK-11-12-02871
 p0231 N74-17704

p0231 N74-17705
 INK-11-12-93490
 p0231 N74-17704
 p0231 N74-17705
 KC/49/15
 p0245 N74-18649
 LS-2975-A3
 p0494 N74-34476
 MF51524005
 p0057 N74-10930
 p0144 N74-13742
 NAOBR-31-7316
 p0409 N74-27920
 NASA ORDER C-41581-B
 p0304 N74-21396
 NASA ORDER T-4716-B
 p0062 N74-11164
 p0062 N74-11198
 NASW-2118
 p0488 N74-33445
 NASW-2369
 p0380 A74-36044
 NASW-2412
 p0282 N74-19651
 NASW-2481
 p0056 N74-10922
 p0056 N74-10923
 p0060 N74-11094
 p0060 N74-11095
 p0095 N74-11827
 p0098 N74-12015
 p0139 N74-13707
 p0189 N74-15718
 p0191 N74-15735
 p0191 N74-15736
 p0254 N74-18917
 p0298 N74-20669
 p0323 N74-21631
 p0324 N74-21650
 p0328 N74-22138
 p0355 N74-25566
 p0357 N74-25594
 p0361 N74-26150
 p0361 N74-26151
 p0362 N74-26423
 p0405 N74-27479
 p0405 N74-27483
 p0405 N74-27484
 p0407 N74-27503
 p0410 N74-28101
 p0416 N74-28522
 p0472 N74-32441
 p0472 N74-32442
 p0489 N74-33446
 NASW-2482
 p0039 N74-10038
 p0060 N74-11092
 p0060 N74-11093
 p0065 N74-11433
 p0191 N74-15748
 p0419 N74-29118
 NASW-2483
 p0056 N74-10918
 p0094 N74-11815
 p0101 N74-12572
 p0139 N74-13706
 p0140 N74-13717
 p0151 N74-14383
 p0235 N74-17747
 p0236 N74-17757
 p0240 N74-17958
 p0281 N74-19641
 p0283 N74-19661
 p0287 N74-19904
 p0297 N74-20668
 p0324 N74-21646
 p0325 N74-21651
 p0406 N74-27493
 p0413 N74-28501
 p0418 N74-29040
 p0445 N74-30425
 p0467 N74-31493
 p0467 N74-31494
 p0492 N74-34154
 NASW-2485
 p0154 N74-14682
 p0159 N74-14751
 p0283 N74-19666
 p0284 N74-19669
 p0332 N74-23509
 p0355 N74-25564

p0355 N74-25565
 p0413 N74-28500
 p0472 N74-32440
 NASW-2646
 p0380 A74-36044
 NAS1-1079
 p0357 N74-25584
 NAS1-6024
 p0249 N74-18681
 NAS1-8858
 p0153 N74-14625
 NAS1-9808
 p0095 N74-11829
 NAS1-9926
 p0457 A74-43164
 NAS1-10045
 p0248 N74-18679
 p0248 N74-18680
 NAS1-10051
 p0245 N74-18648
 NAS1-10327
 p0061 N74-11113
 p0061 N74-11114
 p0061 N74-11115
 p0061 N74-11116
 NAS1-10635
 p0045 N74-10297
 NAS1-10646-15
 p0132 A74-18745
 NAS1-10677
 p0489 N74-33448
 NAS1-10700
 p0209 A74-23327
 p0225 A74-24840
 p0357 N74-25584
 NAS1-10885
 p0093 N74-11809
 NAS1-10900
 p0353 N74-25548
 NAS1-10906
 p0245 N74-18645
 NAS1-10920
 p0254 N74-18842
 NAS1-11156
 p0487 N74-33427
 NAS1-11234
 p0101 N74-12555
 NAS1-11245
 p0245 N74-18646
 NAS1-11343
 p0161 N74-14762
 p0161 N74-14763
 NAS1-11344
 p0274 A74-27511
 NAS1-11370
 p0140 N74-13718
 NAS1-11378
 p0139 N74-13708
 NAS1-11389
 p0188 N74-15710
 p0241 N74-17959
 NAS1-11431
 p0413 N74-28508
 p0414 N74-28509
 p0414 N74-28510
 p0414 N74-28511
 p0414 N74-28512
 p0414 N74-28513
 NAS1-11441
 p0415 N74-28514
 p0415 N74-28515
 p0415 N74-28516
 p0415 N74-28517
 p0415 N74-28518
 p0415 N74-28519
 p0415 N74-28520
 p0416 N74-28521
 NAS1-11524
 p0061 N74-11118
 NAS1-11557
 p0363 N74-26425
 NAS1-11564
 p0339 A74-33138
 NAS1-11565
 p0264 A74-26669
 NAS1-11577
 p0158 N74-14745
 NAS1-11607
 p0161 N74-14765
 NAS1-11613
 p0248 N74-18674

p0248 N74-18675
 NAS1-11623
 p0177 A74-20293
 NAS1-11667
 p0442 N74-29382
 NAS1-11670
 p0036 N74-10020
 NAS1-11672
 p0494 N74-34468
 NAS1-11688
 p0387 A74-36610
 NAS1-11767
 p0104 N74-12717
 NAS1-11833
 p0093 N74-11807
 NAS1-11873
 p0053 N74-10863
 NAS1-11877
 p0188 N74-15713
 NAS1-11955
 p0241 N74-18096
 NAS1-12012
 p0094 N74-11822
 NAS1-12015
 p0196 N74-16729
 p0196 N74-16730
 NAS1-12148
 p0441 N74-29375
 NAS1-12153
 p0038 N74-10029
 NAS1-12175
 p0304 N74-21289
 NAS1-12199
 p0444 N74-30093
 NAS1-12399
 p0264 A74-26669
 NAS1-12413
 p0495 N74-34477
 NAS1-12436
 p0494 N74-34476
 NAS1-12443
 p0495 N74-34482
 NAS1-12475
 p0107 N74-12821
 NAS1-12484
 p0257 N74-19544
 NAS1-12494
 p0354 N74-25563
 NAS1-12495
 p0355 N74-25567
 NAS1-12682
 p0281 N74-19643
 NAS1-13145
 p0494 N74-34469
 NAS2-3673
 p0141 N74-13722
 p0141 N74-13723
 p0407 N74-27501
 NAS2-4151
 p0127 A74-18140
 p0160 N74-14755
 p0160 N74-14756
 p0160 N74-14757
 p0160 N74-14758
 p0160 N74-14759
 NAS2-5143
 p0140 N74-13715
 NAS2-5168
 p0206 A74-22463
 NAS2-5247
 p0196 N74-16719
 NAS2-5386
 p0096 N74-11833
 p0096 N74-11834
 NAS2-5462
 p0297 N74-20667
 NAS2-5467
 p0040 N74-10048
 NAS2-5473
 p0248 N74-18678
 NAS2-5499
 p0406 N74-27498
 NAS2-5974
 p0317 A74-30392
 NAS2-6010
 p0036 N74-10019
 NAS2-6158
 p0340 A74-33155
 NAS2-6175
 p0022 A74-11844

CONTRACT NUMBER INDEX

NAS2-6344	p0235 H74-17751	NAS2-7812	p0412 H74-28479	NGL-05-020-243	p0090 A74-15967	NGR-41-001-027	p0311 A74-28967
p0236 H74-17752	NAS2-7926	p0401 A74-37833	NGL-17-002-001	NGL-17-002-001	p0501 H74-35250	NGR-43-001-075	p0236 H74-17756
NAS2-6401	p0051 H74-10735	NAS2-69941	p0427 A74-38729	NGL-22-009-124	p0357 H74-25588	NGR-43-001-086	p0500 H74-35194
NAS2-6415	p0193 H74-16250	NAS3-11158	p0100 H74-12449	NGL-22-009-548	p0463 H74-31427	NGR-47-004-090	p0204 A74-23332
NAS2-6441	p0401 A74-37834	NAS3-12430	p0071 A74-13298	NGL-33-016-119	p0026 A74-12224	NGR-47-004-109	p0338 A74-33103
p0189 H74-15715	p0189 H74-10732	p0050 H74-10732	p0065 H74-11597	NGL-33-018-091	p0059 H74-11077	p0025 A74-12215	p0339 A74-33145
p0330 H74-22671	p0256 H74-19401	p0475 H74-33226	NAS3-14319	NGL-36-008-109	p0131 A74-18675	NGR-47-005-208	p0473 H74-32443
NAS2-6473	p0040 H74-10044	p0193 H74-16493	NAS3-14321	NGL-36-008-138	p0369 H74-26666	NGR-48-002-035	p0215 A74-22477
p0040 H74-10045	p0406 H74-27497	p0141 H74-13724	NAS3-14406	NGL-39-007-040	p0097 H74-11844	NGR-48-002-047	p0173 A74-19777
p0413 H74-28504	p0200 H74-16995	NAS3-14406	NAS3-14836	NGR-05-004-051	p0326 H74-21661	NGR-50-007-001	p0135 A74-18838
NAS2-6501	p0385 A74-36590	p0189 H74-15720	p0160 H74-14754	NGR-05-007-414	p0267 A74-26713	p0194 H74-16704	NGR-51-001-028
NAS2-6505	p0188 H74-15711	p0195 H74-16716	p0189 H74-15720	NGL-05-017-010	p0380 A74-36115	p0317 A74-30397	NGR-52-012-006
NAS2-6563	p0467 H74-31495	NAS3-15568	p0049 H74-10726	NGL-14-005-144	p0409 H74-27715	NGR-52-012-001	p0363 H74-26424
NAS2-6598	p0385 A74-36590	NAS3-15703	p0009 A74-11270	NGL-17-002-042	p0309 A74-28739	NGL-05-017-010	p0067 H74-11743
p0142 H74-13727	p0434 A74-39876	NAS3-16720	p0410 H74-28229	NGL-17-002-072	p0401 A74-37850	NGL-05-017-010	p0003 A74-10568
NAS2-6761	NAS2-6799	p0050 H74-10730	NAS3-16729	NGL-17-002-072	p0434 A74-39867	NR PROJ. 094-366	p0152 H74-14445
p0049 H74-10725	p0142 H74-13726	NAS3-16763	p0099 H74-12285	NGL-17-002-095	p0159 H74-14752	NR PROJ. 098-038	p0051 H74-10736
NAS2-6834	NAS2-6889	p0247 H74-18672	NAS3-16777	NGL-17-002-107	p0324 H74-21647	NR PROJ. 196-123	p0144 H74-13741
p0326 H74-21660	NAS2-6994	NAS3-16814	p0397 A74-37548	NGL-17-002-107	p0477 A74-44417	p0498 H74-34538	NR PROJ. 212-418
p0349 A74-34975	p0196 H74-16718	p0050 H74-10729	NAS3-16815	NGL-21-002-391	p0323 H74-21633	p0286 H74-19690	NR PROJ. 213-072
NAS2-6995	p0434 A74-39876	p0093 H74-11808	NAS3-17326	NGL-22-004-030	p0488 H74-33436	p0199 H74-16754	p0288 H74-20059
p0096 H74-11835	NAS2-7031	p0410 H74-28230	NAS3-17362	NGL-22-009-339	NGL-21-002-391	NR PROJ. 213-088	p0499 H74-34554
p0235 H74-17750	p0405 H74-27485	NAS3-17362	p0241 H74-17960	NGL-22-009-378	p0194 H74-16592	NR PROJ. 213-098	p0326 H74-21665
NAS2-7048	p0470 H74-32413	NAS3-17841	p0397 A74-37548	NGL-22-009-378	p0243 H74-18399	NR PROJ. 213-106	p0162 H74-14773
NAS2-7091	p0264 A74-26668	NAS3-17842	p0093 H74-11808	NGL-22-009-731	p0149 H74-14291	NR PROJ. 213-107	p0303 H74-21049
NAS2-7211	p0326 H74-21659	p0196 H74-16726	p0236 H74-17755	NGL-23-004-068	p0041 H74-10051	NR PROJ. 214-189	p0281 H74-19646
NAS2-7245	p0396 A74-37507	p0247 H74-18673	p0296 H74-20661	NGL-31-001-197	p0287 H74-19902	NR PROJ. 215-039	p0369 H74-26490
NAS2-7254	p0297 H74-20662	p0353 H74-25537	p0363 H74-26436	NGL-31-001-241	p0155 H74-14707	NR PROJ. 215-163	p0062 H74-11128
p0297 H74-20663	p0262 A74-26477	p0494 H74-34467	NAS3-17850	NGL-33-016-131	p0026 A74-12223	p0473 H74-32453	p0109 H74-12938
NAS2-7279	p0188 H74-15712	NAS5-21656	p0444 H74-30239	NGL-33-016-167	p0075 A74-13958	NR PROJ. 215-201	p0232 H74-17710
NAS2-7293	p0434 A74-39876	NAS5-21824	p0200 H74-16887	NGL-33-018-152	p0133 A74-18797	NR PROJ. 215-219	p0112 H74-13514
NAS2-7300	p0416 H74-28525	NAS7-100	p0085 A74-15003	NGL-33-018-183	p0148 H74-14272	NRC A-1080	p0433 A74-39495
NAS2-7307	p0134 A74-18815	p0425 A74-38622	NAS8-25156	NGL-33-018-183	p0459 A74-43451	NRC A-5625	p0433 A74-39495
NAS2-7369	p0189 H74-15716	p0032 A74-12940	NAS8-27334	NGL-33-018-183	p0480 A74-45226	NRC A-7702	p0023 A74-11908
p0249 H74-18685	p0249 H74-18686	NAS8-27334	p0193 H74-16322	NGL-34-002-179	p0027 A74-12333	NSF GA-33990X	p0175 A74-20039
NAS2-7396	p0418 H74-28734	NAS8-27980	p0032 A74-12940	NGL-36-004-061	p0461 A74-44161	NSF GA-38109	p0044 H74-10155
NAS2-7397	p0357 H74-25582	NAS8-28130	p0400 A74-37824	NGL-36-008-144	NGL-33-018-183	NSF GI-44	p0244 H74-18606
NAS2-7561	p0235 H74-17749	NAS8-28136	p0099 H74-12317	NGL-36-008-144	p0176 A74-20120	p0244 H74-18607	p0115 A74-16385
NAS2-7586	p0188 H74-15714	NAS9-4065	p0493 H74-34465	NGL-37-002-096	p0183 A74-21338	NSF GR-5772	p0179 A74-20663
NAS2-7613	p0384 A74-36586	NAS9-11532	p0209 A74-23091	NGL-39-009-111	p0342 A74-33768	NSF GR-10008	p0267 A74-26948
p0495 H74-34483	p0472 H74-32438	NAS9-13247	p0038 H74-10028	NGL-39-009-111	p0402 A74-37868	NSF GR-27795	p0347 A74-34850
NAS2-7641	p0489 H74-33455	NAS9-13276	p0062 H74-11197	NGL-39-009-270	p0417 H74-28707	NSF GR-30325	p0179 A74-20663
p0441 H74-29374	p0489 H74-33456	NAS9-13702	p0189 H74-15717	NGL-39-009-270	p0417 H74-28709	NSF GR-32584	p0315 A74-30090
NAS2-7653	p0325 H74-21655	NAS9-13702	p0340 A74-33177	NGL-39-009-270	p0417 H74-28710	NSF GR-33348	p0260 A74-25759
NAS2-7709	p0418 H74-29016	NAVAIR TASK R230,201	NGL-05-020-007	NGL-39-009-270	p0407 H74-27505	p0356 H74-25581	
		p0164 H74-15378					

CONTRACT NUMBER INDEX

NSF GK-33485A1
 p0482 A74-45720
 NSF GK-34179
 p0482 A74-45720
 NSF GK-35790
 p0391 A74-37053
 NSF GT-34903
 p0068 N74-11801
 N00019-71-C-0220
 p0267 A74-26916
 N00014-67-A-0151-0029
 p0026 A74-12223
 p0075 A74-13958
 p0398 A74-37550
 p0142 N74-13730
 p0152 N74-14445
 N00014-67-A-0202-0016
 p0272 A74-27426
 N00014-67-A-0202-0019
 p0046 N74-10338
 N00014-67-A-0226-0005
 p0051 N74-10736
 N00014-67-A-0298-0006
 p0225 A74-24840
 N00014-67-A-0398-0007
 p0253 N74-18714
 N00014-67-A-0467-0027
 p0447 A74-41044
 N00014-68-A-0091
 p0145 N74-13751
 N00014-68-A-0196-0002
 p0279 A74-28423
 N00014-68-A-0512
 p0203 A74-22462
 p0429 A74-38749
 p0062 N74-11128
 p0473 N74-32453
 N00014-69-A-0200-1052
 p0086 A74-15475
 N00014-69-C-0031
 p0369 N74-26490
 N00014-69-C-0055
 p0242 N74-18146
 N00014-69-C-0460
 p0199 N74-16754
 p0288 N74-20059
 N00014-71-C-0106
 p0255 N74-19271
 N00014-71-C-0250
 p0281 N74-19646
 p0286 N74-19690
 N00014-72-C-0191
 p0499 N74-34554
 N00014-72-C-0194
 p0346 A74-34844
 N00014-72-C-0201
 p0109 N74-12971
 N00014-72-C-0218
 p0324 N74-21645
 N00014-72-C-0237
 p0232 N74-17710
 p0232 N74-17711
 N00014-72-C-0351
 p0339 A74-33127
 p0376 A74-35389
 N00014-72-C-0405
 p0326 N74-21665
 N00014-72-C-0443
 p0162 N74-14773
 N00014-72-C-0451
 p0303 N74-21049
 N00014-72-C-0531
 p0209 A74-22803
 N00014-73-C-0031
 p0144 N74-13741
 p0498 N74-34538
 N00014-73-C-0244
 p0443 N74-29396
 N00014-73-C-0281
 p0112 N74-13514
 N00014-73-C-0328
 p0132 A74-18737
 p0400 A74-37823
 N00019-27-C-0233
 p0370 N74-27304
 N00019-69-C-0534
 p0209 A74-23327
 p0356 N74-25578
 N00019-70-C-0498
 p0240 N74-17799

N00019-71-C-0044
 p0356 N74-25578
 N00019-72-C-0187
 p0272 A74-27433
 N00019-72-C-0220
 p0263 A74-26658
 N00019-72-C-0380
 p0200 N74-16997
 p0299 N74-20680
 N00019-72-C-0411
 p0252 N74-18711
 N00019-72-C-0417
 p0385 A74-36592
 p0299 N74-20678
 p0299 N74-20679
 p0300 N74-20688
 p0356 N74-25578
 N00019-72-C-0450
 p0477 A74-44406
 N00019-73-C-0311
 p0417 N74-28550
 N00019-73-C-0318
 p0289 N74-20399
 N00024-73-C-0907
 p0183 A74-21293
 N00140-72-C-6969
 p0166 N74-15468
 N00140-73-C-0320
 p0492 N74-34076
 N00156-70-C-1321
 p0164 N74-14783
 p0491 N74-33473
 N00156-73-C-1008
 p0237 N74-17762
 N00600-71-C-0709
 p0090 A74-15965
 N62269-71-C-0392
 p0267 A74-26965
 N62269-72-C-0325
 p0059 N74-11065
 N62269-72-C-0354
 p0169 A74-19228
 p0409 N74-27639
 p0409 N74-27640
 p0409 N74-27641
 N62269-72-C-0414
 p0197 N74-16741
 N62269-72-C-0452
 p0241 N74-18083
 N62269-72-C-0924
 p0238 N74-17766
 N62269-73-C-0405
 p0253 N74-18715
 N62269-73-C-0610
 p0444 N74-30013
 N62269-73-C-0937
 p0402 A74-37893
 N62399-72-C-0020
 p0146 N74-13957
 PROJ. FEED
 p0365 N74-26457
 p0413 N74-28508
 p0414 N74-28509
 p0414 N74-28510
 p0414 N74-28511
 p0414 N74-28512
 p0414 N74-28513
 p0415 N74-28514
 p0415 N74-28515
 p0415 N74-28516
 p0415 N74-28517
 p0415 N74-28518
 p0415 N74-28519
 p0415 N74-28520
 p0416 N74-28521
 PROJ. RAND
 p0201 N74-17519
 p0201 N74-17626
 RR0000150
 p0187 N74-15706
 SF35342008
 p0194 N74-16603
 SF54541007
 p0194 N74-16603
 SRI PROJ. 4454
 p0255 N74-19271
 SWRI PROJ. 02-2865
 p0358 N74-25598
 T-0230-92320-91345
 p0240 N74-17893

N-7405-ENG-36
 p0474 N74-32903
 WF41421201
 p0359 N74-25611
 ZR0230101
 p0187 N74-15705
 115-17-01-01-00-21
 p0100 N74-12360
 126-13-11-01-00
 p0245 N74-18648
 126-39-00-00
 p0249 N74-18688
 136-00-00-88-39
 p0248 N74-18678
 501-03-11
 p0304 N74-21290
 501-04-01-01
 p0236 N74-17756
 p0325 N74-21652
 501-06-01
 p0487 N74-33429
 501-06-01-02
 p0281 N74-19640
 501-06-01-03-00-21
 p0093 N74-11810
 501-06-01-23
 p0158 N74-14741
 501-06-04-01
 p0412 N74-28483
 p0463 N74-31414
 p0463 N74-31416
 p0493 N74-34459
 501-06-05
 p0284 N74-19672
 p0441 N74-29370
 501-06-05-01
 p0463 N74-31421
 p0469 N74-32412
 501-06-05-02
 p0094 N74-11821
 p0323 N74-21635
 501-06-05-07
 p0487 N74-33431
 501-06-05-08
 p0470 N74-32416
 501-06-07-03
 p0062 N74-11119
 501-06-08-01
 p0098 N74-12091
 501-06-09-01
 p0036 N74-10015
 p0487 N74-33428
 501-06-11-01
 p0038 N74-10030
 501-08-10-02
 p0500 N74-35219
 501-21 p0370 N74-27412
 501-22-02-01
 p0099 N74-12261
 501-22-03-01
 p0284 N74-19667
 501-22-03-06
 p0469 N74-32356
 501-22-05-03
 p0104 N74-12719
 501-23-21
 p0407 N74-27499
 501-24 p0037 N74-10022
 p0037 N74-10024
 p0037 N74-10025
 p0037 N74-10026
 p0037 N74-10027
 p0049 N74-10722
 p0050 N74-10734
 p0067 N74-11738
 p0093 N74-11812
 p0094 N74-11813
 p0099 N74-12187
 p0101 N74-12571
 p0101 N74-12575
 p0147 N74-14138
 p0153 N74-14650
 p0154 N74-14651
 p0165 N74-15465
 p0166 N74-15466
 p0166 N74-15659
 p0231 N74-17699
 p0243 N74-18397
 p0246 N74-18656
 p0294 N74-20591
 p0323 N74-21639

p0353 N74-25536
 p0362 N74-26389
 p0410 N74-28240
 p0411 N74-28241
 p0444 N74-30240
 p0500 N74-35203
 501-24-01-06
 p0296 N74-20660
 501-24-06-01
 p0036 N74-10014
 p0353 N74-25533
 501-24-11-02-00
 p0297 N74-20667
 501-26-01
 p0355 N74-25569
 501-26-05-01
 p0489 N74-33448
 501-26-05-02
 p0297 N74-20666
 p0325 N74-21653
 501-26-05-03
 p0187 N74-15703
 501-26-05-04
 p0095 N74-11825
 p0237 N74-17759
 p0296 N74-20657
 501-26-05-06
 p0442 N74-29382
 501-29-13-01
 p0284 N74-19671
 501-38-13-06
 p0294 N74-20637
 501-38-19-01-72
 p0411 N74-28423
 501-39-11-02
 p0060 N74-11096
 p0146 N74-13882
 502-22-10-02
 p0494 N74-34476
 502-27-03-01
 p0249 N74-18681
 502-32-04
 p0153 N74-14631
 502-33-13-02
 p0417 N74-28706
 p0417 N74-28707
 p0417 N74-28709
 p0417 N74-28710
 502-33-82-00
 p0141 N74-13725
 502-37-01-11
 p0045 N74-10318
 503-35 p0064 N74-11304
 504-29-11-01
 p0161 N74-14765
 p0304 N74-21308
 505-02-41-01
 p0467 N74-31504
 513-53-02
 p0468 N74-31617
 513-53-03
 p0474 N74-33114
 736-60-01
 p0159 N74-14752
 739-70 p0040 N74-10043
 741-86-03-03
 p0140 N74-13718
 743-65-12-03
 p0365 N74-26457
 743-65-12-04
 p0295 N74-20652
 756-48-01-00
 p0159 N74-14753
 760-17-01-05
 p0059 N74-11059
 760-17-01-10
 p0246 N74-18658
 p0323 N74-21634
 760-17-01-11
 p0416 N74-28524
 p0487 N74-33430
 760-17-01-21
 p0237 N74-17758
 760-60-01-05
 p0097 N74-11837
 760-60-01-06
 p0256 N74-19282
 760-60-01-09
 p0354 N74-25562
 760-60-01-16
 p0283 N74-19665

CONTRACT NUMBER INDEX

760-60-009-731
 p0041 N74-10051
 760-61-01-03-00-21
 p0140 N74-13719
 760-61-02
 p0141 N74-13721
 760-61-02-01
 p0094 N74-11823
 p0096 N74-11832
 p0254 N74-18895
 p0283 N74-19663
 p0294 N74-20638
 p0296 N74-20655
 p0296 N74-20656
 p0324 N74-21649
 p0326 N74-21658
 760-61-02-02
 p0493 N74-34462
 760-61-02-03
 p0412 N74-28475
 p0493 N74-34461
 760-61-02-09
 p0295 N74-20651
 760-61-03
 p0495 N74-34481
 760-62-01
 p0041 N74-10052
 760-63-02-01
 p0096 N74-11836
 760-63-02-04
 p0488 N74-33434
 760-63-02-11-00
 p0407 N74-27501
 760-63-03
 p0407 N74-27500
 760-63-04-01
 p0410 N74-28102
 760-63-04-03
 p0413 N74-28506
 760-64-60-01
 p0470 N74-32414
 760-66-01-01
 p0102 N74-12705
 760-66-01-02
 p0096 N74-11831
 760-67-01
 p0103 N74-12714
 760-67-01-01
 p0094 N74-11819
 p0411 N74-28474
 760-67-01-02
 p0296 N74-20658
 760-67-01-03
 p0487 N74-33432
 760-67-01-04
 p0463 N74-31419
 760-67-08-05
 p0489 N74-33453
 761-72-01
 p0141 N74-13720
 766-71-01-01-00
 p0441 N74-29374
 766-72-02
 p0195 N74-16717
 766-76-01
 p0362 N74-26251
 766-76-01-00
 p0246 N74-18657
 768-81-02-01
 p0419 N74-29119
 768-81-03
 p0493 N74-34466
 768-83-04-01
 p0489 N74-33452
 791-91-05-04-15
 p0104 N74-12715
 791-93-03-01-15
 p0196 N74-16720
 791-93-03-08-21
 p0325 N74-21654
 791-93-15
 p0413 N74-28507
 791-93-60-01
 p0295 N74-20654
 791-94-04-01
 p0248 N74-18677
 797-76-67-10-10
 p0188 N74-15712
 797-76-88-00-10
 p0189 N74-15716
 p0200 N74-16995

797-79-19-10-30
 p0235 N74-17750
 879-11-36-01
 p0047 N74-10584
 975-50-01-10
 p0053 N74-10783


REPORT/ACCESSION NUMBER INDEX

AERONAUTICAL ENGINEERING / A Special Bibliography

JANUARY 1975

1974 Cumulative Index

Typical Report/Accession Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page in the individual Supplement in which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche. A plus sign (+) indicates a document that cannot be microfiched but for which one-to-one facsimile is available.

A-4964	p0041	N74-10052*#
A-4966	p0153	N74-14631*#
A-5032	p0407	N74-27500*#
A-5044	p0304	N74-21290*#
A-5057	p0158	N74-14741*#
A-5157	p0248	N74-18677*#
A-5338	p0413	N74-28507*#
A-5389	p0495	N74-34481*#
A-5418	p0329	N74-22637*#

AASE-72-70	p0042	N74-10063 #
AASE-73-107	p0299	N74-20677 #

ACRL-IP-198	p0162	N74-14770 #
-------------	-------	-------	-------------

AD-754927	p0048	N74-10611 #
AD-754981	p0043	N74-10068 #
AD-756285	p0043	N74-10067 #
AD-756810	p0052	N74-10751 #
AD-756870	p0052	N74-10749 #
AD-756871	p0052	N74-10750 #
AD-757516	p0046	N74-10404 #
AD-758891	p0408	N74-27507 #
AD-760081	p0054	N74-10904 #
AD-760401	p0049	N74-10625 #
AD-764854	p0048	N74-10602 #
AD-765193	p0046	N74-10461 #
AD-765435	p0045	N74-10304 #
AD-765455	p0047	N74-10480 #
AD-765456	p0044	N74-10229 #
AD-765470	p0044	N74-10159 #
AD-765489	p0042	N74-10060 #
AD-765491	p0047	N74-10484 #
AD-765501	p0047	N74-10486 #
AD-765546	p0053	N74-10869 #
AD-765657	p0042	N74-10061 #
AD-765667	p0043	N74-10066 #
AD-765680	p0041	N74-10054 #
AD-765686	p0041	N74-10055 #
AD-765689	p0042	N74-10062 #
AD-765692	p0038	N74-10032 #
AD-765708	p0042	N74-10059 #
AD-765735	p0046	N74-10335 #
AD-765761	p0049	N74-10623 #
AD-765932	p0051	N74-10739 #
AD-765991	p0042	N74-10058 #
AD-765992	p0046	N74-10326 #
AD-765997	p0049	N74-10717 #
AD-765999	p0046	N74-10328 #
AD-766030	p0051	N74-10741 #
AD-766031	p0051	N74-10740 #
AD-766045	p0051	N74-10737 #

AD-766084	p0051	N74-10736 #
AD-766086	p0047	N74-10597 #
AD-766098	p0046	N74-10338 #
AD-766226	p0041	N74-10057 #
AD-766227	p0041	N74-10056 #
AD-766228	p0051	N74-10738 #
AD-766247	p0048	N74-10605 #
AD-766304	p0038	N74-10033 #
AD-766305	p0042	N74-10063 #
AD-766306	p0054	N74-10899 #
AD-766307	p0042	N74-10064 #
AD-766308	p0047	N74-10491 #
AD-766309	p0044	N74-10073 #
AD-766320	p0044	N74-10169 #
AD-766334	p0066	N74-11604 #
AD-766361	p0057	N74-10929 #
AD-766400	p0057	N74-10931 #
AD-766419	p0046	N74-10340 #
AD-766428	p0043	N74-10069 #
AD-766439	p0043	N74-10070 #
AD-766450	p0043	N74-10072 #
AD-766458	p0102	N74-12701 #
AD-766473	p0059	N74-11065 #
AD-766480	p0061	N74-11102 #
AD-766537	p0065	N74-11602 #
AD-766558	p0067	N74-11722 #
AD-766577	p0063	N74-11274 #
AD-766637	p0056	N74-10925 #
AD-766639	p0057	N74-10926 #
AD-766640	p0058	N74-10938 #
AD-766641	p0098	N74-11846 #
AD-766642	p0098	N74-11847 #
AD-766643	p0058	N74-10939 #
AD-766644	p0058	N74-10940 #
AD-766648	p0066	N74-11605 #
AD-766653	p0066	N74-11606 #
AD-766699	p0063	N74-11295 #
AD-766701	p0057	N74-10932 #
AD-766706	p0061	N74-11101 #
AD-766711	p0042	N74-10065 #
AD-766719	p0068	N74-11803 #
AD-766744	p0058	N74-10933 #
AD-766757	p0107	N74-12742 #
AD-766781	p0062	N74-11129 #
AD-766815	p0059	N74-10941 #
AD-766828	p0062	N74-11128 #
AD-766877	p0058	N74-10937 #
AD-766878	p0064	N74-11378 #
AD-766879	p0102	N74-12699 #
AD-766886	p0058	N74-10935 #
AD-766890	p0113	N74-13696 #
AD-766892	p0063	N74-11298 #
AD-766941	p0057	N74-10927 #
AD-766942	p0057	N74-10928 #
AD-766943	p0058	N74-10936 #
AD-766960	p0063	N74-11296 #
AD-767022	p0062	N74-11125 #
AD-767027	p0065	N74-11601 #
AD-767028	p0057	N74-10930 #
AD-767179	p0145	N74-13754 #
AD-767180	p0146	N74-13755 #
AD-767181	p0146	N74-13756 #
AD-767182	p0146	N74-13757 #
AD-767203	p0106	N74-12733 #
AD-767222	p0112	N74-13450 #
AD-767226	p0110	N74-13265*#
AD-767231	p0109	N74-12970 #
AD-767234	p0105	N74-12727 #
AD-767237	p0105	N74-12729 #
AD-767239	p0105	N74-12728 #
AD-767240	p0106	N74-12738 #
AD-767241	p0152	N74-14444 #
AD-767242	p0107	N74-12739 #
AD-767243	p0142	N74-13731 #
AD-767254	p0142	N74-13729 #

REPORT/ACCESSION NUMBER INDEX

AD-777976	p0409	N74-27640	#	AERO-W.02.04.10	p0035	N74-10008
AD-777977	p0409	N74-27639	#	AERO-1191	p0327	N74-21666
AD-777987	p0405	N74-27488	#	AEROTHERM-FR-74-101	p0418	N74-29016
AD-778075	p0409	N74-27642	#	AEWES-MISC-PAPER-S-73-56	p0045	N74-10304
AD-778083	p0411	N74-28243	#	AEWES-MISC-PAPER-S-73-65	p0241	N74-17963
AD-778165	p0408	N74-27508	#	AEWES-MISC-PAPER-S-74-17	p0468	N74-31518
AD-778166	p0408	N74-27512	#	AFAL-TR-73-270	p0328	N74-21847
AD-778199	p0443	N74-29616	#	AFAL-TR-73-287	p0327	N74-21673
AD-778340	p0409	N74-27920	#	AFAL-TR-73-300-VOL-1	p0250	N74-18691
AD-778433	p0418	N74-28782	#	AFAL-TR-73-300-VOL-2	p0250	N74-18692
AD-778479	p0444	N74-30104	#	AFAPL-TR-73-27	p0112	N74-13501
AD-778645	p0416	N74-28531	#	AFAPL-TR-73-59	p0159	N74-14747
AD-778751	p0442	N74-29390	#	AFAPL-TR-73-61	p0065	N74-11602
AD-778759	p0416	N74-28532	#	AFAPL-TR-73-62	p0063	N74-11296
AD-778764	p0417	N74-28550	#	AFAPL-TR-73-74	p0250	N74-18694
AD-778791	p0419	N74-29225	#	AFAPL-TR-73-75-VOL-1	p0146	N74-13903
AD-778801	p0419	N74-29207	#	AFAPL-TR-73-87	p0359	N74-25603
AD-778808	p0419	N74-29228	#	AFAPL-TR-73-102	p0256	N74-19407
AD-778821	p0412	N74-28493	#	AFAPL-TR-73-104	p0287	N74-19714
AD-778822	p0418	N74-29012	#	AFAPL-TR-73-105	p0360	N74-25790
AD-778823	p0441	N74-29371	#	AFAPL-TR-73-115	p0443	N74-29395
AD-778930	p0418	N74-28719	#	AFAPL-TR-73-124	p0409	N74-27540
AD-779041	p0443	N74-29396	#	AFAPL-TR-74-6	p0362	N74-26255
AD-779069	p0444	N74-30013	#	AFATL-TR-73-186	p0240	N74-17921
AD-779078	p0442	N74-29389	#	AFCLRL-AFSIG-270	p0048	N74-10605
AD-779081	p0442	N74-29392	#	AFCLRL-ERP-454	p0164	N74-15367
AD-779387	p0443	N74-29627	#	AFCLRL-IP-187	p0043	N74-10069
AD-779448	p0443	N74-29401	#	AFCLRL-TR-73-0276	p0043	N74-10069
AD-779449	p0443	N74-29402	#	AFCLRL-TR-73-0367	p0048	N74-10605
AD-779729	p0442	N74-29393	#	AFCLRL-TR-73-0396	p0043	N74-10070
AD-779770	p0441	N74-29372	#	AFCLRL-TR-73-0424	p0162	N74-14770
AD-779773	p0443	N74-29395	#	AFCLRL-TR-73-0502	p0164	N74-15367
AD-779926	p0468	N74-31514	#	AFCLRL-TR-73-0708	p0358	N74-25596
AD-780029	p0468	N74-31515	#	AFDDL-TR-71-155-PT-3	p0490	N74-33461
AD-780053	p0472	N74-32435	#	AFDDL-TR-71-173	p0066	N74-11606
AD-780523	p0490	N74-33459	#	AFDDL-TR-72-107	p0300	N74-20691
AD-780754	p0468	N74-31518	#	AFDDL-TR-72-115	p0441	N74-29371
AD-781004	p0492	N74-34076	#	AFDDL-TR-73-4-VOL-1	p0147	N74-14238
AD-781507	p0473	N74-32457	#	AFDDL-TR-73-4-VOL-2	p0147	N74-14239
AD-781547	p0470	N74-32417	#	AFDDL-TR-73-4-VOL-3	p0105	N74-12726
AD-781758	p0490	N74-33461	#	AFDDL-TR-73-5	p0237	N74-17761
AD-781791	p0492	N74-33652	#	AFDDL-TR-73-9	p0159	N74-14746
AD-781792	p0492	N74-33653	#	AFDDL-TR-73-11	p0302	N74-20907
AD-781807	p0490	N74-33462	#	AFDDL-TR-73-19-VOL-1	p0056	N74-10925
AD-781808	p0490	N74-33463	#	AFDDL-TR-73-19-VOL-1-PT-1	p0057	N74-10926
AD-781809	p0490	N74-33464	#	AFDDL-TR-73-19-VOL-2-PT-2	p0058	N74-10937
AD-781811	p0473	N74-32451	#	AFDDL-TR-73-19-VOL-3	p0058	N74-10938
AD-781812	p0490	N74-33460	#	AFDDL-TR-73-19-VOL-4	p0098	N74-11846
AD-781814	p0473	N74-32456	#	AFDDL-TR-73-19-VOL-5-PT-2	p0058	N74-10939
AD-781825	p0491	N74-33648	#	AFDDL-TR-73-19-VOL-6	p0058	N74-10940
AD-781856	p0491	N74-33466	#	AFDDL-TR-73-20-VOL-1	p0251	N74-18697
AD-781885	p0473	N74-32453	#	AFDDL-TR-73-20-VOL-1-SUPPL-1	p0145	N74-13754
AD-781973	p0491	N74-33468	#	AFDDL-TR-73-20-VOL-2	p0199	N74-16751
AD-781996	p0498	N74-34547	#	AFDDL-TR-73-20-VOL-3	p0146	N74-13755
AD-782204	p0491	N74-33471	#	AFDDL-TR-73-20-VOL-4	p0251	N74-18704
AD-782209	p0491	N74-33472	#	AFDDL-TR-73-20-VOL-5-PT-1	p0146	N74-13756
AD-782258	p0497	N74-34523	#	AFDDL-TR-73-20-VOL-5-PT-2	p0199	N74-16752
AD-782362	p0500	N74-34952	#	AFDDL-TR-73-20-VOL-5-PT-3	p0146	N74-13757
AD-782490	p0491	N74-33470	#	AFDDL-TR-73-20-VOL-6	p0199	N74-16753
AD-782646	p0491	N74-33473	#	AFDDL-TR-73-21-VOL-1	p0057	N74-10927
AD-782926	p0498	N74-34526	#	AFDDL-TR-73-21-VOL-2	p0143	N74-13733
AD-782927	p0499	N74-34552	#	AFDDL-TR-73-21-VOL-3-PT-1	p0057	N74-10928
AD-783269	p0498	N74-34550	#	AFDDL-TR-73-21-VOL-3-PT-2	p0058	N74-10936
AD-783393	p0498	N74-34525	#	AFDDL-TR-73-21-VOL-4	p0143	N74-13734
AD-783517	p0499	N74-34555	#	AFDDL-TR-73-21-VOL-5	p0143	N74-13735
AD-783621	p0500	N74-34718	#	AFDDL-TR-73-21-VOL-6	p0143	N74-13736
AD-783636	p0497	N74-34517	#	AFDDL-TR-73-42-PT-1	p0110	N74-13262
AD-783639	p0501	N74-35362	#	AFDDL-TR-73-49	p0046	N74-10461
AD-783649	p0499	N74-34716	#	AFDDL-TR-73-50-VOL-2	p0490	N74-33462
AD-783665	p0498	N74-34537	#	AFDDL-TR-73-50-VOL-3	p0490	N74-33463
AD-783690	p0498	N74-34538	#	AFDDL-TR-73-50-VOL-4	p0490	N74-33464
AD-783739	p0498	N74-34534	#	AFDDL-TR-73-51	p0497	N74-34523
AD-783750	p0499	N74-34715	#	AFDDL-TR-73-52-VOL-2	p0473	N74-32451
AD-783935	p0499	N74-34686	#	AFDDL-TR-73-52-VOL-3	p0490	N74-33460
AD-783956	p0499	N74-34554	#	AFDDL-TR-73-70	p0198	N74-16749
ADL-C-74645	p0142	N74-13729	#	AFDDL-TR-73-73	p0198	N74-16744
AEBC-TR-73-106	p0053	N74-10869	#	AFDDL-TR-73-83	p0142	N74-13728
AEBC-TR-73-120	p0068	N74-11803	#	AFDDL-TR-73-89	p0255	N74-19107
AEBC-TR-73-132	p0066	N74-11605	#			
AEBC-TR-73-140	p0046	N74-10340	#			
AEBC-TR-73-154	p0063	N74-11298	#			
AEBC-TR-73-166	p0147	N74-13992	#			
AEBC-TR-73-183	p0360	N74-25791	#			
AERO-A-06.01.05	p0035	N74-10007				
AERO-W.02.04.08	p0035	N74-10008				

REPORT/ACCESSION NUMBER INDEX

APFDL-TR-73-95	p0418	N74-29012	#	AGARD-CP-140	p0232	N74-17720	#
APFDL-TR-73-103	p0442	N74-29393	#	AGARD-CP-141	p0282	N74-19652	#
APFDL-TR-73-112-VOL-1	p0497	N74-34517	#	AGARD-CP-147-VOL-1	p0465	N74-31458	#
APFDL-TR-73-118	p0324	N74-21641	#				
APFDL-TR-73-122	p0358	N74-25602	#	AGARD-LS-65	p0470	N74-32420	#
APFDL-TR-73-129-VOL-1	p0501	N74-35362	#	AGARD-LS-67	p0364	N74-26445	#
APFDL-TR-73-132	p0363	N74-26430	#				
APFDL-TR-73-138	p0299	N74-20677	#	AGARD-R-608	p0233	N74-17728	#
APFDL-TR-73-140	p0369	N74-26489	#	AGARD-R-612	p0246	N74-18653	#
APFDL-TR-73-141	p0358	N74-25601	#	AGARD-R-613	p0249	N74-18682	#
APFDL-TR-73-145	p0303	N74-21047	#	AGARD-R-614	p0246	N74-18654	#
APFDL-TR-73-148	p0412	N74-28493	#				
APFDL-TR-74-10	p0498	N74-34550	#	AGARDOGRAPH-160-VOL-1	p0360	N74-25933	#
APFDL-TR-74-12	p0468	N74-31514	#	AGARDOGRAPH-160-VOL-5	p0254	N74-18833	#
APFDL-TR-74-32	p0500	N74-34718	#	AGARDOGRAPH-162-PT-3	p0257	N74-19550	#
				AGARDOGRAPH-171	p0139	N74-13710	#
APFTC-TD-73-2	p0490	N74-33459	#	AGARDOGRAPH-172	p0139	N74-13709*	#
				AGARDOGRAPH-175	p0353	N74-25550	#
APIT-TR-74-5	p0408	N74-27509	#	AGARDOGRAPH-176	p0331	N74-23413	#
APHL-TR-72-244	p0057	N74-10932	#	AHS PREPRINT 800	p0387	A74-36614*	#
APHL-TR-73-26-VOL-1	p0057	N74-10929	#	AHS PREPRINT 801	p0387	A74-36615*	#
APHL-TR-73-26-VOL-2	p0057	N74-10931	#	AHS PREPRINT 802	p0388	A74-36616	#
APHL-TR-73-72	p0148	N74-18246	#	AHS PREPRINT 803	p0388	A74-36617	#
APHL-TR-73-126	p0190	N74-15727	#	AHS PREPRINT 804	p0388	A74-36618	#
APHL-TR-73-176	p0411	N74-28243	#	AHS PREPRINT 810	p0388	A74-36619	#
APHL-TR-73-181	p0110	N74-13265*	#	AHS PREPRINT 811	p0388	A74-36620	#
APHL-TR-73-182	p0110	N74-13263	#	AHS PREPRINT 812	p0388	A74-36621	#
APHL-TR-73-193	p0303	N74-21105	#	AHS PREPRINT 813	p0388	A74-36622	#
APHL-TR-73-197	p0303	N74-21151	#	AHS PREPRINT 814	p0389	A74-36623	#
APHL-TR-73-211-PT-1-PT-2	p0190	N74-15723	#	AHS PREPRINT 822	p0389	A74-36626	#
APHL-TR-73-224	p0255	N74-19184	#	AHS PREPRINT 823	p0389	A74-36627	#
APHL-TR-73-247-VOL-1	p0201	N74-17278	#	AHS PREPRINT 825	p0384	A74-36584	#
				AHS PREPRINT 830	p0384	A74-36585	#
APOSE-73-0030TR	p0043	N74-10068	#	AHS PREPRINT 831	p0384	A74-36586*	#
APOSE-73-1528TR	p0044	N74-10169	#	AHS PREPRINT 833	p0384	A74-36588	#
APOSE-73-1653TR	p0106	N74-12734	#	AHS PREPRINT 834	p0385	A74-36589	#
APOSE-73-1696TR	p0144	N74-13746	#	AHS PREPRINT 835	p0385	A74-36590*	#
APOSE-73-1899TR	p0166	N74-15666	#	AHS PREPRINT 840	p0385	A74-36591	#
APOSE-73-1900TR	p0109	N74-12971	#	AHS PREPRINT 841	p0385	A74-36592	#
APOSE-73-1968TR	p0192	N74-15830	#	AHS PREPRINT 842	p0385	A74-36593	#
APOSE-73-1994TR	p0244	N74-18637	#	AHS PREPRINT 843	p0385	A74-36594	#
APOSE-73-2025TR	p0201	N74-17648	#	AHS PREPRINT 844	p0385	A74-36595	#
APOSE-74-0181TR	p0326	N74-21664	#	AHS PREPRINT 850	p0386	A74-36596	#
APOSE-74-0186TR	p0132	A74-18747	#	AHS PREPRINT 851	p0386	A74-36597	#
APOSE-74-0787TR	p0441	N74-29372	#	AHS PREPRINT 852	p0386	A74-36598	#
APOSE-74-1041TR	p0491	N74-33470	#	AHS PREPRINT 853	p0386	A74-36599	#
				AHS PREPRINT 860	p0386	A74-36600	#
AFSWC-TR-72-20-VOL-5	p0409	N74-27642	#	AHS PREPRINT 864	p0386	A74-36604	#
AFSWC-TR-73-46-VOL-1	p0491	N74-33648	#	AHS PREPRINT 870	p0386	A74-36605	#
AFSWC-TR-73-46-VOL-2	p0492	N74-33652	#	AHS PREPRINT 871	p0386	A74-36606	#
AFSWC-TR-73-46-VOL-3	p0492	N74-33653	#	AHS PREPRINT 872	p0387	A74-36607	#
				AHS PREPRINT 874	p0387	A74-36609	#
AFWL-TR-72-135	p0109	N74-12969	#	AHS PREPRINT 880	p0387	A74-36610*	#
AFWL-TR-72-201	p0046	N74-10404	#	AHS PREPRINT 882	p0387	A74-36611	#
AFWL-TR-72-210	p0109	N74-12970	#	AHS PREPRINT 884	p0387	A74-36613	#
AFWL-TR-72-215	p0061	N74-11102	#				
AFWL-TR-73-26	p0107	N74-12742	#	AIAA PAPER 72-383	p0090	A74-15968	#
AFWL-TR-73-83	p0042	N74-10065	#	AIAA PAPER 73-987	p0026	A74-12218	#
AFWL-TR-73-139	p0301	N74-20904	#	AIAA PAPER 73-1001	p0006	A74-11050*	#
AFWL-TR-73-175	p0299	N74-20682	#	AIAA PAPER 73-1002	p0026	A74-12221	#
AFWL-TR-73-199	p0201	N74-17374	#	AIAA PAPER 73-1024	p0026	A74-12223*	#
AFWL-TR-73-213	p0330	N74-22689	#	AIAA PAPER 73-1028	p0006	A74-11051*	#
AFWL-TR-73-241	p0328	N74-21904	#	AIAA PAPER 73-1031	p0021	A74-11799*	#
AFWL-TR-73-254	p0328	N74-21910	#	AIAA PAPER 73-1034	p0026	A74-12224*	#
AFWL-TR-74-9	p0361	N74-26242	#	AIAA PAPER 73-1039	p0026	A74-12225*	#
				AIAA PAPER 73-1152	p0003	A74-10506*	#
AGARD-AG-160-VOL-1	p0360	N74-25933	#	AIAA PAPER 73-1153	p0025	A74-12215*	#
AGARD-AG-160-VOL-5	p0254	N74-18833	#	AIAA PAPER 73-1154	p0003	A74-10507	#
AGARD-AG-162-PT-3	p0257	N74-19550	#	AIAA PAPER 73-1155	p0003	A74-10508	#
AGARD-AG-171	p0139	N74-13710	#	AIAA PAPER 73-1156	p0120	A74-17175	#
AGARD-AG-172	p0139	N74-13709*	#	AIAA PAPER 73-1157	p0026	A74-12227	#
AGARD-AG-175	p0353	N74-25550	#	AIAA PAPER 73-1158	p0003	A74-10509	#
AGARD-AG-176	p0331	N74-23413	#	AIAA PAPER 73-1159	p0003	A74-10510	#
				AIAA PAPER 73-1160	p0003	A74-10511	#
AGARD-AR-55	p0361	N74-26104	#	AIAA PAPER 73-1161	p0025	A74-12216	#
AGARD-AR-56	p0103	N74-12713	#	AIAA PAPER 73-1164	p0026	A74-12217	#
AGARD-AR-58	p0054	N74-10905	#	AIAA PAPER 73-1169	p0031	A74-12916	#
AGARD-AR-63	p0164	N74-15349	#	AIAA PAPER 73-1181	p0008	A74-11226	#
AGARD-AR-64	p0256	N74-19404	#	AIAA PAPER 73-1182	p0008	A74-11227	#
AGARD-AR-67	p0294	N74-20639	#	AIAA PAPER 73-1183	p0008	A74-11228	#
AGARD-AR-71	p0495	N74-34488	#	AIAA PAPER 73-1184	p0031	A74-12921	#
				AIAA PAPER 73-1185	p0008	A74-11229	#
AGARD-CP-122	p0054	N74-10908	#	AIAA PAPER 73-1186	p0031	A74-12922	#
AGARD-CP-124	p0155	N74-14709	#	AIAA PAPER 73-1187	p0008	A74-11230	#
AGARD-CP-125	p0148	N74-14271	#	AIAA PAPER 73-1189	p0009	A74-11231	#
AGARD-CP-131	p0329	N74-22640	#	AIAA PAPER 73-1193	p0009	A74-11234	#
AGARD-CP-135	p0289	N74-20401	#	AIAA PAPER 73-1214	p0031	A74-12928	#
AGARD-CP-139	p0468	N74-31667	#	AIAA PAPER 73-1215	p0031	A74-12929	#

REPORT/ACCESSION NUMBER INDEX

AIAA PAPER 73-1216	p0009 A74-11245**	AIAA PAPER 74-241	p0130 A74-18655 *
AIAA PAPER 73-1217	p0030 A74-12495**	AIAA PAPER 74-242	p0180 A74-20834 *
AIAA PAPER 73-1218	p0456 A74-42849 *	AIAA PAPER 74-257	p0130 A74-18664 *
AIAA PAPER 73-1230	p0009 A74-11255 *	AIAA PAPER 74-258	p0130 A74-18665 *
AIAA PAPER 73-1248	p0009 A74-11269 *	AIAA PAPER 74-259	p0130 A74-18666 *
AIAA PAPER 73-1249	p0009 A74-11270**	AIAA PAPER 74-262	p0131 A74-18669 *
AIAA PAPER 73-1250	p0009 A74-11271 *	AIAA PAPER 74-269	p0131 A74-18674 *
AIAA PAPER 73-1251	p0010 A74-11272**	AIAA PAPER 74-270	p0131 A74-18675**
AIAA PAPER 73-1252	p0010 A74-11273 *	AIAA PAPER 74-280	p0180 A74-20836 *
AIAA PAPER 73-1269	p0030 A74-12496**	AIAA PAPER 74-281	p0180 A74-20837 *
AIAA PAPER 73-1270	p0030 A74-12497**	AIAA PAPER 74-300	p0182 A74-21290 *
AIAA PAPER 73-1271	p0010 A74-11284**	AIAA PAPER 74-301	p0182 A74-21291 *
AIAA PAPER 73-1272	p0010 A74-11285 *	AIAA PAPER 74-302	p0209 A74-22803 *
AIAA PAPER 73-1273	p0010 A74-11286 *	AIAA PAPER 74-303	p0183 A74-21292 *
AIAA PAPER 73-1275	p0010 A74-11287 *	AIAA PAPER 74-304	p0183 A74-21293 *
AIAA PAPER 73-1276	p0010 A74-11288 *	AIAA PAPER 74-305	p0183 A74-21294 *
AIAA PAPER 73-1277	p0010 A74-11289 *	AIAA PAPER 74-336	p0262 A74-26651 *
AIAA PAPER 73-1278	p0011 A74-11290**	AIAA PAPER 74-337	p0262 A74-26652 *
AIAA PAPER 73-1279	p0011 A74-11291**	AIAA PAPER 74-338	p0263 A74-26653 *
AIAA PAPER 73-1280	p0032 A74-12938 *	AIAA PAPER 74-339	p0263 A74-26654 *
AIAA PAPER 73-1281	p0011 A74-11292 *	AIAA PAPER 74-340	p0263 A74-26655 *
AIAA PAPER 73-1283	p0032 A74-12939 *	AIAA PAPER 74-343	p0263 A74-26658 *
AIAA PAPER 73-1284	p0032 A74-12940**	AIAA PAPER 74-345	p0263 A74-26659 *
AIAA PAPER 73-1291	p0032 A74-12941 *	AIAA PAPER 74-346	p0263 A74-26660 *
AIAA PAPER 73-1292	p0011 A74-11298**	AIAA PAPER 74-347	p0263 A74-26661 *
AIAA PAPER 73-1294	p0032 A74-12942 *	AIAA PAPER 74-348	p0270 A74-27267 *
AIAA PAPER 73-1295	p0032 A74-12943**	AIAA PAPER 74-349	p0277 A74-28173**
AIAA PAPER 73-1302	p0032 A74-12947 *	AIAA PAPER 74-352	p0264 A74-26664 *
AIAA PAPER 73-1303	p0011 A74-11302 *	AIAA PAPER 74-357	p0264 A74-26667 *
AIAA PAPER 73-1304	p0011 A74-11303 *	AIAA PAPER 74-358	p0264 A74-26668**
AIAA PAPER 73-1305	p0011 A74-11304**	AIAA PAPER 74-359	p0264 A74-26669**
AIAA PAPER 73-1306	p0032 A74-12948 *	AIAA PAPER 74-360	p0264 A74-26670 *
AIAA PAPER 73-1313	p0011 A74-11309 *	AIAA PAPER 74-365	p0264 A74-26674 *
AIAA PAPER 73-1314	p0033 A74-12951**	AIAA PAPER 74-367	p0264 A74-26675 *
AIAA PAPER 73-1315	p0012 A74-11310 *	AIAA PAPER 74-369	p0265 A74-26677 *
AIAA PAPER 73-1316	p0012 A74-11311**	AIAA PAPER 74-371	p0265 A74-26678 *
AIAA PAPER 73-1317	p0012 A74-11312 *	AIAA PAPER 74-372	p0265 A74-26679 *
AIAA PAPER 73-1319	p0125 A74-17905 *	AIAA PAPER 74-373	p0265 A74-26680 *
AIAA PAPER 73-1320	p0012 A74-11313 *	AIAA PAPER 74-375	p0265 A74-26682 *
AIAA PAPER 73-1322	p0012 A74-11314**	AIAA PAPER 74-376	p0265 A74-26683 *
AIAA PAPER 73-1323	p0012 A74-11315 *	AIAA PAPER 74-382	p0265 A74-26687 *
AIAA PAPER 73-1324	p0012 A74-11316 *	AIAA PAPER 74-401	p0265 A74-26700**
AIAA PAPER 73-1327	p0013 A74-11318 *	AIAA PAPER 74-402	p0266 A74-26701 *
AIAA PAPER 73-1340	p0013 A74-11387 *	AIAA PAPER 74-403	p0266 A74-26702**
AIAA PAPER 74-2	p0131 A74-18722 *	AIAA PAPER 74-404	p0266 A74-26703 *
AIAA PAPER 74-3	p0131 A74-18723 *	AIAA PAPER 74-405	p0266 A74-26704**
AIAA PAPER 74-14	p0135 A74-18843 *	AIAA PAPER 74-406	p0266 A74-26705**
AIAA PAPER 74-16	p0132 A74-18732 *	AIAA PAPER 74-409	p0266 A74-26708 *
AIAA PAPER 74-21	p0133 A74-18808**	AIAA PAPER 74-415	p0266 A74-26711 *
AIAA PAPER 74-22	p0132 A74-18736 *	AIAA PAPER 74-417	p0267 A74-26713**
AIAA PAPER 74-23	p0132 A74-18737 *	AIAA PAPER 74-418	p0267 A74-26714 *
AIAA PAPER 74-25	p0135 A74-18865 *	AIAA PAPER 74-419	p0276 A74-28169**
AIAA PAPER 74-26	p0179 A74-20754 *	AIAA PAPER 74-437	p0275 A74-27807 *
AIAA PAPER 74-27	p0136 A74-18881**	AIAA PAPER 74-439	p0275 A74-27809 *
AIAA PAPER 74-28	p0179 A74-20755**	AIAA PAPER 74-441	p0275 A74-27811 *
AIAA PAPER 74-29	p0132 A74-18738 *	AIAA PAPER 74-458	p0307 A74-28606 *
AIAA PAPER 74-36	p0132 A74-18745**	AIAA PAPER 74-501	p0338 A74-33101 *
AIAA PAPER 74-38	p0135 A74-18852**	AIAA PAPER 74-502	p0338 A74-33102 *
AIAA PAPER 74-39	p0132 A74-18747 *	AIAA PAPER 74-503	p0338 A74-33103**
AIAA PAPER 74-41	p0132 A74-18749**	AIAA PAPER 74-505	p0339 A74-33104**
AIAA PAPER 74-42	p0134 A74-18815**	AIAA PAPER 74-506	p0339 A74-33105 *
AIAA PAPER 74-59	p0179 A74-20760 *	AIAA PAPER 74-530	p0339 A74-33127 *
AIAA PAPER 74-68	p0136 A74-18882 *	AIAA PAPER 74-539	p0339 A74-33136 *
AIAA PAPER 74-69	p0134 A74-18813 *	AIAA PAPER 74-541	p0339 A74-33137 *
AIAA PAPER 74-83	p0133 A74-18764 *	AIAA PAPER 74-543	p0339 A74-33138**
AIAA PAPER 74-85	p0133 A74-18765**	AIAA PAPER 74-553	p0339 A74-33145**
AIAA PAPER 74-88	p0133 A74-18807**	AIAA PAPER 74-557	p0344 A74-34320 *
AIAA PAPER 74-91	p0133 A74-18768**	AIAA PAPER 74-568	p0344 A74-34798**
AIAA PAPER 74-110	p0133 A74-18776 *	AIAA PAPER 74-569	p0339 A74-33153**
AIAA PAPER 74-126	p0135 A74-18851 *	AIAA PAPER 74-571	p0340 A74-33155**
AIAA PAPER 74-141	p0133 A74-18789**	AIAA PAPER 74-572	p0344 A74-34332**
AIAA PAPER 74-160	p0133 A74-18797**	AIAA PAPER 74-587	p0340 A74-33166**
AIAA PAPER 74-162	p0133 A74-18798 *	AIAA PAPER 74-600	p0340 A74-33177 *
AIAA PAPER 74-163	p0169 A74-19353 *	AIAA PAPER 74-611	p0380 A74-36044**
AIAA PAPER 74-182	p0179 A74-20774 *	AIAA PAPER 74-618	p0376 A74-35386 *
AIAA PAPER 74-183	p0134 A74-18835**	AIAA PAPER 74-619	p0380 A74-36046 *
AIAA PAPER 74-184	p0135 A74-18838**	AIAA PAPER 74-620	p0376 A74-35387 *
AIAA PAPER 74-185	p0133 A74-18812**	AIAA PAPER 74-621	p0376 A74-35388**
AIAA PAPER 74-186	p0135 A74-18841**	AIAA PAPER 74-622	p0376 A74-35389 *
AIAA PAPER 74-187	p0134 A74-18834 *	AIAA PAPER 74-629	p0376 A74-35393 *
AIAA PAPER 74-188	p0134 A74-18833 *	AIAA PAPER 74-630	p0376 A74-35394 *
AIAA PAPER 74-189	p0136 A74-18877 *	AIAA PAPER 74-631	p0376 A74-35395**
AIAA PAPER 74-190	p0180 A74-20775**	AIAA PAPER 74-641	p0376 A74-35405 *
AIAA PAPER 74-191	p0134 A74-18832 *	AIAA PAPER 74-772	p0399 A74-37797 *
AIAA PAPER 74-194	p0134 A74-18831 *	AIAA PAPER 74-773	p0399 A74-37798**
AIAA PAPER 74-230	p0135 A74-18858**	AIAA PAPER 74-774	p0399 A74-37799 *
AIAA PAPER 74-234	p0135 A74-18855 *	AIAA PAPER 74-775	p0399 A74-37800 *
AIAA PAPER 74-239	p0137 A74-19205 *	AIAA PAPER 74-776	p0399 A74-37801 *
AIAA PAPER 74-240	p0130 A74-18654 *	AIAA PAPER 74-790	p0399 A74-37810**

REPORT/ACCESSION NUMBER INDEX

AIAA PAPER 74-791	p0399	A74-37811 #	AIAA PAPER 74-1047	p0456	A74-42059 #
AIAA PAPER 74-792	p0400	A74-37812 #	AIR-C-10	p0039	N74-10035
AIAA PAPER 74-794	p0400	A74-37814 #	AIRESEARCH-73-210148	p0049	N74-10725*#
AIAA PAPER 74-811	p0400	A74-37821*#	AIRESEARCH-74-410484	p0417	N74-28550 #
AIAA PAPER 74-812	p0453	A74-41796 #	AMMRC-CTR-73-41	p0288	N74-20080 #
AIAA PAPER 74-813	p0400	A74-37822 #	AMMRC-CTR-73-43	p0242	N74-18145 #
AIAA PAPER 74-814	p0453	A74-41797 #	AMMRC-CTR-74-37	p0468	N74-31515 #
AIAA PAPER 74-815	p0400	A74-37823 #	AMMRC-TR-73-36	p0193	N74-16259 #
AIAA PAPER 74-817	p0400	A74-37824*#	AMRL-TR-73-5	p0198	N74-16747 #
AIAA PAPER 74-825	p0400	A74-37829 #	AMRL-TR-73-57	p0106	N74-12733 #
AIAA PAPER 74-833	p0453	A74-41803 #	AMRL-TR-73-93	p0198	N74-16743 #
AIAA PAPER 74-834	p0401	A74-37833*#	AMS-1092	p0142	N74-13730 #
AIAA PAPER 74-836	p0401	A74-37834*#	ANSAA-TR-65	p0240	N74-17783 #
AIAA PAPER 74-860	p0401	A74-37849 #	ANSAA-TR-78	p0163	N74-14777 #
AIAA PAPER 74-861	p0401	A74-37850*#	AP-10	p0255	N74-19053 #
AIAA PAPER 74-862	p0453	A74-41809 #	APTD-1454	p0052	N74-10746 #
AIAA PAPER 74-863	p0401	A74-37851 #	APTD-1457	p0052	N74-10745 #
AIAA PAPER 74-868	p0401	A74-37855 #	APTIC-47405	p0111	N74-13318 #
AIAA PAPER 74-878	p0401	A74-37863 #	AQD/D-14	p0416	N74-28528 #
AIAA PAPER 74-885	p0401	A74-37867 #	AR-2	p0152	N74-14445 #
AIAA PAPER 74-886	p0402	A74-37868*#	ARA-34	p0245	N74-18649 #
AIAA PAPER 74-887	p0422	A74-38249*#	ARAP-194	p0099	N74-12317*#
AIAA PAPER 74-888	p0402	A74-37869*#	ARAP-199	p0053	N74-10863*#
AIAA PAPER 74-905	p0402	A74-37886 #	ARAP-200	p0418	N74-28782 #
AIAA PAPER 74-909	p0402	A74-37889 #	ARAP-203	p0107	N74-12821*#
AIAA PAPER 74-910	p0402	A74-37890*#	ARAP-204	p0412	N74-28493 #
AIAA PAPER 74-913	p0402	A74-37893 #	ARAP-218	p0494	N74-34468*#
AIAA PAPER 74-914	p0402	A74-37894 #	ARC-CP-1245	p0161	N74-14767 #
AIAA PAPER 74-935	p0479	A74-45100 #	ARC-CP-1247	p0250	N74-18689 #
AIAA PAPER 74-936	p0452	A74-41651 #	ARC-CP-1248	p0111	N74-13402 #
AIAA PAPER 74-937	p0426	A74-38713 #	ARC-CP-1252	p0246	N74-18662 #
AIAA PAPER 74-939	p0426	A74-38714 #	ARC-CP-1253	p0247	N74-18663 #
AIAA PAPER 74-941	p0452	A74-41652 #	ARC-CP-1261	p0247	N74-18665 #
AIAA PAPER 74-942	p0426	A74-38715 #	ARC-CP-1262	p0247	N74-18666 #
AIAA PAPER 74-943	p0426	A74-38716 #	ARC-CP-1277	p0412	N74-28487 #
AIAA PAPER 74-944	p0426	A74-38717 #	ARC-R/M-3725	p0161	N74-14766 #
AIAA PAPER 74-947	p0426	A74-38718 #	ARC-R/M-3726	p0231	N74-17709 #
AIAA PAPER 74-948	p0426	A74-38719 #	ARC-R/M-3729	p0257	N74-19563 #
AIAA PAPER 74-949	p0452	A74-41654*#	ARC-R/M-3730	p0250	N74-18690 #
AIAA PAPER 74-950	p0452	A74-41655*#	ARC-R/M-3732	p0416	N74-28527 #
AIAA PAPER 74-951	p0427	A74-38720 #	ARC-R/M-3733	p0257	N74-19564 #
AIAA PAPER 74-952	p0452	A74-41656 #	ARC-R/M-3736	p0257	N74-19565 #
AIAA PAPER 74-953	p0427	A74-38721*#	ARC-30657	p0247	N74-18665 #
AIAA PAPER 74-956	p0427	A74-38722 #	ARC-31687	p0247	N74-18666 #
AIAA PAPER 74-958	p0427	A74-38724 #	ARC-31719	p0231	N74-17709 #
AIAA PAPER 74-959	p0427	A74-38725*#	ARC-32144	p0161	N74-14766 #
AIAA PAPER 74-962	p0427	A74-38727 #	ARC-32549	p0161	N74-14766 #
AIAA PAPER 74-963	p0427	A74-38728 #	ARC-33123	p0257	N74-19565 #
AIAA PAPER 74-964	p0427	A74-38729*#	ARC-33388	p0416	N74-28527 #
AIAA PAPER 74-965	p0427	A74-38730 #	ARC-33682	p0250	N74-18689 #
AIAA PAPER 74-968	p0428	A74-38733 #	ARC-33730	p0161	N74-14767 #
AIAA PAPER 74-969	p0428	A74-38734*#	ARC-33869	p0247	N74-18663 #
AIAA PAPER 74-970	p0428	A74-38735 #	ARC-33876	p0246	N74-18662 #
AIAA PAPER 74-971	p0428	A74-38736*#	ARC-33976	p0111	N74-13402 #
AIAA PAPER 74-972	p0428	A74-38737 #	ARC-34020	p0250	N74-18690 #
AIAA PAPER 74-973	p0453	A74-41658 #	ARC-34098	p0257	N74-19564 #
AIAA PAPER 74-979	p0428	A74-38738 #	ARC-34617	p0412	N74-28487 #
AIAA PAPER 74-982	p0428	A74-38740 #	ARL-TR-74-0009	p0418	N74-28782 #
AIAA PAPER 74-984	p0428	A74-38742 #	ARL-72-0170-VOL-1	p0052	N74-10749 #
AIAA PAPER 74-986	p0429	A74-38743 #	ARL-72-0170-VOL-2	p0052	N74-10750 #
AIAA PAPER 74-987	p0429	A74-38744*#	ARL-73-16/AFOSR-73-10	p0144	N74-13746 #
AIAA PAPER 74-988	p0429	A74-38745**	ARL-73-0122	p0243	N74-18417 #
AIAA PAPER 74-989	p0429	A74-38746 #	ARL-73-0132	p0255	N74-18949 #
AIAA PAPER 74-990	p0429	A74-38747 #	ARL-73-0147	p0191	N74-15829 #
AIAA PAPER 74-992	p0429	A74-38748 #	ARL-73-0164	p0232	N74-17718 #
AIAA PAPER 74-993	p0453	A74-41662*#	ARL-73-0170	p0304	N74-21569 #
AIAA PAPER 74-994	p0429	A74-38749 #	ARL/A-NOTE-342	p0323	N74-21636 #
AIAA PAPER 74-995	p0453	A74-41663 #	ARL/M/N-17	p0241	N74-17983 #
AIAA PAPER 74-996	p0429	A74-38750 #	ARL/M/P-33A	p0247	N74-18667 #
AIAA PAPER 74-997	p0430	A74-38751*#			
AIAA PAPER 74-1004	p0454	A74-42032 #			
AIAA PAPER 74-1008	p0454	A74-42034 #			
AIAA PAPER 74-1015	p0454	A74-42037 #			
AIAA PAPER 74-1017	p0454	A74-42038 #			
AIAA PAPER 74-1018	p0454	A74-42039 #			
AIAA PAPER 74-1019	p0454	A74-42040 #			
AIAA PAPER 74-1020	p0454	A74-42041 #			
AIAA PAPER 74-1023	p0454	A74-42042 #			
AIAA PAPER 74-1028	p0455	A74-42044 #			
AIAA PAPER 74-1030	p0455	A74-42045*#			
AIAA PAPER 74-1031	p0455	A74-42046 #			
AIAA PAPER 74-1033	p0455	A74-42047 #			
AIAA PAPER 74-1034	p0455	A74-42048 #			
AIAA PAPER 74-1035	p0455	A74-42049 #			
AIAA PAPER 74-1036	p0455	A74-42050 #			
AIAA PAPER 74-1038	p0455	A74-42051*#			
AIAA PAPER 74-1039	p0455	A74-42052 #			
AIAA PAPER 74-1042	p0456	A74-42055 #			
AIAA PAPER 74-1046	p0456	A74-42058 #			

REPORT/ACCESSION NUMBER INDEX

ARL/SM-REPT-345	p0246	N74-18655 #	ATL-TR-166-VOL-1	p0061	N74-11113**
ARO-ETF-TR-73-46	p0066	N74-11605 #	ATL-TR-166-VOL-2	p0061	N74-11114**
ARO-PWT-TR-73-5	p0046	N74-10340 #	ATL-TR-166-VOL-3	p0061	N74-11115**
ARO-PWT-TR-73-121	p0360	N74-25791 #	ATL-TR-166-VOL-4	p0061	N74-11116**
ARO-VKF-TR-73-47	p0053	N74-10869 #	ATL-TR-175	p0159	N74-14746 #
ARO-VKF-TR-73-102	p0147	N74-13992 #	ATL-TR-181	p0109	N74-12971 #
AROD-T-3-23-E	p0286	N74-19688 #	ATH-7401	p0441	N74-29368 #
AROD-T-3-27-E	p0470	N74-32417 #	ATR-73 (7302) -1-VOL-2	p0040	N74-10045**
AROD-T-4-57-E	p0112	N74-13510 #	ATR-73 (7305) -1-VOL-2	p0040	N74-10044**
AROD-T-5-8-E	p0042	N74-10061 #	ATR-74 (7218) -1	p0245	N74-18648**
AROD-4942-21-E	p0059	N74-10941 #	AU-5-1974-AFIT-ENS	p0408	N74-27509 #
AROD-9055-1-E	p0358	N74-25598 #	A74-11805	p0287	N74-19904**
AROD-9372-3-F	p0285	N74-19677 #	B-179166	p0329	N74-22632 #
AROD-9549-9-E	p0251	N74-18703 #	BAC-7389-945009	p0300	N74-20691 #
AROD-10092-2-E	p0255	N74-18939 #	BCAC-D6-41312	p0093	N74-11808**
AROD-10223-6-E	p0112	N74-13513 #	BCAC-D6-41521	p0296	N74-20661**
AROD-10233-1-E	p0190	N74-15728 #	BCAC-D6-41908	p0494	N74-34467**
ASD-TR-72-54	p0408	N74-27507 #	BHC-209-099-371	p0331	N74-22700 #
ASD-TR-73-15	p0161	N74-14768 #	BHC-299-099-575	p0498	N74-34525 #
ASD-TR-73-21	p0251	N74-18698 #	BHC-299-099-644	p0253	N74-18716 #
ASD-TR-73-29	p0285	N74-19683 #	BHC-299-099-652	p0408	N74-27515 #
ASD-TR-73-31	p0200	N74-17001 #	BII-214-6	p0042	N74-10060 #
ASD/XR-74-9	p0498	N74-34547 #	BLL-CE-TRANS-5646- (9022.09)	p0110	N74-13136
ASI-TR-74-17	p0444	N74-30093**	BLL-PO-2988- (9022.81)	p0192	N74-15906
ASI-TR-74-18	p0491	N74-33470 #	BNVG-FBWT-72-22	p0298	N74-20669**
ASLE PREPRINT 73LC-1B-3	p0027	A74-12306	BNVG-FBWT-72-23	p0324	N74-21650**
ASLE PREPRINT 73LC-5B-2	p0027	A74-12316	BNVG-FBWT-72-24	p0297	N74-20668**
ASLE PREPRINT 74AB-1A-1	p0307	A74-28676 #	BNVG-FBWT-72-25	p0325	N74-21651**
ASME PAPER 73-DET-28	p0341	A74-33401 #	BNVG-FBWT-73-27	p0195	N74-16705 #
ASME PAPER 73-DET-31	p0341	A74-33404 #	BNVG-FBWT-73-33	p0231	N74-17707 #
ASME PAPER 73-LUB-J	p0030	A74-12710 #	BR33628	p0197	N74-16734 #
ASME PAPER 73-LUB-5	p0027	A74-12332**	BR35900	p0105	N74-12725 #
ASME PAPER 73-LUB-6	p0027	A74-12333**	BR36095	p0199	N74-16755 #
ASME PAPER 73-LUB-38	p0027	A74-12352**	BR36912	p0413	N74-28502 #
ASME PAPER 73-PTG-11	p0119	A74-16979 #	BR37049	p0241	N74-17983 #
ASME PAPER 73-WA/AERO-1	p0070	A74-13243 #	BR37072	p0256	N74-19283 #
ASME PAPER 73-WA/AERO-2	p0071	A74-13244**	BR37134	p0257	N74-19567 #
ASME PAPER 73-WA/AERO-3	p0071	A74-13245 #	BR37674	p0247	N74-18667 #
ASME PAPER 73-WA/AERO-4	p0071	A74-13246**	BR38205	p0303	N74-21139 #
ASME PAPER 73-WA/AERO-5	p0481	A74-45366 #	BR39345	p0417	N74-28549 #
ASME PAPER 73-WA/GT-1	p0071	A74-13292 #	BR39731	p0407	N74-27506 #
ASME PAPER 73-WA/GT-2	p0071	A74-13293 #	BR39889	p0366	N74-26458 #
ASME PAPER 73-WA/GT-5	p0071	A74-13296 #	BR39890	p0367	N74-26468 #
ASME PAPER 73-WA/GT-7	p0071	A74-13298**	BR39988	p0416	N74-28528 #
ASME PAPER 73-WA/GT-8	p0072	A74-13299 #	BR40625	p0406	N74-27494 #
ASME PAPER 73-WA/GT-9	p0072	A74-13300 #	C-208-2	p0110	N74-13198 #
ASME PAPER 73-WA/GT-10	p0072	A74-13301**	C-222	p0287	N74-19714 #
ASME PAPER 73-WA/GT-12	p0072	A74-13303 #	C/PLSEL-112-SUPPL-1	p0144	N74-13743 #
ASME PAPER 74-BNAS-30	p0431	A74-39130 #	C/PLSEL-116-PT-2	p0361	N74-26078 #
ASME PAPER 74-GT-3	p0271	A74-27411**	CALSPAN-AK-5113-F-1	p0200	N74-16997 #
ASME PAPER 74-GT-19	p0271	A74-27418 #	CALSPAN-AK-5113-F-2	p0299	N74-20680 #
ASME PAPER 74-GT-28	p0272	A74-27426 #	CALSPAN-AK-5130-F-1-VOL-1	p0299	N74-20678 #
ASME PAPER 74-GT-39	p0272	A74-27432 #	CALSPAN-AK-5130-F-1-VOL-2	p0299	N74-20679 #
ASME PAPER 74-GT-40	p0272	A74-27433 #	CALSPAN-AK-5130-F-2	p0300	N74-20688 #
ASME PAPER 74-GT-46	p0272	A74-27439**	CALSPAN-AK-5174-F-1	p0302	N74-20907 #
ASME PAPER 74-GT-50	p0272	A74-27442 #	CASD-NSC-73-005	p0197	N74-16741 #
ASME PAPER 74-GT-51	p0272	A74-27444 #	CERL-TH-S-13	p0061	N74-11101 #
ASME PAPER 74-GT-52	p0272	A74-27445 #	CNA-RES-CONTRIB-225	p0145	N74-13751 #
ASME PAPER 74-GT-54	p0272	A74-27447 #	CONF-730953-1	p0293	N74-20527 #
ASME PAPER 74-GT-62	p0272	A74-27452 #	CONF-740602-1	p0492	N74-33750 #
ASME PAPER 74-GT-79	p0272	A74-27466 #	CRANFIELD-AERO-17	p0037	N74-10023 #
ASME PAPER 74-GT-81	p0273	A74-27467 #	CRANFIELD-AERO-18	p0140	N74-13716 #
ASME PAPER 74-GT-82	p0273	A74-27468 #	CRANFIELD-AERO-23	p0467	N74-31490 #
ASME PAPER 74-GT-83	p0273	A74-27469 #	CRANFIELD-AERO-24	p0330	N74-22672 #
ASME PAPER 74-GT-89	p0273	A74-27472 #	CRANFIELD-SMB-4	p0152	N74-14440 #
ASME PAPER 74-GT-91	p0273	A74-27474 #	CRANFIELD-SMB-5	p0152	N74-14439 #
ASME PAPER 74-GT-98	p0273	A74-27480 #			
ASME PAPER 74-GT-115	p0273	A74-27484 #			
ASME PAPER 74-GT-118	p0273	A74-27486 #			
ASME PAPER 74-GT-120	p0271	A74-27419 #			
ASME PAPER 74-GT-126	p0271	A74-27422 #			
ASME PAPER 74-GT-159	p0274	A74-27494 #			
ASRL-TR-154-5	p0243	N74-18399**			
ASRL-TR-154-8	p0194	N74-16592**			
ATC-16	p0164	N74-15379 #			
ATC-19	p0065	N74-11432 #			
ATC-30	p0048	N74-10620 #			

REPORT/ACCESSION NUMBER INDEX

CRINC-FRL-74-001 p0323 N74-21633*#
 CRINC-FRL-74-001 p0488 N74-33436*#
 CREEL-TR-243 p0162 N74-14772 #
 CUED/A-TURBO/TR-45 p0255 N74-18920 #
 D-MAT-194 p0303 N74-21139 #
 D-MAT-195 p0199 N74-16755 #
 DCIEM-73-R-993 p0407 N74-27504 #
 DDC-TAS-73-77 p0242 N74-18312 #
 DFAN-TR-73-4 p0145 N74-13750 #
 DFAN-TR-73-5 p0145 N74-13749 #
 DFAN-TR-73-6 p0105 N74-12727 #
 DFLR-IB-153-73/26 p0191 N74-15735*#
 DFLR-SONDDR-301 p0136 A74-18925
 DFLR-SONDDR-335 p0073 A74-13549
 DFLR-SONDDR-344 p0481 A74-45427
 DFLR-SONDDR-349 p0117 A74-16727
 DGLR PAPER 73-068 p0120 A74-17177 #
 DGLR PAPER 73-069 p0120 A74-17178 #
 DGLR PAPER 73-070 p0120 A74-17179 #
 DGLR PAPER 73-078 p0120 A74-17185 #
 DGLR PAPER 73-080 p0120 A74-17186 #
 DGLR PAPER 73-081 p0120 A74-17187 #
 DGLR PAPER 73-086 p0121 A74-17192 #
 DGLR PAPER 73-109 p0121 A74-17205 #
 DGLR PAPER 73-121 p0121 A74-17216 #
 DGLR PAPER 74-014 p0271 A74-27367 #
 DGLR PAPER 74-015 p0270 A74-27363 #
 DGLR PAPER 74-021 p0271 A74-27365 #
 DGLR PAPER 74-023 p0271 A74-27366 #
 DGLR PAPER 74-024 p0270 A74-27364 #
 DGLR PAPER 74-038 p0456 A74-42872 #
 DGLR-PAPER-73-020 p0112 N74-13424 #
 DGLR-PAPER-73-023 p0355 N74-25564*#
 DGLR-PAPER-73-027 p0406 N74-27493*#
 DGLR-PAPER-73-039 p0413 N74-28500*#
 DGLR-PAPER-74-013 p0368 N74-26481 #
 DGLR-PAPER-74-015 p0368 N74-26482 #
 DGLR-PAPER-74-021 p0368 N74-26483 #
 DGLR-PAPER-74-024 p0368 N74-26485 #
 DGLR-73-011 p0492 N74-34154*#
 DGLR-73-016 p0361 N74-26150*#
 DGLR-73-024 p0355 N74-25566*#
 DGLR-73-031 p0419 N74-29118*#
 DGLR-73-033 p0355 N74-25565*#
 DGLR-73-038 p0361 N74-26151*#
 DH-2011-C-E1 p0407 N74-27501*#
 DH-2011-D-E5-VOL-1 p0141 N74-13722*#
 DH-2011-D-E5-VOL-2 p0141 N74-13723*#
 DLR-FB-69-37 p0103 N74-12706 #
 DLR-FB-73-06 p0303 N74-21080 #
 DLR-FB-73-13 p0298 N74-20675 #
 DLR-FB-73-13 p0407 N74-27506 #
 DLR-FB-73-39 p0041 N74-10053 #
 DLR-FB-73-44 p0302 N74-21042 #
 DLR-FB-73-57 p0302 N74-21044 #
 DLR-FB-73-105 p0489 N74-33457 #
 DLR-FB-73-106 p0191 N74-15736*#
 DLR-FB-73-106 p0490 N74-33458 #
 DLR-MITT-70-12 p0445 N74-30425*#
 DLR-MITT-72-05 p0472 N74-32442*#
 DLR-MITT-72-18 p0095 N74-11827*#
 DLR-MITT-72-18 p0098 N74-12015*#
 DLR-MITT-73-09 p0301 N74-20819 #
 DME/NAB-1974 (1) p0332 N74-23483 #
 DNS-DR-2041 p0038 N74-10028*#
 DOC-9065 p0039 N74-10035
 DOT-TSC-FAA-72-27 p0049 N74-10623 #
 DOT-TSC-FAA-73-13 p0151 N74-14361 #
 DOT-TSC-OST-73-12 p0052 N74-10742 #

DS/MA/73-1 p0064 N74-11378 #
 DS/AC/73-1 p0113 N74-13696 #
 DSPT-73-56 p0192 N74-16164 #
 D3-8390-4 p0095 N74-11829*#
 D3-8514-7 p0140 N74-13718*#
 D3-8884 p0093 N74-11809*#
 D3-8952 p0141 N74-13724*#
 D3-9042-1 p0471 N74-32430 #
 D3-9245 p0093 N74-11807*#
 D6-22561-VOL-1 p0196 N74-16729*#
 D6-22562-VOL-2 p0196 N74-16730*#
 D6-40879-VOL-2 p0236 N74-17753*#
 D6-40950-VOL-1 p0235 N74-17751*#
 D6-41177 p0188 N74-15713*#
 D6-41216-VOL-1 p0236 N74-17752*#
 D6-41253 p0104 N74-12717*#
 D6-41293 p0474 N74-33116 #
 D6-41324-1 p0489 N74-33455*#
 D6-41324-2 p0489 N74-33456*#
 D6-41336 p0235 N74-17749*#
 D6-41465 p0241 N74-17960*#
 D6-41499 p0196 N74-16726*#
 D6-41511 p0325 N74-21655*#
 D6-41513 p0236 N74-17755*#
 D6-41527 p0363 N74-26436*#
 D6-41537 p0467 N74-31495*#
 D6-41896 p0441 N74-29374*#
 D6-41926 p0472 N74-32438*#
 D6-43098 p0353 N74-25537*#
 D6-43099 p0247 N74-18673*#
 D6-60136-3 p0153 N74-14625*#
 D6-60181-1A p0415 N74-28514*#
 D6-60181-1B p0415 N74-28515*#
 D6-60181-2 p0415 N74-28516*#
 D6-60181-3 p0415 N74-28517*#
 D6-60181-4 p0415 N74-28518*#
 D6-60181-5 p0415 N74-28519*#
 D6-60181-6 p0415 N74-28520*#
 D6-60181-7 p0416 N74-28521*#
 D6-60183 p0255 N74-19184 #
 D6-60196-VOL-3 p0471 N74-32429 #
 D6-60225 p0110 N74-13263 #
 D162-10467-13 p0159 N74-14747 #
 D180-14203A-1 p0285 N74-19683 #
 D180-14403-1-VOL-3 p0058 N74-10938 #
 D180-14407-1-VOL-6 p0058 N74-10940 #
 D180-14408-1 p0056 N74-10925 #
 D180-14409-1 p0057 N74-10926 #
 D180-14409-2-VOL-2-PT-2 p0058 N74-10937 #
 D180-14411-1-VOL-4 p0098 N74-11846 #
 D180-14412-1-VOL-5-PT-1 p0098 N74-11847 #
 D180-14412-2-VOL-5-PT-2 p0058 N74-10939 #
 D180-17529-1 p0418 N74-29012 #
 D180-17606-2 p0443 N74-29396 #
 D180-18069-1 p0499 N74-34554 #
 D210-10492-1 p0106 N74-12738 #
 D210-10545-1 p0143 N74-13732 #
 D210-10571-1 p0256 N74-19411 #
 D210-10579-1 p0251 N74-18700 #
 D210-10593-1 p0252 N74-18707 #
 D210-10638-1 p0252 N74-18708 #
 D210-10662-2 p0161 N74-14765*#
 D210-10666-2 p0248 N74-18678*#
 D210-10678-1 p0353 N74-25544 #
 D210-10683 p0250 N74-18696 #
 D210-10687-1 p0327 N74-21671 #
 D210-10752-2 p0354 N74-25563*#
 D222-10053-1-VOL-10 p0142 N74-13727*#
 D222-10059-1 p0188 N74-15711*#
 D301-10188-1 p0190 N74-15725 #
 E-7076 p0037 N74-10025*#
 E-7133 p0147 N74-14138*#
 E-7205 p0037 N74-10027*#
 E-7229 p0037 N74-10022*#
 E-7255 p0050 N74-10734*#
 E-7397 p0055 N74-10917*#
 E-7449 p0166 N74-15466*#
 E-7480 p0037 N74-10024*#
 E-7499 p0049 N74-10722*#
 E-7513 p0165 N74-15465*#
 E-7522 p0293 N74-11812*#
 E-7523 p0101 N74-12575*#
 E-7531 p0153 N74-14650*#
 E-7535 p0064 N74-11304*#
 E-7546 p0037 N74-10026*#

REPORT/ACCESSION NUMBER INDEX

E-7560	p0101	N74-12571*	ESDU-66029	p0036	N74-10012
E-7564	p0094	N74-11813*	ESDU-67010	p0102	N74-12703
E-7565	p0154	N74-14651*	ESDU-67011	p0154	N74-14701
E-7570	p0099	N74-12187*	ESDU-71020	p0102	N74-12703
E-7580	p0067	N74-11738*	ESDU-72027	p0492	N74-34447 +
E-7596	p0246	N74-18656*	ESDU-73006	p0035	N74-10007
E-7634	p0166	N74-15659*	ESDU-73012	p0492	N74-34446 +
E-7693	p0049	N74-10709*	ESDU-73016	p0035	N74-10008
E-7700	p0370	N74-27412*	ESDU-73018	p0103	N74-12710
E-7736	p0243	N74-18397*	ESDU-73019	p0103	N74-12709
E-7743	p0231	N74-17699*	ESDU-73024	p0109	N74-12986
E-7749	p0040	N74-10043*	ESDU-73026	p0103	N74-12712
E-7756	p0037	N74-10021*	ESDU-73027	p0103	N74-12711
E-7757	p0045	N74-10321*	ESDU-74018	p0493	N74-34464 +
E-7760	p0100	N74-12445*	ESL-2768-10	p0044	N74-10169 *
E-7763	p0360	N74-25812*	ESL-2902-16	p0369	N74-26666*
E-7765	p0039	N74-10042*	ESL-3001-5	p0417	N74-28707*
E-7771	p0039	N74-10037*	ESL-3001-7	p0417	N74-28706*
E-7818	p0323	N74-21639*	ESL-3001-8	p0417	N74-28709*
E-7822	p0243	N74-18400*	ESL-3001-9	p0369	N74-26663*
E-7822	p0294	N74-20591*	ESL-3390-2	p0409	N74-27641 *
E-7823	p0152	N74-14384*	ESL-3390-3	p0409	N74-27640 *
E-7824	p0411	N74-28241*	ESL-3390-4	p0409	N74-27639 *
E-7831	p0362	N74-26389*	ESRO-CR(P)-307	p0107	N74-12864 *
E-7857	p0444	N74-30240*	ESRO-CR(P)-308	p0107	N74-12865 *
E-7870	p0353	N74-25536*	ESRO-CR(P)-309	p0108	N74-12866 *
E-7901	p0410	N74-28240*	ESRO-CR(P)-310	p0108	N74-12867 *
E-7908	p0256	N74-19405*	ESRO-CR(P)-311	p0108	N74-12868 *
E-7928	p0284	N74-19668*	ESRO-CR(P)-312	p0108	N74-12869 *
E-7942	p0331	N74-23342*	ESRO-CR(P)-313	p0108	N74-12870 *
E-7948	p0329	N74-22631*	ESRO-CR(P)-322	p0194	N74-16597 *
E-7962	p0363	N74-26435*	ESRO-TT-2	p0041	N74-10053 *
E-7975	p0500	N74-35203*	ESRO-TT-8	p0298	N74-20675 *
E-7986-VOL-1-PT-1	p0406	N74-27491*	ESRO-TT-13	p0302	N74-21042 *
E-7991	p0355	N74-25568*	ESRO-TT-15	p0302	N74-21044 *
E-8028	p0442	N74-29379*	ESRO-TT-20	p0301	N74-20819 *
E-8045	p0445	N74-30249*	ESRO-TT-23	p0303	N74-21080 *
E-8090	p0475	N74-33228*	ESS-4035-102-74	p0473	N74-32443*
E-8091	p0500	N74-35201*	ETL-SR-74-4	p0284	N74-19676 *
E-8096	p0475	N74-33229*	EUROMECH PREPRINT 73-2	p0089	N74-15949 *
E-8119	p0500	N74-35202*	EX-5102/27-73/296	p0108	N74-12866 *
ECAC-PR-72-045	p0098	N74-11973 *	EX-5102/27-73/299	p0108	N74-12368 *
ECOM-4140	p0112	N74-13450 *	EX-5102/27-73/305	p0107	N74-12865 *
ECOM-4173	p0287	N74-19822 *	EX-5102/27-73/308	p0108	N74-12867 *
ECOM-4184	p0286	N74-19687 *	EX-5102/27-73/309	p0107	N74-12864 *
ECOM-4188	p0289	N74-20235 *	EX-5102/27-73/311	p0108	N74-12869 *
ECOM-5504	p0063	N74-11295 *	EX-5102/27-73/315	p0108	N74-12870 *
ECOM-5527	p0242	N74-18280 *	E74-10043	p0062	N74-11164*
EDO-9972	p0240	N74-17799 *	E74-10086	p0062	N74-11197*
EIRS-ASE-73-2	p0038	N74-10033 *	E74-10087	p0062	N74-11198*
EIRS-ASE-74-3	p0286	N74-19688 *	E74-10092	p0063	N74-11202*
EIRS-ASE-74-4	p0470	N74-32417 *	FA-N73-19-1	p0111	N74-13286 *
ELS-3001-3	p0417	N74-28710*	FAA-AEM-1	p0049	N74-10622 *
EPA-NTID73.2	p0287	N74-19898 *	FAA-AEM-73-9	p0287	N74-20054 *
EPA-NTID73.4	p0238	N74-17769 *	FAA-EM-74-3	p0049	N74-10622 *
EPA-NTID73.5	p0238	N74-17771 *	FAA-NA-73-32	p0099	N74-12167 *
EPA-NTID73.6	p0238	N74-17770 *	FAA-NA-73-32(2)	p0039	N74-10040 *
ER-700	p0052	N74-10745 *	FAA-NA-73-34	p0104	N74-12718 *
ER-7194	p0054	N74-10899 *	FAA-NA-73-40	p0100	N74-12361 *
ERL-076	p0236	N74-17754*	FAA-NA-73-43	p0095	N74-11828 *
ESD-TR-73-176	p0192	N74-15876 *	FAA-NA-73-54	p0151	N74-14360 *
ESD-TR-73-253	p0048	N74-10621 *	FAA-NA-73-62	p0048	N74-10618 *
ESD-TR-73-258	p0289	N74-20237 *	FAA-NA-73-63	p0359	N74-25603 *
ESDU-AIRCRAFT-06.01.00	p0035	N74-10005	FAA-NA-73-68	p0472	N74-32435 *
ESDU-AIRCRAFT-06.01.03-AMEND-A	p0093	N74-11805	FAA-NA-73-79	p0104	N74-12716 *
ESDU-AIRCRAFT-06.01.03-AMEND-A	p0093	N74-11805	FAA-NA-73-86	p0053	N74-10866 *
ESDU-AIRCRAFT-08.01.05-AMEND-A	p0035	N74-10010	FAA-NA-73-87	p0101	N74-12574 *
ESDU-BODIES-02.04.00-AMEND-A	p0035	N74-10011	FAA-NA-73-109	p0444	N74-30104 *
ESDU-BODIES-02.04.01-AMEND-A	p0045	N74-10311	FAA-NA-73-110	p0475	N74-33225 *
ESDU-FLAPS-01.01.05-AMEND-A	p0035	N74-10003	FAA-RD-72-40-VOL-3	p0471	N74-32429 *
ESDU-FLAPS-02.01.07-AMEND-A	p0035	N74-10002	FAA-RD-72-80-VOL-2	p0098	N74-11973 *
ESDU-TD-MEMOR-6312	p0492	N74-34446 +	FAA-RD-72-135	p0056	N74-10920 *
ESDU-WINGS-01.01.04-AMEND-A	p0487	N74-33425	FAA-RD-72-150-VOL-1	p0165	N74-15381 *
ESDU-WINGS-02.04.00-AMEND-A	p0035	N74-10004	FAA-RD-72-150-VOL-3	p0165	N74-15382 *

REPORT/ACCESSION NUMBER INDEX

FAA-BD-72-150-VOL-3A	p0165	N74-15383	FTD-HT-23-395-74	p0359	N74-25610
FAA-BD-72-150-VOL-4	p0165	N74-15384	FTD-HT-23-481-74	p0251	N74-18699
FAA-BD-72-150-VOL-5	p0165	N74-15385	FTD-HT-23-534-74	p0239	N74-17776
FAA-BD-73-31	p0049	N74-10623	FTD-HT-23-536-74	p0287	N74-19894
FAA-BD-73-55	p0049	N74-10625	FTD-HT-23-537-74	p0257	N74-19413
FAA-BD-73-73	p0112	N74-13427	FTD-HT-23-538-74	p0239	N74-17782
FAA-BD-73-76	p0151	N74-14361	FTD-HT-23-585-73	p0046	N74-10328
FAA-BD-73-82	p0098	N74-12019	FTD-HT-23-587-73	p0046	N74-10326
FAA-BD-73-99	p0039	N74-10040	FTD-HT-23-588-74	p0255	N74-19144
FAA-BD-73-99	p0099	N74-12167	FTD-HT-23-701-74	p0419	N74-29207
FAA-BD-73-111	p0164	N74-15380	FTD-HT-23-731-73	p0042	N74-10058
FAA-BD-73-119	p0151	N74-14360	FTD-HT-23-777-74	p0293	N74-20452
FAA-BD-73-124-VOL-1	p0472	N74-32437	FTD-HT-23-789-74	p0285	N74-19678
FAA-BD-73-128	p0410	N74-28082	FTD-HT-23-801-73	p0143	N74-13737
FAA-BD-73-131-VOL-1-1	p0471	N74-32430	FTD-HT-23-809-73	p0051	N74-10737
FAA-BD-73-138	p0095	N74-11828	FTD-HT-23-815-74	p0243	N74-18416
FAA-BD-73-139	p0164	N74-15379	FTD-HT-23-817-73	p0152	N74-14447
FAA-BD-73-140	p0100	N74-12361	FTD-HT-23-1815-72	p0043	N74-10067
FAA-BD-73-141	p0104	N74-12718			
FAA-BD-73-144	p0104	N74-12716	FTD-HT-24-217-74	p0361	N74-26130
FAA-BD-73-145	p0056	N74-10921	FTD-HT-24-251-74	p0368	N74-26488
FAA-BD-73-148	p0039	N74-10039	FTD-HT-24-287-72	p0052	N74-10751
FAA-BD-73-150-VOL-3	p0288	N74-20233	FTD-HT-24-291-73	p0065	N74-11601
FAA-BD-73-153	p0048	N74-10618	FTD-HT-24-318-73	p0143	N74-13738
FAA-BD-73-154	p0053	N74-10866	FTD-HT-24-345-73	p0166	N74-15467
FAA-BD-73-155	p0101	N74-12574	FTD-HT-24-499-73	p0362	N74-26421
FAA-BD-73-161	p0100	N74-12356	FTD-HT-24-661-73	p0293	N74-20453
FAA-BD-73-164	p0110	N74-13198	FTD-HT-24-665-73	p0288	N74-20161
FAA-BD-73-165	p0100	N74-12362	FTD-HT-24-715-73	p0419	N74-29225
FAA-BD-73-166	p0065	N74-11432	FTD-HT-24-720-73	p0369	N74-26491
FAA-BD-73-166-VOL-1.1	p0150	N74-14340	FTD-HT-24-744-73	p0063	N74-11274
FAA-BD-73-166-VOL-1.2-BK-1	p0150	N74-14341	FTD-HT-24-1809-72	p0051	N74-10739
FAA-BD-73-166-VOL-1.2-BK-2	p0150	N74-14342			
FAA-BD-73-166-VOL-3.1-BK-1	p0150	N74-14343	FTL-R73-4	p0282	N74-19651*
FAA-BD-73-166-VOL-3.1-BK-2	p0151	N74-14344			
FAA-BD-73-166-VOL-3.2	p0111	N74-13421	F0161-FR-VOL-3	p0358	N74-25602
FAA-BD-73-168	p0474	N74-33116			
FAA-BD-73-175	p0048	N74-10620	GA/AE/71-1	p0144	N74-13744
FAA-BD-74-18	p0475	N74-33225	GA/EE/73-3	p0147	N74-14126
FAA-BD-74-48	p0472	N74-32435	GA/EE/73A-2	p0370	N74-27359
FAA-BD-74-51	p0444	N74-30104	GA/HA/73A-2	p0353	N74-25543
FAA-BD-74-74-I	p0499	N74-34716	GA/MC/73-3	p0198	N74-16750
FAA-BD-74-74-II	p0498	N74-34537	GA/MC/73-4	p0201	N74-17689
FAA-BD-74-99-1	p0491	N74-33648	GA/MC/73A-1	p0304	N74-21568
FAA-BD-74-116	p0499	N74-34715	GA/ME/73-3	p0198	N74-16742
FAA-BD-150-VOL-6	p0165	N74-15386			
FCFC-2097	p0408	N74-27516	GAM/AE/73-6	p0188	N74-15707
FFA-AU-621-PT-2	p0038	N74-10031*	GAM/AE/73-13	p0191	N74-15729
FFA-AU-635-PT-2	p0294	N74-20636	GAM/AE/73-13	p0237	N74-17761
FFA-AU-653	p0036	N74-10013	GAM/AE/73-14	p0190	N74-15726
FFA-AU-772	p0231	N74-17704	GAM/AE/73A-9	p0300	N74-20684
FFA-AU-772-SUPPL	p0231	N74-17705	GAM/AE/73A-10	p0294	N74-20644
FFA-AU-966	p0158	N74-14740	GAM/AE/73A-15	p0299	N74-20683
FFA-MEMO-90	p0047	N74-10541	GAM/AE/73A-17	p0300	N74-20685
FFDL-TR-73-6923	p0163	N74-14779	GAM/AE/73A-20	p0301	N74-20694
FIRL-C3678-01	p0500	N74-34952	GAM/MC/73A-1	p0301	N74-20696
FIRL-F-C3120-11	p0416	N74-28532	GAM/MC/73A-3	p0295	N74-20645
FIRL-I-C2429-5	p0242	N74-18146	GAM/ME/73A-1	p0198	N74-16744
FOA-2-A-2553-E4	p0105	N74-12723	GAPD-W0510-FR	p0047	N74-10491
FOA-2-C-2494-M6	p0113	N74-13690	GAPD-W0517-FR	p0408	N74-27510
FOA-2-C-2509-E4	p0111	N74-13423			
FOA-2-C-2533-D8/E1/M6	p0104	N74-12721	GAW/AE/74-1	p0300	N74-20686
FOA-3-C-3685-E4	p0105	N74-12722			
FRL-72-001	p0159	N74-14752*	GDCA-DHB73-001-VOL-3-2	p0058	N74-10936
FSRP-FPL-156-REV	p0244	N74-18549			
FSTC-HT-23-1690-73	p0199	N74-16870	GDCA-DHG73-001-VOL-1	p0057	N74-10927
FSTC-HT-23-1827-73	p0498	N74-34534	GDCA-DHG73-001-VOL-2	p0143	N74-13733
FSTC-HT-23-2102-72	p0239	N74-17778	GDCA-DHG73-001-VOL-3-1	p0057	N74-10928
FTD-HC-23-478-74	p0293	N74-20450	GDCA-DHG73-001-VOL-4	p0143	N74-13734
FTD-HC-23-700-74	p0370	N74-27302	GDCA-DHG73-001-VOL-5	p0143	N74-13735
FTD-HC-23-1256-74	p0369	N74-26494	GDCA-DHG73-001-VOL-6	p0143	N74-13736
FTD-HC-23-1339-72	p0051	N74-10741			
FTD-HC-23-1366-72	p0051	N74-10740	GE-R73AEG120-VOL-4	p0040	N74-10049*
FTD-HT-23-42-74	p0049	N74-10717	GE-R73AEG363	p0050	N74-10732*
FTD-HT-23-180-74	p0240	N74-17926			
FTD-HT-23-209-74	p0197	N74-16739	GE/EE/74M-1	p0442	N74-29389
			GE/EE/74M-5	p0442	N74-29392
			GER-15960	p0043	N74-10070
			GERA-1864	p0107	N74-12739
			GGC/EE/73-17	p0162	N74-14769
			GPO-39-784	p0494	N74-34473
			GSA/HA/73-1	p0058	N74-10935
			GSA/SH/73-2	p0194	N74-16695

REPORT/ACCESSION NUMBER INDEX

GSA/SH/73-11	p0102	N74-12699 #	ISL-28/72	p0067	N74-11740 #
GSE/SE/74-1-VOL-1	p0361	N74-26149 #	ISL-35/72-PT-1	p0053	N74-10846 #
GSE/SE/74-1-VOL-3	p0361	N74-26155 #	ISL-37/72	p0298	N74-20673 #
H-704	p0159	N74-14753**	ISSN-0077-5541	p0283	N74-19662 #
H-717	p0246	N74-18657**	ITR-1	p0444	N74-30013 #
H-783	p0407	N74-27499**	ITR-8	p0491	N74-33473 #
H-789	p0141	N74-13725**	ITR-1003-2	p0488	N74-33445**
H-802	p0195	N74-16717**	JANAIR-730705	p0162	N74-14773 #
H-803	p0284	N74-19672**	JANAIR-731001-VOL-8	p0288	N74-20059 #
H-804	p0362	N74-26251**	JANAIR-731002	p0199	N74-16754 #
H-806	p0355	N74-25569**	JANAIR-740701	p0499	N74-34554 #
H-815	p0160	N74-14760**	JPRS-54505	p0044	N74-10153 #
H-844	p0441	N74-29370**	JPRS-60353	p0039	N74-10036 #
HAC-REP-C6619	p0303	N74-21049 #	JPRS-60785	p0192	N74-15962 #
HCI-TR-S-229	p0189	N74-15716**	JPRS-61482	p0257	N74-19623 #
HCI-TR-S-231	p0249	N74-18686**	JPRS-61636	p0302	N74-21022 #
HDL-TM-24-73	p0286	N74-19689 #	JPRS-61923	p0298	N74-20670 #
HH-73-14	p0331	N74-22690 #	JPRS-62252	p0407	N74-27502 #
HH-73-41	p0297	N74-20662**	JPRS-62337	p0405	N74-27478 #
HH-73-76	p0242	N74-18145 #	JPRS-62363	p0405	N74-27471 #
HH-74-28	p0297	N74-20663**	JSC-09060	p0411	N74-28423**
HIS/73/55	p0305	N74-21591 #	JTCG/ALNNO-WP-12-2-VOL-1	p0285	N74-19679 #
H400-12-1-17	p0163	N74-14779 #	JTCG/ALNNO-WP-12-2-VOL-2	p0298	N74-20676 #
IC-AERO-71-22	p0154	N74-14705	JTCG/ALNNO-WP-12-2-VOL-3	p0285	N74-19680 #
IC-AERO-72-14	p0155	N74-14706	JTCG/ALNNO-WP-12-2-VOL-4	p0285	N74-19681 #
IC-AERO-73-04	p0061	N74-11112	JUL-949-PC	p0241	N74-17961 #
ICAS PAPER 74-03	p0447	A74-41305 #	KSC-MTB-238-72	p0059	N74-11091**
ICAS PAPER 74-04	p0447	A74-41306 #	KTR-655-1	p0238	N74-17766 #
ICAS PAPER 74-05	p0447	A74-41307 #	L-7176	p0102	N74-12705**
ICAS PAPER 74-07	p0448	A74-41309 #	L-8410	p0323	N74-21634**
ICAS PAPER 74-08	p0448	A74-41310 #	L-8449	p0036	N74-10015**
ICAS PAPER 74-10	p0448	A74-41312**	L-8756	p0104	N74-12719**
ICAS PAPER 74-11	p0448	A74-41313 #	L-8796	p0146	N74-13882**
ICAS PAPER 74-12	p0448	A74-41314 #	L-8798	p0060	N74-11096**
ICAS PAPER 74-15	p0448	A74-41317 #	L-8825	p0187	N74-15703**
ICAS PAPER 74-16	p0448	A74-41318 #	L-8844	p0095	N74-11825**
ICAS PAPER 74-19	p0448	A74-41321 #	L-8897	p0097	N74-11837**
ICAS PAPER 74-20	p0449	A74-41322 #	L-8940	p0038	N74-10030**
ICAS PAPER 74-21	p0449	A74-41323 #	L-8942	p0098	N74-12091**
ICAS PAPER 74-22	p0449	A74-41324 #	L-8950	p0096	N74-11836**
ICAS PAPER 74-26	p0449	A74-41328 #	L-8969	p0047	N74-10584**
ICAS PAPER 74-27	p0449	A74-41329 #	L-8971	p0096	N74-11831**
ICAS PAPER 74-28	p0449	A74-41330 #	L-8975	p0246	N74-18658**
ICAS PAPER 74-31	p0457	A74-43125 #	L-8990	p0325	N74-21652**
ICAS PAPER 74-32	p0449	A74-41333 #	L-8992	p0099	N74-12261**
ICAS PAPER 74-33	p0449	A74-41334 #	L-9024	p0284	N74-19667**
ICAS PAPER 74-34	p0450	A74-41335 #	L-9035	p0237	N74-17759**
ICAS PAPER 74-35	p0450	A74-41336 #	L-9051	p0096	N74-11832**
ICAS PAPER 74-36	p0450	A74-41337 #	L-9067	p0036	N74-10014**
ICAS PAPER 74-37	p0450	A74-41338 #	L-9076	p0059	N74-11059**
ICAS PAPER 74-40	p0450	A74-41341 #	L-9090	p0062	N74-11119**
ICAS PAPER 74-41	p0450	A74-41342 #	L-9096	p0094	N74-11819**
ICAS PAPER 74-42	p0450	A74-41343 #	L-9132	p0094	N74-11821**
ICAS PAPER 74-46	p0451	A74-41346 #	L-9137	p0283	N74-19663**
ICAS PAPER 74-48	p0451	A74-41348 #	L-9142	p0284	N74-19671**
ICAS PAPER 74-49	p0451	A74-41349 #	L-9148	p0324	N74-21649**
ICAS PAPER 74-50	p0451	A74-41350 #	L-9155	p0354	N74-25562**
ICAS PAPER 74-54	p0451	A74-41353 #	L-9176	p0297	N74-20666**
ICAS PAPER 74-55	p0451	A74-41354 #	L-9202	p0254	N74-18895**
ICAS PAPER 74-58	p0451	A74-41357 #	L-9203	p0325	N74-21653**
ICAS PAPER 74-59	p0451	A74-41358 #	L-9209	p0045	N74-10318**
IPC-LR-74-3	p0491	N74-33471 #	L-9219	p0094	N74-11823**
IPC-TR-73-8	p0164	N74-15115 #	L-9225	p0283	N74-19665**
IPD-8/71-PT-1	p0097	N74-11844 #	L-9229	p0256	N74-19282**
IPD-9/71-PT-2	p0097	N74-11845 #	L-9242	p0326	N74-21658**
ILR-4-1973	p0326	N74-21663 #	L-9246	p0419	N74-29119**
IR-2	p0049	N74-10625 #	L-9260	p0469	N74-32356**
IS-R-73/02	p0200	N74-16960 #	L-9273	p0416	N74-28524**
ISL-NB-1/73	p0067	N74-11718 #	L-9274	p0470	N74-32414**
ISL-BT-19/72	p0060	N74-11099 #	L-9308	p0411	N74-28474**
			L-9311	p0410	N74-28102**
			L-9327	p0487	N74-33430**
			L-9328	p0463	N74-31414**
			L-9349	p0488	N74-33434**
			L-9350	p0323	N74-21635**
			L-9368	p0412	N74-28483**
			L-9371	p0413	N74-28506**
			L-9389	p0500	N74-35219**

REPORT/ACCESSION NUMBER INDEX

L-9430	p0237	H74-17758**	
L-9433	p0463	H74-31416**	
L-9460	p0493	H74-34459**	
L-9463	p0463	H74-31419**	
L-9538	p0493	H74-34461**	
L-9539	p0412	H74-28475**	
L-9541	p0463	H74-31421**	
L-9549	p0489	H74-33452**	
L-9558	p0487	H74-33431**	
L-9577	p0487	H74-33432**	
L-9578	p0487	H74-33428	
L-9625	p0489	H74-33453**	
L-9662	p0469	H74-32412**	
L-9747	p0470	H74-32416**	
L-9866	p0467	H74-31499**	
LA-UR-73-1304	p0293	H74-20527	*
LA-5491-NS	p0474	H74-32903	*
LBF-FB-104/72	p0097	H74-11839	*
LBF-FB-105/73	p0097	H74-11840	*
LBF-FB-106/73	p0097	H74-11841	*
LBF-S-108	p0097	H74-11843	*
LBF-TB-103/1972	p0056	H74-10924	*
LG73ER0058-VOL-1	p0248	H74-18679**	
LG73ER0058-VOL-2	p0248	H74-18680**	
LG73ER0062	p0056	H74-10921	*
LG73ER0126	p0497	H74-34523	*
LG73ER0153	p0324	H74-21641	*
LG73ER0169-VOL-1	p0232	H74-17710	*
LG73ER0169-VOL-2	p0232	H74-17711	*
LG73ER0193	p0189	H74-15717**	
LG74ER0070	p0412	H74-28479**	
LG74ER0077	p0495	H74-34477**	
LMSC-D352462	p0303	H74-21151	*
LR-569	p0155	H74-14708	*
LR-572	p0283	H74-19662	*
LR-573	p0256	H74-19281	*
LR-576	p0442	H74-29376	*
LR-24051	p0443	H74-29401	*
LR-25327-10	p0250	H74-18693	*
LR-25945	p0443	H74-29402	*
LR-26088	p0254	H74-18813	*
LWL-CR-06P72	p0408	H74-27508	*
LWL-CR-06P72D	p0416	H74-28532	*
LWL-TR-74-04	p0200	H74-16906	*
LWL-TR-74-27	p0443	H74-29616	*
LWL-TR-74-39	p0443	H74-29627	*
LYC-73-48	p0410	H74-28229**	
L8923	p0249	H74-18688**	
M-108	p0060	H74-11097**	
HBB-UD-118-74-0	p0368	H74-26485	*
HBB-UB-06-73-0	p0413	H74-28500**	
HBB-UB-06-74-0	p0368	H74-26483	*
MCIC-73-14	p0066	H74-11604	*
HDC-E0888	p0244	H74-18637	*
HDC-J4355-VOL-1	p0472	H74-32437	*
HDC-J5519-VOL-1	p0281	H74-19646	*
HDC-J5738	p0050	H74-10729**	
HDC-J5831	p0324	H74-21645	*
HDC-J6080	p0164	H74-14783	*
HDC-J6220	p0188	H74-15714**	
HDC-J6236	p0286	H74-19690	*
HDC-J6507	p0491	H74-33473	*
ME-73-4	p0438	A74-40303	*
MEMO-403502	p0473	H74-32443**	
HJO-3019	p0057	H74-10931	*
HJO-3027	p0238	H74-17772	*
HJO-4314	p0058	H74-10933	*
HR-1	p0062	H74-11198**	
HTI-73TR1	p0162	H74-14775	*
HTI-73TR11	p0047	H74-10486	*
HTI-73TR28	p0369	H74-26493	*
H-1/3.85	p0241	H74-17983	*
HA-72-868-VOL-2	p0199	H74-16751	*
HA-72-868-VOL-5-PT-2	p0199	H74-16752	*
HA-72-868-VOL-6	p0199	H74-16753	*
HACE PAPER 24	p0375	A74-35279	
HADC-72178-VT-REV-A	p0301	H74-20693	*
HADC-72216-VT-REV-A	p0300	H74-20692	*
HADC-72217-VT-REV-A	p0328	H74-21902	*
HADC-72218-VT-REV-A	p0328	H74-21903	*
HADC-73139-30	p0042	H74-10059	*
HADC-73147-30	p0144	H74-13745	*
HADC-73179-30	p0358	H74-25597	*
HADC-74058-30	p0369	H74-26495	*
HAE-LR-569	p0247	H74-18668	*
HABC-GSED-69	p0048	H74-10607	*
HAI-BIBL-SER-45	p0353	H74-25547	+
HAI-BIBL-SER-51	p0353	H74-25545	+
HAI-TR-194	p0159	H74-14748	*
HAI-TR-312	p0040	H74-10046	*
HAI-TR-313	p0045	H74-10322	*
HAI-TR-314	p0040	H74-10047	*
HAI-TR-317	p0193	H74-16486	*
HAI-TR-319	p0161	H74-14764	*
HAI-TR-324	p0158	H74-14744	*
HAI-TR-329	p0293	H74-20572	*
HAI-TR-335	p0287	H74-19891	*
HAI-TR-350	p0330	H74-22673	*
HAI-TR-361	p0495	H74-34480	*
HANRL-1188	p0057	H74-10930	*
HANRL-1192	p0144	H74-13742	*
HAPTC-PE-32	p0288	H74-20060	*
HAPTC-PE-39	p0361	H74-26073	*
HAPTC-PE-40	p0304	H74-21396**	
NASA-CASE-ARC-10470-3	p0445	H74-30414**	
NASA-CASE-ARC-10712-1	p0474	H74-33218*	
NASA-CASE-ARC-10801-1	p0471	H74-32428**	
NASA-CASE-ARC-10806	p0409	H74-27872**	
NASA-CASE-ARC-10807-1	p0494	H74-34475**	
NASA-CASE-ARC-10813-1	p0193	H74-16249**	
NASA-CASE-FRC-10049-1	p0111	H74-13420*	
NASA-CASE-FRC-10051-1	p0110	H74-13129*	
NASA-CASE-GSC-11127-1	p0044	H74-10202**	
NASA-CASE-LAR-10753-1	p0445	H74-30421*	
NASA-CASE-LAR-10776-1	p0038	H74-10034*	
NASA-CASE-LAR-11141-1	p0470	H74-32418*	
NASA-CASE-LAR-11570-1	p0410	H74-28233**	
NASA-CASE-LAR-11645-1	p0365	H74-26456**	
NASA-CASE-LRW-11188-1	p0295	H74-20646*	
NASA-CASE-LRW-11286-1	p0406	H74-27490*	
NASA-CASE-HSC-12394-1	p0059	H74-10942*	
NASA-CASE-XHF-02263	p0054	H74-10907*	
NASA-CR-2122	p0153	H74-14625**	
NASA-CR-2197	p0161	H74-14765**	
NASA-CR-2202	p0188	H74-15710**	
NASA-CR-2275	p0245	H74-18645**	
NASA-CR-2315	p0041	H74-10051**	
NASA-CR-2320	p0140	H74-13718**	
NASA-CR-2322	p0139	H74-13708**	
NASA-CR-2323	p0036	H74-10020**	
NASA-CR-2332	p0188	H74-15713**	
NASA-CR-2333	p0248	H74-18679**	
NASA-CR-2334	p0248	H74-18680**	
NASA-CR-2335	p0245	H74-18646**	
NASA-CR-2337	p0159	H74-14752**	
NASA-CR-2338	p0141	H74-13724**	

REPORT/ACCESSION NUMBER INDEX

NASA-CR-2340	p0038	N74-10031**	NASA-CR-132353	p0061	N74-11116**
NASA-CR-2342	p0236	N74-17756**	NASA-CR-132354	p0095	N74-11829**
NASA-CR-2344	p0036	N74-10019**	NASA-CR-132355	p0094	N74-11822**
NASA-CR-2346	p0249	N74-18681**	NASA-CR-132358	p0158	N74-14745**
NASA-CR-2348	p0195	N74-16716**	NASA-CR-132361	p0161	N74-14762**
NASA-CR-2349	p0160	N74-14754**	NASA-CR-132362	p0161	N74-14763**
NASA-CR-2350	p0189	N74-15720**	NASA-CR-132365	p0241	N74-17959**
NASA-CR-2353	p0196	N74-16718**	NASA-CR-132367	p0196	N74-16729**
NASA-CR-2354	p0051	N74-10735**	NASA-CR-132368	p0196	N74-16730**
NASA-CR-2355	p0096	N74-11835**	NASA-CR-132369	p0107	N74-12821**
NASA-CR-2358	p0196	N74-16719**	NASA-CR-132371	p0248	N74-18674**
NASA-CR-2360	p0099	N74-12317**	NASA-CR-132372	p0248	N74-18675**
NASA-CR-2361	p0193	N74-16322**	NASA-CR-132387	p0257	N74-19544**
NASA-CR-2368	p0194	N74-16704**	NASA-CR-132390	p0415	N74-28514**
NASA-CR-2378	p0495	N74-34482**	NASA-CR-132391	p0415	N74-28515**
NASA-CR-2381	p0245	N74-18648**	NASA-CR-132392	p0415	N74-28516**
NASA-CR-2395	p0363	N74-26425**	NASA-CR-132393	p0415	N74-28517**
NASA-CR-2397	p0417	N74-28709**	NASA-CR-132394	p0415	N74-28518**
NASA-CR-2401	p0417	N74-28710**	NASA-CR-132395	p0415	N74-28519**
NASA-CR-2403	p0417	N74-28707**	NASA-CR-132396	p0415	N74-28520**
NASA-CR-2405	p0417	N74-28706**	NASA-CR-132397	p0416	N74-28521**
NASA-CR-2408	p0494	N74-34476**	NASA-CR-132401	p0413	N74-28508**
NASA-CR-2421	p0488	N74-33433**	NASA-CR-132402	p0414	N74-28509**
NASA-CR-2424	p0406	N74-27497**	NASA-CR-132403	p0414	N74-28510**
NASA-CR-2425	p0413	N74-28504**	NASA-CR-132404	p0414	N74-28511**
NASA-CR-2426	p0406	N74-27498**	NASA-CR-132405	p0414	N74-28512**
NASA-CR-2433	p0489	N74-33448**	NASA-CR-132406	p0414	N74-28513**
NASA-CR-2437	p0467	N74-31495**	NASA-CR-132415	p0281	N74-19643**
NASA-CR-2447	p0442	N74-29382**	NASA-CR-132419	p0304	N74-21289**
NASA-CR-2450	p0418	N74-28734**	NASA-CR-132420	p0354	N74-25563**
NASA-CR-112238	p0101	N74-12555**	NASA-CR-132423	p0444	N74-30093**
NASA-CR-112249	p0353	N74-25548**	NASA-CR-132430	p0355	N74-25567**
NASA-CR-114363	p0096	N74-11834**	NASA-CR-132461	p0441	N74-29375**
NASA-CR-114588	p0040	N74-10048**	NASA-CR-132462	p0495	N74-34477**
NASA-CR-114603	p0142	N74-13727**	NASA-CR-132477	p0487	N74-33427**
NASA-CR-114605	p0040	N74-10044**	NASA-CR-132479	p0494	N74-34468**
NASA-CR-114621	p0235	N74-17751**	NASA-CR-132508	p0494	N74-34469**
NASA-CR-114622	p0236	N74-17752**	NASA-CR-132831	p0048	N74-10619**
NASA-CR-114623	p0236	N74-17753**	NASA-CR-132930	p0200	N74-16887**
NASA-CR-114629	p0040	N74-10045**	NASA-CR-134184	p0189	N74-15717**
NASA-CR-114630	p0049	N74-10725**	NASA-CR-134486	p0065	N74-11597**
NASA-CR-114658	p0235	N74-17750**	NASA-CR-134494	p0194	N74-16592**
NASA-CR-114664	p0188	N74-15711**	NASA-CR-134502	p0049	N74-10726**
NASA-CR-114665	p0142	N74-13726**	NASA-CR-134503	p0093	N74-11808**
NASA-CR-114677	p0188	N74-15714**	NASA-CR-134511	p0100	N74-12449**
NASA-CR-114678	p0235	N74-17749**	NASA-CR-134515	p0099	N74-12285**
NASA-CR-114682	p0096	N74-11833**	NASA-CR-134518	p0241	N74-17960**
NASA-CR-114687	p0297	N74-20667**	NASA-CR-134533	p0247	N74-18672**
NASA-CR-114688	p0189	N74-15715**	NASA-CR-134534	p0236	N74-17755**
NASA-CR-114689	p0249	N74-18685**	NASA-CR-134545	p0196	N74-16726**
NASA-CR-114690	p0249	N74-18686**	NASA-CR-134546	p0247	N74-18673**
NASA-CR-114691	p0189	N74-15716**	NASA-CR-134547	p0363	N74-26436**
NASA-CR-114693	p0141	N74-13722**	NASA-CR-134548	p0243	N74-18399**
NASA-CR-114694	p0141	N74-13723**	NASA-CR-134586	p0256	N74-19401**
NASA-CR-114697	p0330	N74-22676**	NASA-CR-134609	p0296	N74-20661**
NASA-CR-114698	p0330	N74-22677**	NASA-CR-134630	p0353	N74-25537**
NASA-CR-114699	p0193	N74-16250**	NASA-CR-134636	p0444	N74-30239**
NASA-CR-114707	p0160	N74-14755**	NASA-CR-134645	p0410	N74-28230**
NASA-CR-114708	p0160	N74-14756**	NASA-CR-134647	p0410	N74-28229**
NASA-CR-114709	p0160	N74-14757**	NASA-CR-134660	p0475	N74-33226**
NASA-CR-114710	p0160	N74-14758**	NASA-CR-134699	p0494	N74-34467**
NASA-CR-114711	p0160	N74-14759**	NASA-CR-135884	p0062	N74-11164**
NASA-CR-114723	p0326	N74-21659**	NASA-CR-135975	p0062	N74-11197**
NASA-CR-114727	p0188	N74-15712**	NASA-CR-135976	p0062	N74-11198**
NASA-CR-114730	p0325	N74-21655**	NASA-CR-135993	p0067	N74-11743**
NASA-CR-114735	p0200	N74-16995**	NASA-CR-136004	p0063	N74-11202**
NASA-CR-114749	p0248	N74-18678**	NASA-CR-136069	p0059	N74-11077**
NASA-CR-114758	p0412	N74-28479**	NASA-CR-136473	p0139	N74-13709**
NASA-CR-114760	p0297	N74-20663**	NASA-CR-136504	p0140	N74-13715**
NASA-CR-114761	p0297	N74-20662**	NASA-CR-136559	p0155	N74-14707**
NASA-CR-121175	p0050	N74-10732**	NASA-CR-136618	p0164	N74-15378**
NASA-CR-121247	p0193	N74-16493**	NASA-CR-136815	p0200	N74-16953**
NASA-CR-121252	p0050	N74-10729**	NASA-CR-136900	p0304	N74-21396**
NASA-CR-121271	p0050	N74-10730**	NASA-CR-137373	p0282	N74-19651**
NASA-CR-121277	p0040	N74-10049**	NASA-CR-137481	p0326	N74-21660**
NASA-CR-128781	p0038	N74-10028**	NASA-CR-137483	p0405	N74-27485**
NASA-CR-132252	p0240	N74-17909**	NASA-CR-137515	p0416	N74-28525**
NASA-CR-132253	p0254	N74-18842**	NASA-CR-137520	p0489	N74-33455**
NASA-CR-132296	p0241	N74-18096**	NASA-CR-137521	p0489	N74-33456**
NASA-CR-132297	p0061	N74-11118**	NASA-CR-137527	p0407	N74-27501**
NASA-CR-132313	p0045	N74-10297**	NASA-CR-137530	p0441	N74-29374**
NASA-CR-132323	p0053	N74-10863**	NASA-CR-137531	p0418	N74-29016**
NASA-CR-132335	p0038	N74-10029**	NASA-CR-137550	p0470	N74-32413**
NASA-CR-132339	p0104	N74-12717**	NASA-CR-137561	p0472	N74-32438**
NASA-CR-132345	p0093	N74-11807**	NASA-CR-137570	p0495	N74-34483**
NASA-CR-132349	p0093	N74-11809**	NASA-CR-138031	p0287	N74-19902**
NASA-CR-132350	p0061	N74-11113**	NASA-CR-138120	p0324	N74-21647**
NASA-CR-132351	p0061	N74-11114**	NASA-CR-138130	p0324	N74-21648**
NASA-CR-132352	p0061	N74-11115**	NASA-CR-138140	p0323	N74-21633**

REPORT/ACCESSION NUMBER INDEX

NASA-CR-138140	p0488	N74-33436**	NASA-TM-X-62334	p0329	N74-22637**
NASA-CR-138185	p0326	N74-21661**	NASA-TM-X-62336	p0325	N74-21654**
NASA-CR-138585	p0369	N74-26663**	NASA-TM-X-62346	p0354	N74-25561**
NASA-CR-138605	p0369	N74-26666**	NASA-TM-X-62348	p0444	N74-30095**
NASA-CR-138658	p0363	N74-26424**	NASA-TM-X-62361	p0467	N74-31501**
NASA-CR-138815	p0409	N74-27715**	NASA-TM-X-62368	p0468	N74-31617**
NASA-CR-138908	p0407	N74-27505**	NASA-TM-X-62369	p0467	N74-31498**
NASA-CR-139595	p0463	N74-31427**	NASA-TM-X-62375	p0474	N74-33114**
NASA-CR-139690	p0487	N74-33426**	NASA-TM-X-62382	p0493	N74-34466**
NASA-CR-140059	p0473	N74-32443**	NASA-TM-X-64086	p0059	N74-11091**
NASA-CR-140182	p0500	N74-35194**	NASA-TM-X-68241	p0055	N74-10917**
NASA-CR-140487	p0488	N74-33445**	NASA-TM-X-69411	p0192	N74-15939**
NASA-CR-140519	p0493	N74-34465**	NASA-TM-X-69455	p0111	N74-13422**
NASA-CR-140623	p0501	N74-35250**	NASA-TM-X-69938	p0236	N74-17754**
NASA-EP-85	p0036	N74-10017**	NASA-TM-X-69960	p0248	N74-18676**
NASA-SP-352	p0495	N74-34489**	NASA-TM-X-70242	p0472	N74-32439**
NASA-TM-X-2944	p0064	N74-11304**	NASA-TM-X-70319	p0467	N74-31499**
NASA-TM-X-2946	p0067	N74-11738**	NASA-TM-X-71437	p0049	N74-10709**
NASA-TM-X-2947	p0416	N74-28524**	NASA-TM-X-71456	p0040	N74-10043**
NASA-TM-X-2952	p0101	N74-12571**	NASA-TM-X-71460	p0037	N74-10021**
NASA-TM-X-2956	p0159	N74-14753**	NASA-TM-X-71461	p0045	N74-10321**
NASA-TM-X-2958	p0153	N74-14650**	NASA-TM-X-71464	p0100	N74-12445**
NASA-TM-X-2959	p0154	N74-14651**	NASA-TM-X-71466	p0039	N74-10042**
NASA-TM-X-2993	p0243	N74-18397**	NASA-TM-X-71470	p0039	N74-10037**
NASA-TM-X-3000	p0231	N74-17699**	NASA-TM-X-71481	p0063	N74-11204**
NASA-TM-X-3007	p0294	N74-20591**	NASA-TM-X-71488	p0152	N74-14384**
NASA-TM-X-3008	p0354	N74-25562**	NASA-TM-X-71509	p0243	N74-18400**
NASA-TM-X-2623	p0323	N74-21634**	NASA-TM-X-71517	p0256	N74-19405**
NASA-TM-X-2788	p0146	N74-13882**	NASA-TM-X-71527	p0284	N74-19668**
NASA-TM-X-2866	p0098	N74-12091**	NASA-TM-X-71536	p0331	N74-23342**
NASA-TM-X-2867	p0246	N74-18658**	NASA-TM-X-71541	p0329	N74-22631**
NASA-TM-X-2879	p0062	N74-11119**	NASA-TM-X-71548	p0360	N74-25812**
NASA-TM-X-2897	p0094	N74-11819**	NASA-TM-X-71550	p0363	N74-26435**
NASA-TM-X-2903	p0037	N74-10022**	NASA-TM-X-71553-VOL-1-PT-1	p0406	N74-27491**
NASA-TM-X-2905	p0037	N74-10027**	NASA-TM-X-71562	p0406	N74-27492**
NASA-TM-X-2918	p0166	N74-15466**	NASA-TM-X-71578	p0355	N74-25568**
NASA-TM-X-2919	p0165	N74-15465**	NASA-TM-X-71591	p0442	N74-29379**
NASA-TM-X-2921	p0049	N74-10722**	NASA-TM-X-71606	p0445	N74-30249**
NASA-TM-X-2926	p0050	N74-10734**	NASA-TM-X-71607	p0475	N74-33228**
NASA-TM-X-2931	p0166	N74-15659**	NASA-TM-X-71610	p0475	N74-33229**
NASA-TM-X-2937	p0037	N74-10026**	NASA-TM-X-71614	p0500	N74-35201**
NASA-TM-X-2940	p0041	N74-10052**	NASA-TM-X-71919	p0500	N74-35202**
NASA-TM-X-2942	p0094	N74-11813**	NASA-TM-X-71921	p0281	N74-19640**
NASA-TM-X-3009	p0493	N74-34462**	NASA-TM-X-71927	p0296	N74-20657**
NASA-TM-X-3011	p0246	N74-18656**	NASA-TM-X-71928	p0295	N74-20654**
NASA-TM-X-3016	p0237	N74-17758**	NASA-TM-X-71931	p0294	N74-20637**
NASA-TM-X-3031	p0412	N74-28483**	NASA-TM-X-71932	p0294	N74-20638**
NASA-TM-X-3048	p0412	N74-28475**	NASA-TM-X-71935	p0296	N74-20656**
NASA-TM-X-3049	p0410	N74-28240**	NASA-TM-X-71936	p0296	N74-20658**
NASA-TM-X-3053	p0323	N74-21639**	NASA-TM-X-71937	p0295	N74-20652**
NASA-TM-X-3060	p0487	N74-33430**	NASA-TM-X-71938	p0296	N74-20655**
NASA-TM-X-3064	p0411	N74-28241**	NASA-TM-X-71944	p0304	N74-21308**
NASA-TM-X-3066	p0444	N74-30240**	NASA-TM-X-71950	p0284	N74-19667**
NASA-TM-X-3069	p0487	N74-33431**	NASA-TM-X-71953	p0295	N74-20651**
NASA-TM-X-3070	p0487	N74-33432**	NASA-TM-X-71957	p0296	N74-20660**
NASA-TM-X-3073	p0353	N74-25536**	NASA-TM-X-71960	p0296	N74-20659**
NASA-TM-X-3078	p0463	N74-31419**	NASA-TM-X-71965	p0365	N74-26457**
NASA-TM-X-3087	p0463	N74-31421**	NASA-TM-X-71974	p0353	N74-25533**
NASA-TM-X-3088	p0469	N74-32412**	NASA-TM-X-71987	p0466	N74-31485**
NASA-TM-X-3110	p0500	N74-35203**	NASA-TM-X-71995	p0441	N74-29367**
NASA-TM-X-56017	p0094	N74-11814**	NASA-TM-X-72013	p0467	N74-31504**
NASA-TM-X-56019	p0160	N74-14760**	NASA-TN-D-7130	p0488	N74-33438**
NASA-TM-X-56020	p0104	N74-12720**	NASA-TN-D-7231	p0147	N74-14138**
NASA-TM-X-56022	p0192	N74-16102**	NASA-TN-D-7278	p0104	N74-12719**
NASA-TM-X-56024	p0247	N74-18671**	NASA-TN-D-7330	p0095	N74-11825**
NASA-TM-X-56025	p0441	N74-29370**	NASA-TN-D-7331	p0096	N74-11836**
NASA-TM-X-58141	p0411	N74-28423**	NASA-TN-D-7335	p0036	N74-10015**
NASA-TM-X-62197	p0141	N74-13721**	NASA-TN-D-7346	p0047	N74-10584**
NASA-TM-X-62218	p0418	N74-28737**	NASA-TN-D-7350	p0153	N74-14631**
NASA-TM-X-62237	p0140	N74-13719**	NASA-TN-D-7358	p0060	N74-11096**
NASA-TM-X-62281	p0095	N74-11826**	NASA-TN-D-7361	p0096	N74-11831**
NASA-TM-X-62289	p0053	N74-10783**	NASA-TN-D-7363	p0059	N74-11059**
NASA-TM-X-62306	p0103	N74-12714**	NASA-TN-D-7367	p0187	N74-15703**
NASA-TM-X-62309	p0093	N74-11810**	NASA-TN-D-7380	p0036	N74-10014**
NASA-TM-X-62310	p0064	N74-11431**	NASA-TN-D-7387	p0099	N74-12261**
NASA-TM-X-62319	p0189	N74-15719**	NASA-TN-D-7399	p0038	N74-10030**
NASA-TM-X-62320	p0141	N74-13720**	NASA-TN-D-7411	p0096	N74-11832**
NASA-TM-X-62321	p0158	N74-14739**	NASA-TN-D-7427	p0324	N74-21649**
NASA-TM-X-62322	p0104	N74-12715**	NASA-TN-D-7428	p0102	N74-12705**
NASA-TM-X-62326	p0231	N74-17702**	NASA-TN-D-7432	p0094	N74-11821**
NASA-TM-X-62327	p0487	N74-33429**	NASA-TN-D-7444	p0060	N74-11097**
NASA-TM-X-62333	p0196	N74-16720**	NASA-TN-D-7446	p0237	N74-17759**
			NASA-TN-D-7447	p0093	N74-11812**
			NASA-TN-D-7452	p0045	N74-10318**
			NASA-TN-D-7455	p0249	N74-18688**
			NASA-TN-D-7456	p0297	N74-20666**
			NASA-TN-D-7460	p0097	N74-11837**
				p0256	N74-19282**

REPORT/ACCESSION NUMBER INDEX

NASA-TN-D-7463	p0326	N74-21658**	NASA-TT-F-15612	p0413	N74-28500**
NASA-TN-D-7470	p0325	N74-21653**	NASA-TT-F-15613	p0355	N74-25565**
NASA-TN-D-7474	p0283	N74-19665**	NASA-TT-F-15614	p0355	N74-25566**
NASA-TN-D-7483	p0099	N74-12187**	NASA-TT-F-15615	p0419	N74-29118**
NASA-TN-D-7487	p0037	N74-10024**	NASA-TT-F-15616	p0355	N74-25564**
NASA-TN-D-7488	p0101	N74-12575**	NASA-TT-F-15617	p0406	N74-27493**
NASA-TN-D-7489	p0037	N74-10025**	NASA-TT-F-15618	p0361	N74-26151**
NASA-TN-D-7495	p0325	N74-21652**	NASA-TT-F-15622	p0332	N74-23509**
NASA-TN-D-7497	p0284	N74-19671**	NASA-TT-F-15704	p0413	N74-28501**
NASA-TN-D-7498	p0094	N74-11823**	NASA-TT-F-15713	p0407	N74-27503**
NASA-TN-D-7505	p0411	N74-28474**	NASA-TT-F-15716	p0410	N74-28101**
NASA-TN-D-7509	p0100	N74-12360**	NASA-TT-F-15726	p0405	N74-27479**
NASA-TN-D-7518	p0254	N74-18895**	NASA-TT-F-15729	p0362	N74-26423**
NASA-TN-D-7524	p0410	N74-28102**	NASA-TT-F-15743	p0405	N74-27484**
NASA-TN-D-7526	p0283	N74-19663**	NASA-TT-F-15762	p0305	N74-27483**
NASA-TN-D-7539	p0469	N74-32356**	NASA-TT-F-15801	p0445	N74-30425**
NASA-TN-D-7546	p0141	N74-13725**	NASA-TT-F-15803	p0416	N74-28522**
NASA-TN-D-7551	p0248	N74-18677**	NASA-TT-F-15817	p0472	N74-32441**
NASA-TN-D-7563	p0246	N74-18657**	NASA-TT-F-15837	p0467	N74-31494**
NASA-TN-D-7579	p0323	N74-21635**	NASA-TT-F-15859	p0467	N74-31493**
NASA-TN-D-7593	p0413	N74-28506**	NASA-TT-F-15920	p0472	N74-32440**
NASA-TN-D-7603	p0195	N74-16717**	NASA-TT-F-15935	p0489	N74-33446**
NASA-TN-D-7611	p0419	N74-29119**	NASA-TT-F-15953	p0472	N74-32442**
NASA-TN-D-7623	p0488	N74-33434**	NASA-TT-F-15962	p0492	N74-34154**
NASA-TN-D-7630	p0470	N74-32414**			
NASA-TN-D-7631	p0463	N74-31416**	NATF-EN-1130	p0358	N74-25595 *
NASA-TN-D-7645	p0284	N74-19672**	NAVTRAEQUIPC-IE-217	p0302	N74-20905 *
NASA-TN-D-7647	p0355	N74-25569**	NBSIR-74-474	p0409	N74-27920 *
NASA-TN-D-7651	p0463	N74-31414**	NCAR-TN/EDD-82	p0036	N74-10016 *
NASA-TN-D-7666	p0304	N74-21290**	NCEL-CR-74.001	p0146	N74-13957 *
NASA-TN-D-7669	p0489	N74-33452**	NCEL-TN-1333	p0362	N74-26243 *
NASA-TN-D-7670	p0493	N74-34461**	HCSSL-198-73	p0327	N74-21669 *
NASA-TN-D-7677	p0407	N74-27500**	NEL-524-PT-2	p0109	N74-12989 *
NASA-TN-D-7689	p0362	N74-26389**	NELC-TR-1891	p0240	N74-17902 *
NASA-TN-D-7696	p0362	N74-26251**	NLR-MP-73016-U	p0366	N74-26467
NASA-TN-D-7698	p0370	N74-27412**	NLR-TR-73	p0097	N74-11841 *
NASA-TN-D-7703	p0407	N74-27499**	NLR-TR-70050-U	p0488	N74-33440 *
NASA-TN-D-7714	p0489	N74-33453**	NLR-TR-72037-U	p0054	N74-10906 *
NASA-TN-D-7715	p0500	N74-35219**	NLR-TR-72091-U	p0294	N74-20642 *
NASA-TN-D-7731	p0413	N74-28507**	NLR-TR-72092-U	p0109	N74-12995 *
NASA-TN-D-7741	p0487	N74-33428 *	NLR-TR-72096-U	p0099	N74-12248 *
NASA-TN-D-7770	p0470	N74-32416**	NLR-TR-72116-U	p0195	N74-16707 *
NASA-TN-D-7791	p0495	N74-34481**	NLR-TR-72117-U	p0067	N74-11719 *
			NLR-TR-73007-U	p0368	N74-26486 *
NASA-TR-R-421	p0158	N74-14741**	NOLTR-73-94	p0062	N74-11129 *
NASA-TR-R-428	p0493	N74-34459**	NOLTR-73-127	p0038	N74-10032 *
NASA-TT-F-757	p0159	N74-14751**	NOR-72-32-PT-1	p0110	N74-13262 *
NASA-TT-F-782	p0357	N74-25594**	NOR-73-77	p0061	N74-11118**
NASA-TT-F-806	p0283	N74-19666**	NOR-73-82-VOL-2	p0473	N74-32451 *
NASA-TT-F-15106	p0039	N74-10038**	NOR-73-82-VOL-3	p0490	N74-33460 *
NASA-TT-F-15171	p0056	N74-10923**	NORT-72-39	p0162	N74-14774 *
NASA-TT-F-15172	p0056	N74-10922**	NPL-AERO-SR-017	p0247	N74-18665 *
NASA-TT-F-15173	p0060	N74-11095**	NPL-AERO-SR-036	p0247	N74-18666 *
NASA-TT-F-15174	p0095	N74-11827**	NPS-53EH73091A	p0187	N74-15706 *
NASA-TT-F-15175	p0098	N74-12015**	NPS-57GN73121A	p0232	N74-17719 *
NASA-TT-F-15176	p0060	N74-11092**	NPS-57VA73061A	p0362	N74-26258 *
NASA-TT-F-15177	p0060	N74-11093**	NPS-57VA74031	p0419	N74-29228 *
NASA-TT-F-15178	p0065	N74-11433**	NRC-13673	p0155	N74-14708 *
NASA-TT-F-15179	p0060	N74-11094**	NRC-13673	p0247	N74-18668 *
NASA-TT-F-15182	p0056	N74-10918**	NRC-13842	p0256	N74-19281 *
NASA-TT-F-15183	p0094	N74-11815**	NRC-13882	p0283	N74-19662 *
NASA-TT-F-15195	p0140	N74-13717**	NRC-13898	p0442	N74-29376 *
NASA-TT-F-15197	p0139	N74-13706**	NRL-MR-2657	p0109	N74-12938 *
NASA-TT-F-15199	p0101	N74-12572**	NR73H-107	p0253	N74-18715 *
NASA-TT-F-15213	p0139	N74-13707**	NSF-73-57-GI-12	p0044	N74-10165 *
NASA-TT-F-15233	p0151	N74-14383**	NSRDC-28-662	p0194	N74-16603 *
NASA-TT-F-15237	p0189	N74-15718**	NSRDC-3639	p0062	N74-11125 *
NASA-TT-F-15249	p0154	N74-14682**	NSRDC-3868	p0043	N74-10072 *
NASA-TT-F-15292	p0191	N74-15735**	NSRDC-4098	p0187	N74-15705 *
NASA-TT-F-15295	p0191	N74-15736**			
NASA-TT-F-15310	p0191	N74-15748**			
NASA-TT-F-15370	p0235	N74-17747**			
NASA-TT-F-15371	p0240	N74-17958**			
NASA-TT-F-15406	p0236	N74-17757**			
NASA-TT-F-15414	p0418	N74-29040**			
NASA-TT-F-15416	p0254	N74-18917**			
NASA-TT-F-15417	p0281	N74-19641**			
NASA-TT-F-15424	p0284	N74-19669**			
NASA-TT-F-15445	p0287	N74-19904**			
NASA-TT-F-15446	p0283	N74-19661**			
NASA-TT-F-15454	p0324	N74-21646**			
NASA-TT-F-15531	p0325	N74-21651**			
NASA-TT-F-15532	p0297	N74-20668**			
NASA-TT-F-15533	p0298	N74-20669**			
NASA-TT-F-15534	p0324	N74-21650**			
NASA-TT-F-15568	p0328	N74-22138**			
NASA-TT-F-15569	p0323	N74-21631**			
NASA-TT-F-15608	p0361	N74-26150**			

REPORT/ACCESSION NUMBER INDEX

NSRDC-4108	p0327 N74-21666 #	PWA-4635	p0107 N74-12742 #
NSRDC-4166	p0194 N74-16603 #	PWA-4704	p0107 N74-12744 #
NTSB-AAR-73-17	p0040 N74-10050 #	PWA-4727	p0049 N74-10726*
NTSB-AAR-73-18	p0039 N74-10041 #	PWA-6635	p0492 N74-34076 #
NTSB-AAR-73-19	p0095 N74-11830 #		
NTSB-AAR-73-20	p0249 N74-18683 #	P2/3.85	p0247 N74-18667 #
NTSB-AAR-74-1	p0235 N74-17748 #		
NTSB-AAR-74-2	p0249 N74-18684 #	R-01-09-74	p0241 N74-18096**
NTSB-AAR-74-3	p0297 N74-20665 #	R-492-45	p0293 N74-20451 #
NTSB-AAR-74-5	p0413 N74-28503 #	R-673-9	p0243 N74-18405 #
NTSB-AAR-74-6	p0364 N74-26438 #	R-827-PR	p0244 N74-18627 #
NTSB-AAR-74-7	p0364 N74-26439 #	R-980-PR	p0324 N74-21644 #
NTSB-AAR-74-10	p0489 N74-33447 #	R-1061-PR	p0201 N74-17519 #
		R-1070-PR	p0201 N74-17626 #
NTSB-AAS-74-1	p0325 N74-21657 #	R-1148-PR	p0299 N74-20681 #
		R-1164	p0285 N74-19684 #
NTSB-BA-73-8	p0056 N74-10919 #	R-1319-DOT	p0065 N74-11436 #
NTSB-BA-73-10	p0196 N74-16722 #	R-1320-DOT	p0065 N74-11435 #
NTSB-BA-74-1	p0297 N74-20664 #	R-1360-NSF	p0244 N74-18606 #
		R-1391-NSF	p0244 N74-18607 #
NWC-TP-5413	p0047 N74-10597 #	R-4741	p0200 N74-16887**
NWL-TR-3	p0499 N74-34555 #	RADC-TR-73-195	p0200 N74-16960 #
N73-33187	p0235 N74-17747**		
ONERAR-TP-124	p0159 N74-14748 #	RAE-LIB-TRANS-1615	p0413 N74-28502 #
		RAE-LIB-TRANS-1740	p0407 N74-27506 #
ONERA-NT-161	p0413 N74-28501**	RAE-LIB-TRANS-1744	p0406 N74-27494 #
ONERA, TP NO. 1229	p0006 A74-11069 #		
ONERA, TP NO. 1247	p0226 A74-25062 #	RAE-TR-69231	p0161 N74-14766 #
ONERA, TP NO. 1282	p0225 A74-25061 #	RAE-TR-70146	p0161 N74-14766 #
ONERA, TP NO. 1284	p0006 A74-11072 #	RAE-TR-71121	p0257 N74-19565 #
ONERA, TP NO. 1291	p0312 A74-29467 #	RAE-TR-71165	p0250 N74-18689 #
ONERA, TP NO. 1294	p0005 A74-10996 #	RAE-TR-71211	p0247 N74-18663 #
ONERA, TP NO. 1295	p0005 A74-10997 #	RAE-TR-72002	p0246 N74-18662 #
ONERA, TP NO. 1298	p0005 A74-10999 #	RAE-TR-72005	p0161 N74-14767 #
ONERA, TP NO. 1310	p0224 A74-24312 #	RAE-TR-72036	p0111 N74-13402 #
ONERA, TP NO. 1312	p0222 A74-24314 #	RAE-TR-72068	p0250 N74-18690 #
ONERA, TP NO. 1313	p0228 A74-24315 #	RAE-TR-72218	p0197 N74-16734 #
ONERA, TP NO. 1315	p0128 A74-18288 #	RAE-TR-73049	p0105 N74-12725 #
ONERA, TP NO. 1337	p0220 A74-23393 #	RAE-TR-73085	p0257 N74-19567 #
ONERA, TP NO. 1342	p0422 A74-38310 #	RAE-TR-73104	p0256 N74-19283 #
ONERA, TP NO. 1362	p0179 A74-20774 #	RAE-TR-73157	p0417 N74-28549 #
ONERA, TP NO. 1367	p0422 A74-38311 #	RAE-TR-73183-VOL-1	p0366 N74-26458 #
ONERA, TP NO. 1373	p0318 A74-30513 #	RAE-TR-73183-VOL-2	p0367 N74-26468 #
ONERA, TP NO. 1378	p0314 A74-29860 #		
ONERA, TP NO. 1389 E	p0478 A74-44953 #	RASA-73-01	p0232 N74-17715 #
ONERA, TP NO. 1402	p0266 A74-26705**	RASA-73-07	p0094 N74-11822**
ONERA, TP NO. 1424	p0483 A74-46596 #		
		RD-73-24	p0251 N74-18701 #
ONRL-C-14-73	p0109 N74-12884 #	RDR-1748	p0046 N74-10461 #
ONRL-C-17-73	p0201 N74-17376 #		
		RE-89	p0463 N74-31427**
P-5046	p0068 N74-11791 #	RE-460J	p0067 N74-11722 #
P-5136	p0328 N74-22597 #	RE-469	p0245 N74-18644 #
P-5152	p0288 N74-20176 #	RE-472	p0370 N74-27172 #
PA-TR-4419-PT-4	p0047 N74-10480 #	REPT-SP-73-001	p0097 N74-11842 #
PAPER-2A-4	p0111 N74-13422**	REPT-2-53443/3R-3139	p0444 N74-30013 #
		REPT-2-57110/3R-3104	p0162 N74-14773 #
PB-222075/4	p0052 N74-10745 #	REPT-2-57110/3R-3126	p0369 N74-26489 #
PB-222339/4	p0068 N74-11801 #	REPT-3WW-TN-72-1-BEV	p0048 N74-10611 #
PB-222340/2	p0052 N74-10746 #	REPT-4/73	p0240 N74-17893 #
PB-222403/8	p0044 N74-10165 #	REPT-5-73	p0200 N74-16903 #
PB-222624/9	p0052 N74-10742 #	REPT-7-72	p0192 N74-15842 #
PB-223637/0GA	p0145 N74-13752 #	REPT-20	p0470 N74-32413*
PB-224405/1GA	p0238 N74-17770 #	REPT-21-3744-4228	p0254 N74-18813 #
PB-224408/5GA	p0238 N74-17769 #	REPT-71-078	p0362 N74-26423*
PB-224422/6GA	p0238 N74-17771 #	REPT-71-0353-00-00	p0255 N74-19107 #
PB-225052/0GA	p0242 N74-18315 #	REPT-71-0424-00-00	p0498 N74-34550 #
PB-225053/8GA	p0242 N74-18316 #	REPT-72-8745	p0238 N74-17765 #
PB-225054/6GA	p0242 N74-18317 #	REPT-73-38	p0112 N74-13510 #
PB-225055/3GA	p0243 N74-18318 #	REPT-73-9343	p0252 N74-18706 #
PB-225056/1GA	p0243 N74-18319 #	REPT-73-310366	p0256 N74-19407 #
PB-225149/4GA	p0287 N74-19898 #	REPT-74-310545-2	p0370 N74-27304 #
		REPT-300-099-003	p0096 N74-11833*
		REPT-300-099-004	p0096 N74-11834**
PMSRC-4193	p0250 N74-18694 #	REPT-998	p0370 N74-27302 #
		REPT-1427	p0187 N74-15701 #
PR-9	p0324 N74-21647**	REPT-1751	p0237 N74-17762 #
PR-37	p0295 N74-20647 #	REPT-6607-73	p0166 N74-15468 #
		REPT-12609-FRI-VOL-8	p0288 N74-20059 #
PWA-FR-5852-PT-6	p0100 N74-12449**	REPT-12609-FRI-VOL-9	p0199 N74-16754 #
PWA-TH-4763	p0099 N74-12285**	RIA-R-RR-T-6-58-73	p0491 N74-33468 #
		RL-TR-72-1	p0105 N74-12729 #

REPORT/ACCESSION NUMBER INDEX

BL-TR-73-6	p0162	N74-14771 #	SAE PAPER 740361	p0309	A74-28738
BL-TR-74-1	p0328	N74-22558 #	SAE PAPER 740365	p0309	A74-28739*
HPI-TR-MP-35	p0059	N74-11077*	SAE PAPER 740366	p0345	A74-34800*
RR-73-15	p0303	N74-21084 #	SAE PAPER 740368	p0345	A74-34801
R73AEG176	p0065	N74-11597*	SAE PAPER 740369	p0309	A74-28740
R73AEG306	p0297	N74-20667*	SAE PAPER 740370	p0309	A74-28741
R73AEG443-VOL-2	p0256	N74-19401*	SAE PAPER 740371	p0309	A74-28742
R74AEG153	p0193	N74-16493*	SAE PAPER 740374	p0309	A74-28743*
R74AEG219	p0247	N74-18672*	SAE PAPER 740376	p0309	A74-28744
R74AEG283	p0444	N74-30239*	SAE PAPER 740380	p0309	A74-28745
R74AEG327	p0475	N74-33226*	SAE PAPER 740381	p0309	A74-28746
SAE AIR 1160 A	p0269	A74-27257	SAE PAPER 740382	p0309	A74-28747
SAE AIR 1286	p0269	A74-27259	SAE PAPER 740383	p0310	A74-28748
SAE ARP 217 B	p0434	A74-39768	SAE PAPER 740386	p0310	A74-28750
SAE ARP 571 B	p0269	A74-27261	SAE PAPER 740388	p0310	A74-28752
SAE ARP 1202	p0269	A74-27262	SAE PAPER 740389	p0310	A74-28753
SAE AS 425 B	p0269	A74-27263	SAE PAPER 740390	p0310	A74-28754
SAE AS 1303	p0269	A74-27264	SAE PAPER 740391	p0310	A74-28755
SAE PAPER 730388	p0004	A74-10802*	SAE PAPER 740395	p0310	A74-28756
SAE PAPER 730876	p0019	A74-11606*	SAE PAPER 740398	p0310	A74-28757
SAE PAPER 730878	p0019	A74-11605	SAE PAPER 740399	p0310	A74-28758
SAE PAPER 730880	p0019	A74-11604	SAE PAPER 740451	p0349	A74-34985
SAE PAPER 730881	p0019	A74-11603	SAE PAPER 740452	p0349	A74-34984
SAE PAPER 730882	p0123	A74-17531	SAE PAPER 740453	p0352	A74-35008
SAE PAPER 730883	p0123	A74-17532	SAE PAPER 740454	p0349	A74-34982*
SAE PAPER 730884	p0019	A74-11602	SAE PAPER 740455	p0349	A74-34983*
SAE PAPER 730886	p0123	A74-17533	SAE PAPER 740457	p0351	A74-35007
SAE PAPER 730887	p0019	A74-11601	SAE PAPER 740458	p0349	A74-34981*
SAE PAPER 730888	p0019	A74-11600	SAE PAPER 740464	p0351	A74-35006
SAE PAPER 730890	p0019	A74-11598	SAE PAPER 740465	p0351	A74-35005
SAE PAPER 730891	p0123	A74-17534	SAE PAPER 740466	p0351	A74-35004
SAE PAPER 730892	p0019	A74-11597	SAE PAPER 740467	p0352	A74-35012*
SAE PAPER 730893	p0019	A74-11596	SAE PAPER 740468	p0352	A74-35011*
SAE PAPER 730894	p0019	A74-11595	SAE PAPER 740469	p0351	A74-35003
SAE PAPER 730895	p0018	A74-11594	SAE PAPER 740471	p0351	A74-35002*
SAE PAPER 730896	p0018	A74-11593*	SAE PAPER 740473	p0433	A74-39648
SAE PAPER 730897	p0018	A74-11592	SAE PAPER 740478	p0351	A74-34998*
SAE PAPER 730898	p0018	A74-11591	SAE PAPER 740480	p0349	A74-34978
SAE PAPER 730899	p0018	A74-11590	SAE PAPER 740481	p0351	A74-34997
SAE PAPER 730901	p0018	A74-11589	SAE PAPER 740482	p0433	A74-39649
SAE PAPER 730902	p0018	A74-11588	SAE PAPER 740483	p0351	A74-34996
SAE PAPER 730907	p0018	A74-11585	SAE PAPER 740484	p0350	A74-34995
SAE PAPER 730908	p0017	A74-11584	SAE PAPER 740487	p0350	A74-34994
SAE PAPER 730909	p0123	A74-17535	SAE PAPER 740488	p0350	A74-34993
SAE PAPER 730910	p0017	A74-11583	SAE PAPER 740489	p0350	A74-34992
SAE PAPER 730911	p0017	A74-11582	SAE PAPER 740490	p0352	A74-35009*
SAE PAPER 730913	p0017	A74-11581	SAE PAPER 740492	p0350	A74-34991
SAE PAPER 730914	p0017	A74-11580	SAE PAPER 740493	p0350	A74-34990
SAE PAPER 730915	p0017	A74-11579	SAE PAPER 740494	p0350	A74-34989
SAE PAPER 730916	p0017	A74-11578	SAE PAPER 740495	p0349	A74-34977
SAE PAPER 730917	p0123	A74-17536	SAE PAPER 740496	p0350	A74-34988*
SAE PAPER 730918	p0017	A74-11577	SAE PAPER 740497	p0350	A74-34987
SAE PAPER 730919	p0017	A74-11576	SAE PAPER 740498	p0350	A74-34986
SAE PAPER 730920	p0123	A74-17537	SAE PAPER 740500	p0349	A74-34976
SAE PAPER 730933	p0016	A74-11567	SAE PAPER 740502	p0433	A74-39650
SAE PAPER 730934	p0016	A74-11566	SAE PAPER 740503	p0349	A74-34975*
SAE PAPER 730935	p0016	A74-11565	SAE-SP-385	p0270	A74-27266
SAE PAPER 730936	p0016	A74-11564	SAI-RR-7303	p0369	N74-26490 #
SAE PAPER 730945	p0016	A74-11558	SAI-R72-012	p0190	N74-15724 #
SAE PAPER 730947	p0016	A74-11557*	SAI-R73-005-VOL-1	p0252	N74-18709 #
SAE PAPER 730948	p0124	A74-17541	SAI-R73-005-VOL-2	p0252	N74-18710 #
SAE PAPER 730953	p0016	A74-11556	SAI-R73-009	p0142	N74-13731 #
SAE PAPER 730955	p0269	A74-27255	SAN-SP-74-101	p0418	N74-28719 #
SAE PAPER 730956	p0015	A74-11555	SAN-828-2	p0288	N74-20232 #
SAE PAPER 730957	p0124	A74-17542	SAWE PAPER 1001	p0434	A74-39876*
SAE PAPER 730959	p0015	A74-11554	SAWE PAPER 1002	p0435	A74-39877
SAE PAPER 730960	p0269	A74-27256*	SAWE PAPER 1004	p0435	A74-39878
SAE PAPER 730987	p0269	A74-27252	SAWE PAPER 1008	p0435	A74-39880
SAE PAPER 730988	p0269	A74-27253	SAWE PAPER 1015	p0435	A74-39885
SAE PAPER 740218	p0274	A74-27501	SAWE PAPER 1016	p0435	A74-39886
SAE PAPER 740259	p0274	A74-27510	SAWE PAPER 1017	p0435	A74-39887
SAE PAPER 740277	p0274	A74-27511*	SAWE PAPER 1018	p0435	A74-39888
SAE PAPER 740345	p0307	A74-28726	SAWE PAPER 1019	p0435	A74-39889
SAE PAPER 740346	p0345	A74-34799	SAWE PAPER 1024	p0436	A74-39891*
SAE PAPER 740347	p0308	A74-28727*	SD-73-SA-0064	p0249	N74-18601*#
SAE PAPER 740348	p0308	A74-28728	SER-50680	p0047	N74-10484 #
SAE PAPER 740349	p0308	A74-28729	SER-50795	p0358	N74-25599 #
SAE PAPER 740350	p0308	A74-28730*	SER-50797	p0237	N74-17764 #
SAE PAPER 740351	p0308	A74-28731*	SER-50827	p0300	N74-20689 #
SAE PAPER 740352	p0308	A74-28732*	SER-50859	p0369	N74-26492 #
SAE PAPER 740353	p0308	A74-28733*	SER-64370	p0286	N74-19686 #
SAE PAPER 740354	p0308	A74-28734*			
SAE PAPER 740358	p0308	A74-28735			
SAE PAPER 740359	p0308	A74-28736			
SAE PAPER 740360	p0309	A74-28737			

REPORT/ACCESSION NUMBER INDEX

SER-60372 p0238 N74-17773 *
 SER-64375 p0253 N74-18712 *
 SER-67008 p0106 N74-12735 *
 SER-611567 p0042 N74-10064 *
 SER-651195 p0252 N74-18711 *
 SIT-DL-73-1662 p0046 N74-10338 *
 SLA-73-669 p0147 N74-14119 *
 SLSR-4-73A p0054 N74-10904 *
 SLSR-5-73B p0191 N74-15733 *
 SLSR-18-73B p0191 N74-15730 *
 SLSR-33-73B p0194 N74-16693 *
 SLSR-39-73B p0194 N74-16694 *
 SME PAPER EM73-716 p0075 A74-13953
 SN-20 p0255 N74-19271 *
 SOLAR-P/N-106751 p0241 N74-18097 *
 SQUID-TR-UARL-2-PU p0051 N74-10736 *
 SR-3 p0201 N74-17648 *
 SRD-72-065 p0195 N74-16716**
 SRD-72-066 p0160 N74-14754**
 SRD-72-067 p0189 N74-15720**
 STI-TR-1015-1 p0330 N74-22676**
 STI-TR-1015-2 p0330 N74-22671**
 STI-TR-1015-3 p0189 N74-15715**
 SUDAAR-456 p0106 N74-12734 *
 SUDAAR-459 p0140 N74-13715**
 SUDAAR-465 p0164 N74-15378**
 SWRI-02-2865-F p0358 N74-25598 *
 SWRI-15-3653 p0163 N74-14778 *
 T-597 p0493 N74-34465**
 TAE-185 p0323 N74-21637 *
 TAE-198 p0363 N74-26424**
 TB-103 p0406 N74-27494 *
 TEES-2809-73-01 p0197 N74-16738 *
 TH-73-489 p0193 N74-16493**
 TN-AL-299 p0491 N74-33466 *
 TN-AL-310 p0359 N74-25611 *
 TN-1973-30 p0192 N74-15876 *
 TN-1973-47 p0289 N74-20237 *
 TN-1973-48 p0048 N74-10621 *
 TOP-1-2-500 p0044 N74-10229 *
 TP-74-51 p0405 N74-27484**
 TP-1277 p0151 N74-14383**
 TR-1 p0369 N74-26490 *
 TR-32 p0044 N74-10155 *
 TR-35-PT-1 p0473 N74-32453 *
 TR-36 p0062 N74-11128 *
 TR-73-2 p0253 N74-18714 *
 TR-105-7-12 p0044 N74-10073 *
 TR-195 p0188 N74-15709 *
 TR-595-73 p0111 N74-13318 *
 TR-0074 (4401)-2 p0418 N74-28719 *
 TR-2037-1 p0494 N74-34476**
 TRA-29369-5 p0499 N74-34686 *
 TSC-FAA-73-6 p0049 N74-10625 *
 TSC-FAA-73-20 p0238 N74-17767 *
 TSC-FAA-74-7-VOL-1 p0499 N74-34716 *
 TSC-FAA-74-7-VOL-2 p0498 N74-34537 *
 TSC-FAA-74-13 p0499 N74-34715 *
 TT-7308 p0053 N74-10890 *
 UARL-M91103-7 p0051 N74-10736 *
 UARL-M911620-1 p0112 N74-13514 *
 UARL-M991208-24 p0303 N74-21105 *

UCRL-75426 p0492 N74-33750 *
 UFE-896-72 p0236 N74-17757**
 UKY-TR63-72-CE23 p0046 N74-10404 *
 US-PATENT-APPL-SN-78766 p0054 N74-10907*
 US-PATENT-APPL-SN-152328 p0295 N74-20646*
 US-PATENT-APPL-SN-211332 p0038 N74-10034*
 US-PATENT-APPL-SN-232021 p0111 N74-13420*
 US-PATENT-APPL-SN-253725 p0110 N74-13129*
 US-PATENT-APPL-SN-289018 p0445 N74-30421*
 US-PATENT-APPL-SN-339806 p0406 N74-27490*
 US-PATENT-APPL-SN-341662 p0059 N74-10942*
 US-PATENT-APPL-SN-344410 p0474 N74-33218*
 US-PATENT-APPL-SN-359957 p0470 N74-32418*
 US-PATENT-APPL-SN-401466 p0044 N74-10202**
 US-PATENT-APPL-SN-437556 p0193 N74-16249**
 US-PATENT-APPL-SN-473973 p0365 N74-26456**
 US-PATENT-APPL-SN-478802 p0409 N74-27872**
 US-PATENT-APPL-SN-482967 p0410 N74-28233**
 US-PATENT-APPL-SN-496779 p0445 N74-30414**
 US-PATENT-APPL-SN-506802 p0471 N74-32428**
 US-PATENT-APPL-SN-513612 p0494 N74-34475**
 US-PATENT-CLASS-D71-1 p0054 N74-10907*
 US-PATENT-CLASS-73-88R p0110 N74-13129*
 US-PATENT-CLASS-137-15.1 p0295 N74-20646*
 US-PATENT-CLASS-137-15.2 p0295 N74-20646*
 US-PATENT-CLASS-181-33C p0470 N74-32418*
 US-PATENT-CLASS-181-33P p0470 N74-32418*
 US-PATENT-CLASS-181-33H p0470 N74-32418*
 US-PATENT-CLASS-181-33HB p0406 N74-27490*
 US-PATENT-CLASS-181-33HC p0474 N74-33218*
 US-PATENT-CLASS-181-33L p0470 N74-32418*
 US-PATENT-CLASS-181-42 p0470 N74-32418*
 US-PATENT-CLASS-235-150.27 p0111 N74-13420*
 US-PATENT-CLASS-235-150.22 p0111 N74-13420*
 US-PATENT-CLASS-235-150.26 p0111 N74-13420*
 US-PATENT-CLASS-239-265.11 p0474 N74-33218*
 US-PATENT-CLASS-239-265.17 p0406 N74-27490*
 US-PATENT-CLASS-244-53B p0295 N74-20646*
 US-PATENT-CLASS-244-77A p0111 N74-13420*
 US-PATENT-CLASS-244-77B p0111 N74-13420*
 US-PATENT-CLASS-244-83 p0059 N74-10942*
 US-PATENT-CLASS-244-90R p0445 N74-30421*
 US-PATENT-CLASS-244-91 p0445 N74-30421*
 US-PATENT-CLASS-244-145 p0038 N74-10034*
 US-PATENT-CLASS-244-327 p0445 N74-30421*
 US-PATENT-CLASS-254-93R p0110 N74-13129*
 US-PATENT-CLASS-318-580 p0059 N74-10942*
 US-PATENT-CLASS-318-628 p0059 N74-10942*
 US-PATENT-CLASS-343-108R p0111 N74-13420*
 US-PATENT-DES-228,688 p0054 N74-10907*
 US-PATENT-3,764,097 p0038 N74-10034*
 US-PATENT-3,771,037 p0059 N74-10942*
 US-PATENT-3,776,028 p0110 N74-13129*
 US-PATENT-3,776,455 p0111 N74-13420*
 US-PATENT-3,799,475 p0295 N74-20646*
 US-PATENT-3,820,630 p0406 N74-27490*
 US-PATENT-3,826,448 p0445 N74-30421*
 US-PATENT-3,830,335 p0470 N74-32418*
 US-PATENT-3,830,431 p0474 N74-33218*
 USA-NLABS-TR-73-55-AD p0054 N74-10899 *
 USA-NLABS-TR-74-9-CE-SUPPL-1 p0144 N74-13743 *
 USA-NLABS-TR-74-12-CE-PT-2 p0361 N74-26078 *
 USA-NLABS-TR-74-15-AD p0244 N74-18640 *
 USAAMRDL-TM-73-105 p0331 N74-22701 *
 USAAMRDL-TM-11 p0105 N74-12728 *
 USAAMRDL-TM-13 p0408 N74-27514 *
 USAAMRDL-TR-72-67 p0106 N74-12738 *
 USAAMRDL-TR-73-2 p0042 N74-10063 *
 USAAMRDL-TR-73-3 p0038 N74-10033 *
 USAAMRDL-TR-73-5 p0162 N74-14774 *
 USAAMRDL-TR-73-11 p0042 N74-10064 *
 USAAMRDL-TR-73-12 p0047 N74-10491 *
 USAAMRDL-TR-73-13 p0047 N74-10484 *
 USAAMRDL-TR-73-14 p0238 N74-17772 *
 USAAMRDL-TR-73-17 p0044 N74-10073 *
 USAAMRDL-TR-73-18 p0152 N74-14444 *
 USAAMRDL-TR-73-19 p0107 N74-12739 *

REPORT/ACCESSION NUMBER INDEX

USAAHRDL-TR-73-20	p0058	N74-10933	#	
USAAHRDL-TR-73-21	p0331	N74-22690	#	
USAAHRDL-TR-73-22	p0163	N74-14781	#	
USAAHRDL-TR-73-24	p0143	N74-13732	#	
USAAHRDL-TR-73-26	p0238	N74-17765	#	
USAAHRDL-TR-73-28	p0256	N74-19411	#	
USAAHRDL-TR-73-29	p0142	N74-13731	#	
USAAHRDL-TR-73-32	p0237	N74-17764	#	
USAAHRDL-TR-73-33	p0162	N74-14775	#	
USAAHRDL-TR-73-34A-VOL-1	p0327	N74-21667	#	
USAAHRDL-TR-73-34B-VOL-2	p0327	N74-21668	#	
USAAHRDL-TR-73-34C	p0360	N74-25614	#	
USAAHRDL-TR-73-35	p0190	N74-15724	#	
USAAHRDL-TR-73-38	p0250	N74-18693	#	
USAAHRDL-TR-73-39	p0286	N74-19686	#	
USAAHRDL-TR-73-40	p0251	N74-18700	#	
USAAHRDL-TR-73-41	p0331	N74-22700	#	
USAAHRDL-TR-73-43	p0197	N74-16740	#	
USAAHRDL-TR-73-44	p0142	N74-13729	#	
USAAHRDL-TR-73-45	p0232	N74-17715	#	
USAAHRDL-TR-73-48	p0239	N74-17774	#	
USAAHRDL-TR-73-49	p0300	N74-20689	#	
USAAHRDL-TR-73-51	p0106	N74-12735	#	
USAAHRDL-TR-73-52	p0190	N74-15725	#	
USAAHRDL-TR-73-54	p0252	N74-18706	#	
USAAHRDL-TR-73-55	p0238	N74-17773	#	
USAAHRDL-TR-73-56	p0252	N74-18707	#	
USAAHRDL-TR-73-60	p0243	N74-18405	#	
USAAHRDL-TR-73-61	p0253	N74-18713	#	
USAAHRDL-TR-73-63A-VOL-1	p0252	N74-18709	#	
USAAHRDL-TR-73-63B-VOL-2	p0252	N74-18710	#	
USAAHRDL-TR-73-65	p0284	N74-19675	#	
USAAHRDL-TR-73-66	p0239	N74-17775	#	
USAAHRDL-TR-73-69	p0250	N74-18696	#	
USAAHRDL-TR-73-70	p0253	N74-18716	#	
USAAHRDL-TR-73-72	p0285	N74-19684	#	
USAAHRDL-TR-73-73	p0252	N74-18708	#	
USAAHRDL-TR-73-74	p0408	N74-27516	#	
USAAHRDL-TR-73-77	p0358	N74-25599	#	
USAAHRDL-TR-73-79	p0253	N74-18712	#	
USAAHRDL-TR-73-81	p0293	N74-20451	#	
USAAHRDL-TR-73-83	p0443	N74-29402	#	
USAAHRDL-TR-73-84	p0252	N74-18705	#	
USAAHRDL-TR-73-90	p0408	N74-27515	#	
USAAHRDL-TR-73-91	p0300	N74-20690	#	
USAAHRDL-TR-73-93	p0253	N74-18718	#	
USAAHRDL-TP-73-94	p0353	N74-25544	#	
USAAHRDL-TR-73-99	p0327	N74-21671	#	
USAAHRDL-TR-73-101	p0359	N74-25604	#	
USAAHRDL-TR-73-105	p0331	N74-22697	#	
USAAHRDL-TR-73-106	p0369	N74-26492	#	
USAAHRDL-TR-74-4	p0408	N74-27510	#	
USAAHRDL-TR-74-5	p0369	N74-26493	#	
USAAHRDL-TR-74-24	p0443	N74-29401	#	
USAAHRDL-TR-74-26	p0359	N74-25609	#	
USAAHRDL-TR-74-32	p0491	N74-33472	#	
USAAHRDL-TR-74-38	p0498	N74-34525	#	
USAAHL-74-3	p0057	N74-10930	#	
USAAHL-74-4	p0251	N74-18702	#	
USAAHL-74-5	p0144	N74-13742	#	
USAASTA-72-30-PT-2	p0359	N74-25613	#	
USAASTA-73-02	p0331	N74-22837	#	
USAASTA-73-41	p0237	N74-17763	#	
USAAVSCOM-TR-73-16	p0041	N74-10057	#	
USAAVSCOM-TR-73-17	p0041	N74-10056	#	
USAAVSCOM-TR-73-18	p0051	N74-10738	#	
USAAVSCOM-TR-73-20	p0163	N74-14778	#	
USAAVSCOM-TR-73-21	p0106	N74-12731	#	
USAAVSCOM-TR-73-22	p0106	N74-12732	#	
USAAVSCOM-TR-73-25	p0163	N74-14782	#	
USAAVSCOM-TR-73-26	p0163	N74-14780	#	
USAAVSCOM-TR-73-27	p0198	N74-16746	#	
USAAVSCOM-TR-73-29	p0253	N74-18717	#	
USAAVSCOM-TR-73-30	p0250	N74-18695	#	
USAAVSCOM-TR-73-32	p0286	N74-19691	#	
USAAVSCOM-TR-73-33	p0286	N74-19712	#	
USAAVSCOM-TR-74-10	p0327	N74-21672	#	
USAAVSCOM-TR-74-14	p0359	N74-25606	#	
USAAVSCOM-TR-74-15	p0359	N74-25605	#	
USAAVSCOM-TR-74-19	p0442	N74-29390	#	
USAAVSCOM-TR-74-20	p0370	N74-27300	#	
USAAVSCOM-TR-74-22	p0408	N74-27512	#	
USAAVSCOM-TR-74-29	p0473	N74-32457	#	
USAAVSCOM-TR-74-34	p0498	N74-34526	#	
USAAVSCOM-TR-74-35	p0499	N74-34552	#	
USAMC-IPC-1-73-21	p0144	N74-13740	#	
USAMRL-1027	p0044	N74-10159	#	
USATEA-73-23	p0146	N74-13954	#	
USCG-D-44-74	p0305	N74-21629	#	
UTIAS-189	p0066	N74-11661	#	
UTIAS-192	p0326	N74-21664	#	
U1-840912-100	p0164	N74-15380	#	
VTH-173	p0195	N74-16708	#	
VTH-175	p0197	N74-16737	#	
WAED-73-12-VOL-1	p0146	N74-13903	#	
WMO-322	p0100	N74-12330	#	
WRE-TN-901 (WR/D)	p0187	N74-15702	#	
WRE-TN-925	p0045	N74-10303	#	
WT-2	p0255	N74-18939	#	

AERONAUTICAL ENGINEERING

A Special Bibliography

**Abstracts
January–December 1974**

TABLE OF CONTENTS

SP-7037 Supplement	Page
41	1
42	69
43	115
44	169
45	203
46	259
47	307
48	335
49	373
50	421
51	447
52	477

1. Report No. NASA SP-7037 (53)		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle Aeronautical Engineering A Cumulative Index to the 1974 Issues				5. Report Date January 1975	
				6. Performing Organization Code	
7. Author(s)				8. Performing Organization Report No.	
9. Performing Organization Name and Address National Aeronautics and Space Administration Washington, D.C. 20546				10. Work Unit No.	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address				13. Type of Report and Period Covered	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract <p>This publication is a cumulative index to the abstracts contained in NASA SP-7037 (41) through NASA SP-7037 (52) of <u>Aeronautical Engineering: A Special Bibliography</u>. NASA SP-7037 and its supplements have been compiled through the cooperative efforts of the American Institute of Aeronautics and Astronautics (AIAA) and the National Aeronautics and Space Administration (NASA). This cumulative index includes subject, personal author, corporate source, contract, and report number indexes.</p>					
17. Key Words (Suggested by Author(s)) Aerodynamics Aeronautical Engineering Aeronautics Bibliographies				18. Distribution Statement Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified		21. No. of Pages 568	
				22. Price* \$10.00 HC	

* For sale by the National Technical Information Service, Springfield, Virginia 22151

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC

NASA distributes its technical documents and bibliographic tools to ten special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

CALIFORNIA

University of California, Berkeley

COLORADO

University of Colorado, Boulder

DISTRICT OF COLUMBIA

Library of Congress

GEORGIA

Georgia Institute of Technology, Atlanta

ILLINOIS

The John Crerar Library, Chicago

MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

MISSOURI

Linda Hall Library, Kansas City

NEW YORK

Columbia University, New York

PENNSYLVANIA

Carnegie Library of Pittsburgh

WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "*" following the accession number) are also received by the following public and free libraries:

CALIFORNIA

Los Angeles Public Library

San Diego Public Library

COLORADO

Denver Public Library

CONNECTICUT

Hartford Public Library

MARYLAND

Enoch Pratt Free Library, Baltimore

MASSACHUSETTS

Boston Public Library

MICHIGAN

Detroit Public Library

MINNESOTA

Minneapolis Public Library

MISSOURI

Kansas City Public Library

St. Louis Public Library

NEW JERSEY

Trenton Public Library

NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

OHIO

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

OKLAHOMA

Oklahoma County Libraries, Oklahoma City

TENNESSEE

Memphis Public Library

TEXAS

Dallas Public Library

Fort Worth Public Library

WASHINGTON

Seattle Public Library

WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York, 10017.

EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "*" and "#", from: ESRO/ELDO Space Documentation Service, European Space Research Organization, 114, av. Charles de Gaulle, 92-Neuilly-sur-Seine, France.



POSTMASTER: If Undeliverable (Section 158
Postal Manual) Do Not Return

NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Washington, D.C. 20546